
ESTIMATES OF MONTHLY STREAMFLOW CHARACTERISTICS AT SELECTED SITES
IN THE UPPER MISSOURI RIVER BASIN, MONTANA, BASE PERIOD WATER YEARS
1937-86



U.S. GEOLOGICAL SURVEY

Water-Resources Investigations Report 89-4082

Prepared in cooperation with the MONTANA DEPARTMENT OF FISH, WILDLIFE and PARKS



ESTIMATES OF MONTHLY STREAMFLOW CHARACTERISTICS AT SELECTED SITES IN THE UPPER MISSOURI RIVER BASIN, MONTANA, BASE PERIOD WATER YEARS 1937-86 by Charles Parrett, Dave R. Johnson, and J.A. Hull

U.S. GEOLOGICAL SURVEY

Water-Resources Investigations Report 89-4082

Prepared in cooperation with the MONTANA DEPARTMENT OF FISH, WILDLIFE and PARKS



DEPARTMENT OF THE INTERIOR

MANUEL LUJAN, JR., Secretary

GEOLOGICAL SURVEY

Dallas L. Peck, Director

For additional information write to:

District Chief U.S. Geological Survey 428 Federal Building 301 South Park, Drawer 10076 Helena, MT 59626-0076 Copies of this report can be purchased from:

U.S. Geological Survey Books and Open-File Reports Section Federal Center, Bldg. 810 Box 25425 Denver, CO 80225-0425

CONTENTS

	ra ge					
Introduction Purpose an Streamflor Developing a Estimates o Basin-cha Channel-w Concurren Weighted- Drainage- Reliability Summary and	modescope					
	ILLUSTRATIONS					
O .	stations					
	TABLES					
	Caldai					
2. 3 3. 6	Characteristics					
6. 7. 8. 9.	Estimated monthly streamflow characteristics for December and January					

TABLES--Continued

		Pa	ge
Table	-3.	Streamflow-gaging stations used in test of concurrent-measurement	
		method	90
	14.	Standard errors for three methods	91
	15,	Weights and standard errors for various combinations of methods	92
	16.	Streamflow-gaging stations used in test of record-extension	
		procedure	01
	17.	Standard errors for record-extension procedure for various record	
		lengths	02

CONVERSIONS FACTORS

The following factors can be used to convert inch-pound units in this report to metric (International System) units.

Multiply inch-pound unit	By	To obtain metric unit
cubic foot per second (ft ³ /s)	0.028317	cubic meter per second
foot (ft)	0.3048	meter
foot per mile	0.1894	meter per kilometer
inch	25.4	millimeter
mile	1.609	kilometer
square mile	2.590	square kilometer

Sea level: In this report "sea level" refers to the National Geodetic Vertical Datum of 1929 (NGVD of 1929)—A geodetic datum derived from a general adjustment of the first-order level nets of both the United States and Canada, formerly called "Sea Level Datum of 1929."

ESTIMATES OF MONTHLY STREAMFLOW CHARACTERISTICS AT SELECTED SITES IN THE UPPER MISSOURI RIVER BASIN, MONTANA, BASE PERIOD WATER YEARS 1937-86

bу

Charles Parrett, Dave R. Johnson, and J.A. Hull

ABSTRACT

Estimates of monthly streamflow characteristics (monthly mean flow that is exceeded 90, 80, 50, and 20 percent of the time for all years of record and mean monthly flow) were made and are presented in tabular form for 312 sites in the Missouri River basin upstream from Fort Peck Lake in Montana. The estimates were based on data for water years 1937-86. Data from 154 gaging stations in and near the study area were used in a mixed-station record-extension procedure to extend short-term records to the 1937-86 base period. One hundred of the sites needing estimates had some gaged data available, and the gaged records, extended as required to the 1937-86 base period, were used to estimate the monthly streamflow characteristics.

Data from 47 gaged sites were used in regression analyses relating the monthly streamflow characteristics to drainage area and mean annual precipitation (basin-characteristics equations) and to active-channel width (channel-width equations). The basin-characteristics equations had standard errors of estimate ranging from 35 to 97 percent. The channel-width equations had standard errors of estimate ranging from 36 to 103 percent. The basin-characteristics equations were used to estimate monthly streamflow characteristics at 179 ungaged sites, and the channel-width equations were used to estimate monthly streamflow characteristics at 138 ungaged sites.

Miscellaneous measurements of streamflow available at 139 ungaged sites were correlated with concurrent streamflows at nearby gaged sites to provide estimates of the monthly streamflow characteristics. The reliability of the concurrent-measurement method was estimated by applying the method to 20 pairs of gages. On the basis of the test results, the standard errors of the concurrent-measurement method were estimated to range from 31 to 111 percent.

At 139 ungaged sites needing estimates, more than one of the above methods were used to estimate monthly streamflow characteristics, and the estimates from each of the individual methods were weighted and combined in accordance with the variance and degree of independence of the individual methods. When estimates from all three estimating methods were combined, the standard errors were estimated to range from 24 to 63 percent.

Finally, a drainage-area-ratio adjustment method was used to estimate monthly streamflow characteristics at seven ungaged sites. Although not rigorously tested, the reliability of the drainage-area-ratio adjustment method was estimated to be about equal to that of the basin-characteristics method.

Estimates of monthly streamflow characteristics from gaged records were considered to be the most reliable, and estimates at sites with actual flow record from 1937-86 were considered to be completely reliable (zero error). Twenty gaged sites were used to test the reliability of the record-extension procedure when 5, 15, 25, and 35 years of record were available for 1937-86. The standard errors for the worst case, where only 5 years of record were available, ranged from 9 to 54 percent. For 35 years of record, the standard errors ranged from 2 to 23 percent.

Weighted-average estimates were considered to be the most reliable estimates made at ungaged sites. The concurrent-measurement method generally provided the most reliable estimates at ungaged sites where only one method was used.

INTRODUCTION

Although the upper Missouri River basin in Montana generally has an abundant supply of surface water, the large demands coupled with the large areal and seasonal variability of runoff commonly result in shortages. To mitigate the effects of periodic shortages and to allocate the finite supply among competing users, the State of Montana developed a legal process enabling State and Federal agencies and political subdivisions to reserve surface water for existing and future beneficial uses. Among the uses for which water may be reserved are instream fish and wildlife preservation. To establish an instream-flow reservation for fish and wildlife purposes, the Montana Department of Fish, Wildlife and Parks needs to determine the quantity of water needed and the quantity of water available to meet the need. The Department has determined the instream-flow needs at several hundred stream sites in the Missouri River basin. The U.S. Geological Survey, in cooperation with the Montana Department of Fish, Wildlife and Parks, has conducted a study to determine the water availability at those sites.

Purpose and Scope

The objective of the study was to estimate mean monthly streamflow and various points on the monthly mean flow-duration curve for each month (monthly mean streamflow that is exceeded 90, 80, 50, and 20 percent of the time for all years of record) at each identified site. The purposes of this report are to present the estimated monthly streamflow characteristics for the identified sites, to describe the methods used to make the estimates, and to discuss the reliability of the estimates. To ensure that all estimates were representative of the same hydrologic conditions, a common base period of record (1937-86) was developed to determine monthly streamflow characteristics at all gaged sites used in the analyses. The procedure involved extension of the period of streamflow record at short-record gaged sites. The extended-streamflow records were used to develop monthly streamflow estimates at estimation sites where short-record gaged data were available.

Five methods were developed for estimating monthly streamflow characteristics at ungaged sites. The basin-characteristics method was based on the regression relation between the monthly streamflow characteristics and various basin and climatic variables. The channel-width method was similar to the first and was based on the regression relation between the monthly streamflow characteristics and channel width. The concurrent-measurement method required 7 to 12 measurements of

streamflow at the sites needing estimates and was based on the correlation of measured streamflow and concurrent daily mean streamflow at nearby-gaged sites. In a fourth method, the estimates from the individual methods were weighted in accordance with the variance and degree of independence of the individual methods. At a few sites, none of the foregoing estimating methods were used. Instead, information from similar gaged sites was transferred to these sites using drainage-area-ratio adjustments.

Streamflow Data

Three hundred and twelve sites in the Missouri River basin upstream from Fort Peck Lake were selected by the Montana Department of Fish, Wildlife and Parks for the determination of selected monthly streamflow characteristics. Of the 312 sites, 100 had gaged record, 139 had miscellaneous-measurement record, and 73 had no streamflow record. Estimates of monthly streamflow characteristics are shown in tables 4-9 at the back of the report.

In addition to the 100 sites for which gaged records were used to determine monthly streamflow characteristics, 54 gaged sites were used for correlation and record-extension purposes. Some of these 54 sites were located outside the upper Missouri River basin study area, but were considered to be hydrologically similar to sites within the study area. All of the sites described above were numbered consecutively in downstream order (366 sites); each location is shown in figure 1.

Of the 139 sites with miscellaneous measurements, 7 were measured 12 times during 1982-83, 1 was measured 12 times during 1986, 70 were measured 7 times during 1987, and 61 were measured 7 times during 1988. No streamflow measurements were made at 73 sites because these are either relatively inaccessible or were considered by the Department of Fish, Wildlife and Parks to be comparatively less important.

DEVELOPING A COMMON BASE PERIOD

Each streamflow-estimation method described in this report utilizes streamflow information from selected gaging stations in the study area (table 1; all tables are in the Supplemental Data section at the back of the report). The length of streamflow record at these gaging stations ranges from 2 to 81 years. To ensure that streamflow estimates would be unbiased and representative of a consistent hydrologic period, a monthly streamflow record-extension procedure was used to extend all short-term records to a common 1937-86 base period. This mixed-station procedure, described by Alley and Burns (1983), selects the best base station from all those available in a region to fill in each month of missing data at a site. Thus, several different base stations may be used for making estimates at a single site. The criterion for selection is to use the base station that results in the smallest standard error of prediction for that month. Only stations with streamflow record for a particular month and year were used to estimate missing streamflows at other sites for that month and year; previously estimated streamflows were not used to estimate any missing streamflows.

In addition to the capability of using more than one base station to extend a short-term record, the record-extension procedure also has the option of using a cyclic or noncyclic equation to fill in missing record. If the cyclic option is selected, an extension equation is computed for each month using only concurrent





Figure 1.--Location of ungaged sites



EXPLANATION

118 SITE AND NUMBER

- Streamflow-gaging station needing estimates of monthly streamflow characteristics
- Streamflow-gaging station used for correlation
- Ungaged site needing estimates of monthly streamflow characteristics

and of streamflow-gaging stations.

streamflows for that month. If the noncyclic option is selected, a single extension equation is computed using all concurrent streamflows. For two stations with 5 years of concurrent monthly streamflows, for example, the cyclic correlations would be developed separately for each month and would be based on five concurrent flows for each month. The noncyclic correlation would be based on 60 concurrent monthly flows, but the same correlation would be used for all months. The smallest standard error of prediction criterion also is used to select the cyclic or noncyclic option. No base station was used to fill in missing record at another station unless the two stations had at least 5 concurrent monthly streamflows. The base stations with less than 5 years of record could thus be used only with the noncyclic option.

Most streamflow record-extension procedures are based on ordinary least-squares regression equations that are used to estimate individual missing values at stations with short-term records. Ordinary least-squares regression, unfortunately, commonly results in extended records with smaller variances than the unextended records. Techniques other than ordinary least-squares regression that can be used to estimate missing values and that tend to preserve the variance of the unextended records include regression plus noise (Matalas and Jacobs, 1964; U.S. Army Corps of Engineers, 1971) and two alternatives to regression described by Hirsch (1982), which he refers to as MOVE.1 and MOVE.2 (Maintenance of Variance Extension, Types 1 and 2). The selected streamflow record-extension procedure has the capability of using any of these extension techniques, including ordinary least-squares regression.

For this study, the MOVE.l curve-fitting technique was used to estimate missing values. The MOVE.l technique is analogous to ordinary least-squares regression, except that ordinary regression minimizes the squared vertical deviations of the dependent variable from the regression line, whereas the MOVE.l technique minimizes the areas of the right triangles formed by the horizontal and vertical deviations from the regression line (Hirsch and Gilroy, 1984, p. 707).

To develop a common 1937-86 base period of record for all gaging stations used in the study, 154 stations were used as potential base stations. The earliest year of record considered was 1906, so that record lengths ranged from 2 to 81 years before the record extension. After record extension, all data prior to 1937 were excluded from the data base. All stations and available periods of record since 1906 used in the record-extension procedure are identified in table 2.

The extended streamflow records at 47 of the 154 gaged sites were subsequently used in regression analyses relating monthly streamflow characteristics to basin and climatic characteristics. The gaged sites selected for the regression analyses each had at least five years of actual streamflow record and were considered to be most representative of the ungaged sites needing estimates of monthly streamflow characteristics. Because the MOVE.1 curve-fitting technique results in estimated flows that are perfectly correlated with the concurrent base-station flows, the possibility existed that the extended-flow records would have substantially larger inter-station correlations than the actual flow records. Inflated inter-station flow correlations would probably result in biased, and probably invalid, regression results.

To check whether the MOVE. I curve-fitting technique resulted in larger interstation correlations, recorded monthly streamflows for each gage site used in the regression analyses were correlated in turn with concurrent monthly streamflows at every other gage site used in the regression analyses. This procedure resulted in

a 47 by 47 matrix of correlation coefficients for each month. The columns of correlation coefficients for each station for each month were then averaged to produce an average correlation coefficient for each station for each month. This procedure was repeated for the complete extended—flow record (50 years of concurrent stream—flow data at every gage site), and the average correlation coefficients computed for the actual record periods were subtracted from the average correlation coefficients computed from the extended—record period. The final results are presented in table 3, where positive changes in correlation coefficients indicate that the average inter—station correlation increased when the record was extended. Most months show about as many negative changes in inter—station correlation as they do positive ones. Where the changes are positive, they generally are not large. The extended—flow records thus are considered to be unbiased and suitable for subsequent regression analysis.

ESTIMATES OF MONTHLY STREAMFLOW CHARACTERISTICS

All sites requiring estimates and the methods used to make the estimates of the monthly streamflow characteristics are identified in table 1. At 139 sites, more than one method was used, and the final estimates were weighted averages of the estimates from the individual methods. Final estimates of monthly streamflow characteristics at all estimation sites are presented in tables 4 to 9. Because estimates of mean annual streamflow are useful for many water-management purposes, estimates of mean annual streamflow also were developed for this report by multiplying each mean monthly streamflow estimate by the number of days in the month, summing the resultant 12 values, and dividing by 365. The estimated mean annual streamflows are presented in table 10.

Most of the estimation sites were on small, perennial streams (drainage areas less than 200 square miles) in forested, mountainous areas. Some sites were in plains area, but these sites were on larger streams with headwaters in the mountains. Virtually all streams requiring monthly flow estimates were typical mountainous streams with fairly stable base flows and runoff that resulted primarily from snowmelt.

Basin-Characteristics Method

One method for estimating monthly streamflow characteristics at the ungaged estimation sites used multiple-regression equations that related the monthly streamflow characteristics at 47 gaged sites to various basin and climatic variables. This basin-characteristics method has previously been used in Montana to estimate monthly streamflow characteristics (Boner and Buswell, 1970; Parrett and Cartier, 1989). For this analysis, the following basin and climatic characteristics were available for each gaged site and were used as independent variables in the regressions:

- A drainage area, in square miles;
- P mean annual precipitation on the basin, in inches;
- E mean basin elevation, in thousands of feet;
- E6 percentage of basin above 6,000 feet elevation, plus 1;
- F percentage of drainage area covered by forest, plus 1;
- L main-channel length, in miles;
- S main-channel slope, in feet per mile;
- TI mean basin minimum January temperature, in degrees Fahrenheit, plus 10;
- 124 precipitation intensity for a storm of 24 hours duration having a 2-year recurrence interval, in inches.

The monthly streamflow data and the basin and climatic variables at the 47 gaged sites were converted to logarithms and used in a linear multiple-regression analysis to derive estimating equations of the following form:

$$\log Q = \log a + bl \log B + b2 \log C + \dots bn \log N, \tag{1}$$

where

- Q (response variable) is the desired monthly streamflow characteristic in cubic feet per second (monthly mean streamflow exceeded 90, 80, 50, or 20 percent of the time for all years of record, or mean monthly streamflow);
- a is the multiple-regression constant;
- b1, b2, ... bn are the regression coefficients; and
- B, C, ... N are values of the significant basin or climatic characteristics (explanatory variables).

The following nonlinear form of the regression equation results when antilogarithms of the terms are taken:

$$O = a Bb1 Cb2 ... Nbn.$$
 (2)

A computerized step-wise regression procedure, which added explanatory variables to the equation one at a time until all significant variables were included, was used in this study. An explanatory variable was considered significant if the partial-F test statistic was equal to or greater than 5.0. The computerized procedure also provided standard errors of estimate and coefficients of determination as measures of the regression reliability. In general, the larger the coefficient of determination and the smaller the standard error of estimate, the more reliable is the estimating equation.

In most of the regression equations, drainage area was the most significant explanatory variable and mean annual precipitation was the next most significant. For some monthly streamflow characteristics for some months, main-channel length was the most important explanatory variable, and mean basin elevation or percentage of forest cover was the next most significant. In these instances, however, using drainage area and mean annual precipitation rather than the two most significant explanatory variables resulted in estimating equations that were only slightly less reliable. Main-channel slope was determined to be significant for some monthly

streamflow characteristics for some months, but using just drainage area and mean annual precipitation in these instances also resulted in estimating equations that were almost as reliable as estimating equations using the three most significant explanatory variables.

To ensure that all estimates made using the regression equations would be consistent, the final estimating equations used drainage area and mean annual precipitation as the only explanatory variables for all monthly streamflow characteristics for all months. Results of the regression analysis using basin and climatic characteristics, together with the coefficients of determination and standard errors associated with each estimating equation, are given in table 11. As indicated by the results, the coefficients of determination for the basin-characteristics method range from 0.56 to 0.89, and the standard errors range from 35 to 97 percent.

The equations given in table 11 were used to estimate monthly streamflow characteristics at 179 sites where the basin-characteristics method was considered to be applicable, as indicated in table 1. Sites where the method was not considered applicable are: (1) sites where gains or losses in streamflow occur upstream, (2) springs, and (3) some sites on large rivers. At the sites where the method was used, drainage area was planimetered on U.S. Geological Survey topographic maps with 1:250,000 scale, and mean annual precipitation was determined from maps prepared by the U.S. Soil Conservation Service (1981).

Channel-Width Method

The second method used to estimate monthly streamflow characteristics at the selected ungaged sites was also based on a regression analysis. In this method, the monthly streamflow characteristics at the 47 selected gaged sites were related to measured active-channel width rather than to basin characteristics. This channel-width method was previously used to estimate monthly streamflow characteristics in western Montana (Parrett and Cartier, 1989).

The active-channel width has been described by Osterkamp and Hedman (1977, p. 256) as "...a short-term geomorphic feature subject to change by prevailing discharges. The upper limit is defined by a break in the relatively steep bank slope of the active channel to a more gently sloping surface beyond the channel edge. The break in slope normally coincides with the lower limit of permanent vegetation...."

The monthly streamflow characteristics and measured active-channel widths at the 47 gaged sites were converted to logarithms, and simple linear regression was used to derive estimating equations of the following form:

$$\log Q = \log a + b \log W_{AC}, \tag{3}$$

where

Q is a monthly streamflow characteristic as previously defined,

a is the regression constant,

b is the regression coefficient, and

WAC is the active-channel width.

As before, the nonlinear form of equation 3, determined by taking antilogarithms, is:

$$Q = a W_{AC}^{b}. (4)$$


The final regression equations derived using active-channel width and their coefficients of determination and standard errors of estimate are given in table 12. The coefficients of determination for the channel-width method range from 0.49 to 0.88, and the standard errors range from 36 to 103 percent. Active-channel width was measured at 138 ungaged sites needing estimates as indicated in table 1, and monthly streamflow characteristics at those sites were estimated using the equations given in table 12. The channel-width method was not used to estimate streamflow characteristics at sites where the active channel could not be identified or at sites where access was not feasible.

Concurrent-Measurement Method

The third method used to estimate monthly streamflow characteristics at ungaged sites was based on periodic measurements of streamflow made at selected ungaged sites. The measured streamflows at each ungaged site were correlated with concurrent streamflows at a selected similar gaged site, and the relation between the streamflows at the two sites was used to transfer the long-term monthly streamflow characteristic at the gaged site to the ungaged site. This concurrent measurement method was previously used to successfully estimate monthly streamflow characteristics in western Montana (Parrett and Cartier, 1989).

For this study, the concurrent-measurement method used 7 measurements of streamflow at 131 of the ungaged estimation sites indicated in table 1. The measurements were made from April through September so that measured flows would range from near-base flow to near-peak flow. At 8 additional sites, 12 streamflow measurements (1 each month) were used for the concurrent-measurement method. The measured streamflows at each ungaged site were paired with concurrent streamflows at a selected gaged site, and a line was drawn through the logarithms of the data using the MOVE.1 curve-fitting technique. Several examples of typical MOVE.1 and ordinary least-squares regression lines are compared to measurement data at study sites (fig. 2). To estimate a long-term monthly streamflow characteristic at an ungaged site using the concurrent-measurement method, the long-term monthly streamflow characteristic at the gaged site is entered on the MOVE.1 line, and the estimated value is read on the y-axis as shown on figure 2.

As discussed by Parrett and Cartier (1989, p. 20), the relation between concurrent high flows may be different from the relation between concurrent low flows, or a difference in the timing of runoff at two sites may result in a concurrent streamflow plot that resembles a loop. In these cases, more complicated curve-fitting techniques would probably result in more accurate estimates of monthly streamflow characteristics than the MOVE.1 curve-fitting technique. Based on an examination of concurrent streamflows from pairs of streamflow-gaging stations in the study area, however, it was concluded that, in most instances, the deviation from a single straight-line fit was not significant or the scatter about the line was great enough to mask any deviations. Accordingly, all estimates made using the concurrent-measurement method and the tests of reliability of the method were based on the MOVE.1 curve-fitting technique.






Figure 2.--Lines for the curve-fitting technique and ordinary least-squares regression.

44

Copi




Figure 2.--Lines for the curve-fitting technique and ordinary least-squares regression.--Continued

To estimate the reliability of the concurrent-measurement method, 20 of the gaged sites used in the basin-characteristics and channel-width regression analyses were considered to be ungaged sites for which the concurrent-measurement method was used to estimate monthly streamflow characteristics. Thus, a suitable gaged site was selected for comparison with each regression gaged site (herein called the pseudo-ungaged site), and seven concurrent daily mean streamflows occurring between April and September during a randomly selected year of concurrent record were correlated using the MOVE.1 curve-fitting technique. The estimated monthly streamflow characteristics at each pseudo-ungaged site were then subtracted from the actual monthly streamflow characteristics determined from the extended flow record, and the standard deviations of the differences were calculated. The pseudo-ungaged sites, their respective correlating gaged sites, and the year of record selected for the test are presented for each station pair in table 13. The calculated standard deviations of the differences are equivalent to the standard errors of stimate determined by regression and thus are considered to be a comparable mease of reliability for the concurrent-measurement method. The standard errors for three estimation methods can be compared in table 14. Standard error can be erted from log units to percentage using the following equation:

SEP =
$$100 (e^{(2.3026 \cdot SEL)^2} - 1)^{0.5}$$
, (5)

where

SEP is standard error, in percent, e is the base of natural logarithms, and SEL is standard error, in base 10 log units.

When converted to percentages, the standard errors for the concurrent-measurement method range from 36 (0.15 log unit) to 111 (0.39 log unit).

Weighted-Average-Estimate Method

When different methods are available for estimating streamflow characteristics, it seems reasonable to assume that a weighted average of the individual estimates might provide a better answer than any of the individual estimates. Equations for weighting three estimates (E.J. Gilroy, U.S. Geological Survey, written commun., 1987) are:

$$Z = al \cdot Xl + a2 \cdot X2 + a3 \cdot X3,$$
 (6)

where

Z is the unbiased, weighted estimate of some streamflow characteristic; al, a2, a3 are weights which result in the minimum-variance, unbiased, linear combination of X1, X2, and X3; and

X1, X2, X3 are estimates of the streamflow characteristic from three different methods.

Equations for the weights (E.J. Gilroy, U.S. Geological Survey, written commun., 1987) are:

al =
$$[C(SE_3^2 - S_{1,3}) - B(SE_3^2 - S_{2,3})]/(A \cdot C - B^2),$$
 (7)

$$a2 = [A (SE_3^2 - S_{2,3}) - B (SE_3^2 - S_{1,3})]/(A \cdot C - B^2),$$
 (8)

$$a3 = 1 - a1 - a2,$$
 (9)

where

$$c = se_2^2 + se_3^2 - 2 s_{2,3};$$

 SE_1 , SE_2 , SE_3 are the standard errors of the three different estimating methods:

 $S_{1,2} = r_{1,2}$ (SE₁ * SE₂) and is the covariance of methods 1 and 2;

 $S_{1,3} = r_{1,3}$ (SE₁ * SE₃) and is the covariance of methods 1 and 3;

 $S_{2,3} = r_{2,3}$ (SE₂ · SE₃) and is the covariance of methods 2 and 3;

 $r_{i,j}$ is the cross-correlation coefficient between the residuals from estimating methods i and j;

$$A = SE_1^2 + SE_3^2 - 2 S_{1,3}$$
; and

$$B = SE_3^2 + S_{1,2} - S_{1,3} - S_{2,3}$$

The estimated standard error of the weighted estimate, SE_{Z} , is determined from the following equation:

$$SE_z = [(al \cdot SE_1)^2 + (a2 \cdot SE_2)^2 + (1 - a1 - a2)^2 SE_3^2 + 2 al \cdot a2 \cdot S_{1,2} + 2 al (1 - a1 - a2) S_{1,3} + 2 a2 (1 - a1 - a2) S_{2,3}]^{0.5},$$
 (10)

where all terms are as previously defined.

The above equations, and a similar set where only two methods were weighted, were used to calculate weights and standard errors for all combinations of the three estimating methods. Weighted estimates of monthly streamflow characteristics were made and used as final estimates at 139 sites as indicated in table 1. The standard errors used in the calculations for the basin-characteristics and channel-width methods are based on data from 47 sites, whereas the standard errors for the concurrent-measurement method are based on data from 20 sites. The resultant weights and standard errors for the combinations of methods are given in table 15. In general, the standard errors of the weighted estimates, which range from 24 to 63 percent when all three estimating methods are used, are significantly smaller than the standard errors of the individual estimates. Thus, the weighted estimates are generally considered to be more reliable than any of the individual estimates.

Drainage-Area-Ratio Adjustment Method

Seven of the estimation sites were located fairly close to gaged sites or other estimation sites on the same stream. In each of these instances, the estimated monthly streamflow characteristics at the nearby gaged site or other estimation site were transferred to the site of interest by multiplying the estimated monthly streamflow characteristics by the ratio of the drainage area at the site of interest to the drainage area of the nearby site. This drainage-area-ratio adjustment method (table 1) is considered to be applicable only when the drainage areas of the two sites are not substantially different, and when diversions between the estimation site and the nearby gaged or estimation site are not substantial. Standard errors were not determined for the drainage-area-ratio adjustment method because of the small number of sites where the method was applicable.

RELIABILITY OF ESTIMATES

Estimates of monthly streamflow characteristics for sites with streamflow-gaging stations (column 3, table 1) are considered to be the most reliable. Indeed, for those gaged sites where the period of actual streamflow record includes the 1937-86 base period, the estimates of monthly streamflow characteristics are based entirely on recorded streamflows and are considered to be perfectly reliable (zero error). For those gaged sites where the streamflow record was extended to the 1937-86 base period, the estimates of monthly streamflow characteristics are subject to the errors of the record extension. In general, the shorter the actual streamflow record and the longer the period of extended record, the less reliable are the estimates of monthly streamflow characteristics.

Seven sites shown as gaged sites in table 1 (sites 172-177 and site 180) are exceptions to the general rules of reliability just described. These sites were not actually gaged but had estimates of monthly mean flow for 1952-54 based on one or two measurements per month (Hackett and others, 1960, p. 60-68). The reliability of the estimated monthly streamflow characteristics for the 1937-86 period for these sites is considered to be less than the reliability of estimates made at any actual gaged site and about equivalent to the reliability of weighted estimates made at ungaged sites.

The numbers of gaged estimation sites with various lengths of actual stream-flow record within the 1937-86 base period are shown graphically in figure 3. As indicated, 27 estimation sites had only 0 to 5 years of actual record within the 1937-86 base period.




Figure 3.--Number of streamflow-gaging stations with various lengths of record in the 1937-86 base period.

To estimate reliability of the record-extension procedure for various lengths of actual flow record, 20 gaging stations with at least 35 years of record during the 1937-86 base period were tested. The monthly streamflow characteristics for these sites, computed for the 1937-86 base period, were considered to be completely reliable (zero error). A more rigorous test would have required that every site have the complete 50-year base period of record, but only 8 such sites were available. The 20 sites and their periods of record are identified in table 16.

To estimate the error when fewer than 50 years of actual flow record were available (for example 35 years), each test site successively had 35 years of record randomly selected, and all remaining years were removed from the record. The MOVE.1 record-extension procedure was then applied, using the complete data base of 154 stations previously used in the actual record-extension analysis, to fill in the missing years of record at the test site with only 35 years of record. record-extension procedure was repeated for each station in turn. Adjusting only one of the 20 test sites at a time ensured that the complete streamflow record at each of the other 19 sites was available for filling in missing record at the station being adjusted. The monthly streamflow characteristics at each site then were recomputed from the extended record and were subtracted from the monthly streamflow characteristics computed from the original period of record. For each monthly streamflow characteristic, the standard deviation of the differences, analogous to the standard errors previously described for the estimation methods, was the error criterion for the record length (35 years in this example) being tested.

This procedure was repeated where the record available at each test site was 5, 15, and 25 years. The estimated standard errors for each monthly streamflow characteristic for each record length are given in table 17. The standard errors had the following ranges: 9 (0.04 log unit) to 54 (0.22 log unit) percent for 5 years of record, 5 (0.02 log unit) to 33 (0.14 log unit) percent for 15 years of record, 2 (0.01 log unit) to 31 (0.13 log unit) percent for 25 years of record, and 2 (0.01 log unit) to 23 (0.10 log unit) percent for 35 years of record. The average standard errors for all months, expressed in percentages, for selected monthly streamflow characteristics for the various lengths of record are shown in figure 4. The average standard error decreases substantially as the record length increases from 5 to 15 years and generally decreases slightly as the record length increases from 15 to 50 years. The results in table 17 can be used to assess the relative reliability of the estimates of monthly streamflow characteristics for each gaged estimation site identified in tables 1 and 10.

For estimates made at ungaged sites, weighted-average estimates based on three methods are generally considered to be the most reliable. If only one estimation method was used, the concurrent-measurement method generally provides more reliable estimates than any of the other individual estimating methods. Concurrent-measurement estimates based on more than seven measurements were no more reliable than those based on seven measurements, primarily because the choices for suitable correlating gaged sites were more limited for the ungaged sites with the larger number of measurements than for the ungaged sites with seven measurements.

The reader needs to be aware that the standard errors of estimate previously developed and described for the various methods did not account for errors in the monthly streamflow characteristics resulting from the record-extension procedure. The reported standard errors for the streamflow-estimation methods thus are probably smaller than the true errors. Nevertheless, a comparison of standard errors from table 17 with those from tables 14 and 15 indicates that the errors due to record extension are generally smaller than those due to the streamflow-estimation methods.

The reliability of the monthly streamflow estimates made using the drainage-area-ratio adjustment was not rigorously tested because only a few streams have gaging station pairs that are unaffected by substantial diversions. On the basis of experience gained during this study, the estimates made using drainage-area-




Figure 4.—Average standard errors of estimated monthly streamflow characteristics for various record lengths. Standard error for sites with 50 years of record is assumed to be zero.

ratio adjustment are thought to be at least as reliable as those made using basin characteristics.

SUMMARY AND CONCLUSIONS

Monthly mean streamflow that exceeded 90, 80, 50, and 20 percent of the time for all years and mean monthly streamflow for 1937-86 were estimated and are presented in tabular form for 312 sites in the upper Missouri River basin in Montana. Of the 312 sites, 100 had gaged record, 139 had miscellaneous-measurement record, and 73 had no streamflow record. Mean annual streamflow was also estimated for the 312 sites by multiplying each estimate of mean monthly streamflow by the number of days in the month, summing, and dividing by 365.

A streamflow record-extension procedure, based on the MOVE.1 curve-fitting technique, was used as necessary to extend streamflow records to the 1937-86 base period. Results from the record-extension procedure for 47 gaged sites subsequently used in the development of regression equations for estimating monthly streamflow characteristics at ungaged sites were checked to ensure that inter-station correlations did not increase.

Five methods were used to make the estimates at ungaged sites. Regression equations based on basin characteristics were derived from the 1937-86 record at 47 gaged sites. The explanatory variables used in the equations for all monthly streamflow characteristics for all months were drainage area and mean annual precipitation. The coefficients of determination ranged from 0.56 to 0.89, and the standard errors of estimate ranged from 35 to 97 percent. The basin-characteristics equations were used to estimate monthly streamflow characteristics at 179 of the 312 sites.

Regression equations based on active-channel width were also derived for the same 47 gaged sites used in the basin-characteristics method. Coefficients of determination in this case ranged from 0.49 to 0.88, and the standard errors of estimate ranged from 36 to 103 percent. The channel-width equations were used to estimate monthly streamflow characteristics at 138 of the 312 sites.

A concurrent-measurement method, using 7 to 12 concurrent measurements of streamflow at ungaged sites and nearby gaged sites, was developed based on the MOVE.1 curve-fitting technique. Twenty pairs of gaged sites were used to test the reliability of the concurrent-measurement method. Based on the test results, the standard errors of the concurrent-measurement method were estimated to range from 31 to 111 percent. The concurrent-measurement method was used to estimate monthly streamflow characteristics at the 139 sites with miscellaneous-measurement record.

A method was developed for weighting two or more estimates made using the basin-characteristics method, the channel-width method, and the concurrent-measurement method. The standard errors of the weighted-average estimates when all three estimating methods were used ranged from 24 to 63 percent. Weighted-average estimates of monthly streamflow characteristics were made and used as final estimates at 139 of the 312 sites.

A drainage-area-ratio adjustment method was developed for estimating monthly streamflow characteristics at ungaged sites located close to gaged sites or other estimation sites on the same stream. Standard errors were not determined for this method because of the small number of sites where the method was applicable. This method was used to estimate monthly streamflow characteristics at 7 of the 312 sites.

Estimates of monthly streamflow characteristics from gaged records were considered to be the most reliable, and estimates at sites with actual flow record from 1937-86 were considered to be completely reliable (zero error). Twenty gaged sites were used to test the reliability of the record-extension procedure when 5, 15, 25, and 35 years of record were available for 1937-86. The standard errors for the worst case, where only 5 years of record were available, ranged from 9 to 54 percent. For 35 years of record, the standard errors ranged from 2 to 23 percent. The standard errors decreased slightly as the length of record increased from 15 to 35 years.

Weighted-average estimates were considered to be the most reliable estimates made at ungaged sites. For ungaged sites where only one estimation method was used, the concurrent-measurement method generally provided the most reliable estimates. The reliability of the drainage-area-ratio adjustment method was not tested, but, based on experience with the method, the estimates are thought to be at least as reliable as those made using basin characteristics.

REFERENCES CITED

- Alley, W.M., and Burns, A.W., 1983, Mixed-station extension of monthly streamflow records: Journal of Hydraulic Engineering, v. 109, no. 10, p. 1272-1284.
- Boner, F.C., and Buswell, G.W., 1970, A proposed streamflow data program for Montana: U.S. Geological Survey Open-File Report 70-33, 96 p.
- Hackett, O.M., Visher, F.N., McMurtrey, R.G., and Steinhilber, W.L., 1960, Geology and ground-water resources of the Gallatin Valley, Gallatin County, Montana: U.S. Geological Survey Water-Supply Paper 1482, 282 p.
- Hirsch, R.M., 1982, A comparison of four streamflow record extension techniques: Water Resources Research, v. 18, no. 4, p. 1081-1088.
- Hirsch, R.M., and Gilroy, E.J., 1984. Methods of fitting a straight line to data—Examples in water resources: Water Resources Bulletin, v. 20, no. 5, p. 705-711.
- Matalas, N.C., and Jacobs, B.A., 1964, A correlation procedure for augmenting hydrologic data: U.S. Geological Survey Professional Paper 434-E, 7 p.
- Osterkamp, W.R., and Hedman, E.R., 1977, Variation of width and discharge for natural high-gradient stream channels: Water Resources Research, v. 13, no. 2, p. 256-258.
- Parrett, Charles, and Cartier, K.D., 1989, Methods for estimating monthly stream-flow characteristics in western Montana: U.S. Geological Survey Open-File Report 89-40, 52 p.
- U.S. Army Corps of Engineers, 1971, HEC-4 monthly streamflow simulation: Hydrologic Engineering Center, 113 p.
- U.S. Soil Conservation Service, 1981, Average annual precipitation, Montana, based on 1941-1970 base period: Bozeman, Mont., 13 p.
- U.S. Water Resources Council, 1981, Guidelines for determining floodflow frequency: Bulletin 17B, 28 p.

SUPPLEMENTAL DATA

Table | .--Sites and methods used for estimating monthly streamflow characteristics [--, -, not applicable]

				Method for estimating streamflow				
Site No.	Stream name	Stream- flow- gaging station No.	Gage	Basin char- ac- teris- tics	Chan- nel width	Con- cur- rent meas- ure- ment	Weight- ed- average estimate	
	7.3	in the second	79	Х	X	Х	X	**
1 Hellroa	ring Creek near Lakeview Creek near Lakeview	Age 194	•	X	X	X X	X X	~
3 Annelor	e Creek near Lakeview	ger Jen	,	X X	X X	X	X	400
4 Red Roc	k Creek near Lakeview ek near Lakeview		77	X	X	X	X	300
6 37	Creek at mouth, near Lakeview	900 NT	***	Х	es 0.0	÷-	×	**
b Narrows	reek near Lakeview	w ==	20	X	X X	X	X	**
Q Tonge (reek near Lakeview k River near Kennedy Ranch,	06011000	X	X	~	-		-
5005	Lakeview eek at county road, near Lakeview	eco -o-	**	X	Х	~	X	-
		***	***	Х	Х	Х	X	40-
11 Long Cr	reek near Lakeview ork Clover Creek at mouth, near Monida	NO		X	24	400	-	394
13 Red Roo	k River below Lima Keservoir,	06012500	X	400	**			**
8 2 M - 1 2 m - 8	Monida Creek above Simpson Creek, near Lima Creek above Simpson Creek, near Lima	400 405	***	X	X X	~	X	***
	n Creek above Indian Creek, near Lima		~	X	X	~	X	
1.7 D = - dm or	· Crook near Dell	04012500	<u>-</u> Х	X	X	X	X	-
18 Ria Sh	en Creek below muddy Greek, mear bell	06013500 06014500	X	**	**	40-	404	•
19 Red Ros	k River at Red Rock Canyon Creek near Grant	**	**	Х	Х	Х	X	wife.
21 Shannor	Creek near mouth, near Grant	** =	**	X X	X X	X	X X	***
77 Erwing	Pan Creek near Grant		en	X	X	**	X	~
23 Trappe:	r Creek at mouth, near Grant	-04 799	-	X	X	Х	X	***
24 Bear Ci 25 Bloody	reek near Grant Dick Creek near Grant	m, m	***	Х	Х	X	X	~
	Prairie Creek near Grant	06015000	Х	-00	*	300	×	~
25 Horse :	reek above reservoir, near Grant	400 397	***	X X	X	10	Α	
28 Painte	r Creek near Grant	-00 000 No. 100	**	X	***	-	-	**
29 Browns 30 Medici	Canyon Creek near Grant ne Lodge Creek near Grant		-	Х	Х	Х	Х	N/PPA
33 Pala C	reek near mouth, near Polaris	ep. 44	110	X	~	**		~
23 Bacare	oir Creek at month, neat iviaria	~ ~		X X	X		Х	***
3 6 Van 6 V	and Durce Creek at mouth, hear torests	e	100	X	X		X	***
35 West F 36 Grassh	ork Dyce Creek at mouth, near Polaris opper Creek near Dillon	06015500	Х	44		149	7	1904
77 13	hood Divor at Barretts	06016000		en:	** **		X	
20 5000 5	ark Blacktai (Creek Dear Dillion	40.00	107	X X	X	X X	X	**
30 Maer F	ork Blacktail Creek near Dillon	06017500	X	**	-04		·	***
40 Blackt 41 Beaver	ail Deer Creek near Dillon head River near Dillon	06018000		***	737-	400	Aller	79
// Resuer	head River near Twin Bridges	06018500	X	* v	**	en en	***	_
12 Carral	Creek at mourn. Deal Alvel		**	X X	***	~	~	_
- 16 Cant C	wash of mouth near alder	e- ov	_	X	***	~	~	**
45 Ruby R 46 East F	iver above the forks, near Alder ork Ruby River at mouth, near Alder	⇔ ₩	*00	Х	970	n600	***	gu.
47 Dage 0	ork Ruby River at mouth, near Alder	eso 395	***	X	**	_		***
10 0-600		GE 10*	**	X X	•	-		
49 Warm S 50 North	prings Creek at mouth, near Aidel Fork Greenhorn Creek at mouth,	em 200	•	X	X	or.	X	-
near 51 Ruby R	Alder Liver above reservoir, near Alder	06019500) X	***	300	neve	**	***
52 Mill 0	reek at Forest Service boundary,	en m	**	X	Х	Х	X	PA
near 53 Wiscon	Sheridan sin Creek at Forest Service boundary,	- **	-	Х	Х	X	X	**
5027	· Sheridan	06023000) X	164	**	web		none
EE Dia Mo	tiver near Twin Bridges le River near Jackson	06023500) X		100			
56 Andrus	Creek near mouth, near Jackson		-	Х	_	40*		**

				Method for estimating streamflow					
Site No.	Stream name	Stream- flow- gaging station No.	Gage	Basin char- ac- teris- tics	Chan- nel width	Con- cur- rent meas- ure- ment	Weight- ed- average estimate		
***************************************				Х	***	***	-	•	
57 Fox Cre	ek at mouth, near Jackson r Creek near Jackson	40.00	Nov	Х	X	X ² X ²	X X		
50 Warm Sn	rings Creek at Jackson	06024000	X	X	X	-	~	-	
CO Minner C	reek near Jackson e Creek near mouth, near Wisdom	00024000	<i>J</i> 2.	Х	***	**		-	
10 Ctno1 C	reek above Francis Creek, near Wisdom	000- 40M	\$000	X	X	X X	X X	_	
CO transfe	Creek at mouth, near wisdow			X X	X	X	X	***	
5/ Stacl ('roek near mouth. Near wiscom		~	X	X	X 2	X	•••	
ES Stramm (reek near mouth, near Wisdom Creek at mouth, near Wisdom	Ngan - migan	w)	X	•	- en		en.	
(3 m_ 11 f	Treek near Wisdom	06024500	X		 V	- X	× ×	-	
CO Darker Cr	reek at mouth, near Wisdom sek at Forest Service boundary,	- 194 - 194	**	X X	X -	<i>&</i> > ~	£9 ***	ine	
near	Wi daom		200.	Х	X	Χ2	Х	***	
70 Johnson 71 Mussigh	n Creek near Wisdom orod Creek near Wisdom	V94 -000	**	Х	Х	X ²	X	104	
72 North I	Fork Big Hole River near mouth.	A90 400	***	Х	Х	Χ2	X -	X	
73 Big Ho 74 Pintla	Wisdom le River below North Fork, near Wisdom r Creek near Forest Service boundary,	day with		X	x	X	X	~	
near	Wisdom le River below Mudd Creek, near Wisdom ap Creek at mouth, near Wise River	name name ways robb	~	x	X	X ²	X	**	
		400 400	95	Х	Х	Х	Х	**	
77 Lamarc	he Creek near Wise River	40 40	**	X		409	***		
78 Seymou	r Creek near Wise River e Creek at mouth, near Wise River	W0 47	400	X		***	***	-	
OO Carron	ile Creek at mouth, near Wise River Creek at mouth, near Wise River	spin MAA	49	X	-		- 100 - 100 - 100	1994	
	mile Creek at mouth, near Wise River	esc -97	•	X	***	**	**		
00 0 111	on Crook at mouth. Dear wise siver	- **	-	X	-			***	
84 Oregon 85 Califo	rnia Creek above American Creek.		-	X	**	-	vier	an.	
***	Wise River an Creek at mouth, near Wise River	wdr 149	**	Х	w94	***	**	-	
07 61	e Creek at mouth, near Wise River	- **	~	X		_	•••		
28 French	Creek near mouth, Heat whole his vis	.a. 100 20 ***	***	X X	X	Х	X	***	
RQ Deen C	reek near Wise Kiver	~~	***	X	X	X	X	-	
00 B-om C	reek near Wise River Creek at mouth, near Wise River		-	X		100	***	Majo	
			. 11				**	•	
92 Big Ho	le River near Wise River	0602458) X	X	-	**	***		
02 Inhmer	m crape at mouth, usur wrow """	AGI 40°	**	X	~	447	-	***	
OF Tanoba	v Creek near Wise River son Creek at mouth, near Wise River	** **		X X	_	·~	on.	100	
96 Mono	Creek at mouth, near Wise River	-0- (0-				•			
97 Wyman	Creek at mouth, near Wise River		-	X X		~	-		
09 Tany (Trook at mouth, heat wise hive	No. 600	-	x		400	400	ém.	
100 D-250	Creek at mouth, near Wise River ngail Creek at mouth, near Wise River		400	X	***				
100 ratter	Creek at mouth, near Wise River	~ ~	**	X	wir		**		
100 *** 3	River near Wise River	0602459		 12	***	***	bert 	~~	
103 Adson	Creek at mouth, near wise Alver	40 60 C	den.	X X	X	X	X	•	
104 Jerry	Creek near Wise Kiver		***	X	X	X	Х	wee	
105 Nivid	e Creek at Divide n Creek near Divide	To		X	Х	X	X		
107 Mages	Creek near Divide		200	X	X X	X X	X X	~	
doerT 801	er Creek near Meirose	~ ~	***	X X	X	X		~	
109 Camp	Creek at Melrose ole River near Melrose w Creek near Glen	0602550 0602580				***	60P		

				Method for estimating streamflow					
Site No.	Stream name	Stream- flow- gaging station No.	Gage	Basin char- ac- teris- tics	Chan- nel width	Con- cur- rent meas- ure- ment	Weight- ed- average eatimate		
		06026000	Х	440	***	, min	*** 3.2	po .	
112 Halle C	reek near Glen anyon Creek near Twin Bridges	0.000.000	100 EF	Х ,	X	X	X	~	
114 Jeffers	on River near 1Win Bridges il Creek near Whitehall River above High Ore Creek,	06026500 06029000 	X -		iac ens	600C	*** ***	X	
	n Douldor	06033000	X.	**	*	167	- T-	409	
118 Boulder	River near Boulder Boulder River near Boulder	00 MP	X_3	-	***	••		×.	
120 Boulder	River above Cabin Gulch,	de de	-	-00	10	**	~	47	
near	Boulder River near Cardwell	Jano 1400	**	×=	400	Х14	**	-	
121 Boulder 122 South B	oulder River near Jefferson Island	06034000	X	200	ew.	MK.	***	~	
		06034500	Х	***	-90	A9A	**	~	
123 Jeffers	on River at Sappington illow Creek near Pony	W 75	401	X	X	X X	X X	001 104	
125 North W	illow Creek at Pony	06035000	X	X	<i>N</i> .	A.P.	-	wa	
126 Willow	Creek near Harrison an Creek near Harrison	06035500	X	QV .	•	**	40	**	
		06036650	X	444	**	¢o.	-01	-	
129 Jeffers	on River near Three Forks River near West Yellowstone	06037500	X	-	**	**	***	***	
121 Buck Cr	ook mear West Yellowstone	*** ***	***	X X	X X	X X	X X	**	
127 Canage	Crook near West Yellowstone	~~		X	X	X	X	On.	
133 Graylin	g Creek near West Yellowstone				.,	v,	Х	_	
134 Red Can	yon Creek near West Yellowstone	00 00 de 00	69th	X	X	X X	Λ.	~	
135 South F	ork Madison River near Yellowstone				82	v	X		
134 Unrkins	creek near West Yellowstone	AS 345		X X	X X	X X	X	***	
137 Twompor	· Creek near West Yellowstone : River below Hebgen Lake, near	06038500	X	₫% 479		200.	~~	wast	
		gge two	_	Х	X	Х	X	101	
139 Cabin (Greek near West Yellowstone Greek near West Yellowstone	or 93	***	X	X	X	X	***	
1/1 Fib Ris	er at mouth, near Cameron	er ***	<i>10</i>	X X	·-		-	***	
1/3 Cana Ca	reek at mouth, near Cameron pe Creek at mouth, near Cameron		•	X	>26		409		
		06039200	Х	•			~	м.	
144 West Fo	ork Madison River near Cameron	00035200	77	Х	Х	Х	X	***	
145 Squaw (Treek near Cameron od Creek near Cameron	gas. Sem	-	X	X X	X X	X X	***	
147 Ruby Co	reek near Cameron	~ ~		X	X	X	X	10	
148 Indian	Creek near Cameron								
149 Madiso	n River near Cameron	06040000 06040010	Х Х ⁵	~	**	~	-	40	
150 Blaine	Spring Creek near Cameron	00040010	Α."	MA.	**	Х	2004	499	
151 O'Dell	Creek near Ennis reek near Ennis	06040300	Х		÷	v	×	÷-	
153 Moore	Greek at Ennis	42 44	10	Х	X	X	A		
154 North	Fork Meadow Creek at Forest Service	er •••	0	X	Х	X	Х	100	
h o san a	dary, near Ennis Fork Meadow Creek at Highway 287,	No. 400	-	69	Х	X	X	site	
	Front a	06041000	Х	~	00	***	1000-	wa	
Mr41	n River below Ennis Lake, near lister			v	Х	Х	х	**	
157 Hor Sp	rings Creek near Norris Creek near Norris		~	X	X	X	X	MA	
150 Madien	n River near Three Forks	06042500		¥	-64	401	**		
160 Cache	Creek at mouth, near west reriowstone	06043000	- X	X			***		
161 Tanlas	Creek near Grayling ine Creek near Gallatin Gateway	7504,7000	 	X	X	X	Х	x	
	ine Creek hear Gallatin Gateway in River above West Fork, near Big Sky		***	**			-77		

				Method for estimating streamflow					
Site No.	Stream name	Stream- flow- gaging station No.	Gage	Basin char- ac- ceris- tics	Chan- nel width	Con- cur- rent meas- ure- ment	Weight- ed- average estimate		
	Fork West Fork Gallatin River near		~	X	X	Х	Х	100	
A 7 7 .	atin Gateway Fork West Fork Gallatin River near	ngue dente	***	X	Х	Х	Х	vin.	
Co11.	atin Gateway ork Gallatin River near	* -	-	Х	Х	Х	Χ	39~	
Gall	atin Gateway	are the		X X	X X	X X	X X	-	
68 Hellro	aring Creek near Gallacin Gaceway	400 400	***	X	X	X	X		
0-11.	Fork Spanish Creek near atin Gateway	-64 MP			X	X	X	**	
الملسبات محا	h reack near Gallatin GateWay	06043500	X	X	+9			-	
171 Gallat: 172 Big Be 173 South	in River near Gallatin Gateway ar Creek near Gallatin Gateway Cottonwood Creek near atin Gateway	06044500	X 6	~		einer	~	~ →	
6 77 17 - 1	Creek near Manhattan		χ6	-	·-				
175 Daaku .	Creek near BOZEMAN	06046500 06047000	,	-	-	*	•	-	
176 Bear C	anyon Creek near Bozeman ugh Creek near Bozeman allatin River at Bozeman	06047500 06048000	X 6	-0	~	1004	***		
		06048500	Х	-000	_	-00*	***	~	
179 Bridge	r Creek near Bozeman allatin River near Belgrade	06049000	Хę	-		***		_	
ent rich E	Lak Draitte Creek Dear DUASman	wy	Х ⁷ Х ⁷	***		-		~	
182 West F 183 Hvalit	ork Hyalite Creek near Bozeman e Creek at Hyalite Ranger Station, Bozeman	06050000		800	m	•	*		
184 Hyalit	e Creek above Interstate 90,	ngar data	**	•	Х	Х	X	***	
2002	Bozeman on Creek near Belgrade	en de	X 6			~		***	
104 Daw Ha	*+ Liber Deligions	06051000	Х ⁶ Х ⁶		-	-	*00	-	
4 0 7 10	Creek near Belgrade allatin River near Manhattan	1666 190	***	X	Х	Х	Х	~	
189 Gallat	in River near Logan	06052500 06053000		-	-	-101	~		
100 Ci ++00	nmile Creek near Ringling enmile Creek near Maudlow	~~	war	-	- 1/	~ V	x	X	
107 Civras	enmile Greek hear Maddion enmile Greek near Toston ari River near Toston	06054500	X	Χ	X	X -	Δ. 	est.	
		06055500) X			**************************************	X	-	
195 Dry Ci 196 Deeo (Creek near Radersburg reek near Toston Creek below North Fork,	alian minin	-	X	X	X	X	**	
neal	r Townsend Creek near Townsend Jerate Gulch near Winston	400 00°	-	X	X	X	X	etin dete	
		~ ~	X8		***	**	**	***	
200 6	r Creek near Winston nche Gulch near Winston	***	**	X X	X X	X X	X X	*	
Abs Cambras	ne Creek near East Helena re Creek at county road, near	560 - 050 356 - +56	-	~		X	***	***	
th	t Helena Creek at mouth, near East Helena	wite 500	~	X	Х	Х	Х		
204 Prick	ly Pear Creek near Clancy Iv Pear Creek at mouth,	0606150) X	x	x	X	X	with the second	
ກລວ	r Raat HeleDa	0606250	X 0	-		400	***		
0.0 % 6% 3	le Creek near Rimini le Creek near Helena mile Creek near mouth, near Helena	0606300		×	X	X	x	199	
		= ∞	av	·	Х	X	X	100	
	le Creek at mouth, near East Helena r Creek at Interstate 15, near Helena	109 905	 X ⁽	3	_	X	**	~**	
		***	~ .	X	X	X	Х	**	
212 Elkho 213 Willo	r Creek at mouth, near Wolf Creek rn Creek near mouth, near Wolf Creek W Creek below Elkhorn Creek, near f Creek	40 ***	~	Х	X	Х	X	***	

.,,				Method for estimating streamflow						
ite	Stream name	Stream- flow- gaging station No.	Gage	Basin char- ac- teris- tics	Chan- nel width	Con- cur- rent meas- ure- ment	Weight- ed- average estimate	Drain- age- area- ratio adjust ment		
0.	JULIUM TOWN				X	Х	Х	-		
ia Cotton	wood Creek above Beartooth Ranch,	allo 1944	too	Х	Α					
near	Wolf Creek			Х	X X	X X	X X	**		
17 Virgin 18 Canvon	Wolf Creek ia Creek at mouth, near Canyon Creek Creek below Cottonwood Creek, near		***	Х	A					
Cany	on Creek	06071000	X	= 47	X	X	X	**		
19 Little	on Creek Prickly Pear Creek near Canyon Creek Creek near Wolf Creek	o #	-	Х	s.					
			-	X	X	X	X	~~		
21 Wolf C	reek at mouth, at Wolf Creek Prickly Pear Creek near Wolf Creek	06071300	X	X	X	**	Х	***		
193 Unamor	· Creek Beat Orere		-	X	**	3/	×	-		
:24 Stickt :24 Stickt	ey Creek hear Grain Fork Dearborn River at Highway 200,	- **	•	Х	Х	Х	^			
near	Wolf Creek Fork Dearborn River at Highway 434,		-	X	Х	X	Х	**		
27 (2.21.7	- WOLT LIEER	06073500	Х		-	он	-	-		
	ni ni na naor Craig	00073300	**	X	X	X X	X X	400		
229 Flat (creek above Slew Creek, near Craig Creek at mouth, near Cascade Creek at mouth, near Cascade Fork Smith River at Highway 89, near	- «	-	X -	X X	X	X	-		
y North Whi	te Sulphur Springs				7.5	v	Х			
	Fork Smith River at mouth, near		100	X	Х	X				
Whi Saw Smith	te Sulphut Spilius River below forks, near	40 Apr	-	1000	X	Х	Х	**		
1 11 1	ra Calebur SDELHES			Х	Х	Х	Х	-		
	te Sulphur Springs te Sulphur Springs	AL 47		Х	Х	Х	Х	*		
5 1 1 5	te Sulphur Springs n Creek below Charcoal Gulch, near te Sulphur Springs Creek near mouth, near	194 e -	***	Х	X	Х	X	ه.		
23/ Camas Whi	te Sulphur Springs						**	-		
		0607669		+107	*	340- 0ae	**			
ngn chann	River near Fort Logan Creek near White Sulphur Springs	06077000) X	x	X	Х	Х			
240 Sheep	creek near moden, near	-		X	Х	Х	Х	-		
Whi	Creek near mouth, near te Sulphur Springs Creek River below Buffalo Canyon, near	No es	**	Х	X	X	Х	٠		
Whi	te Sulphur Springs erfoot Creek below South Fork, near	~ -		Х	X	X	X	-		
Mh.	te Suibuur ohrruge	0607750	0 X		•	-		•		
		w =			X	X				
245 Houn	n River hear flow d Creek near mouth, near Cascade ouri River near Ulm h Fork Sun River near Augusta	0607820 0607850	х о х о		-	-	***			
		0608000	0 X		~	**	**	•		
248 Sun 249 Sun	River near Augusta River below diversion dam, near	0608090			* V	- X				
Au 250 Will	gusta ow Creek near Anderson Lake,		-		X X					
ne	ar Augusta	a #7					•			
C	trock Creek, near Augusta h Creek near Augusta	0608250		(-	**		•			
		0608350		₹ *		-				
are Fib	Creek near Augusta Creek near Augusta	0608450 0608580		ξ -	-	**	. *			
	River at Simms Souri River near Great Falls	060903	00	. X	- X		· X			

			Мe	thod for	estima	ating stre	amflow
Site No. Stream name	Stream- flow- gaging station No.	Gage	Basin char- ac- teris- tics	Chan- nel width	Gon- cur- rent meas- ure- ment	Weight- ed- average estimate	
262 Tillinghast Creek above Joice Creek,	«» »	40	Х	Х	Х	х	**
near Monarch 263 Pilgrim Creek at mouth, near Monarch 264 Logging Creek at Logging Creek	604 Aug	***	X X	X X	x	X X	-
Campground, near Monarch 265 Belt Creek near Monarch 266 Big Otter Creek above Never Sweat Creek, near Raynesford	060905 0 0	X.	***** ****	x	X	X	**
267 Belt Creek near Portage 268 Highwood Creek below Smith Creek,	06090610	×	X	X	×	X	**
near Highwood 269 Missouri River at Fort Benton 270 Shonkin Creek below Bishop Creek,	06090800	X	x	x	x	X	
near Highwood 271 South Fork Two Medicine River near East Glacier	240 MSF	***	Х	X	Х	Х	100
273 South Fork Badger Creek near Browning	∞ ×	**	X	**	ш,	wind date	_
74 North Fork Badger Creek near Browning 278 Birch Creek at Swift Dam, near Valier	06094500	X	X	***	***	**	-
279 South Fork Dupuyer Creek near Dupuyer 280 North Fork Dupuyer Creek near Dupuyer	900- 900 9881 - 1000	-	X X	dinah grapa	~	ess.	
281 Dupuyer Creek below Scoffin Creek, near Dupuyer	ab vis	-	Х	X	Х	Х	~
82 Birch Creek near Valier	06098100	X X		çün	307 709	40	-
83 Cut Bank Creek near Browning 84 Cut Bank Creek at Cut Bank 85 Marias River at Sullivan Bridge, near Cut Bank	06098500 06099000 	X -	wis.		X	**	e9 e0
186 Marias River near Shelby 187 Marias River at "F" Bridge, above	06099500 	X	 		ope des	, cilin	x
Tiber Reservoir, near Shelby 188 Marias River near Loma	06102050	X	-	***	***	666	**
90 Teton River near Strabane 91 McDonald Creek near Strabane		-00		***	X	****	
192 North Fork Deep Creek near Choteau	WA ***	HEM	Х	~	-	400	_
293 South Fork Deep Creek near Choteau			X	ess.	x	400	-
194 Deep Creek near Choteau 195 Teton River near Dutton	06108000	Х	-	~	100		~
96 Missouri River at Virgelle	06109500	Х	*79	NOT	***	***	~
197 Lost Creek at mouth, near Utica	W 40-	404 Nam	X X	x	X	×	
198 Yogo Creek at mouth, near Utica 199 Middle Fork Judith River near Utica	06109780		Λ.	A	Λ		-
301 South Fork Judith River at Indian Hill Camperound, near Utica 303 Judith River above Courtneys Creek,	AG 400	404		X X	X X	X	pre .
at Utica			7.	35		v	
306 East Fork Big Spring Creek at mouth, near Lewistown		40	X.	X	X X	X	
07 Big Spring Creek above Cottonwood Creek, near Hanover 109 Cottonwood Creek at Highway 200, near	was don't	-000		Х	Х	X	_
Lewistown 10 Beaver Creek at county road, near Lewistown 11 Big Spring Creek at mouth, near Lewistown			X	X	X X	X	67·
312 Warm Springs Creek above Meadow Creek,	000 EE	***	mp.	**	Х	194	with.
near Hilger 313 Judich River near Winifred	06113500	Х	** 'U	~ V		- X	-
315 Cow Creek below forks, near Cleveland	06115200	X	X	X	_	. A	**
316 Missouri River near Landusky 317 North Fork Musselshell River near Delpine	06115500	X	99	400		-	98

			Met	thod for	estima	ting strea	umflow
te . Stream name	Stream- flow- gaging station No.	Gage	Basin char- ac- teris-	Chan-	Con- cur- rent meas- ure- ment	Weight- ed- average estimate	Drain- age- area- ratio adjust
			Х	Х	Х	X	wire
8 Checkerboard Creek near Checkerboard 9 Spring Creek below Whitetail Creek, near	** **	**	X	X	X	X	40
Checkerboard O North Fork Musselshell River near mouth,	AG 207	***	**	Х	Х	X	4
			Х	Х	X	Х	~
near Martinsdale 11 Alabaugh Creek at mouth, near Lennep 12 Cottonwood Creek below Loco Creek, near Martinsdale	ede eller	48A	X	X	Х	X	**
3 South Fork Musselshell River	06118500	Х	*	604	***	**	**
. L Mortinggale	06120000	Х	w/4	-	-		***
v eig giv Creek at mouth, at iwoud	06120500	Х	40	140-	min	**	_
ic Maraniahali Kiver at Baravere	06121000	X	***	*	97	×	_
25 Musselshell triber of the Musselshell triber of the Careless Creek, 30 Careless Creek below Little Careless Creek, near Hedgesville	ay wa	**		X	X	A	
near neogesville 31 Swimming Woman Creek below Dry Coulee,	NO #	739		Х	Х	X	440
Wrankiin	06126500	Х	w	400	499	40	•
33 Musselshell River near Roundup 35 Flatwillow Creek below the forks,		Net	Х	X	Х	X	
near Grass kange 38 Musselshell River near Mosby 30 Rio Dry Creek above Little Dry Creek,	06130500 	X -	**		**	**	X
near Van Norman	06131000	, X	100 co	10°	X	1924 200	***
41 Big Dry Creek near Van Norman	* * * * * * * * * * * * * * * * * * * *				. ^ 0	139	7
		100	179	138	139	137	,

¹Monthly streamflow characteristics based on record after construction of Clark Canyon Reservoir.
2Based on 12 streamflow measurements made in water years 1982-83.
3U.S. Soil Conservation Service gage.
4Based on 12 streamflow measurements made in water year 1986.
4Based on 12 streamflow measurements made in water year 1971-72).
5Gaged record available for 1 year (water years 1971-72).
6Estimated monthly flows available for water years 1952-54.
6Estimated monthly flows available for water years 1952-54.
8U.S. Forest Service gage.

^{*}U.S. Forest Service gage.

9 Red Rock Miver near Kennedy Ranch, next Lakeview 1936-167 19	Site No.	Stream name	Station No.	Period of record since 1906 (water year)
near Lakeview Red Nock Niver below Likes Reservoir, Red Nock River below Muddy Creek, Red Nock River a Red Nock Red Nock River Red Nock	9	Red Rock River near Kennedy Ranch,	06011000	1936-67
18		near Lakeview	06012500	1911-19;1925-69;1974-82;1985-86
	18	near Monida Big Sheep Creek below Muddy Creek,	06013500	1936;1946-53;1961-80
Searchpent Search	1 9	near Dell Red Rock River at Red Rock		1974-83 1928;1932;1935-36;1946-53
Respective above reservoir, near G6019500 1938-86	36 37 40	Grasshopper Creek near Dillon Beaverhead River at Barretts Blackrail Deer Creek near Dillon	06015500 06016000 06017500	1921-33;1946-58;1960-61 1908-86 1946-66
54 Ruby River near Twin Bridges 0b223000 1348-24 55 Big Hole River near Jackson 060224000 1348-24 67 Trail Creek near Wisdom 06024500 1348-54;1967-72 67 It all Creek near Wisdom 06024500 1348-54;1967-72 68 Role River near Wisdom 06024500 1379-81 69 Big Role River near Relrose 06025500 1924-86 60 Willow Creek near Glen 06025500 1924-86 61 Willow Creek near Glen 06025500 1946-53;1955-77 114 Jefferson River near Wiltehall 06025000 1946-53;1958-72 115 Whitefall Creek near Whitehall 06025000 1946-53;1958-72 116 Roulder River above Rock Creek, near Boulder 06032990 1950-68 117 Willow Creek near Harrison 06032999 1963-68;1974-80;1982 118 Boulder River near Boulder 06033000 1929-73;1985-86 129 Willow Creek near Harrison 06034000 1929-73;1985-86 120 Willow Creek near Harrison 06035000 1938-70 120 Willow Creek near Harrison 06035000 1938-85 121 Willow Creek near Willow Creek 06036500		Ruby River above reservoir, near		
Trail Creek near Wise River 06024580 1979-81	55	Ruby River near Twin Bridges Big Hole River near Jackson	06023500	1948-54
	92 102 110	Big Hole River near Wise River Wise River near Wise River Big Hole River near Melrose	06024580 06024590 06025500	1979-81 1972-85 1924-86
Basin Little Boulder River near Boulder	114	Jefferson River near Twin Bridges Whitehail Creek near Whitehall	06026500 06029000	1940-43;1958-72 1950-68
18		Rasin	06032999	1963-68;1974-80;1982
Taland 193 Jefferson River at Sappington 1938-70 1938-70 1938-85 1938-86 1938-86 1938-86 1938-86 1938-86 1938-86 1939-86	110	Roulder River near Boulder		
128 Millow Creek near Three Forks 060336650 1978-86 1913-73;1983-86 1939-8	123 126	Island Jefferson River at Sappington Willow Creek near Harrison	06035000	1938-85
Madison River near Cameron	129	Jefferson River near Three Forks Madison River near West Yellowstone Madison River below Hebgen Lake,	06036650 06037500	1978-86 1913-73;1983-86
Madison River near Cameron 1971-72 1973-85 1973-85 1973-85 1973-85 1973-85 1973-85 1973-85 1973-85 1973-85 1973-86 1973-	144	near Grayling West Fork Madison River near Cameron	06039200	1965-67
159 Madison River near Three Forks 1929-32;1942-50 161 Taylor Creek near Grayling 1930-82;1985-86 171 Gallatin River near Gallatin Gateway 1930-82;1985-86 172 Big Bear Creek near Gallatin Gateway 1951-54 173 South Cottonwood Creek near Gallatin Gateway 1951-54 174 Baker Creek near Manhattan 1951-54 175 Rocky Creek near Bozeman 1951-54 176 Bear Canyon Creek near Bozeman 19604500 1951-54 177 Sourdough Creek near Bozeman 196047000 1951-54 178 East Gallatin River at Bozeman 196048000 1939-61 179 Bridger Creek near Bozeman 196048500 1946-72 180 East Gallatin River near Belgrade 196049000 1951-54 181 East Fork Hyalite Creek near Bozeman 1975-86 183 Hyalite Creek at Hyalite Ranger 1975-86 Starion near Bozeman 196049000 1934-86 Starion near Bozeman 196049000 1934-86 Starion near Bozeman 1975-86 1934-86 Starion near Bozeman 1975-86 1934-86 1934-86 Starion near Bozeman 1975-86 1934	150	Blaine Spring Creek near Cameron Lack Creek near Ennis	06040010 06040300	1971-72 1973-85
161 Taylor Creek near Grayling 06043000 1946-57;1966-67 171 Gallatin River near Gallatin Gateway 06043500 1930-82;1985-86 172 Big Bear Creek near Gallatin Gateway 06044099 1951-54 173 South Cottonwood Creek near Gallatin Gateway 06044500 1951-54 174 Baker Creek near Manhattan 06045099 1951-54 175 Rocky Creek near Bozeman 06047000 1951-54 176 Bear Canyon Creek near Bozeman 06047000 1951-54 177 Sourdough Creek near Bozeman 06047500 1951-54 178 East Gallatin River at Bozeman 06048000 1939-61 179 Bridger Creek near Bozeman 06048500 1946-72 180 East Gallatin River near Belgrade 06049000 1951-54 182 West Fork Hyalite Creek near Bozeman 06049999 1975-86 181 East Fork Hyalite Creek near Bozeman 06049999 1975-86 183 Hyalite Creek at Hyalite Ranger 0605000 1934-86		near McAllister	06042500	1929-32;1942-50
174 Baker Creek near Manhattan 06043099 1931-34 175 Rocky Creek near Bozeman 0604500 1951-54 176 Bear Canyon Creek near Bozeman 06047000 1951-54 177 Sourdough Creek near Bozeman 06047500 1951-54 178 East Gallatin River at Bozeman 06048000 1939-61 179 Bridger Creek near Bozeman 06048500 1946-72 180 East Gallatin River near Belgrade 06049000 1951-54 182 West Fork Hyalite Creek near Bozeman 06049899 1975-86 181 East Fork Hyalite Creek near Bozeman 06049999 1975-86 183 Hyalite Creek at Hyalite Ranger 06050000 1934-86 Startion near Bozeman 06050000 1934-86	161 171 172	Taylor Creek near Grayling Gallatin River near Gallatin Gateway	06043500 06044099	1930-82;1985-86 1951-54
175 Rocky Creek near Bozeman 06046500 1951-54 176 Bear Canyon Creek near Bozeman 06047000 1951-54 177 Sourdough Creek near Bozeman 06047500 1951-54 178 East Gallatin River at Bozeman 06048000 1939-61 179 Bridger Creek near Bozeman 06048500 1946-72 180 East Gallatin River near Belgrade 06049000 1951-54 182 West Fork Hyalite Creek near Bozeman 06049899 1975-86 181 East Fork Hyalite Creek near Bozeman 06049999 1975-86 183 Hyalite Creek at Hyalite Ranger 06050000 1934-86 Station near Bozeman 06050000 1934-86		Gateway	06045099	1951-54
180 East Gallatin River hear Berglade 182 West Fork Hyalite Creek near Bozeman 06049899 1975-86 181 East Fork Hyalite Creek near Bozeman 06049999 1975-86 183 Hyalite Creek at Hyalite Ranger 06050000 1934-86 Station, near Bozeman	175 176 177 178	Rocky Creek near Bozeman Bear Canyon Creek near Bozeman Sourdough Creek near Bozeman Fast Callatin River at Bozeman	06047000 06047500 06048000	1951-54 1951-54 1939-61
Station, near Bozeman	182 181	East Gallatin River near Belgrade West Fork Hyalite Creek near Bozeman East Fork Hyalite Creek near Bozeman Hyalite Creek at Hyalite Ranger	06049899 06049999	1975-86 1975-86
		Station, near Bozeman	06050599	1951-54

ite ko,		Station No.	Period of record since 1906 (water year)
	A Court Relayate	06050699	1951-54
186	Ben Hart Creek near Belgrade Roese Creek near Belgrade	06051000	1951-54
63.53	ratiaria giver near LORSO	06052500	1906;1928-86 1950-55
Q(1)	Sixteenmile Creek near Ringling Missouri River near Toston	06053000 06054500	1930-33 1911-17;1941-86
		06055500	1919-29;1966-72
94	Crow Creek near Radersburg	06057599	1984-86
99	Beaver Creek near Winston Prickly Pear Creek near Clancy	06061500	1908-16;1921-33:1946-70;1979-86
U4 06	Tenmile Creek near Rimini	06062500	1915-86 1908-54
07	Tenmile Creek near Helena	06063000	
1 1	Beaver Creek at mouth, near East	06063099	1980-86
15	Helena Missouri River below Holter Dam,	06066500	1946-86
	near Wolf Creek Little Prickly Pear Creek near	06068500	1913-33
	Marysville Little Prickly Pear Creek near	06071000	1909-25
	Common Crook	06071300	1962-67
222	Little Prickly Pear Creek near Wolf Creek		
	. Glamana	06073000	1921-23;1929-53
225	Dearborn River near Clemons	06073500	1946-69
228 231	Dearborn River near Craig Smith River near White Sulphur	06074500	1923-31;1934-36
	Sarines	06076690	1978-86
238 239	Smith River near Fort Logan Sheep Greek near White Sulphur	06077000	1941-73
	Springs	06077500	1951-70
244	Smith River near Eden	06078200	1957-86
246	Missouri River near Ulm North Fork Sun River near Augusta	06078500	1911-12;1946-68
210	C Di mar noor Alleusta	06080000	1906-40
249	Sun River below diversion dam, near Augusta	06080900	1968-81
		06081500	1906-25
252 253	Willow Creek near Augusta Sun River below Willow Creek, near	06082200	1968-75
	Augusta	06082500	1906~13
254	Smith Creek near Augusta	06083500	1906-13
255 256	Ford Creek near Augusta Elk Creek near Augusta	06084500	1906-25
257	Sun River at Simms	06085800	1966-79 1968-86
258	Muddy Creek near Vaughn	06088300 06088500	1935-68;1971-86
0.00	Moddy Crask at Vallenn	06090300	1957-86
260	Missouri River near Great Falls Belt Creek near Monarch	06090500	1951-83
		06090610	1980-84
267	Belt Creek near Portage Missouri River at Fort Benton	06090800	1906-86
277	Two Medicine River near Divworth	06092000	1907-24;1951-77 1951-73;1980
275	bulling Chask boar Browning	06092500 06093200	1974-86
276		70077200	
., = -	the second	06093500	1907-25
277 278	Birch Creek at Swift Dam, hear	06094500	1913~29
400	Valier Birch Creek near Valier	06098100	1977-84
282	Birch Creek hear valler Cut Bank Creek hear Browning	06098500	1918-25 1906-20;1923-24;1952-74;1978-79;1982-8
284		06099000	
286	Marias River near Shelby	06099500 06102050	1906-08;1911-22;1924-86 1960-72
288	n Mariae River near Loma	06102050 06102500	1947-55
2.80	reton River near Farmington	06106000	1911-25
294	Deep Creek near Choteau Teton River near Dutton	06108000	1954-86
	. Tatos Viver near DUCLOU		

Table 2.--Streamflow-gaging stations used for record-extension analysis--Continued

Site No.	Stream name	Station No.	Period of record since 1906 (water year)
299 300 302	Missouri River at Virgelle Middle Fork Judith River near Utica South Fork Judith River near Utica Judith River near Utica Ross Fork near Hobson	06109500 06109780 06109800 06110000 06111000	1935-86 1972-80 1958-79 1920-76 1946-62
313 314	Big Spring Creek near Lewistown Cottonwood Creek near Moore Judith River near Winifred Wolf Creek near Stanford Missouri River near Landusky	06111500 06112100 06113500 06114500 06115200	1932-57 1957-63 1929-32 1950-62 1934-86
317	North Fork Musselshell River near	06115500	1940-80
323	Delpine South Fork Musselshell River above	06118500	1942-80
324 325 326	Martinsdale Big Elk Creek at mouth, at Twodot Musselshell River at Harlowton American Fork near Harlowton	06120000 06120500 06121000	1953-56 1907-86 1907-14;1924-32
327 328	Lebo Creek near Harlowton American Fork below Lebo Creek, near	06121500 06122000	1907-14;1924-32 1946-67
329 332 333	Harlowton Musselshell River near Ryegate Big Coulee near Lavina Musselshell River near Roundup	06123500 06125700 06126500	1946-80 1957-72 1946-86
336 337 338	Musselshell River near Musselshell Box Elder Creek near Winnett McDonald Creek at Winnett Musselshell River near Mosby Big Dry Creek near Van Norman	06127500 06129000 06129500 06130500 06131000	1928-32;1945-80;1983-86 1930-38;1959-72 1930-45;1953-56 1929-32;1934-86 1940-47;1949-86
342 343 344	Missouri River below Fork Peck Dam Boxelder Creek near Rocky Boy Missouri River near Wolf Point Missouri River near Culbertson Tower Creek at Tower Falls, Yellowstone National Park	06132000 06137570 06177000 06185500 06187500	1934-86 1976-86 1929-86 1941-52;1958-86 1922-43
348	Big Creek near Emigrant Shields River near Wilsall Shields River near Clyde Park Brackett Creek near Clyde Park Sweet Grass Creek above Melville	06191800 06193000 06193500 06194000 06200500	1973-80;1983-85 1935-57 1921-23;1929-67 1921-23;1934-57 1913-25;1937-69
	German Gulch near Ramsay Racetrack Creek below Granite Creek,	12323500 12324100	1955-69 1957-73
355	near Anaconda Little Blackfoot River near Garrison Boulder Creek at Maxville Middle Fork Rock Creek near Philipsburg	12324590 12330000 12332000	1972-86 1939-86 1938-86
357 358	Nevada Creek above reservoir, near	12335000 12335500	1941-54 1940-86
359	Helmville East Fork Bitterroot River near	12343400	1956-73
360 361	Conner Skalkaho Creek near Hamilton Skyland Creek near Essex	12346500 12356000	1949-53;1957-80 1946-52
363	Bear Creek near Essex Spotted Bear River near Hungry Horse Twin Creek near Hungry Horse Lower Twin Creek near Hungry Horse	12356500 12359500 12360000 12360500	1946-52 1949-56 1948-56;1965-67 1948-56

Table 3.--Change in average inter-station correlation as a result of record extension

स्तरकार को होते हुमें पासूचा प्रत्याच्या १९४८ है । सुन्या सुन्या १९४८ साम के स्त्री से स्त्री	Chan	ge in	averag	e inte	r-stat	ion co	rrelat	ion fo	r spec	ified	month	
Station No.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
06011000 06013500 06013500 06017500 06017500	-0.04 .03 11 .06	0.10 03 04 10	-0.45 .01 .03 06	0.06 .15 .14 02	0.66	0.53 01 06 .05	-0.17 04 19 .20 01	0.05 06 19 01 03	0.12 .04 .04 .09 02	0.10 .12 .02 .11	-0.03 .02 12 .06 02	-0.01 .15 05 .12 .06
06024500 06024590 06029000 06030500 06033000	12 .10 .15 15	.12 .10 .17 11	.16 .13 18 .09	.30 01 .24 .16	.06 .08 .95 .36	.12 21 .44 .22 .02	.05 06 07 09 05	.02 .03 .14 .04	01 06 .09 .07	.18 13 .05 01	.03 08 .15 03 08	.23
06040300 06043000 06043500 06048000 06048500	16 15 02 10 04	21 19 .00 .13 03	16 10 .00 .03 02	03 .31 .12 .09	.06 .40 .18 .18	17 .23 .06 .07 05	.07 05 04 12 10	.09 23 03 10	.09 .22 .08 02	17 .25 .04 01 05	22 .14 04 02 04	.02 .10 .01 .10
06050000 06055500 06061500 06062500 06073000	.01 09 02 07 14	01 17 .01 01	02 .19 .03 01	.00 .66 .01 .05	.10 .10 .04 .12	.12 15 .03 .05	01 20 .05 08	03 .16 02 .04	.05 14 .00 02 08	.01 08 .00 03 05	.03 08 04 06 13	.04 15 03 04 11
06074500 06077000 06078500 06090500 06092500	.00 .09 09 16 09	.00 .12 07 07	.00 .03 .06 .06	.00 .11 06 01	.00 .19 .10 01	.00 .15 01 06 03	.00 06 09 11 22	.00 05 06 .29	.00 01 03 09 03	.00 .10 10 11	.00 .01 04 04	.00 .09 10 09
06102500 06109800 06110000 06115500 06118500	.04 17 02 .01 11	.06 .02 .01 .00	13 .03 .08 03	.14 .05 .08 .09	.27 08 .12 .08	.56 12 .12 .04 .09	01 18 07 .00 11	.33 .06 .11 .03 02	01 07 .04 .06	.01 07 .00 .05	10 12 09 01 08	.07 13 .00 .04 01
06191800 06193000 06193500 06194000	.00 05 07 04	14 02 01 04	04 09	05 03 .00 03	.43 .07 .02 .09	.27 .14 .06 02	.06 06 04 15	.07 10 02 13	.01 .10 04 .00	18 .08 .06	11 01 09	.24 09 04 .02
12323500 12324100 12324590 12330000 12332000	11 12 16 04 03	.13 04 12 .02 01	04 14 13 .03 02	.05 .11 06 .03	04 .20 .06 .10	03 06 06 .09	06 05 03 05 03	.00 .12 08 05 02	01 01 08 .00	.00 .00 19 01	08 13 11 07 02	09 02 .00
12335500 12343400 12346500 12356000 12356500	05 05 13 .07 19	.01 09 09 .15	.07	.07 05 .00 .07	.07 20 .04 .09	.09 10 .02 .49	.00 05 03 .13	01 .14 .03 11 19	01 13 .00 05	.00 .12 02 02 02		.02 11 12
12359500 12360000 12360500	02 14 11	06 07 .02	09	.09 .22 .26	.04 .17 .16	.23 01 .23	17	16 .31 .10	.04 02 .04	.00 04 .08	.044	22

Table 4.--Estimated monthly streamflow characteristics for October and November

 $\{Q,XX, \text{ monthly mean streamflow for specified month exceeded XX percent of the years,} in cubic feet per second; QM, mean monthly streamflow for specified month, in cubic feet per second$

		0.	ctober				Ne	ovember		
te 5. Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q. 9 0	Q.80	Q.50 ———	Q.20	QM
Hellroaring Creek	б	7	9	11	9	5	6	7	8	7
near Lakeview	.7	. 8	1	1	1	.6	. 7	.9	1	6
2 Corral Creek near Lakeview 3 Antelope Creek near Lakeview	, 1	. 2	.2	.4	.3	. 1 10	.2	.2 12	.3 14	12
4 Red Rock Greek near Lakeview 5 Tom Creek near Lakeview	11	12 .5	14	17 1	15 1	.3	,4	.5	1	
6 Narrows Creek at mouth,	. 1	.2	.3	.5	.4	- 1	.2	.2	.3	
near Lakeview 7 Odell Creek near Lakeview	5	6	7	9	8	4 /.	5 .6	6.9	77	6 1
8 Jones Creek near Lakeview 9 Red Rock River near Kennedy	.5 38	.7 49	1 66	2 88	67	41	48	70	84	67
Ranch, near Lakeview O Peet Creek at county road, near Lakeview	.5	.7	· ·	2	1	.5	.6	.9	1	1
1 Long Creek near Lakeview	2	3	3	5	4 2	2	2.8	3 1	4 2	3
2 East Fork Clover Creek at mourh near Monida	.7	1	1	2 84	57	5	12	23	58	40
3 Red Rock River below Lima Reservoir, near Monida	11	17	45			-		"4	.6	
4 Cabin Creek above Simpson	, 2	.3	5 ء	.8	.6	.2	.3			
Creek, near Lima 5 Indian Creek above Simpson Creek, near Lima	.3	.5	.7	1	.8	, 3	.4	.6	1	
6 Simpson Creek above Indian	.4	.5	.8	1	the state of the s	.3	.5	.7	1	
Creek, near Lima 7 Deadman Creek near Dell	3	4	5	7	5	3 45	4 47	5 54	6 62	5 55
a ato Sheep Creek below Muddy	39	46	59	72	59				300	270
Creek, near Dell 9 Red Rock River at Red Rock 0 Black Canyon Creek near Grant	180	210 2	290 2	360 3	300 3	190 2	220 2	260 2	3	2
1 Shennon Creek near mouth,	.4	.6	.8	1	1	,4	.5	.7	1	
near Grant 2 Frying Pan Creek near Grant	1	2	2	3	2	1	2 ,	2	2.7	2
3 Trapper Creek at mouth, near Grant	.3	* Tř	.7	*	.8	.3	.4 3	.6 4	4	4
4 Bear Creek near Grant 5 Bloody Dick Creek near Grant	3 11	3 13	4 1 7	5 22	4 18	3 11	13	15	19	16
26 Horse Prairie Creek near	29	34	4	57	45	33	37	44	54	45
Grant 27 Rape Creek above reservoir,	.2	.3	. 5	. 7	.5	.2	.3	.4	.5	
near Grant 28 Painter Creek near Grant	2	2	3	4	3	1	2	3	3 2	3 2
28 Painter Greek hear Grant 29 Browns Canyon Creek near Grant 30 Medicine Lodge Creek near Grant	1 5	1 6	2 8	3 12	2 10	. 9 4	1 6	2 8	13	10
32 Pole Creck near mouth, near	.6	.8	1	2	1	, 5	. 7	1	1	1
Polaris 33 Reservoir Creek at mouth,	.9	1	2	2	2	.7	1	4000	2	
near Polaris 34 East Fork Dyce Creek at mouth,	,5	.8	1	2	The state of the s	.5	.7	· ·	· ·	1
near Polaris 35 West Fork Dyce Creek at	.3	. 4	.6	1	.8	. 2	.4	.6		
mouth, near Polaris 36 Grasshopper Creek near Dillon	24	27	34	46	36	29	34	39	45	39
37 Beaverhead River at Barretts 38 East Fork Blacktail Creek	200 15	230 17	360 21	480 22	380 19	190 16	250 16	410 19	520 19	390
near Dillon 39 West Fork Blacktail Creek	5	7	10	12	9	7	7	9	de d	•
near Dillon 40 Blacktail Deer Greek	35	38	44	49	44	30	35	42	50	4
near Dillon							340	490	610	50

Table 4.--Estimated monthly streamflow characteristics for October and November --Continued

			0	ctober				N	ovember		
ite io.	Stream name	Q.90	Q.80	0.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	110
42 F	PERABETTE OF DEACT THEM.	220	260	440	640	480	380	440	600	710	590
43 €	Twin Bridges Corral Creek at mouth,	.4	.6	1	1	4	.4	.5	.7	1	.8
44 (near Alder Coal Creek at mouth,	2	2	3	Źş.	3	1	2	3	3	3
	near Alder Tuby River above the forks.	6	8	1 **	14	11	6	7	9	12	10
46 l	near Alder East Fork Ruby River at mouth, near Alder	2	3	4	6	4	2	2	3	4	4
47 V	Vest Fork Ruby River at mouth,	3	3	5	7	5	2	3	4	5	4
48 (near Alder Tottonwood Creek at mouth,	3	<i>Ĺ</i> ₄	5	8	ő	3	3	5	6	5
49 1	near Alder Warm Springs Creek at mouth,	46	48	50	54	51	46	47	49	52	49
50 1	near Alder ⁱ Forth Fork Greenborn Creek	1	2	3	Ĺį.	3	1	2	2	3	2
51.	at mouth, near Alder Ruby River above reservoir, near Alder	91	100	120	140	120	100	110	120	140	120
52	Mill Creek at Forest Service	7	9	diam.	14	11	6	7	9	11	9
	boundary, near Sheridan Wisconsin Creek at Forest Service boundary, near	5	6	7	10	8	4	5	6	8	7
5.5	Sheridan Ruhy River near Twin Bridges Big Hole River near Jackson	140	170 13 4	230 17 5	260 22 7	220 18 6	160 9 3	190 10 3	220 13 4	250 18 6	220 14 5
56	Andrus Creek near mouth, near Jackson	3						2	3	Ĺ,	3
57	Fox Creek at mouth, near Jackson	2	2	3	5	4	2			20	18
58	Governor Creek near Jackson Warm Springs Greek at Jackson	14 8	16 9	19 11	25 16	21 13	13 8	15 9	18 11	15 13	12
60	Miner Creek near Jackson Big Lake Creek near mouth, near Wisdom	6 3	7 4	11 6	16 8	12 6	7 3	8 4	10 5	7	5
62	Steel Creek above Francis	2	2	3	4	3	2	2	3	3	3
	Creek, near Wisdom Francis Creek at mouth,	3	4	4	6	5	3	3	4	5	4
	near Wisdom Steel Creek near mouth,	5	б	8	1 \$	9	5	6	7	8	7
	near Wisdom Swamp Creek near mouth,	6	7	9	13	11	6	6	8	9	8
	near Wisdom Joseph Creek at wouth, near Wisdom	2	3	4	7	5	2	3	4	5	4
67 68	Trail Creek near Wisdom Ruby Creek at mouth,	15 4	1 7 5	21	26 10	22 8	15 4	16 5	19 6	22 9	19 7
	near Wisdom Tie Creek at Forest Service	5	7	9	14	10	5	6	8	- Areas	9
70	houndary, near Wisdom Johnson Creek near Wisdom	3	4 3	5 4	8 6	7 5	3 2	4 2	5 3	7 4	6 4
71	Mussigbrod Creek near Wisdom	2		43	58	47	28	31	39	48	41
	North Fork Big Hole River near mouth, near Wisdom	29	34	190	280	210	130	150	190	260	200
	Big Hole River below North Fork, near Wisdom	110	130	7	12	9	4	5	6	8	7
	Pintlar Creek near Forest Service boundary, near Wisdom	5	5	210	310	230	140	160	210	280	220
	Big Hole River below Mudd Creek, near Wisdom Fishtrap Creek at mouth,	120 5	150 7	210	15	12	5	6	7	12	9
	near Wise River					4.0	0	1.0	1 3	18	14
7.8	Lamarche Creek near Wise River Seymour Creek near Wise River Tenmile Creek at mouth,	11 6 2	1 2 7 2	16 10 4	22 15 5	18 12 4	9 5 2	10 7 2	13 9 3	12	10
	near Wise River Sevenmile Creek at mouth,	. 4	4	5 .9	1	1	.				
81	near Wise River Corral Creek at mouth, near Wise River	*	5	7 1	2	quan	e ⁸	4 . 1	5 -5) 1	· ·

Table 4.--Estimated monthly streamflow characteristics for October and November--Continued

		0	ctober				N	ovember		
Site No. Stream name	Q.90	Q.80	Q.50	Q.20	QМ	Q.90	Q.80	Q.50	Q.20	QM
82 Twelvemile Creek at mouth,	4	2	3	4	3	1	2	2	3	3
near Wise River 83 Sullivan Creek at mouth,	2	2	3	5	3	(Pronu	2	3	3	3
near Wise River 84 Oregon Creek near mouth,	.2	.3	,4	.7	. 5	. 2	.2	. 3	.5	. h
near Wise River	2	3	4	5	4	2	2	3	4	3
Creek, near Wise River 86 American Creek at mouth, near Wise River	.5	.7	İ	2	deser	, ćş	.6	.8	1	,9
87 Sixmile Creek at mouth,	.3	.5	.7	1	. 8	. 3	_4	.6	.8	.6
near Wise River 88 French Creek near mouth,	4	5	7	9	7	4	4	6	7	6
near Wise River	22	25 1	31 2	35 2	30 2	21 .9	23	27 1	27	25
90 Bear Creek near Wise River 91 Bryant Creek at mouth, near Wise River	1 2	2	3	4	3	1	2	3	3	3
92 Big Hole River	160	200	280	430	320	200	230	290	390	300
near Wise River 93 Johnson Creek at mouth,	1	1	2	3	2	.8	1	2	2	2
near Wise River 94 Meadow Creek near Wise River 95 Jacobson Creek at mouth,	2 8	2 10	3 14	5 21	4 16	2 7	2 9	13	4 18	3 13
near Wise River 96 Mono Creek at mouth, near Wise River	.9	1	2	3	2	.8	1	2	2	2
97 Wyman Creek at mouth,	4	6	8	11	9	4	5	7	9	7
near Wise River 98 Lacy Creek at mouth,	3	4	5	7	6	2	3	4	6	5
near Wise River 99 Gold Greek at mouth,	1	2	2	4	3	***	que	2	3	2
near Wise River 100 Pattengail Creek at mouth,	11	14	19	27	21	11	13	17	22	18
near Wise River 101 Sheep Creek at mouth, near Wise River	2	2	3	5	4	1	2	3	4	3
102 Wise River near Wise River 103 Adson Creek at mouth,	35 1	41	54 2	85 3	61	35 1	40 1	48 2	57 2	49 2
near Wise River 104 Jerry Creek near Wise River 105 Divide Creek at Divide 106 Canyon Creek near Divide	6 2 3	7 3 4	9 3 5	11 6 9	10 5 7	5 2 3	633	7 3 4	8 6 8	7 5 6
107 Manga Creek near Divide	5 4	5 4	6 6	7 8	6 6	5 4	5 4	6 5	7	6 6
108 Trapper Creek near Metrose 109 Camp Creek at Metrose 110 Rig Hole River near Metrose	310 7	2 360 8	3 490 10	5 710 12	3 530 10	.9 350 6	400 7	2 490 8	650 10	3 520 8
111 Willow Greek near Glen	11 2	12	15 3	20 4	16 3	7 2	8 2	10	13 4	11 3
113 Hells Canyon Creek near Twin Bridges 114 Jefferson River	770	900	1300	1700	1300	1100	1200	1500	1800	1500
near Twin Bridges 115 Whitetail Creek near Whitehall 117 Boulder River above High Ore Creek, near Basin	3 14	4 19	7 29	10 47	7 32	2	2 22	2 28	3 36	3 30
118 Boulder River near Boulder 119 Little Boulder River	18	24 10	37 12	60 15	41 12	25 7	28 7	36 9	46 12	38 10
near Boulder 120 Boulder River above Cabin	23	30	42	63	46	30	33	41	50	43
Gulch, near Boulder 121 Boulder River near Cardwell 122 South Boulder River near	29 13	36 14	52 18	77 25	57 19	37 11	41 12	51 14	62 19	53 15
Jefferson Island 123 Jefferson River at Sappington 124 South Willow Creek near Pony 125 North Willow Creek at Pony 126 Willow Creek near Harrison 127 Norwegian Creek near Harrison	870 3 2 4 5	1000 6 5 11 6	1500 17 12 30 7	1900 33 18 52 8	1500 17 11 31 7	1300 7 6 16 5	1500 9 8 19 6	1600 22 15 37 6	1900 27 17 44 7	1700 19 13 34 6

Table 4.--Estimated monthly streamflow characteristics for October and November -- Continued

		Ţ.)ctober				<u> </u>	<u>lovembe</u> :	e	
Site No. Stream name	Q.90	Q.80	Q.50	Q.20	МĢ	Q.90	Q.80	Q.50	Q.20	QM
129 Jefferson River near	1100	1300	1800	2200	1800	1400	1500	1900	2200	1900
Three Forks 130 Madison River near	340	380	440	500	440	340	390	430	470	420
West Yellowstone 131 Duck Creek near	22	24	28	32	27	20	21	25	26	23
West Yellowstone	7	9	9 9	20	16	6	8	10	18	14
132 Cougar Creek near West Yellowstone			23	34	28	13	15	18	25	21
133 Grayling Creek near West Yellowstone	16	* 9	23	بدر	20					
134 Red Canyon Creek near	.3	.4	. 5	2	***	. 2	, 4	.6	2	deen
West Yellowstone 135 South Fork Madison River	98	100	110	130	110	91	95	100	110	100
near West Yellowstone 136 Watkins Creek near	2	2	2	4	3	1	2	2	4	3
West Yellowstone	1	2	2	3	3	1	1	2	3	2
137 Trapper Creek near West Yellowstone						600	830	1400	1900	1400
138 Madison River below Hebgen Lake, near Grayling	480	880	1400	1800	1300	690	630			
139 Cabin Creek near	7	8	10	16	13	5	б	7	11 1	9
West Yellowstone 140 Beaver Creek near	21	24	29	37	31	18	20	25	31	26
West Yellowstone 141 Elk River at mouth, near	11	14	19	29	22	10	12	18	25	19
Cameron 142 Soap Creek at mouth,	.6	. 8	1	2	2	. 5	.7	1	2	*
near Cameron 143 Antelope Creek at mouth, near Cameron ²	14	15	16	19	17	13	*4	15	17	16
144 West Fork Madison River near Cameron	42	44	51	59	54	37	41	45 7	56 9	48 7
145 Souaw Creek near Cameron	6 5	6 5	8 7	10 8	8 7	5 4	6 5	6	7	6
146 Standard Creek near Cameron 147 Ruby Creek near Cameron 148 Indian Creek near Cameron	3 19	3 23	4 28	5 37	31	3 16	3 19	4 24	5 31	2.5
149 Madison River near Cameron 150 Blaine Spring Creek	970 24	1100 24	1700 27	2100 30	1600 27	880 22	1000 23	1600 24	2100 26	1600 25
near Cameron 151 O'Dell Creek near Ennis 152 Jack Creek near Ennis	110 19	110 21	110 23	110 25 9 2	110 23 1	100 14 .5	100 15	100 18 .8	110 19 2	100 18 1
153 Moore Creek at Ennis 154 North Fork Meadow Creek at	6	8	4 4	17	12	4	5	8	10	8
Forest Service boundary, near Ennis	4	4	6	10	7	3	3	4	6	5
155 North Fork Meadow Creek at Highway 287, near Ennis		1400	2000		1900	1100	1400	2100	2500	2000
156 Madison River below Ennis Lake, near McAllister	1100						5	6	8	7
157 Hot Springs Creek near Norri 158 Cherry Creek near Norris	ls 5 20	6 22	27 27	10 31	8 26	17	19	22	25	22
159 Madison River near	1100	1400	2000	2500	2000	1300	1400	1900	2300	1900
Three Forks 160 Cache Creek at mouth, near	2	3	4	6	4	2	2	3	5	4
West Yellowstone 161 Taylor Creek near Grayling 162 Porcupine Creek near	22 5	25 6	29 7	37 10	31 8	17	20 5	25 6	34 8	26 7
Gallatin Gateway 163 Gallatin River above West Fork, near Big Sky	190	210	240	320	250	160	170	210	250	210
164 South Fork West Fork Gallat	in 12	15	19	28	21	10	12	15	19	15
River near Gallatin Gatew 165 Middle Fork West Fork Galla	ay	6	8	12	9	5	5	7	9	7
River near Gallatin Gatew		29	37	52	39	20	23	29	36	29
166 West Fork Gallatin River near Gallatin Gateway			19	23	19	13	14	17	20	17
167 Squaw Creek near Gallatin Gateway 168 Hellroaring Creek near	14 18	15 20	25	31	25	16	17	21	24	
Gallatin Gateway										

Table 4.--Estimated monthly streamflow characteristics for October and November--Continued

			00	cober					ovember		
ite lo.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
	outh Fork Spanish Creek near	11	13	17	23	18	10	11	13	15	13
	Gallatin Gateway Danish Creek near	24	28	36	47	36	21	23	29	34	28
	Gallatin Gateway Allatin River near	350	380	450	590	470	300	330	380	470	390
	Gallatin Gateway g Bear Creek near	5	5	6	8	6	4	4	5	6	5
	Gallatin Gateway Outh Cottonwood Creek near Gallatin Gateway	15	16	19	23	20	aun Gen.	14	16	20	16
74 B	aker Creek near Manhattan³	64	70 10	100 13	130 20	100 15	71 9	92 10	110 13	120 19	110
7 E 75 .	l. Crook neat bozemen	8 2	2	3	4	3	1	2	2 13	4 15	13
T 7 /2	ear Canyon Creek near Bozeman ourdough Creek near Bozeman	10	1 1	15	17	15 54	10 38	11 46	51	57	51
77 S	ast Gallatin River at Bozeman	34	42	51	62	24	6	7	9	13	1(
79 B	ridger Creek near Bozeman ast Gallatin River	7 40	8 44	10 61	15 80	63	39	44	58	72	58
	near Belgrade ast Fork Hyalite Creek	4	5	6	8	7	3	4	5	6	
	near Bozeman est Fork Hyalite Creek	9	10	12	16	13	7	8	10	12	1(
	near Bozeman yalite Creek at Hyalite Ranger Station, near Bozeman	24	28	36	52	39	17	19	27	34	2
84 H	unlika Craek shave	6	7	9	15	d distant	4,	5	7	9	
06 7	Interstate 90, near bozeman	27	30 29	33 31	36 32	33 31	27 29	28 29	33 30	35 32	3: 3
04 0	on Wart Creek near Delkiage	29 6	29 7	8	11	8	7	. 7	8	10 210	18
87 R 88 E	eese Creek near Belgrade ast Gallatin River near Manhattan	17Ŏ	180	210	230	190	160	170 780	190 890	1000	89
89 G 90 S	allatin River near Logan ixteenmile Creek near Ringling	560 1	600 4	850 7	1100	840 6 30	610 4 18	760 4 20	5 5 28	33	2
0.00	ixteenmile Creek near Maudlow ixteenmile Creek near Toston issouri River near Toston	17 20 3100	18 23 3500	29 34 4400	37 51 5400	41 4500	21 3700	26 4000	36 4700	50 5600	480 480
105 F	Crow Creek near Radersburg Dry Creek near Toston	12 2 8	13 2 9	15 4 10	19 5 15	16 4 12	9 2 7	10 2 8	123	15 4 13	gen.
	Deep Creek below North Fork, near Townsend	3	4	5	6	5	3	3	4 6	4 7	
197 I 198 (Duck Greek near Townsend Confederate Gulch near Winston	5	6	7	9	7	4	5 3	5	7	
199 1	Beaver Creek near Winston	2	3	5 1	8 3	6 3	2 .8	1	2	4	
300	1	,7 3	1 3	£4	6	5	3	3 7	4 7	5 8	
201 : 202 :	Varianche Greek near East Helena McGuire Creek at county road, near East Helena	6	7	8	8	8	7 12	12	14	16	1
203 '	road, hear tast determ Frout Creek at mouth, near East Helena	13	* 3	15	15	14				31	2
204 205	Prickly Pear Creek near Clancy Prickly Pear Creek at mouth,	17 22	19 24	28 30	35 36	29 31	19 24	20 25	27 31 5 1	35	3
207 1	near East Helena Tenmile Creek near Rimini Tenmile Creek near Helena	.3	.5 3 1	1 5 2	3 12 4	3 7 3	.4 3 1	4	7 2	13	
208	Sevenmile Creek near mouth, near Helena	,				,	3	3	5	6	
	Tenmile Creek at mouth,	2	3	5	8	6	3 8	<i>3</i> 9	11	41	
210	near East Helena Silver Creek at Interstate 15,	8	8	gave g	12	1 1	ð Ó	6	7	44	
211	near Helena Beaver Creek at mouth,	5	6	8	11	8	-	3	4	6	
212	near East Helena Elkhorn Creek near mouth,	3	3	4	6	5	3 2	2	3	6	
213	near Wolf Creek Willow Creek below Elkhorn Creek, near Wolf Creek	2	2	3	5	4	7	le.	J	•	

Table 4.~~Estimated monthly streamflow characteristics for October and November--Continued

				ictober					lovembe	<u> </u>	
Site No.	Stream name	Q.90	Q.80	Q,50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
214 (Cottonwood Creek above Beartooth	.5	.6	.9	2	1	.4	.6	que de la companya de	2	1
217 1	Ranch, near Wolf Creek Virginia Creek at mouth,	3	L	6	9	7	3	4	7	9	7
218	near Canyon Creek Canyon Creek below Cottonwood - Creek, near Canyon Creek	4	5	8	15	11	4	Ó	9	16	11
219	Little Prickly Pear Creek near Canyon Creek	12	13	18	25	20	***	15	20	26	21
220	Lyons Creek near Wolf Creek	5	5	7	9	7	5	6	7	9	7
	Wolf Creek at mouth, at Wolf Creek	2	3	4	7	5	2	3 :	4	6 79	4 64
	Little Prickly Pear Creek near Wolf Creek	35	44	58	85 0	65 0	42 0	49	64 0	0	0
223 1	Wegner Creek near Craig*	0	0	0	0	0	0	0	0	ő	0
224 : 226 :	Stickney Creek near Craig ⁵ Middle Fork Dearborn River at Highway 200, near Wolf Creek	7	8	11	16	13	7	8	10	12	10
227	South Fork Dearborn River at Highway 434, near Wolf Creek	6	7	10	14	dans.	6	7	9	dana.	9
228 229	Dearborn River near Craig Flat Creek above Slew Creek,	41	48 8	70 13	91 17	72 13	46 8	51 9	68 12	92 17	72 13
	near Craig Sheep Creek at mouth,	13	16	23	25	21	10	12	17	*8	15
	near Cascade North Fork Smith River at Highway 89, near White Sulphur Springs	3	4	6	oved wash	8	3	4,	7	***	8
222	South Fork Smith River at mouth	. 8	9	12	17	13	9	10	de de	14	12
	near White Sulphur Springs Smith River below forks,	11	12	18	26	20	9	12	18	29	20
	near White Sulphur Springs Big Birch Creek at mouth.	17	20	32	41	29	21	22	28	31	25
	near White Sulphur Springs Newlan Creek below Charcoal Gulch, near White Sulphur	3	3	5	8	6	4	5	6	8	6
237	Springs Camas Creek near mouth, near White Sulphur Springs	3	Ġ	5	9	7	3	5	6	9	7
	Smith River near Fort Logan Sheep Creek near White Sulphur Springs	90 11	96 12	120 15	140 18	120 16	98 9	100 10	110	120 15	110
240	Sheep Creek near mouth, near White Sulphur Springs	16	19	26	38	31	12	16	22	31	25
241	Eagle Creek near mouth, near White Sulphur Springs	2	2	3	6	5	1	2	3	4	4
242	Rock Creek below Buffalo Canyon near White Sulphur Springs	, 8	9	domen	15	13	6	8	10	13	gene
243	Tenderfoot Creek below South Fork, near White Sulphur Springs	13	16	21	27	23	11	13	16	19	16
244 245	Smith River near Eden Hound Creek near mouth,	92 13	110 15	140 21	190 30	170 24	89 10	100 13	130 18	200 25	150 21
246 247	near Cascade Missouri River near Ulm North Fork Sun River near Augusta	3200 6 5	3700 71	4700 94	6000 140	4800 110	3500 67	4200 69	5000 86	6200 110	5300 92
248 249	Sun River near Augusta Sun River below diversion dam,	100 80	110 96	110 130	120 190	110 140	55 60	170 79	240 130	360 160	270 130
250	near Augusta Willow Creek near Anderson	2	2	3	5	4	2	2	3	4	3
251	Lake, near Augusta North Fork Willow Creek below Cutrock Creek, near Augusta	3	3	3	4	3	3	3	3	4	3
254	Smith Creek near Augusta	6	7	14	21	15	4	6	12	16	12
256 257	Ford Creek near Augusta Elk Creek near Augusta Sun River at Simms	12 19 110 4100	13 32 130 5000	16 45 190 5500	18 65 250 6800	16 48 200 5800	6 21 140 4200	7 25 160 4900	10 33 210 5600	14 53 240 7300	11 39 210 5900
	Missouri River near Great Falls Dry Fork at mouth, at Monarch	7	8	3,00	17	14	6	7	10	14	11

Table 4.--Estimated monthly streamflow characteristics for October and November--Continued

			0	ctober		***************************************			ovember		
te	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	ŲM ———
	tinchest Creek above	6	7	9	describ	10	5	6	8	10	8
Ŧ	linghast Creek above oice Creek, near Monarch grim Creek at mouth,	5	6	9	13	10	5	6	7	10	8
n 4 Ton	ear Monarch	6	. 7	9	10	9	6	6	8	8	7
0 0 -1	ampground, near monarch	35 2	41	52 5	74 6	65 5	29 4	31 5	45 5	62 7	49 6
c p.s	Otter Creek above Never weat Creek, near Raynesford			37	61	46	14	18	31	48	34
2 Hla	t Creek near Portage hwood Creek below Smith	17 5	21 6	7	10	9	4	5	6 5600	7 7200	6000
9 Mis	Creek, near Highwood Bouri River at	3800	4300	5400	6900	5600	4000	5000 3	3000 4	4	4
o sho	Fort Benton onkin Creek below Bishop	3	4	5	8	6	3 10	14	24	37	23
1 501	Creek, near Highwood ith Fork Two Medicine River near East Glacier	12	14	21	31	23	10	1 **	~ "		
	oth Fork Badger Creek	9	13	18	28	20	9	11	16	23	17
,	near Browning rth Fork Badger Creek	9	11	16	25	19	8	10	15	21	14
2	near Browning rch Creek at Swift Dam,	18	25	55	110	64	.3	qu-rev	4	19	1.
	near Valier uth Fork Dupuyer Creek	2	3	L _b	6	5	2	2	3	5	4
ı O No	near Dupuyer rth Fork Dupuyer Creek	2	3	5	7	5	2	3	44	6	•
	near Dupuyer puyer Creek below Scoffin	6	7	10	16	12	5	8	10	15	Ì
32 Bi 33 Cu	Creek, near Dupuyer rch Creek near Valier t Bank Creek near Browning - Romb Creek at Cut Bank	29 23 30	36 31 35 210	47 56 58 310	53 94 110 510	45 66 77 380	25 25 31 190	30 34 37 210	44 52 59 310	57 78 85 420	4 5 6 33
50 240	rias River at Sullivan Bridge, near Cut Bank	180			-	390	190	210	320	430	34
97 Ma	rias River near Shelby rias River at "F" Bridge, above Tiber Reservoir,	180 210	210 240	320 370	530 620	460	220	240	370	510	40
88 Ma	near Shelby erias River near Loma	470 13	540 15 9	810 20 10	1100 24 12	860 20 11	330 7 9	370 16 10	630 20 10	840 25 11	64 2 1
91 Mc	Donald Creek near Strauane	9	4	6	9	7	3	4	5	7	
	orth Fork Deep Creek near Choteau	3	4	б	9	7	3	4	5	7	
nc h	outh Fork Deep Creek near Choteau eep Creek near Choteau eton River near Dutton	7 28	8 40	11 63	13	11 75 6300	7 34 4800	8 44 5400	11 70 6400	12 97 7600	66(
96 M	issouri River at ***********************************	4000 :a 5	4900 7 3 .5	6100	7700 13 4	10	5	6 2 .	7 1	11	
CQ V	ost treek at mouth, near Utic ogo Creek at mouth, near Utic iddle Fork Judith River near Utica	4	5	8	14	10 3	2	3	4	7	
301 S	outh Fork Judith River at Indian Hill Campground,	1	2	2				8	10	15	
303 J	near Utica udith River above Courtneys Creek, at Utica	7	10	13	21	17	5				
306 E	one Fork Big Spring Creek	5	6	8	12	9	4	5	120	10 120	
	at mouth, fleat Lewiscoun	110	120	130	130		100	110	120	120	
	Cottonwood Greek, Hear Hand Corronwood Greek at Highway	7er 3	3	4	7		2	3	8	11	
	200, near Lewistown Seaver Creek at county road,	2	4	7	9		5	6 94	110	12(
	near Lewistown Hig Spring Creek at mouth, near Lewistown	98	110	130	140	130	85	74	3 4 0	3 46 6	

Table 4.--Estimated monthly streamflow characteristics for October and November--Continued

				October	**************************************		(International Control of Control		Novembe	r T	
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	0.50	Q.20	QM
312	Warm Springs Creek above	100	100	110	120	110	97	100	110	110	110
	Meadow Creek, near Hilger Judith River near Winifred Cow Creek helow forks, near Cleveland	240 3	240 3	420 4	550 6	410 5	240 2	240 3	450 4	580 5	420 4
316 317	near Gleverand Missouri River near Landusky North Fork Musselshell River near Delpine	4300 4	5300 5	6700 6	8100 9	6800 7	5100 5	5900 6	6800 7	8000 9	7100 7
318	Checkerboard Creek near Checkerboard	1	3	2	3	2	.7	quan	*	2	2
319	Spring Creek below Whitetail	3	ć,	6	8	6	3	3	4	5	5
320	Creek, near Checkerboard North Fork Musselshell River	5	6	9	13	10	б	7	9	4 9	10
321	near mouth, near Martinsdale Alabaugh Creek at mouth,	2	3	4	5	4	2	2	3	4	3
322	near Lennep Cottonwood Creek below Loco Creek, near Martinsdale	10	13	17	22	18	8	10	12	14	12
323	South Fork Musselshell River	11	18	30	40	31	13	18	28	35	28
324	above Martinsdale Big Elk Creek at mouth,	.6	.9	7	15	8	,3	.9	10	14	9
326	at Twodot Nusselshell River at Harlowton American Fork near Harlowton Careless Creek below Little Careless Creek, near Hedgesville	19 0 .5	45 .2 .6	71 2 .8	110 5 2	76 3 1	35 0 .4	54 0 .6	76 2 .7	10 4 9m	8 2
331	Swimming Woman Creek below	.5	.6	.9	2	1	.3	.5	.5	1	,9
	Dry Coulee, near Franklin Musselshell River near Roundup Flatwillow Creek below	12 3	25 3	68 4	110 15	73 10	15 2	33 4	64 4	120 14	74 10
	the forks, near Grass Range Musselshell River near Mosby Big Dry Creek above Little Dry Creek, near Van Norman	2 0	15 0	69 .2	120 2	82 1	10 0	36 0	74 .2	140	87
340 341	Little Dry Creek near Van Norma Big Dry Creek near Van Norman	n .1	,2 .3	2 2	5 8	3 5	.2	.4	2	3	2 3

¹ Includes estimated spring flow of about 40 cubic feet per second, based on information provided by
Montana Department of Fish, Wildlife and Parks.
2 Includes estimated spring flow of about 10 cubic feet per second, based on information provided by
Montana Department of Fish, Wildlife and Parks.
3 Estimated long-term monthly streamflow characteristics may not reflect the current flow regime because

of upstream streamflow regulation.

Stream is known to be dry except for periods of runoff. Calculated flows were adjusted by subtracting 7 cubic feet per second.

Stream is known to be dry except for periods of runoff. Calculated flows were adjusted by subtracting 8 cubic feet per second.

Table 5.--Estimated monthly streamflow characteristics for December and January

[Q.XX], monthly mean streamflow for specified month exceeded XX percent of the years, in cubic feet per second; QM, mean monthly streamflow for specified month, in cubic feet per second

			De	cember				3.	anuary		
ite o.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
		5	5	6	6	6	4	5	5	6	5
	llroaring Creek near Lakeview	*	6	.7	.7	.7	. 5	,5	.6	. 7	•
0 0-	read near Lakeview	.6 .1	.6 .1	.2	.3	. 2	1	.1	.2 10	.2 11	9
0 5	Lutura Crook Dear Lakeview	9	9	10	11	10	8 .3	9.3	.5	.7	٠.
4 Re 5 To	d Rock Creek near Lakeview m Creek near Lakeview	.3	<u>,</u> 4,	.5	. 7	.6	* ~				
	rrows Creek at mouth,	.1	.1	.2	.2	.2	.1	, 1	.2	.2	
	war Iskariew	4	4	5	5	5	4	4	5	5 .9	5
7 Od	ell Creek near Lakeview	٦,5	.5	. 7	1	.8	13	25 25	33	60	39
8 Jo	nes Creek near Lakeview d Rock River near Kennedy	12	17	29	42	31	ن :	4. J	30		
	Ranch, near Lakeview eet Creek at county road,	, 4	.5	.6	.9	.7	.4	. 4	.6	1	
0 16	near Lakeview							0	2	3	2
. 4 Y	ong Creek near Lakeview	2	2	3	3	3 1	2 ,5	2	.8	1	2
7 Rs	VER BUNK CLOAGE OLGSN G.	,6	.7	,9	9	1	9-7			0.6	2.3
	mouth near MODICE	10	16	23	33	26	11	17	23	28	23
	ed Rock River below Lima Reservoir, near Monida	0	.3	.4	.5	.4	.2	.2	.3	.4	
4 Ca	abin Creek above 51mpson	. 2	, 3	6 44			^	2	.5	.6	
	Creek, near Lima odian Creek above Simpson	, 3	.4	. 5	.7	.6	.3	.3	٠.٠		
	Creek, near Lima	.4	.4	.6	.8	.7	.3	.3	.5	.6	
	impson Creek above Indian Creek, near Lima				5	4	2	3	3	4	3
7 D	eadman Creek near Dell ig Sheep Creek below Muddy	3 38	3 40	47	52	46	34	37	40	47	42
	Crook near Dell	180	190	210	240	230	130	150	170	180	180 1
19 R	ad page River at Red KOCK	100	1 7 0	2	2	2	1	1	1	2	3
	lack Canyon Creek near Grant	3	. 4	.5	.7	.6	.3	.3	. 5	.6	
21 S	hennon Creek near mouth,	.3				1	.8	1	1	1	1
22 F	near Grant rying Pan Creek near Grant	1	1	1 .4	2 .6	1	.2	.3	.4	. 5	
23 T	rapper Creek at mouth, near	. 3	.3	. 4	* 0				2	3	1
	Grant	2	2	3	3	3	2 8	2 9	3 11	13	12
24 B 25 B	ear Creek near Grant loody Dick Creek near Grant	8	9	13	16	13	C	-			
		21	23	31	40	33	21	24	28	33	25
26 H	lorse Prairie Creek near Grant Lape Creek above reservoir,	21.2	.2	.3	.4	.3	,]	. 2	έ,	نب به	
	maar Grant		2	2	3	2	de	1	2	2	
28 P	Circa Canab moor Grant	1 .8	1	ī	2	1	,7	.8 4	1	2 8	
29 B	ainter Creek hear Grant browns Canyon Creek near Grant ledicine Lodge Creek near Grant		4	6	9	7	3	4	v	3	
		.5	.6	.8	general	. 9	4	. 5	.7	1	
32 F	Pole Creek near mouth,	* 3				4	.5	.6	. 1	1	
33 F	near Polaris Reservoir Creek at mouth,	.6	. 7	1	1	dende					
	near Polaris Fact Fork Dyce Creek at	.5	.6	,8	1	*	,4				.
	mouth near Polaris	.3	.3	.4	.6	. 5	.2	.3	. 4		>
	Vest Fork Dyce Creek at mouth, near Polaris			20	38	30	19	20	23	32	2
36 (mouth, hear foliation Grasshopper Creek near Dillon	18	21	30	30	20			200	250	30
	Beaverhead River at Barretts	180	230	350	420	350	180 11	230 13	300 13	350 15	1
37 1	Beavernead River at Barros East Fork Blacktail Creek	12	13	16	16	15	1 3				
	mone Dillon	5	б	7	8	7	4	5	6	7	
	West Fork Blacktail Greek near Dillon		27	32	38	32	23	25	30	33	3
40	Blacktail Deer Creek	26	27					270	380	440	37
	near Dillon Beaverhead River near Dillon	280	330	470	560	460	210	414	200		- '

Table 5.--Estimated monthly streamflow characteristics for December and January--Continued

***************************************	and the second section of the section of the second section of the section of the second section of the second section of the second section of the sect	-,	De	ecember				J	anuary		
Site No.	Stream name	Q.90	0.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
42	Begverhead River near	340	410	510	610	520	270	340	430	510	440
43	Twin Bridges Corral Creek at mouth, near Alder	.4	.4	.6	. 8		.3	.4	.5	. 7	.5
	Coal Creek at mouth, near Alder Ruby River above the	1 5	2 6	2 7	3 9	2 8	4	1 5	2 7	2 8	2 7
46	forks, near Alder East Fork Ruby River at mouth, near Alder	2	2	3	ć,	3	2	2	3	3	2
47	West Fork Ruby River at mouth,	2	3	3	4	4	2	2	3	4	3
48	near Alder Cottonwood Creek at mouth,	3	3	4	5	4	2	2	3	4	3
49	near Alder Warm Springs Creek at mouth,	45	46	47	49	48	44	45	47	48	47
50	near Alder! North Fork Greenhorn Creek	1	2	2	2	2	1	1	2	2	2
51	at mouth, near Alder Kuby River above reservoir, near Alder	93	97	110	130	110	76	90	100	120	100
52	Mill Creek at Forest Service	6	6	7	8	7	5	6	7	7	6
53	boundary, near Sheridan Wisconsin Creek at Forest Service boundary, near	4	4	5	6	5	3	4	5	6	5
55	Sheridan Ruby River near Twin Bridges Big Hole River near Jackson Andrus Creek near mouth,	140 8 2	150 9 3	160 11 3	200 14 4	180 12 4	120 7 2	120 8 2	140 10 3	170 12 4	150 10 3
	near Jackson		0		2	2	1	1	3	2	2
-	Fox Creek at mouth, near Jackson	1	2	2	3	2	1	·	2	3	
58 59	Governor Creek near Jackson Warm Springs Creek at Jackson	10 6	11	15 9	17 13	15 10	10 6	11	13 8	15 10	13
60	Miner Creek near Jackson Big Lake Creek near mouth, near Wisdom	6 3	6 3	8 4	10 5	8 4	5 2	5 3	7	9 5	7 4
62	Steel Creek above Francis	1	2	2	3	2	\$	2	2	2	2
63	Creek, near Wisdom Francis Creek at mouth,	2	2	3	4	3	2	2	3	4	3
64	near Wisdom Steel Creek near mouth,	4	4	6	7	6	4	4	5	6	5
65	near Wisdom Swamp Creek near mouth,	4	5	6	8	7	4	5	6	7	6
66	near Wisdom Joseph Creek at mouth, near Wisdom	2	2	3	4	3	2	2	3	4	3
68	Trail Creek near Wisdom Ruby Creek at mouth,	9 3	11	16 5	19 7	16 6	11 3	12	14 5	15 6	14
	near Wisdom Tie Creek at Forest Service	5	5	7	9	8	4	5	6	8	6
70 71	boundary, near Wisdom Johnson Creek near Wisdom Mussigbrod Creek near Wisdom	2 2	3 2	4 3	6 3	5 3	3 2	3 2	4 3	5 3	4 3
	North Fork Big Hole River	19	23	32	40	33	20	23	28	33	28
	near mouth, near Wisdom Big Hole River below North	100	120	150	180	150	85	98	130	160	130
	Fork, near Wisdom Pinclar Creek near Forest	3	4	5	7	6	3	4	5	6	5
	Service boundary, near Wisdom Big Hole River below Mudd	110	120	160	200	170	90	110	140	180	140
	Creek, near Wisdom Fishtrap Creek at mouth, near Wise River	4	5	7	10	8	4	5	7	8	7
	Lamarche Creek near Wise River	8	9	8	14	12	7	85	10 7	12	10 7
	Seymour Creek near Wise River Tenmile Creek at mouth,	5 2	2	3	3	3	1	2	2	7	2
80	near Wise River Sevenmile Creek at mouth, near Wise River	.3	,4	.5	.7	, 6	. 3	, 3	. 5	. 7	. 5
81	near wise kiver Corral Creek at mouth, near Wise River	.4	.5	. 7	Amount	.7	.3	. 4	.6	.8	.6

Table 5.--Estimated monthly streamflow characteristics for December and January -- Continued

			De	cember	······································			J.	anuary		
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	СМ	Q.90	Q.80	Q.50	Q.20	QM
87 Twel	lvemile Creek at mouth,	1	q.	2	3	2	4	geogr	2	2	2
83 Sull	ear Wise River Livan Creek at mouth,	1	2	2	3	2	***	des	2	3	2
84 Ores	ear Wise River zon Creek near mouth,	. 1	. 2	. 2	.3	.3	. 1		.2	. 3	,2
no es cald	ear Wise River Formis Creek above American	2	2	2	3	2	1	2	2	3	2
Ci 86 Amei	reek, near Wise River rican Creek at mouth, ear Wise River	.4	.5	. 6	.8	. 7	.3	.4	.6	.8	. 6
87 Six	mile Creek at mouth,	. 3	.3	, 4	.6	. 5	. 2	.3	. 4	.5	.4
88 Fre	ear Wise River nch Creek near mouth,	3	3	4	5	5	2	3	4	5	4
n aad Daa	ear Wise River n Creek near Wise River	15	17	22	23 1	21	15 .6	17	19 1	21	18
90 Bea:	r Creek near Wise River ant Creek at mouth, ear Wise River	.8	. 9 2	2	3	2	1	1	2	2	2
Q2 Rio	Hole River near	160	180	220	280	230	130	150	200	250	200
U	ise River nson Creek at mouth,	. 7	.9	**	2	1	.6	. 8	1	1	1
n saM A0	ear Wise River dow Creek near Wise River	7	2 8	2 11	3 14	2 12	1 6	7	10	3	2 10
n 96 Mon	obson Creek at mouth, ear Wise River o Creek at mouth,	. 8	.9	4	2	quit.	.6	.7	guore	1	4000
	ear Wise River	4	4	6	7	6	3	4	5	7	5
n	an Creek at mouth, ear Wise River	2	3	4	5	4	2	2	3	4	3
ก	y Creek at mouth, ear Wise River	1	1	2	2	2	.9	1	2	2	2
**	d Creek at mouth, lear Wise River	9	11	14	18	15	8	10	13	16	13
101 Sbe	tengail Creek at mouth, lear Wise River leap Creek at mouth,	2	2	2	3	2	1	***	2	3	2
102 LH 6	ear Wise River se River near Wise River son Creek at mouth,	35 1	37 1	44	50 2	44 2	31.7	34.9	3 <i>7</i> 1	43 2	38 1
104 Je1	near Wise River rry Creek near Wise River ddo Creek at Divide	4 2 2	5 2 3	6 3 4	7 5 6	6 4 5	4 2 2	4 2 3	5 3 4	6 4 5	5 3 4
107 Mor	nyon Creek near Divide ose Creek near Divide	3	4	5	6 6	5 5	3 3	4 3	4 4	5 5	4
108 Tr	apper Creek near Melrose mp Creek at Melrose g Hole River near Melrose llow Creek near Glen	3 .7 280 5	4 1 310 6	4 1 390 7	2 470 8	2 400 7	230 5	_	350 7	430 8	350 7
110 01	rch Creek near Glen 11s Canyon Creek near	6 2	6 2	8 2	10	8 2	6 2	6 2	8 2	10	8 2
114 Je	Twin Bridges fferson River near	970	1000	1300	1500	1300	840	890	1000	1200	1100
115 Wh	Twin Bridges itetail Creek near Whitehall ulder River above High Ore Creek, near Basin	2 16	2 19	2 23	2 30	2 24	13	17	1 24	2 28	23
118 Ro	ulder River near Boulder ttle Boulder River	21 6	24 6	30 8	38 10	31	75	22 5	30 8	35 9	29 8
120 80	near Boulder ulder River above Cabin	26	30	35	43	36	22	28	36	40	34
121 Bo	Gulch, near Boulder ulder River near Cardwell uth Boulder River near Jefferson Island	32 8	37 9	43 11 .	53 15	45 12	27 8	34 9	44	50 14	42 11
124 So 125 No	fferson River at Sappington outh Willow Creek near Pony orth Willow Creek at Pony llow Creek near Harrison orwegian Creek near Harrison	1100 8 7 18	1200 11 9 23	1300 16 11 30 5	1600 19 13 35 6	1400 15 11 29 5	910 6 6 15 3	960 9 7 20 3	1100 11 - 8 24 4	1400 15 11 29 5	1200 12 9 24 4

			D	ecember		ongunes of the contract of the	-0-4-000-00		January	·····	
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q,90	Q.80	Q.50	Q.20	QM
129	Jefferson River near	970	1100	1400	1800	1400	1000	1100	1300	1500	1300
130	Three Forks Madison River near	340	370	430	460	420	330	360	420	450	410
	West Yellowstone Duck Creek near	18	19	21	22	20	16	18	19	21	19
-	West Yellowstone	б	7	9	14	900	6	7	10	12	10
132	Cougar Creek near West Yellowstone	_					10	12	15	18	15
133	Grayling Creek near West Yellowstone	12	13	16	19	17					
134	Red Canyon Creek near West Yellowstone	٤,	, 5	.7	2	1	.4	.4	. 8	quin	1
135	South Fork Madison River	85	88	94	100	95	83	87	93	98	93
136	near West Yellowstone Watkins Creek near	quest	2	2	3	2	· ·	1	2	3	2
	West Yellowstone	1	9	2	2	2	4	1	2	2	2
	Trapper Creek near West Yellowstone				1100	970	690	760	910	1100	890
138	Madison River below Hebgen Lake, near Grayling	700	770	890	1100	7/0					
139	Cabin Creek near	5	6	7	9	8	4	5	7	8	7
140	West Yellowstone Beaver Creek near	17	18	21	23	21	15	17	19	22	19
1 /. 1	West Yellowstone Elk River at mouth,	10	12	15	20	17	8	10	13	17	14
	near Cameron	.6	.6	.8	q	1	.4	.5	.8	Que de la constante de la cons	. 8
	Soap Creek at mouth, near Cameron					15	12	13	14	15	14
143	Antelope Creek at mouth, near Cameron ²	13	13	14	16	13	12				
144	West Fork Madison River	31	35	40	49	42	30	31	36	44	38
145	near Cameron Squaw Creek near Cameron	5	5	6	7	6	4	5 4	6 4	7 5	6 4
146	Standard Creek near Cameron Ruby Creek near Cameron	4 3	4 3	5 3	5 4	5 3	3 2	2	3	La	3
	Indian Creek near Cameron	15	17	19	23	20	14	16	18	21	18
149 150	Madison River near Cameron Blaine Spring Creek	920 21	1000 21	1100 23	1300 25	1200 23	890 21	950 22	1100 23	1200 24	1100 23
151	near Cameron O'Dell Creek near Ennis	99	100	100	100	100	95	97 12	100 14	100 16	99 14
152	Jack Creek near Ennis Moore Creek at Ennis	14	15 .6	16	17	16	11		. 8	dear	. 8
154	North Fork Meadow Creek at Forest Service boundary,	3	4	6	7	6	3	4	5	б	5
155	near Ennis North Fork Meadow Creek	2	3	4	5	4	2	2	3	4	3
	at Highway 287, near Ennis Madison River below Ennis Lake, near McAllister	1200	1300	1500	1700	1500	1100	1200	1500	1600	1400
157 158	Hot Springs Creek near Norris Cherry Creek near Norris	13	4 14	5 17	6 20	5 17	3 9	4 12	5 15	6 18	5 15
159	Madison River near	1500	1500	1800	1900	1700	1100	1200	1500	1600	1400
160	Three Forks Cache Creek at mouth, near	2	2	3	4	3	2	2	3	3	3
161	West Yellowstone Taylor Creek near Grayling Porcupine Creek near	17 4	18 4	20 5	22 6	20 5	16 3	17	19 5	21 6	19 5
	Gallatin Gateway Gallatin River above West	140	150	170	210	180	130	140	170	190	170
164	Fork, near Big Sky South Fork West Fork Gallatin	8	9	12	15	12	7	9	1 1	14	- Quantum - Quan
	River near Gallatin Gateway Middle Fork West Fork Gallatin	4	4	5	7	6	3	4	5	6	5
	River near Gallatin Gateway	17	18	23	28	24	15	17	21	25	21
	West Fork Gallatin River near Gallatin Gateway						10	11	13	15	13
167	Squaw Creek near Gallatin Gateway	12	12	14	17	14					
	Hellroaring Creek near	13	14	17	20	17	12	13	15	18	15

Table 5 .-- Estimated monthly streamflow characteristics for December and January -- Continued

		De	cember					lanuary		
Site No. Stream name	Q.90	0.80	Q,50	Q.20	QN	Q.90	Q.80	Q.50	Q.20	QM
69 South Fork Spanish Creek	8	9	10	* 2	10	7	8	10	11	9
near Gallatin Gateway 70 Spanish Creek near	17	18	22	27	22	* 5	17	20	24	20
Gallatin Gateway 71 Gallatin River near	260	280	320	390	330	250	270	310	350	310
Gallatin Gateway 72 Big Bear Creek near	3	3	4	5	4	3	3	4	4	4
Gallatin Gateway 73 South Cottonwood Creek near Gallatin Gateway	9 1	and described to the second	13	9	14	10	And the state of t	grand (A)	15	13
74 Baker Creek near Manhattan ³	75 7	84 9	94 11	110 16	95 12	66 7	74 8	83 10	98 14	84 11
75 Rocky Creek near Bozeman 76 Bear Canyon Creek near Bozeman	. 7	1	2	3 12	2 11	.6 7	1 8	1 10	2 12	2 10
77 Sourdough Creek near Bozeman 78 East Gallatin River at Bozeman	8 35	9 41	1 i 46	52	47	31	36	40	46	41
179 Bridger Creek near Bozeman 180 East Gallatin River	5 31	5 37	8 47	1 2 5 9	9 49	28	32 32	6 38	11 55	7 42
near Belgrade 81 East Fork Hyalite Creek	2	3	3	5	4	2	2	3	4	4
near Bozeman 82 West Fork Hyalite Creek	5	6	8	10	9	5	6	7	Ģ.	8
near Bozeman 183 Hyalite Creek at Hyalite Ranger Station, near Bozeman	13	15	21	25	21	10	13	18	21	18
84 Hyalite Creek above	4	4	6	7	6	3	4	5	7	5
Interstate 90, near Bozeman 85 Thompson Creek near Belgrade	24	26 29	30 30	32 32	29 30	24 28	27 28	31 29	34 30	30 30
86 Ben Hart Creek near Belgrade 87 Reese Creek near Belgrade 88 East Gallatin River near Manhattan	29 6 140	6 140	8 160	9 180	8 160	130	6 140	7 150	8 160	7 150
89 Gallatin River near Logan 190 Sixteenmile Creek near Ringling	650 2	730 2	790 4	910 6	800 4	580	650 .8	710	830	720 3
91 Sixteenmile Creek near Maudlow 92 Sixteenmile Creek near Toston 93 Hissouri River near Toston	15 18 3200	16 21 3300	22 29 3800	27 40 4300	23 33 3900	13 17 2700	16 20 3000	18 25 3400	24 35 3900	20 28 3400
94 Crow Creek near Radersburg	6	7	9	11	9	4	5 2	7 2	9	7 2
95 Dry Creek near Toston 96 Deep Creek below North Fork, near Townsend	2 5	2 6	3 8	3 11	3 9	4	5	7	9	7
97 Duck Creek near Townsend 98 Confederate Gulch near Winston	2	3 4	3 5	4 5	3 5	2 3	2 3	3 4	3	3 4
199 Beaver Creek near Winston	1 .8	2	ني 2	5 3	4 2	1	2	3 2	4 2	3 2
200 Avalanche Gulch near Winston 201 Spokane Creek near East Helena 202 McGuire Creek at county road,	3 6	6	4	4 7	4 7	3	3 6	3 7	4 7	3 7
near East Helena 203 Trout Creek at mouth, near East Helena	quores .	quese:	13	14	13	10	***	qui que	13	12
204 Prickly Pear Creek near Clancy 205 Prickly Pear Creek at mouth,	16 21	17 22	22 26	26 30	23 27	13 19	16 21	18 23	24 28	20 25
near East Helena 206 Tenmile Creek near Rimini 207 Tenmile Creek near Helena	.4	.6 3	1	2 10	2 7	.3	.5 4	5	2 10	† 7
207 Tenmile Creek hear helena 208 Sevenmile Creek hear mouth, near Helena	- quant	- Parama	2	3	2	1	1	2	3	2
209 Tenmile Creek at mouth,	2	2	3	5	4	2	2	3	4	3
near East Helena 110 Silver Creek at Interstate 15,	8	8	9	10	10	7	8	8	10	9
near Helena 211 Beaver Creek at mouth,	5	6	7	9	8	5	5	6	8	7
near East Helena 112 Elkhorn Creek near mouth,	3	3	4	5	4	2	3	3	5	4,
near Wolf Creek 213 Willow Creek below Eikhorn Creek, near Wolf Creek	2	2	3	4	3	2	2	3	3	3

Table 5.--Estimated monthly streamflow characteristics for December and January--Continued

		De	cember					January		
Site No. Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
214 Cottonwood Creek above Bear Ranch, near Wolf Creek	tooth .4	.5	. 7	g.	.9	* 4	.4	.7	1	.7
217 Virginia Creek at mouth, near Canyon Creek	4	6	9	11	8	3	4	б	7	6
218 Canyon Creek below Cottonwood	od 6	8	13	19	14	4	5	9	12	9
Creek, near Canyon Creek 219 Little Prickly Pear Creek	15	20	27	33	26	12	14	19	24	20
near Canyon Creek 220 Lyons Creek near Wolf Creek	5	5	б	8	7	4	5	5	7	б
221 Wolf Creek at mouth,	2	2	3	4	4	2	2	3	Ĺ,	3
at Wolf Creek 222 Little Prickly Pear Creek	45	50	57	67	58	32	38	50	61	51
near Wolf Creek 223 Wegner Creek near Craig ⁹	0	0	0	0	0	0	0	0	0	0
224 Stickney Creek near Craig ⁵ 226 Middle Fork Dearborn River a	() at 6	0 7	0 9	0 11	0 9	0 5	0 6	0 8	0 9	0 8
Highway 200, near Wolf Cre		*	~	* *		~	Ö	, i		Ŭ
227 South Fork Dearborn River at Highway 434, near Wolf Cre		6	8	9	8	4	5	7	8	6
228 Dearborn River near Craig	40	47 8	62 11	83 14	67 11	36 6	4 1 7	53 9	67 11	56 9
229 Flat Creek above Slew Creek near Craig							8	11	12	10
230 Sheep Creek at mouth, near Cascade	8	9	12	13	11	6				
232 North Fork Smith River at Highway 89, near White Sulphur Springs	2	3	4	6	4	2	3	4	5	4
233 South Fork Smith River at mo		7	10	12	10	6	7	9	12	9
near White Sulphur Springs 234 Smith River below forks, nea		9	12	16	13	7	8	11	13	11
White Sulphur Springs 235 Big Birch Creek at mouth,	13	14	21	27	20	10	12	17	26	18
near White Sulphur Springs 236 Newlan Creek below Charcoal Gulch, near White Sulphur	3	4	5	б	5	3	3	4	5	4
Springs 237 Camas Creek near mouth, near White Sulphur Springs	, 3	4	5	7	6	3	3	5	6	5
238 Smith River near Fort Logan 239 Sheep Creek near White Sulphur Springs	79 7	84 8	98 11	110 12	99 11	73 6	80 7	95 10	110	95 9
240 Sheep Creek near mouth,	10	13	18	24	20	10	12	17	22	17
near White Sulphur Springs 241 Eagle Creek near mouth, near		2	2	3	3	· ·	2	3	3	2
White Sulphur Springs 242 Rock Creek below Buffalo Can near White Sulphur Springs		6	8	11	9	5	6	8	10	8
243 Tenderfoot Creek below South Fork, near White Sulphur Springs	9	10	13	15	13	7	9	12	*4	Annu
244 Smith River near Eden 245 Hound Greek near mouth,	54 8	66 11	110 15	150 20	120 16	51 9	61 10	93 14	140 18	100 15
near Cascade 246 Missouri River near Ulm 247 North Fork Sun River near Augusta	4000 59	4500 63	5300 71	6100 94	5400 79	3700 50	4200 54	5300 65	6400 74	5300 66
248 Sun River near Augusta 249 Sun River below diversion da	41 am, 73	99 85	180 130	260 170	200 130	26 75	92 82	170 110	240 160	180 120
near Augusta 250 Willow Creek near Anderson	2	2	2	3	3	gener	2	2	3	2
Lake, near Augusta 251 North Fork Willow Creek belo		3	3	3	3	2	2	3	3	3
Cutrock Creek, near August 254 Smith Creek near Augusta	ta 5	6	8	12	10	4	5	7	10	7
255 Ford Creek near Augusta	4	6	10	13	10	4	. 6	8	10	8
256 Elk Creek near Augusta 257 Sun River at Simms 260 Missourí River near	18 130 4300	19 140 4800	23 180 5800	27 210 6800	24 190 5800	12 120 3800	17 140 4600	26 180 5400	37 240 7100	31 190 5700
Great Falls 261 Dry Fork at mouth, at Monard		5	8	3 4	9	4	5	7	9	7

Table 5.--Estimated monthly streamflow characteristics for December and January--Continued

			Des	cember				J	anuary			
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q,90	Q.80	Q.50	Q.20	Q11	
762 T	Illinghast Creek above	4	5	7	ŝ	7	3	4	6	7	6	
	Joice Creek, near monarch Llgrim Creek at mouth,	4	4	5	7	6	3	4	6	8	6	
	near Monarch	5	5	6	7	6	4	4	Ó	6	5	
୨୫୫ ଅଟ	Campground, near Monarch elt Creek near Monarch ig Otter Creek above Never Sweat Creek, near Raynesford	18 4	22 5	37 5	47 6	35 6	4	17	29 5	38 6	29 5	
267 B 268 H	elt Creek near Portage Jahwood Creek below Smith	1 0 4	12 4	22 5	34 6	24 5	7 3	9 4	17	27 6	17	
260 M	Creek, near Highwood issouri River at Fort Benton hopkin Creek below Bishop	3800 2	4300 3	5400 3	6900 3	5600 3	4000 2	5000 3	5600 3	7200 4	6000 3	
	Creek, near Highwood outh Fork Two Medicine River near East Glacier	9	10	\$ 4	19	15	8	9	12	14	12	
222 0	outh Fork Badger Creek	10	da da	14	19	16	8	9	12	16	13	
	near Browning orth Fork Badger Creek	9	10	13	18	15	7	8	11	15	12	
	near Browning irch Creek at Swift Dam,	0	1	7	17	13	.6	e,	8	13	8	
	near Valier outh Fork Dupuyer Creek	2	2	3	4	3	2	2	3	3	3	
	near Dupuyer orth Fork Dupuyer Creek near Dupuyer	2	3	3	5	4	2	2	3	4	3	
201 5	upuyer Creek below Scoffin	7	9	13	16	13	6	7	9	12	10	
282 E 283 C	Creek, near Dupuyer Girch Creek near Valier Out Bank Creek near Browning Our Bank Creek at Cut Bank	34 13	37 22 23	39 36 35 240	51 59 61 360	44 42 44 280	18 5 17 120	25 17 23 150	34 31 33 210	45 49 50 300	35 33 38 230	
285 №	farias River at Sullivan Bridge, near Cut Bank	150	170		370	290	120	150	210	310	240	
286 N 287 N	iarias River near Shelby iarias River at "F" Bridge, above Tiber Reservoir,	150 170	170 190	250 290	440	340	140	180	240	360	280	
200 7	near Shelby Iarias River near Loma Seton River near Strabane McDonald Creek near Strabane	110 8 8	180 15 9	370 19 9	650 23 11	390 19 10	110 7 8	160 14 9	300 16 9	500 20 10	330 16 10	
		3	3	4	6	5	2	3	4 *	5	4	
	North Fork Deep Creek near Choteau South Fork Deep Creek	3	3	4	6	5	2	3	4	5	4	
294	near Choteau Deep Creek near Choteau Teron River near Dutton	7 30 4600	7 39 5200	9 58 6500	10 94 7400	9 68 6400	6 37 4100	7 42 4900	7 55 6000	9 66 7700	8 55 6300	
	Missouri River at Virgelle	5	5	7	9	7	4	5	6	8	6	
	Lost Creek at mouth, near Utica			1	3	2	2	7 .7	2	2	2	
	Yogo Creek at mouth, near Utica	9-			3	2	0	0	,1		.3 0	
	Middle Fork Judith River, near Utica South Fork Judith River at	1	1	2	2	2	1	*	2	2	2	
	Indian Hill Campground,	5	7	9	12	10	5	6	8	10	8	
	Judith River above Courtneys Creek, at Utica			6	9	7	ć,	4	6	8	б	
	East Fork Big Spring Creek at mouth, near Lewistown	3	4	6			96	98	100	110	110	
	Big Spring Creek above Corronwood Creek, near Hanov	92 /er	100	110	120 4		2	2	3	4	3	
	Cottonwood Creek at Highway	ha	2	3			5	5	7	10	S	
	Beaver Creek at county road, near Lewistown Big Spring Creek at mouth,	6 70	7 82	9 96	10 110		76	80	89	100		
311	near Lewistown											

Table 5 .-- Estimated monthly streamflow characteristics for December and January -- Continued

	of granted and designed as a state of the st		De	ecember		-			January		
ice	Stream name	Q.90	0.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
	Warm Springs Creek above	96	100	100	110	100	96	100	110	110	100
17	Meadow Creek, near ninger Ludith River near Winifred	240 2	250 3	470 3	590 4	420 4	240 2	240 2	490 3	600 3	430 3
+ s.	Cow Creek below forks, near Cleveland Missouri River near Landusky North Fork Musselshell River near Delpine	4900 5	5600 5	6900 6	7900 7	6900 6	4600 4	5200 4	6600 6	8300 7	6700 6
* 0	Checkerboard Creek near	.7	.9	dest	2	1	.7	.8	and the same of th	2	Ť
	Checkerboard	2	3	3	4	Žş.	2	2	3	4	3
	Creek, near Checkerooald	5	6	8	9	8	5	5	7	9	7
	near mouth, near Martinsdale Alabaugh Creek at mouth,	1	2	2	3	3	que ·	2	2	3	2
	near Lennep Cottonwood Creek below Loco Creek, near Martinsdale	7	8	10	Annual	10	6	7	9	door door	8
23	South Fork Musselshell River	district dis	14	21	27	22	8	de de la constante de la const	17	23	18
	above Martinsdale Big Elk Creek at mouth,	.2	.6	8	11	7	, 1			8	5
25	at Twodot Musselshell River at Harlowton American Fork near Harlowton Careless Creek below Little Careless Creek, near Hedgesville	37 1 .5	47 2 .6		3, P.J. sm	72	31) *-			61 2
331	Swimming Woman Creek below	. 4	5	6		8 .7			52	110	69
33	Dry Coulee, near Franklin Musselshell River near Roundup Flatwillow Creek below the	16 2	25 3	57 5	110 11	71 8	24 3	34 3	6	9	7
20	forks, near Grass Range Musselshell River near Mosby Big Dry Creek above Little Dry Creek, near Van Norman	17	31 0	67	130	82 8 1	11	21	70 0		.8 1 .8 2
የፈበ	Little Dry Creek near	0	. 6	2 .8	2	2	0	0		1 1	
	Van Norman Big Dry Creek near Van Norman	0	, , , ,	1	2	3	0	0	,	1 2	3

Includes estimated spring flow of about 40 cubic feet per second, based on information provided by Montana Department of Fish, Wildlife and Parks.

Includes estimated spring flow of about 10 cubic feet per second, based on information provided by Montana Department of Fish, Wildlife and Parks.

Montana Department of Fish, Wildlife and Parks.

Sestimated long-term monthly streamflow characteristics may not reflect the current flow regime because of upstream streamflow regulation.

Stream is known to be dry except for periods of runoff. Calculated flows were adjusted by subtracting 7 cubic feet per second.

Stream is known to be dry except for periods of runoff. Calculated flows were adjusted by subtracting 8 cubic feet per second.

Table 6.--Estimated monthly streamflow characteristics for February and March

 $\{Q.XX, \text{ monthly mean streamflow for specified month exceeded XX percent of the years,} in cubic feet per second; QM, mean monthly streamflow for specified month, in cubic feet per second]$

			F`e	bruary			****		March		
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
7	Hellroaring Creek	4	4	5	7	5	4	4	4	5.	4
	near Lakeview Corral Creek near Lakeview	.5	.5	.6	.8	. 7	.5	.5	.5	.6 .2	.5
	Antelope Creek near Lakeview Red Rock Creek near Lakeview	.1 8	.1 9.	.2 10	.2 12	.2 10	.2 8	.2 8	. 2 9	10 * -	9
	Tom Creek near Lakeview	.2	.3	. 4	. 5	-4	.2	. 3	.4	. 4	, 4
6	Narrows Creek at mouth, near Lakeview	A Annual	, 1	,2	.2	.2	.1	d demand	.2	.3	.2
7	Odell Creek near Lakeview	3 ,4	4 . 5	5 .6	6 .9	5 .7	3 . 4	4 .5	4 .8	4	4 . 9
8 9	Jones Creek near Lakeview Red Rock River near Kennedy	16	31	47	63	49	26	42	56	98	67
10	Ranch, near Lakeview Peet Creek at county road, near Lakeview	.4	.5	.7	· ·	.7	.5	.6	.8	quesa	· Special Spec
	Long Creek near Lakeview	2 .	2 4	28	3	2	2	2.7	2	2 2	2
12	East Fork Clover Greek at mouth, near Monida	.5	.6						•		
13	Red Rock River below Lima Reservoir, near Monida	8	4 4	22	31	22	7	13	21	28	21
14	Cabin Creek above Simpson	.2	.2	.3	.4	.3	,2	.2	.4	.6	.4
15	Creek, near Lima Indian Creek above Simpson Creek, near Lima	.3	.3	.4	.5	a ho	.3	.3	.5	,7	.6
16	Simpson Creek above Indian	.3	.3	.4	.6	.5	.3	.4	.6	.8	.6
1.7 1.8	Creek, near Lima Deadman Creek near Dell Big Sheep Creek below	2 32	2 35	3 39	4 46	3 41	3 36	3 39	4 46	5 53	5 48
	Muddy Creek, near Dell Red Rock River at Red Rock Black Canyon Creek near Grant	140	140	160 2	180 2	170 2	120 1	140 2	170 2	200 3	190 2
21	Shennon Creek near mouth,	.3	.4	.5	.7	.5	.3	.4	.6	1	.7
22 23	near Grant Frying Pan Creek near Grant Trapper Creek at mouth,	.8	1.3	.4	2 .5	1.4	1 . 3	.3	2 .5	3 .8	2 .6
24	near Grant Bear Creek near Grant	2	2	2	4	3	2	2	3	4	3
25	Bloody Dick Creek near Grant	7	8	10	16	12	8	9	12	17	13
26 27	Horse Prairie Creek near Grant Rape Creek above reservoir,	21	25,2	30 .2	41	32	29 .2	31	39 .3	63 .5	47
	near Grant Painter Creek near Grant	1	1	2	2	2	1 .8	2	2	3 2	2 2
	Browns Canyon Creek near Grant Medicine Lodge Creek near Grant	2.7	,9 4	6	2 8	6	5	6	9	13	11
32	Pole Creek near mouth,	.4	.5	,7	1	.8	.5	.6	.9	4	4
33	near Polaris Reservoir Creek at mouth,	.6	.7	9000	1	1	.7	.8	1	2	2
34	near Polaris East Fork Dyce Creek at mouth,	.4	,5	.6	.9	. 7	٠5	.6	.8	1	1
	near Polaris West Fork Dyce Creek at mouth,	.2	.3	.3	.5	, 4	.2	.3	.5	.7	.5
	near Polaris Grasshopper Creek near Dillon	19	21	27	33	27	27	32	44	73	53
37 38	Beaverhead River at Barretts East Fork Blacktail Creek	180 11	230 11	310 13	360 19	300 15	200 12	270 13	330 14	420 20	340 15
39	near Dillon West Fork Blacktail Creek	4	5	6	8	6	5	6	8	10	9
	near Dillon Blacktail Deer Creek	20	27	34	40	34	31	36	41	53	44
	near Dillon Beaverhead River near Dillon	260	300	380	470	380	280	320	410	520	420

Table 6.--Estimated monthly streamflow characteristics for February and March--Continued

	. 701 100 100 100 100 100 100 100 100 100		Fe	bruary					March		
Sit€ No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
42	Beaverhead River near	340	380	450	520	450	360	400	500	590	500
	Twin Bridges Corral Creek at mouth, near Alder	.3	.4	.5	. 7	,6	.4	.4	. 7	1	.8
44 45	Coal Creek at mouth, near Alder Ruby Kiver above the forks,	1 5	5	2 7	3 9	2 7	5	2 6	2 8	3 12	3 9
46	near Alder East Fork Ruby River at mouth, near Alder	2	2	2	3	3	2	2	3	4	3
47	West Fork Ruby River at mouth,	2	2	3	4	3	2	3	4	5	4
48	near Alder Cottonwood Creek at mouth,	2	3	3	4	4	2	3	4	6	4
49	near Alder Warm Springs Creek at mouth,	44	45	47	49	47	45	46	48	51	49
50	near Alder ¹ North Fork Greenhorn Creek	1	1	2	2	2		1	2	3	2
51	at mouth, near Alder Ruby River above reservoir, near Alder	84	90	100	110	100	89	94	110	120	110
52	Mill Creek at Forest Service	5	5	б	8	7	5	5	5	6	5
	boundary, near Sheridan Wisconsin Creek at Forest Service boundary, near	3	4	5	6	5	3	3	4	4	4
5./-	Sheridan Ruby River near Twin Bridges	110	120	130	150	130	110	120	150	210	170 12
55	Big Hole River near Jackson Andrus Creek near mouth, near Jackson	7 2	8 2	10 3	13 4	Cry	8 2	9 3	11	15 6	4
5.7	Fox Creek at mouth, near	1	1	2	3	2	1	2	2	3	3
	Jackson Governor Creek near Jackson	9	10	12	18	13	9	10	13	18	15 11
5.9	Warm Springs Creek at Jackson Miner Creek near Jackson	5 5	6 6	8 7	12 9	9	6 5	7 6	10 8	13 10	8
61	Big Lake Creek near mouth, near Wisdom	2	3	4	5	4	3	3	4	6	5
62	Steel Creek above Francis	1	1	2	3	2	1	1	2	3	2
63	Creek, near Wisdom Francis Creek at mouth,	2	2	3	4	3	2	2	3	4	3
64	near Wisdom Steel Creek near mouth,	3	4	5	7	5	3	4	5	7	6
6.5	near Wisdom Swamp Creek near mouth,	4	4	5	8	5	3	4	5	7	5
66	near Wisdom Joseph Creek at mouth, near Wisdom	2	2	3	4,	3	2	2	3	4	3
67 68	Trail Creek near Wisdom Ruby Creek at mouth,	9 3	9 3	1 2 4	21 7	14 5	9 3	10	13 5	20 7	15 6
6.9	near Wisdom Tie Creek at Forest Service	4	5	6	8	6	5	5	7	10	8
7 (7 1	ooundary, near Wisdom Johnson Creek near Wisdom Mussigbrod Creek near Wisdom	2 1	3 2	3 2	5 3	4 2	2	3	4 2	6 2	5 2
	North Fork Big Hole River	17	20	26	41	28	18	20	28	40	32
	near mouth, near Wisdom Big Hole River below North	100	110	130	180	140	120	130	160	210	180
	Fork, near Wisdom Pintlar Creek near Forest	3	3	4	6	4	2	3	4	5	4
	Service boundary, near Wisdom Big Hole River below Mudd	110	120	140	190	150	130	140	170	230	190
	Creek, near Wisdom Fishtrap Creek at mouth, near Wise River	3	4	6	8	б	3	4	6	7	6
7:	Tamarche Creek near Wise River	6	8	10	12	10	7	8	10 8	13 10	11
78	Seymour Creek near Wise River Tenmile Creek at mouth,	i.	5 2	7 2	9	7 2	5 2	2	3	3	3
	near Wise River Sevenmile Creek at mouth,	. 3	.4	.5	.7	.5	.3	, 4	. 6	. 1	4
	near Wise River Corral Creek at mouth,	.4	.5	.6	. 9	.7	. 4	.5	.8	1	, (

Table 6.--Estimated monthly streamflow characteristics for February and March--Continued

		Fe	bruary	william Annold Anno	0004707	NAME OF THE PARTY		March	,	
Site No. Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q,80	Q.50	Q.20	QM
82 Twelvemile Creek at mouth,	1	1	2	2	2	econoli	2	2	3	2
near Wise River 83 Sullivan Creek at mouth,	1	1	2	2	2	1	2	2	3	2
near Wise River 84 Oregon Creek near mouth,	. 1	.2	. 2	. 3	. 3	. 1	.2	.3	. 5	.4
near Wise River	1	2	2	3	2	2	2	3	4	3
Creek, near Wise River 86 American Creek at mouth, near Wise River	.4	.4	.6	.8	.6	s 4	.5	.8	1	.9
87 Sixmile Creek at mouth,	.2	. 3	.4	.6	.4	.3	.3	.5	.8	.6
near Wise River 88 French Creek near mouth,	3	3	4	6	4	3	4	5	8	6
near Wise River 89 Deep Creek near Wise River	14	15	18	27	20 .9	14 .6	15 ,6	17	26 1	19 .8
90 Bear Creek near Wise River 91 Bryant Creek at mouth, near Wise River	. 6 1	1,7	2*9	3	2.3	1	2	2	3	3
92 Big Hole River near Wise River 93 Johnson Creek at mouth,	160 .7	170 .8	200 1	270 2	210	180	200 1	240	320 2	280
near Wise River 94 Meadow Creek near Wise River 95 Jacobson Creek at mouth,	1 6	2 7	2 9	3 12	2 10	7	2 8	2 10	3 14	11
near Wise River 96 Mono Creek at mouth, near Wise River	.7	.8	1	2	gener	.7	1	1	2	ą. F
97 Wyman Creek at mouth,	3	4	5	7	5	4	5	6	8	7
near Wise River 98 Lacy Creek at mouth.	2	2	3	4	3	2	3	4	5	4
near Wise River 99 Gold Creek at mouth,	1	deso	1	2	2	*	1	2	2	2
near Wise River 100 Pattengail Creek at mouth,	8	10	13	16	13	10	12	15	20	16
near Wise River 101 Sheep Creek at mouth, near Wise River	1	Y 00000	2	3	2	(Passer)	2	2	3	3
102 Wise River near Wise River 103 Adson Creek at mouth,	31 .8	32 1	36 1	40 2	36 1	30 .9	34 1	40 2	45 2	40
near Wise River 104 Jerry Creek near Wise River 105 Divide Creek at Divde 106 Canyon Creek near Divide	4 1 2	4 2 3	5 3 4	7 3 4	5 3 4	4 2 2	4 2 3	5 4 4	7 4 5	6 4 5
107 Moose Creek near Divide 108 Trapper Creek near Melrose 109 Camp Creek at Melrose	3 3 .5	331	4 4 2	6 5 2	5 4 1	3	4 2	5 5 2 420	7 6 5 550	5 3 470
110 Big Hole River near Melrose 111 Willow Creek near Glen	280 5	290 6	340 6	450 8	370 7	320 5	350 6	7	8	7
112 Birch Creek near Glen 113 Hells Canyon Creek near	5 1	6 2	7 2	8 3	7 2	5 2	2	7 2	9	3
Twin Bridges 114 Jefferson River near	880	970	1100	1300	1100	910	1000	1200	1500	1200
Twin Bridges 115 Whitetail Creek near Whitehall 117 Boulder River above High Ore Creek, near Basin	15	1	2 26	3 33	2 26	1 23	1 26	2 34	3 48	2 39
118 Boulder River near Boulder 119 Little Boulder River near	1 9 5	25 6	33 8	42 10	33 8	30 7	34 8	43 10	62 15	50 11
Boulder	25	30	38	47	39	35	39	47	65	54
Guich, near Boulder 121 Boulder River near Cardwell 122 South Boulder River near Jefferson Island	30 7	37 8	47 11	58 14	48 11	43 4	48 9	58	79 14	67 11
123 Jefferson River at Sappington 124 South Willow Creek near Pony 125 North Willow Creek at Pony 126 Willow Creek near Harrison 127 Norwegian Creek near Harrison	960 7 7 17 4	1000 9 7 20 4	1200 12 9 25 5	1400 17 12 31 5	1300 14 11 27 5	1100 120 105 255	1300 13 11 26 6	1400 16 12 30 7	1600 23 16 36 7	1400 17 13 31 7

Table 6.--Estimated monthly streamflow characteristics for February and March--Continued

			F	ebruary					March		
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
129	Jefferson River near	880	1100	1400	1700	1400	1300	1400	1700	1900	1600
	Three Forks	340	370	410	440	410	340	380	410	430	410
	Madison River near West Yellowstone	-		20	23	21	18	19	20	24	20
131	Duck Creek near West Yellowstone	17	18	20	4.3						
132	Cougar Creek near	5	7	9	10	8	5	6	9	9	9
	West Yellowstone	9	12	14	17	14	8	9	11	11	gu 4h
133	Grayling Creek near West Yellowstone	·						,	a	4	8 1
134	Red Canyon Creek near	. 2	.4	, 6		7 .6	.3	,4	.8		
135	West Yellowstone South Fork Madison River	82	87	93	98	92	84	87	92	100	93
	near West Yellowstone	99	1	2	2	2	1	g a	2	2	2
136	Watkins Creek near West Yellowstone	1	Ÿ				*	3	1	2	· ·
137	Trapper Creek near	1	1	dane.	2	2	Ì	dono		é.	î
138	West Yellowstone Madison River below Hebgen Lake, near Grayling	570	680	790	950	820	390	550	800	1100	810
130	Cabin Creek near	4	5	6	7	6	3	3	4	4	4
	West Yellowstone	14	16	19	24	20	14	15	17	18	17
	Beaver Creek near West Yellowstone Elk River at mouth,	8	10	13	16	13	10	11	14	18	15
	near Cameron Soap Creek at mouth,	.5	.5	* 7	1	.8	.5	. 6	1	****	Quantum Company
	near Cameron Antelope Creek at mouth, near Cameron ²	13	13	14	15	14	33	14	15	17	16
144	West Fork Madison River near Cameron	28	31	38	45	39	32	34	42	53	45
145	Sausw Creek near Cameron	4	5	6	7 5	6 5	5 3	5	6 4	6 5	6 4
146	Standard Creek near Cameron	3 2	4 2	4 3		3	2	3	3	4	3
147	Ruby Creek near Cameron Indian Creek near Cameron	13	15	18	22	19	13	13	15	17	16
149 150	Madison River near Cameron Blaine Spring Greek near Cameron	780 21	880 21	1000 22	1200 24	1000 23	710 21	810 22	1000 23	1300	1100
151	O'Dell Creek near Ennis Jack Creek near Ennis	94 11	95 12	98 13	99 14	98 13	94 11	95 11 .5	99 14 .9	100 15	98 13 9 1
153	Moore Creek at Ennis	, ل	. 6	.7	*	8 .7	₂ 4	لده	* 7		
154	North Fork Meadow Creek at Forest Service boundary,	3	3	5	6	5	2	3	. 4	б	4
155	near Ennis North Fork Meadow Creek	2	2	3	4	3	2	2	3	3	3
	at Highway 287, near Ennis Madison River below Ennis	1000	1200	1400	1600	1400	980	1200	1400	1700	1400
157	Lake, near McAllister Hor Springs Creek near Norris	3 14	4 15	5 17	6 20	5 18	3 14	4 15	5 18	6 24	6 20
	Cherry Creek near Norris Madison River near	1100	1200	1400	1600	1400	990	1200	1400	1800	1500
	Three Forks Cache Creek at mouth, near	2	2	2	3	3	2	2	3	4	3
161	West Yellowstone Taylor Creek near Grayling	14	16 4	19 5	24 6	20 5	. 14	14	16 4	18 4	17 4
	Porcupine Creek near Gallatin Gateway Gallatin River above West	3 130	140	170	190	160	130	150	160	200	170
	Fork, near Big Sky					* ^	*9	8	10	*2	10
	South Fork West Fork Gallatin River near Gallatin Gateway	7	9	11	13	10	7	8 4	5	, z 5	5
165	Middle Fork West Fork Gallatin	3	4	5	6	5	4	4	•		
166	River near Gallatin Gateway West Fork Gallatin River	15	17	21	25	21	14	16	19	24	20
	near Gallatin Gateway Squaw Creek near Gallatin	11	12	13	16	14	12	13	14	17	15
	Gateway Hellroaring Creek	12	13	16	19	16	13	14	15	20	16
	near Gallatin Gateway										

Table 6.--Estimated monthly streamflow characteristics for February and March--Continued

			Fe	bruary					March		
Site No.	Stream name	Q.90	Q. 8 0	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
169 8	outh Fork Spanish Creek	7	8	9	11	9	7	7	8	* 1	8
	near Gallatin Gateway panish Creek near	15	17	21	25	21	16	18	20	27	21
171 (Gallatin Gateway Gallatin River near	240	270	310	350	310	250	270	310	370	310
172 F	Gallatin Gateway ig Bear Creek near	3	3	3	4	3	3	3	3	4	4
173 S	Ğallatin Gateway Gouth Cottonwood Creek near Gallatin Gateway	10	- Queen	12	15	13	10	***	13	16	13
174 F	Jaker Creek near Manhattan ³ Rocky Creek near Bozeman	68 6	75 9	85 11	99 14	88 12	81 10	87 11	100 15	110 22	100 17
176 1	lear Canvon Creek near Bozeman	.5 7	1 8	10	3 11	2 10	1 8	2 8	3 10	5 12	4 11
177 S	Sourdough Creek near Bozeman East Gallatin River at Bozeman	31	37	45	51	44	43	51	56	66	60 15
179 I 180 I	Bridger Creek near Bozeman East Gallatin River	2 ⁵	5 33	7 46	10 59	8 49	7 42	8 52	11 61	24 90	69
181 3	near Belgrade East Fork Hyalite Creek	2	2	3	4	3	2	3	3	4	3
182	near Bozeman West Fork Hyalite Creek	5	б	7	9	7	5	5	7	8	7
183	near Bozeman Hyalite Creek at Hyalite Ranger Station, near Bozeman	12	13	17	21	17	d de	14	17	23	18
184	Hyalite Creek above	3	4	5	6	5	3	3	4	5	5
185	Interstate 90, near Bozeman Thompson Creek near Belgrade	21	25	30 29	35 32	29 29	20 27	23 28	30 29	34 32	29 30
187	Ben Hart Creek near Belgrade Reese Creek near Belgrade East Gallatin River near Manhattan	27 5 140	28 5 140	7 160	180	170	6 150	160	170	210	8 180
190 191 192	Gallatin River near Logan Sixteenmile Creek near Ringlin Sixteenmile Creek near Maudlow Sixteenmile Creek near Toston Missouri River near Toston	600 16 18 3100	650 2 17 22 3400	740 4 21 28 3800	840 6 29 37 4200	750 5 24 31 3800	700 2 20 26 3200	740 3 23 31 3500	860 11 28 41 3900	950 32 41 58 4800	850 26 31 47 4100
		8	8	9	10	9	7	7	9	12	10
195	Crow Creek near Radersburg Dry Creek near Toston Deep Creek below North Fork, near Townsend	6	2 6	2 8	3 9	3 8	2 6	2 7	3 9	5 10	3 10
197 198	near lownsend Duck Creek near Townsend Confederate Gulch near Winston	2 4	3 4	3 4	3 5	3 5	2 4	2 4	3 4	4 6	3 5
199	Beaver Creek near Winston Avalanche Gulch near Winston	1.7	1	3 2	4 2	3 2	1	2 2	2	6 3	4 3
201	Spokane Creek near East Helena McGuire Creek at county road,	3 6	3 7	4 7	4 8	4 7	3 7	3 7	4 7	5 8	5 8
	near East Helena Trout Creek at mouth, near East Helena	4 9	4.000	12	14	13	13	14	15	18	16
204 205	Prickly Pear Creek near Clancy Prickly Pear Creek at mouth,	16 21	18 22	21 25	28 31	24 28	20 26	23 28	27 32	38 39	30 34
206	near East Helena Tenmile Creek near Rimini Tenmile Creek near Helena	,3 3	4	1	2 7	1 6	.6 3 2	. 9 5 2	2 7 3	3 11 4	2 8 3
208	Sevenmile Creek near mouth, near Helena	**	1	2	2	2				,	
209	Tenmile Creek at mouth,	2	2	3	5	4	3	3	- 5	9	6
210	near East Helena Silver Creek at Interstate 15,	8	8	9	1 1	10	9	9	11	13	11
211	near Helena Beaver Creek at mouth,	5	6	7	9	8	6	7	8	10	9
212	near East Helena Elkhorn Creek near mouth,	3	3	4	4	4	3	4	4	5	5
213	near Wolf Creek Willow Creek below Elkhorn Creek, near Wolf Creek	1	2	2	2	2	100	2	3	3	3

Table 6.--Estimated monthly streamflow characteristics for February and March--Continued

			F	ebruary						March	****	
Sic No.		Q.90	Q.80	Q.50	Q.20	QM		Q.90	Q.80	Q.50	Q.20	QM .
214	Cottonwood Creek above Beartoot Ranch, near Wolf Creek	h .3	.4	.6	a	6 .5		. 3	<u>.</u> 4	.7	¥	7 .8
217	Virginia Creek at mouth,	4	6	7	10	8		7	9	15	28	17
218	near Canyon Creek Canyon Creek below Cottonwood	6	8	11	15	12		10	14	26	49	30
219	Creek, near Canyon Creek Little Prickly Pear Creek near Canyon Creek	16	19	23	28	24		22	26	39	56	43
220	Lyons Creek near Wolf Creek	5	5	6	7	6		5	6	8	10	9
221	Wolf Creek at mouth, at Wolf Creek	2	2	3	4	3		2	3	4	5	4
222	Little Prickly Pear Creek near Wolf Creek	41	49	62	77	65		44	60	79	100	8 !
	Wegner Creek near Craig* _	0	0	0	0	0		0	0	0	0	0
	Stickney Creek near Craig ⁵ Middle Fork Dearborn River at Highway 200, near Wolf Creek	6	5	8	10	8		5	7	9	12	10
227	South Fork Dearborn River at Highway 434, near Wolf Creek	5	5	7	9	7		4	6	8	12	9
	Dearborn River near Craig Flat Creek above Slew Creek,	42 7	46 7	57 10	71 13	6		42 7	54 10	77 15	100 22	84 16
230	near Craig Sheep Creek at mouth,	7	8	10	13	10		7	8	9	12	9
232	near Cascade North Fork Smith River at Highway 89, near White Sulphur Springs	2	2	3	3	3		quan	2	2	2	2
233	South Fork Smith River at mouth	, 6	8	11	17	12		9	12	16	25	19
234	near White Sulphur Springs Smith River below forks, near	6	7	9	10	9		5	6	8	8	8
235	White Sulphur Springs Big Birch Creek at mouth, near	12	15	26	57	33		20	31	49	100	60
236	White Sulphur Springs Newlan Creek below Charcoal Gulch, near White Sulphur	3	4	5	7	5		4	5	7	13	9
237	Springs Camas Creek near mouth, near White Sulphur Springs	3	4	5	б	5		4	5	7	10	8
	Smith River near Fort Logan Sheep Creek near White	7 7 7	88 7	110 9	150 11	120 9		93 7	110 8	140 9	180 11	150 9
240	Sulphur Springs Sheep Creek near mouth, near	9	12	16	18	15		10	12	16	18	17
241	White Sulphur Springs Eagle Creek near mouth, near	1	2	2	2	2		g	1	2	2	2
242	White Sulphur Springs Rock Creek below Buffalo Canyon near White Sulphur Springs	, 5	6	8	9	7		6	6	8	10	9
243	Tenderfoot Creek below South Fork, near White Sulphur Springs	8	9	gener	14	11		7	.8	10	11	10
	Smith River near Eden Hound Creek near mouth, near Cascade	66 9	88 12	130 14	190 16	150 14		82 8	110 11	160 17	240 23	170 19
	Missouri River near Ulm North Fork Sun River near Augusta	3200 47	4400 52	5100 64	6500 74	5300 65	3	700 48	4500 53	5700 61	6800 80	5700 68
	Sun River near Augusta Sun River below diversion dam,	29 63	140 89	180 120	260 160	220 120		58 61	150 98	200 120	310 190	230 140
250	near Augusta Willow Creek near Anderson	2	2	2	3	2		2	2	3	4	ζ.)
251	Lake, near Augusta North Fork Willow Creek below	2	3	3	لاغ	3		Co-y	3	4	5	4
254	Cutrock Creek, near Augusta Smith Creek near Augusta	4	5	8	16	10		8	10	13	17	17
256 257	***************************************	5 18 120 3700	6 22 130 4700	8 30 180 5900	11 46 250 7500	9 33 190 5900	4	7 18 48 300	7 19 84 5100	9 28 140 6100	15 53 250 8100	12 34 170 6500
261	Great Falls Dry Fork at mouth, at Monarch	4	5	7	9	7		5	6	8	9	8

Table 6 .-- Estimated monthly streamflow characteristics for February and March -- Continued

er op = = = = = = = = = = = = = = = = = =	and and the first of the first		Fe	bruary	angan a a a anno ann i a la anno ann ann ann ann ann ann ann ann a	processor (contribution of the contribution of			<u> March</u>		
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
)	inghast Creek above	4	5	6	8	6	5	5	6	8	7
.Ĭ c	lice Creek, near Monarch crim Creek at mouth,	4	5	6	8	7	5	5	7	10	8
ne 264 I.ogs	ear Monarch ling Creek at Logging Creek	Ĺ,	5	6	7	6	5	5	6	7	6
Ca 265 Belt 266 Bio	impground, near Monarch Creek near Monarch Otter Creek above Never reat Creek, near Raynesford	15	21 5	29 6	41 8	31 7	(A)	24 6	31 9	43 15	35 13
167 Roli	Creek near Portage	8	4	17	28 5	19 4	9 3	13 3	24 3	37 4	27 4
Ci SAG Miss	reek, near Highwood souri River at Fort Benton okin Creek below Bishop	3700 2	4700 3	6000 3	7600 3	6100 3	4300 1	5300 2	6300 2	8000 2	6600 2
C: 71 Sou	reek, near Highwood th Fork Two Medicine River ear East Glacier	6	7	9	denne denne	9	6	7	8	10	9
	th Fork Badger Creek	8	9	12	15	12	9	10	13	16	14
n	ear Browning th Fork Badger Creek	7	8	quest good	14	ered toods	8	9	12	15	12
n	ear Browning ch Creek at Swift dam,	.2	2	8	43	27	2	2	4	36	16
73	ear Valier th Fork Dupuyer Creek near	2	2	2	3	3	2	2	3	4	3
280 Nor	upuyer th Fork Dupuyer Greek near upuyer	2	2	3	4	3	2	3	3	5	4
281 Dup	uyer Creek below Scoffin	7	9	11	14	12	10	12	20	32	22
C 282 Bir 283 Cut 284 Cut 285 Mar	reek, near Dupuyer ch Creek near Valier Bank Creek near Browning Bank Creek at Cut Bank ias River at Sullivan	38 11 16 130	41 24 25 160	51 35 35 260	65 62 91 490	55 51 57 310	22 21 37 230	29 38 44 260	71 71 94 390	210 200 250 830	160 120 150 570
204 May	ridge, near Cut Bank ias River near Shelby ias River at "F" Bridge,	130 150	160 190	260 310	510 600	320 370	230 270	260 310	400 470	900 1000	610 710
a 5	bove Tiber Reservoir, near helby ias River near Loma	140	220	420	630	420	130	220 6	390 14	750 18	480 13
290 Tet	on River near Strabane Conald Creek near Strabane	7 8	9	17 9	21 11	17 10	10	10	11	14	12
292 No	th Fork Deep Creek mear Choteau	3	3	4	5	4	3	3	4	6	9
293 Sot	ith Fork Deep Creek near Thoteau	2	3	4	5 11	9	8	9	10	14	4 9
294 Dec	ep Creek near Choteau con River near Dutton ssouri River at Virgelle	7 40 3900	7 47 5200	8 67 6700	95 8400	86 6600	62 4600	72 5700	120 7200	200 9100	170 7600
	st Creek at mouth, near	4	5	6	8	6	5	δ	7	10	8
1	Jtica 30 Creek at mouth, near	* 3	8, 8	1	2	have	.6			3	3
299 Mi	Jtica ddle Fork Judith River	0	0	. 1		,8 .5	0	.2			1
301 So	near Utica uth Fork Judith River at Indian Hill Campground,	9	overly.	2	2	1	.7			1	;
303 Ju	near Utica dith River above Courtneys Creek, at Utica	4	5	7	8	6	3	4	6	5	•
306 Ea	st Fork Big Spring Creek at	4	5	6	6	6	3	5	7	9	
207 94	mouth, near Lewistown g Spring Creek above Cottonwood Creek, near Hanov	100	100	110	110	110	90	99	110	130	
309 Co	ttonwood Creek at Highway	1	2	3	3	2	1	2	2	3	
310 Be	200, near Lewistown aver Creek at county road, near Lewistown	5	8	11 95	17 100		3 68	10 81	26 98	61 130	
311 Bi	g Spring Creek at mouth, near Lewistown	83	88	73	100	77	~ ~	-			

Table 6 .- - Estimated monthly streamflow characteristics for February and March -- Continued

			F	ebruary			****************		March		
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
312	Warm Springs Creek above	95	100	100	110	100	97	100	110	110	110
313	Meadow Creek, near Hilger Judith River near Winifred Cow Creek below forks,	240 2	250 2	530 3	640 3	480 3	260 2	310 3	590 4	710 5	540 4
316	near Cleveland Missouri River near Landusky North Fork Musselshell River, near Delpine	4200 4	5500 5	7200 6	9300 7	7300 6	5500 5	6600 6	8400 8	11000 12	8900 9
318	Checkerboard Creek near	.6	.8	1	1	1	.6	. 8	1	Amend	all the same of th
319	Checkerboard Spring Creek below Whitetail	2	3	3	4	3	2	2	3	5	4
	Creek, near Checkerboard North Fork Musselshell River	5	6	7	9	8	6	7	9	14	gone o
	near mouth, near Martinsdale Alabaugh Creek at mouth,	dissel	2	2	2	2	1	1	2	2	2
	near Lennep Cottonwood Creek below Loco Creek, near Martinsdale	б	7	9	10	8	5	5	6	7	6
323	South Fork Musselshell River	11	14	20	26	21	44	17	29	53	37
	above Martinsdale Big Elk Creek at mouth,	,1	.3	7	9	6	.3	.7	8	12	7
325	at Twodot Musselshell River at Harlowton American Fork near Harlowton Careless Creek below Little Careless Creek, near Hedgesville	36 .1 .4	46 .3 .6	Ch Ch and and	97 2 2	70 2 1	53 0 .2			150 5 20	110
331	Swimming Woman Creek below Dry	, 3	.4	. 5		6 .5	.2	. 3	*		
333 335	Coulee, near Franklin Musselshell River near Roundup Flatwillow Creek below the	24 2	37 3	93 5	160 5	110 4	50 3	80 4	140 7	290 7	220 8
338 339	forks, near Grass Range Musselshell River near Mosby Big Dry Creek above Little Dry Creek, near Van Norman	2.5 0	48 0	120	280 50	220 34	72 .3	120 3	270 30	630 400	550 190
340	Little Dry Creek near	0	0	2	42	28	2	4	32	210	110
	Van Norman Big Dry Creek near Van Norman	0	0	3	98	62	3	7	73	640	300

Includes estimated spring flow of about 40 cubic feet per second, based on information provided by Montana Department of Fish, Wildlife and Parks.

Includes estimated spring flow of about 10 cubic feet per second, based on information provided by Montana Department of Fish, Wildlife and Parks.

Estimated long-term monthly streamflow characteristics may not reflect the current flow regime because of upstream streamflow regulation.

Stream is known to be dry except for periods of runoff. Calculated flows were adjusted by subtracting 7 cubic feet per second.

Stream is known to be dry except for periods of runoff. Calculated flows were adjusted by subtracting 8 cubic feet per second.

Table 7.--Estimated monthly streamflow characteristics for April and May

[Q.XX, monthly mean streamflow for specified month exceeded XX percent of the years, in cubic feet per second; QM, mean monthly streamflow for specified month, in cubic feet per second]

				April					May		
Site No.	Stream name	Q.90	0.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q,20	QM
1	Hellroaring Creek near	5	7	13	25	16	41	52	70	93	71
9	Lakeview Corral Creek near Lakeview	.6	, 9	2	3	2 ~	4	5 2	7 2	10 3	8 2
3	Antelope Creek near Lakeview Red Rock Creek near Lakeview	.3 10	.3 13	.5 21	1 39	.7 26	2 58	75	97	130	98
5	Tom Creek near Lakeview	,5	1	2	5	3	9	11	11	16	12
б	Narrows Creek at mouth, near Lakeview	.4	.6	1	1	Time.	2	2	3	5	3
7	Odell Creek near Lakeview	5	6 2	12 3	22 4	15 3	35 5	44 7	56 9	75 13	57 10
8	Jones Creek near Lakeview Red Rock River near Kennedy	1 190	220	350	520	350	170	240	360	490	380
	Ranch, near Lakeview Peet Greek at county road,	1	2	3	5	3	5	7	11	15	11
10	near Lakeview										
11	Long Creek near Lakeview	3 2	4 2	7 4	13 5	9 4	17 6	23 8	29 12	40 17	30 13
	East Fork Clover Creek at mouth, near Monida		21	40	73	55	180	220	290	450	330
	Red Rock River below Lima Reservoir, near Monida	16				1	2	3	3	5	4
14	Cabin Creek above Simpson Creek, near Lima	.5	.7	1	2						
15	Indian Creek above Simpson Creek, near Lima	.7	*	2	2	2	4	la	5	7	б
16	Simpson Creek above Indian	.8	1	2	3	2	4	5	6	8	6
17	Creek, near Lima Deadman Creek near Dell	5	7	9	14	10	15 31	19 40	21 63	31 99	22 72
18	Big Sheep Greek below Muddy Creek, near Dell	49	62	79	100	86	-				
19 20	Red Rock River at Red Rock Black Canyon Creek near Grant	170 3	190 4	270 5	370 8	280 6	78 9	100 11	250 15	470 22	310 16
21	Shennon Creek near mouth,	.9	1	2	3	2	3	4	6	9	6
22	near Grant Frying Pan Creek near Grant	3	3	5	7 3	5 2	6 3	8 4	13 5	19 7	14 6
23	Trapper Creek at mouth, near Grant	.7	1	2	_					43	33
24 25	Bear Creek near Grant Bloody Dick Creek near Grant	4 17	6 25	9 42	14 65	10 47	12 72	16 90	31 160	210	160
26	Horse Prairie Creek near	64	70	100	160	110	100	130	210	340	250
27	Grant Rape Creek above reservoir,	.4	.6	1	2	1	2	2	3	4	3
28	near Grant Painter Creek near Grant	3	5	7	11	8 5	16 10	20 13	28 18	37 25	29 19
20	Browns Canyon Creek near Grant Medicine Lodge Creek near Grant	2 9	3 11	5 18	7 33	23	39	49	55	85	59
	Pole Creek near mouth,	1	2	3	5	4	7	9	12	16	13
	near Polaris Reservoir Creek at mouth,	2	2	4	6	4	5	7	1	16	12
	near Polaris	1	1	2	4	3	5	6	8	11	9
	East Fork Dyce Creek at mouth, near Polaris		.8	1	2	2	3	4	5	7	5
	West Fork Dyce Creek at mouth, near Polaris	.6					42	57	100	160	110
36	Grasshopper Creek near Dillon	54	62	71	91	74					
37 38	Beaverhead River at Barretts East Fork Blacktail Creek	220 19	270 26	370 37	590 50	420 38	200 48	300 64	580 110	830 140	570 110
39	near Dillon West Fork Blacktail Creek	9	11	15	20	16	17	23	28	42	30
	near Dillon Blacktail Deer Creek	39	42	54	67	55	45	63	78	120	88
	near Dillon Beaverhead River near Dillon	210	270	380	650	430	36	98	180	460	270
44 1	Media dirigina sus come come me municipal										

Table 7.--Estimated monthly streamflow characteristics for April and May--Continued

*******				April					May		
Sit No.		Q.90	Q.80	Q.50	Q.20	МÒ	Q.90	0.80	Q.50	Q.20	QH
42	Beaverhead River near Twin Bridges	290	360	490	710	520	62	140	240	560	340
43	Corral Creek at mouth,	1	2	3	4	3	5	б	8	12	9
44	near Alder Coal Creek at mouth, near Alder	3	4	7	7 4	8	13	17	25	34	26
45	Ruby River above the	11	14	23	35	25	40	50	75	100	79
46	forks, near Alder East Fork Ruby River at mouth, near Alder	4	6	9	14	10	20	24	34	46	36
47	West Fork Ruby River at mouth, near Alder	5	7	9 9	17	12	22	28	40	55	42
48	Cottonwood Creek at mouth, near Alder	6	8	12	19	14	27	32	46	63	49
49	Warm Springs Creek at mouth, near Alder	51	54	63	75	65	81	91	117	150	121
50	North Fork Greenhorn Creek at mouth, near Alder	3	4	6	9	7	* 1	14	19	27	21
51	Ruby River above reservoir, near Alder	110	120	160	220	170	260	300	410	530	430
52	Mill Creek at Forest Service boundary, near Sheridan	7	9	17	31	21	54	66	90	120	94
53	Wisconsin Creek at Forest	5	7	13	26	17	52	62	74	100	77
55	Service bounday, near Sherida Ruby River near Twin Bridges Big Hole River near Jackson Andrus Creek near mouth, near Jackson	92 13 5	100 15 7	190 22 12	290 43 18	200 29 13	63 85 20	120 96 25	250 130 38	360 170 53	250 140 40
57	Fox Creek at mouth, near	3	5	8	4 6	8	15	18	26	36	28
59	Jackson Governor Creek near Jackson Warm Springs Creek at Jackson	18 13 15	28 19 18	46 31 23	72 47 29	51 34 24	74 50 43	95 62 50	170 110 75	230 150 110	180 110 82
	Miner Creek near Jackson Big Lake Creek near mouth, near Wisdom	6	8	13	20	4 67	25	32	47	64	50 50
62	Steel Creek above Francis Creek, near Wisdom	3	5	8	13	9	dennie de la constante de la c	14	32	45	35
63	Francis Creek at mouth, near Wisdom	4	6	12	20	14	21	29	48	66	50
64	Steel Creek near mouth, near Wisdom	7	12	20	34	24	34	44	78	110	82
65	Swamp Creek near mouth, near Wisdom	7	14	28	50	33	52	68	150	210	160
66	Joseph Creek at mouth, near Wisdom	5	7	11	16	12	28	33	45	59	47
	Trail Creek near Wisdom Ruby Creek at mouth, near Wisdom	20 7	35 12	63 21	110 35	73 24	230 40	270 50	370 90	480 130	380 97
69	Tie Creek at Forest Service boundary, near Wisdom	10	13	21	33	24	51	61	86	110	89
	Johnson Creek near Wisdom Mussigbrod Creek near Wisdom	6 3	10 6	17 15	29 32	20 19	38 38	45 47	74 160	110 260	79 170
72	North Fork Big Hole River near mouth, near Wisdom	40	69	120	200	140	190	250	570	810	610
73	Big Hole River below North Fork, near Wisdom	260	410	570	920	670	820	1000	1500	2400	1700
74	Pintlar Creek near Forest Service boundary, near Wisdom	6	13	31	58	36	60	73	280	460	310
75	Big Hole River below Mudd Creek, near Wisdom	280	450	620	1000	720	890	1100	1700	2700	1900
76	Fishtrap Creek at mouth, near Wise River	8	14	30	60	39	95	110	190	270	200
78	Lamarche Creek near Wise River Seymour Creek near Wise River	10 11 4	15	29 24 9	58 36 13	38 26 10	99 58 24	120 69 29	160 95 39	230 130 50	170 99 40
	Tenmile Creek at mouth, near Wise River Sevenmile Creek at mouth, near	4	1	2	4	3	5	4.9	33	11	40
	Wise River	quan	2	3	4	3	5	7	10	14	10
01	Corral Creek at mouth, near Wise River	,	6-	J	girli		J	ş	: 0	1 60	i V

Table 7,--Estimated monthly streamflow characteristics for April and May--Continued

		***		<u>April</u>	***************************************				May		~~
te . Stream:	1286	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
2 Twelvemile Cr	eek at mouth,	3	4	7	10	7	16	20	28	36	29
near Wise R 3 Sullivan Cree	iver	3	5	7	11	8	19	23	31	40	32
near Wise R 4 Oregon Creek	iver	.5	. 7	1	2	4	2	3	4	6	5
Wice W	iver eek above Americar	4	5	8	12	9	1 1	15	23	33	25
Creek, near 6 American Cree	Wise River k at mouth, near	1	2	3	4	3	4	6	9	12	9
Wise River	mouth mast	.8	. 1	2	3	2	4	5	7	9	7
37 Sixmile Creek Wise River		7	9	14	22	16	20	26	41	59	44
Wice River	near mouth, near	25	40	66	99	71	100	130	250	330 23	260 17
89 Deep Creek ne 90 Bear Creek ne	ar Mise Kiagi	. 8		3 7	7	4 8	9 13	12 16	17 24	33	25
91 Bryant Creek Wise River	at mouth, near	3	H	f		-	1200	1500	2300	3600	2600
92 Big Hole Rive	r near	400	630	870	1400	1000	1200		14	20	15
టేశంద జెక్కాతక	at mouth, near	2	3	5	7	5	7	9			29
Wine Piwer	near Wise River	4 15	5 20	8 32	12 50	8 36	15 95	19 110	27 150	37 190	150
near Wise b 96 Mono Creek at	(lver	2	3	5	7	5	10	12	17	23	**
Wise River		8	11	18	28	20	39	47	67	91	7
97 Wyman Creek a Wise River		6	7	12	18	13	28	33	47	62	4
98 Lacy Creek at Wise River		•	4	6	9	7	15	18	25	32	2
99 Gold Creek at	t mouth, near	3		41	64	46	88	110	150	210	16
00 Pattengail Conear Wise 1 01 Sheep Creek	River	20 4	26 5	8	12	8	19	22	31	41	3
Wise River				w F	110	83	260	300	500	780	53
02 Wise River n 03 Adson Creek	at mouth, near	45 2	56 3	75 5	8	6	S	14	20 72	27 99	2
Wise River 04 Jerry Creek 05 Divide Creek	near Wise River	5 4	8	15 9	29 20 27	19 13 18	37 24 46	49 31 54	40 65	60 96	
106 Canyon Creek	near Divide	5	6	12	18	14	17	22	37	51	3
107 Moose Creek 108 Trapper Cree	near Divide k near Melrose	7 5	9 6	13 10	18	13	30 13	35 17		58 51	
109 Camp Creek a 110 Rio Hole Riv	er near Melrose	660 7	3 1000 8	7 1300 10	13 2100 15	1500 11	1900 23	2300 26	3300	5000 48	
	near Glen	8	9	11 5	17 10	12	26 13	33 17		69 30	
113 Hells Canyon Twin Bridg	es es	1300	1600	2100	3000	2300	2000				
Bridges 115 Whitetail Cr 117 Roulder Rive	eek near Whitehal er above High Ore	1 3 46	3 62		5 190	4 130	8 220				
Creek, nea	er masin er mear Boulder	59 9					280 51				
119 Little Bould near Bould 120 Boulder Rive	ier Klver ier	62					230	260	380	490	
Colch nea	ar Boulder	76		150			280				
121 Boulder Rivo 122 South Bould Jefferson	er near Cardwell er River near	6		1 -		17	33				
ing infference B	iver at Sappingtor	1500					2200 61	74	90	140)
124 South Willow 125 North Willow	z Creek near runy	11 25	13 30	18	. 23 54	18 42	31 21	33		9 9	9

Table 7. -- Estimated monthly streamflow characteristics for April and May -- Continued

12200				April			-		May		
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
129	Jefferson River near	1500	2100	2700	3300	2700	1800	2300	4300	6200	4400
130	Three Forks Madison River near West Yellowstone	410	430	460	540	480	640	680	800	990	830
131	Duck Creek near	22	26	35	59	41	90	110	140	190	140
132	West Yellowstone Cougar Creek near	10	14	28	63	41	130	150	160	220	170
133	West Yellowstone Grayling Creek near West Yellowstone	13	21	44	96	61	190	230	290	400	300
134	Red Canyon Creek near	The state of the s	2	3	8	5	21	23	23	28	21
135	West Yellowstone South Fork Madison River near	94	100	110	130	110	170	190	210	240	220
	West Yellowstone Watkins Creek near	2	3	6	13	9	33	37	37	50	38
	West Yellowstone Trapper Creek near	2	2	4	8	6	19	21	22	29	22
	West Yellowstone Madison River below Hebgen Lake, near Grayling	260	400	800	1400	920	230	310	590	1200	730
126	Cabin Creek near	5	10	23	54	33	120	140	180	250	180
	West Yellowstone Beaver Creek near	20	26	45	82	55	160	190	230	310	240
	West Yellowstone Elk River at mouth,	21	27	44	68	49	140	160	210	270	220
	near Cameron	2	2	3	5	4	8	10	14	18	14
	Soap Creek at mouth, near Cameron Antelope Creek at mouth, near Cameron ²	17	19	24	32	26	36	42	58	76	60
144	West Fork Madison River	45	53	79	110	84	160	180	250	330	250
	near Cameron Squaw Creek near Cameron	7 5	8 6	13 10	22 17	15 12	47 25	54 32	57 46	76 62	59 48
147	Standard Creek near Cameron Ruby Creek near Cameron Indian Creek near Cameron	4 19	4 25	7 45	12 87	9 58	18 170	22 200	26 250	36 330	27 260
149 150	Madison River near Cameron Blaine Spring Creek near	510 23	750 23	1200 25	1700 29	1200 26	790 31	1000 34	1500 38	2000 43	1600 38
152	Cameron O'Deli Creek near Ennis Jack Creek near Ennis	99 14	100 17	110 23 3	120 35 6	110 25 4	130 55 8	140 70 10	150 93 12	160 130 17	150 98 12
	Moore Creek at Ennis North Fork Meadow Creek at	5	8	16	30	19	47	58	83	120	88
	Forest Service boundary, near Ennis	3	5	10	21	14	34	41	52	75	54
	North Fork Meadow Creek at Highway 287, near Ennis Madison River below Ennis	900	1000	1500	2100	1600	1100	1300	1900	2500	1900
157 158	Lake, near McAllister Hot Springs Creek near Norris Cherry Creek near Norris	6 21	7 25	11 38	20 61	14 43	23 72	30 93	39 140	55 200	41 150
159	Madison River near	940	1100	1500	2100	1600	1100	1300	2000	2500	2000
	Three Forks Cache Creek at mouth, near	4	6	10	15	10	28	33	43	55	45
161	West Yellowstone Taylor Creek near Grayling Porcupine Creek near	19 5	22 7	32 13	45 26	34 17	- 120 51	160 60	210 70	280 96	230 73
	Gallatin Gateway Gallatin River above West Fork, near Big Sky	170	200	230	340	260	580	740	960	1200	970
164	South Fork West Fork Gallatin	1 9	17	30	64	41	110	140	190	260	190
	River near Gallatin Gateway Middle Fork West Fork Gallatin	6	8	12	23	15	39	47	63	87	66
	River near Gallatin Gateway West Fork Gallatin River	2 \$	31	54	110	70	180	220	320	430	320
	near Gallatin Gateway Squaw Creek near	16	18	25	43	30	72	86	100	130	100
	Gallatin Gateway Heliroaring Creek near Gallatin Gateway	17	22	32	56	38	98	120	150	200	150

Table 7. -- Estimated monthly streamflow characteristics for April and May--Continued

				April		***************************************	**************************************		May		
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
169 5	outh Fork Spanish Creek	9	14	24	48	31	81	100	140	190	150
	near Gallatin Gateway panish Creek near	22	30	46	85	57	120	150	230	320	240
171 (Gallatin Gateway Ballatin River near	320	370	440	640	490	1100	1400	1800	2200	1800
72 1	Gallatin Gateway Big Bear Creek near	4	4	6	11	8	19	26	33	50	38
	Gallatin Gateway South Cottonwood Creek near Gallatin Gateway	3	16	19	27	20	45	57	72	89	73
74 1	saker Creek near Manhattan ³	89 24	110 28	130 45	170 72	140 50	130 52	190 68	270 100	350 140	28(11(
75 1	locky Creek near Bozeman Bear Canyon Creek near Bozeman	5	6	11	20	13	16	20 45	30 63	43 93	32 69
77 (Sourdough Creek near Bozeman East Gallatin River at Bozeman	11 84	13 98	19 160	28 220	23 170	41 140	180	260	350	27
70	Bridser Creek near Bozeman	24 86	32 110	59 160	90 250	62 190	63 150	96 230	140 360	220 460	16 37
	East Gallatin River near Belgrade	6	б	7	9	8	22	26	30	38	3
	Cast Fork Hyalite Creek near Bozeman	9	9	12	15	13	38	44	55	69	51
	Vest Fork Hyalite Creek near Bozeman	19	23	35	52	39	92	100	130	170	14
83	iyalite Creek at Hyalite Ranger Station, near Bozeman	17	27	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					0.0	120	8
84	lyalite Creek above Interstate 90, near Bozeman	5	8	16	34	22	57	68	82	120	3
85	rhomnson Creek near Belgrade	21 27	27 29	32 31	41 33	33 31	26 29	30 30	40 35	44 37	3
27	Ben Hart Creek near Belgrade Reese Creek near Belgrade	7	8	13	18	13 260	22 440	26 570	40 780	54 1000	4 78
88	East Gallatin River near Manhattan	180	200	240	350		1100	1500	2100	2700	220
90	Gallatin River near Logan Sixteenmile Creek near Ringling	780 7	900 9	1100 30	1400 75	1100 49 58	58	72	19	69 170	13
07	Sixteenmile Creek near Maudlow Sixteenmile Creek near Toston Missouri River near Toston	34 48 3700	37 51 4000	56 77 5600	83 130 7200	91 5700	130 4600	160 5200	210 8700	310 12000	23 880
94	Crow Creek near Radersburg	10	13	20 9	34 15	23 10	79 19	88 24	120 31	160 44	13
0.5	Dry Creek near Toston Deep Creek below North Fork,	4 10	5 12	20	37	26	54	66	80	110	8
07	near Townsend Duck Creek near Townsend Confederate Gulch near Winston	3 5	4 7	8 12	14 21	10 14	21 30	26 38	33 50	45 68	5
	Beaver Creek near Winston	4	7	16	30	18	27	32	51	80	5
ากก	Amalancha Gulch near Winston	3	3 5	6 9	11 15	8 10	19 16	23 21	23 28	30 39	2
201 202	Spokane Creek near East Helena McGuire Creek at county road,	8	8	9	10	9	9	10	1 1	12	1
	near East Helena Trout Creek at mouth, near East Helena	16	16	18	23	19	29	35	40	56	ć
204	Prickly Pear Creek near Clancy Prickly Pear Creek at mouth,	33 35	34 36	50 48	71 74	52 55	52 83	63 110	100 130	130 190	1 4
206	near East Helena Termile Creek near Rimini	3	5	13 30	24 44	16 33	37 42	54 53	79 89	100 120	{
207	Tenmile Creek near Helena Sevenmile Creek near mouth, near Helena	9	14	50	10	7	12	15	16	24	
209	Tenmile Creek at mouth, near	7	8	14	24	15	22	28	48	73	
	East Helena Silver Creek at Interstate 15,	12	12	15	19	16	16	17	23	27	
	near Helena Beaver Creek at mouth,	9	11	15	20	16	18	20	25	29	
	near East Helena Elkhorn Creek near mouth,	5	5	8	11	8	13	16	20	27	:
	near Wolf Creek Willow Creek below Elkhorn Creek, near Wolf Creek	3	4	7	15	10	27	31	34	50	

Table 7.~~Estimated monthly streamflow characteristics for April and May~~Continued

				April			-		May		
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	ДМ
214 Cot	tonwood Creek above Beartoot	h .8	3 1	3	6	4	9	1 3	15	24	17
217 Vir	tanch, near Wolf Creek ginia Creek at mouth, near Canyon Creek	7	12	25	38	25	25	31	54	94	62
218 Can	nyon Creek below Cottonwood Creek, near Canyon Creek	12	20	45	76,	48	49	59	98	190	120
219 Lit	reek, near canyon oreek Etle Prickly Pear Creek Dear Canyon Creek	20	32	60	110	67	28	43	100	180	120
220 Lyo	ons Creek near Wolf Creek	6	9	13	19	14	24	28	34	49	37
	lf Creek at mouth, at Wolf Creek	5	б	400	20	13	29	36	41	58	42
222 Lit	ttle Prickly Pear Creek near Wolf Creek	76	92	150	230	180	130	170	330	560	380
223 Wes	ener Creek near Craig*	0	2	7 5	15 12	8 7	15 12	23 17	39 31	59 46	41 34
226 Mid	ckney Creek near Craig ⁵ ddle Fork Dearborn River at lighway 200, near Wolf Creek	5	13	27	50	32	64	82	120	160	120
227 Sou	ith Fork Dearborn River at Highway 434, near Wolf Creek	4	12	27	50	31	51	66	120	180	120
228 Des	arborn River near Craig arborn River near Craig at Creek above Slew Creek	31 7	91 18	180 34	350 53	200 35	270 31	360 41	670 100	1000 160	680 110
17	near Craig eep Creek at mouth, near	4 4	15	31	56	36	57	77	190	310	210
232 Nor H	Cascade th Fork Smith River at Highway 89, near White Sulphur Springs	3	5	power .	24	16	47	80	330	820	410
233 Son	ith Fork Smith River at mouth, near White Sulphur	* 5	18	27	42	30	38	49	67	100	73
234 Smi	Springs th River below forks, near	9	14	27	59	39	110	140	240	380	260
235 Bis	√hite Sulphur Springs ≀ Birch Creek at mouth,	43	51	81	100	76	39	49	130	250	170
n 236 New	near White Sulphur Springs wlan Creek below Charcoal Gulch, near White Sulphur	7	11	16	22	17	16	20	30	48	33
237 Cam	Springs mas Creek near mouth, near White Sulphur Springs	7	10	16	29	20	38	47	52	76	54
239 Sh∈	ith River near Fort Logan eep Creek near White Sulphur	130 10	140 12	190 18	260 30	210 21	160 55	200 64	270 89	380 130	320 96
240 She	Springs eep Creek near mouth, near	18	25	51	110	69	150	190	290	460	320
241 Eas	White Sulphur Springs ale Creek near mouth, near	3	4	8	19	12	29	37	47	71	50
242 Ron	vhite Sulphur Springs ck Creek below Buffalo Canyor near White Sulphur Springs	, 9	11	20	37	25	51	63	83	120	88
F	nderfoot Creek below South Fork, near White Sulphur	11	17	36	73	46	110	140	210	310	220
244 Smi 245 Hou	Springs th River near Eden und Creek near mouth, near Cascade	180 24	210 31	360 61	560 100	420 70	360 99	460 130	860 270	1500 430	990 300
246 Mis 247 Nor	sear Cascade seouri River near Ulm oth Fork Sun River near Augusta	3800 67	4200 88	6700 160	8800 300	6800 200	5200 810	6300 960	9200 1200	13000 1500	9800 1300
249 Sur	n River near Augusta n River below diversion dam,	140 57	230 110	520 230	940 420	600 2 9 0	1300 290	1900 340	2900 770	3800 1400	2800 910
250 Wil	near Augusta Llow Creek near Anderson	4	4	7	13	9	2 *	25	27	38	28
251 Nor	Lake, near Augusta orth Fork Willow Creek below	4	4	5	7	6	10	12	13	18	14
	Cutrock Creek, near Augusta ith Creek near Augusta	6	7	17	34	25	42	52	70	100	75
256 E1¥ 257 Sur	rd Creek near Augusta c Creek near Augusta n River at Simms	8 21 100 4600	9 25 150 5000	18 36 300 7600	23 66 610 10000	17 45 390 7700	29 55 160 6100	37 86 330 7600	61 220 790 11000	89 330 1700 16000	64 220 1100 12000
	ssouri River near Great Falls y Fork at mouth, at Monarch	9	12	23	44	30	62	76	100	150	110

Table 7.--Estimated monthly streamflow characteristics for April and May--Continued

			April					May		
Site No. Stream name	Q.90	Q.80	Q.50	Q.20	QM	0.90	Q.80	Q.50	Q.20	QM
262 Tillinghast Creek above	7	9	15	24	17	30	38	53	74	56
Joice Creek, near Monarch 263 Pilgrim Creek at mouth,	12	16	26	40	28	46	61	93	130	96
near Monarch 264 Logging Creek at Logging Creek Campground, near Monarch	. 7	8	12	20	14	25	32	44	59	45
265 Belt Creek near Monarch 266 Big Otter Creek above Never Sweat Creek, near Raynesford	34 7	46 9	88 12	180 18	120 14	230 21	340 26	550 30	950 42	630 31
267 Belt Creek near Portage 268 Highwood Creek below Smith	30 4	46 7	100 15	270 33	140 21	260 55	320 70	540 84	1200 110	770 85
Creek, near Highwood 269 Missouri River at Fort Benton 270 Shonkin Creek below Bishop	4800 2	5100 5	7700 13	10000 29	7900 18	6700 43	8000 57	12000 79	18000 110	12000 81
Creek, near Highwood 271 South Fork Two Medicine River near East Glacier	10	15	28	61	39	130	150	300	520	340
273 South Fork Badger Creek near	19	26	41	64	45	150	170	210	270	220
Browning 274 North Fork Badger Creek near	18	24	38	59	42	140	150	200	240	200
Browning 278 Birch Creek at Swift Dam,	6	7	13	110	54	63	150	240	370	250
near Valier 279 South Fork Dupuyer Creek near	4	6	10	15	10	22	27	38	50	39
Dupuyer 280 North Fork Dupuyer Creek near Dupuyer	5	7	11	17	12	32	38	50	65	52
281 Dupuyer Creek below Scoffin	11	18	35	57	39	63	77	100	150	110
Öreek, near Dupuyer 282 Birch Creek near Valier 283 Cut Bank Creek near Browning 284 Cut Bank Creek at Cut Bank 285 Marías River at Sullivan Bridge, near Cut Bank	17 67 80 400	23 83 94 500	71 120 200 960	150 150 360 1300	100 120 240 970	22 340 280 1300	32 360 360 1600	68 410 550 2300	140 430 670 3200	94 400 520 2400
286 Marias River near Shelby 287 Marias River at "F" Bridge, above Tiber Reservoir,	420 490	520 610	1100 1200	1500 1700	1100 1200	1400 1700	1800 2100	2600 3000	3700 4300	2700 3200
near Shelby 288 Marias River near Loma 290 Teton River near Strabane 291 McDonald Creek near Strabane	400 6 11	490 11 11	830 25 13	1300 47 15	890 30 14	1000 26 14	1100 46 15	1400 86 16	1700 120 16	1400 87 16
292 North Fork Deep Creek near	7	9	15	23	16	40	47	63	82	65
Choteau 293 South Fork Deep Creek near	7	9	14	22	15	37	44	60	78	62
Choteau 294 Deep Creek near Choteau 295 Teton River near Dutton 296 Missouri River at Virgelle	12 73 5300	13 100 6200	18 150 8500	25 250 12000	19 180 9100	19 59 7100	22 110 9900	34 340 13000	43 440 19000	36 330 14000
297 Lost Creek at mouth, near Utic 298 Yogo Creek at mouth, near Utic 299 Middle Fork Judith River near	a 10 a 2 6	13 3 8	21 6 12	33 14 18	23 9 14	46 25 71	55 29 96	79 29 130	110 39 160	83 28 130
Utica 301 South Fork Judith River at Indian Hill Campground,	gov	3	6	15	9	27	32	37	52	37
near Utica 303 Judith River above Courtneys Creek, at Utica	5	10	26	60	39	100	120	170	230	170
306 East Fork Big Spring Creek at	10	12	23	38	27	44	54	89	140	98
mouth, near Lewistown 307 Big Spring Creek above	130	140	180	220	190	220	260	320	380	330
Cottonwood Creek, near Hanov 309 Cottonwood Creek at Highway	er 3	5	dann	23	14	3	40	66	120	
200, near Lewistown 310 Beaver Creek at county road,	15	20	28	39	33	30	39	50	71	55
near Lewistown 311 Big Spring Creek at mouth, near Lewistown	130	150	230	330	250	350	460	690	900	710

Table 7.--Estimated monthly streamflow characteristics for April and May ~- Continued

			å	pril					May	***************************************	
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
312	Warm Springs Creek above	95	100	110	110	110	92	98	100	110	100
313	Meadow Creek, near Hilger Judith River near Winifred Cow Creek below forks,	260 4	290 5	500 8	730 12	520 9	280 12	360 15	530 21	720 31	540 23
316 317	near Cleveland Missouri River near Landusky North Fork Musselshell River near Delpine	6000 7	7000 11	9200 17	14000 27	10000 19	7700 10	10000 16	14000 24	21000 40	16000 26
318	Checkerboard Creek near	1	2	4	9	6	13	16	20	31	22
319	Checkerboard Spring Creek below Whitetail	5	8	16	27	18	28	35	78	130	87
320	Creek, near Checkerboard North Fork Musselshell River	9	14	23	38	27	48	57	68	100	70
	near mouth, near Martinsdale Alabaugh Creek at mouth,	2	4	8	17	4 4	23	30	43	68	47
	near Lennep Cottonwood Creek below Loco Creek, near Martinsdale	7	13	30	64	40	94	120	190	290	200
323	South Fork Musselshell River	43	54	99	160	110	100	170	310	430	320
324	above Martinsdale Big Elk Creek at mouth,	2	5	14	25	15	15	21	40	62	43
325 326	at Twodot Musselshell River at Harlowton American Fork near Harlowton Careless Creek below Little Careless Creek, near Hedgesville	45 0 1	71 3.3	130 3 5	240 7 13	170 4 9	64 .1	130 12	13	630 10 20	7
331	Swimming Woman Creek below Dry	.5	di-	3	6	4	10	12	14	21	15
333 335	Coulee, near Franklin Musselshell River near Roundup Flatwillow Creek below the	38 8	55 11	110 21	320 49	200 33	93 87	120 100	310 120	700 170	440 130
338 339	forks, near Grass Range Musselshell River near Mosby Big Dry Creek above Little Dry Creek, near Van Norman	54 .2	88	180 4	540 27	350 58	64	100	360 3	960 17	630 18
340	Little Dry Creek near	2	2	6	23	42	1	2	5	17	1 7
	Van Norman Big Dry Creek near Van Norman	3	4	10	50	100	1	3	8	34	35

¹Includes estimated spring flow of about 40 cubic feet per second, based on information provided by Montana Department of Fish, Wildlife and Parks.
²Includes estimated spring flow of about 10 cubic feet per second, based on information provided by Montana Department of Fish, Wildlife and Parks.
³Estimated long-term monthly streamflow characteristics may not reflect the current flow regime because of upstream streamflow regulation.
³Stream is known to be dry except for periods of runoff. Calculated flows were adjusted by subtracting 7 cubic feet per second.
⁵Stream is known to be dry except for periods of runoff. Calculated flows were adjusted by subtracting 8 cubic feet per second.

Table 8.--Estimated monthly streamflow characteristics for June and July [Q.XX, monthly mean streamflow for specified month exceeded XX percent of the years, in cubic feet per second; QM, mean monthly streamflow for specified month, in cubic feet per second)

				June					July		
Site No.	Stream name	Q.90	Q,80	Q.50	Q.20	QM	Q.90	Q,80	Q.50	Q.20	QM
	Hellroaring Creek near Lakeview	39	51	77	100	80	18	24 3	34 4	43	37
1 2	Correl Creek near Lakeview	4	5	8 3	10 4	8 3	2 .3	.3	.6	9	. 7
3	Amralone Creek near Lakeview	48	1 63	95	140	100	24	30	41	52	43
4 5	Red Rock Creek near Lakeview Tom Creek near Lakeview	7	9	14	21	15	2	3	.8	7	5 1
6	Narrows Creek at mouth, near Lakeview	*	- Green	3	4	3	.4 13	18	25	33	27
7	Odell Creek near Lakeview	30	39	60 10	85 14	64 10	2	2	3	5	3
8	Jones Creek near Lakeview Red Rock River near Kennedy	120	5 170	270	350	280	40	57	110	170	120 3
10	Ranch, near Lakeview Peet Creek at county road, near	4	5	10	94	10	2	2	3	Łş.	3
	Lakeview			0.0	16	34	7	9	12	18	13
11 12	Long Creek near Lakeview East Fork Clover Creek at mouth,	15 5	19 6	32 11	46 16	12	2	2	4	5	4
13	near Monida Rock River below Lima	280	380	460	590	470	250	270	330	410	340 2
14	Reservoir, near Monida Cabin Creek above Simpson Creek,	2	2	4	6	5	.7	1	2	2	2
15	near Lima Indian Creek above Simpson Creek, near Lima	3	4	7	9	7	does	2	2	3	
16	Simpson Creek above Indian	3	4	7	10	8	200	2	2	4	3
1 0	Creek near Lima	10	12	24	39	26	Ĺ	5	8	13	9
17 18	Deadman Creek near Deli Rio Sheep Creek below Muddy	45	51	91	140	94	41	47	64 240	80 290	67 250
19	Creek, near Dell Red Rock River at Red Rock Black Canyon Creek near Grant	90 6	120 8	190 15	420 22	250 16	150 3	180 3	240 6	8	6
20	Shennon Creek near mouth, near	2	3	6	9	7	1	1	2	3	2
21	Grant	4	7	11	17	13	2	3	5	6	5 2
22 23	Frying Pan Greek near Grant Trapper Creek at mouth, near	2	3	5	8	6	.9 5	1 7	2 9	3 12	10
24	Grant Bear Creek near Grant	11	17 92	29 150	40 220	31 160	23	29	44	66	47
25	Bloody Dick Creek near Grant	62 83	130	220	330	240	42	58	100	140	100
26 27	Horse Prairie Creek near Grant Rape Creek above reservoir,	1	2	3	5	3	, 5	.7	8	2 13	1 9
28	near Grant Painter Creek near Grant	12	15	26	38 24	29 18	4 3	5 3	5	8	6
29	proving Canyon Creek near Grant	7 33	10 41	17 75	120	83	8	10	24	47	28
30	Medicine Lodge Creek near otant	5	6	11	16	12	2	2	3	5	4
32	Pole Creek near mouth, near Polaris	4	5	10	15	onesh and a second	2	2	L _k	5	4
33	Reservoir Creek at mouth, near Polaris	5	6	10	13	10	2	2	3	5	4
	East Fork Dyce Creek at mouth, near Polaris	3	3	6	8	6	1	4-cell	2	3	2
	West Fork Dyce Creek at mouth, near Polaris	37	52	120	200	140	12	18	42	69	48
36		_		010	1100	830	290	340	580	870	630
37 38	East Fork Blacktail Creek near	350 42	480 63	840 97	1100 140	100	25	30	40	47	40
39	Dillon West Fork Blacktail Creek near	13	17	32	51	35	6	8	13	19	14
	Dillon Blacktail Deer Creek near Dillon	70 27	85 110	120 230	160 610	120 370	40 28	48 80	77 160	100 330	81 240

Table 8. -- Estimated monthly streamflow characteristics for June and July -- Continued

	-			June		······································	47400000000000000000000000000000000000		July		**************************************
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	Mŷ	Q.90	0.80	Q.50	Q.20	QM
42	Beaverhead River near Twin	49	160	300	680	430	49	120	230	400	300
43	Bridges Corral Creek at mouth, near	3	4	8	11	â	1	2	2	Á	3
	Alder Coal Creek at mouth, near Alder Ruby River above the forks,	10 33	13 44	24 77	34 110	26 83	4 12	5 16	8 26	12 40	9 29
45 46	near Alder East Fork Ruby River at mouth,	15	19	33	48	36	5	7	qua-	16	12
	near Alder West Fork Ruby River at mouth,	47	22	39	57	42	6	8	13	19	14
47	near Alder Cottonwood Creek at mouth, near	20	26	45	66	49	7	9	15	22	16
48	Alder Warm Springs Creek at mouth,	74	85	118	160	125	52	56	66	80	69
	near Alder! North Fork Greenhorn Creek at	9	12	21	30	22	3	4	7	10	8
50 51	mouth, near Alder Ruby River above reservoir, near Alder	240	280	440	650	480	98	110	180	260	200
5.0	Mill Creek at Forest Service	62	80	120	150	120	25	36	53	70	58
52 53	boundary, near Sheridan Wisconsin Creek at Forest Service	51	63	96	130	99	17	24	38	54	41
54	boundary, near Sheridan Ruby River near Twin Bridges Big Hole River near Jackson	84 140	170 160	340 200	550 240	380 200	89 24	120 40	240 78	350 110	240 85
55 56	Andrus Creek near mouth, near Jackson	16	21	37	55	40	6	8	12	19	14
57	Fox Creek at mouth, near Jackson Governor Creek near Jackson	11 63	14 95	25 160	37 230	27 170	27 27	5 33	8 49	12 69	9 51
58 59	Warm Springs Creek at Jackson Miner Creek near Jackson	46 100	66 110	110 140	160 160	120 140	16 28	19 36	30 57	50 93	33 70
60 61	Big Lake Creek near mouth, near Wisdom	20	27	46	68	50	7	9	15	23	Market.
62	Steel Creek above Francis Creek,	10	17	29	40	31	4	5	8	9 9	9
63	near Wisdom Francis Creek at mouth, near	16	24	42	63	45	6	7	12	18	12
64	Wisdom Steel Creek near mouth, near	28	43	73	110	78	11	14	21	31	22
65	Wisdom Swamp Creek near mouth, near	41	70	130	180	130	16	20	30	43	32
66	Wisdom Joseph Creek at mouth, near Wisdom	21	26	43	61	47	7	9	heater (A.)	20	15
67 68	Trail Creek near Wisdom Ruby Creek at mouth, near	87 34	170 50	270 88	410 130	280 94	36 11	40 13	57 21	73 35	58 23
69	Wisdom Tie Creek at Forest Service	40	51	85	120	93	13	17	27	42	30
70	boundary, near Wisdom Johnson Creek near Wisdom	31	43	75	110 1 9 0	80 120	8	10 9	17 16	30 27	19 17
71	Mussigbrod Creek near Wisdom	28	53	120 520	740	550	66	83	130	190	140
72	mouth, near Wisdom	180	300 1200	1900	3100	2100	170	290	590	920	650
73	Big Hole River below North Fork near Wisdom	710	100	220	330	230	15	18	32	49	34
74	Pintlar Creek near Forest Service boundary, near Wisdom	53		2200	3500	2300	180	320	650	1000	710
75	Big Hole River below Mudd	770 70	1300 99	170	270	190	16	19	34	64	38
76	Fishtrap Creek at mouth, near Wise River									Ω./.	71
77 78	Seymour Creek near Wise River	87 45	130 57	210 95	290 140	210 100	26 14 6	37 19 7	67 30 11	94 47 17	34 12
79	Tenmile Creek at mouth, near	18	22	36	52	39 8	0	2	2	4	3
80	Sevenmile Creek at mouth, near	3	4	8	المسادة المالا		4	2	3	4	3
	Wise River Corral Creek at mouth, near	4	5	9		10					

Table 8.--Estimated monthly streamflow characteristics for June and July--Continued

				June	nganaggunaan aanaministra (1888) (1844)				July		
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QМ	Q.90	Q,80	0.50	Q.20	QM
82	Twelvemile Creek at mouth, near	12	15	26	37	28	4	5	8	12	9
83	Wise River Sullivan Creek at mouth, near	14	17	29	41	31	5	6	9	13	10
84	Wise River Oregon Creek near mouth, near	2	2	Ĺį.	5	4	.6	.7	1	2	1
8.5	Wise River California Creek above American	9	12	23	34	25	4	5	8	12	9
86	Creek, near Wise River American Creek at mouth, near Wise River	3	4	8	12	9	gen.	2	3	4	3
87	Sixmile Creek at mouth, near	3	3	6	9	7	1	1	2	3	2
88	Wise River French Creek near mouth, near	16	22	41	62	45	6	8	14	22	16
89	Wise River Deep Creek near Wise River	84	130	210	300	230	43	53	73	89	74 6
90 91	Bear Creek near Wise River Bryant Creek at mouth, near Wise River	6 10	10	17 23	24 34	18 25	3 4	5	6 8	11	8
92 93	Big Hole River near Wise River Johnson Creek at mouth, near	1100 5	1800 7	2900 13	4700 19	3200 14	260 2	450 3	900 4	1400	990 5
94 95	Wise River Meadow Creek near Wise River Jacobson Creek at mouth, near	11 74	15 92	26 150	38 210	28 160	22 22	5 30	8 46	13 71	9 51
96	Wise River Mono Creek at mouth, near Wise River	7	9	16	23	17	3	ش	5	7	6
97	Wyman Creek at mouth, near Wise	30	39	67	97	73	10	14	22	33	24
98	River Lacy Creek at mouth, near Wise	21	26	45	65	49	7	9	14	22	16
99	River Gold Creek at mouth, near Wise	11	13	23	33	25	4	5	7	1 1	8
100	River Pattengail Creek at mouth, near	73	95	160	230	170	23	32	52	82	59
101	Wise River Sheep Creek at mouth, near Wise River	13	. 17	29	42	32	5	6	9	14	10
102 103	Wise River near Wise River Adson Creek at mouth, near Wise	330 8	580 10	830 18	1200 27	860 20	93 3	140 4	240 6	350 9	260 6
104 105 106	River Jerry Creek near Wise River Divide Creek at Divide Canyon Creek near Divide	31 21 38	46 29 51	76 52 88	110 78 130	80 55 93	13 6 8	18 8 12	29 15 24	36 25 41	30 17 26
107 108 109	Moose Creek near Divide Trapper Creek near Melrose Camp Creek at Melrose	15 24 12	22 30 19	37 50 49 4200	52 73 97 6400	39 53 54 4400	8 8 3 440	9 10 4 730	13 17 15 1400	18 25 32 2100	14 18 18 1500
110	Big Hole River near Melrose Willow Creek near Glen	1600 36	2700 46	63	81	64	16 37	19 46	28 63	39 81	30 66
112 113	Birch Creek near Glen Hells Canyon Creek near Twin Bridges	69 13	79 16	100 26	140 37	110	5	7	10	15	11
114	Jefferson River near Twin	2000	3100	5400	7800	5500	550	910	2000	3100	
115 117	Bridges Whitetail Creek near Whitehall Boulder River above High Ore Creek, near Basin	22 120	24 180	39 360	51 600	3 9 380	1 9 20	22 38	25 66	28 150	25 94
118	Boulder River near Boulder Little Boulder River near	160 25	230 37	460 59	770 91	490 66	26 8	48 13	84 19	190 27	120 20
120	Boulder Boulder River above Cabin	140	190	340	530	360	31	52	83	170	110
121	Gulch, near Boulder Boulder River near Cardwell South Boulder River near Jefferson Island	170 110	240 120	420 150	650 170	450 150	38 49	64 55	100 71	210 86	140 71
123 124 125 126 127	Jefferson River at Sappington South Willow Creek near Pony North Willow Creek at Pony Willow Creek near Harrison Norwegian Creek near Harrison	2000 42 23 30 6	3300 60 31 55 7	5800 110 53 96 10	8700 180 80 150 13	6000 130 59 110 10	600 10 5 7 3	930 12 8 13 4	2100 46 23 58 6	3400 80 36 96 10	2400 50 25 62 7

Table 8 .-- Estimated monthly streamflow characteristics for June and July -- Continued

				June						July	·······························	
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM		Q.90	Q.80	Q.50	Q.20	QM
129	Jefferson River near Three	2600	3600	6200	10000	6900		630	1000	1900	3200	2300
130	Forks Madison River near West Yellowstone	530	630	850	1000	850		360	420	520	670	530
131	Duck Creek near West	72	91	140	210	150		34	43	58	75	61
132	Yellowstone Cougar Creek near West	120	140	210	320	230		27	36	63	120	73
133	Yellowstone Grayling Creek near West Yellowstone	210	280	430	540	430		63	94	160	230	170
134	Red Canyon Creek near West	16	18	30	43	31		2	3	6	14	8
135	Yellowstone South Fork Madison River near	220	230	280	320	280		140	150	190	220	190
-	West Yellowstone Watkins Creek near West	28	32	51	70	53		6	9	15	27	18
136	Yellowstone	14	16	26	38	28		4	5	8	13	9
137	Trapper Creek near West Yellowstone								780	1000	1300	1000
138	Madison River below Hebgen Lake, near Grayling	220	590	1200	1800	1200		660				
139	Cabin Creek near West	140	180	300	370	300		31	47	88	150	100
140	Yellowstone Beaver Creek near West	160	200	290	390	300		60	84	120	170	130
141	Yellowstone Elk River at mouth, near Cameron	110	140	210	300	230		31	44	66	100	73
142	Soap Creek at mouth, near	6	7	12	18	13		2	2	4	6	4
143	Cameron Antelope Creek at mouth, near Cameron ²	30	37	58	80	62		* 7	20	26	34	28
144	West Fork Madison River near	150	180	270	380	280		70	100	140	180	140
145	Cameron Squaw Creek near Cameron	39	45	68	99	73		13	17	25 29	38 37	28 31
146	Standard Creek near Cameron	31 17	40 20	60 32	75 47	61 34		14 7	20 9	13	19	14
147 148	Ruby Creek near Cameron Indian Creek near Cameron	170	220	320	430	330		61	87	130	190	140
149 150 151 152	Madison River near Cameron Blaine Spring Creek near Cameron O'Dell Creek near Ennis Jack Creek near Ennis	1300 36 150 92	1600 41 150 110	2500 47 160 150	3500 51 170 190	2600 45 160 150	gene	100 30 120 40 2	1300 33 130 54 2	1600 39 140 71 4	2000 43 140 87 7	1600 38 140 71 4
153	Moore Creek at Ennis	6	7	13	21	14						
154	North Fork Meadow Creek at Forest Service boundary, near Ennis	54	71	110	140	110		21	34	56	70	58
155	North Fork Meadow Creek at	33	42	67	97	71		11	17	28	41	30
156	highway, near Ennis Madison River below Ennis Lake,	1500	1800	2900	3900	3000	4	200	1400	1700	2400	1900
157	near McAllister Hot Springs Creek near Norris Cherry Creek near Norris	20 75	26 110	42 160	63 220	45 170		10 34	13 46	19 67	25 94	20 77
159 160	Madison River near Three Forks Cache Creek at mouth, near	1600 20	1800 25	3000 40	4100 57	3100 44	1	100 6	1300 8	1700 12	2500 19	1900 14
161 162	West Yellowstone Taylor Creek near Grayling Porcupine Creek near Gallatin	290 48	330 58	440 90	500 120	420 94		98 16	130 22	190 34	280 50	200 37
163	Gateway Gallatin River above West Fork, near Big Sky	1000	1100	1700	2200	1700		390	480	710	1000	760
164	South Fork West Fork Gallatin	120	160	290	380	290		34	48	87	140	97
165	River near Gallatin Gateway Middle Fork West Fork Gallatin	43	54	94	120	94		13	19	32	48	36
166	River near Gallatin Gateway West Fork Gallatin River near	200	260	450	600	460		61	88	150	220	170
167	Gallatin Gateway	61	72	110	170	120		23	29	43	62	46
	Gateway	89	110	170	240	180		34	45	68	93	73
168	Hellroaring Creek near Gallatin Gateway	0,7										

Table 8.--Estimated monthly streamflow characteristics for June and July--Continued

·				June			****************		July		
ite o.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
69	South Fork Spanish Creek near	84	110	190	250	190	29	40	66	94	72
70	Gallatin Gateway Spanish Creek near Gallatin	140	190	320	410	320	54	78	120	170	130
71	Gateway Gallatin River near Gallatin	2000	2100	3200	4000	3100	730	900	1300	1900	1400
72	Gateway Big Bear Creek near Gallatin	28	44	64	82	62	12	15	21	33	24
73	Gateway South Cottonwood Creek near Gallatin Gateway	76	86	120	150	120	3	38	53	75	57
174	Bakar Creek near Manhattan3	160	210	410	590 120	410 87	37 9	54 17	110 29	230 44	140 31
175	Daaba Creek near BOZEMAN	35 10	47 13	80 23	37	26	2	4	7	13	8
76	Bear Canyon Creek near Bozeman Sourdough Creek near Bozeman	42	47	73	100	76	18	21 45	34 67	44 94	34 74
177 178	East Gallatin River at Bozeman	97	110	190	270	200	41 15	18	28	56	38
179 180	Bridger Creek near Bozeman East Gallatin River near	40 120	54 150	98 300	150 530	100 330	36	44	91	170	110
81	Belgrade East Fork Hyalite Creek near	43	50	61	71	61	15	17	27	40	
182	Bozeman West Fork Hyalite Creek near	80	88	100	110	100	25	33	55	84	62
183	Bozeman Hyalite Creek at Hyalite Ranger Station, near Bozeman	150	170	210	260	220	69	91	130	170	130
184	Hyalite Creek above Interstate	50	62	99	150	110	17	24	39	57	41
185	90, near Bozeman Thompson Creek near Belgrade	27	32 32	38 35	41 38	37 35	30 30	31 32	35 34	37 36	35 34
86	Ren Hart Creek near beigrade	31 17	25	44	75	50	6	8	14	23	16 410
87 88	Reese Creek near Belgrade East Callatin River near Manhattan	430	560	830	1200	900	220	290	390	500	
	Gallatin River near Logan	1300	1700	3200	4400	3200	340 0	480	990 5 6	1800 16	1100
189 190	civroonmile Creek near Kingling	7 44	13 72	38 150	78 260	46 170	18	29	52	110	64
91	Sixteenmile Creek near Maudlow Sixteenmile Creek near Toston	110	140	260	420	290	28	2700	78 4600	160 7000	91 510
92 193	Missouri River near Toscon	5400 81	7100 120	12000 160	18000 230	12000	1800 27	2700 34	53	93	6
194	Crow Creek near Radersburg Dry Creek near Toston	13	17	32	53	36	4 14	5 18	9 29	17 51	3
95	Deep Creek below North Pork,	45	57	92	140	100					_
197 198	near Townsend Duck Creek near Townsend Confederate Gulch near Winston	15 24	21 33	33 51	50 76	36 56	6 10	8 12	12 18	17 28	2
199	Borner Creek near Winston	23	43	68 28	110 46	74 31	6 2	10 2	19 5	30 15	2
200	Avalanche Gulch near Winston Spokane Creek near East Helena	14 11	15 15	27	42	29	5	6	9 9	14 11	
201 202	McGuire Creek at county road:	9	10	12	14	12	7	8			2
203	near East Helena Trout Creek at mouth, near East Helena	25	30	48	74	53	13	15	20	29	
204 205	Prickly Pear Creek near Clancy Prickly Pear Creek at mouth,	41 66	63 85	120 140	200 230	130 160	18 27	28 35	47 51	88 83	5 5
206	near East Helena	16	25	70	110	76 97	1 5	2 7	8 13	19 22	den den
207	Tenmile Creek near Helena Sevenmile Creek near mouth, near Helena	18 9	27 11	85 21	150 35	24	2	2	5	12	
209		16	25	61	110	69	5	7	14	36	feere
	East Helena Silver Creek at Interstate 15,	13	17	26	35	27	8	11	15	21	1
211	near Helena Beaver Creek at mouth, near	15	17	23	31	27	7	9	11	18	1
	East Helena Elkhorn Creek near mouth,	12	14	24	36	26	4	5	9	14	***************************************
	near Wolf Creek Willow Creek below Elkhorn Creek, near Wolf Creek	19	21	39	63	43	4	4	8	19	1

Table 8.--Estimated monthly streamflow characteristics for June and July -- Continued

		***************************************		June			.eeqewqeevenoor		July	•	
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
214	Cottonwood Creek above Beartooth	6	7	14	24	16	4	2	3	6	4
217	Ranch, near Wolf Creek Virginia Creek at mouth, near Canyon Creek	22	30	77	130	85	5	7	9 5	31	20
218	Canyon Creek below Cottonwood	44	58	170	330	190	6	8	24	64	35
219	Creek, near Canyon Creek Little Prickly Pear Creek	48	61	160	310	180	6	3	31	69	43
220	near Canyon Creek Lyons Creek near Wolf Creek	19	23	41	61	45	6	8	13	23	16
221	Wolf Creek at mouth, at Wolf	20	25	45	74	51	5	б	g and	24	14
222	Creek Little Prickly Pear Creek near Wolf Creek	70	95	190	300	220	51	62	92	160	110
	Wegner Creek near Craig*	8 8	15 14	34 31	56 51	38 35	0	0	6 6	13 13	8 7
224 226	Stickney Creek near Craig ⁵ Middle Fork Dearborn River at Highway 200, near Wolf Creek	42	61	110	170	130	15	19	33	53	36
227	South Fork Dearborn River at Highway 434, near Wolf Creek	34	56	120	170	130	13	17	31	53	36
228 229	Dearborn River near Craig Flat Creek above Slew Creek,	140 28	300 52	710 120	1100 160	810 130	56 11	89 17	180 34	340 61	210 42
230	near Craig Sheep Creek at mouth, near	68	110	220	310	230	33	53	80	97	84
232	Cascade North Fork Smith River at Highway	31	48	160	340	190	9	13	23	40	25
	89, near White Sulphur Springs										
233	South Fork Smith River at mouth, near White Sulphur Springs	28	39	82	130	88	10	13	25	42	29
234	Smith River below forks, near White Sulphur Springs	72	98	190	330	220	23	31	49	76	51
235	Big Birch Creek at mouth, near White Sulphur Springs	37	65	270	410	260	14	23	63	100	79
236	Newlan Creek below Charcoal Gulch near White Sulphur Springs	, 13	18	35	52	38	5	7	13	23	16
237	Camas Creek near mouth, near White Sulphur Springs	27	32	58	96	65	7	8	15	32	19
238 239	Smith River near Fort Logan Sheep Creek near White Sulphur Springs	120 49	180 63	390 100	540 160	390 110	81 22	100 30	170 41	230 55	190 43
240	Sheep Creek near mouth, near White Sulphur Springs	130	190	350	530	380	41	62	100	160	110
241	Eagle Creek near mouth, near White Sulphur Springs	22	28	53	84	58	6	8	13	24	15
242	Rock Creek below Buffalo Canyon, near White Sulphur Springs	42	54	94	140	100	the special sp	21	31	49	35
243	Tenderfoot Creek below South Fork, near White Sulphur Springs	. 85	120	220	330	240	33	48	72	99	76
	Smith River near Eden Hound Creek near mouth, near Cascade	360 83	530 120	920 220	1400 360	1100 260	96 27	190 41	370 75	740 120	450 82
	Missouri River near Ulm North Fork Sun River near Augusta	4500 720	7200 830	12000 1300	18000 2000	13000 1400	3100 260	4000 310	6600 460	10000 700	7300 500
	Sun River near Augusta Sun River below diversion dam,	1300 360	1900 690	3000 1300	4700 2900	3300 1800	390 71	680 160	1000 250	1700 480	1200 330
250	near Augusta Willow Creek near Anderson Lake,	14	17	30	48	33	3	4	8	15	9
251	near Augusta North Fork Willow Creek below	8	9	16	24	17	3	3	5	8	б
254	Cutrock Creek, near Augusta Smith Creek near Augusta	34	43	69	110	86	25	30	47	59	48
256 257 260	Ford Creek near Augusta Elk Creek near Augusta Sun River at Simms Missouri River near Great Falls Dry Fork at mouth, at Monarch	29 98 420 6300 51	45 190 710 8500 66	62 310 1400 15000	110 490 3200 21000	81 340 2100 16000 130	27 32 66 3900 15	31 52 96 4900 21	40 78 270 7800 37	56 150 600 12000	44 100 420 8500 42

Table 8. -- Estimated monthly streamflow characteristics for June and July -- Continued

				June		-	***************************************		July		
te	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
	ah. shove Inice	26	33	54	80	60	11	15	22	30	24
	Tillinghast Creek above Joice Creek, near Monarch Pilgrim Creek at mouth, near	31	45	79	120	88	11	14	23	37	27
	Monarch Logging Creek at Logging Creek	19	25	40	60	44	10	13	17	21	18
	Campground, near nonarch	250	330 17	570 29	1000 50	700 33	75 6	110 7	200 10	320 14	220 11
66	Big Otter Creek above Never Sweat Creek, near Raynesford	14	1 /	s- 2			27	85	150	330	220
67	Belt Creek near Portage Highwood Creek below Smith	250 36	390 47	710 78	1700 130	1100 88	57 12	15	23	36	25
	Creek, near highwood	6800 25	9000 35	16000 61	23000 100	17000 70	3900 10	5200 12	7900 18	12000 26	8800 18
70	Missouri River at 1985 Shonkin Creek below Bishop Creek, near Highwood South Fork Two Medicine River	92	120	240	380	260	25	35	59	95	63
71	near East Glacier	100	140	210	300	230	31	43	65	100	71
73	South Fork Badger Creek near Browning	120 100	130	190	270	210	28	39	59	91	65
74	North Fork Badger Creek near Browning	110	270	370	630	500	150	170	240	430	300
78	Birch Creek at Swift Dam, near Valier South Fork Dupuyer Creek near	17	21	36	52	39	6	7	den de	7	que (
79 80	Dupuyer North Fork Dupuyer Creek near	23	29	48	68	52	7	10	115	22	1 €
o (/	Dupuyer	47	60	120	200	130	10	13	27	55	3
81	Dupuyer Creek below Scoffin Creek, near Dupuyer	31	55	99	220	140	19 74	25 130	43 170	97 260	6 19
82 83 84 85	Birch Creek near Valier Cut Bank Creek near Browning Cut Bank Creek at Cut Bank Marias River at Sullivan	310 280 1100	370 350 1300	470 510 2200	680 810 3600	530 600 2800	78 310	110 460	190 730	350 1300	23 95
86 87	Bridge, near Cut Bank Marias River near Shelby Marias River at "F" Bridge,	1200 1400	1500 1700	2500 2900	4300 5000	3200 3800	320 370	490 570	790 920	1500 1700	100 120
88	above Tiber Reservoit, near Shelby Marias River near Loma	570 36 14	750 59 15	1500 99 16	2600 140 17	1900 100 16	460 21 11	680 32 12	1300 48 13	2000 82 15	130 6 1
91	McDonald Creek near Strabane	30	37	61	87	66	9	12	19	29	2
92	North Fork Deep Creek near Choteau	28	35	57	83	63	9	12	18	27	2
93	South Fork Deep Creek near Choteau Deep Creek near Choteau Teton River near Dutton	15 64	22 140	39 320	60 560 26000	43 420 20000	7 32 4400	11 64 5600	17 140 10000	30 270 14000	1 7 1 0 0 0
195 196	Missouri River at Virgerie	7800	12000	18000 79	120	86	12	16	26	40	4
297 298	Yogo Creek at mouth, Hear office	36 18 120	20 160	36 220	59 350	41 250	3 25	34	8 66	20 90	1
299	Utica	18	24	42	74	48	5	5	9	15	1
101 303	Hill Campground, near butta indish River above Courtneys	77	100	190	300	210	23	33	62	100	4
	Creek, at Utica	35	46	83	130	96	10	14	26	45	
306 307	mouth, near Lewistown	170	210	260	320	280	140	160	190	210	ques
	Cottonwood Creek, near	27	37	73	120	87	7	10	20	35	
	Cottonwood Creek at Highway 200, near Lewistown	21	27		79	56	9	1 1	16	25	
310	Beaver Creek at county road, near Lewistown Big Spring Creek at mouth,	220	310		680	540	150	190	260	330	2

Table 8, -- Estimated monthly streamflow characteristics for June and July -- Continued

447.15.41.11				June	······································				July		
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
312	Warm Springs Creek above Meadow Creek, near Hilger	94	100	110	120	110	98	100	110	110	110
313 315	Judith River near Winifred Cow Creek below forks, near	250 12	300 16	550 28	720 40	550 30	260 5	320 6	560 11	670 16	550 12
316 317	Cleveland Missouri River near Landusky North Fork Musselshell River near Delpine	8400 10	13000 14	20000 27	29000 41	22000 29	5000 6	6200 8	11000 13	15000 23	12000 15
318	Checkerboard Creek near Checkerboard	10	12	23	36	25	3	4	6	design Anna	7
319	Spring Creek below Whitetail Creek, near Checkerboard	21	30	58	93	68	8	11	20	29	21
320	North Fork Musselshell River near mouth, near Martinsdale	31	39	70	120	78	4	14	22	37	25
321	Alabaugh Creek at mouth, near Lennep	18	25	49	76	54	6	8	14	22	15
322	Cottonwood Creek below Loco Creek, near Martinsdale	73	110	200	310	220	28	40	61	85	65
323	South Fork Musselshell River above Martinsdale	94	140	290	510	340	19	28	66	120	78
324	Big Elk Creek at mouth, at Twodot	16	29	55	98	62	3	5	· ·	23	15
325 326 330	Musselshell River at Harlowton American Fork near Harlowton Careless Creek below Little Careless Greek, near	87 .1 6	150 2 7	460 11 13	770 70 24	510 56 15	48 0 2	67 .3 2	140 2 3	210 9 5	170 5 3
	Hedgesville										
331	Swimming Woman Creek below Dry Coulee, near Franklin	7	9	17	27	19	2	3	4	8	5
333 335	Musselshell River near Roundup Flatwillow Creek below the forks, near Grass Range	130 90	200 120	520 200	1000 300	720 220	94 12	120 17	220 43	330 89	290 51
338 339	Musselshell River near Mosby Big Dry Creek above Little Dry Creek, near Van Norman	70 .1	150	590 14	1800 80	1000 43	14	51 .5	140	500 25	350 31
340 341	Little Dry Creek near Van Norman Big Dry Creek near Van Norman	1 2	2 3	14 28	55 140	34 77	.3	1	5 9	22 47	26 57

Includes estimated spring flow of about 40 cubic feet per second, based on information provided by Montana Department of Fish, Wildlife and Parks.

Includes estimated spring flow of about 10 cubic feet per second, based on information provided by Montana Department of Fish, Wildlife and Parks.

Estimated long-term monthly streamflow characteristics may not reflect the current flow regime because of upstream streamflow regulation.

Stream is known to be dry except for periods of runoff. Calculated flows were adjusted by subtracting 7 cubic feet per second.

Stream is known to be dry except for periods of runoff. Calculated flows were adjusted by subtracting 8 cubic feet per second.

Table 9.--Estimated monthly streamflow characteristics for August and September

[Q.XX], monthly mean streamflow for specified month exceeded XX percent of the years, in cubic feet per second; QM, mean monthly streamflow for specified month, in cubic feet per second)

Hellroaring Creek near			Au	gust					rember		
No. 1	ite o. Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
Lakeview 1	1 Wallroaring Creek hear	10	11	16	21	16	8	9	11		12
2 Correal Creek mean Lakeview 14 17 2 22 28 28 20 16 77 18 20 184 Aced Rock Creek near Lakeview 14 17 2 22 28 28 20 16 77 18 18 11 17 2 28 28 28 29 16 17 18 18 11 18 11 18 18 11 18 18 11 18 11 18 18	Takeview	1	1	2	3			•			q
4 Red Rock Creek near Lakeview 6 Narrows Creek at mouth,	2 Corral Creek near Lakeview		.2								18
6 Narrows Creek at mouth, near Lakeview 1	A pad Rock Creek near Lakeview								and the second	1	Boson
1 1 2 3 3	6 Narrows Creek at mouth,	.3	.3	.6	.8						o.
8 Jones Creek near Lakeview Red Rock River near Kennedy Red Rock River below Lima Reservoir, near Monida Red Rock River below Lima Reservoir, near Monida Red Rock River below Lima Reservoir, near Monida Red Rock River below Lima Reservoir, near Kennedy Reservoir, near Kennedy Reservoir, near Monida Red Rock River Near Bell Red Rock River Near Monida Red Rock River Near Monida Reservoir, near Monida Reservoir, near Lima Reservoir, near Lima Reservoir, near Lima Reservoir, near Monida Reservoir, near Rock River Reservoir, near Monida Reservoir Reservoir, near Rock River Reservoir, near Rock River Reservoir, near Monida Reservoir Reservoir, near Rock River Reservoir, near Rock River Reservoir, near Rock River Reservoir Reser	near Lakeview	8						7			1
9 Red Rock River near Kennedy Ranch, near Lakeview 10 Peet Creek at county road, near Lakeview 11 Long Creek maar Lakeview 12 East Fork Clover Creek at 11 1 2 3 2 2 2 3 9 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	o Tanna Crack near Lakeview							32		69	49
Rench, lear Lakeview 1	n pad Pork River near Lenneuy	ZU	lin 1	* U	, ,			4	g	9	9
1 Long Creek mear Lakeview	Ranch, near Lakeview O Peet Creek at county road,	quan	3	2	2	2	.7	1	1	2	ŧ
		1.	ς	6	8	6				5	5
13 Red Rack River below Lima	is Fact Fork Clover Ureek at	1	ĺ	2	3						150
Reservoir, near Montos (Cabin Creek above Simpson (Creek, near Lima (Simpson Creek above Simpson (Creek, near Lima (Simpson Creek above Indian (Creek, near Lima (Simpson Creek near Dell (Simpson Creek near Creek near Creek (Simpson Creek near Creek near Creek (Simpson Creek near Creek near Creek near Creek (Simpson Creek near Creek (Simp	2 Pad Rock River below Lima	110	160	260	310	240	3.3	J.2	, 40		
14 Cabin Creek above Simpson	Dagaryoir near Monius	6	. 6	1	1	1	. 3	.4	.6	.9	
Indian Creek above Simpson	4 Cabin Creek above Simpson					4	5	6	.8	1	1
16 Simpson Creek above Indian 1 1 2 2 2 2 .66 .7 1 1 1 1 1 2	is Indian Creek above Simpson	.9	e e	2	Z	3	9 af				
The Beadman Creek near Dell	is Simpson Creek above Indian	1	di di	2							,
18 Big Sheep Creek below Houry Creek, near Dell Creek, near Dell 100 120 150 240 180 170 190 230 290 250	ra naliman Creek near Dell		•		-	-		-			52
Creek, near Bell Red Rock 100 120 150 240 180 170 230 250 250 250 260 Red Rock River at Red Rock 2 2 3 4 3 2 2 2 2 3 3 4 3 2 2 2 2 3 3 4 3 2 2 2 2 3 3 3 4 3 2 2 2 2 3 3 3 3 3	is Ria Cheen Creek Delow Muduy	34	51	63	81	0.3	all the		-		
19 Red Kock River at Red North Amount (1) 19 Rear Grant (2) 2 3 4 3 2 2 2 2 3 3 4 3 2 2 2 2 3 3 4 3 2 2 2 2	Crook near UCLL	100	120	150	240						256
21 Shennon Creek near mouth, .7 .8 1 2 1 .5 .6 1 1 2 near Crant near Crant 2 2 2 3 3 3 3 3 1 1 2 2 3 3 3 3 3 1 1 2 2 3 3 3 3	19 Red Rock River at New NOSA 20 Plack Canyon Greek near Grant		2	3	4	3	Z	4	h.		-
21 Shennon Creek near mouth, near Grant 22		~	٥	1	2	1	.5	.6	1	1	1
22 Frying Pan Creek near Grant 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	21 Shennon Creek near mouth,	. 1					1	1	2	3	,
23 Trapper Creek at mouth, near Grant 24 Bear Creek near Grant 25 Bloody Dick Creek near Grant 26 Horse Prairie Creek near 27 Rape Creek above reservoir, near Grant 28 Painter Creek near Grant 29 Browns Canyon Creek near Grant 20 Browns Canyon Creek near Grant 21 Pole Creek near mouth, near Polaris 22 Pole Creek at mouth, near Polaris 23 Reservoir Creek at mouth, near Polaris 24 East Fork Dyce Creek at mouth, near Polaris 25 Beaverhead River at Barretts 26 Grasshopper Creek near Dillon 27 Rape Creek at mouth near Dillon 28 Browns Canyon Creek at mouth, near Polaris 39 Browns Canyon Creek near Grant 30 Medicine Lodge Creek near Grant 40 Nedicine Lodge Creek near Grant 51	oo gruino Pan Creek near Grant	_				-					
near Grant 28 Bear Creek near Grant 29 Bloody Dick Creek near Grant 29 Bloody Dick Creek near Grant 20 Bloody Dick Creek near Grant 20 Bloody Dick Creek near Grant 21 Bloody Dick Creek near Grant 22 Bloody Dick Creek near 30 34 44 55 45 26 28 36 50 3 23 Blooms Creek above reservoir, 24 .5 .8 1 .8 .3 .3 .5 .8 28 Painter Creek near Grant 29 Painter Creek near Grant 20 Blooms Canyon Creek near Grant 20 Blooms Canyon Creek near Grant 21 Bloody Dick Creek near Grant 22 Dick Creek near Grant 23 Dick Creek near Grant 24 Pole Creek near mouth, 25 Nedicine Lodge Creek near Grant 26 Bloody Dick Creek near Grant 27 Reservoir Creek at mouth, 28 Pole Creek near mouth, 29 Pole Creek near mouth, 20 Pole Creek near mouth, 20 Pole Creek near mouth, 21 Dick Creek near Mouth, 22 Dick Creek near Mouth, 23 Pole Creek near mouth, 24 Dick Creek at mouth, 25 Dick Creek at mouth, 26 Dick Creek near Dillon 27 Beaverhead River at Barretts 28 Dick Creek near Dillon 29 West Fork Blacktail Creek 20 Dillon 20	23 Trapper Creek at mouth,	,5	./	1	L	į				-	
26 Horse Prairie Creek near 30 34 44 55 45 26 28 36 50 3 26 Horse Prairie Creek near 30 34 44 55 45 26 28 36 50 3 27 Rape Creek above reservoir, .4 .5 .8 1 .8 .3 .3 .5 .8 28 Painter Creek near Grant 2 2 3 4 3 1 2 2 3 3 29 Browns Canyon Creek near Grant 5 6 9 13 10 4 6 7 11 30 Medicine Lodge Creek near Grant 5 6 9 13 10 4 6 7 11 32 Pole Creek near mouth, 1 1 2 3 2 8 1 1 2 3 33 Reservoir Creek at mouth, 1 1 2 3 2 1 1 2 3 34 East Fork Dyce Creek at mouth, 1 1 2 3 2 8 1 1 2 35 West Fork Dyce Creek at mouth, 1 1 2 3 2 8 1 1 2 36 Grasshopper Creek near Dillon 12 16 26 38 28 11 12 17 28 2 37 Beaverhead River at Barretts 230 290 440 740 530 180 240 360 510 41 38 East Fork Blacktail Creek 16 18 23 29 24 14 16 20 24 28 39 Browns Canyon Creek 10 10 10 10 10 10 10 10 10 10 10 10 10	near Grant	3	4							_	4
26 Horse Prairie Creek near 30 34 44 55 45 26 28 36 50 3	24 Bear Greek near Grant 25 Bloody Dick Creek near Grant	13	16	20	26	21	10	13	10		
Grant 27 Rape Creek above reservoir,		30	34	44	55	45	26		-		31
Rape Creek and Reservoir Creek near Grant Reservoir Creek at mouth, near Polaris Reservoir Creek at mouth, near Polaris Reservoir Creek near Dillon Reservoir Creek Re	Cwant	.4	.5	.8	4	.8	.3		3 .:	5. (5
28 Painter Creek near Grant 3 3 3 4 3 1 2 2 3 3 2 9 1 1 3 10 4 6 7 11 30 Medicine Lodge Creek near Grant 5 6 9 13 10 4 6 7 11 30 Medicine Lodge Creek near Grant 5 6 9 13 10 4 6 7 11 30 Medicine Lodge Creek near Grant 5 6 9 13 10 4 6 7 11 30 Medicine Lodge Creek near Grant 5 6 9 13 10 4 6 7 11 30 Medicine Lodge Creek near Grant 5 6 9 13 10 4 6 7 11 30 Medicine Lodge Creek near Grant 5 6 9 13 10 4 6 7 11 30 Medicine Lodge Creek near Grant 5 6 9 13 10 4 6 7 11 30 Medicine Lodge Creek at mouth, 1 1 2 3 2 1 1 2 3 2 1 1 2 3 3 2 1 1 1 2 3 3 3 3	near Grant			F	6	5	2	2	3	4	4
29 Browns Canyon Creek near Grant 5 6 9 13 10 4 6 7 11 30 Medicine Lodge Creek near Grant 5 6 9 13 10 4 6 7 11 32 Pole Creek near mouth, near Polaris 1 1 2 3 2 1 1 2 3 33 Reservoir Creek at mouth, near Polaris 1 1 2 3 2 1 1 2 3 34 East Fork Dyce Creek at mouth, near Polaris 7 .8 1 2 1 .5 .5 .7 1 35 West Fork Dyce Creek at mouth, near Polaris .7 .8 1 2 1 .5 .5 .7 1 36 Grasshopper Creek near Dillon 12 16 26 38 28 11 12 17 28 2 37 Beaverhead River at Barretts 230 290 440 740 530 180 240 360 510 41 38 East Fork Blacktail Creek near Dillon 5 7 11 16 11	on name of Crook near Grant							2			
32 Pole Creek near mouth, near Polaris 33 Reservoir Creek at mouth, near Polaris 34 East Fork Dyce Creek at mouth, near Polaris 35 West Fork Dyce Creek at mouth, near Polaris 36 Grasshopper Creek near Dillon 37 Beaverhead River at Barretts 38 East Fork Blacktail Creek 39 East Fork Blacktail Creek 40 Blacktail Deer Creek 41 11 2 3 2 1 1 2 2 3 2 1 1 1 2 2 3 2 2 3 1 1 1 2 2 3 2 2 3 2 3	as become Capush Creek near Graut					10	4	6	7	11	1
32 Pole Creek near mouth, near Polaris 33 Reservoir Creek at mouth, 1 1 2 3 2 1 1 2 3 34 East Fork Dyce Creek at mouth, 1 1 2 3 2 8 1 1 2 35 West Fork Dyce Creek at mouth, 1 1 2 3 2 1 .5 .5 .7 1 36 Grasshopper Creek near Dillon 12 16 26 38 28 11 12 17 28 2 37 Beaverhead River at Barretts 230 290 440 740 530 180 240 360 510 41 38 East Fork Blacktail Creek 16 18 23 29 24 14 16 20 24 28 19 West Fork Blacktail Creek 5 7 11 16 11 4 6 8 11 19 West Fork Blacktail Creek 5 7 11 16 11 4 6 8 11 10 10 10 10 10 10 10 10 10 10 10 10				2	3	2	. 8	1	1	2	
33 Reservoir Creek at mouth, near Polaris 34 East Fork Dyce Creek at mouth, near Polaris 35 West Fork Dyce Creek at mouth, near Polaris 36 Grasshopper Creek near Dillon 37 Beaverhead River at Barretts 38 East Fork Blacktail Creek 38 East Fork Blacktail Creek 39 West Fork Blacktail Creek 30 Mest Fork Blacktail Creek	32 Pole Creek near mouth,	one.	1	4.	-				2	2	
Tear Polaris Tear	33 Reservoir Creek at mouth,	1	1	2	3		,		-	-	
near Polaris 35 West Fork Dyce Creek at mouth, near Polaris 36 Grasshopper Creek near Dillon 37 Beaverhead River at Barretts 38 East Fork Blacktail Creek near Dillon 39 West Fork Blacktail Creek near Dillon 40 Blacktail Deer Creek near Dillon 40 Blacktail Deer Creek near Dillon 45 All 45 All 46 All 47 All 48 All 49 All 40	near Fork Dyce Creek at mouth,	1	4	2	3	2	.0) ;	r	6	
35 West Fork Dyce Creek at mouth, near Polaris 36 Grasshopper Creek near Dillon 12 16 26 38 28 11 12 17 28 2 36 Grasshopper Creek near Dillon 12 16 26 38 28 11 12 17 28 2 38 East Fork Blacktail Creek 16 18 23 29 24 14 16 20 24 2 38 East Fork Blacktail Creek 5 7 11 16 11 4 6 8 11 39 West Fork Blacktail Creek 5 7 11 16 11 4 6 8 11 40 Blacktail Deer Creek 30 40 46 58 48 32 37 43 52 44 40 Blacktail Deer Creek 30 40 46 58 48 32 37 43 52 44	nger Polaris	7	. 8	1	2	1	, 5		5 • 1	7 1	
36 Grasshopper Creek near Dillon 12 16 26 38 28 11 12 13 14 15 15 15 15 15 15 15	as weer Fork Duce Creek at	ą f	* •			0.0	4.1	1 2	17	28	2
37 Beaverhead River at Barretts 230 29 24 14 16 20 24 2 38 East Fork Blacktail Creek 16 18 23 29 24 14 16 20 24 2 38 East Fork Blacktail Creek 5 7 11 16 11 4 6 8 11 39 West Fork Blacktail Creek 5 7 11 16 11 4 6 8 11 4 6 8 11 4 6 8 11 4 6 8 11 4 6 8 11 4 6 8 11 6 8 11 8 8 8 8 8 8 8 8 8 8 8 8 8	36 Grasshopper Creek near Dillon										41
Near Dillon 39 West Fork Blacktail Creek near Dillon 40 Blacktail Deer Creek 30 40 46 58 48 32 37 43 52 4 40 Blacktail Deer Creek 30 40 46 58 48 32 37 43 52 4	38 East Fork Blacktall Greek					24	14	16			2
near Dillon 40 Blacktail Deer Creek 30 40 46 58 48 32 37 43 52 4 80 Blacktail Deer Creek	near Dillon ao West Fork Blacktail Creek	5	7	11	16	11	4	ð	8	1 1	
40 Blacktail Deer Creek 30 450 36	neer Billon	30	<i>4</i> .0	46	58	48	32	37	43	52	4
near Dillon 49 65 150 260 210 130 130 330 430 30	40 Blacktail Deer Creek	JU	÷∪				400	150	330	450	36
	near pillon 41 Beaverhead River near Dillon	49	65	150	260	210	130	130	330	420	20

Table 9. -- Estimated monthly streamflow characteristics for August and September -- Continued

			A	ugust		·····	***************************************	Se	ptembe	<u> </u>	
Site No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
42	Beaverhead River near	80	100	200	330	260	190	220	410	570	440
43	Twin Bridges Corral Creek at mouth, near Alder	. 8	1	2	2	2	. 6	. 7	1	2	gova
44	Coal Creek at mouth,	2	3	4	6	5	2	2	3	4	4
45	Ruby River above the forks, near Alder	7	9	14	19	14	6	8	10	15	12
46	East Fork Ruby River at mouth, near Alder	3	4	6	8	6	3	3	4	6	5
47	West Fork Ruby River at mouth, near Alder	4	5	7	9	7	3	Lş	5	7	6
48	Cottonwood Creek at mouth, near Alder	4	5	8	11	8	4	4	6	8	6
49	Warm Springs Creek at mouth, near Alder ¹	47	49	54	59	54	46	48	50	54	51
50	North Fork Greenhorn Creek at mouth, near Alder	2	3	4	5	4	2	2	3	4	3
51	Ruby River above reservoir, near Alder	76	97	120	150	120	84	91	110	140	110
52	Mill Creek at Forest Service	12	14	21	29	22	9	10	13	17	14
53	boundary, near Sheridan Wisconsin Creek at Forest Service boundary, near	8	10	14	20	15	6	7	9	12	10
55	Sheridan Ruby River near Twin Bridges Big Hole River near Jackson Andrus Creek near mouth, near Jackson	66 14 4	100 17 4	140 22 7	190 29 10	140 23 7	140 13 3	150 14 4	190 17 5	280 23 7	210 18 6
57	Fox Creek at mouth, near	3	3	5	6	5	2	2	3	5	4
	Jackson Governor Creek near Jackson	16	19	23	30	25	12	15	19	25 14	20 11
59 60	Warm Springs Creek at Jackson Miner Creek near Jackson Big Lake Creek near mouth, near Wisdom	9 13 5	10 14 5	14 17 8	18 22 11	14 19 8	7 6 4	8 7 4	11 9 6	13	10
62	Steel Creek above Francis	3	3	4	5	4	2	2	3	4	3
63	Creek, near Wisdom Francis Creek at mouth,	4	4	6	8	6	3	3	5	6	5
64	near Wisdom Steel Creek near mouth,	7	8	10	13	10	5	6	8	10	8
65	near Wisdom Swamp Creek near mouth,	9	11	13	17	14	6	8	10	14	9 9
66	near Wisdom Joseph Creek at mouth, near Wisdom	4	5	7	9	7	3	4	5	6	5
67 68	Trail Creek near Wisdom Ruby Creek at mouth,	19 6	21 7	24 9	32 12	26 9	13 4	16 5	20 7	25 9	20 7
69	near Wisdom Tie Creek at Forest Service	8	9	14	18	14	6	7	10	13	Western Appearance
70 71	boundary, near Wisdom Johnson Creek near Wisdom Mussigbrod Creek near Wisdom	4 4	5 5	7 6	9 8 .	7	cat cat	4	5 5	7 6	6 5
72	North Fork Big Hole River	34	41	52	71	55	25	32	41	56	44
73	near mouth, near Wisdom Big Hole River below North	86	130	190	280	210	83	93	130	200	160
74	Fork, near Wisdom Pintlar Creek near Forest	7	9	disease	15	12	5	6	S	diseries dis	9
75	Service boundary, near Wisdom Big Hole River below Mudd	93	140	200	300	220	93	100	140	240	170
76	Creek, near Wisdom Fishtrap Creek at mouth, near Wise River	ê	10	2	16	13	б	7	9	final final	10
78	Lamarche Creek near Wise River Seymour Creek near Wise River Tenmile Creek at mouth,	13 9 4	18 10 4	24 15 6	32 20 8	25 15 6	11 7 3	13 8 3	17	23 14 5	19 12 4
	near Wise River Sevenmile Creek at mouth,	.8	*	2	2	2	.6	.7	1	year	1
	near Wise River Correl Creek at mouth, near Wise River	1	goven	2.	2	2	.7	.8	deads	2	1

Table 9. -- Estimated monthly streamflow characteristics for August and September -- Continued

		Au	gust				Sej	otember		
ite Io. Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
82 Twelvemile Creek at mouth,	3	3	5	6	5	2	2	3	4	3
near Wise River 83 Sullivan Creek at mouth,	3	3	5	6	5	2	2	3	4	Ž4
near Wise River 84 Oregon Creek near mouth,	, 4	.5	. 8	1	.8	.3	, 3	- 5	.7	
near Wise River 95 California Creek above American	2	3	5	7	5	2	3	Ľş.	5	4
Creek, near Wise River 86 American Creek at mouth, near Wise River	.8	1	2	2	2	.6	.8	\$	2	quatr
87 Sixmile Creek at mouth,	, 6	. 7	1	2	1	.5	.6			gypou (
near Wise River 88 French Creek near mouth,	4	5	8	12	9	4,	5	7	9	7
near Wise River 89 Deep Creek near Wise River	25	29	36	47 4	39 3	20 1	24 2	30 2	39 3	32 2
90 Bear Creek near Wise River 91 Bryant Creek at mouth, near Wise River	2	2 3	3 4	6	5	2	2	3	Ġ.	4
92 Big Hole River near Wise	130	190	290	420	310	130	140	190	300	240
River 93 Johnson Creek at mouth,	dan	2	3	4	3	1	1	2	3	2
near Wise River 94 Meadow Creek near Wise River 95 Jacobson Creek at mouth,	3 13	3 15	5 21	7 28	5 22	2 10	3 12	3 14	5 19	4 16
near Wise River 96 Mono Creek at mouth, near Wise River	2	2	3	4	3	gen	1	2	3	2
97 Wyman Creek at mouth, near	6	8	11	15	12	5	6	8	9 1	9
Wise River 98 Lacy Creek at mouth, near	4	5	8	10	8	3	4	5	7	6
Wise River 99 Gold Creek at mouth, near	2	3	4	5	4	2	2	3	4	3
Wise River 00 Pattengail Creek at mouth,	14	17	25	35	26	12	14	19	26	21
near Wise River O! Sheep Creek at mouth, near Wise River	3	3	5	7	5	2	3	3	5	4
02 Wise River near Wise River 03 Adson Creek at mouth, near	56 2	7 2 2	89 3	120 4	93 3	44	50 2	63 2	86 3	69 3
Wise River	8	10	13 5	17 7	14 6	6 3	8 3	10 4	12 5	10 4
105 Divide Creek at Divide 106 Canyon Creek near Divide	3 4	4 6	8	10	8	3	4	5	7	6
107 Monce Creek near Divide	5 5	6 6	7 8	9 10	7 8	4	5 5	6 6	7	6 6
108 Trapper Creek near Meirose	2	3 340	4 490	7 700	4 520	1 240	2 260	3 340	5 560	410
110 Big Hole River near Melrose 111 Willow Creek near Glen	240 10	14	17	21	17	8	10	12	15	12
112 Birch Creek near Glen 113 Hells Canyon Creek near	13 3	18 3	28 5	37 6	28 5	8 2	10 3	12	16 4	13
Twin Bridges 114 Jefferson River near	310	520	770	1100	840	580	710	1000	1300	1000
Twin Bridges 115 Whitetail Creek near	20	22	28	33	27	10	13	17	21	18
Whitehall 117 Boulder River above High Ore Creek, near Basin	9	12	20	35	24	# 0	Control of the Contro	20	33	24
118 Boulder River near Boulder 119 Little Boulder River near	12 4	15 5	25 8	45 12	31 10	12 5	1 7 6	26 9	42 16	30 11
Boulder 120 Boulder River above Cabin	16	20	30	50	36	17	22	32	47	36
Gulch, near Boulder 121 Boulder River near Cardwell 122 South Boulder River near Jefferson Island	20 25	25 28	38 32	61 37	45 32	21 15	27 17	39 23	58 29	44 23
193 Toffarson River at Sappington	250	410	690	1200	790	560	710 ⁻ 5	1100 8	1800 21	1200
124 South Willow Creek near Pony 125 North Willow Creek at Pony	5 3	7 4	8 6	14 10	10 7	3	3	6	13	20
125 North Willow Creek at 1607 126 Willow Creek near Harrison 127 Norwegian Creek near Harrison	3	4	8 7	18 9	90	4 5	5 5	13 7	10	7

Table 9,--Estimated monthly streamflow characteristics for August and September--Continued

Sice	3		***************************************	iugus t				<u>5</u> €	prembe	ξ.	····
No.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
129	Jefferson River near	450	540	850	1400	1000	790	890	1300	1800	1300
130	Three Forks Madison River near West Yellowstone	330	370	440	510	440	340	380	420	490	430
131	Duck Creek near West Yellowstone	23	27	33	41	35	22	24	29	35	30
132	Cougar Creek near West Yellowstone	12	15	21	29	22	9	4	14	18	15
133	Grayling Creek near West Yellowstone	26	33	46	69	50	19	23	30	40	33
134	Red Canyon Creek near West Yellowstone	, 9	dead	2	2	2	. 5	.6	. 1	3 1	1
135	South Fork Madison River	110	120	130	140	130	100	110	120	130	120
136	near West Yellowstone Watkins Creek near	3	4	5	7	5	2	2	3	4	3
137	West Yellowstone Trapper Creek near	2	3	4	5	4	2	2	3	3	3
138	West Yellowstone Madison River below Hebgen Lake, near Grayling	800	910	1100	1200	1100	690	890	1200	1400	1200
139	Cabin Creek near	12	16	21	32	23	8	11	13	18	15
140	West Yellowstone Beaver Creek near	30	36	51	70	54	25	28	35	44	37
141	West Yellowstone Elk River at mouth,	19	21	29	38	30	14	16	20	25	21
142	near Cameron Soap Creek at mouth,	1	2	2	3	2	· interest	1	1	2	2
143	near Cameron Antelope Creek at mouth, near Cameron ²	15	16	19	22	19	14	15	16	19	17
	West Fork Madison River near Gameron	44	55	67	84	69	43	46	57	64	56
146	Squaw Creek near Cameron Standard Creek near Cameron	8 7	9 9	12 12	16 17	13 13	7 6	7 6	9 8	11 10	9
	Ruby Creek near Cameron Indian Creek near Cameron	4 29	5 36	6 50	8 70	6 53	3 24	4 27	4 34	6 43	5 36
	Madison River near Cameron Blaine Spring Creek near Cameron	1000 25	1200 26	1300 29	1500 35	1300 30	1000 23	1200 25	1400 26	1600 28	1400 26
152	O'Dell Creek near Ennis Jack Creek near Ennis Moore Creek at Ennis	110 23	110 26	120 33 2	120 41 2	120 34 2	110 21 .8	110 22 1	110 27 1	120 32 2	110 27 1
154	North Fork Meadow Creek at Forest Service boundary,	10	13	31	43	29	8	10	15	21	16
55	near Ennis North Fork Meadow Creek	б	8	15	20	14	4	б	8	11	9
56	at Highway 287, near Ennis Madison River below Ennis	1200	1400	1600	1800	1600	1200	1300	1700	2000	1700
	Lake, near McAllister Hot Springs Creek near Norris Cherry Creek near Norris	6 20	8 23	13 35	15 48	12 36	6 19	7 22	8 28	11 36	9 29
59 1	Madison River near	1000	1200	1500	1700	1500	1200	1300	1600	1800	1600
60	Three Forks Cache Creek at mouth, near	4	4	6	8	6	3	3	4	5	5
	West Yellowstone Taylor Creek near Grayling Porcupine Creek near	42 8	49 9	65 13	89 18	68 14	30 6	32 7	40 9	49 11	42 9
63 (Gallatin Gateway Gallatin River above West Fork, near Big Sky	250	270	320	390	330	210	220	280	320	280
64 5	South Fork West Fork Gallatin	17	21	28	40	31	14	16	22	30	24
65 N	River near Gallatin Gateway Middle Fork West Fork Gallatin	7	9	12	17	13	б	7	9	12	10
66 I	River near Gallatin Gateway	32	39	52	72	56	27	31	42	55	44
67 5	near Gallatin Gateway Gquaw Creek near	15	18	23	28	24	15	16	19	23	20
40 :	Gallatin Gateway Hellroaring Creek near	21	24	32	41	33	19	21	26	33	27

Table 9.--Estimated monthly streamflow characteristics for August and September--Continued

			Aug	eus t				<u>Se</u>	ptember		
te	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q,20	MQ
		2 6	19	25	34	27	400	15	20	26	21
9 Sou	ith Fork Spanish Creek near Gallatin Gateway	16			67	52	26	30	40	51	41
n Sna	mish Creek near	30	36	49			200	420	520	610	520
£	Gallatin Gateway Llatin River near	460	510	600	730	620	390		-		7
€	callarin Gateway	6	8	9	13	10	5	6	7	8	
	Bear Creek near Gallatin Gateway	19	21	25	31	26	17	18	21	25	21
12 501	Jarratin Gateway Jith Cottonwood Creek near Gallatin Gateway	17	A. 1				e 3	64	86	110	83
	ker Creek near Manhattan³	36	43	55	78 21	60 16	53 9	10	13	18	15
		7	10 2	14 3	5	4	10	2 12	3 17	4 19	1
76 Be	ar Canyon Greek near Bozeman	12	14	20	25 60	20 49	10 35	42	52	60	5
78 Ea	st Gallatin River at Bozeman	27	29	45	-		5	7	9	12	g.
~ E O.F	idger Creek near Bozeman	7	8	12 44	18 66	14 51	32	35	5Ó	71	5
30 Ea	st Gallatin River Heer	25	27		-	_	5	6	8	10	
21 F.a	Belgrade st Fork Hyalite Creek	6	б	10	12	9	_		15	17	1
	near Bozeman st Fork Hyalite Creek	q q	13	17	23	18	10	12	13		
	near Bozeman	35	45	84	100	78	29	34	46	60	5
83 Hy	valite Creek at Hyalite Ranger Station, near Bozeman	22									
		9	11	21	27	20	7	8	dense dense	16	9
	valite Creek above Interstate 90, near Bozeman	_		32	35	32	27	29	32	35	3
85 Th	wasson Creek near beignade	28 29	30 30	32	34	32	29 5	29 6	31 7	33 11	3
86 Be	en Hart Creek near beigrade	5	6	8	11 280	9 230	160	170	20Ó	240	20
88 E	est Gallatin River near Manhattan	160	180	220	200		,	560	740	920	74
90 C	allatin River near Logan	330	390	480 .8	670 5	530 3	470 0	1	3	4	
90 S	ixteenmile Creek near	0	0			20	15	16	24	40	2
01 C	Ringling ixteenmile Creek near Maudlow	12	14 21	30 36	48 57	32 39	18	21	29	46 4600	35(
000 0	ixteenmile Creek near Toston issouri River near Toston	17 1400	1800	2400	3300	2600	2400	2600	3400	4000	
		4.3	15	23	32	24	12	14	17	23 6	1
194 C	row Creek near Radersburg ry Creek near Toston	13 3	3	5	7	5 15	2 8	3	11	14	•
195 D 196 D	een (reek below Morth form)	8	10	14	18				5	7	
	near Townsend uck Creek near Townsend	4	5	7	8 13	7 10	3 5	4 6	8	1Ó	
197 D 198 C	onfederate Gulch near Winston	6	7	10	13		_	2	ls	6	
* 0 0 0	eaver Creek near Winston	2	4	6	8 3	6 2	2	8 1	1	2	
		1 3	1 4	2 5	7	5	3	3	4 7	5 8	
004 0	Spokane Creek near base herens	6	6	8	9	8	6	0			
	near East Melena	11	11	15	17	15	12	12	14	15	
203 7	frout Creek at mouth, near East Helena	• •									
		, 13	15	29	44		16 21	17 22			
204 J 205 J	Prickly Pear Creek near Clancy Prickly Pear Creek at mouth,	19	22	32	40						
	near East Helena Tenmile Creek near Rimini				3	2 5		.3 .8 1	.5 1	. 7	
007 0	n ? rook neat delete	1	3 .6 1	5 2 2	8 3	_	1	* * '	-		
208	Sevenmile Creek near mouth, near Helena	3	,	•							
		3	Ĺs.	6	12	7	2	3	} 5	9	
	Tenmile Creek at mouth, near East Helena	_			14	group party	8	8	3 10) 13	į
210	Silver Creek at Interstate 19	, 7	7	11			~		5 6	12	<u> </u>
	near Helena Resver Creek at mouth,	4	4	7	day.	8	4				
	Fast Helena	2	3	5	7	5	2		3 4	. 5	i
	Elkhorn Creek near mouth,		-	4	6	. 4	2		2 3	} 4	÷
213	Willow Creek below Elkhorn Creek, near Wolf Creek	3	3	4	O	, 7	_				

Đ.

Table 9.--Estimated monthly streamflow characteristics for August and September -- Continued

			A	ugust				50	eptembe:	<u> </u>	
Site No.	Stream name	Q.90	Q.80	Q.50	Q,20	QM	Q.90	Q.80	Q.50	Q.20	QM
214 Cotto	nwood Creek above Beartoot ich, near Wolf Creek	h 1	1	2	2	2	.6		3 1	2	Penner
217 Virgi	nia Creek at mouth, r Canyon Creek	3	3	4	7	5	4	5	7	g bear	8
218 Canyo	n Creek below Cottonwood ek, near Canyon Creek	3	4	5	8	6	5	6	10	15	10
219 Littl	e Prickly Pear Creek r Canvon Creek	2	3	5	13	8	13	15	21	27	21
220 Lyons	Creek near Wolf Creek	3	4	7	9	7	3	4	6	7	6
Wo l	Creek at mouth, at f Creek	3	3	5	8	6	2	3	4	6	5
222 Littl	e Prickly Pear Creek or Wolf Creek	20	27	54	97	76	30	36 0	59 0	84	63 0
222 Weens	r Creek near Craigh Cney Creek near Craig ⁵	0	Q D	0	0	0	0	0	0	Ō	0
226 Middl	le Fork Dearborn River at thway 200, near Wolf Creek	8	10	14	20	15	6	8	40.00	15	12
227 South	Fork Dearborn River at hway 434, near Wolf Creek	7	9	13	18	14	5	7	9	14	A de
228 Dearb	orn River near Craig Creek above Slew Creek,	1 7 5	33 7	68 13	100 21	70 14	20 4	32 6	52 9	75 14	56 10
nea	ar Craig Creek at mouth, near	17	24	36	56	38	14	19	26	36	28
232 North	cade a Fork Smith River at hway 89, near White Lphur Springs	6	8	12	21	13	4	6	9	(C)	9
mot	n Fork Smith River at athit, near White Sulphur	5	7	12	16	*****	8	9	geres green	14	12
234 Smith	rings n River below forks, near	15	19	27	39	29	Agent	15	22	29	22
235 Big B	te Sulphur Springs Sirch Creek at mouth, near	5	8	22	40	20	16	18	25	32	25
236 Newla	te Sulphur Springs an Creek below Charcoal ich, near White Sulphur	3	3	8	13	8	3	3	6	9	6
237 Camas	rings o Creek near mouth, near tte Sulphur Springs	4	5	8	V	8	3	4	Ó	9	7
239 Sheep	n River near Fort Logan o Creek near White lphur Springs	41 14	55 18	100 23	130 30	95 23	90 12	98 14	110 18	120 22	110 18
240 Sheer	Creek near mouth, near te Sulphur Springs	21	29	41	62	44	17	23	30	42	33
241 Eagle	e Creek near mouth, near ite Sulphur Springs	3	4	6	8	6	2	3	4	6	5
242 Rock	Creek below Buffalo Canyor ar White Sulphur Springs	1, 9	12	16	22	17	8	10	12	16	13
Fo	erfoot Creek below South rk, near White Sulphur rings	18	24	33	47	35	15	19	25	34	27
244 Smit 245 Hound	h River near Eden d Creek near mouth, ar Cascade	58 16	83 22	140 36	230 49	160 37	62 15	85 17	120 25	190 33	150 26
246 Miss 247 North	ouri River near Ulm h Fork Sun River near gueta	2300 100	2700 130	4100 160	5900 210	4300 160	2500 90	3100 95	4200 110	5300 140	4300 120
249 Sun	River near Augusta River below diversion dam,	760 64	840 73	1100 86	1300 140	1100 110	240 54	260 64	370 100	540 130	390 110
250 W111	ar Augusta ow Creek near Anderson	2	3	4	5	4	2	2	3	4	3
251 Nort	ke, near Augusta h Fork Willow Creek below	2	2	3	4	3	2	3	3	3	3
	trock Creek, near Augusta h Creek near Augusta	6	8	12	17	13	4	6	9	16	green
256 E1k 257 Sun	Creek near Augusta Creek near Augusta River at Simms	12 20 55	15 26 87	19 37 150	27 49 240	20 38 170	12 20 49	14 23 68 3800	17 30 120 4900	21 38 180 6300	18 31 130 5100
260 Miss Gr	ouri River near eat Falls Fork at mouth, at Monarch	3200	3800 11	5100 16	7200 23	5400 17	3300 7	3800 9	12	19	3100

Table 9. -- Estimated monthly streamflow characteristics for August and September -- Continued

			A:	ugust				Sep	otember		
ite >.	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	Qř
. n n i 1	linghast Creek above	7	9	12	16	13	6	8	10	14	9 1
Ť.	oice Creek, near Monarch	6	7	4	16	12	5	7	9	13	area.
29	grim Creek at mouth, ear Monarch	7	8	11	14	quantum promotion of the contract of the contr	6	7	9	12	*
C	ging Creek at Logging Creek ampground, near Monarch				120	87	36	47	63	100	7
5 Bel 6 Big	t Creek near Monarch Otter Creek above Never weat Creek, near Raynesford	36 2	56 4	79 6	8	7) prince	Ž	5	6	
7 Bel	t Creek near Portage hwood Creek below Smith	16 7	27 9	54 11	91 15	59 12	14 6	18	35 9	60 12	4
- 0	reek, near Highwood souri River at	3200	3800	5200	6900	5400	3300	3700	4900	6300	520
F	ort Benton nkin Creek below Bishop	6	7	9	11	10	4	5	7	9	
C T Sou	reek, near Highwood the Fork Two Medicine River tear East Glacier	17	22	34	52	36	13	17	28	36	2
		19	21	28	36	28	14	15	18	23	2
977	th Fork Badger Creek ear Browning	17	19	26	33	26	13	14	17	22	1
375	th Fork Badger Creek lear Browning		21	98	160	100	53	59	91	170	11
7	ch Creek at Swift Dam, lear Valier	9		6	8	6	3	3	4	6	
9 Sou	ith Fork Dupuyer Creek Bear Dupuyer	4	4			8	3	4	5	7	
0 Nox	th Fork Dupuyer Creek sear Dupuyer	5	5	8	10			8	12	16	
ll Dug	ouyer Creek below Scoffin	б	7	8	12	10	7			50	3
32 Bin 33 Cut 34 Cut	reek, near Dupuyer coh Creek near Valier Bank Creek near Browning Bank Creek at Cut Bank rias River at Sullivan	12 38 29 150	14 49 35 190	20 63 66 310	33 90 110 480	23 69 77 350	13 24 26 130	16 36 40 190	28 44 51 280	60 100 480	32
36 Mar	Bridge, near Gut Bank rias River near Shelby rias River at "F" Bridge, above Tiber Reservoir,	150 180	190 220	320 370	510 590	360 420	130 150	190 220	290 330	500 590	34 4(
1 188 Mai 100 Tol	near Shelby rias River near Loma ton River near Strabane	350 17 9	540 22 9	980 30 11	1600 43 12	1100 33 11	330 19 9	420 20 10	720 24 10	1100 29 12	88
	Donald Creek near Strabane		Í	10	13	10	4	5	6	9	
	rth Fork Deep Creek near Choteau	6	7			9	4	5	6	8	
93 So	uth Fork Deep Creek near Choteau ep Creek near Choteau	6 5	6 6	9	12	12	6	7 39	9 59	14 90	
05 Ta	ton River near Dutton ssouri River at Virgelle	16 3500	45 4300	67 5800	120 8100	80 6200	26 3900	4300	5400	7100	59
QR VA	st Creek at mouth, near Utic go Creek at mouth, near Utic ddle Fork Judith River	a 7 a 1 4	9 2 5	13 2 14	18 3 31	14 2 18	6.5 2	3	7 2 11	13 3 19	
01 So	near Utica uth Fork Judith River at Indian Hill Campground,	3	4	4	5	4	2	2	3	4	
N3 Ju	near Utica dith River above Courtneys Creek, at Utica	12	16	23	34	25	9	12	16.	24	
	st Fork Big Spring Creek	6	8	13	18	13	6	6	9	12	
	ar mouth, near Lewislows	120	130	160	170	160	120	120	140	150	1
	g Spring Creek above Cottonwood Creek, near Hanov		5	7	d de	8	3	4	5	9	
	ttonwood Creek at Highway 200, near Lewistown		5	8	13	10	2	3	6	8	
10 Be	aver Creek at county road, near Lewistown g Spring Creek at mouth,	120	140	180	210	180	110	120	150 *	170	que.

Table 9 .-- Estimated monthly streamflow characteristics for August and September -- Continued

			A	ugust				Se	ptember		
Site	Stream name	Q.90	Q.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	QM
312	Warm Springs Creek above	100	100	110	110	110	100	110	110	110	110
313 315	Meadow Creek, near Hilger Judith River near Winifred Cow Creek below forks,	240 3	250 4	480 6	670 9	470 7	240 3	240 3	470 4	640 6	440 5
316	near Cleveland Missouri River near Landusky North Fork Musselshell River near Delpine	3900 3	4700 4	6600 9	8700 13	6800 9	4300 4	4600 4	5900 8	7700 11	6400 8
318	Checkerboard Creek near	2	2	3	4	3	1	2	2	3	2
319	Checkerboard Spring Creek below Whitetail Creek, near Checkerboard	5	6	10	14	10	4	5	7	9	7
320	North Fork Musselshell River	6	8	13	18	13	5	7	10	14	11
321	near mouth, near Martinsdale Alabaugh Creek at mouth,	3	4	6	9	6	2	3	4	6	5
322	near Lennep Cottonwood Creek below Loco Creek, near Martinsdale	.15	20	27	39	29	12	15	20	28	22
323	South Fork Musselshell River	6	12	21	44	27	5	10	21	36	25
324	above Martinsdale Big Elk Creek at mouth,	,9	1	3	7	4	.5	diame.	5	10	6
326	at Twodot Husselshell River at Harlowton American Fork near Harlowton Careless Creek below Little Careless Creek, near Hedgesville	22 0 1	36 0 1	84 .5 2	130 2 2	83 1 2	13 0 .7	300	65 .7	100 2 2	70 .9 1
331	Swimming Woman Creek below	1	1	2	2	2	.7	1	1	2	2
333 335	Dry Coulee, near Franklin Musselshell River near Roundup Flatwillow Creek below the	32 4	70 5	180 8	270 16	170 10	40 3	48 4	110 6	190 10	120 7
338 339	forks, near Grass Range Musselshell River near Mosby Big Dry Creek above Little Dry Creek, near Van Norman	5 0	20 0	87 2	220 6	120 7	9 0	20 0	73 .5	180	130 9
340 341	Little Dry Creek near Van Norma Big Dry Creek near Van Norman	en .1	.3	2 4	8 14	9 16	0	o de	1 2	5 9	10

lIncludes estimated spring flow of about 40 cubic feet per second, based on information provided by Montana Department of Fish, Wildlife and Parks.

Includes estimated spring flow of about 10 cubic feet per second, based on information provided by Montana Department of Fish, Wildlife and Parks.

Estimated long-term monthly streamflow characteristics may not reflect the current flow regime because of upstream streamflow regulation.

Stream is known to be dry except for periods of runoff. Calculated flows were adjusted by subtracting 7 cubic feet per second.

Stream is known to be dry except for periods of runoff. Calculated flows were adjusted by subtracting 8 cubic feet per second. subtracting 8 cubic feet per second.

Table 10.--Estimated mean annual streamflow [ft³s, cubic feet per second; --, not applicable]

ite	Stream name	Stream- flow- gaging station No.	Mean annual stream- flow (ft ³ /s
		and the	22
di di	Hellroaring Creek near Lakeview	www. 4996	2
2	Corral Creek near Lakeview Antelope Creek near Lakeview	000 P00	31
3	pad Rock Creek near Lakeview		3
5	Tom Creek near Lakeview		
	naar lakeview	groy Ame	1.0
6	Narrows Creek at mouth, near Lakeview Odell Creek near Lakeview	regre 10th	18 2
7 8	n 1 nm Inkompow	06011000	130
9 10	Jones Greek hear Lakeview Red Rock River near Kennedy Ranch, near Lakeview Peet Creek at county road, near Lakeview		2
		our test	9
11	Long Creek near Lakeview East Fork Clover Creek at mouth, near Monida	04012500	3 150
12 13	a single proper horow it has accepted to the comment	06012500	1.50
14			44000
15	Indian Creek above Simpson Creek, near Lima		^
6.7	Simpson Creek above Indian Creek, near Lima	440 400	2 8
16 17		06013500	60
18	Big Shaen Creek below Muddy Creek, Hear Dela	06014500	240
19	bad pack River at Ked Kock	~ ~	5
20	Black Canyon Creek near Grant		1
21	Shennon Creek near mouth, near Grant	anger delet	4
22	ri Dan Crook Best Wishl	ega alife	49
23	Tranner Creek at mouth, Heat Grane	400 MM	9
24	Bear Creek near Grant Bloody Dick Creek near Grant	amid: 400°	44
25		06015000	84
26	Horse Prairie Creek near Grant	00013000	1
27	Horse Frairle Gleek neur Rape Greek above reservoir, near Grant Painter Creek near Grant	and cor	8 5
28 29	Browne Canvon Creek near Grant	gen der oo Ne	21
30	Medicine Lodge Creek near Grant		
	Pole Creek near mouth, near Polaris	with male	3
32 33		was with	2
34		104 407	1
35	Hant Pork Duce Creek at Mouth, Heat ividia	06015500	52
36	Grasshopper Creek near Dillon		450
23	Beaverhead River at Barretts	06016000	35
37 38			1.3
39	till vol Risckrail Greek near Villus	06017500	55
40	Blacktail Deer Creek near Dillon Beaverhead River near Dillon	06018000	370
41		06018500	440
42	Beaverhead River near Twin Bridges	**	2
43	Corral Creek at mouth, near Alder	quant store	24
44 45	- t n:	paga maga: Notar carry	26 1(
45 46	East Fork Ruby River at mouth, near Alder		
			1 2
47	West Fork Ruby River at mouth, near Alder Cottonwood Creek at mouth, near Alder	~~	1 / 6 /
48 49	a · /work of mouth heat aluck	~ ~	6
50		06019500	180
51	Ruby River above reservoir, Hear Aider		^ -
E 0	Mill Creek at Forest Service boundary, near Sheridan	200 - 100 ere 100	3° 24
52 53	Mill Creek at Forest Service boundary, near Wisconsin Creek at Forest Service boundary, near	m =N	
۵- ص	Charidan	06023000	210
54	Ruby River near Twin Bridges Big Hole River near Jackson	06023500	4
55	Big Hole River heat Jackson Andrus Creek near mouth, near Jackson	***	de .

and the same of th

Table 10.--Estimated mean annual streamflow--Continued

Site No.	Stream name	Stream- flow- gaging station No.	Mean annual stream- flow (ft ³ /s)
57	Fox Creek at mouth, near Jackson	-u -o	8 49
58	Covernor Creek near Jackson	94 PD	32
59 60	Warm Springs Creek at Jackson Miner Creek near Jackson	06024000	33
61	Big Lake Creek near mouth, near Wisdom	AND MEE	14
62	Steel Creek above Francis Creek, near Wisdom	Non wan	8
63	Francis Creek at mouth, near Wisdom	400 -000 TTI 600	12 21
64	Steel Creek near mouth, near Wisdom Swamp Creek near mouth, near Wisdom		35
65 66	Joseph Creek at mouth, near Wisdom	NO	12
, m	Trail Creek near Wisdom	06024500	78
67 68	Dally Creek at mouth near Wisdom	con- vio	24
69	Tie Creek at Forest Service boundary, near wisdom	way week	25 20
70	Johnson Creek near Wisdom Mussigbrod Creek near Wisdom	oligi verme dinne Jidde	20 29
71	• •		150
72	North Fork Big Hole River near mouth, near Wisdom	**************************************	150 540
73	Big Hole River below North Fork, near Wisdom Pintlar Creek near Forest Service boundary,		55
74	near Wisdom		600
75	Big Hole River below Mudd Creek, near Wisdom	gym -ddw 400 -daw	590 44
76	Fishtrap Creek at mouth, near Wise River		***
77	Lamarche Creek near Wise River	-00 tot	50 28
78	Seymour Creek near Wise River Tenmile Creek at mouth, near Wise River	W MD	10
79 80	Savannile Creek at mouth, near Wise Kiver	Disk with	2
81	Corral Creek at mouth, near Wise River	eque dues	2
82	Twelvemile Creek at mouth, near Wise River	and and	7
83	Sullivan Creek at mouth, near Wise Kiver	= =	8
84	Oregon Creek near mouth, near Wise River	×-	7
85	California Creek above American Creek, near Wise River		_
86	American Creek at mouth, near Wise River	one ven	2
87	Sixmile Creek at mouth, near Wise River	well talk	
88	French Creek near mouth, near Wise River	900 PM	14
89	Neen Creek near Wise River	nine who	70 4
90	Bear Creek near Wise River Bryant Creek at mouth, near Wise River	949 NO	7
91		0.000.000	220
92	Big Hole River near Wise River	06024580	820 4
93	Johnson Creek at mouth, near Wise River Meadow Creek near Wise River	40-40-	8
94 95	Jacobson Creek at mouth, near Wise Kiver	40 M2	42
96	Mono Creek at mouth, near Wise River	**	4
97	Wyman Creek at mouth, near Wise River		20
98	lacy Creek at mouth, near Wise Kiver	~~ ~7	13
99	Gold Creek at mouth, near Wise River		48
100 101	Pattengail Creek at mouth, near Wise River Sheep Creek at mouth, near Wise River		8
, , ,		06024590	180
102	Wise River near Wise River Adson Creek at mouth, near Wise River	00024570	5
103 104	Jerry Creek near Wise River	ess xx	22
105	Divide Creek at Divide		13 20
106	Canyon Creek near Divide		
107	Moose Creek near Divide	1904 and	12 14
108	Trapper Creek near Melrose	00° 00°	10
300	Camp Creek at Melrose	06006600	1,200
109 110	Big Hole River near Melrose	06025500 06025800	1,200

Table 10. -- Estimated mean annual streamflow -- Continued

Site	Stream name	Stream- flow- gaging station No.	Mean annual stream- flow (ft ³ /s)
No,	DECESS.	06026000	28
7 7 7	Birch Creek near Glen Hells Canyon Creek near Twin Bridges Jefferson River near Twin Bridges	06026500 06029000	7 1,900 12
115	Whitetail Creek near Whiteball Boulder River above High Ore Creek, near Basin	dot over	100
118	n lan niver pear Rouider	06033000	130
119 120	Little Boulder River near Boulder Roulder River above Cabin Gulch, near Boulder		110 140
121 122	Boulder River near Cardwell South Boulder River near Jefferson Island	06034000	34 2,200
123	Jefferson River at Sappington South Willow Creek near Pony	06034500 	2,200 35 19
124 125	Mark UI low Creek at rolly	06035000	40
126 127	Willow Creek near Harrison Norwegian Creek near Harrison	06035500	7
129	Jefferson River near Three Forks	06036650 06037500	2,300 510 49
130 131	Madison Kiver near west to	nee ees	* 7 51
132	Cougar Creek near West Yellowstone Grayling Creek near West Yellowstone	aug 400	96
134	t west Vellowstone	ALC -PM AND -VM	6 140
135	South Fork Madison River Hear West Yellowstone	web 100	11
136 137 138	Watkins Creek hear West Yellowstone Trapper Creek near West Yellowstone Madison River below Hebgen Lake, near Grayling	06038500	1,000
-		666 10P	58 79
139 140	n C near West Istiowards	em =00	60 3
141	Elk River at mouth, near Cameron Soap Creek at mouth, near Cameron Antelope Creek at mouth, near Cameron	many with	25
143		06039200	95
144	West Fork Madison River near Cameron Squaw Creek near Cameron	mi	19 17
145 146	Crandard Creek near Cameron	as vie	9
147	Ruby Creek near Cameron Indian Creek near Cameron	NGA MITA	87
148	v vice Divor near Cameron	06040000 06040010	1,400 28
149 150	plaina Carino Creek Dear Cameron	NOM NOW.	12(
151	O'Dell Creek near Ennis Jack Creek near Ennis Moore Creek at Ennis	06040300 	-
153 154	North Fork Meadow Creek at Forest Service boundary,	ager rilli	30
155	near Ennis North Fork Meadow Creek at Highway 287, near Ennis Madison River below Ennis Lake, near McAllister	06041000	1,80 1,80
156 157	Madison River below Bhars Band, Hot Springs Creek near Norris Cherry Creek near Norris	NO AME	5
158		06042500	1,80
159 160	Madison River near Three Forks Cache Creek at mouth, near West Yellowstone	06043000	1 9
161	Taylor Creek near Glaying Gareway		2 45
162 163	Gallatin Kiver above west fork, hour and	₩ \$5	4.) 6
164	South Fork West Fork Gallatin River near Gallatin Gateway	*** **	2
165	Middle Fork West Fork Gallatin River hear		11
166	Gallatin Gateway West Fork Gallatin River near Gallatin Gateway	min die egy min	3
167 168	Squaw Creek near Gallatin Gateway	we dir	2

Site	Stream name	Stream- flow- gaging station No.	Mean annual stream- flow (ft ³ /s)
169 170 171 172 173	South Fork Spanish Creek near Gallatin Gateway Spanish Creek near Gallatin Gateway Gallatin River near Gallatin Gateway Big Bear Creek near Gallatin Gateway South Cottonwood Creek near Gallatin Gateway	06043500 06044500	46 82 840 14 33
174 175 176 177 178	Baker Creek near Manhattan Rocky Creek near Bozeman Bear Canyon Creek near Bozeman Sourdough Creek near Bozeman East Gallatin River at Bozeman	06046500 06047000 06047500 06048000	140 32 8 25 92
179 180 181 182 183	Bridger Creek near Bozeman East Gallatin River near Belgrade East Fork Hyalite Creek near Bozeman West Fork Hyalite Creek near Bozeman Hyalite Creek at Hyalite Ranger Station, near Bozeman	06048500 06049000 06050000	37 120 14 26 66
184 185 186 187 188	Hyalite Creek above Interstate 90, near Bozeman Thompson Creek near Belgrade Ben Hart Creek near Belgrade Reese Creek near Belgrade East Gallatin River near Manhattan	06051000	27 32 31 15 320
189 190 191 192 193	Gallatin River near Logan Sixteenmile Creek near Ringling Sixteenmile Creek near Maudlow Sixteenmile Creek near Toston Missouri River near Toston	06052500 06053000 06054500	1,100 16 53 83 5,200
194 195 196 197	Crow Creek near Radersburg Dry Creek near Toston Deep Creek below North Fork, near Townsend Duck Creek near Townsend Confederate Gulch near Winston	06055500	41 9 27 10 16
199 200 201 202 203	Beaver Creek near Winston Avalanche Gulch near Winston Spokane Creek near East Helena McGuire Creek at county road, near East Helena Trout Creek at mouth, near East Helena	10 40 10 40 10 40 10 70	16 7 9 8 20
204 205 206 207 208	Prickly Pear Creek near Clancy Prickly Pear Creek at mouth, near East Helena Tenmile Creek near Rimini Tenmile Creek near Helena Sevenmile Creek near mouth, near Helena	06061500 06062500 06063000	46 54 16 24 6
209 210 211 212 213	Tenmile Creek at mouth, near East Helena Silver Creek at Interstate 15, near Helena Beaver Creek at mouth, near East Helena Elkhorn Creek near mouth, near Wolf Creek Willow Creek below Elkhorn Creek, near Wolf Creek	00	16 13 12 8 10
214 217 218 219 220	Cottonwood Creek above Beartooth Ranch, near Wolf Creek Virginia Creek at mouth, near Canyon Creek Canyon Creek below Cottonwood Creek, near Canyon Creek Little Prickly Pear Creek near Canyon Creek Lyons Creek near Wolf Creek	06071000	4 21 41 49 13
221 222 223 224 226	Wolf Creek at mouth, at Wolf Creek Little Prickly Pear Creek near Wolf Creek Wegner Creek near Craig Stickney Creek near Craig Middle Fork Dearborn River at Highway 200, near Wolf Creek	06071300	12 120 7 5 33

Table 10. -- Estimated mean annual streamflow -- Continued

Site		Stream- flow- paging station No.	Mean annual stream flow (ft ³ /s
No.	Stream name	180 .	/72 /0
227	South Fork Dearborn River at Highway 434, near	ec. 70	32
	Wolf Creek Dearborn River near Craig	06073500	200
228 229	Fire Cook above Slew Creek, Rear Clark	ene min	34 58
230 232	Sheep Creek at mouth, near Cascade North Fork Smith River at Highway 89, near White Sulphur Springs	and the	58
233	South Fork Smith River at mouth, near White Sulphur	±7 ₩	26
0.0.7	Springs Smith River below forks, near White Sulphur Springs	inger with	58 67
234 235 236	Big Birch Creek at mouth, hear white Surphic Spread Newlan Creek below Charcoal Gulch, near White	<0 0.0∼	12
237	Sulphur Springs Camas Creek near mouth, near White Sulphur Springs		17
0.20	Smith River near Fort Logan	06076690 06077000	170 31
238 239		06077000	90
240	Sheep Creek near mouth, near White Sulphur Springs	ou me	13
241 242	Rock Creek River below Buffalo Canyon, near White Sulphur Springs	ductor stages	27
243	Tenderfoot Creek below South Fork, near White	109 4E	60
244	Sulphur Springs	06077500	340 73
244 245	Hound Creek near mouth, near Cascade	06078200	6,400
246 247	Missouri River near Ulm North Fork Sun River near Augusta	06078500	350
0/0	Sun River near Augusta	06080000	890 360
248 249	- a	06080900	8
250	Willow Creek near Anderson Lake, near Augusta North Fork Willow Creek below Cutrock Creek,	- 40	5
251 254	near Augusta Smith Creek near Augusta	06082500	27
		06083500	25
255 256	Ford Creek near Aususta Elk Creek near Augusta	06084500 06085800	81 450
257	Can Divor at Simms	06090300	7,500
260 261	Missouri River near Great Falls Dry Fork at mouth, at Monarch		33
262	Tillinghast Creek above Joice Creek, near Monarch	700 min	18 25
263		***	15
264 265 266	Pilgrim Creek at mouth, hear hondred Logging Creek at Logging Creek Campground, near Monarch Belt Creek near Monarch Big Otter Creek above Never Sweat Creek, near	06090500	170
	Raynesford	06090610	21(
267	Belt Creek near Portage Highwood Creek below Smith Creek, near Highwood	VD 40°	22
268 269	which is bigger of BOTE BERLOR	06090800	7,700 18
270 271	Shonkin Creek below Bishop Creek, near Highwood South Fork Two Medicine River near East Glacier	orp. The	7
273	South Fork Badger Creek near Browning	entil 1000	5. 5.
274	North Fork Badger Creek near Browning Birch Creek at Swift Dam, near Valier	06094500	12(
278 279 280	South Fork Dupuyer Creek near Dupuyer North Fork Dupuyer Creek near Dupuyer	000- MAN	1
281	Dupuver Creek below Scoffin Creek, near Dupuyer	06098100	3- 6-
282	u: ach Crook near Valler	06098100	140
283	Cut Bank Creek near Browning Cut Bank Creek at Cut Bank	06099000	186 836
284 285	Marias River at Sullivan Bridge, near Cut Bank	ere told	0.31

Table 10.--Estimated mean annual streamflow--Continued

Site No.	Stream name	Stream- flow- gaging station No.	Mean annual stream- flow (ft ³ /s)
286 287	Marias River near Shelby Marias River at "F" Bridge, above Tiber Reservoir,	06099500	910
288 290 291	near Shelby Marias River near Loma Teton River near Strabane McDonald Creek near Strabane	06102050 	880 36 12
292 293 294 295 296	North Fork Deep Creek near Choteau South Fork Deep Creek near Choteau Deep Creek near Choteau Teton River near Dutton Missouri River at Virgelle	06108000 06109500	18 17 16 150 8,700
297 298 299 301	Lost Creek at mouth, near Utica Yogo Creek at mouth, near Utica Middle Fork Judith River near Utica South Fork Judith River at Indian Hill Campground, near Utica	06109780	24 8 42 10
303 306 307 309 310 311	Judith River above Courtneys Creek, at Utica East Fork Big Spring Creek at mouth, near Lewistown Big Spring Creek above Cottonwood Creek, near Hanover Cottonwood Creek at Highway 200, near Lewistown Beaver Creek at county road, near Lewistown Big Spring Creek at mouth, near Lewistown		26 170 19 22 230
312 313 315 316 317	Warm Springs Creek above Meadow Creek, near Hilger Judith River near Winifred Cow Creek below forks, near Cleveland Missouri River near Landusky North Fork Musselshell River near Delpine	06113500 06115200 06115500	110 480 9 9,700 12
318 319 320	Checkerboard Creek near Checkerboard Spring Creek below Whitetail Creek, near Checkerboard North Fork Musselshell River near mouth, near	60 Gr 60 Gr 60 Gr	6 19 23
321 322	Martinsdale Alabaugh Creek at mouth, near Lennep Cottonwood Creek below Loco Creek, near Martinsdale	equi com est- soc	12 53
323 324 325 326 330	South Fork Musselshell River above Martinsdale Big Elk Creek at mouth, at Twodot Musselshell River at Harlowton American Fork near Harlowton Careless Creek below Little Careless Creek, near Hedgesville	06118500 06120000 06120500 06121000	88 15 160 7 5
331 333 335 338 339	Swimming Woman Creek below Dry Coulee, near Franklin Musselshell River near Roundup Flatwillow Creek below the forks, near Grass Range Musselshell River near Mosby Big Dry Creek above Little Dry Creek, near Van Norman	06126500 06130500	210 41 310 33
340 341	Little Dry Creek near Van Norman Big Dry Creek near Van Norman	06131000	23 56

Table 11.--Results of basin-characteristics regression analysis

 $[R^2$, coefficient of determination; Q.XX, monthly mean streamflow for specified month exceeded XX percent of the years, in cubic feet per second; QM, mean monthly streamflow for specified month, in cubic feet per second; A, drainage area, in square miles; P, mean annual precipitation, in inches]

Month	Stream- flow charac- teristic	and the second s		Equation		_R 2	Standard error (loga- rithm, base 10)	Stand- ard error (percent)
and the state of the	and the second s		opa je sligim nim da lomistjem u mesti od 1000 pra e umitana 1000-ne qaryi ministi 100 ayti.	enenegiperenden egipteren disentation militario committe				0 £
October	Q.90	222	0.00132	A1.030	P1.38	0.67	0.32	85 72
00 5000 x	Q.80	200	0.00155	A0.996	pl.44	.71	.28	59
	Q.50	522	0.00219	A0.965	P1.47	.76	.24	33 47
	Q.20	1000E	0.00234	A0.924	P1.60	.82	.20	
	QM	-0070 	0,00234	A0.935	P1.51	.80	.21	50
	- 00		0.00095	A1.050	p1.43	.68	.32	83
November	Q.90	AMARIA AMARIA	0.00095	A1.010	pl.43	.73	.27	70
	Q.80	Lizano. Amelija		A0.994	pl.53	.77	.24	59
	Q.50	- Company	0.00141	A0.967	p1.67	.8	*21	52
	Q.20	200	0.00129	A0.972	pl.56	.79	.22	55
	QM	,	0.00145		\$			
	^ ^ ^	WORKS.	0.00047	A0.987	p1.69	.65	.32	86
December		2000	0.00059	Δ0.987	p1.66	.70	.29	75
	Q.80		0.00069	_∆ 0.994	_P 1.68	.75	. 25	63
	Q.50	****	0.00003	Δ0.970	pl.75	.79	.23	56
	Q.20	- Territoria	0.00070	A0.974	pl.73	.77	. 24	60
	QM	****	V. VUUU 2					
	0.00	, mai	0.00044	A1.000	p1.64	.64	.34	91
January	Q.90	==	0.00056	₄ 1.010	P1.61	.68	.31	80
	Q.80	===	0.00091	₄ 0.978	p1.59	.72	. 2.7	70
	Q.50	00000 00000	0.00107	40.963	p1.63	.75	.25	63
	Q.20		0.001079	$^{1}_{A}0.980$	pl.63	.73	.26	67
	QM		0,000,0		2 7 2		4.0	90
February	Q.90	Name of States	0.00069	A1.010	pl.51	.64	.33	80
rentdary	Q.80	2000	0.00089	A1.010	pl.48	.68	.31	72
	Q.50	=	0.00112	A0.998	P1.50	.71	.28	
	Q.20	-	0.00186	A0.969	pl.46	.73	.26	65
	QM QM	genie	0.00123	A0.990	P1.50	.72	.27	70
			0 00071	A1.020	pl.53	.65	.33	89
March	Q.90	10.000 10.000	0.00071	A1.020	pl.47	.67	.32	84
	Q.80	700	0.00105	A0.991	p1.34	.70	.28	73
	Q.50	325	0.00234	A0.981	p1.21	.70	.28	72
	Q.20	225	0.00513	A0.992	r p1,28	.71	.28	71
	QM	19200	0.00316	A	ž.	*		

Table 11.--Results of basin-characteristics regression analysis--Continued

Month	Stream- flow charac- teristic			Equation		R2	Standard error (loga- rithm, base 10)	Stand- ard error (percent)
			0.00073	A0.915	p1.50	.57	.35	97
April	Q.90		0.00251	A0,892	p1.51	•57	.34	93
	Q.80	ing.	0.00347	A0.886	P1.48	.66	.29	73
	Q.50	Month.	0.00631	A0.902	p1.51	.71	.25	64
	Q.20	ng.	0.00832	A0.905	p1.49		.26	64
	QM		0.00631	AV. 303	D** - 2	9	*	U A
24	0.00	; =	0,00069	A0.833	_P 2.43	.80	.22	53
May	Q.90		0.00138	A0.834	p2.28	.82	.20	48
	Q.80	2000	0.00130	A0.853	P2.07	.83	.19	45
	Q.50	without regions.	0.00372	A0.864	p1.92	.85	.17	41
	Q.20	pitedio.	0.00/34	A0.854	p2.02	.84	.18	43
	QM	****	0.00457		£	\$ O 3	V = V	, -
June	Q . 90	ggange weekle	0.00050	A0.905	_P 2.38	.83	.20	49
Julie	Q.80	22	0.00089	Ã0.918	P2.27	.85	.19	46
	Q.50	,000M	0.00309	Δ0.904	_P 2.07	.89	.15	37
		202	0.00513	0.915م	_P 2.02	.89	.15	35
	Q.20 QM		0.00324	A0.906	P2.08	.89	.15	35
	•		0.000((A0.874	p2.00	.67	.29	76
July	Q.90	200	0.00066	A0.907	p2.08	.74	.26	64
	Q.80	202	0.00060	A0.932	pl.96		.20	48
	Q.50	202	0.00132	A0.953	p1.97	.83		40
	Q.20	-0***** 2000	0.00182	A0. 933	p1.94	.87	.17	43
	QM	**	0.00155	A0.936	Dress	.85	*18	42
	Q.90	222	0.00060	A0.829	pl.93	.56	.35	95
August	•	==	0.00091	A0.868	p1.82	.61	.32	85
	Q.80		0.00269	A0.851	p1.63	.66	*28	71
	Q.50	222	0.00209	A0.884	p1.55	.74	.24	59
	Q.20	222		A0.876	pl.60	.70	.26	65
	QM	iones contr	0.00282		£	*, 0	***************************************	
Septembe	r Q.90	202	0.00066	A0.907	P1.76	.58	.35	95
sebremne	Q.80	22	0.00112	800ء	P1.65	.63	*31	83
	Q.50	202	0.00251	٥,920 م	_P 1.48	.68	.28	71
		522	0.00231	Δ0.917	pl.35	.76	.23	57
	Q.20 QM	Polit	0.00316	A0.912	p1.45	.73	* 25	62

Table 12.--Results of channel-width regression analysis

 $[R^2]$, coefficient of determination; Q.XX, monthly mean streamflow for specified month exceeded XX percent of the years, in cubic feet per second; QM, mean monthly streamflow for specified month, in cubic feet per second; W_{AC} , active-channel width, in feet]

Month	Stream- flow charac- teristic		Equation	R ²	Standard error (loga- rithm, base 10)	Stand- ard error (percent
		ar y fanganfylder en de litter fan de litter		C	0.34	93
October	Q.90	***	0.0191 WAC1.86	0.60	0.34	80
OC LODET	Q.80		U.UZOJ WAC. AA	.65	.26	66
	Q.50	200	U.U41/ WAC	.70		55
	Q.20	322	0.0676 WAC1.78	.76	.22	57
	QM QM	-	0.0525 WAC	.75	.23	31
	4		0.0151 11 1.95	.62	.34	92
November	Q.90	35	OPATAT MAC , OD	.65	.30	79
	Q.80	and a	U. U. JA WAC	.70	.27	69
	Q.50	GARGA service	UaUJZ4 WAC. on	.74	.24	61
	Q.20	2000	U.U43/ WAC. 03		25	64
	QM	407	0.0380 WAC	.72	tie bear −d	,
	•		0.0200 WAC1.83	.57	.35	97
December	Q.90	our man	0.0200 "AC1.83	.61	.33	87
	Q.80	****	0.0229 WAC1.86	.67	.29	75
	Q.50	UMAN.	U.UZDY WAC. a.	.71	.26	67
	Q.20	V-02	U.U3/4 WAC: 9/	.69	.28	71
	QM		0.0309 WAC	*07	V	
	0.00	green.	0.0148 WAC1.89	.57	.36	101
January	Q.90		0.0166 WAC1.89	.62	.33	89
	Q.80	eriodol resulteres	0.0251 W. =1.84	_* 65	.30	78
	Q.50	white:	0.0251 WAC1.84	.69	.27	69
	Q.20	melder warmin Automa	0.0324 WAC1.85 0.0251 WAC	.67	.29	75
	QM	~		, mar 1000	26	99
7	Q.90	Scient Scient	0.0151 WAC1.89	.57	.36	88
February	Q.80	******	UaUI/U WAC. aa	_* 62	.33	
			11.11/24 WAC	.66	,30	78
	Q.50	Comp.	0.0331 WAC1.87	.69	.28	70
	Q.20 QM	700	0.0245 WAC	.67	.29	76
				.58	.36	98
March	Q.90	entrents excess	0.0166 WAC1.89	.60	.34	92
2.450 a. no 17	Q.80	Vacanti George	UaVIJJ WAC. an		.37 .31	81
	Q.50	Maga wells	U.U.OUY WAC	.64	.31	81
	Q.20	nylitiness maracilles	U. U400 WAC. 00	.63		81
	QM	#1794 4004	0,0355 WAC	.64	(or)	O1

Table 12.--Results of channel-width regression analysis--Continued

Month	Stream- flow charac- teristic		Equation	\mathbb{R}^2	Standard error (loga- rithm, base 10)	Stand- ard error (percent)
			0.0447 tr. 1.81	.57	.35	95
April	Q.90		0.0447 W _{AC} 1.81	.59	.34	90
	0.80		0.0617 WAC1.77	.67	,28	70
	Q.50	7000	0.1040 WAC1.80	.72	.25	62
	Q.20	222	Valyda WAC. To	.71	. 25 . 25	63
	QM	50	0.1102 WAC	a / Å	* & J	0.3
3.7	0.00		0 1247 tr 1.91	.80	. 22	53
May	Q.90		0.1247 W _{AC} 1.91	.83	* 1 9	46
	Q.80	255	ASTANO MAY	.0J	*15 *16	39
	Q.50	allore Allore			*10 *15	36
	Q.20	gender andige	VertUZ/ MAC. a/	.88	.16	38
	QM		0.2985 WAC	-87	*10	30
_	0.00		0 105/ 11 1.92	.77	. 24	58
June	Q.90	ODEPA	0.1054 WAC1.94	.81	.21	52
	Q.80	22	V-1341 WAR	.85	*4.7	42
	Q.50	222	U-/044 W.A			* 2 39
	Q.20	===	OBTODD MART AND	.87	.16	40
	QM	-22	0.2979 WAC 1.88	.86	<u>.</u> 17	40
	^ ^^		0 0560 ti 1.78	.62	.31	81
July	Q.90	william description	0.0562 WAC1.83	.68	.28	72
	Q.80	22	U. UO40 WAC1.85	.00 .77	. 23	56
	Q.50	9000	0.0646 WAC1.85 0.1009 WAC1.85		* 2 J	50
	Q.20	-G-004- Chances	002,400 11,41,4	.81		52
	QM	2000	0.1127 WAC 1.85	.79	.21	24
	0.00		0.0537 t/ 1.64	. 49	.37	103
August	Q.90	etina etina	0.0537 W _{AC1.70}	•56	.34	92
	Q.80	many many	U.U.J.V WAR	.60	•30	78
	Q.50	222		.66	.27	67
	Q.20	****	OSTUTO MVC		.28	72
	QM	riands egypte	0.0933 WAC	.64	* 4 O	1 Lu
,	0.00	-	0.0316 t/ 1.75	.54	.36	101
September	Q.90	25	0.0316 W _{AC1.76}	.59	.33	88
	Q.80	=	U.UJOU WAC. J.	.59 .64	.55 29	76
	Q.50	22	U.UJIJ WAC	.04 .69	.25	64
	Q.20	222	U.U/94 WAC. 70			68
	QM	222	0.0631 WAC 1./2	.67	.27	00

Table 13. -- Streamflow-gaging stations used in test of concurrent-measurement method

	Stream used as pseudo-ungaged	site	Stream used as correlating gaged site				
Site No.	Name	Station No.	Site No.	Name	Station No.	Water year of record	
18	Big Sheep Creek below Muddy Creek, near Dell	06013500	67	Trail Creek near Wisdom	06024500	1971	
36	Grasshopper Creek near Dillon	06015500	67	Trail Creek near Wisdom	06024500	1950	
40	Blacktail Deer Creek near	06017500	67	Trail Creek near Wisdom	06024500	1949	
51	Ruby River above reservoir, near Alder	06019500	9	Red Rock River near Kennedy Ranch, near Lakeview	06011000	1940	
115	Whitetail Creek near Whitehall	06029000	116	Boulder River above Rock Creek, near Basin	06030500	1951	
	Jack Creek near Ennis	06040300	102	Wise River near Wise River	06024590	1984	
152 161	Taylor Creek near Grayling	06043000	171	Gallatin River near Gallatin Gateway	06043500	1956	
• ~ 0	East Gallatin River at Bozeman	06048000	189	Gallatin River near Logan	06052500	1955	
178 179	Bridger Creek near Bozeman	06048500	171	Gallatin River near Gallatin Gateway	06043500	1968	
183	Hyalite Creek at Hyalite Ranger Station, near Bozeman	06050000	171	Gallatin River near Gallatin Gateway	06043500	1967	
194	Crow Creek near Radersburg	06055500	204	Prickly Pear Creek near Clancy	06061500	1961	
206	Tenmile Creek near Rimini	06062500	204	Prickly Pear Creek near Clancy	06061500	1949	
239	Sheep Creek near White Sulphur Springs	06077000	244	Smith River near Eden	06077500	1958	
275	Badger Creek near Browning	06092500	272	Two Medicine River near Browning	06092000	197:	
317	North Fork Musselshell River near Delpine	06115500	323	South Fork Musselshell River above Martinsdale	06118500	195	
347	Big Creek near Emigrant	06191800	130	Madison River near West Yellowstone	06037500	198	
352	German Gulch near Ramsay	12323500	356	Middle Fork Rock Creek near Philipsburg	12332000	196	
353	Racetrack Creek below Granite	12324100	356	Middle Fork Rock Creek near Philipsburg	12332000	197	
355	Creek, near Anaconda Boulder Creek at Maxville	12330000	356	Middle Fork Rock Creek near Philipsburg	12332000	196	
360	Skalkaho Creek near Hamilton	12346500	359	East Fork Bitterroot River near Conner	12343400	195	

Table 14.--Standard errors for three methods

[Q.XX, monthly mean streamflow for specified month exceeded XX percent of the years, in cubic feet per second; QM, mean monthly streamflow for specified month, in cubic feet per second]

					log unit				thod a		hly stre	amflow rent-m			
Month	0.90	0.80	Q.50	Q.20	QM	Q.90	Q.80	Q.50	Q.20	ОМ	Q.90	Q.80	Q.50	Q.20	QM
October November December January February March April May June July August September	0.32 .32 .32 .34 .33 .35 .21 .20 .35	0.28 .27 .29 .31 .31 .32 .34 .20 .19 .25	0.24 .24 .25 .27 .28 .28 .19 .15 .20 .28	0.20 .21 .23 .25 .26 .28 .25 .17 .17 .24	0.21 .22 .24 .26 .27 .28 .26 .18 .15 .18 .26	0.34 .34 .35 .36 .36 .35 .22 .23 .31	0.31 .30 .32 .33 .34 .39 .21 .28 .34	0.26 .27 .29 .30 .31 .28 .16 .17 .23 .30	0.22 .24 .26 .27 .27 .31 .25 .15 .16 .20 .26	0.23 .25 .28 .29 .31 .25 .16 .17 .21 .28	0.22 .20 .21 .26 .22 .15 .20 .33 .39 .39	0.20 .18 .21 .23 .22 .16 .24 .27 .23 .24 .35	0.16 .18 .23 .19 .25 .20 .20 .19 .25	0.17 .15 .18 .20 .13 .16 .26 .19 .27 .18	0.18 .17 .18 .21 .15 .26 .18 .20 .17 .24

Table 15. -- Weights and standard errors for various combinations of methods

[Q.XX, monthly mean streamflow for specified month exceeded XX percent of the years, in cubic feet per second; QM, mean monthly streamflow for specified month, in cubic feet per second; log, logarithm, base 10; pct, percent]

	Weights for specified month and monthly flow characteristic						
Combinations of methods	Q.90	Q.80	Q.50	Q.20	QM		
	OCTO)BER					
Basin-characteristics method Channel-width method Concurrent-measurement method Weighted standard error (log) Weighted standard error (pct)	0.000 .342 .658 .15	0.000 .353 .647 .13	0.000 .298 .702 .12	0.179 .261 .559 .12	0.153 .299 .548 .12		
Basin-characteristics method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.685 .315 .31	.716 .284 .28	.693 .307 .23	.682 .318 .19	.666 .334 .20		
Concurrent-measurement method Basin-characteristics method Weighted standard error (log) Weighted standard error (pct)	.668 .332 .17	.647 .353 .15	.717 .283 .14	.572 .428 .13	.555 .445 .13		
Concurrent-measurement method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.658 .342 .15	.647 .353 .13	.702 .298 .12	.614 .386 .13	.591 .409 .12 28		
	NOV	EMBER					
Basin-characteristics method Channel-width method Concurrent-measurement method Weighted standard error (log) Weighted standard error (pct)	.000 .294 .706 .15	.065 .255 .680 .13	.068 .203 .729 .13	.292 .072 .636 .12	.241 .147 .612 .12		
Basin-characteristics method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.683 .317 .31	.760 .240 .27	.767 .233 .23	.765 .235 .21	.751 .249 .22		

Table 15.-Weights and standard errors for various combinations of methods--Continued

	We	ights for s	pecified mo ow characte		nthly
Combinations of methods	Q.90	Q.80	Q.50	Q.20	М
	NOVEMBER-	-Continued	er en der	undelikt kullar vediktakkrummunnym anglev vegilj andep av opkret	amening generaty of Austrian (A. Barrenson (A. A. A. Barrenson (A. A. A. Barrenson (A. A. A. Barrenson (A. A.
Concurrent-measurement method Basin-characteristics method Weighted standard error (log) Weighted standard error (pct)	.710 .290 .16	.678 .322 .14	.733 .267 .13	.643 .357 .12	.621 .379 .13
Concurrent-measurement method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.706 .294 .15	.695 .305 .13	.748 .252 .13	.706 .294 .13	.668 .332 .13
	DEC	EMBER			
Basin-characteristics method Channel-width method Concurrent-measurement method Weighted standard error (log) Weighted standard error (pct)	.034 .302 .663 .14	.090 .272 .638 .13	.140 .213 .647 .13	.304 .088 .607 .13	.234 .155 .611 .13
Basin-characteristics method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.806 .194 .32	.833 .167 .29	.824 .176 .25	.806 .194 .22	.810 .190 .24
Concurrent-measurement method Basin-characteristics method Weighted standard error (log) Weighted standard error (pct)	.654 .346 .15	.629 .371 .14	.644 .356 .13	.612 .388 .13	.613 .387 .13
Concurrent-measurement method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.670 .330 .14	.655 .345 .13	.678 .322 .13	.673 .327 .14	.659 .341 .13

Table 15.--Weights and standard errors for various combinations of methods--Continued

	Weights for specified month and monthly flow characteristic						
Combinations of methods	Q.90	Q.80	Q.50	Q.20	QM		
	J	ANUARY					
Basin-characteristics method Channel-width method Concurrent-measurement method Weighted standard error (log) Weighted standard error (pct)	.146 .250 .604 .17	.099 .286 .615 .16	.192 .244 .564 .15	.254 .158 .588 .14	.239 .178 .583 .14		
Basin-characteristics method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.766 .234 .33	.730 .270 .30	.731 .269 .27	.678 .322 .24	.726 .274 .26		
Concurrent-measurement method Basin-characteristics method Weighted standard error (log) Weighted standard error (pct)	.603 .397 .18	.614 .386 .17	.566 .434 .16	.600 .400 .15	.590 .410 .15		
Concurrent-measurement method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.624 .376 .17	.632 .368 .16	.596 .404 .16 38	.632 .368 .15	.623 .377 .15		
	FEB	RUARY					
Basin-characteristics method Channel-width method Concurrent-measurement method Weighted standard error (log) Weighted standard error (pct)	.024 .294 .681 .16	.116 .254 .629 .15	.159 .204 .636 .12	.103 .168 .728 .10	.12. .17. .70 .11		
Basin-characteristics method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.699 .301 .33	.678 .322 .30	.650 .350 .27	.614 .386 .25	.64 .36 .26		
Concurrent-measurement method Basin-characteristics method Weighted standard error (log) Weighted standard error (pct)	.682 .318 .17	.636 .364 .16	.649 .351 .13	.748 .252 .11 25	.71 .28 .11		

Table 15.-Weights and standard errors for various combinations of methods--Continued

	We:	ights for sp	pecified mor ow characte		thly
Combinations of methods	Q.90	Q.80	Q.50	Q.20	QM
	FEBRUARY-	-Continued			
Concurrent-measurement method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.686 .314 .16	.652 .348 .15 36	.666 .334 .13	.753 .247 .10	.729 .271 .11 26
	MAI	<u>RCH</u>			
Basin-characteristics method Channel-width method Concurrent-measurement method Weighted standard error (log) Weighted standard error (pct)	.105 .120 .775 .12	.145 .089 .766 .13	.244 .020 .736 .14	.152 .000 .848 .16	.256 .000 .744 .14
Basin-characteristics method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.698 .302 .32	.683 .317 .31	.676 .324 .27	.667 .333 .27	.681 .319 .27
Concurrent-measurement method Basin-characteristics method Weighted standard error (log) Weighted standard error (pct)	.783 .217 .13	.775 .225 .13	.739 .261 .14	.848 .152 .16	.744 .256 .14
Concurrent-measurement method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.795 .205 .12	.796 .204 .14	.790 .210 .15	.937 .063 .16	.814 .186 .15
	API	RIL			
Basin-characteristics method Channel-width method Concurrent-measurement method Weighted standard error (log) Weighted standard error (pct)	.209 .000 .791 .18	.176 .123 .701 .22	.193 .253 .553 .23	.311 .389 .300 .23	.295 .315 .391 .22

Table 15.--Weights and standard errors for various combinations of methods--Continued

	Weights for specified month and monthly flow characteristic					
Combinations of methods	Q. 90	Q.80	Q.50	Q.20	QM	
	FEBRUARY	Continued				
Concurrent-measurement method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.686 .314 .16	.652 .348 .15	.666 .334 .13	.753 .247 .10 25	.729 .271 .11	
	MAR	CH				
Basin-characteristics method Channel-width method Concurrent-measurement method Weighted standard error (log) Weighted standard error (pct)	.105 .120 .775 .12	.145 .089 .766 .13	.244 .020 .736 .14	.152 .000 .848 .16	.256 .000 .744 .14	
Basin-characteristics method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.698 .302 .32	.683 .317 .31	.676 .324 .27 70	.667 .333 .27	.681 .319 .27	
Concurrent-measurement method Basin-characteristics method Weighted standard error (log) Weighted standard error (pct)	.783 .217 .13	.775 .225 .13	.739 .261 .14	.848 .152 .16	.744 .256 .14 34	
Concurrent-measurement method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.795 .205 .12	.796 .204 .14 32	.790 .210 .15	.937 .063 .16 39	.814 .186 .15	
	AP	RIL				
Basin-characteristics method Channel-width method Concurrent-measurement method Weighted standard error (log) Weighted standard error (pct)	.209 .000 .791 .18	.176 .123 .701 .22	.193 .253 .553 .23	.311 .389 .300 .23	.29 .31: .39 .22	

Table 15.--Weights and standard errors for various combinations of methods--Continued

	Wei	ghts for sp	ecified mor ow character	nth and mon	thly
Combinations of methods	Q.90	Q.80	Q.50	Q.20	QM
	APRIL	Continued			
Basin-characteristics method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.472 .528 .33	.442 .558 .32	.428 .572 .26	.438 .562 .23 58	.476 .524 .24
Concurrent-measurement method Basin-characteristics method Weighted standard error (log) Weighted standard error (pct) Concurrent-measurement method Channel-width method Weighted standard error (log)	.791 .209 .18 45	.730 .270 .22 54	.632 .368 .23 58 .602 .398 .23	.467 .533 .24 59 .411 .589	.491 .509 .23 57 .475 .525
Weighted standard error (pct)	46 M/	54 .v	58	58	57
Basin-characteristics method Channel-width method Concurrent-measurement method Weighted standard error (log) Weighted standard error (pct)	.506 .494 .000 .19	.457 .543 .000 .17	.228 .510 .262 .14	.260 .460 .281 .12	.235 .472 .293 .13
Basin-characteristics method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.506 .494 .19	.457 .543 .17	.376 .624 .15	.391 .609 .13	.397 .603 .14
Concurrent-measurement method Basin-characteristics method Weighted standard error (log) Weighted standard error (pct)	.043 .957 .21	.142 .858 .20	.448 .552 .16	.426 .574 .14	.463 .537 .15
Concurrent-measurement method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.040 .960 .21	.142 .858 .19	.359 .641 .15	.356 .644 .13	.389 .611 .14

Table 15.--Weights and standard errors for various combinations of methods--Continued

	Weights for specified month and monthly flow characteristic						
Combinations of methods	Q.90	Q.80	Q.50	Q.20	QМ		
	JU	NE					
Basin-characteristics method Channel-width method Concurrent-measurement method Weighted standard error (log) Weighted standard error (pct)	.450 .282 .269 .18	.348 .327 .325 .16	.369 .303 .328 .12	.431 .350 .219 .11	.383 .323 .294 .11		
Basin-characteristics method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.713 .287 .20	.645 .355 .18	.618 .382 .14	.573 .427 .13	.598 .402 .13		
Concurrent-measurement method Basin-characteristics method Weighted standard error (log) Weighted standard error (pct)	.271 .729 .19	.341 .659 .17	.366 .634 .13	.256 .744 .12	.337 .663 .12		
Concurrent-measurement method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.385 .615 .19	.443 .557 .17	.441 .559 .13	.297 .703 .13	.40 .59 .13		
	- June 1	ULY					
Basin-characteristics method Channel-width method Concurrent-measurement method Weighted standard error (log) Weighted standard error (pct)	.032 .505 .463 .21	.012 .419 .569 .18	.129 .324 .547 .15	.377 .222 .401 .14	.18 .26 .54 .13		
Basin-characteristics method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.685 .315 .29	.752 .248 .25	.718 .282 .19	.697 .303 .16	.69 .30 .17		
Concurrent-measurement method Basin-characteristics method Weighted standard error (log) Weighted standard error (pct)	.436 .564 .22	.535 .465 .19	.533 .467 .16	.444 .556 .14	.55 .44 .14		

Table 15.--Weights and standard errors for various combinations of methods--Continued

	Weights for specified month and monthly flow characteristic							
Combinations of methods	Q.90	Q.80	Q.50	Q.20	QM			
	JULY Co	ontinued						
Concurrent-measurement method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.468 .532 .21	.572 .428 .18	.595 .405 .15	.583 .417 .15	.628 .372 .13			
	AUG	GUST						
Basin-characteristics method Channel-width method Concurrent-measurement method Weighted standard error (log) Weighted standard error (pct)	.000 .519 .481 .25	.000 .519 .481 .23	.000 .387 .613 .21	.000 .334 .666 .20	.000 .399 .601 .19			
Basin-characteristics method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.857 .143 .35	.788 .212 .32 84	.780 .220 .28 70	.752 .248 .23 58	.763 .237 .25			
Concurrent-measurement method Basin-characteristics method Weighted standard error (log) Weighted standard error (pct)	.443 .557 .27	.446 .554 .25	.603 .397 .22 55	.637 .363 .21	.573 .427 .21			
Concurrent-measurement method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.481 .519 .25	.481 .519 .23	.613 .387 .21	.666 .334 .20	.601 .399 .19			
	SEPT	EMBER						
Basin-characteristics method Channel-width method Concurrent-measurement method Weighted standard error (log) Weighted standard error (pct)	.000 .410 .590 .21	.000 .442 .558 .20	.000 .392 .608 .18	.007 .376 .617 .17	.000 .424 .576 .17			

Table 15.--Weights and standard errors for various combinations of methods--Continued

	Weights for specified month and monthly flow characteristic						
Combinations of methods	Q.90	Q.80	Q.50	Q.20	QM		
	SEPTEMBER-	Continued					
Basin-characteristics method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.720 .280 .34	.665 .335 .31	.670 .330 .27	.678 .322 .22 54	.683 .317 .24		
Concurrent-measurement method Basin-characteristics method Weighted standard error (log) Weighted standard error (pct)	.596 .404 .24	.555 .445 .23	.616 .384 .20	.594 .406 .19 45	.552 .448 .19		
Concurrent-measurement method Channel-width method Weighted standard error (log) Weighted standard error (pct)	.590 .410 .21	.558 .442 .20	.608 .392 .18	.620 .380 .17 42	.576 .424 .17		

Table 16.--Streamflow-gaging stations used in test of record-extension procedure

Site No.	Name	Station No.	Period of record (water year)
37	Beaverhead River at Barretts	06016000	1908-86
42	Beaverhead River near Twin Bridges	06018500	1935-86
51	Ruby River above reservoir, near	06019500	1938-86
110	Big Hole River near Melrose	06025500	1924-86
118	Boulder River near Boulder	06033000	1929-73;1985-86
126 130	Willow Creek near Harrison Madison River near West Yellowstone	06035000 06037500	1938-86 1913-73;1983-86
156	Madison River below Ennis Lake, near McAllister	06041000	1939-86
171	Gallatin River near Gallatin Gateway	06043500	1930-82;1985-86
183	Hyalite Creek at Hyalite Ranger Station, near Bozeman	06050000	1934–86
189	Gallatin River near Logan	06052500	1906;1928-86
193	Missouri River near Toston	06054500	1911-17;1941-86
259	Muddy Creek at Vaughn	06088500	1935-68;1971-86
286	Marias River near Shelby	06099500	1906-08;1911-22;1924-86
316	Missouri River near Landusky	06115200	1934-86
325	Musselshell River at Harlowton	06120500	1907-86
333	Musselshell River near Roundup	06126500	1946-86
355	Boulder Creek at Maxville	12330000	1939-86
356	Middle Fork Rock Creek near Philipsburg	12332000	1938-86
358	Nevada Creek above reservoir, near Helmville	12335500	1939-86

Table 17.--Standard errors for record-extension procedure for various record lengths

[Q.XX, monthly mean streamflow for specified month exceeded XX percent of the years, in cubic feet per second; QM, mean monthly streamflow for specified month, in cubic feet per second]

	Stand le	lard error, in ngth and montl	log units, fo	r specified r characterist	ecord
Month	Q.90	Q.80	Q.50	Q.20	QM
		5 years of r	ecord		
October November December January February March April May June July August September	0.22 .14 .12 .09 .08 .07 .14 .17 .16 .18 .11	0.13 .10 .09 .05 .07 .04 .09 .10 .11	0.06 .05 .05 .04 .04 .07 .07 .08 .09 .12	0.04 .06 .04 .07 .07 .11 .08 .10 .09 .11	0.05 .04 .06 .05 .09 .07 .08 .08 .08
		15 years of	record		
October November December January February March April May June July August September	.10 .05 .04 .06 .04 .05 .04 .11 .13	.08 .05 .04 .04 .02 .03 .04 .05 .05	.03 .03 .02 .02 .04 .03 .05 .06	.03 .02 .02 .05 .04 .05 .04 .06 .05 .05	.02 .02 .03 .03 .03 .04 .03

Table 17. -- Standard errors for record-extension procedure for various record lengths--Continued

	Standard error, in log units, for specified record length and monthly streamflow characteristic					
Month	Q.90	Q.80	Q.50	Q.20	QM	
		25 years of	record			
October November December January February March April May June July August September	.10 .05 .04 .06 .04 .03 .05 .05 .05	.03 .04 .03 .04 .02 .03 .03 .06 .03 .05	.02 .01 .01 .03 .02 .05 .02 .03 .02	.03 .02 .02 .03 .05 .04 .02 .02 .03	.01 .01 .01 .02 .03 .02 .02 .02 .03	
October November December January February March April May June July August	.03 .02 .02 .03 .04 .01 .03 .06 .06	35 years of .03 .02 .02 .02 .02 .01 .05 .04 .03 .04 .02 .03	.01 .02 .01 .01 .01 .02 .02 .02 .02	.02 .02 .02 .04 .01 .01 .02 .03 .02	.01 .01 .01 .01 .01 .01 .01	