



***Montana Fish,  
Wildlife & Parks***



Lake Mcknight by: Earl Radonski

## **2009 MOUNTAIN LAKES GUIDE**

**ABSAROKA – BEARTOOTH  
&  
CRAZY MOUNTAINS**

Fellow Angler:

This booklet is intended to pass on information collected over many years about the fishery of the Absaroka-Beartooth high country lakes. Since Pat Marcuson began surveying these lakes in 1967, many individuals have hefted a heavy pack and worked the high country for Fish, Wildlife and Parks. They have brought back the raw data and personal observations necessary to formulate management schemes for the 300+ lakes in this area containing fish. While the information presented here is not intended as a guide for hiking/camping or fishing techniques, it should help wilderness users to better plan their trips according to individual preferences and abilities.

The lake fisheries in the Beartooths generally fall into two categories: self-sustaining and stocked. Self-sustaining lakes have enough spawning habitat to allow fish to restock themselves year after year. These often contain so many fish that while fishing can be fast, the average size will be small. Average sizes and numbers of fish present change very little from year to year in most of these lakes.

Lakes without spawning potential must be planted regularly to sustain a fishery. Standard stocking in the Beartooths is 100 Yellowstone cutthroat fingerlings per acre every eight years. Special situations may call for different species, numbers, or frequency of plants. In the first few years after planting, many small fish will be found in a lake. With each passing year, fewer but larger fish will remain until all the fish age out and are gone, generally in 7-9 years. An angler can thus use the stocking history in this guide to predict what sizes and numbers of fish a given lake might currently contain.

Every year Fish, Wildlife and Parks survey crew's sample 30+ lakes out of the 300+ lakes containing fish. The results of the last netting found in this report can be informative if looked at in the context of the stocking cycle for each lake. While this data will not provide up-to-the-minute information for anglers, it is sufficient to allow a good guess about what may be present at any given time. Still, these wilderness waters can hold surprises. I would appreciate any information you gather while on your trip (such as species, numbers, and accurate lengths). Reply to me at:

Montana Fish, Wildlife and Parks  
2300 Lake Elmo Drive  
Billings, MT 59105  
406-247-2962 or  
406-328-4594  
[eradonski@mt.gov](mailto:eradonski@mt.gov) or  
[jrwood@mt.gov](mailto:jrwood@mt.gov)

## Codes Used in This Guide

### Fish Species

YCT = Yellowstone cutthroat trout

EB = Eastern brook trout

GR = Arctic grayling

GT = Golden trout

LL = Brown trout

LT = Lake trout

RB = Rainbow trout

Hybrids are represented by RBXCT, CTXGT, etc.

Abundance    R = Rare  
                  C = Common  
                  A = Abundant

Status        SS = Self-sustaining  
                  ST = Stocked  
                  S+ = Stocked but with some natural reproduction

Latitude/Longitude: These are taken at the middle of the lakes and are used for stocking purposes.

Miles = total number of miles to the lake from the trailhead

Trail ( ) = numbers of miles on an established trail

Marcusons Code = Code number of lake by drainage e.g., Rock Creek #60, East Rosebud #5, etc.

Crazy Mountain lake information can be found at the very end of this booklet.

As this guide will be updated yearly, the typeface has been much reduced to keep costs down also this guide is available online at (<http://fwp.mt.gov/r5/mountainlakes>). I trust the information contained here will be worth the extra eye strain or price of a magnifying glass to the user.

While this guide deals with mountain lakes, an angler would be wise not to overlook the many streams of the Beartooths.

Special thanks to all Montana Fish, Wildlife & Parks Mountain Lake crews that have worked on the Mountain Lakes surveys. Also to Mike Vaughn for keeping this guide updated for the last 20 years.

Enjoy and respect the high country.

Good Fishing!

Earl Radonski  
Fisheries Field Biologist

LAKE NAME: ABANDONED LAKE COUNTY: 10 T: 9S R: 17E SEC: 26CC  
DRAINAGE: CLARKS FORK ELEV: 10100 ACREAGE: 10.5 DEPTH: 25 FT  
LOCATION: 45.00963, -109.60265 MARCUSONS CODE: 243

ACCESS: TRAIL 614/620 FROM ISLAND LAKE ON HWY 212. THE LAKE IS 7 MILES NORTH & WEST OF ISLAND LAKE. ELEVATION CHANGE 600'.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ISLAND LAKE WYO	7	(5)	+600	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/14/2008

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Brook Trout	67	8.5	5.6-10.4
1992	Brook Trout	52	8.5	5.9-13.3
1974	Brook Trout	38	8.2	6.1-11.1

STOCKING HISTORY STOCKING PLAN

COMMENTS: FISH MOVEMENT BETWEEN LAKES IN THE DRAINAGE IS EASY AS THE DROP BETWEEN LAKES IS SMALL.

CAMP SITES: NICE CAMPSITES BUT NO FIREWOOD. ABOVE TREELINE.

SURVEY NOTES:

ALL FISH NETTED APPEARED STUNTED EXCEPT ONE, BUT DIDN'T HAVE BIG HEADS. '96 BEANO SHERIDAN FOUND SMALL BROOKIES. COULDN'T GET TO THE WEST END OF GOLDEN LAKE FROM HERE DUE TO STEEP LOOSE SHALE.

WHILE THERE IS NO TRAIL DIRECTLY TO THE LAKE, THE AREA IS POPULAR, AND THERE IS EVIDENCE OF FISHERMEN. STUNTED FISH FEEDING ON MULLUSKS RECOMMEND HARVESTING TO ANGLERS.

LAKE NAME: ALP LAKE COUNTY: 10 T: 9S R: 17E SEC: 8DA  
DRAINAGE: CLARKS FORK ELEV: 9760 ACREAGE: 2.8 DEPTH: 25 FT  
LOCATION: 45.05415, -109.64821 MARCUSONS CODE: 200

ACCESS: TRAILS FROM THE BEARTOOTH BUTTE AREA ON HWY 212 SERVE THE AREA. THE LAKE IS NE OF GREEN LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLAY BUTTE	14	(9)	+1,100	-1,100
BEARTOOTH LAKE	16	11		

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/9/2006

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Yellowstone Cutthroat	10	11.8	8.5-14.5
2006	Brook Trout	25	7	6-8

STOCKING HISTORY STOCKING PLAN

1987: Yellowstone Cutthroat (311 fish)  
1979: Yellowstone Cutthroat (319 fish)

COMMENTS: THE LAKE IS FULL OF BROOKIES. MANY FISH SEEN CRUISING AND RISING. EASY TO CATCH. CT'S WERE LONG AND THIN, EB'S WERE SHORT WITH LARGE HEADS. GLEN OWENS '00 - TINY EB'S, 6-8", SKINNY.

CAMP SITES: FIREWOOD IS SCARCE. CAMPSITES ARE NEARBY.

SURVEY NOTES:

HAD BEEN STOCKED EVERY 8 YEARS. '95 & '03 PLANTS CANCELED. D. HAGENSTON 8/25/90 - 9" EB'S, 10-13" CT'S,LARGER ONES SNAKEY. SAME IN '92 '92 SEVERAL CT IN THE 12-14" RANGE SEEN, AND A COUPLE 6-10" FISH CAUGHT, BUT THE LAKE IS INUNDATED WITH BROOKIES.

SPAWNING GRAVEL IN BOTH INLET AND OUTLET. SOME CT REPRODUCTION OCCURRING. THERE IS NO SHORT WAY TO ALP LAKE. CAN ALSO GET TO THIS LAKE FROM IVY LAKE JEEP TRAIL #130 CRAZY CRK. TRAIL #568 HIKING PAST FARLEY & ELAINE

LAKE NAME: ALBINO LAKE COUNTY: 10 T: 9S R: 17E SEC: 25BC  
DRAINAGE: CLARKS FORK ELEV: 10000 ACREAGE: 39.2 DEPTH: 149FT  
LOCATION: 45.01484, -109.58103 MARCUSONS CODE: 245

ACCESS: TRAIL #614/620 FROM ISLAND LAKE ON HWY 212 WILL TAKE YOU PAST FLAKE LAKE THEN NORTH BETWEEN MUTT AND JEFF LAKES AND ALONG EAST SIDE OF BECKER LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ISLAND LAKE #614/	6	(6)	+500	-50

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stocked

LAST GILL NET SET: 8/12/2008

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Yellowstone Cutthroat	29	12.6	9.9-14
2003	Yellowstone Cutthroat	8	14.4	13.3-15.5
1997	Yellowstone Cutthroat	2	10.5	9.6-12

STOCKING HISTORY STOCKING PLAN

2007: Yellowstone Cutthroat (7840 fish)  
2003: Yellowstone Cutthroat (7840 fish)  
1999: Yellowstone Cutthroat (7840 fish)

COMMENTS: A POPULAR, STOCKED LAKE. NO SIGN OF THE '88 FIRE ALONG THE TRAIL OR AT THE LAKE. OFTEN WINDY HERE. BETTER CAMPING AT BECKER LAKE IN WYOMING. FOUR YEAR STOCKING FREQUENCY AT 200/ACRE.

CAMP SITES: SOME CAMPING BY OUTLET AND ON SW SIDE - VERY LITTLE FIREWOOD.

SURVEY NOTES:

SOME REPRODUCTION MAY BE OCCURRING. EB STOCKED 1940. '89 & '03 - FISH LOOKED FAT AND HEALTHY. CT STOCKED 1959, 1987. THIS AREA HAS BECOME A 'DESTINATION' TYPE AREA. HEAVY USE. BEANO SHERIDAN REPORTS LOTS OF PEOPLE AND 12-14" FISH, 8/96.

90% ICE COVER AT '97 SAMPLING. CT'81 - 8.1" & 14.8". HOOK & LINE SAMPLING IN '03.

LAKE NAME: ALPINE LAKE COUNTY: 49 T: 4S R: 11E SEC: 30  
DRAINAGE: BOULDER ELEV: 8680 ACREAGE: 10.5 DEPTH: 20 FT  
LOCATION: 45.46252, -110.41806 MARCUSONS CODE: 83

ACCESS: STAY ON NORTH SIDE OF '3 CREEKS' & GO STRAIGHT UP MOUNTAIN THEN FOLLOW CONTOUR AROUND TO THE WEST. SOME GAME TRAILS ARE A MILD HELP. TOUGH ACCESS!!

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WEST BOULDER #4	9.5	(7.75)	+2,800	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stock, with some natural reproduction

LAST GILL NET SET: 8/1/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Yellowstone Cutthroat	8	11.7	10.5-12.8
1995	Yellowstone Cutthroat	32	10.8	7.2-14
1988	Yellowstone Cutthroat	17	12	11-13.1

STOCKING HISTORY STOCKING PLAN

2005: Yellowstone Cutthroat (525 fish)  
1997: Yellowstone Cutthroat (525 fish)  
1989: Yellowstone Cutthroat (1050 fish)

COMMENTS: Y'CT WERE NOT SUCCESSFUL SO LAKE WAS TO DIE OUT. STOCKED WITH CT IN '72 & '81. SIZE RANGE OF FISH IN '88 INDICATE ONE YEAR CLASS. '95 SAMPLE SHOWS EVIDENCE OF SOME REPRO. CUT '97 PLANT TO 50/ACRE.

CAMP SITES: SOME CAMPSITES,PLENTY OF FIREWOOD AVAILABLE.GOOD BEAR COUNTRY!

SURVEY NOTES:

LAKE SITS UP ON A NICE LITTLE BENCH. NO SIGN OF PEOPLE IN 1979. '95 - SOME FISH WERE SPENT, THUS SKINNY. OTHERS SEEMED IN OK SHAPE. 9 CT'78 12.0-14.0" AVE. 13.8". '04 FISH WERE ANGLED. FISH WERE AVERAGE TO THIN.

LAKE NAME: AMPHITHEATER LAKECOUNTY: 10T: 9S R: 16E SEC: 5DD  
DRAINAGE: CLARKS FORKELEV: 9320ACREAGE: 8.7DEPTH: 16 FT  
LOCATION: 45.06571, -109.76871MARCUSONS CODE: 101

ACCESS: TAKE TRAIL 567 FROM KERSEY LAKE TO RUSSEL LAKE. FROM RUSSEL LAKE HEAD EAST ~1.5 MILES OF DECENT PATH.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN  
CLARKS FORK7.5(7.5)+1,600-280

SPECIES PRESENTABUNDANCESTATUS  
Brook TroutCommonSelf-Sustained

LAST GILL NET SET: 8/1/1992  

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2002	Brook Trout	12	8.2	5.7-9.7
1992	Brook Trout	9	7.8	5.8-10.4
1975	Brook Trout	52	8.1	6.1-10

STOCKING HISTORYSTOCKING PLAN

COMMENTS: EB PROBABLY CAME DOWNSTREAM FROM MARIANE. CALLED WAND LAKE ON USGS 7.5' QUAD. THIS PLACE IS NOT USED EXCESSIVELY. '92 VICTIM OF PARTIAL FREEZE-OUT MAY OCCUR HERE OCCASIONALLY

CAMP SITES: NICE CAMPSITES. FIREWOOD AVAILABLE BUT NOT ABUNDANT. VERY LITTLE

SURVEY NOTES:  
8/7/87 D. HAGENSTON FOUND 3-9" EB. '89 CREEL CARDS <8-12" RANGE EB. '92 - SOME 4-5" EB'S SEEN IN OUTLET ALONG WITH 1" FINGERLINGS. ANGLED FISH WERE TAKEN IN THE OUTLET. NO SIGN OF FISH FOOD SWIMMING OR CRAWLING ON THE BOTTOM.

LAKE NAME: ANVIL LAKECOUNTY: 49T: 8S R: 14E SEC: 26,27  
DRAINAGE: STILLWATERELEV: 9440ACREAGE: 10.1DEPTH: 45 FT  
LOCATION: 45.10014, -109.96271MARCUSONS CODE: 36

ACCESS: GOOD TRAIL UP THE STILLWATER TO GOOSE CREEK THEN CROSS COUNTRY OR HIKE WEST FROM GOOSE LAKE JEEP TRAIL 2.5 MILES (CROSS COUNTRY).

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN  
GOOSE LAKE JEEP3.5(0)+400-800

SPECIES PRESENTABUNDANCESTATUS  
Yellowstone CutthroatCommonStock, with some natural reproduction

LAST GILL NET SET: 8/1/1999  

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Yellowstone Cutthroat	0		-
1999	Yellowstone Cutthroat	11	12.3	11.8-13
1989	Yellowstone Cutthroat	8	12.4	7.2-11.7

STOCKING HISTORYSTOCKING PLAN  
2002: Yellowstone Cutthroat (758 fish)2009: Yellowstone Cutthroat (758 fish)  
1993: Yellowstone Cutthroat (1000 fish)  
1985: Yellowstone Cutthroat (981 fish)

COMMENTS: STOCKED EVERY 8 YEARS. REPRODUCTION SEEMS TO BE OCCURRING HERE. ALTERING PLANT. '01 PLANT MISSED. WILL STOCK 75/ACRE EVERY 8 YEARS BEGINNING IN '02. PLANTED WITH CT'S IN 1967, '68 & '77.

CAMP SITES: PLENTY OF FIREWOOD. ABOUT 70% OF SHORELINE BURNED IN 1988.

SURVEY NOTES:  
D. ARNESON 8/87 CAUGHT MEDIUM NUMBERS OF 6-14" CT. NO JUVENILE FISH SEEN IN 1989. DENNIS HAGENSTON 8/93 CAUGHT 12 & 15" CT'S. ONE WAS 17" AND WAS AN OLDER AGE CLASS OF FISH. BOB WILTSHIRE 9/99 - BIG, STRONG CUTTS.

SURVEYED IN 08 5 HR.SET NONE NETTED, KIM LATTERELL CAMPED AND FISHED 2.5 DAYS NO RISES, NO FISH CAUGHT IN 08, PLANT MOVED UP TO 09.

LAKE NAME: ANCHOR LAKECOUNTY: 10T: 9S R: 16E SEC: 11,12  
DRAINAGE: CLARKS FORKELEV: 10045ACREAGE: 12.0DEPTH: 90 FT  
LOCATION: 45.05724, -109.70867MARCUSONS CODE: 124

ACCESS: APPROXIMATELY 8 MILES NE OF KERSEY LAKE VIA CANYON LAKE OR 12 MILES FROM KERSEY VIA RUSSEL & OTTER LAKES. NORTH OF JORDEN LAKE.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN  
IVY LAKE JP TRAIL9.5(8.25)+2,700-700  
CLARKS FORK TRA

SPECIES PRESENTABUNDANCESTATUS  
Golden TroutRareUnknown

LAST GILL NET SET: 8/14/2007  

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Golden Trout	1	7	7-7
2001	Golden Trout	0		-

STOCKING HISTORYSTOCKING PLAN

COMMENTS: GT PLANTED IN DESOLATION LAKE UPSTREAM IN '82 '91 & '92. DOWNSTREAM MOVEMENT WAS THE GOAL. PREVIOUSLY HAD CT THAT WERE NOT SS. 8/01 WATER LEVEL DOWN ~4 FT FROM FULL POOL. LOTS OF INSECTS.

CAMP SITES: NO FIREWOOD. QUESTIONABLE CAMP SPOTS.

SURVEY NOTES:  
INLET IS COBBLE/BOULDERS WITH NO SPAWNING POTENTIAL. SOME GRAVEL IN OUTLET. LOOKS OK FOR SPAWNING. RESTOCK GT'S WHEN AVAILABLE. ONE 8.5" FISH CAUGHT IN '84. NONE IN '88 NET. '94 GILL NET FISHED FOR 18 HOURS NO FISH FOUND. 1 FISH IN 07

IVY LAKE JEEP TRAIL #130 TO#568/612 FROM COPELAND TAKE 568 PAST FARLEY TO JORDEN. STAY EAST OF JORDEN & FOLLOW THE INLET STREAM UP.

SAMPLE WITH DESOLATION, BIG BUTTE, WIDOWED

LAKE NAME: AQUARIUS LAKECOUNTY: 49T: 9S R: 15E SEC: 12C  
DRAINAGE: CLARKS FORKELEV: 9180ACREAGE: 11.6DEPTH: 65 FT  
LOCATION: 45.05762, -109.81182MARCUSONS CODE: 63

ACCESS: CROSS COUNTRY HIKE UP SEDGE CREEK OR AN OLD ABANDONED TRAIL LEAVING USFS TRAIL #567 BETWEEN TWIN-RUSSEL LAKE. NO GOOD TRAIL-ACCESS FAIRLY TOUGH.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN  
CLARKS FORK5.75(4.0)+1,280-0

SPECIES PRESENTABUNDANCESTATUS  
Yellowstone CutthroatCommonSelf-Sustained

LAST GILL NET SET: 8/1/1996  

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Yellowstone Cutthroat	8	9.9	7-12.5
1996	Yellowstone Cutthroat	5	11.9	11.4-12.2
1987	Yellowstone Cutthroat	6	11.6	7.2-14.3

STOCKING HISTORYSTOCKING PLAN  
1977: Yellowstone Cutthroat (600 fish)  
1970: Yellowstone Cutthroat (2000 fish)  
1955: Arctic Grayling (20000 fish)

COMMENTS: GRAYLING WERE PLANTED IN 1955 BUT THEY MOVED DOWNSTREAM INTO SEDGE AND DOLLAR LAKES. PRETTY LAKE - RECEIVES QUITE A BIT OF FISHING USE. PLANTED WITH CT IN 1967.

CAMP SITES: GOOD CAMPSITES AND FIREWOOD AVAILABLE. FIRES BURNED NEAR LAKE.

SURVEY NOTES:  
'87 - OBSERVED SEVERAL 6-9" FISH. FISH IN GOOD SHAPE - STOMACHS: FLYING BLACK ANTS, BEETLES. '95 SAMPLING BY M&M POORE HOOK & LINE - CT UP TO 15" SEEN. FISH SOMEWHAT THIN WITH BIG HEADS. SOME HARVEST BY FISHERMEN MIGHT HELP HERE.

SMALL FISH 2-4" OBSERVED IN OUTLET. FWP CREW CAUGHT 8 IN OVERNIGHT SET 07.

LAKE NAME: ARCH LAKE COUNTY: 10 T: 7S R: 16E SEC: 34,35  
DRAINAGE: EAST ROSEBUD ELEV: 10120 ACREAGE: 6.5 DEPTH: 54 FT  
LOCATION: 45.17364, -109.7278 MARCUSONS CODE: 43

ACCESS: 3 MILES OF GOOD TRAIL FROM EAST ROSEBUD LAKE THEN 3 MILES UP THE SOUTH SIDE OF ARCH CREEK <NO TRAIL>. SEE BELOW.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ALPINE (EAST ROS	8	(3.5)	+3,900	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/7/1996

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1996	Yellowstone Cutthroat	22	12.8	11.9-14.1
1987	Yellowstone Cutthroat	10	14	12.5-14.9
1981	Yellowstone Cutthroat	12	12.3	9.6-14

STOCKING HISTORY STOCKING PLAN

2005: Yellowstone Cutthroat (488 fish)  
1997: Yellowstone Cutthroat (488 fish)  
1989: Yellowstone Cutthroat (650 fish)

COMMENTS: '85 PLANT MAY HAVE GONE INTO UPPER ARCH LAKE. 8 - YEAR STOCKING ROTATION. #S LOWERED TO 75/ACRE IN 1997. PLANTED WITH CT IN '71, '77 & '85. STAY SOUTH OF THE CREEK WHEN YOU CAN SEE THE FALLS. TIMBER

CAMP SITES: LITTLE OBVIOUS USE, ROCKY. CAMPING BEST AT LOWER ARCH LAKE.

SURVEY NOTES:

ARCH LAKE - WATER CODE 22-7170. AKA LITTLE ARCH LAKE ON USGS 7.5' QUAD AND ON ROCKY MTN SURVEYS MAPS. MIKE GORDON - 15-20" FISH IN 2001. A. LUNDBERG AND PARTY FISHED 8/92 - 130+ FISH FROM 5-20" SOME HEAVY BODIED.

ARLEN L. AND CREW WERE BACK 7/94 - REPORT ALL WERE IN A SKINNY, SNAKEY CONDITION, POST-SPAWN LETHARGY, A MIXED CREEL. M GORDON GOOD FISHING IN '01 A 15-20" FISH EVERY 30-45 MINUTES.

LAKE NAME: ASTEROID LAKE COUNTY: 32 T: 6S R: 14E SEC: 32BA  
DRAINAGE: STILLWATER ELEV: 9380 ACREAGE: 3.2 DEPTH: 40 FT  
LOCATION: 45.2715, -110.0152 MARCUSONS CODE: 80

ACCESS: HEADWATERS OF FLOOD CREEK DRAINAGE. HIKE ON TRAILS TO LAKE SURRENDER THEN CROSS COUNTRY SE 3 MILES. NO TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
INITIAL CREEK	22	(22)	+4,000	-1,200
WOODBINE	13	(7)	+4,100	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Unknown	Unknown

LAST GILL NET SET: 8/15/2001

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2001	Golden Trout	0		-
1994	Golden Trout	18	8.4	6-12.6

STOCKING HISTORY STOCKING PLAN

2005: Golden Trout (320 fish)  
1992: Golden Trout (209 fish)  
1991: Golden Trout (587 fish)

COMMENTS: INTENT OF PLANT IS TO ALLOW GT TO MOVE DOWNSTREAM. GOOD OUTLET FOR SPAWNING, NICE GRAVEL. GOOD FOOD BASE, LOTS OF AQUATIC INVERTEBRATES. FISH PLANTED IN '91 WERE .9" 0'S AND 4.7" AGE 1'S.

CAMP SITES: FAIR FIREWOOD. GOOD CAMPING.

SURVEY NOTES:

2.5 HOUR NET SET IN DAYLIGHT IN '01. WATER LEVEL WAS LOW. 1982 PLANT APPARENTLY DID NOT TAKE. RALPH SAUNDERS REPORTED NO FISH IN 1987 AND NETTING IN '91 FAILED TO SHOW ANY SURVIVAL. GLEN OWENS 7/99 - NO FISH. ACCESS IS BOTH LONG AND DIFFICULT.

THE LAKE PLATEAU CAN BE REACHED FROM ANY OF 4 TRAILHEADS, WOODBINE, WEST STILLWATER, UPSIDEDOWN AND BOX CANYON.

LAKE NAME: ARRAPOOASH LAKE COUNTY: 32 T: 7S R: 15E SEC: 3D  
DRAINAGE: WEST ROSEBUD ELEV: 9637 ACREAGE: 9.1 DEPTH: 25 FT  
LOCATION: 45.24614, -109.8475 MARCUSONS CODE: 32

ACCESS: ACCESS IS FROM THE ISLAND LAKE TRAIL 3/4 ALONG ISLAND LAKE. FOLLOW OUTLET STREAM UP WEST SIDE ~2 MILES - NO TRAIL. STAY NEAR STREAM. STEEP.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
MYSTIC LAKE #19	10	(7)	+3,300	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

LAST GILL NET SET: 7/29/1997

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1997	Yellowstone Cutthroat	29	12.9	7.7-14.6

STOCKING HISTORY STOCKING PLAN

COMMENTS: THE LAKES IN THIS CIRQUE WERE FISHLESS WHEN PAT MARCUSON SURVEYED THEM IN 1975 AND 1978. IN 1996 JIM THOMPSON FROM THE MYSTIC LAKE POWER PLANT SAW 8-14" CUTTHROAT HERE.

CAMP SITES: CAMPING IS IN ALPINE LIMBER PINE. PLENTY OF FIREWOOD.

SURVEY NOTES:

GOOD INLET FLOW. GLACIAL SILT MAY LIMIT REPRO. MOVEMENT OF FISH BETWEEN THE 5 LAKES IN THIS CIRQUE IS DOUBTFUL DUE TO STREAM GRADIENTS WHERE THESE FISH CAME FROM IS A MYSTERY.

RALPH SAUNDERS SAYS EARL NOTT AND BOY SCOUTS FROM COLUMBUS AND ABSAROEKE PLANTED CT'S IN THE LATE '40'S BUT THAT THEY DID NOT TAKE. REPRODUCTION SEEMS TO BE OCCURRING. RALPH SAUNDERS - 9/04 FISH OF EVERY SIZE PRESENT.

LAKE NAME: ASTRAL LAKE COUNTY: 49 T: 8S R: 15E SEC: 31AD  
DRAINAGE: CLARKS FORK ELEV: 9320 ACREAGE: 5.2 DEPTH: 4 FT  
LOCATION: 45.09311, -109.90191 MARCUSONS CODE: 24

ACCESS: EITHER FROM THE GOOSE LAKE JEEP ROAD OR UP STAR CREEK FROM THE BROADWATER TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	.75	(0)	+50	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1994

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Brook Trout	25	7.25	6-9
1994	Brook Trout	12	6.4	4.6-10.1
1972	Brook Trout	59	7.5	5.9-9

STOCKING HISTORY STOCKING PLAN

COMMENTS: NINE BROOKIES WERE CAUGHT BY HOOK AND LINE ON 08/07/79. SIZES RANGED FROM 6.5-11.6".

CAMP SITES: CAMPSITES AND FIREWOOD LIMITED.

SURVEY NOTES:

AS WITH MANY BROOK TROUT LAKES IN THE BEARTOOTHs, THIS FISHERY COULD SUPPORT MORE HARVEST. SURVEYED 08 MANY FISH EASY TO CATCH PRETTY LAKE.

LAKE NAME: AUFWUCH LAKECOUNTY: 40T: 7S R: 13E SEC: 13,24DRAINAGE: STILLWATERELEV: 8650ACREAGE: 30.0DEPTH: 28 FTLLOCATION: 45.21603, -110.04684MARCUSONS CODE: 54ACCESS: TOUGH HIKE OFF OF TRAIL #23 ON WOUNDED MAN CREEK. ABOUT 15 MILES FROM WOODBINE. 3700' UP, 300' DOWN.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

WOODBINE15(13)+3,700-300

SPECIES PRESENTABUNDANCESTATUS

Yellowstone CutthroatCommonSelf-Sustained

LAST GILL NET SET: 8/1/1979

YearSpecies Caught# of fishAve Lenght(in)Range(in)

1992Yellowstone Cutthroat414.68.9-20.3

1979Yellowstone Cutthroat214.314-14.5

STOCKING HISTORYSTOCKING PLAN

1969: Yellowstone Cutthroat (7020 fish)

COMMENTS: TOUGH TO GET TO THIS LAKE. LAST TWO MILES ARE VERY DIFFICULT WITH A BACKPACK. LOOKS LIKE THIS LAKE COULD STAND SOME HARVEST.

CAMP SITES: DECENT CAMPING WITH PLENTY OF FIREWOOD. '92 NO SIGNS OF ANY USE

SURVEY NOTES:

'92 ~40 FISH ANGLED BY CREW IN 1.5 HOURS. 15 MEASURED AVE. 15.4". MANY SEEN CRUISING AND RISING, ALL SIZES UP TO 20". MOST FISH WERE THIN, SOME EMACIATED. GOOD GRAVEL IN OUTLET BAY. TWO TINY INLETS HAD SAND SUBSTRATE.

FISH ARE OVER REPRODUCING ALTHOUGH THERE IS NOT MUCH POTENTIAL SPAWNING AREA.

LAKE NAME: BALD KNOB LAKECOUNTY: 10T: 9S R: 16E SEC: 6DRAINAGE: CLARKS FORKELEV: 9420ACREAGE: 15.4DEPTH: 38 FTLLOCATION: 45.07817, -109.79476MARCUSONS CODE: 81ACCESS: EXCELLENT USFS TRAIL FROM KERSEY LAKE.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

CLARKS FORK8.5(8.5)+1,560-280

SPECIES PRESENTABUNDANCESTATUS

Brook TroutCommonSelf-Sustained

LAST GILL NET SET: 8/20/2008

YearSpecies Caught# of fishAve Lenght(in)Range(in)

2008Brook Trout417.536.3-8.5

1993Brook Trout97.46.2-9.5

1970Brook Trout777.26.2-10

STOCKING HISTORYSTOCKING PLAN

COMMENTS: USFS RANGER REPORTS 7-10" EB IN 1983. SAYS THE FISH ARE OVERCROWDED AND VERY THIN.

CAMP SITES: FIREWOOD AVAILABLE.

SURVEY NOTES:

POORE & HERG FISHED THE LAKE FOR 1/2 HOUR IN '93. MOST OF THE 9 FISH WERE IN GOOD SHAPE EXCEPT FOR SEVERAL OF THE LARGER FISH WHICH WERE THIN (BIG HEADS). SUVEYED 08 THIN FISH EASY TO CATCH, ANGLER HARVESTING WOULD HELP.

LAKE NAME: AVALANCHE LAKECOUNTY: 32T: 7S R: 15E SEC: 36DRAINAGE: WEST ROSEBUDELEV: 9750ACREAGE: 62.2DEPTH: 135FTLLOCATION: 45.18211, -109.81114MARCUSONS CODE: 11ACCESS: ACCESS BEGINS AT MYSTIC LAKE TRAILHEAD. UP HUCKLEBERRY CREEK JUST BELOW GRANITE PEAK. TRAIL FADES IN & OUT ABOVE HUCKLEBERRY LAKE. BOULDER HOPPING.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

MYSTIC LAKE9.5(8)+3,800-300

SPECIES PRESENTABUNDANCESTATUS

Yellowstone CutthroatCommonStocked

LAST GILL NET SET: 8/24/2005

YearSpecies Caught# of fishAve Lenght(in)Range(in)

2005Yellowstone Cutthroat1611.810.8-15

1996Yellowstone Cutthroat10118.7-13

1990Yellowstone Cutthroat1211.610.8-12.4

STOCKING HISTORYSTOCKING PLAN

2000: Yellowstone Cutthroat (10000 fish)

1992: Yellowstone Cutthroat (10000 fish)

1984: Yellowstone Cutthroat (10000 fish)

COMMENTS: FISHERY IS VISITED BY GRANITE PEAK CLIMBERS. CATCH RATES ARE HIGH. #'S STOCKED AND INTERVAL WERE CHANGED. WAS PLANTED EVERY 5 YEARS. ONE OF THE STORM LAKES. SAMPLE WITH PRINCESS LAKE.

CAMP SITES: CAMPSITES ARE FEW, ROCKY. SCARCE FIREWOOD. FAIRLY HIGH USE.

SURVEY NOTES:

CT FIRST PLANTED IN 1950. GROWTH RATE HAS BEEN POOR. ADJUSTING STOCKING RATE AND NUMBERS. IF GROWTH RATES OF '00 STOCKING ARE POOR, LOWER #'S NEXT PLANT BY A SMALL AMOUNT. CATCH RATES SHOULD REMAIN HIGH HERE. GILL NET SET IN '90 FOR 19 HOURS, 2 IN '96.

FISH WERE IN AVERAGE CONDITION. CT'86 15 FISH 8.5-11.0" AVE. 10.0".

LAKE NAME: BARRIER LAKECOUNTY: 40T: 7S R: 13E SEC: 1DRAINAGE: STILLWATERELEV: 8150ACREAGE: 42.4DEPTH: 130FTLLOCATION: 45.25081, -110.05406MARCUSONS CODE: 66ACCESS: LONG HIKE FROM ANY TRAILHEAD. THE EXCELLENT INITIAL CREEK TRAIL GETS YOU NEAR WOUNDED MAN LAKE. FROM THIS LAKE IT'S AN ARDUOUS 1.5 M CLIMB DOWN.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

WEST STILLWATER19.5(17)+3,300-1,700

BOX CANYON17.5(15)+3,100-1,600

SPECIES PRESENTABUNDANCESTATUS

Rainbow Trout X Golden TroutCommonSelf-Sustained

LAST GILL NET SET: 8/6/1997

YearSpecies Caught# of fishAve Lenght(in)Range(in)

1997Rainbow Trout X Golden Trout1010.38.4-13.5

1986Golden Trout Hybrid211.58.5-14.5

STOCKING HISTORYSTOCKING PLAN

COMMENTS: ORIGIN OF THESE FISH IS UNKNOWN. THE 2 FISH IN THE '86 SURVEY WERE CAUGHT ANGLING. NUMEROUS FISH WERE SEEN RISING.

CAMP SITES: TOUGH CAMPING. MAY BE BEST AT THE OUTLET. LOTS OF FIREWOOD.

SURVEY NOTES:

LOW USE. VERY STEEP SIDES/SHORELINES - ROCKY.

LAKE NAME: BEAUTY LAKE

DRAINAGE: STILLWATER

LOCATION: 45.10568, -109.97096

COUNTY: 49

ELEV: 9200

MARCUSONS CODE: 34

T: 8S

R: 14E

SEC: 27DBB

ACREAGE: 5.9

DEPTH: 55 FT

ACCESS: 1 MILE NORTH OF GOOSE CREEK, A TRIBUTARY OF THE STILLWATER NEAR LULU PASS. HIKE WEST FROM GOOSE LAKE.

TRAILHEAD

GOOSE LAKE JEEP

MILES

4

TRAIL

(0)

ELEVATION UP

+500

ELEVATION DOWN

-1,100

SPECIES PRESENT

Yellowstone Cutthroat

ABUNDANCE

Abundant

STATUS

Self-Sustained

LAST GILL NET SET: 8/1/2008

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Yellowstone Cutthroat	10	9.6	7-11.9
1999	Yellowstone Cutthroat	11	10.6	8.7-13.9
1989	Yellowstone Cutthroat	8	9.6	8.3-10.3

STOCKING HISTORY

STOCKING PLAN

1968: Yellowstone Cutthroat (2080 fish)

1967: Yellowstone Cutthroat (1000 fish)

COMMENTS: PERIODIC SURVAILANCE NEEDED TO SEE IF FISHERY REMAINS SELF-SUSTAINING. MARCUSON FISHED HERE IN 1978 AND FOUND LOTS OF FISH. REPORT OF 6.0-13.0" FISH IN 1987.

CAMP SITES: GREAT CAMPING, MUCH FIREWOOD, UNTOUCHED BY THE BURN OF 1988.

SURVEY NOTES:

D. ARNESON 8/87 FOUND MEDIUM NUMBERS OF 6-10" CUTTHROATS. GREG ALDRICH 8/92 REPORTS LOTS OF FISH OF ALL SIZES UP TO 12". DENNIS HAGENSTON 8/93 REPORTS CUTTS 8-12". BOB WILTSHIRE 9/99 - ABUNDANT 10-12" CUTTS IN GOOD CONDITION.

SURVEY CREW ANGLED IN 08, 10 FISH AVE. HEALTH.

LAKE NAME: BECKWOURTH LAKE

DRAINAGE: WEST ROSEBUD

LOCATION: 45.21164, -109.89509

COUNTY: 32

ELEV: 9230

MARCUSONS CODE: 26

T: 7S

R: 15E

SEC: 20B

ACREAGE: 6.2

DEPTH: 9 FT

ACCESS: HEAD UP THE MYSTIC LAKE TRAIL(#19) TO SILVER LAKE. A PATH HEADS WEST FROM THE OUTLET END OF SILVER LAKE UPHILL AND X-COUNTRY AND MAY DISAPPEAR.

TRAILHEAD

MYSTIC - WEST RO

MILES

11

TRAIL

(8)

ELEVATION UP

+3,300

ELEVATION DOWN

-300

SPECIES PRESENT

Yellowstone Cutthroat

ABUNDANCE

Abundant

STATUS

Self-Sustained

LAST GILL NET SET: 8/2/2004

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Yellowstone Cutthroat	11	9.5	6.5-12
1994	Yellowstone Cutthroat	31	10.4	7-13
1986	Yellowstone Cutthroat	6	11.1	6.5-14.1

STOCKING HISTORY

STOCKING PLAN

Yellowstone Cutthroat

COMMENTS: NO PLANTING RECORD EXISTS. SOME FISH COME FROM FRENCO. SPAWNING AREAS IN OUTLET OBVIOUSLY ALLOW GOOD REPRODUCTION.

CAMP SITES: GOOD CAMPING. LOTS OF FIREWOOD.

SURVEY NOTES:

D FISCHER - '88 10-15" CT - GOOD SHAPE. D HAGENSTON 7/5/91 CT'S 8-12" LARGER FISH IN GOOD CONDITION. SMALLER ONES SNAKEY. G. ALDRICH REPORTS 4-14" CT'S ON EVERY CAST 8/92, NOT HEAVY. '94 NETTED FISH WERE HEALTHY LOOKING WITH GOOD THICKNESS.

ARLEN LUNDBERG 1996 FOUND THE FISH TO BE SKINNY. '04 FISH WERE IN AVERAGE SHAPE. LOTS OF FISH RISING.

LAKE NAME: BEAVER POND

DRAINAGE: BOULDER

LOCATION: 45.20165, -110.23954

COUNTY: 40

ELEV: 8000

MARCUSONS CODE: 97

T: 7S

R: 12E

SEC: 21

ACREAGE: 0.2

DEPTH: 3 FT

ACCESS: AT END OF 4X4 ROAD NEAR INDEPENDENCE. SEE SURVEY NOTES BELOW.

TRAILHEAD

INDEPENDANCE 4X

MILES

0

TRAIL

(0)

ELEVATION UP

0

ELEVATION DOWN

0

SPECIES PRESENT

Yellowstone Cutthroat

ABUNDANCE

Common

STATUS

Self-Sustained

SPECIES PRESENT

Yellowstone Cutthroat Trout X Rainbow

ABUNDANCE

Common

STATUS

Self-Sustained

LAST GILL NET SET: 8/1/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Yellowstone Cutthroat Trout X Rainbow	2	14.9	14.4-15.4
2008	Yellowstone Cutthroat	3	10.6	7.5-13.1
1990	Yellowstone Cutthroat			-

STOCKING HISTORY

STOCKING PLAN

1974: Yellowstone Cutthroat (350 fish)

COMMENTS: 1990 VISUAL SURVEY (POORE) SHOWED MANY 5-6" AND 10-12" TROUT CRUISING AND RISING.

CAMP SITES: GOOD CAMPSITES AND WOOD AVAILABLE.

SURVEY NOTES:

ACCEPTABLE REPRODUCTION TAKING PLACE. NO NEED TO RESTOCK. MONITOR PERIODICALLY. PROBABLY HAVE TO USE HOOK AND LINE TO SAMPLE AS IT IS SHALLOW. MUD BOTTOM. LOCATED ON THE MAIN FORK OF THE BOULDER RIVER.

A JEEP TRAIL TRAVELS WITHIN 1/4 MILE, THEN IT IS A SHORT HIKE SOUTH ALONG A TRAIL. SURVEYED 08 NETTED & ANGLED PLENTY OF FISH SEEN DIFFICULT TO CATCH. FAT & HEALTHY, GENETIC TESTING CONFIRM HYBRIDIZATION.

LAKE NAME: BIG BUTTE LAKE

DRAINAGE: CLARKS FORK

LOCATION: 45.06136, -109.7032

COUNTY: 10

ELEV: 10060

MARCUSONS CODE: 125

T: 9S

R: 16E

SEC: 12

ACREAGE: 22.1

DEPTH: 55 FT

ACCESS: APPROXIMATELY 8 MILES NE OF KERSEY LAKE VIA CANYON LAKE OR 12 MILES FROM KERSEY VIA RUSSEL & OTTER LAKES OR VIA MOOSE LAKE JEEP TRAIL.

TRAILHEAD

MOOSE LK JP TRAI

MILES

10

TRAIL

(8.25)

ELEVATION UP

+2,725

ELEVATION DOWN

-700

SPECIES PRESENT

Golden Trout

ABUNDANCE

Rare

STATUS

Unknown

LAST GILL NET SET: 8/14/2007

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Golden Trout	15	7.5	6.5-8.5
1999	Golden Trout	1	6.2	6.2-6.2

STOCKING HISTORY

STOCKING PLAN

2005: Golden Trout (2210 fish)

1992: Golden Trout (1440 fish)

1982: Golden Trout (5600 fish)

2011: Golden Trout (2210 fish)

COMMENTS: INTENT OF THE PLANTS IS TO ALLOW GT TO MOVE DOWNSTREAM INTO ANCHOR AND WIDOWED. NO SIGN OF ANY FISH IN '88. 5600 GT'S STOCKED IN '82. DESOLATION LAKE UPSTREAM STOCKED WITH GT IN '91.

CAMP SITES: NO FIREWOOD. A FEW PLACES TO CAMP.

SURVEY NOTES:

FAIRY SHRIMP PRESENT. NO SPAWNING POTENTIAL IN OUTLET OR INLET - ALL COBBLE AND BOULDERS. 40 GT'S WERE SAMPLED IN '84. WHY HAD THEY DISAPPEARED BY '88 & '90 WHEN NO FISH WERE NETTED? '94 FISH HAD A LARGE QUANTITY OF ORANGE ABDOMINAL FAT - GOOD SHAPE.

MAY WISH TO RESTOCK WITH 2,210 GT'S WHEN AVAILABLE. CUTTHROAT STOCKED IN 1968. FWP CREW CAUGHT 15 GT'S IN 07

SAMPLE WITH ANCHOR, DESOLATION, WIDOWED



LAKE NAME: BIG MOOSE LAKECOUNTY: 10T: 9S R: 16E SEC: 33DRAINAGE: CLARKS FORKELEV: 8000ACREAGE: 83.8DEPTH: 46 FTLLOCATION: 45.00219, -109.76253MARCUSONS CODE: 70

ACCESS: TRAIL #3 FROM KERSEY LAKE OR 4X4 ROAD FROM BEARTOOTH HIGHWAY.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

CLARKS FORK

8

(8)

+300

-350

SPECIES PRESENT

ABUNDANCE

STATUS

Brook Trout

Common

Self-Sustained

Rainbow Trout

Common

Self-Sustained

LAST GILL NET SET: 7/28/1993

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

1993

Rainbow Trout

34

11.5

4.3-17.2

1993

Brook Trout

33

9.4

6.3-12.2

STOCKING HISTORY

STOCKING PLAN

COMMENTS: ONLY 1/3 OF THE LAKE IS IN MONTANA. ORIGIN OF RAINBOW TROUT NOT KNOWN. DID WYOMING STOCK RAINBOWS IN THE PAST? CHECK WITH WYOMING BEFORE NEXT SAMPLE.

CAMP SITES: FIREWOOD IS AVAILABLE.

SURVEY NOTES:

'89 CREEL CARDS - 2 RB 8-12" RANGE. '81 SURVEY - 17 RB 6.9-15.5", AVE 11.1, 6 EB 6.5-8.7", AVE 7.3 WYOMING GAME AND FISH NETTED IN '93, USING TWO NETS. ON 8/14/63 THEY NETTED 11 RAINBOW AVERAGING 12.5".

LAKE NAME: BILL LAKECOUNTY: 32T: 6S R: 14E SEC: 20ADDRAINAGE: STILLWATERELEV: 8380ACREAGE: 10.4DEPTH: 28 FTLLOCATION: 45.29593, -110.00389MARCUSONS CODE: 76

ACCESS: FROM WOODBINE 5 TRAIL MILES TO FLOOD CRK. CLIMB! 4 MILES UP THE CRK (NO TRAIL). FLOOD CRK DRAINAGE IS BASICALLY IMPASSABLE. DO NOT ATTEMPT UNLESS YOU ENJOY TORTURE! USE BOX CAYON, UPSIDEDOWN OR WEST FORK

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

WOODBINE

9

(5)

+3,130

-0

BOX CANYON TRAI

22.5

(22.5)

+2,900

-1,200

SPECIES PRESENT

ABUNDANCE

STATUS

Rainbow Trout X Golden Trout

Common

Self-Sustained

Yellowstone Cutthroat Trout X Golden Tro

Common

Self-Sustained

Yellowstone Cutthroat Trout X Rainbow

Common

Self-Sustained

LAST GILL NET SET: 8/7/2002

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2002

Yellowstone Cutthroat Trout X Golden Trou

13

9

5.4-11

1991

Unknown Hybrid

3

9.5

9.3-9.8

1971

Unknown Hybrid

23

11

6-13.9

STOCKING HISTORY

STOCKING PLAN

COMMENTS: INLET AND OUTLET PROVIDE EXCELLENT SPAWNING AREAS. RALPH SAUNDERS REPORTS 14.0" CUTTHROAT IN 1983. FISH ARE ALSO IN THE STREAM. BEAUTIFUL LAKE TO FISH AND CAMP. NOT MUCH USE.

CAMP SITES: GOOD CAMPING, PLENTY OF FIREWOOD.

SURVEY NOTES:

GIL LONGMIRE 8/89 - LOTS OF GT'S 8-12", 1 CT 12", 2 RB'S 8-10". ALL FISH OBSERVED WERE HYBRIDS OF GT, CT, RB. LARGER FISH, IN FAIRLY HIGH #S WERE OBSERVED CRUISING (6-15"). FISH WERE IN GOOD CONDITION, VERY FAT. CATCH ONE ON EVERY CAST.

GLENN RICKETT AND CREW WERE HERE IN '05. FISH WERE HEALTHY AND WILLING - UP TO '14". COMING UP FROM BELOW WAS VERY, VERY ROUGH. ONE DAY FISHING HERE AND AT CIMMERIAN LAKE- 4 GUYS - 120 FISH.

LAKE NAME: BIG PARK LAKECOUNTY: 10T: 8S R: 16E SEC: 14DRAINAGE: EAST ROSEBUDELEV: 8276ACREAGE: 7.8DEPTH: 3 FTLLOCATION: 45.12509, -109.7226MARCUSONS CODE: 19

ACCESS: THE LAKE IS A WIDE SPOT AT THE CONFLUENCE OF EAST ROSEBUD AND GRANITE CREEKS 12 MILES FROM EAST ROSEBUD LAKE.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

ALPINE (EAST ROS

12

(12)

+2,200

-160

SPECIES PRESENT

ABUNDANCE

STATUS

Yellowstone Cutthroat

Common

Self-Sustained

LAST GILL NET SET: 8/1/1990

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2001

Yellowstone Cutthroat

12

8.8

6.4-14.6

1990

Yellowstone Cutthroat

22

8.9

6.5-12.5

STOCKING HISTORY

STOCKING PLAN

1955: Golden Trout (1600 fish)

COMMENTS: FISHERY IS PART OF THE CREEK ENVIRONMENT. NO ADDITIONAL MANAGEMENT NEEDED AS REPRODUCTION APPEARS GOOD. THIS LAKE (SLOUGH) IS RIGHT ON THE TRAIL BUT THE SHORELINE IS VERY MARSHY.

CAMP SITES: CAMPING IS GOOD AT THE WEST END AND FIREWOOD IS ABUNDANT.

SURVEY NOTES:

NO GOLDEN TROUT SEEN OR SAMPLED IN 1990. FISH HAVE MOVED DOWNSTREAM FROM LAKES ABOVE. '90 FISH WERE FAT.

LAKE NAME: BILLY LAKECOUNTY: 10T: 8S R: 16E SEC: 20DRAINAGE: EAST ROSEBUDELEV: 10150ACREAGE: 10.5DEPTH: 56 FTLLOCATION: 45.12203, -109.78514MARCUSONS CODE: 30

ACCESS: DOWNSTREAM FROM CAIRN LAKE NEAR THE SOUTH SIDE OF GRANITE PEAK. NORTHWEST OF DEWEY LAKE.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

ALPINE (EAST ROS

16.5

(15.25)

+4,110

-160

SPECIES PRESENT

ABUNDANCE

STATUS

Brook Trout

Common

Self-Sustained

LAST GILL NET SET: 8/1/2001

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2007

Brook Trout

14

11.4

8.25-13

2001

Brook Trout

5

10.4

8.9-12.1

1994

Brook Trout

8

12.4

11.4-13.2

STOCKING HISTORY

STOCKING PLAN

COMMENTS: IF GOLDEN TROUT PLANTED IN CAIRN LAKE, THEY WOULD MOVE INTO BILLY LAKE. SEE MANAGEMENT SUGGESTIONS FOR CAIRN LAKE. MAY WANT TO GILL NET EVERY 2-3 YRS WITH 2-3 NETS TO KNOCK THIS POPULATION BACK.

CAMP SITES: NO FIRES ALLOWED. WELL ABOVE TREE LINE. POOR CAMPSITES-ROCKY.

SURVEY NOTES:

DIDNT OBSERVE AN EB IN 1987 SURVEY. KEEP CHECKING FOR DOWNSTREAM MOVEMENT OF EB. MAY NEED TO ROTENONE TO PROTECT CT & RB WATERS DOWNSTREAM. VISUAL 8/4/92 BY SURVEY TEAM - ONE 20" EB CRUISING, 6 EB IN OUTLET STREAM. '94 FISH WERE EXTREMELY HEALTHY.

PLEASE EAT EVERY BROOKIE CAUGHT HERE. NO SIGN OF FISH FROM THE FALLS BELOW BILLY LAKE TO OLY LAKE.

'01 - NET SET FOR 2.5 HOURS.FWP CREW SAMPLED 07 ,14 CAUGHT IN OVERNIGHT SET.



LAKE NAME:	BOWBACK LAKE	COUNTY:	10	T:	8S	R:	17E	SEC:	23BA
DRAINAGE:	ROCK CREEK	ELEV:	10380	ACREAGE:	6.4	DEPTH:	40 FT		
LOCATION:	45.12198, -109.60043	MARCUSONS CODE:	65						
ACCESS: 7 MILES UP W FORK ROCK CREEK ON TRAIL #1. 1/4 MILE SHORT OF SUNDANCE PASS CLIMB / SCRAMBLE UP THROUGH ONE OF TWO CHUTES TO THE WEST. SHIP CREEK BASIN.									
TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN					
WEST FORK ROCK	8.5	(6.5)	+2,700	-200					
SPECIES PRESENT		ABUNDANCE	STATUS						
Yellowstone Cutthroat		Common	Stocked						
LAST GILL NET SET: 8/1/1997									
Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)					
2001	Yellowstone Cutthroat	17	13.3	11.9-14.6					
1997	Yellowstone Cutthroat	11	11.9	11-12.9					
1990	Yellowstone Cutthroat	10	10.9	6.4-12.6					
STOCKING HISTORY		STOCKING PLAN							
2004: Yellowstone Cutthroat (320 fish)		2012: Yellowstone Cutthroat (320 fish)							
1996: Yellowstone Cutthroat (320 fish)									
1988: Yellowstone Cutthroat (663 fish)									
COMMENTS: PREVIOUS PLANTS '68 - 1,540 '71 - 1,125 '80 - 640. MARCUSON LOOKED AT GROWTH RATES FOR A FEW YEARS AT THIS LAKE. SEE CARDS. 1/3 ICE COVERED IN MID-JULY. WATER TEMPERATURE 41 F.									
CAMP SITES: ABOVE TIMBERLINE. LITTLE CAMPING. NO FIREWOOD. CAMP BELOW.									
SURVEY NOTES:									
GROWTH RATES SEEM TO HAVE IMPROVED. NET SET IN '90 FOR 23.5 HOURS. FISH WERE IN POOR HEALTH AND WERE VERY THIN. THE LAKE RECIEVES LITTLE FISHING PRESSURE. PROBABLY FEW ZOOPLANKTON - RESULTING IN THE EXTREMELY POOR GROWTH RATE. #S STOCKED HALVED IN '96.									

LAKE NAME:	BRAMBLE LAKE #39	COUNTY:	49	T:	5S	R:	12E	SEC:	28DC
DRAINAGE:	BOULDER	ELEV:	8775	ACREAGE:	3.3	DEPTH:	26 FT		
LOCATION:	45.36614, -110.2484	MARCUSONS CODE:	39						
ACCESS: ~3 MILES UP BRAMBLE CREEK. NO TRAIL EXISTS. TRY STAYING JUST NORTH OF THE CREEK DRAINAGE FIRST 1/2 TO AVOID DEADFALLS.									
TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN					
NONE	3	(0)	+3,500	-0					
SPECIES PRESENT		ABUNDANCE	STATUS						
Yellowstone Cutthroat		Unknown	Stocked						
LAST GILL NET SET: 8/1/2001									
Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)					
2008	Yellowstone Cutthroat	0		-					
STOCKING HISTORY		STOCKING PLAN							
2001: Yellowstone Cutthroat (330 fish)		2009: Yellowstone Cutthroat (330 fish)							
1993: Yellowstone Cutthroat (330 fish)									
1979: Yellowstone Cutthroat (616 fish)									
COMMENTS: 3,000 CT'S PLANTED IN '65. 7/88 BILL JARRET SAYS THE LAKE HAS BEEN BARREN FOR A FEW YEARS. 8/27/89 - R. SAUNDERS CONFIRMS. TOUGH HIKE, ~HARD TO FIND.									
CAMP SITES: BEAUTIFUL PLACE TO CAMP. PLENTY OF FIREWOOD. SURVEY BEFORE PLT									
SURVEY NOTES:									
STAGGER PLANTS EVERY 8 YRS WITH #41, 100/ACRE. OTHER SPECIES MIGHT BE INTRODUCED - GR, GT? NO INLET FOR SPAWNING. OUTLET HAS SOME GRAVEL, BUT IS MOSTLY ROCK AND MAY NOT BE SUITABLE FOR SPAWNING. SURVEYED '08, ZERO FISH CAUGHT. 15 HR. SET									
PLENTY OF FEED, CADDISFLY LARVAE, TINY CLAMS, FAIRY SHRIMP, AQUATIC BEETLES. WATER WAS TURBID, VISIBILTY LIMITED TO ~4 FT									

LAKE NAME:	BRAMBLE LAKE #38	COUNTY:	49	T:	5S	R:	12E	SEC:	28,29
DRAINAGE:	BOULDER	ELEV:	8350	ACREAGE:	1.2	DEPTH:	3 FT		
LOCATION:	45.36946, -110.24464	MARCUSONS CODE:	38						
ACCESS: HEADWATERS OF BRAMBLE CREEK. IT IS A 3 MILE HIKE UP BRAMBLE CREEK. NO TRAIL EXISTS.									
TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN					
NONE	3	(0)	+3,500	-0					
SPECIES PRESENT		ABUNDANCE	STATUS						
Yellowstone Cutthroat		Rare	Unknown						
LAST GILL NET SET:									
STOCKING HISTORY									
2001: Yellowstone Cutthroat		2009: Yellowstone Cutthroat							
COMMENTS: THERE ARE 4 BRAMBLE LAKES <#38,39,40,41>. BRAMBLE LAKE #39 & #41 HAVE FISH. #38 GETS PLANTED IN #39. #38 IS TOO SHALLOW TO SET NET (ANGLE). #39 GETS PLANTED '09 SOME FISH MAY COME DOWN TO #38 WITH THIS PLANT.									
CAMP SITES: NICE CAMPSITES, FIREWOOD PRESENT.									
SURVEY NOTES:									
TOO SHALLOW TO SET A NET. RALPH SAUNDERS SAYS #38 WAS DRY - 8/27/89.									

LAKE NAME:	BRAMBLE LAKE #41	COUNTY:	49	T:	5S	R:	12E	SEC:	28,29
DRAINAGE:	BOULDER	ELEV:	9525	ACREAGE:	4.1	DEPTH:	70 FT		
LOCATION:	45.36376, -110.25983	MARCUSONS CODE:	41						
ACCESS: ~3 MILES UP BRAMBLE CREEK. NO TRAIL EXISTS. TRY STAYING JUST NORTH OF THE CREEK DRAINAGE FIRST 1/2 TO AVOID DEADFALLS.									
TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN					
NONE	3	(0)	+3,500	-0					
SPECIES PRESENT		ABUNDANCE	STATUS						
Rainbow Trout		Unknown	Stocked						
Yellowstone Cutthroat		Abundant	Stocked						
LAST GILL NET SET:									
STOCKING HISTORY		STOCKING PLAN							
2005: Yellowstone Cutthroat (410 fish)		2013: Yellowstone Cutthroat (410 fish)							
1997: Rainbow Trout (410 fish)									
1987: Yellowstone Cutthroat (600 fish)									
COMMENTS: THESE LAKES ARE MODERATELY HARD TO FIND. TOUGH CLIMB WITH A PACK. WATER CODE # 22-7317 BRAMBLE CREEK LAKE #3.									
CAMP SITES: FIREWOOD IS PRESENT. NICE CAMPSITES (A FEW GOOD FLAT SPOTS).									
SURVEY NOTES:									
8/27/89 - R SAUNDERS - 13.5" 1# 10 YR OLD CT-BIG HEAD, SMALL BODY. MANY UP TO 10", MOST 6-8". '91 - FISH THIN TO EMACIATED. STRIKE EVERY CAST. ALLOW RB'S TO AGE OUT THEN RESTOCK WITH CT. 8 YEAR FREQUENCY STAGGERED WITH #39.									
ANGLED BY MFWP CREW IN '08, NO FISH CAUGHT BUT ONE FISH SEEN AND OTHERS RISING.									

LAKE NAME: BRIDGE LAKE COUNTY: 49 T: 6S R: 11E SEC: 34  
DRAINAGE: BOULDER ELEV: 9585 ACREAGE: 14.2 DEPTH: 42 FT  
LOCATION: 45.26605, -110.34592 MARCUSONS CODE: 36

ACCESS: NE OF CROW MOUNTAIN. TRAIL #25 CLIMBS 10 MILES TO THIS LAKE FROM THE BOULDER RIVER. EXCELLENT TRAIL FIRST 9.5 MILES.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BRIDGE CREEK	10	(9.5)	+3,500	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/3/2006

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Yellowstone Cutthroat	34	9.43	6.8-15.8
1998	Yellowstone Cutthroat	13	13.7	10-17.3
1991	Yellowstone Cutthroat	43	9	6.6-16.7

STOCKING HISTORY	STOCKING PLAN
2007: Yellowstone Cutthroat (2130 fish)	2013: Yellowstone Cutthroat (2130 fish)
2001: Yellowstone Cutthroat (2130 fish)	
1995: Yellowstone Cutthroat (2130 fish)	

COMMENTS: GOOD FOOD RESOURCE PRODUCES EXCEPTIONAL FISH. CT PLANTED IN '70, '77, '83. LAKE IS ON A SIX YEAR STOCKING SCHEDULE AT 150/ACRE. BEAUTIFUL CIRQUE WITH VOLCANIC ROCK ALL AROUND.

CAMP SITES: NICE CAMPSITES, ESPECIALLY 1/2 MILE BELOW. SCARCE FIREWOOD.

SURVEY NOTES:  
THIS IS A POPULAR PLACE. LAKE SHOWS HEAVY USE. CURRENT MGMT SHOULD CONTINUE TO PROVIDE A GOOD FISHERY. SOME REPRO MAY BE OCCURRING - CHECK SCALES. OUTLET SPAWNING MARGINAL, INLET IS SEASONAL BUT HAS GOOD GRAVEL. '91 FISH WERE FAIRLY PLUMP.  
8/90 - 18+", VERY FAT 3-4 LBS. ANGLER 8/8/94 REPORTS 5" & MOSTLY 13" CT'S, NICE AND PLUMP. 8/06 FISH FAT EASILY CAUGHT (BAILY MFWP)

LAKE NAME: BROADWATER LAKE COUNTY: 49 T: 9S R: 15E SEC: 10  
DRAINAGE: CLARKS FORK ELEV: 8398 ACREAGE: 93.6 DEPTH: 64 FT  
LOCATION: 45.06012, -109.84834 MARCUSONS CODE: 23

ACCESS: KERSEY LAKE TRAIL #567 TO JEEP TRAIL #306 TO BROADWATER RIVER TRAIL #564. FIGHT THROUGH SOME BURNED DEADFALLS ON EAST SHORE OF CURL LAKE TO ISTHMUS.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	5	(4.25)	+600	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

LAST GILL NET SET: 8/1/2002

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Brook Trout	7	11.1	9.3-12.5
2002	Brook Trout	0		-
1999	Brook Trout	26	7.7	6.3-10.2

STOCKING HISTORY	STOCKING PLAN
2003: Yellowstone Cutthroat (7875 fish)	
2002: Yellowstone Cutthroat (12000 fish)	
1933: Brook Trout (7500 fish)	

COMMENTS: GRAYLING OCCUPY THE BROADWATER RIVER SYSTEM FROM ROUGH LAKE. LOTS OF EVIDENCE OF ELK, MOOSE AND DEER. LITTLE EVIDENCE OF HUMAN USE. EXCELLENT SPAWNING POTENTIAL IN INLET, GOOD IN OUTLET.

CAMP SITES: PLENTY OF FIREWOOD AND CAMPSITES AVAILABLE. E. SIDE BURNED '88

SURVEY NOTES:  
'95 FISH WERE ALL THIN. MCBRIDE CUTTHROAT PLANTED IN '96, '98, '99, '00 & '01 TO TRY TO GET A JUMP ON THE BROOKIES WHICH WERE KNOCKED BACK AS A RESULT OF THE '88 FOREST FIRE.

45 BROOK TROUT NETTED IN 1973 AVERAGING 7.6" WITH A RANGE OF 5.5-10.4". 9 EB'95 6.5-9.8" AVE. 8.3".

LAKE NAME: BROADWATER COUNTY: 10 T: 8S R: 18E SEC: 35C  
DRAINAGE: ROCK CREEK ELEV: 7990 ACREAGE: 1.0 DEPTH: 3 FT  
LOCATION: 45.08138, -109.4803 MARCUSONS CODE:

ACCESS: THE LAKE IS A WIDE SPOT IN THE LAKE FORK ROCK CREEK. 3 MILES OF GOOD TRAIL

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
LAKE FORK ROCK	3	(3)	+800	0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

LAST GILL NET SET:

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

COMMENTS: SINCE THIS LAKE IS PART OF A STREAM NO SPECIAL FISHERIES MANAGEMENT IS PROPOSED.

CAMP SITES: NONE, LOST LAKE CLOSEST

SURVEY NOTES:  
TOO SHALLOW TO SET NET. 89 CREEL CARDS - 10 EB <12", 2RB? 8-12" RANGE, 1CT? 12-16" RANGE. ANGLE THIS NEXT TIME IN AREA.

LAKE NAME: BROADWATER MEADOW COUNTY: 49 T: 9S R: 15E SEC: 28A  
DRAINAGE: CLARKS FORK ELEV: 7978 ACREAGE: 1.4 DEPTH: 4 FT  
LOCATION: 45.04274, -109.84754 MARCUSONS CODE: 1

ACCESS: JEEP ROAD NEAR CHIEF JOSEPH CAMPGROUND ON HWY 212 APPROXIMATELY 3 MILES EAST OF COOKE CITY.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	3.25	(3.25)	+300	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET:

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

COMMENTS: BROOK TROUT ARE ABUNDANT BUT SMALL. OCCASIONAL CUTTHROAT AND GRAYLING ARE SEEN.

CAMP SITES: FIREWOOD AND CAMPSITES AVAILABLE.

SURVEY NOTES:  
TOO SHALLOW TO SET NET. SAMPLE WITH HOOK AND LINE IF NEEDED.

LAKE NAME: BURNT BACON LAKE COUNTY: 10 T: 9S R: 17E SEC: 29CA  
DRAINAGE: CLARKS FORK ELEV: 8950 ACREAGE: 15.0 DEPTH: 46 FT  
LOCATION: 45.01208, -109.65989 MARCUSONS CODE: 231

ACCESS: TRAILS FROM HWY 212 NEAR BEARTOOTH BUTTE. LAKE IS SE OF LAKE ELAINE.  
NE 1/4 MILE FROM THE NORTH POINT OF GRANITE LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLAY BUTTE	8.5	(8)	+330	-900
MUDDY CREEK	9.5	(9)	+870	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Unknown	Unknown

LAST GILL NET SET:

STOCKING HISTORY STOCKING PLAN

Arctic Grayling (1500 fish)

COMMENTS: SPAWNING WOULD BE RESTRICTED. BEAUTIFUL LAKE. WAS DUE TO BE  
PLANTED WITH GRAYLING IN '84 BUT NO RECORD OF THE PLANT CAN BE  
FOUND. (PLANT WAS CANCELLED AT REQUEST OF USFS). NO SURVEY IS

CAMP SITES: NO REAL GOOD CAMPSITES BUT LOTS OF FIREWOOD.

SURVEY NOTES:  
PLANT GRAYLING WHEN AVAILABLE. CLEAR WITH USFS. NO SIGN OF '88 FIRE.

LAKE NAME: CAIRN LAKE COUNTY: 10 T: 8S R: 15E SEC: 13  
DRAINAGE: EAST ROSEBUD ELEV: 10186 ACREAGE: 148.3 DEPTH: 125FT  
LOCATION: 45.13029, -109.79662 MARCUSONS CODE: 31

ACCESS: LEAVE TRAIL #15 BETWEEN FOSSIL AND DEWEY LAKES. HIKE UP THE EAST SIDE  
OF CAIRN CREEK ~2 1/4 MILES. LONG LAKE JEEP TRAIL 7 HRS IN 5 OUT.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ALPINE (EAST ROS	17.0	(15.25)	+4,150	-200
LONG LAKE JEEP T	8.0			

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

LAST GILL NET SET: 8/1/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Brook Trout	15	14.1	12.5-15.5
1990	Brook Trout	12	11.2	6-14.6
1987	Brook Trout	5	10.5	6.5-13.6

STOCKING HISTORY STOCKING PLAN

1968: Yellowstone Cutthroat (10010 fish)  
1955: Golden Trout (4800 fish)

COMMENTS: EB'S HAVE MOVED INTO BILLY LAKE. G. OWENS - '00 - TONS OF 12-14"  
BROOKIES. '01 ANGLED 9.9 & 15.9".

CAMP SITES: GOOD CAMPSITES. NO FIREWOOD. NO FIRES PERMITTED.

SURVEY NOTES:  
MANY 1-2" AND 5-9" FISH OBSERVED IN '87. EB SEEN IN THE POOLS JUST BELOW THE LAKE.  
8/83-BENO SHERIDAN 100S OF EB AVE 2-2.5# VERY FAT. '89 CREEL CARD - 6 EB 16+".  
HAGENSTON 8/89 12-13" EB, STILL CHUNKY BUT W/ LARGE HEADS. D FISCHER 8/91 FAT 14-16"  
EB.  
'90 GILL NET SET FOR 19 HOURS FISH WERE VERY FAT, FOOTBALL SHAPED. V ICHIOKA 8/95  
20 EB 12-15.5". GLENN OWENS 8/1/04 - GREAT LOOKING FISH FROM 5-17". BEST FISHING  
DURING MID-DAY. 3EB77 6.8-13.5" AVE. 10.3".

LAKE NAME: BURNT GULTCH LAKE COUNTY: 40 T: 7S R: 13E SEC: 5,6,7  
DRAINAGE: BOULDER ELEV: 9040 ACREAGE: 9.1 DEPTH: 43 FT  
LOCATION: 45.244, -110.14817 MARCUSONS CODE: 26

ACCESS: 14 MILES UP UPSIDEDOWN CREEK OR 10 MILES UP RAINBOW CREEK FROM THE  
MAIN BOULDER ROAD. SEE SURVEY NOTES BELOW.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
UPSIDEDOWN TRAI	14	(13)	+3,770	-1,170
BOX CANYON	10.5	(9.5)	+2,364	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/1/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1996	Yellowstone Cutthroat	10	10.2	8.6-12.8
1990	Yellowstone Cutthroat	8	9.8	7.3-11.2
1985	Yellowstone Cutthroat	8	10.4	7.5-12.5

STOCKING HISTORY STOCKING PLAN

1985: Yellowstone Cutthroat (3978 fish)  
1970: Yellowstone Cutthroat (4074 fish)

COMMENTS: FISH STILL THIN. SOME SPAWNING HAS OCCURED. McBRIDE CUTTHROAT  
WERE PLANTED IN '85 IN HOPES THEY MIGHT GROW BETTER THAN THE OLD  
YELLOWSTONE STOCK. 2 OBVIOUS VARIETIES OF CT'S IN '90. FRY SEEN '90

CAMP SITES: PLENTY OF GOOD CAMPSITES AND LOTS OF FIREWOOD AVAILABLE.

SURVEY NOTES:  
APPEARS TO BE SELF SUSTAINING. MONITOR PERIODICALLY. 4 HOUR GILL NET SET IN '90.  
LOCATED 1/2 MI. N. OF COLUMBINE CREEK MOUTH UP RAINBOW CREEK. (CROSS COUNTRY,  
600 FT EASY CLIMB).

CAN ALSO BE REACHED FROM UPSIDEDOWN TRAIL - HORSESHOE LAKE RAINBOW CRK.  
TRAIL - COLUMBINE CRK. - THEN CROSS COUNTRY.

LAKE NAME: CAMP LAKE COUNTY: 40 T: 4S R: 13E SEC: 21,22  
DRAINAGE: BOULDER ELEV: 8995 ACREAGE: 7.8 DEPTH: 58 FT  
LOCATION: 45.47183, -110.11519 MARCUSONS CODE: 3

ACCESS: HEAD OF CANYON CREEK. TAKE PICKET PIN-IRON MOUNTAIN ROAD TO CHROME  
MOUNTAIN THEN 2.5 MILES X-COUNTRY FROM CHROME MOUNTAIN.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CHROME MTN	2.5	(0)	+200	-500

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/19/2008

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Yellowstone Cutthroat	26	9.2	5.9-11.8
1992	Yellowstone Cutthroat	21	9.5	7.2-15.3

STOCKING HISTORY STOCKING PLAN

COMMENTS: OUTSIDE A-B. NO STOCKING RECORD EXISTS. '92 SOME CANS ETC. FOUND  
AROUND AND IN THE LAKE, BUT PRETTY ANYWAY. GOOD DAY HIKE  
MATERIAL.

CAMP SITES: ONE EXCELLENT CAMPSITE. PLENTY OF FIREWOOD AVAILABLE.

SURVEY NOTES:  
9/4/89 D. HAGENSTON CAUGHT LOTS OF 9-11" SKINNY CT'S. 9/2/91 D. HAGENSTON 12-14"  
GOOD SHAPE, REAL PINK, YOUNGER FISH ALSO PRESENT '92 MANY FISH CRUISING & RISING  
2-15", MOST 6-8". FISH WERE AVERAGE TO THIN.

OUTLET IS ALL BIG ROCKS & INLET HAS VERY LITTLE GRAVEL BUT THE FISH OBVIOUSLY  
REPRODUCE WELL. NEEDS HARVEST. SURVEYED 08 NETTED 17 HRS.  
FISH WERE THIN, REPRODUCTION FINE.

LAKE NAME: CANYON LAKE COUNTY: 10 T: 9S R: 16E SEC: 16,17  
DRAINAGE: CLARKS FORK ELEV: 8780 ACREAGE: 65.7 DEPTH: 87 FT  
LOCATION: 45.03927, -109.76841 MARCUSONS CODE: 118

ACCESS: TRAIL #567 PAST KERSEY LAKE TO FOX LAKE THEN CROSS RUSSEL CREEK AND FIND THE PRIMATIVE TRAIL UP THE WEST SIDE OF FARLEY CREEK TOWARD CANYON LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	6	(4.5)	+1,000	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat Trout X Rainbow	Common	Self-Sustained

LAST GILL NET SET: 8/1/1986

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1998	Yellowstone Cutthroat Trout X Rainbow	6	15	13-16.8
1986	Yellowstone Cutthroat Hybrid	3	11	9.5-12.1

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

COMMENTS: RIGHT IN THE HEART OF GRIZZLY COUNTRY!

CAMP SITES: PLENTY OF FIREWOOD BUT NOT MANY FLAT PLACES TO CAMP.

SURVEY NOTES:  
FISH APPEAR TO BE MAINLY CUTTHROATS. EXCELLENT GROWTH. '89 CREEL CARDS - CT'S OF ALL SIZES TO 16"+. MARK BARRETT AND 3 OTHERS CAUGHT 5 HYBRIDS IN ~3 HOURS 12-16" & ONE WHOPPER ~24" 4+ LBS. 9/91. DAVE FISCHER '97 CAUGHT HYBRIDS MOSTLY 14", 1 @ 18".

LAKE NAME: CHICKADEE LAKE COUNTY: 40 T: 6S R: 13E SEC: 30CA  
DRAINAGE: BOULDER ELEV: 9690 ACREAGE: 4.0 DEPTH: 8 FT  
LOCATION: 45.27678, -110.15855 MARCUSONS CODE: 15

ACCESS: TRAIL UP UPSIDEDOWN CREEK OR FROM THE WOUNDED MAN CREEK AREA, A TRIBUTARY OF THE STILLWATER.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
UPSIDEDOWN TRAI	9.5	(8.5)	+3,470	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/1/1993

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2003	Yellowstone Cutthroat	5	14.6	13-15.7
1993	Yellowstone Cutthroat	22	13.1	7-17.3
1985	Yellowstone Cutthroat	22	9.6	6.5-15.5

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

1978: Yellowstone Cutthroat (600 fish)

COMMENTS: SPRING FED SPAWNING AREA IN THE INLET. FISH WERE OBSERVED IN THE OUTLET ONE MILE DOWNSTREAM. DAVE FISCHER '86 - DECENT POPULATION OF 13-16" CT.

CAMP SITES: CAMPING OK BUT EXCELLENT JUST BELOW. SOME FIREWOOD BELOW.

SURVEY NOTES:  
SUMMER '88 BARB KELLY CAUGHT 5 C's 7.6-12.5" AVE. 10.3". FISH LOOKED HEALTHY. SEVERAL SMALL FISH SEEN. '93 FISH WERE HEALTHY BUT DIDNT HAVE BIG BODIES. THESE FISH SEEM TO BE DOING FINE AS THEY ARE. ANGLER REPORTS SMALL CUTTS IN 1999.  
'03 FISH WERE ANGLED. FISH WERE IN AVARAGE SHAPE.

LAKE NAME: CATARACT LAKE COUNTY: 32 T: 6S R: 15E SEC: 29  
DRAINAGE: STILLWATER ELEV: 8751 ACREAGE: 9.7 DEPTH: 45 FT  
LOCATION: 45.27998, -109.89691 MARCUSONS CODE: 8

ACCESS: EASY HIKE FROM WOODBINE TO SIOUX CHARLEY. CROSS RIVER. WORK SOUTH THROUGH BURN ~1 MI TO FALLS CREEK. STEEP X-COUNTRY CLIMB UP CREEK. STAY TO LEFT.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WOODBINE	8	(4)	+3,800	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Rare	Stocked

LAST GILL NET SET: 8/28/1997

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1997	Yellowstone Cutthroat	1	17	17-17
1990	Yellowstone Cutthroat	0		-

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

2007: Yellowstone Cutthroat (485 fish)  
1999: Yellowstone Cutthroat (485 fish)  
1991: Yellowstone Cutthroat (485 fish)

COMMENTS: TROPHY FISHERY IS THE GOAL HERE. POOR SPAWNING GROUNDS. 8-YEAR CYCLE AT 50/ACRE. LEAVE AS IS. GOOD FISHERY POTENTIAL, LOTS OF FEED, BUT NO FISH LEFT FROM THE '77 PLANT.

CAMP SITES: FEW GOOD CAMPSITES BUT LOTS OF FIREWOOD.

SURVEY NOTES:  
ACCESS IS 'VERY' DIFFICULT. USE BY FISHERMEN WOULD BE VERY LIMITED. LITTLE SIGN OF USE. THE OUTLET OF THE LAKE IS BURNED. '97 FISH WEIGHED 2.3 LBS. LOTS OF CADDIS. '90 GILL NET SET FOR 5 HOURS BY VOLUNTEER CREW.

RALPH SAUNDERS 9/5&6/04 - 10 HOURS EACH WAY WITH 25LB PACKS. TREACHEROUS - BURNED DOWNFALL WITH THICK REGROWTH. JUMP LOG TO LOG. WILL GET WORSE BEFORE BETTER. WEIRD 14" CT'S - BLOOD RED, HIGH FAT. SURVEY AT SOME FUTURE DATE.

LAKE NAME: CHROME LAKE COUNTY: 32 T: 5S R: 16E SEC: 31  
DRAINAGE: STILLWATER ELEV: 8412 ACREAGE: 3.6 DEPTH: 17 FT  
LOCATION: 45.35056, -109.79683 MARCUSONS CODE: 1

ACCESS: REACHED VIA THE BENBOW MINE ROAD. THE LAKE IS OUTSIDE THE ABSAROKA-BEARTOOTH WILDERNESS. MARGINAL FOR 2 WHEEL DRIVES. ADVISABLE TO WALK DOWN.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BENBOW MINE RO	ALL	ROAD	--	--

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Common	Stocked
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 7/10/2008

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Yellowstone Cutthroat	13	14.6	12.7-16.8
2008	Arctic Grayling	8	12.1	11.7-12.6

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

2006: Arctic Grayling (360 fish)  
2009: Yellowstone Cutthroat (360 fish)  
2005: Yellowstone Cutthroat (500 fish)  
2012: Arctic Grayling (360 fish)

COMMENTS: EASY ACCESS. PLANTS NEED TO BE EVALUATED. MINERAL RUNOFF FROM MINES MAY BE TOUGH ON FISH. NO INLET. OUTLET MOSTLY SILT - SOME SAND. PROBABLY EPHEMERAL.

CAMP SITES: PLENTY OF FIREWOOD AND SOME CAMPSITES ON SOUTH SIDE OF LAKE.

SURVEY NOTES:  
FIRST STOCKED WITH GRAYLING IN 1985, THEN '91& '92. CT '32, EB '43, RB '49. DETERMINE STATUS. RESTOCK WHEN GRAYLING ARE AVAILABLE. 8/89 - MERLE HUDSON FISHED ALL DAY - SAW NARY A FISH. '98 - NO SIGN OF '97 PLANT BUT THEY WOULD BE TOO SMALL TO NET.  
LARGE SHRIMP (1") AND MANY LEECHES PRESENT. 2 NETS SET IN '04 FOR 4 HOURS. AQUATIC BUGS WERE PLENTIFUL. NET IN '89 CAUGHT NOTHING. SURVEYED 08 BOTH SPECIES SEEM TO BO DOING GOOD.

LAKE NAME: CIMMERIAN LAKE

COUNTY: 32

T: 6S

R: 14E

SEC: 19,20

DRAINAGE: STILLWATER

ELEV: 8580

ACREAGE: 18.8

DEPTH: 30 FT

LOCATION: 45.2955, -110.02731

MARCUSONS CODE: 85

ACCESS: LOCATED ON FLOOD CREEK WHICH IS NEAR IMPASSABLE AVOID!. BEST ACCESS IS FROM THE LAKE PLATEAU DOWN FLOOD CREEK.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

BOX CANYON

19.5

(19.5)

+3,100

-1,200

INITIAL CREEK

21.5

(21.5)

SPECIES PRESENT

ABUNDANCE

STATUS

Rainbow Trout

Common

Self-Sustained

Rainbow Trout X Golden Trout

Common

Self-Sustained

Yellowstone Cutthroat

Common

Self-Sustained

LAST GILL NET SET: 8/15/2001

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2001

Yellowstone Cutthroat Hybrid

32

8.6

6-15

2001

Rainbow Trout X Golden Trout

4

10.5

8.5-17

1986

Unknown Hybrid

6

8.5-18.4

STOCKING HISTORY

STOCKING PLAN

COMMENTS: A GOOD FISHERY WITH A LOT OF COLORFUL HYBRIDS. FISH ALSO OCCUPY THE CREEK. THE SUBSTRATE IS SMALL COBBLE AND GRAVEL. FAIR SPAWNING POTENTIAL IN THE INLET.

CAMP SITES: CAMPSITES AND PLENTY OF FIREWOOD AVAILABLE.

SURVEY NOTES:

8/89 GIL LONGMIRE REPORTS A FEW 10-12" CT'S.

GLENN RICKETT AND CREW WERE HERE IN '05. FISH WERE HEALTHY AND WILLING - UP TO '14". COMING UP FROM BELOW WAS VERY, VERY ROUGH. ONE DAY FISHING HERE AND AT BILL LAKE- 4 GUYS - 120 FISH.

LAKE NAME: CLIFF LAKE

COUNTY: 49

T: 8S

R: 15E

SEC: 33D

DRAINAGE: CLARKS FORK

ELEV: 9240

ACREAGE: 6.6

DEPTH: 20 FT

LOCATION: 45.08624, -109.86324

MARCUSONS CODE: 50

ACCESS: GET OFF THE GOOSE LAKE JEEP TRAIL JUST BEFORE LONG LAKE (TRAIL IS ON SOUTH SIDE OF LONG LAKE OUTLET). HIKE EAST TO TRAIL 31 THEN NORTH TO SKY TOP CREEK AND HEAD SOUTHEAST(CROSS SKY TOP CREEK) AT THE

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

GOOSE LAKE JEEP

3.75

(3.5)

+710

-830

LADY OF THE LAK

5.75

5.5

SPECIES PRESENT

ABUNDANCE

STATUS

Brook Trout

Common

Self-Sustained

LAST GILL NET SET: 8/1/1994

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2006

Brook Trout

0

-

1994

Brook Trout

5

12.9

7.5-16.5

1973

Brook Trout

1

13.3

13.3-13.3

STOCKING HISTORY

STOCKING PLAN

1949: Yellowstone Cutthroat (7500 fish)

COMMENTS: THE EB POPULATION FLUCTUATES BY PERIODIC WINTERKILL. THE FISHERY WILL ALWAYS BE CHANGING AND/OR MAY DIE OUT IN A HARD WINTER.

CAMP SITES: CAMPING SITES AND FIREWOOD AVAILABLE.

SURVEY NOTES:

PERIODIC WINTERKILL IS ALLOWING FISH TO GROW LARGER BY KEEPING POPULATION NUMBERS LOW. SPAWNING AREAS ARE NOT EVIDENT. '94 FISH APPEARED VERY HEALTHY. ANGLER REPORTS THE LAKE LOOKS FISHLESS - SUMMER 1998. MFWP SAMPLED IN 06 NO FISH NETTED OR SEEN.

CHECK IF EB ARE STILL PRESENT. IF NOT, EXPLORE POSSIBILITY OF STOCKING YCT.

LAKE NAME: CLIFF LAKE

COUNTY: 10

T: 9S

R: 16E

SEC: 20BA

DRAINAGE: CLARKS FORK

ELEV: 8550

ACREAGE: 18.4

DEPTH: 83 FT

LOCATION: 45.03316, -109.78122

MARCUSONS CODE: 146

ACCESS: TRAIL #567 PAST KERSEY LAKE TO FOX LAKE TRAIL. CROSS RUSSEL CREEK BELOW FOX LAKE AND UP WEST SIDE OF FARLEY CREEK. CROSS CREEK BELOW POND & HEAD E OVER SADDLE

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

CLARKS FORK

5.5

(4.5)

+900

-500

SPECIES PRESENT

ABUNDANCE

STATUS

Arctic Grayling

Abundant

Self-Sustained

LAST GILL NET SET: 8/1/1989

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

1998

Arctic Grayling

15

9.1

7.6-13.5

1989

Arctic Grayling

10

8.1

7.5-10

1973

Arctic Grayling

13

9.8

7.1-11

STOCKING HISTORY

STOCKING PLAN

1955: Arctic Grayling (10000 fish)

COMMENTS: PROGENY FROM CLIFF LAKE OCCASIONALLY REACH FOX LAKE DOWNSTREAM. THE CANYON LAKE (FARLEY CREEK) TRAIL IS INUNDATED WITH DEADFALLS AND WOULD BE DIFFICULT FOR EVEN THE BEST HIKER.

CAMP SITES: LOTS OF FIREWOOD BUT FLAT SPOTS FOR TENTS ARE TOUGH TO FIND.

SURVEY NOTES:

'89 - FRY WERE SEEN IN THE OUTLET STREAM. WHERE THESE FISH SPAWN IS A MYSTERY. THE FISH CAUGHT IN 1989 WERE SMALL BUT IN GOOD SHAPE. '89 CREEL CARDS - 17 GR <8-12", 1 OVER 12". '98 FISH WERE THIN TO AVERAGE. CALLED DIAMOND LAKE ON USGS 7.5' QUAD.

THURSTON DOTSON MAY WISH SOME SAMPLES FOR GENETIC ANALYSIS.

LAKE NAME: CLOVERLEAF LAKE #215

COUNTY: 10

T: 9S

R: 17E

SEC: 22BD

DRAINAGE: CLARKS FORK

ELEV: 10170

ACREAGE: 18.4

DEPTH: 66 FT

LOCATION: 45.02976, -109.61959

MARCUSONS CODE: 215

ACCESS: 8 MILES UP FROM ISLAND LAKE. GOOD TRAIL TO GOLDEN LAKE THEN OVER THE HILL NORTHWEST.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

ISLAND LAKE WY

8.5

(6)

+1,000

-200

SPECIES PRESENT

ABUNDANCE

STATUS

Yellowstone Cutthroat

Abundant

Self-Sustained

LAST GILL NET SET: 8/16/2005

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2005

Yellowstone Cutthroat

20

10.1

7.5-14.5

1992

Yellowstone Cutthroat

33

13.1

7.1-15.8

1981

Yellowstone Cutthroat

16

10

-

STOCKING HISTORY

STOCKING PLAN

1975: Yellowstone Cutthroat

COMMENTS: THIS AREA HAS BECOME A 'DESTINATION' TYPE AREA. MANY CAMPERS COME AND GO. '75 PLANT OF 29,726 CT'S WAS DISTRIBUTED BETWEEN #S 215, 216, & 223.

CAMP SITES: SOME FLAT SPOTS FOR CAMPING. FIREWOOD IS NON-EXISTENT.

SURVEY NOTES:

8/83 BENO SHERIDAN CAUGHT SEVERAL CT ~10". '86 13-16"CT RARE ANGLER REPORTS FISH PRESENT IN '89 - VARIOUS SIZES TO 20", BUT THIN. '92 FISH WERE SPAWNING IN STREAMS BETWEEN LAKES. FISH ARE REPRODUCING WELL. THEY APPEAR HEALTHY. NO MANAGEMENT CHANGES.

PLANTS OF CT'S WENT INTO THESE LAKES IN 1936 AND 1967. BETTER CAMPING DOWN BY WALL OR MARTIN LAKES. LOTS OF MOUNTAIN GOATS IN THIS AREA. WATCH OUT FOR YOUR CAMP STUFF!

SAMPLE ALL FOUR LAKES TOGETHER.

SURVEYED 08, TYPICAL EB LAKE, NEEDS HARVESTING.



LAKE NAME: COPELAND LAKE COUNTY: 10 T: 9S R: 16E SEC: 34,35  
DRAINAGE: CLARKS FORK ELEV: 8780 ACREAGE: 36.0 DEPTH: 125FT  
LOCATION: 45.00576, -109.72691 MARCUSONS CODE: 151

ACCESS: HEAD NORTH ON TRAIL #568/612 FROM THE IVY LAKE JEEP TRAIL. TRAIL #612 TO COPELAND SPLITS OFF UP 2 MILES.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
IVY LAKE JEEP TR	2.5	(2.5)	+1,000	-150
CRAZY CREEK				

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1975

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1994	Brook Trout	58	7.9	5.9-10.1
1975	Brook Trout	2	8.5	7.4-9.5

STOCKING HISTORY STOCKING PLAN

1934: Yellowstone Cutthroat (21000 fish)

COMMENTS: THE LAKE IS NEAR THE MONTANA-WYOMING STATE LINE. SPAWNING AREAS IN INLETS AND OUTLET NOT OBSERVED. REPRODUCTION IS TAKING PLACE ALL TOO WELL THOUGH.

CAMP SITES: PLENTY OF FIREWOOD. MANY NICE CAMP SPOTS.

SURVEY NOTES:

'94 - MANY FISH AND FRY SEEN CRUISING AND RISING. FISH ARE STUNTED.

LAKE NAME: COURTHOUSE LAKE COUNTY: 49 T: 8S R: 14E SEC: 23B  
DRAINAGE: STILLWATER ELEV: 10000 ACREAGE: 18.8 DEPTH: 205FT  
LOCATION: 45.12649, -109.95588 MARCUSONS CODE: 21

ACCESS: CAN REACH VIA GOOSE LAKE JEEP TRAIL. HIKE WEST FROM GOOSE LAKE. JUST BELOW COURTHOUSE MOUNTAIN.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	6	(0)	+1,600	-1,000

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1999	Yellowstone Cutthroat	2	21.7	21-22.3
1990	Yellowstone Cutthroat	10	13.3	10.1-15.8
1980	Yellowstone Cutthroat	16	8.7	8-17.4

STOCKING HISTORY STOCKING PLAN

2003: Yellowstone Cutthroat (1880 fish) 2011: Yellowstone Cutthroat (1880 fish)  
1995: Yellowstone Cutthroat (1880 fish)  
1987: Yellowstone Cutthroat (1755 fish)

COMMENTS: 8/83 BENO SHERIDAN CAUGHT 16-17" CUTTHROAT. D ARNESON 8-87 SAW, CAUGHT NO FISH. THE LAST PLANT 8 YEARS PREVIOUS MAY HAVE AGED OUT.

CAMP SITES: FEW CAMPSITES. SCARCE FIREWOOD.

SURVEY NOTES:

FIRST PLANTED IN 1971, THEN 1979. STOCKED EVERY 8 YEARS. 4-6 LB FISH PRESENT IN '87 - '88 ?? '90 GILL NET SET FOR 24 HOURS. FISH WERE FAT. STOCKING SEEMS RIGHT ON. CHECK SCALES FOR AGES AND REPRODUCTION. D FISCHER 8/91 NICE 16-17.5" CTS.

HOT/COLD LAKE. NICE FISH.

LAKE NAME: CORNER LAKE COUNTY: 49 T: 9S R: 15E SEC: 5,6,8  
DRAINAGE: CLARKS FORK ELEV: 9220 ACREAGE: 11.1 DEPTH: 42 FT  
LOCATION: 45.07173, -109.90036 MARCUSONS CODE: 7

ACCESS: GOOSE LAKE JEEP TRAIL TO WITHIN 1/4 MILE OF THE LAKE. A 4-WHEELER CAN MAKE IT TO THE LAKE BUT NOT A SPORT UTILITY. 2 MILE HIKE FROM FISHER CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	.25	(.25)	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Lake Chud	Unknown	Unknown
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/1/1998

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2000	Yellowstone Cutthroat	16	9.4	7-12.1
1998	Yellowstone Cutthroat	3	10.3	6.9-12.5
1988	Yellowstone Cutthroat	14	8.7	6.7-13

STOCKING HISTORY STOCKING PLAN

1980: Yellowstone Cutthroat (1002 fish)

COMMENTS: IN AN ATTEMPT TO ALTER GROWTH RATES AND ADD VIGOR TO THE POPULATION A PLANT OF 1,002 WAS ADDED IN 1980. REPRODUCTION SEEMS QUITE ADEQUATE. FISH APPEAR HEALTHY.

CAMP SITES: PLENTY OF FIREWOOD AND CAMPSITES AVAILABLE.

SURVEY NOTES:

FISH FROM '88, '98 & '00 GILL NETS WERE SIMILAR IN SIZE TO THOSE NETTED IN 1969. 8" FISH SEEN RISING IN '98. 4-12"ERS SEEN IN '00. '69 24 CT 6.1-14.2" AVE 9.1". 6 LAKE CHUBS CAUGHT IN '88 6.1-6.3".

POSSIBLE SPAWNING IN OUTLET AND INLET BUT INLET HAD LOW FLOW IN '98. THE LAKE IS A NICE PLACE TO TAKE YOUR FAMILY FOR THE WEEKEND WITH YOUR 4WD.

LAKE NAME: CRADLE LAKE COUNTY: 10 T: 9S R: 16E SEC: 5DA  
DRAINAGE: CLARKS FORK ELEV: 9595 ACREAGE: 2.9 DEPTH: 37 FT  
LOCATION: 45.06985, -109.77363 MARCUSONS CODE: 95

ACCESS: HEAD TO RUSSEL LAKE ON A GOOD TRAIL FROM KERSEY LAKE THEN HEAD NORTHEAST CROSS COUNTRY.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	8.25	(6.5)	+2,000	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Stocked

LAST GILL NET SET: 8/1/2002

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Rainbow Trout	3	8.5	7-11
2002	Rainbow Trout	2	13.3	12.6-14
1987	Rainbow Trout	8	13.3	11.6-15.7

STOCKING HISTORY STOCKING PLAN

COMMENTS: RAINBOW PLANTED IN GALLERY LAKE FIND THEIR WAY TO CRADLE LAKE. IN '87 THEY AVERAGED 3.7" LONGER THAN THE GALLERY LAKE FISH. SAMPLE ALONG WITH GALLERY LAKE.

CAMP SITES: CAMP SPOTS ARE FEW AND FAR BETWEEN WITH LITTLE FUEL.

SURVEY NOTES:

SPAWNING MAY BE POSSIBLE IN THE INLET. D. HAGENSTON 8-28-89 - 13" RB'S. DAVE HERGENRIDER CAUGHT 25 RB'S ~12" 1992. FISH WERE VERY THIN IN 2002.SAMPLE TO ASSESS REPRODUCTION.

VERY NICE LAKE, DEEP AND COLD. ACCESS IS FAIRLY EASY.FWP SAMPLED 07 3 FISH, FAT

ASSESS REPRODUCTION AND CONSIDER STOCKING WITH YCT.

LAKE NAME: CRATER LAKECOUNTY: 32T: 6SR: 17E SEC: 16DRAINAGE: WEST ROSEBUD ELEV: 6660ACREAGE: 2.3DEPTH: 36 FTLLOCATION: 45.31448, -109.64785MARCUSONS CODE: 38ACCESS: HEADWATERS OF FIDDLER CREEK, A TRIBUTARY OF WEST ROSEBUD CREEK. ACCESS BY JEEP TRAIL THROUGH PRIVATE LAND.

TRAILHEADMILESTRAIL ELEVATION UP ELEVATION DOWNPRIVATE ROAD00+0-0

SPECIES PRESENTABUNDANCESTATUSRainbow TroutUnknownStocked

LAST GILL NET SET: 8/3/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1990	Rainbow Trout	0		-
1971	Rainbow Trout	12	8.2	7.2-11.2

STOCKING HISTORYSTOCKING PLAN2004: Rainbow Trout (400 fish)2009: Rainbow Trout (350 fish)1970: Rainbow Trout (1040 fish)1969: Rainbow Trout (1638 fish)

COMMENTS: NO RB SPAWNING POTENTIAL. NO INLET, OUTLET. GILL NET SET IN '90 FOR 22 HOURS. WATER TEMP 65. LOTS OF MINNOWS AND ALGAE, A FEW LILY PADS.

CAMP SITES: CAMPSITES AND FIREWOOD AVAILABLE.

SURVEY NOTES:  
ON STATE LAND. RB'S PLANTED '55, '57, '58, '59, '64.  
  
PLANT RB ON 3 YR ROTATION STARTING 2009.

LAKE NAME: CROW LAKECOUNTY: 10T: 7SR: 17E SEC: 36DRAINAGE: EAST ROSEBUD ELEV: 9064ACREAGE: 11.4DEPTH: 72 FTLLOCATION: 45.17825, -109.57113MARCUSONS CODE: 1ACCESS: TRAIL FROM EAST ROSEBUD LAKE TO SYLVAN LAKE. ALSO ACCESSIBLE FROM LAKE MARY ON THE WEST FORK OF ROCK CREEK.

TRAILHEADMILESTRAIL ELEVATION UP ELEVATION DOWNSYLVAN LAKE #139.5(9.5)+3,200-350

SPECIES PRESENTABUNDANCESTATUSBrook TroutAbundantSelf-Sustained

LAST GILL NET SET: 8/1/1971

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1994	Brook Trout	34	11.2	10.2-13
1971	Brook Trout	46	8.6	5.6-10.7

STOCKING HISTORYSTOCKING PLAN1934: Brook Trout (11200 fish)1933: Brook Trout (18000 fish)

COMMENTS: LAKE WOULD HAVE MADE AN EXCELLENT GOLDEN TROUT FISHERY. NO SPECIAL MANAGEMENT RECOMMENDED. CATCH RATE EXCEEDS 4 FISH/HOUR.

CAMP SITES: FUEL FOR FIRES IS LIMITED.

SURVEY NOTES:  
BEAUTIFUL LAKE. NICE POPULATION OF BROOKIES. '94 - UNABLE TO LOCATE TRAIL FROM CROW TO LAKE MARY. TWO FISH ANGLED 7/22/03 10.5 & 12.1".

LAKE NAME: CRESCENT LAKECOUNTY: 10T: 9SR: 18E SEC: 14,15DRAINAGE: ROCK CREEK ELEV: 10000ACREAGE: 13.6DEPTH: 42 FTLLOCATION: 45.04489, -109.48091MARCUSONS CODE: 24ACCESS: HIKE UP HELLROARING CREEK FROM JEEP TRAIL #3004. EASY HIKE.

TRAILHEADMILESTRAIL ELEVATION UP ELEVATION DOWNHELLROARING PLA2(1)+640-380

SPECIES PRESENTABUNDANCESTATUSBrook TroutAbundantSelf-Sustained

LAST GILL NET SET: 8/1/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2000	Brook Trout	56	8.2	6-9.8
1990	Brook Trout	9	8.6	7.8-10.1
1970	Brook Trout	28	8	5.7-9.3

STOCKING HISTORYSTOCKING PLAN1941: Brook Trout (1000 fish)

COMMENTS: INCREASED HARVEST SHOULDN'T HURT THIS LAKE. LAKE IS ALSO REFERRED TO AS HELLROARING LAKE #8.

CAMP SITES: ROCKY CAMPSITES. FIREWOOD AVAILABLE.

SURVEY NOTES:  
ANGLER REPORT - CATCHING LOTS OF 8-10" BROOK TROUT IN JUNE 1989. '90 GILL NET SET FOR 3.25 HOURS. FISH IN FAIR CONDITION, STUNTED. '00 FISH WERE HEALTHY LOOKING BROOKIES WITH NICE BODIES. 2-8" FISH OBSERVED. '04 - 8EB ANGLED 8.2-9.3" AVE. 8.8" - THIN.

LAKE NAME: CRYSTAL LAKECOUNTY: 10T: 9SR: 17E SEC: 16BDRAINAGE: CLARKS FORK ELEV: 9910ACREAGE: 27.5DEPTH: 85 FTLLOCATION: 45.049, -109.64069MARCUSONS CODE: 202ACCESS: TRAILS FROM THE BEARTOOTH BUTTE AREA ON HWY 212 SERVE THE AREA. THE LAKE IS NE OF LAKE ELAINE.

TRAILHEADMILESTRAIL ELEVATION UP ELEVATION DOWNCLAY BUTTE13.0(12.0)+1,600-600

SPECIES PRESENTABUNDANCESTATUSYellowstone CutthroatCommonStock, with some natural reproduction

LAST GILL NET SET: 8/12/2008

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Yellowstone Cutthroat	24	11.5	8.6-14.7
2001	Yellowstone Cutthroat	7	13.8	9.5-19
1985	Yellowstone Cutthroat	3	15.1	14.7-15.5

STOCKING HISTORYSTOCKING PLAN2002: Yellowstone Cutthroat (2750 fish)2010: Yellowstone Cutthroat (2750 fish)1994: Yellowstone Cutthroat (2750 fish)1986: Yellowstone Cutthroat (2730 fish)

COMMENTS: NO EVIDENT SPAWNING AREAS BUT REPRODUCTION IS OCCURRING. ALL FISH IN '85 WERE IN GOOD CONDITION (SMALL HEADS AND FAT BODIES). LAKES DOWNSTREAM CONTAIN BROOKIES.

CAMP SITES: A FEW CAMPSITES. LITTLE USE. NO FIREWOOD.

SURVEY NOTES:  
CT'S FIRST PLANTED IN 1968. 4,000 CT PLANTED IN 1978. STOCKED EVERY 8 YEARS. D ARNESON 7-88 CAUGHT MEDIUM #S OF 6-12" CT - FISHING SLOW. D. HAGENSTON 8/25/90 - 8-12" CT'S - NICE SHAPE.  
  
'00 GLEN OWENS SAYS REPRODUCTION IS OCCURRING, THREE AGE CLASSES PRESENT. SURVEYED 08 5 FISH ANGLED IN 45 MIN. AVG. HEALTH RATING.

LAKE NAME:	CURL LAKE	COUNTY:	49	T:	9S	R:	15E	SEC:	15A
DRAINAGE:	CLARKS FORK	ELEV:	8398	ACREAGE:	30.6	DEPTH:	45 FT		
LOCATION:	45.05311, -109.84247			MARCUSONS CODE:	22				

ACCESS: KERSEY LAKE TRAIL #567 TO JEEP TRAIL #306 TO BROADWATER RIVER TRAIL #564. FIGHT THRU BURNED DEADFALLS ON EAST SHORE TO ISTHMUS FOR CAMPSITE.

<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>
CLARKS FORK	4.25	(4.25)	+600	-100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/2002

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>
2004	Brook Trout	11	9.9	8-12.1
2002	Brook Trout	21	7.8	6.5-11.5
1999	Brook Trout	45	8.2	6.3-11

STOCKING HISTORY

COMMENTS: SINCE THE '88 FIRES SWEEPED THROUGH THIS AREA FISHING HAS BEEN REPORTED POOR IN BROADWATER AND CURL LAKES. THE ENTIRE SHORELINE OF CURL WAS BURNED. BROOKIES HAD BOUNCED BACK IN 2002.

CAMP SITES: SOME CAMPSITES AVAILABLE. FIREWOOD IS ABUNDANT. LITTLE USE.

SURVEY NOTES:

'89 CREEL CARDS - 14 EB <8-12". EB'73, 55, 5.6-9.5" AVE 7.4" '95 FISH WERE IN POOR SHAPE. CUTTHROAT PLANTS IN BROADWATER LAKE IN '96, '98, '99, '00 & '01 TO TRY TO GAIN A FINHOLD BEFORE THE HAMMERED BROOKIES BOUNCE BACK.

THE FISH IN 2002 WERE NUMEROUS AND STUNTED EVEN WHILE THERE APPEARED TO BE LARGE AMOUNTS OF FEED AVAILABLE TO THEM.  
SPAWNING POTENTIAL IN THE NORTHWEST INLET, MARGINAL IN OUTLET. 18 EB'95 6.3-13.2" AVE. 8.5".

LAKE NAME:	DAVIS LAKE	COUNTY:	49	T:	4S	R:	10E	SEC:	24A
DRAINAGE:	BOULDER	ELEV:	8790	ACREAGE:	5.1	DEPTH:	15	FT	
LOCATION:	45.48042, -110.42784	MARCUSONS CODE:	87						

ACCESS: HEADWATERS OF DAVIS CREEK ON THE WEST BOULDER. FOLLOW TRAIL #37 UP DAVIS CREEK 3 MILES PAST TRAIL #38 THEN CROSS COUNTRY TO THE LAKE.

<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>
DAVIS CREEK	10	(8)	+3,400	-100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/21/1996

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
1996	Yellowstone Cutthroat	15	12.1	7.6-14.6
1988	Yellowstone Cutthroat	4	13.1	8.4-16.3
1978	Yellowstone Cutthroat	2	18.5	18-19

STOCKING HISTORY STOCKING PLAN

1979: Yellowstone Cutthroat (510 fish)  
1934: Yellowstone Cutthroat (4650 fish)

COMMENTS: PLANTED WITH MCT TO ESTABLISH SELF-SUSTAINING FISHERY. FISH ARE NOW REPRODUCING WELL. FISH ARE ALSO PRESENT IN THE POND ABOVE THE LAKE.

CAMP SITES: PLENTY OF FIREWOOD AND MANY CAMPSITES ARE AVAILABLE.

SURVEY NOTES:

BEAUTIFUL PLACE - GOATS, ELK, DEER. TOUGH ACCESS. LITTLE USE. INLET ALLOWS  
MIGRATION TO THE POTHOLE ABOVE AND HAS SOME GRAVEL SPOTS. OUTLET IS  
COBBLE/BOULDER.

LAKE NAME:	DALY LAKE	COUNTY:	10	T:	9S	R:	18E	SEC:	14A
DRAINAGE:	ROCK CREEK	ELEV:	9670	ACREAGE:	7.4	DEPTH:	40	FT	
LOCATION:	45.04532,-109.46823	MARCUSONS CODE:	27						

ACCESS: FOREST ROAD #3004 TO HELLROARING PLATEAU. TRAVEL NW DOWN A STEEP GRASSY SLOPE FROM THE TRAILHEAD THEN HIKE UP HELLROARING CREEK.

<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>
HELLROARING PLA	2	(1)	+290	-380

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Unknown

LAST GILL NET SET: 8/1/1990

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2000	Yellowstone Cutthroat	9	7.4	6.5-8
2000	Brook Trout	36	8.1	6-9.8
1990	Brook Trout	4	8.9	8.1-9.2

STOCKING HISTORY STOCKING PLAN

COMMENTS: AKA HELLROARING LAKE #11. THE BROOKIES HERE COULD STAND SOME HARVEST. CUTTHROATS WERE NOT KNOWN TO BE IN THIS LAKE TILL THE '00 SAMPLING. WHERE DID THEY COME FROM?

CAMP SITES: FAIR CAMPING. LOTS OF FIREWOOD AVAILABLE.

SURVEY NOTES:

1990 NETTING SHOWED LARGER EB BUT FEWER #S THAN ADJACENT LAKES. '90 GILL NET SET FOR 6 HOURS. FISH WERE IN AVERAGE CONDITION. 1971 - 32 EB 6.4-10.7" AVE 7.6". UNIDENTIFIED MINNOW 5.5" NETTED IN '00. 8 EB ANGLED 7/13/04 6.6-9.2" AVE. 8.3".

LAKE NAME:	DESOLATION LAKE	COUNTY:	10	T:	9S	R:	16E	SEC:	2,11
DRAINAGE:	CLARKS FORK	ELEV:	10155	ACREAGE:	31.4	DEPTH:	75	FT	
LOCATION:	45.06679, -109.71684	MARCUSONS CODE: 127							

ACCESS: ABOUT 14 MILES FROM KERSEY LAKE. HIKE TO RUSSEL THEN HEAD NORTHEAST OR USE THE IVY LAKE JEEP TRAIL TRAILHEAD.

<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>
IVY LAKE JP TRAIL	10.7	(8.25)	+2,825	-700

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brown Trout	Rare	Unknown
Golden Trout	Rare	Unknown

LAST GILL NET SET: 8/14/2007

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2007	Golden Trout	8	7.5	6.25-9
1999	Golden Trout	0		-
1994	Golden Trout	5	11.1	5.8-13.4

STOCKING HISTORY STOCKING PLAN

2005: Golden Trout (3140 fish)  
1992: Golden Trout (2048 fish)  
1991: Golden Trout (2029 fish)

COMMENTS: INTENT OF THE PLANT WAS FOR GT TO MOVE DOWNSTREAM INTO ANCHOR AND WIDOWED LAKES. SUITABLE SPAWNING SUBSTRATE CAN BE FOUND IN A COUPLE OF AREAS IN THIS CHAIN OF LAKES BUT REPRODUCTION IS

CAMP SITES: NO FIREWOOD AVAILABLE. SOME PLACES TO CAMP BUT VERY ROCKY.

SURVEY NOTES:

A PLANT IN '82 TOOK VERY WELL ORIGINALLY. 37 8.9" IN '84, ONE 16.1" IN '88, NO FISH IN 1990. HAVE THESE SIMPLY AGED OUT WITH NO REPRO? '91 PLANT WAS AGE 0 AND AGE 1 FISH.FWP SAMPLED 07, 8 FISH FROM 6 HOUR SET AND ANGLING.

IVY LAKE JEEP TRAIL #130 TO TRAIL #568/612 TO COPELAND LAKE. THEN #568 PAST FARLEY TO JORDEN LAKE. AROUND EAST END OF JORDEN & UP THE INLET STREAM.

SAMPLE WITH ANCHOR, BIG BUTTE, AND WIDOWED

LAKE NAME: DEWEY LAKE COUNTY: 10 T: 8S R: 16E SEC: 21,28  
DRAINAGE: EAST ROSEBUD ELEV: 9340 ACREAGE: 37.3 DEPTH: 95 FT  
LOCATION: 45.10934, -109.75747 MARCUSONS CODE: 23

ACCESS: ABOUT 12 MILES FROM EAST ROSEBUD LAKE AND 1 MILE DOWNSTREAM FROM FOSSIL LAKE. GOOD TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ALPINE (EAST ROS	14.5	(14.5)	+3,300	-160

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Rare	Unknown
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/1/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2001	Yellowstone Cutthroat	6	12.3	10-14.2
1990	Yellowstone Cutthroat	21	9.8	6.5-13.8
1987	Yellowstone Cutthroat	11	10.9	9.1-12.3

STOCKING HISTORY	STOCKING PLAN
1991: Yellowstone Cutthroat	
1985: Yellowstone Cutthroat (3706 fish)	
1955: Golden Trout (4800 fish)	

COMMENTS: GOLDEN'S PLANTED IN '55. CT'S STOCKED IN 1968 AND 1981. INLET APPEARS IDEAL FOR SPAWNING. THIS IS A LOGICAL STOPPING POINT FOR A CAMP.

CAMP SITES: GOOD CAMPSITES. FIREWOOD IS AVAILABLE BUT NO FIRES PERMITTED.

SURVEY NOTES:  
'90 GILL NET SET FOR 6 HOURS. D HAGENSTON 8-29-89 - 10" CT'S '98 - ED KEYSER AND CREW CAUGHT 14"ERS, SAW LARGER. '89 CREEL CARDS - 27 CT <8-16", 1 RB?? 12-16" RANGE, 14 EB?? <8", 1 8-12". 12 CT'S NETTED IN '77 AVE. 16.1" RANGE 14.5-17.8".

THE #'S OF 5-9" FISH IN '90 SHOW GOOD REPRODUCTION - CANCEL FURTHER PLANTS. 12 MI HIKE FROM E ROSEBUD LAKE GAINS 3000 FT & CAN WEAR OUT EVEN A GOOD HIKER

LAKE NAME: DICK LAKE COUNTY: 49 T: 8S R: 15E SEC: 31CC  
DRAINAGE: CLARKS FORK ELEV: 9478 ACREAGE: 1.9 DEPTH: 15 FT  
LOCATION: 45.0853, -109.91959 MARCUSONS CODE: 13

ACCESS: THE LAKE IS 1/4 MILE WEST OF THE GOOSE LAKE JEEP TRAIL AT A MID-POINT BETWEEN LONG AND STAR LAKES. HIKE IS ~8 MILES WITHOUT A 4-WHEEL DRIVE

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	.25	(0)	+100	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

LAST GILL NET SET: 9/12/1996

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1996	Brook Trout	12	7.2	5.9-8.5
1969	Brook Trout	8	8.1	7.6-8.6

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

COMMENTS: THE LAKE IS OUTSIDE THE A-B WILDERNESS.

CAMP SITES: CAMPING SITES AND FIREWOOD EXIST.

SURVEY NOTES:  
'96 - SMALL FISH OBSERVED CRUISING SHORELINE. THIS LAKE COULD USE MORE HARVEST. EASY ACCESS FROM THE GOOSE LAKE JEEP TRAIL. FISH SEEM TO BE IN GOOD CONDITION FOR SELF-SUSTAINING BROOK TROUT.

LAKE NAME: DIAPHANOUS LAKE COUNTY: 40 T: 6S R: 13E SEC: 26,27  
DRAINAGE: STILLWATER ELEV: 9631 ACREAGE: 9.2 DEPTH: 25 FT  
LOCATION: 45.28411, -110.08645 MARCUSONS CODE: 73

ACCESS: 12 MILES UP USFS TRAIL #90 ON THE WEST FORK OF THE STILLWATER. SEVERAL TRAILS FROM LAKE PLATEAU SERVE THE LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
INITIAL CREEK	16	(16)	+3,100	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Unknown	Unknown

LAST GILL NET SET: 8/1/1993

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2003	Rainbow Trout	0		-
1993	Rainbow Trout	7	13.6	11.8-15
1983	Rainbow Trout	5	10.7	10-11.2

STOCKING HISTORY	STOCKING PLAN
1980: Rainbow Trout (1608 fish)	

COMMENTS: '83 OTHER FISH WERE OBSERVED RANGING IN SIZE FROM 7-12". THE LAKE APPEARED TO HAVE A GOOD SELF-SUSTAINING POPULATION EVEN THOUGH THERE SEEMS TO BE NO GOOD PLACE TO SPAWN. WILL PLANT IN FUTURE

CAMP SITES: EXCELLENT CAMPING BUT FIREWOOD IS SOMEWHAT PICKED OVER.

SURVEY NOTES:  
DeSMET RAINBOWS STOCKED IN 1980. '93 - LARGE BODIES, HEALTHY FISH. ALL SHOW SOME CT CHARACTERS, LARGE SPOTS, RED SLASHES UNDER GILLS. HEAVY USE AREA. MONITOR SELF-SUSTAINING POPULATION CLOSELY. IN '93 WE FOUND 3 SETS OF CAMPERS THERE AT ONCE, ~25 PEOPLE.  
HAGENSTON & NYBERG CAUGHT TWO FISH HERE IN 2002. FIVE DAYS OF NETTING IN '03 PRODUCED NO FISH FOR A WHIRLING DISEASE STUDY.

LAKE NAME: DOLLAR LAKE COUNTY: 49 T: 9S R: 15E SEC: 14AD  
DRAINAGE: CLARKS FORK ELEV: 8920 ACREAGE: 1.1 DEPTH: 12 FT  
LOCATION: 45.05143, -109.82008 MARCUSONS CODE: 61

ACCESS: KERSEY LAKE TRAIL #567 TO JEEP TRAIL #306 TO BROADWATER RIVER TRAIL #564. HEAD X-COUNTRY BEFORE CURL LAKE AND UP THE EAST SIDE OF SEDGE CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	6	(4)	+1,100	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Common	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 9/14/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1995	Arctic Grayling	2	12.7	12-13.3
1992	Yellowstone Cutthroat	18	8.6	6.2-11.5
1992	Arctic Grayling	15	11.9	9.6-13.7

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

COMMENTS: GR AND CT DRIFTED INTO DOLLAR FROM AQUARIUS GR PLANTED IN AQUARIUS LAKE IN 1955, CT IN 1977. SMALL 'SWAMPY LOOKING' SHALLOW LAKE. ACCESS FAIRLY DIFFICULT - NO GOOD TRAIL - X-COUNTRY TRAVEL.

CAMP SITES: CAMP SPOTS BUT SOME EVIDENCE OF USE. LOTS OF FIREWOOD.

SURVEY NOTES:  
IN THE MIDDLE OF THE 1988 BURN, NOT VERY PRETTY. MOST GR'S 11-13" IN '68. GR'92 15, AVE 11.9", 9.6-13.7". CT'92 18, AVE 8.6", 6.2-11.5". '95 GR OF AT LEAST 3 SIZES OBSERVED, 2-3", 5-6", 12-14". NO GOOD NET LOCATIONS.

SAW GR & CT OF VARIOUS SIZES IN INLET & LAKE. BOTH APPARENTLY SUCCESSFULLY SPAWN IN THE SANDY INLET STREAM. M&M POORE HOOK & LINE IN '95.

LAKE NAME: DREARY LAKECOUNTY: 32T: 6S R: 13E SEC: 25CDRAINAGE: STILLWATERELEV: 9040ACREAGE: 15.5DEPTH: 12 FTLLOCATION: 45.27839, -110.06291MARCUSONS CODE: 88

ACCESS: ACCESS BEST FROM THE LAKE PLATEAU. THE LAKE IS IN THE FLOOD CREEK DRAINAGE. 4 WAYS IN - INITIAL CREEK/WOODBINE/UPSIDEDOWN TRAIL/BOX CANYON. ( UPSIDEDOWN OR BOX CANYON ARE BEST).

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
INITIAL CREEK	20	(20)	+3,100	-700
BOX CANYON TRAI	19	(19)	+3,540	-1,900

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout X Golden Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/3/1994

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1994	Rainbow Trout X Golden Trout	18	8.3	6.4-12.9
1986	Golden Trout Hybrid	24	8.8	6.3-11.5

STOCKING HISTORYSTOCKING PLAN

COMMENTS: HYBRIDS SHOWED MORE GT CHARACTERISTICS IN 1986 BUT MORE RAINBOW CHARACTERS IN 1994. SPAWNING AREAS IN OUTLET ARE EXCELLENT.

CAMP SITES: LOTS OF FIREWOOD, MOUNTAINS, AND TREES.

SURVEY NOTES:  
ON LAKE PLATEAU - HEAVILY USED AREA. '94 FISH APPEARED FAIRLY HEALTHY.

COULD USE ANGLER REPORTS FROM THIS LAKE.

LAKE NAME: DUDE LAKECOUNTY: 10T: 8S R: 17E SEC: 13,14DRAINAGE: ROCK CREEKELEV: 10180ACREAGE: 12.2DEPTH: 20 FTLLOCATION: 45.1362, -109.58505MARCUSONS CODE: 67

ACCESS: 6 MILES FROM TRAILHEAD ON WEST FORK OF ROCK CREEK. GO UP LEFT SIDE OF OUTLET STREAM. GOOD PATH MOST OF WAY SOUTH OF CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WEST FORK ROCK	6	(5)	+2,300	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/1996

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Yellowstone Cutthroat	3	15.3	14.8-16.3
1996	Yellowstone Cutthroat	21	13.3	10.3-15.2
1990	Yellowstone Cutthroat	3	13.7	11.2-15.3

STOCKING HISTORYSTOCKING PLAN

2007: Yellowstone Cutthroat (2440 fish)  
2015: Yellowstone Cutthroat (2440 fish)  
1999: Yellowstone Cutthroat (2440 fish)  
1938: Brook Trout (2600 fish)

COMMENTS: 1987 REPORT OF CATCHING 22 CT IN 1 HR. 13-16" AND IN EXCELLENT CONDITION (FAT). EB'S FIRST PLANTED IN 1931. CT'S STOCKED IN '67, '68, '75, '83.

CAMP SITES: ABOVE TIMBERLINE. POOR, ROCKY CAMPSITES, SCARCE FIREWOOD.

SURVEY NOTES:  
STOCKED EVERY 8 YEARS. STOCKING SEEMS OK BUT WE SHOULD REASSESS BEFORE THE '07 PLANT. CT HAVE MOVED FROM HERE DOWN TO SENAL LAKE WHERE THEY ARE DOING WELL. NET SET IN '90 FOR 3 HOURS, 16 IN '96, 7 IN '05. FISH IN VERY GOOD CONDITION. BEAUTIFUL PLACE.  
5 CT '81 11.5-14.9" AVE. 12.4".

LAKE NAME: DRYAD LAKECOUNTY: 32T: 6S R: 14E SEC: 30ADRAINAGE: STILLWATERELEV: 9090ACREAGE: 5.1DEPTH: 45 FTLLOCATION: 45.28489, -110.02532MARCUSONS CODE: 84

ACCESS: ACCESS DIFFICULT. HEADWATERS OF FLOOD CREEK. HIKE ON TRAILS TO LAKE SURRENDER THEN X-COUNTRY SOUTHEAST 1.5 MILES.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WOODBINE	12	(6)	+4,050	-0
BOX CANYON TRAI	22	(20)	+3,500	-1,100

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Unknown	Unknown

LAST GILL NET SET: 8/15/2001

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2001	Golden Trout	0		-
1994	Golden Trout	19	10.6	6.3-15.5

STOCKING HISTORYSTOCKING PLAN

2005: Golden Trout (510 fish)  
1992: Golden Trout (333 fish)  
1991: Golden Trout (765 fish)

COMMENTS: 1440 GT'S PLANTED IN '82, 765 IN '91. THE '91 PLANTS WERE AGE 0 AND 1 FISH. '01 NET SET FOR 19.5 HOURS. LONG HIKE FROM ANYWHERE. GLEN OWENS 7/99 FOUND NO GOLDENS.

CAMP SITES: ONLY A FEW FLAT SPOTS (NEAR INLET). PLENTY OF FIREWOOD.

SURVEY NOTES:  
REPLANT WHEN POSSIBLE. DECENT FOOD BASE, SOME SHRIMP AND LOTS OF AQUATIC INSECTS. NICE LAKE. NO SPAWNING POTENTIAL IN THE OUTLET - ALL LARGE ROCKS 1 FOOT OR BETTER IN DIAMETER. DEEP INLET STREAM HAS DECENT POTENTIAL. IT IS SANDY WITH SOME GRAVEL.  
'94 FISH IN GOOD GENERAL HEALTH. STOMACHS FULL OF SHRIMP.

LAKE NAME: DUGGAN LAKECOUNTY: 10T: 8S R: 16E SEC: 22DRAINAGE: EAST ROSEBUD ELEV: 8840ACREAGE: 4.4DEPTH: 10 FTLLOCATION: 45.11772, -109.73906MARCUSONS CODE: 21

ACCESS: THE LAKE IS A WIDE SPOT IN EAST ROSEBUD CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ALPINE (EAST ROS	13.5	(13.5)	+2,800	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Rare	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET:

STOCKING HISTORYSTOCKING PLAN

COMMENTS: FISHERY IS PART OF THE STREAM ENVIRONMENT. NO MANAGEMENT PLANS PROPOSED.

CAMP SITES: CAMPING AVAILABLE BUT FIREWOOD IS LIMITED.

SURVEY NOTES:  
9.1" CUTTHROAT CAUGHT 8/6/87 AGE 3 OR 4. '98 - ED KEYSER AND CREW CAUGHT 14"ERS, SAW LARGER. HERG HAS DATA SHEET FROM '98 NETTING.

LAKE NAME: EAST ROSEBUD LAKE COUNTY: 10 T: 7S R: 17E SEC: 21,28  
DRAINAGE: EAST ROSEBUD ELEV: 6208 ACREAGE: 111.7 DEPTH: 20 FT  
LOCATION: 45.19587, -109.6428 MARCUSONS CODE: 3

ACCESS: APPROXIMATELY 45 MILES SOUTH OF COLUMBUS, MT. ACCESSIBLE BY TWO-WHEEL DRIVE VEHICLE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ALPINE (EAST ROS	DRIVE	TO LA		

SPECIES PRESENT	ABUNDANCE	STATUS
Brown Trout	Common	Self-Sustained
Rainbow Trout	Common	Stocked
Yellowstone Cutthroat	Rare	Unknown

LAST GILL NET SET:

STOCKING HISTORY STOCKING PLAN

2007: Rainbow Trout (6000 fish)  
2006: Rainbow Trout (6000 fish)  
1997: Yellowstone Cutthroat (5867 fish)

COMMENTS: COLUMBUS CREW HAS GILL NET DATA. CONTACT JEREMIAH WOOD (406) 328-4594. THE POSSIBLTY THAT MCBRIDE CT WILL BECOME SELF SUSTAINING APPEARS UNLIKELY. DESMET RAINBOW PLANTS BEGAN IN 1990. ARLEES

CAMP SITES: USFS CAMPGROUND ON THE EAST SIDE.

SURVEY NOTES:

'89 CREEL CARDS 1 CT 8-12" RANGE, 1 RB <8", 2 RB 12-16" RANGE. W YODER REPORTS A COUPLE OF 14" BROWNS, 8/92.

'00 PLANT WAS SHORT DUE TO HATCHERY REBUILD. '01 FISH WERE 6-7". 3 PLANTS, 6" RB'S, 2,000 EACH - LATE MAY, LATE JUNE, LATE JULY.

LAKE NAME: ECHO LAKE COUNTY: 10 T: 8S R: 16E SEC: 15,16  
DRAINAGE: EAST ROSEBUD ELEV: 8486 ACREAGE: 12.2 DEPTH: 21 FT  
LOCATION: 45.13018, -109.74845 MARCUSONS CODE: 37

ACCESS: 2 DAY HIKE FROM E ROSEBUD LAKE ON TRAIL #15 TO JUST PAST BIG PARK LAKE. TAKE THE RIGHT FORK UP GRANITE CREEK. TRAIL IS GOOD ENOUGH FOR HORSES

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ALPINE (EAST ROS	13.5	(13.5)	+2,500	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/1/1998

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Yellowstone Cutthroat	13	12.7	10.3-18.5
1998	Yellowstone Cutthroat	5	12.7	9.9-15.8
1987	Yellowstone Cutthroat	12	13.7	12.3-16.1

STOCKING HISTORY STOCKING PLAN

1971: Yellowstone Cutthroat (7056 fish)

COMMENTS: FISHERY WAS TO DIE OUT BY 1980, BUT SURVEY IN '81 FOUND 10 YEAR OLD FISH AND POSSIBLE REPRODUCTION. GT WERE TO BE INTRODUCED. '87 SURVEY SHOWED SIGNS OF REPRODUCTION.

CAMP SITES: PLENTY OF CAMPSITES. FIREWOOD IS AVAILABLE BUT PICKED OVER.

SURVEY NOTES:

'87 SURVEY FOUND ADULT CT'S COMMON AND HEALTHY, AND SEVERAL 3-6" JUVENILES IN THE OUTLET. GOOD SPAWNING POTENTIAL IN THE OUTLET. '98 SURVEY (3 NETS) FOUND A SMALL HEALTHY POPULATION OF CUTTS.

THIS LAKE IS A GOOD CHOICE TO GET OFF THE MAIN TRAIL BUT IS SEEING LOTS OF USE. FWP SAMPLED 07 OVERNIGHT SET,13 FISH, HEALTHY.

LAKE NAME: EEDICA LAKE COUNTY: 32 T: 7S R: 15E SEC: 29C  
DRAINAGE: WEST ROSEBUD ELEV: 9720 ACREAGE: 8.9 DEPTH: 40 FT  
LOCATION: 45.18987, -109.89904 MARCUSONS CODE: 23

ACCESS: ISOLATED LAKE BETWEEN BIG AND LITTLE PARK MOUNTAINS. GOOD TRAIL EXISTS JUST PAST SILVER LAKE. TOUGH HIKE/CLIMB

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
MYSTIC LAKE	12.0	(8.0)	+3,900	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/22/2006

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Yellowstone Cutthroat	22	10.3	7.5-13
1986	Yellowstone Cutthroat	25	12.4	11.3-13.5

STOCKING HISTORY STOCKING PLAN

2008: Yellowstone Cutthroat (890 fish) 2016: Yellowstone Cutthroat (890 fish)  
2000: Yellowstone Cutthroat (890 fish)  
1992: Yellowstone Cutthroat (890 fish)

COMMENTS: ACCESS IS DIFFICULT. GOOD SPAWNING AREA AT OUTLET, BUT SUCCESS NOT CERTAIN. CHECK FOR REPRODUCTION. HOPEFULLY WE'LL GET ANGLER INFO CUZ IT'S A BUGGER TO GET TO. EEDICA IS CROW MEANING FAR AWAY.

CAMP SITES: CAMPSITES AT TREELINE. FIREWOOD IS LIMITED.

SURVEY NOTES:

NO EVIDENCE OF REPRO IN '86. BEGAN STOCKING 890 YCT EVERY 8 YEARS BEGINNING IN 1992. JIM THOMPSON '92 - NICE 15"ERS AND SAW FINGERLINGS. C MARTINSON JULY '95 - LOADED WITH FISH. 3 SIZE GROUPS, 8", 10-12", & 14". FISH WERE IN GOOD SHAPE BUT NOT FAT. G ALDRICH REPORTS 2 SIZES OF FISH 8/92, FAT 10"ERS, AND 15-18"ERS, HALF SNAKEY, HALF FAT ~1.5 LBS. MFWP GILL NETTED 06 AVERAGE FISH 7-13"

LAKE NAME: ELK LAKE COUNTY: 10 T: 8S R: 17E SEC: 6  
DRAINAGE: EAST ROSEBUD ELEV: 6780 ACREAGE: 7.3 DEPTH: 5 FT  
LOCATION: 45.16446, -109.66036 MARCUSONS CODE: 6

ACCESS: FIRST LAKE UPSTREAM FROM EAST ROSEBUD LAKE ON TRAIL #15.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ALPINE (EAST ROS	3	(3)	+600	-50

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Brook Trout	16	8.3	6.5-10
1995	Brook Trout	25	7.5	6.5-9
1970	Brook Trout	58	8	5.7-12.2

STOCKING HISTORY STOCKING PLAN

1948: Rainbow Trout (6816 fish)  
1947: Rainbow Trout (7365 fish)

COMMENTS: NO IMMEDIATE FISH MANAGEMENT RECOMMENDED. CREEL CENSUS FIGURES SHOW A CATCH RATE OF .84 FISH PER HOUR. RB FIRST PLANTED IN 1936.

CAMP SITES: NICE CAMPING, SOME FIREWOOD.

SURVEY NOTES:

'95 FISH WERE IN AVERAGE CONDITION, FULL STOMACHS. '89 CREEL CARDS 27 EB <8", 5 EB 8-12" RANGE, 7 RB?? <8-<16". FWP SAMPLED 07, 4.5 HOUR SET,MANY FISH.

LAKE NAME: ELK LAKE COUNTY: 49 T: 7S R: 11E SEC: 14A  
DRAINAGE: BOULDER ELEV: 9580 ACREAGE: 9.2 DEPTH: 22 FT  
LOCATION: 45.22749, -110.31427 MARCUSONS CODE: 35

ACCESS: 6 MILES UP COPPER CREEK TRAIL #15 TO WEST BOULDER DIVIDE. THEN 2 MILES NORTH ALONG THE DIVIDE AND DROP INTO THE LAKE. TOUGH UPINSIDE ELK CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
COPPER CREEK	8	(6)	+2,800	-600

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stocked

LAST GILL NET SET: 8/1/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Yellowstone Cutthroat	5	16.8	15.2-18.1
1995	Yellowstone Cutthroat	42	15.5	13.5-19
1981	Yellowstone Cutthroat	20	15	14-17

STOCKING HISTORY STOCKING PLAN  
2008: Yellowstone Cutthroat (920 fish) 2014: Yellowstone Cutthroat (920 fish)  
2002: Yellowstone Cutthroat (920 fish)  
1996: Yellowstone Cutthroat (920 fish)

COMMENTS: GOOD GROWTH. PLANTED EVERY 6 YEARS. ELK LAKE WAS ON THE PLANTING PROGRAM FOR 1984 BUT IS NOT TO BE FOUND ON THE FINAL PLANTING SUMMARY. CT'S FIRST PLANTED IN 1977. 6,000 RB PLANTED IN 1936.

CAMP SITES: SOME CAMPING SPOTS AND FIREWOOD AVAILABLE.

SURVEY NOTES:  
'95 FISH WERE IN GOOD SHAPE. R. SAUNDERS 8/19/89 - CAUGHT 16 - SMALLEST 15" 1 5/8 LB, LARGEST 17" 2+ LB. J. BRADFORD 7/15/94 - CAUGHT 30 - 15 TO 18", UP TO 20". SOME EVIDENCE OF HORSE USE. K. SCHAAL 7/95 CAUGHT 15 & 18.5" AND SAW ~15 OTHERS.

GLENN RICKETT 6/03 - ONLY ONE GOOD CAMPSITE BY THE OUTLET - SCANT FIREWOOD. 10-11 HOURS TO GET UP NORTH SIDE OF ELK CREEK - TUFF. VERY HEALTHY 16.5-17" CUTTS. SURVEYED 08 NICE FISH!!!

LAKE NAME: EMERALD LAKE COUNTY: 32 T: 7S R: 16E SEC: 1  
DRAINAGE: WEST ROSEBUD ELEV: 6310 ACREAGE: 28.5 DEPTH: 4 FT  
LOCATION: 45.25651, -109.69475 MARCUSONS CODE: 1

ACCESS: ACCESS BY CAR ON WEST ROSEBUD CREEK. OUTSIDE THE A-B WILDERNESS.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WEST ROSEBUD	DRIVE	TO LA		

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Brown Trout	Common	Self-Sustained
Rainbow Trout	Common	Stocked

LAST GILL NET SET:

STOCKING HISTORY STOCKING PLAN  
2008: Rainbow Trout (1800 fish) 2009: Rainbow Trout (1800 fish)  
1997: Yellowstone Cutthroat (1831 fish)  
1997: Arctic Grayling (3499 fish)

COMMENTS: MCBRIDE CUTTHROAT WERE PLANTED IN 1986 AND IT WAS HOPED THAT THE POPULATION WOULD BECOME SELF SUSTAINING. THAT DID NOT HAPPEN SO RAINBOWS WERE PLANTED STARTING IN 1990. THIS LAKE GETS STOCKED

CAMP SITES: USFS CAMPGROUND FEE CHARGED.

SURVEY NOTES:  
COLUMBUS CREW HAS GILL NET DATA. NETTED EVERY OTHER YEAR. GRAYLING WERE STOCKED AS UNALLOCATED FISH FROM A HATCHERY STUDY. RED MEADOW LAKE FISH. THIS LAKE IS PRIMARILY A SELF-SUSTAINING BROOK TROUT, BROWN TROUT AND MOUNTAIN WHITEFISH FISHERY.  
3 PLANTS, 6" RB'S, 600 EACH - LATE MAY, LATE JUNE, LATE JULY. CALL REGIONAL BIOLOGIST FOR CURRENT INFO. JEREMIAH WOOD 406-328-4594

LAKE NAME: EMERALD LAKE COUNTY: WY T: 58N R: 105 SEC: 22,23  
DRAINAGE: ROCK CREEK ELEV: 9750 ACREAGE: 39.2 DEPTH: 150FT  
LOCATION: 44.99785, -109.52918 MARCUSONS CODE: 8

ACCESS: HEADWATERS OF ROCK CREEK JUST OVER THE STATE LINE. HIKE 2 MILES TO GLACIER LAKE, OVER THE DAM, AND HEAD SW 1 MILE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GLACIER LAKE	3	(3)	+1,200	-150

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Rare	Self-Sustained
Yellowstone Cutthroat	Abundant	Self-Sustained

LAST GILL NET SET: 8/5/1999

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1999	Yellowstone Cutthroat	8	13.9	9.8-16
1999	Brook Trout	2	12.8	12.5-13

STOCKING HISTORY STOCKING PLAN  
1987: Yellowstone Cutthroat (4905 fish)  
1978: Yellowstone Cutthroat (7900 fish)  
1971: Yellowstone Cutthroat (9022 fish)

COMMENTS: EMERALD WAS ALLOWED TO GO BARREN PRIOR TO THE '87 PLANT TO REBUILD FOOD BASE. FOOD IS LIMITED DURING WINTER. NO REAL SPAWNING SITES. THIS LAKE IS IN WYOMING!! CHECK WITH CODY BEFORE

CAMP SITES: FUEL AND CAMPING NEAR THE LAKE.

SURVEY NOTES:  
NEED TO CHECK PLANKTON DENSITY AS WELL AS FISH CONDITION. CT'81 16, AVE 10.0", 9.0-12.0". 7/17/91 1/3 OF LAKE WAS STILL ICE COVERED. CT'91 33, AVE 9.7", 7.0-11.0". EB'91 2, AVE 12.5", 11.5-13.6". 1995 PLANT CANCELED. REPRODUCTION IS OCCURRING.

'99 FISH WERE THIN. SAW 30-40 OTHERS. WYOMING WILL HOLD OFF STOCKING.

LAKE NAME: ESTELLE LAKE COUNTY: 10 T: 9S R: 17E SEC: 19DB  
DRAINAGE: CLARKS FORK ELEV: 9200 ACREAGE: 18.7 DEPTH: 30 FT  
LOCATION: 45.0275, -109.67269 MARCUSONS CODE: 172

ACCESS: CLAY BUTTE TR. #618. TAKE RIGHT FORK 4 MILES ALONG. GO PAST THEIL & KIDNEY LAKES TO WRIGHT LAKE THEN DOWNSTREAM PAST LITTLE FALLS & ROBIN LAKE ~2 MILES.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLAY BUTTE	11.5	(9.75)	+800	-1,100

MUDDY CR/IVY LA

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1994

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Brook Trout	24	6.9	5.5-8.5
1994	Brook Trout	66	8.9	5.8-17.4
1974	Brook Trout	21	8.5	6.8-10.5

STOCKING HISTORY STOCKING PLAN

COMMENTS: ONE CT CAUGHT IN '74 NET. ORIGIN UNKNOWN. GOOD GRAVEL DELTA AT INLET. OUTLET IS BOULDERS/SILT - NO GOOD FOR SPAWNING.

CAMP SITES: MANY NICE PLACES TO CAMP. PLENTY OF FIREWOOD AVAILABLE.

SURVEY NOTES:  
'94 FISH WERE IN GOOD HEALTH - PLUMP. A FEW VERY NICE EB'S. MFWP GILL NETTED IN 06 SMALL TO AVERAGE FISH 4-12"

LAKE NAME: FALLS CREEK LAKECOUNTY: 49T: 5SR: 11E SEC: 21DRAINAGE: BOULDERELEV: 8942ACREAGE: 39.7DEPTH: 70 FTLLOCATION: 45.38682, -110.36544MARCUSONS CODE: 76

ACCESS: BEST ROUTE IS UP FOUR MILE CREEK PAST SILVER PATIENT AND WEST BOULDER LAKES OR UP SPECULATOR CREEK LEAVING THE TRAIL AT THE SWITCHBACKS.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
FOURMILE	7.0	(2.5)	+4,785	-2,095
SPECULATOR CREE	7.0	(2.0)	+5,340	-2,110

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Unknown	Unknown
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/1/2004

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Yellowstone Cutthroat	27	13	8-16
2004	Yellowstone Cutthroat	8	11.5	8.5-13
1999	Yellowstone Cutthroat	13	15.2	11.3-17.3

STOCKING HISTORY

STOCKING PLAN

1992: Arctic Grayling (3970 fish)

1992: Arctic Grayling (3970 fish)

1985: Arctic Grayling (800 fish)

COMMENTS: ALSO KNOWN AS FALLS CREEK LAKE. 5-6" CT OBSERVED IN '85 & '92. REPRODUCTION IS OCCURING. GRAYLING WERE PLANTED ONE WEEK AFTER THE '85 SURVEY & 2 WEEKS BEFORE THE '92 SURVEY.

CAMP SITES: SOME CAMPSITES. FIREWOOD AVAILABLE. HORSE CAMP AT LAKE.

SURVEY NOTES:

WHAT WILL BECOME OF THE GRAYLING PLANT? NO GRAYLING TAKEN OR OBSERVED IN '92 OR '99. EXCELLENT SPAWNING GRAVEL IN THE INLET. '92 - MANY FISH SEEN CRUISING & RISING. FISH WERE SOMEWHAT THIN BUT DID NOT SEEM UNHEALTHY.

PLANTED WITH GOLDEN TROUT IN 1958, CUTTHROAT IN 1970 AND 1977. '85 - 20 CT 8.0-11.6" AVE 9.3". '04 FISH WERE ANGLED. FISH >17" SEEN IN INLET. '92 14 CT 13.1-18.3" AVE. 15.3".

LAKE NAME: FAVONIUS LAKECOUNTY: 40T: 7SR: 13E SEC: 15DRAINAGE: STILLWATERELEV: 9410ACREAGE: 25.5DEPTH: 15 FTLLOCATION: 45.21834, -110.09706MARCUSONS CODE: 56

ACCESS: TRAIL #27 UP E. FORK OF THE BOULDER PAST LAKE KATHLEEN AND UP RAINBOW CREEK. TAKE THE RIGHT FORK, CROSS THE CREEK TO COLUMBINE PASS THEN DOWN.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BOX CANYON	12.3	(12.3)	+3,300	-700

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/1/1998

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Yellowstone Cutthroat	9	11.9	7.9-16
1998	Yellowstone Cutthroat	7	9.2	6.7-11.3
1985	Yellowstone Cutthroat	2	12	11-13.1

STOCKING HISTORY

STOCKING PLAN

Yellowstone Cutthroat

COMMENTS: '85 FISH WERE CAUGHT BY HOOK AND LINE. YOUNG OF THE YEAR WERE IN THE OUTLET TO PENTAD LAKE. 24 (3-14") OBSERVED FROM SHORE.

CAMP SITES: LOTS OF CAMPSITES BUT FIREWOOD IS A LITTLE PICKED OVER.

SURVEY NOTES:

FISH ARE OBVIOUSLY SPAWNING SUCCESSFULLY. GIL LONGMIRE 8/89 - 2 CTS ~17" AND A FEW 8-10". '98 FISH WERE THIN TO AVERAGE, RIPE AND SPENT. OTHER FISH SEEN RISING 6-12". SURVEYED 08 FISH IN GOOD CONDITION GOOD FIGHTERS, NETTED AND ANGLED 5.5 HRS.

LAKE NAME: FARLEY LAKECOUNTY: 10T: 9SR: 16E SEC: 23AA DRAINAGE: CLARKS FORKELEV: 9740ACREAGE: 24.0DEPTH: 35 FTLLOCATION: 45.03465, -109.70849MARCUSONS CODE: 167

ACCESS: TRAIL #568/612 FROM IVY LAKE JEEP TRAIL #130. STAY ON #568 PAST #631 & #612. #568 GOES TO FARLEY LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
IVY LAKE JP TRAIL	6.75	(6.75)	+1,900	-100
CRAZY CRK/CLARK				

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1994

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Brook Trout	36	10.3	7.3-11.5
1994	Brook Trout	70	10.3	6.4-13
1975	Brook Trout	20	9.9	7.4-11.7

STOCKING HISTORY

STOCKING PLAN

COMMENTS: POPULATION SIZE APPEARS TO FLUCTUATE FROM YEAR TO YEAR.

CAMP SITES: SOME NICE PLACES TO CAMP. PRETTY SPOT. SOME FIREWOOD.

SURVEY NOTES:

CHECK ON CURRENT ABUNDANCE. D. HAGENSTON 8/9/87 CAUGHT FAT 9-10" EB'S. ANGLER REPORTS NO FISH - SUMMER OF '90. '94 - NICE BROOK TROUT FISHERY. FISH WERE IN GENERALLY GOOD CONDITION. MFWP GILL NETTED 7/06 MANY FISH AVERAGE HEALTH 7-12"

LAKE NAME: FELIS LAKECOUNTY: 49T: 9SR: 17E SEC: 15BB DRAINAGE: CLARKS FORKELEV: 10440ACREAGE: 17.5DEPTH: 62 FTLLOCATION: 45.0483, -109.62492MARCUSONS CODE: 204

ACCESS: 11 MILES UP TRAIL TO MARTIN LAKE FROM CLAY BUTTE OR BEARTOOTH LAKE AND 1.5 MILES NE OF MARTIN LAKE. NO TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ISLAND LAKE WY	12	(9)	+1,200	-400

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/17/2005

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Yellowstone Cutthroat	13	15.1	14.8-15.5
1992	Yellowstone Cutthroat	14		9.5-17.5

STOCKING HISTORY

STOCKING PLAN

COMMENTS: THIS IS A TROPHY-TYPE FISHERY. LAKE WAS CONSIDERED FISHLESS TILL D ARNESON SAW A FEW 6-10" CT 7-88. CALLED MARYOTT LAKE ON USGS 7.5' QUAD AND USFS MAPS. WELL ABOVE TREELINE.

CAMP SITES: NO TRAIL OR FUEL EXIST. VERY ROCKY FOR CAMPING.

SURVEY NOTES:

'92 FISH WERE SPAWNING IN THE OUTLET AND TWO POTHoles JUST BELOW. FISH AS SMALL AS 6" WERE OBSERVED. FISH HERE ARE FAT. LARGER FISH WERE TAKEN WITH HOOK & LINE. D HAGENSTON 8/95 - CUTTS, THREE DIFFERENT AGE CLASSES, 8-9", 13-15", AND 17-19".

ALL IN EXCELLENT SHAPE. GLEN OWENS '00 - NICE LARGE HEALTHY FISH.



LAKE NAME: FIRST ROCK LAKE COUNTY: 10 T: 8S R: 18E SEC: 31 AD  
DRAINAGE: ROCK CREEK ELEV: 8870 ACREAGE: 17.5 DEPTH: 36 FT  
LOCATION: 45.08609, -109.54804 MARCUSONS CODE: 35

ACCESS: 8 MILES BY TRAIL UP THE LAKE FORK OF ROCK CREEK PAST KEYSER BROWN LAKE. PATHS FROM KEYSER BROWN ON N. SIDE OF CREEK - SOME DEADEND AT CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
LAKE FORK ROCK	8	(7)	+1,800	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 7/7/1994

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1994	Yellowstone Cutthroat	10	9.8	8.1-11.1
1994	Brook Trout	15	10.3	8.8-11.9

STOCKING HISTORY	STOCKING PLAN
1953: Yellowstone Cutthroat (1700 fish)	
1931: Brook Trout (20000 fish)	

COMMENTS: MANY PEOPLE REFER TO FIRST ROCK LAKE AS SECOND ROCK LAKE AND KEYSER BROWN AS FIRST ROCK LAKE. NO MANAGEMENT CHANGES PROPOSED. GOOD GRAVEL IN INLET. GOOD REARING AREA BELOW LAKE IN

CAMP SITES: A FEW PLACES TO CAMP - SORT OF WET. PLENTY OF FIREWOOD.

SURVEY NOTES:  
'89 CREEL CARDS - 7 CT'S <12", 2 EB'S 8-12" RANGE. '94 CT'S WERE THIN, EATING INSECTS AND CHIRONOMIDS. EB'S WERE FAT.

LAKE NAME: FLAT ROCK LAKE COUNTY: 10 T: 9S R: 17E SEC: 4,9  
DRAINAGE: CLARKS FORK ELEV: 9990 ACREAGE: 37.0 DEPTH: 85 FT  
LOCATION: 45.06644, -109.63625 MARCUSONS CODE: 190

ACCESS: 12 MILES NORTH OF BEARTOOTH BUTTE. SEVERAL TRAILS WILL GET YOU NEAR THE LAKE. GO UPSTREAM FROM GREEN LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLAY BUTTE	17	(15.5)	+1,370	-900
MUDDY CREEK	18	(16.5)	+2,070	-160

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stocked

LAST GILL NET SET: 8/21/2001

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2001	Yellowstone Cutthroat	5	11.1	9-12.7
2000	Yellowstone Cutthroat	2	10.9	10.8-11
1989	Yellowstone Cutthroat	21	10.1	6.8-16.3

STOCKING HISTORY	STOCKING PLAN
2002: Yellowstone Cutthroat (3700 fish)	2010: Yellowstone Cutthroat (3700 fish)
1994: Yellowstone Cutthroat (3700 fish)	
1986: Yellowstone Cutthroat (7392 fish)	

COMMENTS: PLANTING NUMBERS WERE DECREASED FROM '78 PLANT OF 8,000. FISH WERE SMALL IN LENGTH FOR 7 YR. OLDS BUT WELL PROPORTIONED. 2-3"ERS SEEN IN '89. '78 PLANT = 15.5". '86 PLANT = 9".

CAMP SITES: BEST TO CAMP AT LOWER ELEVATIONS.NO FIREWOOD OR COVER AT LAKE.

SURVEY NOTES:  
CUTTHROATS FIRST STOCKED IN 1968. D ARNESON 7-88 CAUGHT MEDIUM #'S OF 6-7" CT "SARDINES" - FROM '86 PLANT? D. HAGENSTON 8/25/90 - 10-12" CT'S - SAW A 3" CUTT ALSO.

CT'85 3 FISH AVE. 11.5", RANGE 11.5-11.6".

LAKE NAME: FISH LAKE COUNTY: 40 T: 7S R: 13E SEC: 4  
DRAINAGE: BOULDER ELEV: 9472 ACREAGE: 18.0 DEPTH: 45 FT  
LOCATION: 45.25258, -110.11083 MARCUSONS CODE: 25

ACCESS: TRAILS UP RAINBOW CREEK, UPSIDEDOWN CREEK OR FROM THE LAKE PLATEAU. LAKE IS IN THE HEADWATERS OF THE SOUTH FORK OF RAINBOW CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BOX CANYON	10.5	(10.5)	+2,600	-100
UPSIDEDOWN CRE	11.5	(11.5)	+4,200	-1,500

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1988

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Yellowstone Cutthroat	8	10.5	9.3-11.8
1988	Yellowstone Cutthroat	43	7.4	5.8-10.1
1969	Yellowstone Cutthroat	28	8	5.3-11.6

STOCKING HISTORY	STOCKING PLAN
1944: Brook Trout (1200 fish)	
Yellowstone Cutthroat	

COMMENTS: CT ORIGIN UNKNOWN. FISH LAKE IS A VERY SCENIC SPOT - FISH APPEAR HEALTHY BUT REPRODUCTION MAY BE TOO SUCCESSFUL.

CAMP SITES: FIREWOOD LIMITED.

SURVEY NOTES:  
SIZES OF FISH SIMILAR TO 1969 NETTING. ARE THESE FISH RBxCT CROSSES? RON CARLSON REPORTS GOOD FISHING FOR 8-12"ERS. DAVE FISCHER 1999 - GOOD FOR 10-12" CT'S. '04 FISH WERE ANGLED IN 30 MINUTES AND WERE THIN.

LAKE NAME: FLY LAKE COUNTY: 49 T: 8S R: 14E SEC: 22DB  
DRAINAGE: STILLWATER ELEV: 9760 ACREAGE: 2.5 DEPTH: 38 FT  
LOCATION: 45.11983, -109.96908 MARCUSONS CODE: 25

ACCESS: HIKE CROSS COUNTRY FROM GOOSE LAKE FOR 3 MILES. ONE CAN DRIVE TO GOOSE LAKE WITH A 4X4 TRUCK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	5	(0)	+1,300	-1,200

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1989

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1999	Brook Trout	39	9.1	6.1-10.7
1989	Brook Trout	23	9.7	5.9-12.3

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

COMMENTS: NO FISH DATA EXISTED PRIOR TO 1989 EXCEPT FOR MARCUSON'S OBSERVATIONS FROM SHORE. THERE USED TO BE LOTS OF TROUT HERE AND THEY WERE LARGER AND HEALTHIER THAN THOSE IN NEARBY LAKES.

CAMP SITES: CAMPING ON NE SHORE. ADEQUATE FIREWOOD. LITTLE USE.

SURVEY NOTES:  
LESS SHOAL AREA THAN NEARBY LAKES. LITTLE SIGN OF '88 FIRE. D ARNESON 8-87 FOUND PERHAPS TOO MANY 6-10" EB. DENNIS HAGENSTON 8/93 REPORTS 9-12" BROOKIES IN GOOD SHAPE. FISH IN 1999 WERE VERY THIN.

LAKE NAME: FORSAKEN LAKE COUNTY: 10 T: 9S R: 17E SEC: 4A  
DRAINAGE: CLARKS FORK ELEV: 10450 ACREAGE: 30.5 DEPTH: 66 FT  
LOCATION: 45.07953, -109.6325 MARCUSONS CODE: 198

ACCESS: NORTH OF FLATROCK LAKE NEAR THE WEST FORK OF ROCK CREEK AND THE CLARK'S FORK DIVIDE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLAY BUTTE	18	(15.5)	+1,900	-900
MUDDY CREEK	19	(16.5)	+2,500	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stocked

LAST GILL NET SET: 8/2/2000

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2000	Yellowstone Cutthroat	4	11.8	11-12.8
1990	Yellowstone Cutthroat	12	9.6	8.6-12.4

STOCKING HISTORY STOCKING PLAN

2002: Yellowstone Cutthroat (2288 fish)  
1993: Yellowstone Cutthroat (3050 fish)  
1985: Yellowstone Cutthroat (4578 fish)  
2010: Yellowstone Cutthroat (2288 fish)

COMMENTS: THIS IS THE 2ND HIGHEST FISHERY IN THE STATE. GROWTH RATE RATHER POOR. WILL LOWER #S STOCKED IN '02. CALLED VARVE LAKE ON USGS 7.5' QUAD. OUTLET IS LARGE COBBLE.

CAMP SITES: NO FIREWOOD. 1 OR 2 CAMPSITES.

SURVEY NOTES:  
WATER TEMP WAS 40 F. GILL NET SET FOR 5 HOURS IN '90. D ARNESON SAW, CAUGHT NO FISH 7-88. D HAGENSTON 8/90 10" CT GOOD SHAPE. ADJUST #S STOCKED IN '93 DOWNWARD TO 100/ACRE. NO EVIDENCE OF REPRODUCTION IN '90 OR '00. '01 PLANT WAS MISSED.

WILL STOCK 75/ACRE EVERY 8 YEARS BEGINNING IN 2002.  
3,700 CT'S PLANTED IN 1977.

LAKE NAME: FOX LAKE COUNTY: 49 T: 9S R: 15E SEC: 24,25  
DRAINAGE: CLARKS FORK ELEV: 8055 ACREAGE: 111.4 DEPTH: 75 FT  
LOCATION: 45.02696, -109.8017 MARCUSONS CODE: 74

ACCESS: USFS TRAIL #567 FROM KERSEY LAKE. TRAIL FROM KERSEY IS EXCELLENT. THE TRAIL TO FOX LAKE FORKS RIGHT OFF #567 1/4 MILE FROM THE LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	4.5	(4.5)	+250	-250

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Rare	Self-Sustained
Brook Trout	Abundant	Self-Sustained
Rainbow Trout	Common	Self-Sustained

LAST GILL NET SET: 8/1/1998

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Brook Trout	35	8.4	6.2-11.9
1998	Rainbow Trout	2	12.5	10.2-14.7

STOCKING HISTORY STOCKING PLAN

COMMENTS: '89 - THE FISH WERE QUITE HEALTHY LOOKING. THOUSANDS OF .5 - 3" FRY SEEN ALONG SHORE. 1 GR 9.3". 15 EB 6.3-13.8" AVE. 9.2". 5 RB 8.8-14.3" AVE. 11.5". A FEW GRAYLING MAKE IT DOWN FROM CLIFF LAKE.

CAMP SITES: CAMPSITES AT NORTH END BUT FIREWOOD IS TOUGH TO FIND.

SURVEY NOTES:  
CHECK ON CHANGING RELATIVE ABUNDANCE OF THE 3 SPECIES OF FISH IN THIS LAKE. '89 TAKE WAS SIMILAR TO '81 BUT W/ 6.7" CTx. '89 CREEL CARDS 1 CT 12-16" RANGE, 20 RB 8-16" RANGE, 14 EB <8-16". NO SIGN OF '88 FIRE.

M. BARRETT 9/91 - 3 ANGLERS FOR 3 HOURS, NO FISH CAUGHT OR SEEN. TWO NETS SET IN 1998. FISH WERE THIN TO AVERAGE. SURVEYED 08 2 NETS 5 HRS. NO FISH CAUGHT OR SEEN.

LAKE NAME: FOSSIL LAKE COUNTY: 10 T: 8S R: 16E SEC: 29,31  
DRAINAGE: EAST ROSEBUD ELEV: 9900 ACREAGE: 164.7 DEPTH: 150FT  
LOCATION: 45.09129, -109.78927 MARCUSONS CODE: 25

ACCESS: EASILY REACHED BY TRAIL FROM COOKE CITY OR EAST ROSEBUD LAKE. THIS IS THE MOST HEAVILY USED TRAIL IN THE BEARTOOTHs.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	10	(10)	+2,400	-200
ALPINE (EAST ROS	16	(16)	+3,692	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stock, with some natural reproduction

LAST GILL NET SET: 8/1/2003

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Yellowstone Cutthroat	34	12.1	6.5-15.5
2003	Yellowstone Cutthroat	8	9.9	8.5-12.3
1996	Yellowstone Cutthroat	20	11.8	7.7-15.6

STOCKING HISTORY STOCKING PLAN

2007: Yellowstone Cutthroat (10000 fish)  
2004: Yellowstone Cutthroat (10000 fish)  
2001: Yellowstone Cutthroat (10000 fish)  
2010: Yellowstone Cutthroat (10000 fish)

COMMENTS: FISH WERE ATTEMPTING TO SPAWN IN '05 IN INLETS. HIGH USE. LOTS OF FLAT PLACES TO CAMP IF YOU LIKE WIND. D FISCHER - '97 GOOD FISHING 10-14'ERS. BEANO HEARD FISHING WAS GOOD IN '96

CAMP SITES: NO FIREWOOD. CAMPING BEST AWAY FROM THE LAKE. NO TREES.

SURVEY NOTES:  
AVG. SIZE IN '89 MIGHT HAVE DECREASED. REPRODUCTION?. ADJUST STOCKING RATE AND FREQUENCY. PLANTS WERE CUT TO 10,000 TO SEE WHETHER GROWTH RATES IMPROVE. PLENTY OF FISH OF APPROPRIATE SIZES IN '96. DENNIS HAGENSTON 8/28/89 10-12" CT'S.  
6 CT'S NETTED IN '81, 8.1-15.0" AVE. 10.5. LUNDBERG '00 - FISH UP TO 16". 3 YEAR FREQ. CT'S PLANTED '67, '70, '72, '77, '80, '83, '86, '89, '92, '95. FISH IN '03 WERE ANGLED. 32 CT'89 6.6-13.0" AVE. 9.9". BEANO SAYS REPRO. OCCURING, MARCUSON THOUGHT NOT.

LAKE NAME: FRENCO LAKE COUNTY: 32 T: 7S R: 15E SEC: 20AA  
DRAINAGE: WEST ROSEBUD ELEV: 9115 ACREAGE: 13.9 DEPTH: 28 FT  
LOCATION: 45.21327, -109.88425 MARCUSONS CODE: 27

ACCESS: 10 MILES FROM TRAILHEAD AT MYSTIC LAKE POWER PLANT. LAST 2 MILES STEEP TERRAIN AND UNMAINTAINED TRAIL FROM NORTH END OF SILVER LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
MYSTIC LAKE	10.25	(8)	+3,200	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

LAST GILL NET SET: 8/2/2004

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Yellowstone Cutthroat	8	10.4	8.5-11
1994	Yellowstone Cutthroat	20	10.1	7.5-13
1986	Yellowstone Cutthroat	17	9.4	7-13.2

STOCKING HISTORY STOCKING PLAN

1950: Yellowstone Cutthroat (9540 fish)

COMMENTS: ONLY LAKE ON THE WEST BENCH OF WEST ROSEBUD CREEK THAT HAD FISH AT THE TIME OF THE 1ST SURVEY. OUTLET DOES HAVE SOME SMALL GRAVEL. D FISCHER - '88 8-10" CT. PONDS PRODUCED 4-8" CT -EVERY CAST.

CAMP SITES: GOOD CAMPING, ABUNDANT FIREWOOD.

SURVEY NOTES:  
RALPH SAUNDERS SAYS FRENCO WAS PLANTED ~1947 BY EARL NOTT AND BOYSCOUTS FROM COLUMBUS AND ABSAROKEE & PRODUCED 5 LB FISH IN THE '50S D HAGENSTON 7/4/91 CT'S 7-9" SKINNY. G. TOWNSEND - GREAT FISHING FOR 14-16" CT'S 8/92.

G ALDRICH REPORTS LOTS OF 6-12"ERS 8/92. '94 FISH APPEARED HEALTHY. '96 ARLEN LUNDBERG REPORTS 10" AVE. GOOD COND.

LAKE NAME: FROZE TO DEATH LAKE COUNTY: 32 T: 7S R: 16E SEC: 27,34  
DRAINAGE: EAST ROSEBUD ELEV: 10156 ACREAGE: 74.5 DEPTH: 195FT  
LOCATION: 45.18024, -109.74472 MARCUSONS CODE: 48  
  
ACCESS: WEST OF EAST ROSEBUD LAKE ABOVE PHANTOM LAKE. ~10 MILES OF STEEP  
UNMAINTAINED TRAIL. 4,000 FT GAIN IN ELEVATION.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
PHANTOM CREEK	9	(7)	+4,050	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2000	Yellowstone Cutthroat	13	12.2	11-13.4
1990	Yellowstone Cutthroat	60	10.7	6.4-15.7
1986	Yellowstone Cutthroat	10	14	12.8-15.8

STOCKING HISTORY STOCKING PLAN

1978: Yellowstone Cutthroat (10000 fish)

COMMENTS: LAKE IS OBVIOUSLY SELF-SUSTAINING AND NEEDS NO FURTHER PLANTING.  
MONITOR PERIODICALLY. LITTLE SIGN OF USE.

CAMP SITES: SCARCE FIREWOOD. SEVERAL NICE CAMPSITES.

SURVEY NOTES:

'90 GILL NET SET FOR 18 HOURS. LOTS OF FISH SEEN CRUISING AND RISING - VERY  
CATCHABLE. 2-3" FINGERLINGS SEEN. DON CUTHILL 7/13/92 LOTS OF 6-16" CT'S SOME WERE  
SKINNY, OTHERS NOT TOO BAD. A. LUNDBERG AND CREW 7/94 - CAUGHT TONS OF FISH 6  
INCHES AND UP.

2000 NET SET FOR 3 HOURS. WE ANGLED 8 FISH IN '03 IN TWO HOURS 6.5-14.5" AVE. 10.5".

LAKE NAME: GLACIER CREEK LAKE COUNTY: 49 T: 8S R: 14E SEC: 12  
DRAINAGE: STILLWATER ELEV: 8920 ACREAGE: 16.3 DEPTH: 47 FT  
LOCATION: 45.14387, -109.92425 MARCUSONS CODE: 17

ACCESS: LEAVE THE END OF THE GOOSE LAKE JEEP TRAIL AND TAKE TRAIL AROUND E.  
SIDE TO LITTLE GOOSE. THEN X-COUNTRY NW TO INCISOR LAKE, THEN DOWN  
THE CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	4	(3)	+240	-1,200

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/22/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1995	Brook Trout	138	7.9	5.7-13.3
1974	Brook Trout	21	8.5	7.2-9.4

STOCKING HISTORY STOCKING PLAN

1937: Yellowstone Cutthroat (6900 fish)

COMMENTS: OVERCROWDED WITH BROOKIES. ANGLERS SHOULD FEEL FREE TO EAT A  
FISH SUPPER HERE.

CAMP SITES: FIREWOOD AND CAMPSITES AVAILABLE.

SURVEY NOTES:

GREG ALDRICH REPORTS LOTS OF EB'S UP TO 12", 3/4 LB 8/92. GOLDEN TROUT SEEN IN  
CREEK 1/2 MILE BELOW INCISOR LAKE - DAVE HERGENRIDER. '95 FISH WERE AVERAGE TO  
THIN. ZILLIONS OF THEM. THESE FISH WERE NOT JUST RISING, THEY WERE BOILING.

THE ONE BIG FISH, 13.3", 1.25 LBS HAD FISH BONES IN ITS STOMACH.

LAKE NAME: GALLERY LAKE COUNTY: 10 T: 9S R: 16E SEC: 4BC  
DRAINAGE: CLARKS FORK ELEV: 9920 ACREAGE: 7.4 DEPTH: 40 FT  
LOCATION: 45.07486, -109.76405 MARCUSONS CODE: 96

ACCESS: TAKE TRAIL #567 FROM THE CLARKS FORK TRAILHEAD TO RUSSEL LAKE. CROSS  
THE BRIDGE ABOVE THE LAKE & HEAD NORTH X-COUNTRY UP A ROCKY CHUTE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK #3	9	(6.5)	+2,350	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Stocked

LAST GILL NET SET: 8/1/2002

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Rainbow Trout	0		-
2002	Rainbow Trout	8	10.3	9-11.6
1994	Rainbow Trout	4	13	12.7-13.5

STOCKING HISTORY STOCKING PLAN

1997: Rainbow Trout (1113 fish)

1989: Rainbow Trout (1480 fish)

1980: Rainbow Trout (1608 fish)

COMMENTS: RAINBOW WERE PLANTED TO FILTER DOWNSTREAM INTO CRADLE LAKE.  
THAT OBJECTIVE HAS BEEN ACHIEVED. PLANTED WITH 150/ACRE IN '97. WE  
MAY LOWERS NUMBERS STOCKED TO 100/ACRE IN 2005. '02 FISH WERE

CAMP SITES: NO FLAT SPOTS. CAMP BELOW. SCARCE FIREWOOD.

SURVEY NOTES:

FISH AVERAGED 3.7" SMALLER THAN CRADLE LAKE FISH IN 1987. D. HAGENSTON 8/28/89 -  
11" RB'S. D. FISCHER 97 FAT 12-13" RB'S. FROZEN OVER 7/7/93. '94 - SOME REPRODUCTION IS  
APPARENTLY OCCURRING AS A COUPLE OF 6" FISH WERE ALSO CAUGHT.

2002 - A FISH ~15" WAS OBSERVED IN THE OUTLET. THE OUTLET IS DEEP AND FULL OF  
LARGE BOULDERS. CANCEL FURTHER PLANTS TO ASSESS REPRODUCTION.

LIKELY FISHLESS CONSIDER STOCKING YCT

LAKE NAME: GLACIER LAKE COUNTY: 10 T: 9S R: 18E SEC: 29  
DRAINAGE: ROCK CREEK ELEV: 9702 ACREAGE: 176.0 DEPTH: 220FT  
LOCATION: 45.00657, -109.54072 MARCUSONS CODE: 9

ACCESS: HEADWATERS OF ROCK CREEK. 2 MILES OF STEEP, EXCELLENT TRAIL. GLACIER  
LAKE TRAILHEAD.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GLACIER LAKE	2	(2)	+1,150	-150

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained
Yellowstone Cutthroat	Abundant	Stocked

LAST GILL NET SET: 8/3/1999

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1999	Yellowstone Cutthroat	27	10	6.7-14.5
1999	Brook Trout	13	9.8	8.3-12

STOCKING HISTORY STOCKING PLAN

2006: Yellowstone Cutthroat (22000 fish)

2009: Yellowstone Cutthroat (22000 fish)

1940: Brook Trout (2100 fish)

COMMENTS: EASY ACCESS. GLACIER LAKE RECEIVES A LOT OF DAY USE. STOCKED  
EVERY 3 YEARS AT 125/ACRE. NO MGMT CHANGES NEEDED. EB '33, '36, '37. CT  
'53, '71, '78, '79, '81, '82, '85, '88, '91, '94, '97, '00.

CAMP SITES: FAIR CAMPING - NOT TOO MANY LEVEL FLAT PLACES. HEAVILY USED.

SURVEY NOTES:

PLENTY OF FIREWOOD BUT HAVE TO WORK FOR IT AROUND CAMPSITES. BEST CAMPING IS  
AT N END NEAR THE INLET FROM TRIANGLE BUT IS HARD TO GET TO CT'91, 11, AVE 13.0",  
9.0-15.4". EB'91, 16, AVE 9.2", 6.5-11.9". CT'S WERE FAT, READY TO SPAWN. '99 FISH WERE FAT.

MANY DAY HIKERS CATCHING FISH.

LAKE NAME:	GOOSE LAKE	COUNTY:	49	T:	8S	R:	15E	SEC:	19,30
DRAINAGE:	STILLWATER	ELEV:	9830	ACREAGE:	102.0	DEPTH:	130FT		
LOCATION:	45.11656, -109.91377	MARCUSONS CODE:	42						
ACCESS: GOOSE LAKE 4X4 JEEP TRAIL FROM COOKE CITY. FROM THE END OF THE JEEP ROAD, FOLLOW THE HIKING TRAIL OVER THE HILL, NORTH TO GOOSE LAKE 1/4 MILE.									
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>					
GOOSE LAKE JEEP	.25	(.25)	+50	-0					
<u>SPECIES PRESENT</u>			<u>ABUNDANCE</u>	<u>STATUS</u>					
Yellowstone Cutthroat			Abundant	Self-Sustained					
LAST GILL NET SET: 8/12/1998									
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>					
1998	Yellowstone Cutthroat	29	8.7	4.9-11.2					
1997	Yellowstone Cutthroat	18	9.7	8.8-11.7					
1995	Yellowstone Cutthroat	9	9.9	8.7-12.3					
<u>STOCKING HISTORY</u>			<u>STOCKING PLAN</u>						
COMMENTS: ORIGIN OF FISH UNKNOWN. TEST NEG. FOR WHIRLING DISEASE IN '97. 1-2" FISH IN INLET & OUTLET. WITHOUT A 4WD IT'S AN 8-10 MILE HIKE TO GET HERE. BROOD STOCK EGGS ARE TAKEN FROM HERE, DISEASE TESTING DONE									
CAMP SITES: MANY PLACES TO CAMP BUT FIREWOOD IS SCARCE. ABOVE TREE LINE.									
<u>SURVEY NOTES:</u>									
POPULAR LAKE. 18 CT IN '89 5.9-13.0" AVE 8.2". '89 CREEL CARDS - 16 CT <8-<16". FISH WERE THIN IN '95 (DUE TO LATE ICE?) 1969-SPARSE ZOOPLANKTON POPULATIONS (ESSENTIALLY ONE SPECIES) AND A RATHER LIMITED BENTHOS.									
WHAT LITTLE ENERGY THERE IS MUST GET TO THE FISH RATHER DIRECTLY. K W CUMMINS. FISH CONDITION TENDS TO BE VERY THIN TO AVERAGE.									

---

LAKE NAME:	GREAT FALLS CREEK LAKE	COUNTY:	49	T:	5S	R:	12E	SEC:	6A
DRAINAGE:	BOULDER	ELEV:	9452	ACREAGE:	6.6	DEPTH:	23 FT		
LOCATION:	45.43373, -110.28463	MARCUSONS CODE:	55						
ACCESS: TRAIL #18 UP GREAT FALLS CREEK. IT'S THE FIRST LAKE YOU COME TO ~7 MILES FROM THE TRAILHEAD. IT'S SLIGHTLY OFF THE TRAIL TO THE NW 6.5 MILES UP.									
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>					
GREAT FALLS CRE	7	(6.5)	+3,800	-100					
<u>SPECIES PRESENT</u>			<u>ABUNDANCE</u>	<u>STATUS</u>					
Rainbow Trout			Abundant	Self-Sustained					
LAST GILL NET SET: 8/1/1995									
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>					
2005	Rainbow Trout	2	12.1	11.3-13					
1995	Rainbow Trout	29	12.2	6.3-21					
1983	Yellowstone Cutthroat Hybrid	9	8.9	7-11					
<u>STOCKING HISTORY</u>			<u>STOCKING PLAN</u>						
2008: Yellowstone Cutthroat (660 fish)			2009: Yellowstone Cutthroat (660 fish)						
2007: Yellowstone Cutthroat (660 fish)									
1980: Rainbow Trout (3015 fish)									
COMMENTS: RAINBOW/CUTTHROAT HYBRIDS WERE FOUND 1983. THERE IS NO PLANTING RECORD FOR THE CUTTHROAT. THIS IS THE ONLY LAKE IN THE CHAIN WITH FISH. THIS IS A NICE SECLUDED SPOT. RB'S PLANTED IN 1933, '78. YCT									
CAMP SITES: CAMPING PLACES AREN'T EASY TO FIND BUT LOTS OF FIREWOOD.									
<u>SURVEY NOTES:</u>									
'95 - FISH WERE AVERAGE TO THIN. LAKE #53 WAS ALSO NETTED OVERNIGHT - NO FISH CAUGHT. FROM ABOVE, SPRINGS IN THE LAKE WERE OBSERVED. BUT NO SIGN OF ANY FISH. #53 TO BE PLANTED WITH 3015 RB'S IN 1980 BUT THEY WENT INTO #55 INSTEAD.									
2002 - NO VISUAL SIGN OF FISH - ANGLER REPORTS NO FISH. ANNUAL PLANT OF CUTTHROAT TO SWAMP OUT RB'S CONTINGENT UPON SUCCESSFUL EA.									

LAKE NAME: GREEN LAKE COUNTY: 49 T: 8S R: 15E SEC: 30,31  
DRAINAGE: CLARKS FORK ELEV: 9640 ACREAGE: 4.8 DEPTH: 16 FT  
LOCATION: 45.10013, -109.90155 MARCUSONS CODE: 25

ACCESS: ACCESSED EITHER FROM THE GOOSE LAKE JEEP TRAIL 1/4 MILE PAST STAR LAKE OR UP STAR CREEK FROM THE LADY OF THE LAKE TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	.5	(0)	+50	-250

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1994

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2003	Brook Trout	25	6.6	4.7-9.1
1994	Brook Trout	20	8.5	3.8-13.3
1972	Brook Trout	18	7.3	6.2-8.5

STOCKING HISTORY STOCKING PLAN

COMMENTS: THIS SELF-SUSTAINING BROOKIE FISHERY CAN STAND SOME HARVEST. WATER CODE #22-8036.

CAMP SITES: CAMPSITES AND FIREWOOD LIMITED.

SURVEY NOTES:  
LAKE WAS FROZEN OVER 7/14/93. '94 FISH WERE IN AVERAGE CONDITION. '03 FISH WERE ANGLED IN 3/4 HOUR.

LAKE NAME: GREENOUGH LAKE COUNTY: 10 T: 9S R: 19E SEC: 7,8  
DRAINAGE: ROCK CREEK ELEV: 7280 ACREAGE: 0.8 DEPTH: 9.5FT  
LOCATION: 45.05136, -109.41763 MARCUSONS CODE: 3

ACCESS: 1/4 MILE FROM GREENOUGH CAMPGROUND LOCATED 15 MILES SOUTH OF RED LODGE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GREENOUGH LAKE	.25	(.25)	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Rare	Self-Sustained
Chub	Unknown	Unknown
Rainbow Trout	Abundant	Stocked

LAST GILL NET SET:

STOCKING HISTORY STOCKING PLAN  
2008: Rainbow Trout (6000 fish) 2009: Rainbow Trout (6000 fish)  
2007: Rainbow Trout (6000 fish)  
2006: Rainbow Trout (6000 fish)

COMMENTS: CATCHABLE SIZE ARLEE RAINBOW PLANTED FOUR TIMES A YEAR PRIOR TO HOLIDAYS FROM JUNE TO SEPTEMBER.

CAMP SITES: CAMPING AVAILABLE AT USFS CAMPGROUND 1/4 MILE NORTH.

SURVEY NOTES:  
SOME FISHERMEN BOTHERED BY CHUBS. IF THERE WAS NO CHANCE OF REPRODUCTION, A FEW BROWN TROUT MIGHT SOLVE THE PROBLEM.

LAKE NAME: GREEN LAKE COUNTY: 10 T: 9S R: 17E SEC: 19,20  
DRAINAGE: CLARKS FORK ELEV: 9150 ACREAGE: 35.7 DEPTH: 129FT  
LOCATION: 45.03407, -109.66423 MARCUSONS CODE: 173

ACCESS: CLAY BUTTE TRAIL #618 4 MILES TO THIEL LAKE TRAIL #619. 6 MILES TO THIEL THEN TO KIDNEY & WRIGHT. FORD STREAM & HEAD UP TRAIL TO TRAIL LAKE. GREEN'S BEYOND. CRAZY LAKES IS BEST PAST COPELAND, FARLEY & LAKE

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLAY BUTTE	11.25	(11.25)	+1,000	-600

CRAZY LAKES

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1974

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1995	Brook Trout	49	8.2	5.9-11.1
1974	Brook Trout	97	7.6	6.5-8.9

STOCKING HISTORY STOCKING PLAN

1937: Brook Trout (11900 fish)

COMMENTS: VERY SCENIC. MOSQUITOES ABUNDANT. THIS IS A POPULAR LAKE IN THE A-B WILDERNESS. WATER CODE #22-8037

CAMP SITES: SOME CAMPING SPOTS, PLENTY OF FIREWOOD AVAILABLE.

SURVEY NOTES:  
'95 FISH WERE AVERAGE TO THIN.

LAKE NAME: GUS LAKE COUNTY: 10 T: 9S R: 17E SEC: 34A  
DRAINAGE: CLARKS FORK ELEV: 9890 ACREAGE: 16.7 DEPTH: 19 FT  
LOCATION: 45.00365, -109.61004 MARCUSONS CODE: 240

ACCESS: TRAIL #614/620 FROM ISLAND LAKE ON HWY 212. THE LAKE IS JUST WEST OF LONESOME LAKE ON THE MONTANA-WYOMING STATE LINE. EASY ACCESS FROM LONESOME.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ISLAND LAKE WYO	7	(4)	+800	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/13/2008

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Brook Trout	23	8.4	6.4-10.6
1995	Brook Trout	19	8.1	4.4-10.8

STOCKING HISTORY STOCKING PLAN

COMMENTS: HOW LONG HAVE BROOKIES BEEN IN HERE? THIS LAKE WAS PRESUMED TO BE FISHLESS. MARCUSON FELT THAT EB'S FROM LAKES IN WYO WOULDNT BE ABLE TO MOVE INTO GUS IN SUMMER. DID THEY USE A SPRING FRESHET?

CAMP SITES: THE LAKE IS ABOVE TIMBERLINE.

SURVEY NOTES:  
WYOMING GAME AND FISH NETTED THIS LAKE FOR US IN 1995. BOY DID THEY FIND FISH IN 2 OVERNIGHT NET SETS!  
MFWP SURVEYED 08, 6 HR. NET SET. NOT MUCH HAS CHANGED SINCE 95.

LAKE NAME: HAIRPIN LAKE COUNTY: 10 T: 9S R: 18E SEC: 15  
DRAINAGE: ROCK CREEK ELEV: 10160 ACREAGE: 32.9 DEPTH: 65 FT  
LOCATION: 45.0464, -109.50169 MARCUSONS CODE: 18

ACCESS: EASY ACCESS FROM JEEP TRAIL BY WALKING CROSS COUNTRY ACROSS THE HELLROARING PLATEAU.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
HELLROARING PLA	3.5	(2.5)	+600	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stocked

LAST GILL NET SET: 8/1/2000

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Yellowstone Cutthroat	8	11.5	9.9-15.5
2000	Yellowstone Cutthroat	17	11.9	5.9-19.1

STOCKING HISTORY	STOCKING PLAN
2006: Yellowstone Cutthroat (1645 fish)	2014: Yellowstone Cutthroat (1645 fish)
1998: Yellowstone Cutthroat (1629 fish)	
1916: Yellowstone Cutthroat (1629 fish)	

COMMENTS: GROWTH RATES ARE EXCELLENT. THIS LAKE IS ALSO KNOWN AS HELLROARING LAKE #2. GILL NET SET IN '90 FOR 18.5 HOURS. SOME REPRO. EVIDENT. 9 FISH 5.9-10.0".

CAMP SITES: ROCKY CAMPING. LITTLE FIREWOOD.

SURVEY NOTES:  
STOCKED EVERY 8 YEARS. '00 FISH WERE BIG AND HEALTHY. '81- 13 CT 13.5-17.0" AVE. 15.0"

LAKE NAME: HEIDI LAKE COUNTY: 10 T: 9S R: 17E SEC: 28BC  
DRAINAGE: CLARKS FORK ELEV: 9720 ACREAGE: 8.2 DEPTH: 25 FT  
LOCATION: 45.01564, -109.64517 MARCUSONS CODE: 229

ACCESS: TRAILS FROM HWY 212 NEAR BEARTOOTH BUTTE SERVE THE AREA. THE LAKE IS NE OF GRANITE LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLAY BUTTE	7	(6)	+570	-280
MUDDY CREEK	9	(8)	+950	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/8/2006

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Brook Trout	30	7.3	6.5-9.5
1993	Brook Trout	69	7.5	5.7-8.5
1974	Brook Trout	28	7.3	5.9-8

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

COMMENTS: D ARNESON 7-88 CAUGHT MEDIUM #'S, 6-10". IF REHABED IT COULD PROVIDE A NICE PLACE FOR CT'S. PRETTY SPOT.

CAMP SITES: NICE CAMPSITES (BUT NEAR LAKE), PLENTY OF FIREWOOD.

SURVEY NOTES:  
FISH WERE VERY STUNTED. MFWP GILL NETTED 8/06 MANY FISH FRY SEEN, LARGEST 9"

LAKE NAME: HEATHER LAKE COUNTY: 40 T: 7S R: 13E SEC: 35D  
DRAINAGE: SLOUGH CREEK ELEV: 9275 ACREAGE: 4.4 DEPTH: 4 FT  
LOCATION: 45.17469, -110.07265 MARCUSONS CODE: 6

ACCESS: AT LAKE ABUNDANCE TAKE TRAIL #24 DOWN THE STILLWATER TO TRAIL #34 UP HORSESHOE CREEK PAST LAKE OF THE WOODS. CROSS DIVIDE PAST PEACE THEN N UP CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
LAKE ABUNDANCE INDEPENDENCE	17	(16.25)	+2,800	-2,000

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/20/2002

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2002	Yellowstone Cutthroat	10	9.6	8-11.2
1995	Yellowstone Cutthroat	12	11.3	6.6-14.9
1974	Yellowstone Cutthroat	21	11.2	7.8-14.9

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

COMMENTS: TRUE NATIVE CUTTHROAT. CT FROM WOUNDED MAN CREEK CAN MOVE INTO THE LAKE. \*\*\*\*MUST PROTECT THIS FISHERIES NATIVE STATUS\*\*\*\*

CAMP SITES: MANY GOOD CAMPING SPOTS. LOTS OF FIREWOOD AVAILABLE.

SURVEY NOTES:  
VERY GOOD SPAWNING AREA IN INLET. GOOD ELK COUNTRY. '95 - FISH WERE THIN TO FAT. FISH AS SMALL AS 2" OBSERVED. '02 FISH WERE FAT.

PEACE AND HEATHER ARE THE ONLY KNOWN INDIGENOUS (NATIVE) YCT LAKE POPULATIONS IN REGION 5.

LAKE NAME: HELLROARING LAKE #12 COUNTY: 10 T: 9S R: 18E SEC: 13,14  
DRAINAGE: ROCK CREEK ELEV: 9510 ACREAGE: 3.0 DEPTH: 2 FT  
LOCATION: 45.04344, -109.46233 MARCUSONS CODE: 28

ACCESS: VIA TRAIL UP HELLROARING CREEK OR CROSS COUNTRY FROM JEEP TRAIL #3004.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
HELLROARING PLA	2.5	(2)	+700	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 7/11/2000

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2000	Yellowstone Cutthroat	13	7.7	6.5-10.8

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

COMMENTS: AKA RYDBERG LAKE, ONE OF THE DOWNSTREAM LAKES IN THE CHAIN. SOME STREAM SPAWNING IN THE PERMANENT INLET. NO BROOKIES TAKEN IN '00 NET BUT THEY INHABIT THE LAKE.

CAMP SITES: SOME USED CAMPSITES WITH PLENTY OF FIREWOOD.

SURVEY NOTES:  
8 CT ANGLED 7/13/04 6.8-10.5" AVE. 9.0". SMALLER FISH SEEN.

ACCESS: EASY HIKE FROM JEEP TRAIL #3004 ACROSS THE HELLROARING PLATEAU.

LAST GILL NET SET: 8/1/2000

CAMP SITES: ROCKY CAMPING. LITTLE FIREWOOD.

SURVEY NOTES:

STOCKED EVERY 8 YEARS. '00 FISH WERE BIG AND HEALTHY. '81 - 13 CT 13.5-17.0" AVE. 15.0".

ACCESS: HIKE UP HELLROARING CREEK FROM THE JEEP TRAIL #3004. ~4 MILE HIKE.

LAST GILL NET SET: 8/1/1991

CAMP SITES: FEW FLAT SPOTS. FIREWOOD IS SCARCE. CAMP BELOW IN DRAINAGE.

SURVEY NOTES:

VISUAL SURVEY IN 1998 SPOTTED NUMEROUS SMALLER TROUT 2-12". OBVIOUS REDDS IN INLET STREAM 7/30/91. FISH ARE REPRODUCING. IT IS POSSIBLE FOR FISH TO MOVE UPSTREAM TO HAIRPIN LAKE (#2) AND DOWNSTREAM TO H.R. #5. FISH WERE HEALTHY BUT NOT FAT.

ACCESS: EASY WALK FROM JEEP TRAIL #3004 ON THE HELLROARING PLATEAU.

LAST GILL NET SET: 8/1/1990

CAMP SITES: CAMPING IS BETTER AT LOWER LAKES. LITTLE FIREWOOD.

SURVEY NOTES:

90 GILL NET SET FOR 2 HOURS. FISH WERE IN FAIR CONDITION. MANY FISH SEEN RISING AND CRUISING. JERRY BURNS REPORTS 8-9" GOOD CONDITION EB'S ON EVERY CAST END OF JULY '92. '04 - 8 EB ANGLED 8.2-10.4" AVE 9.5". AVERAGE HEALTH WITH A FAIR AMOUNT OF FAT.

ACCESS: EASY HIKE FROM THE HELLROARING PLATEAU JEEP ROAD #3004.

LAST GILL NET SET: 7/13/2000

CAMP SITES: FIREWOOD AND FLAT SPOTS ARE LIMITED. CAMP BELOW.

SURVEY NOTES:

SOME CT'S HAVE MADE IT DOWN FROM HAIRPIN LAKE TO HELLROARING #4 AND SUBSEQUENTLY TO HELLROARING #5. 1970 16 EB 8.8-12.0" AVE 10.0. 1991 20 EB 5.8-11.4" AVE 8.5", 2 CT 8.5-9.7"

LAKE NAME: HELLROARING LAKE #9                      COUNTY: 10            T: 9S    R: 18E    SEC: 14  
DRAINAGE: ROCK CREEK                      ELEV: 9660            ACREAGE: 7.9            DEPTH: 30 FT  
LOCATION: 45.04275, -109.47385                      MARCUSONS CODE: 25

ACCESS: HIKE UP HELLROARING CREEK FROM THE JEEP TRAIL #3004. 2 MILES DOWN A STEEP GRASSY SLOPE FROM THE TRAILHEAD (NW).

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
HELLROARING PLA	2	(1)	+300	-400

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 7/11/2000

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2000	Yellowstone Cutthroat	5	8.1	7.5-9.5
2000	Brook Trout	29	8.1	6.3-9

STOCKING HISTORY                      STOCKING PLAN

COMMENTS: POPULAR LAKE IN THE HELLROARING LAKE CHAIN. THESE CUTTHROAT MAY BE THE REMNANTS OF AN ORIGINAL STOCKING IN 1901-05 BY PROSPECTOR MELVIN MARTIN.

CAMP SITES: PLENTY OF FIREWOOD. SOME HARD USED CAMPSITES.

SURVEY NOTES:  
'90 GILL NET SET FOR 24.5 HOURS. FISH WERE STUNTED. 1971 27 EB 6.9-8.8" AVE 7.9". 1990 17 EB 6.1-9.7" AVE 7.7", 7 CT 7.4-10.1" AVE 8.3". 2000 FISH WERE VERY THIN AND SMALL BUT APPARENTLY HEALTHY.

THE BROOKIES HERE SHOULD BE HARVESTED TO HELP OUT THE LONG SURVIVING CUTTS.

LAKE NAME: HIDDEN LAKE                      COUNTY: 10            T: 9S    R: 17E    SEC: 33,34  
DRAINAGE: CLARKS FORK                      ELEV: 9500            ACREAGE: 18.0            DEPTH: 46 FT  
LOCATION: 45.00569, -109.62625                      MARCUSONS CODE: 234

ACCESS: TRAILS FROM HWY 212 NEAR BEARTOOTH BUTTE SERVE THE AREA. THE LAKE IS EAST OF GRANITE LAKE. FIND TRAIL FROM TIEL LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLAY BUTTE	6.5	(6.5)	+600	-280
MUDDY CREEK	8.5	(8.5)	+1,420	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

LAST GILL NET SET: 8/3/2000

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2000	Yellowstone Cutthroat	22	10.7	8.4-15.1
1989	Yellowstone Cutthroat	20	10.8	7-15.4
1981	Yellowstone Cutthroat	4	16.7	14.2-18.8

STOCKING HISTORY                      STOCKING PLAN

1937: Brook Trout (11500 fish)

COMMENTS: SEE CARDS FOR INTERESTING DISCUSSION. D ARNESON 7-88 FOUND MEDIUM #S OF 7-12" CTxGT. '89 FOUND #S OF 2-3" FISH ALONG SHORE. MANY FISH WERE SPENT & SPAWNING IN INLET.

CAMP SITES: CAMPING GOOD AT BOTH ENDS. FIREWOOD IS PICKED OVER.

SURVEY NOTES:  
REPRODUCTION GOOD NOW BUT MAY BE SPORADIC. FISH CAN GET HERE FROM JASPER/GOLDEN LAKES WHICH ARE STOCKED. NO SIGN OF '88 FIRE. CONTAINED GOLDEN TROUT IN THE PAST. MARK BARRETT 7/93 LOTS OF CT'S 9-11". ONE BIG FISH SEEN CRUISING.  
GOOD INLET SPAWNING POTENTIAL. OUTLET MARGINAL.

LAKE NAME: HELLROARING LAKES                      COUNTY: 10            T: 9S    R: 18E    SEC: 13-16  
DRAINAGE: ROCK CREEK                      ELEV: 10000            ACREAGE: 0.0            DEPTH:  
LOCATION: 45.04043, -109.48498                      MARCUSONS CODE: 17

ACCESS: HIKE FROM THE JEEP TRAIL (#3004) ON THE HELLROARING PLATEAU OR HIKE UP HELLROARING CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
HELLROARING PLA	VARY			

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET:

STOCKING HISTORY                      STOCKING PLAN

COMMENTS: THE 13 LAKES ARE REFERED TO AS HELLROARING LAKE #1, #2 ETC. CT,S ARE IN #S 2,4,5,9,10. EB'S ARE IN #S 3,5,8,9,10,11. SEE DETAILS LISTED UNDER EACH LAKE. SAMPLE ALL HELLROARING LAKES TOGETHER.

CAMP SITES:

SURVEY NOTES:  
BROOKIES FIRST PLANTED IN 1933, CUTTHROATS IN 1967. '90 VISUAL SURVEY SPOTTED SMALL NUMBERS OF 4-6" FISH IN # 12.

LAKE NAME: HIPSHOT LAKE                      COUNTY: 10            T: 9S    R: 16E    SEC: 23DB  
DRAINAGE: CLARKS FORK                      ELEV: 9650            ACREAGE: 9.6            DEPTH: 47 FT  
LOCATION: 45.02849, -109.71616                      MARCUSONS CODE: 158

ACCESS: NORTH FROM CLAY BUTTE TRAILHEAD PAST GRANITE LAKE. THEN NW TO LAKE ELAINE. THEN WEST TO HIPSHOT.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	12	(10.5)	+2,300	-550

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/22/2001

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Yellowstone Cutthroat	8	14.6	12-16
2001	Yellowstone Cutthroat	2	15	14.9-15.9
1992	Yellowstone Cutthroat	10	12.7	11.1-14.5

STOCKING HISTORY                      STOCKING PLAN

2003: Yellowstone Cutthroat (480 fish)                      2011: Yellowstone Cutthroat (480 fish)  
1995: Yellowstone Cutthroat (480 fish)  
1987: Yellowstone Cutthroat (1000 fish)

COMMENTS: '92 FISH SPAWNING IN SEASONAL INLET BUT MAY DRY UP BEFORE FRY EMERGE. GRAVEL ALSO IN OUTLET. FISH WERE HEALTHY, BUT THIN. EASY TO SEE LOTS OF FISH CRUISING. NO SIGN OF FRY.

CAMP SITES: FIREWOOD AVAILABLE. A FEW FLAT SPOTS TO CAMP AT THE SOUTH END.

SURVEY NOTES:  
'01& '05 NO FLOW IN OR OUT. DOWN A GOOD 3 FT. FROM FULL POOL. D HAGENSTON 8/9/87 - FAT 12-13" CT'S. DOUG BARONICK CAUGHT FAT 15"ERS IN '88 13" FISH ARE RATHER SMALL FOR 5 YR OLDS. #S LOWERED IN '95 TO 50/ACRE TO IMPROVE GROWTH.

CALLED FRITTER LAKE ON USGS 7.5' QUAD. FEW SIGNS OF ANGLERS IN '92. FISH WERE FEEDING ON DIPTERAN AND PLECOPTERAN LARVAE. 1,026 CT'S PLANTED IN 1979. 8 CT'S ANGLED 8/3/05 12-16" AVE 14.6".



LAKE NAME: HORSESHOE LAKE COUNTY: 49 T: 8S R: 13E SEC: 10,15  
DRAINAGE: SLOUGH CREEK ELEV: 9180 ACREAGE: 5.0 DEPTH: 13 FT  
LOCATION: 45.14256, -110.08981 MARCUSONS CODE: 2

ACCESS: 4X4'S CAN DRIVE TO INDEPENDENCE AND DROP INTO SLOUGH CREEK, LAKE  
ABUNDANCE CREEK TRAIL-ROCK CREEK-OUTLET CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
LAKE ABUNDANCE	14	(13.5)	+1,940	-1,162
INDEPENDENCE	15	(14.5)	+2,214	-2,634

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Rare	Stocked

LAST GILL NET SET: 8/16/1989

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1989	Yellowstone Cutthroat	0		-

STOCKING HISTORY	STOCKING PLAN
2008: Yellowstone Cutthroat (1000 fish)	2016: Yellowstone Cutthroat (1000 fish)
2000: Yellowstone Cutthroat (1000 fish)	
1992: Yellowstone Cutthroat (1000 fish)	

COMMENTS: LAKE PROVIDES RECREATION FOR ELK HUNTERS. MUCH OF THIS AREA WAS  
BURNED IN 1988. '89 NET SET FOR 5 HOURS IN THE AFTERNOON. 1,300 CT'S  
PLANTED IN '76.

CAMP SITES: FIREWOOD IS AVAILABLE. LOTS OF 'JUNK' AROUND LAKE.

SURVEY NOTES:  
STOCKED EVERY 8 YEARS. NOT VERY 'PRISTINE'. '88 FIRE MAY HAVE HURT FISHERY. LET  
THIS ONE GO TILL SCHEDULED 1992 PLANT.

LAKE NAME: HUCKLEBERRY LAKE COUNTY: 49 T: 8S R: 14E SEC: 36D  
DRAINAGE: STILLWATER ELEV: 9520 ACREAGE: 15.3 DEPTH: 49 FT  
LOCATION: 45.08739, -109.92464 MARCUSONS CODE: 46

ACCESS: SHORT 1 MILE CROSS COUNTRY HIKE FROM GOOSE LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	.5	(0)	+160	-160

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Unknown	Unknown

LAST GILL NET SET: 8/1/1993

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1993	Brook Trout	40	8.1	6.6-9.4
1969	Brook Trout	18	7.5	6.1-9

STOCKING HISTORY	STOCKING PLAN
1949: Rainbow Trout (3570 fish)	2009: Yellowstone Cutthroat (1730 fish)
	2010: Unknown Species (1530 fish)

COMMENTS: ROTENONE PROJECT TO REMOVE EB'S IN O7 & O8, SURVEYED AFTER  
TREATMENT NO FISH CAUGHT IN 47 HOUR NET SET. 200 8-INCH YCT WILL BE  
PLANTED IN O9. FINGERLINGS WILL BE PLANTED O9.10,11 TO ESTABLISH SELF

CAMP SITES: FIREWOOD LIMITED.

SURVEY NOTES:

LAKE NAME: HORSESHOE LAKE COUNTY: 40 T: 6S R: 12E SEC: 36  
DRAINAGE: BOULDER ELEV: 9490 ACREAGE: 15.9 DEPTH: 10 FT  
LOCATION: 45.26968, -110.18131 MARCUSONS CODE: 11

ACCESS: FIRST LAKE ENCOUNTERED ON THE UPSIDEDOWN CREEK TRAIL. THE LAKE IS A  
WIDE SPOT IN THE CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
UPSIDEDOWN TRAI	7.5	(7.5)	+3,130	-80

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/1/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Yellowstone Cutthroat	21	8.83	5.5-14
1990	Yellowstone Cutthroat	5	8.3	5.7-11.1
1978	Yellowstone Cutthroat	4	12.9	11.5-13.5

STOCKING HISTORY	STOCKING PLAN
1970: Yellowstone Cutthroat (291 fish)	

COMMENTS: LAKE IS SHALLOW. WINTERKILL MAY OCCUR. WE SHOULD MONITOR THE  
LAKE EVERY FEW YEARS TO SEE IF WINTERKILL OCCURS. RESTOCK IF  
NECESSARY. NET SET FOR 14.5 HOURS IN '90. HEAVILY USED LAKE.

CAMP SITES: CAMPING IS GOOD WITH PICKED OVER FIREWOOD.

SURVEY NOTES:  
MAY HAVE HAD A HEAVY WINTERKILL IN '89 (DROUGHT-FIRE '88, COLD WINTER '89). LOTS  
OF FISH SMALLER THAN 4" IN '90. THE UPSIDEDOWN TRAIL IS STEEP BUT VERY WELL  
MAINTAINED.

HORSESHOE LAKE IS SLIGHTLY OVER 7 MILES UP THIS TRAIL AND WOULD BE THE END TO  
A DAYS HIKE FROM THE BOTTOM. 8 CT ANGLED 7/20/04 8.7-12.6" AVE. 11.0". FWP SAMPLED  
OVERNIGHT SET 14 HOURS,21 FISH,GOOD HEALTH.

LAKE NAME: HUCKLEBERRY LAKE COUNTY: 32 T: 7S R: 15E SEC: 25,26  
DRAINAGE: WEST ROSEBUD ELEV: 8380 ACREAGE: 8.0 DEPTH: 8 FT  
LOCATION: 45.20958, -109.80594 MARCUSONS CODE: 5

ACCESS: 6 MILES OF GOOD TRAIL, THEN 1 MILE OF STEEP CROSS COUNTRY HIKING SOUTH  
OF MYSTIC LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
MYSTIC LAKE	7	(7)	+2,400	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Rare	Self-Sustained

LAST GILL NET SET: 8/23/2005

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Rainbow Trout	1	11.5	11.5-11.5
2001	Rainbow Trout	1	5.5	5.5-5.5
1990	Rainbow Trout	3	6.7	6.5-7

STOCKING HISTORY	STOCKING PLAN
1949: Rainbow Trout (3570 fish)	

COMMENTS: NO CHANGE IN MANAGEMENT. LAKE PROVIDES FISHERY FOR GRANITE PEAK  
HIKERS. TRY TO SAMPLE WITH LOWER STORM LAKE. LAKE IS SELF-  
SUSTAINING.

CAMP SITES: FEW CAMPSITES, LOTS OF FIREWOOD.

SURVEY NOTES:  
SHALLOW LAKE WITH LOTS OF ALGAE. GILL NET SET FOR 19 HOURS IN '90. MANY FISH  
SEEN CRUISING/RIISING. FISH CAUGHT WERE FAT. 8/01 - 5 ANGLERS CAUGHT NO FISH.  
GOOD GRAVELS IN INLET FOR SPAWNING.

JIM ANNIN OF COLUMBUS REPORTED THAT THESE RB'S WERE FIRST PLANTED IN 1909. 20  
RB'72 5.5-16.5" AVE 7.3".

LAKE NAME: HUNGER LAKE COUNTY: 49 T: 8S R: 15E SEC: 34DB  
DRAINAGE: CLARKS FORK ELEV: 9655 ACREAGE: 5.1 DEPTH: 31 FT  
LOCATION: 45.08914, -109.84778 MARCUSONS CODE: 47

ACCESS: THE OUTLET DRAINS INTO SKY TOP CREEK NEAR THE CONFLUENCE OF LOWER AERO CREEK. NO TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
LADY OF THE LAK	5.5	(0)		
GOOSE LAKE JEEP	4.5	(3.5)	+1,150	-830

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1994

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Brook Trout	23	7	6.8-8
1994	Brook Trout	20	7.7	6.4-8.7
1973	Brook Trout	37	7.2	5.7-8.7

STOCKING HISTORY STOCKING PLAN

COMMENTS: THE OUTLET FLOWS INTO SLIVER LAKE AND DURING HIGH FLOWS SOME EB MAKE IT TO SLIVER LAKE. INLET HAS SPAWNING POTENTIAL AT HIGH FLOWS. CALLED FINGER LAKE ON 7.5' USGS QUAD.

CAMP SITES: PRETTY AREA FOR CAMPING. FIREWOOD PLENTIFUL.

SURVEY NOTES:

D. HAGENSTON 8/92 REPORTS 6-8" EB'S - SMALL SIZE. '94 FISH IN FAIR GENERAL HEALTH.

EXCELLENT SETTING WITH GREAT VIEWS. STUNTED BROOKIES.

LAKE NAME: IMELDA LAKE COUNTY: 32 T: 8S R: 15E SEC: 6AB  
DRAINAGE: STILLWATER ELEV: 9750 ACREAGE: 32.4 DEPTH: 75 FT  
LOCATION: 45.1663, -109.91112 MARCUSONS CODE: 13

ACCESS: FROM LAKE ABUNDANCE TAKE TRAIL #24 DOWN THE STILLWATER TO CLARKS CREEK OPPOSITE HORSESHOE CREEK & TRAIL #34. DIFFICULT 4 MILE X-COUNTRY UP CLARKS CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
LAKE ABUNDANCE	14	(10)	+2,800	-1,600
WOODBINE				

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/23/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1995	Brook Trout	62	7.6	6.2-9
1975	Brook Trout	35	8.4	6.3-10.3

STOCKING HISTORY STOCKING PLAN

COMMENTS: ANY ROUTE YOU CHOOSE TO THIS LAKE IT IS A BALL BUSTER. A. HAG. AGREES '95. ONLY FAIR SPAWNING POTENTIAL IN INLET BUT THE BROOKIES MAKE THE MOST OF IT.

CAMP SITES: ROCKY TERRAIN PROVIDES MARGINAL CAMPING. FIREWOOD SCARCE.

SURVEY NOTES:

GREG ALDRICH REPORTS LOTS OF SMALL EB'S UP TO 10" 8/92. '95 - FISH WERE IN AVERAGE CONDITION.

LAKE NAME: ICICLE COUNTY: 49 T: 4S R: 11E SEC: 26  
DRAINAGE: BOULDER ELEV: 9465 ACREAGE: 6.7 DEPTH: 13 FT  
LOCATION: 45.45118, -110.33593 MARCUSONS CODE: 74

ACCESS: LEAVE WEST BOULDER TRAIL #41 BETWEEN TRAPPER CREEK AND THREE CREEKS AND HEAD UP A STEEP UNTRAILED CLIMB 2.5 MILES TO THE LAKE. THIS IS A VERY DIFFICULT HIKE THROUGH VERY LARGE BOULDER FIELDS.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WEST BOULDER	10.5	(7.5)	+3915	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Abundant	Self-Sustained

LAST GILL NET SET: 7/28/2004

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Rainbow Trout	18	10.8	9-13

STOCKING HISTORY STOCKING PLAN

COMMENTS: ORIGIN OF THESE RAINBOWS IS UNKNOWN. BEAUTIFUL LAKE, DIFFICULT HIKE. LITTLE USE.

CAMP SITES: MANY CAMPSITES. PLENTY OF FIREWOOD.

SURVEY NOTES:

2004 FISH WERE ANGLED. LOOKED HEALTHY. THE LAKE IS AT TIMBERLINE.

LAKE NAME: INCISOR LAKE COUNTY: 49 T: 8S R: 15E SEC: 18CA  
DRAINAGE: STILLWATER ELEV: 9640 ACREAGE: 5.9 DEPTH: 32 FT  
LOCATION: 45.13481, -109.91286 MARCUSONS CODE: 18

ACCESS: NO TRAIL. BEST ACCESS IS FROM GOOSE LAKE VIA THE GOOSE LAKE JEEP TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	3	(2)	+240	-440

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Unknown	Self-Sustained

LAST GILL NET SET: 8/31/2001

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2001	Golden Trout	4	11.3	6.5-14
1994	Golden Trout	4	10.6	7.8-13.6
1990	Golden Trout	10	13.6	12.1-15.1

STOCKING HISTORY STOCKING PLAN  
2007: Golden Trout (590 fish) 2009: Golden Trout (590 fish)  
2005: Golden Trout (590 fish)  
1984: Golden Trout (1500 fish)

COMMENTS: GOOD SPAWNING AREA IN THE OUTLET. KEEP AN EYE ON THE GOLDENS PLANTED IN '84. ONE 10" FISH SEEN IN '00, NONE IN NET. D FISCHER 8/91 2 GT 4&7" IN POND BELOW LAKE & 8" IN LAKE. SAW 12-13" IN OUTLET. NEXT

CAMP SITES: FEW CAMPSITES. SOME FIREWOOD.

SURVEY NOTES:

DOUG BARONICK SAW FRY IN '87. G ALDRICH '92? - REPORTS 6-8" GT'S - SOME IN POTHOLE BELOW LAKE. OUTLET GOES UNDERGROUND BEFORE REACHING GLACIER CREEK LAKE. '90 GILL NET SET FOR 23.5 HOURS. FISH WERE IN AVERAGE CONDITION. GT'S WERE DOING WELL IN '90.

FISH WERE SEEN ATTEMPTING TO SPAWN IN THE OUTLET STREAM. '94 & '01 - 1-7" IN OUTLET STREAM.

LAKE NAME: INDIAN KNIFE LAKE COUNTY: 10 T: 9S R: 17E SEC: 10DA  
DRAINAGE: CLARKS FORK ELEV: 9740 ACREAGE: 5.3 DEPTH: 35 FT  
LOCATION: 45.05429, -109.73147 MARCUSONS CODE: 113

ACCESS: TAKE TRAIL #567 FROM KERSEY LAKE TO RUSSEL LAKE. FROM RUSSEL HEAD EAST 3 MILES. THE LAKE IS EAST OF OTTER LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	10.25	(10.25)	+2,100	-280

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Rare	Self-Sustained
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/3/2005

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Brook Trout	17	9.5	7.5-10
2005	Arctic Grayling	0		-
1999	Arctic Grayling	4	10.6	8-12.8

STOCKING HISTORY	STOCKING PLAN
1985: Arctic Grayling (300 fish)	

COMMENTS: NUMEROUS 1-2" FISH WERE SEEN IN '88 & '01 IN OUTLET. IT APPEARS THESE WERE GRAYLING. THE POPULATION LOOKS TO BE SELF-SUSTAINING. ILLEGALLY INTRODUCED BROOK TROUT THREATEN THIS GRAYLING FISHERY.

CAMP SITES: OK AT HEAD OF THE LAKE. SOME FIREWOOD, NOT NEAR THE LAKE.

SURVEY NOTES:  
'88 ADULT FISH WERE VERY, VERY FAT - FEEDING ON ZOOPLANKTON AND GAMMARUS. '93 FISH WERE TRYING TO SPAWN IN OUTLET. DOWN 3-4 FT. IN '01. ONE 14.5" BROOK TROUT NETTED IN '99. LET'S HOPE IT WAS THE ONLY ONE HERE.

40-50 FISH (SP?) 4-8" WERE SEEN CRUISING THE SHORELINE IN '99. LEAVE AS IS. MONITOR IN THE FUTURE FOR FURTHER SPAWNING SUCCESS AND FOR BROOK TROUT. 5 GR '88 14.2-15.5 AVE 14.8". 9 GR '93 10.6-16.7" AVE 13.8".

LAKE NAME: ISLAND LAKE COUNTY: 32 T: 7S R: 15E SEC: 13,14  
DRAINAGE: WEST ROSEBUD ELEV: 7717 ACREAGE: 144.0 DEPTH: 40 FT  
LOCATION: 45.22162, -109.8229 MARCUSONS CODE: 14

ACCESS: 6 MILES FROM THE TRAILHEAD AT MYSTIC HYDROELECTRIC PLANT. GOOD TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
MYSTIC LAKE	6	(6)	+1,800	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained

LAST GILL NET SET: 8/1/1991

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2000	Rainbow Trout	16	10.9	6-15.6
1991	Rainbow Trout	4	8.5	6.5-11.5
1974	Rainbow Trout	82	8.7	6-11

STOCKING HISTORY	STOCKING PLAN
1950: Rainbow Trout (4934 fish)	
1949: Rainbow Trout (42840 fish)	
1941: Yellowstone Cutthroat (5000 fish)	

COMMENTS: RB'S PLANTED IN '34, '41, '46, '47, '48. REPRODUCTION IS MORE THAN ADEQUATE TO MAINTAIN THE FISHERY. NO MANAGEMENT CHANGES NEEDED.

CAMP SITES: BEAUTIFUL PLCE TO CAMP. LOTS OF COVER, FLAT SPOTS, & FIREWOOD

SURVEY NOTES:  
FISH (AND CAMPERS) WERE CONGREGATED AROUND THE INLETS AND THE OUTLET. THE NET WAS SET AWAY FROM THESE AREAS AND SO CAUGHT FEW FISH. FISH WERE IN AVERAGE CONDITION. LOTS OF SMALL FISH SEEN AT THE OUTLET -90.

TWO OF THE '00 FISH APPEARED TO BE RBXCT HYBRIDS.

LAKE NAME: ISLAND LAKE COUNTY: 32 T: 5S R: 16E SEC: 23,26  
DRAINAGE: WEST ROSEBUD ELEV: 6030 ACREAGE: 3.5 DEPTH: 26 FT  
LOCATION: 45.37707, -109.71037 MARCUSONS CODE: 48

ACCESS: OUTSIDE THE A-B WILDERNESS NEAR THE 4-K GUEST RANCH ON FISHTAIL CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BENBOW JEEP TRA				

SPECIES PRESENT	ABUNDANCE	STATUS
Brown Trout	Common	Self-Sustained

LAST GILL NET SET: 7/15/1970

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1970	Brown Trout	10	12.1	8.1-21.8

STOCKING HISTORY	STOCKING PLAN
	2009: Yellowstone Cutthroat (1000 fish)
	2010: Unknown Species (1000 fish)
	2011: Unknown Species (1000 fish)

COMMENTS: SPAWNING HABITAT IMPROVEMENT AND YCT STOCKING BEGINNING 2009. HOPE TO ESTABLISH SELF SUSTAINING YCT POP HERE. CALL REGIONAL BIOLOGIST FOR CURRENT INFO, JEREMIAH WOOD 406-328-

CAMP SITES:

SURVEY NOTES:  
NO BROWN TROUT REPRODUCTION DUE TO FLOWS DURING SPAWNING. BROWNS ARE LIKELY DROP-DOWNS FROM W FISHTAIL CK. SOME GROW VERY BIG!

LAKE NAME: JASPER LAKE COUNTY: 10 T: 9S R: 17E SEC: 23  
DRAINAGE: CLARKS FORK ELEV: 10150 ACREAGE: 54.8 DEPTH: 107FT  
LOCATION: 45.0286, -109.59128 MARCUSONS CODE: 237

ACCESS: ISLAND LAKE TRAIL #614/620 TO FLAKE LAKE. NORTH BETWEEN MUTT & JEFF LAKES AND ALONG EAST SIDE OF BECKER LAKE. THEN ALONG S & W SIDES OF ALBINO.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ISLAND LAKE WY	7	(6)	+850	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/1997

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2003	Yellowstone Cutthroat	8	13.6	13-14.5
1997	Yellowstone Cutthroat	4	15.4	14.3-16.2
1989	Yellowstone Cutthroat	6	17.2	14.4-18.5

STOCKING HISTORY	STOCKING PLAN
2006: Yellowstone Cutthroat (5480 fish)	
1998: Yellowstone Cutthroat (5480 fish)	
1990: Yellowstone Cutthroat (5465 fish)	2014: Yellowstone Cutthroat (5480 fish)

COMMENTS: BENO SHERIDAN REPORTS 3LB CT IN 1983. D ARNESON 7-88 SAW A FEW 8-15" CT. FISH IN '89 WERE FAT AND IN GREAT SHAPE. NO SIGN OF '88 FIRE. WATER CODE #22-8180. CT'S PLANTED IN 1968 AND 1974.

CAMP SITES: NO WOOD OR OBVIOUS CAMPSITES-CAMP BELOW ALBINO L TO AVOID WIND

SURVEY NOTES:  
STAGGERED 8 YR PLANT W/ GOLDEN LAKE. '89 FISH WERE TAKEN IN A 3.5 HR. NET SET. CUT '90 PLANT TO 100/ACRE. THIS AREA HAS BECOME A 'DESTINATION' TYPE AREA. HEAVY USE. 8/96 BEANO SHERIDAN REPORTS THAT THE HILLS WERE ALIVE WITH THE SOUND OF PEOPLE HERE.  
THE TONS OF 15-17" FISH HE FOUND MUST BE SOMEWHAT RESPONSIBLE. TWO CUTTS TAKEN IN 1981, 14.7 & 17.0". 2003 FISH WERE ANGLED. FISH SEEMED IN GOOD CONDITION. CONTINUE CURRENT STOCKING PLAN.

LAKE NAME: JASPER LAKE COUNTY: 32 T: 6S R: 14E SEC: 6B  
DRAINAGE: STILLWATER ELEV: 9080 ACREAGE: 53.2 DEPTH: 77 FT  
LOCATION: 45.34577, -110.04113 MARCUSONS CODE: 100

ACCESS: NO TRAIL EXISTS FROM TRAIL #90 ON THE WEST FORK OF THE STILLWATER.  
FOLLOW TUMBLE CREEK. IT'S A STEEP CLIMB.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
INITIAL CREEK	6.5	(4)	+2,600	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/1/1993

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2003	Yellowstone Cutthroat	8	13.1	11.5-14.5
1993	Yellowstone Cutthroat	20	12	9.6-13.6
1974	Yellowstone Cutthroat	8	14.1	13.1-15.8

STOCKING HISTORY	STOCKING PLAN
1977: Yellowstone Cutthroat (5000 fish)	
1968: Yellowstone Cutthroat (5074 fish)	

COMMENTS: LAKE IS ALSO REFERRED TO AS TUMBLE LAKE. RALPH SAUNDERS REPORTS A LOT OF 12" CT IN 1983. BEANO REPORTS 22 CT 10-12" IN 1983. WATER CODE #22-9510.

CAMP SITES: NICE CAMPSITE, PLENTY OF FIREWOOD.

SURVEY NOTES:  
'89 CREEL CARDS 8 CT 8-12", 57 CT 12-16". '93 - OBVIOUSLY REPRODUCING - SEVERAL AGE CLASSES. LOTS OF FISH, EASY TO CATCH, LONG THIN BODIES. DENNIS HAGENSTON 7/00 - CUTTS WERE IN NICE SHAPE, 11-13". FISH IN THE UPPER LAKE WERE IN POOR SHAPE.

'03 FISH WERE ANGLED BY EARL RADONSKI.

LAKE NAME: JEFF LAKE COUNTY: 49 T: 8S R: 14E SEC: 36CB  
DRAINAGE: STILLWATER ELEV: 9210 ACREAGE: 1.3 DEPTH: 4 FT  
LOCATION: 45.08944, -109.93577 MARCUSONS CODE: 48

ACCESS: ACCESSIBLE FROM THE GOOSE LAKE JEEP TRAIL. OUTSIDE OF THE A-B WILDERNESS.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	2	(1)	+0	-640

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Unknown	Unknown

LAST GILL NET SET: 8/1/2003

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2003	Brook Trout	9	5.1	3.5-6.2
1994	Brook Trout	10	5.6	3.8-7.8

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

COMMENTS: ROTENONE PROJECT TO REMOVE EB'S 2007 & 08, 8 INCH YCT LIKELY PLANTED IN 2009 DEPENDING ON SUCCESS OF PROJECT.

CAMP SITES: SOME FIREWOOD AND CAMPSITES AVAILABLE.

SURVEY NOTES:  
TOO SHALLOW TO SET NET. OBSERVED IN 1979. JEFF LAKE HAS A GOOD INLET FLOW MOST OF WHICH COMES FROM SHEEP MTN. THE OUTLET DROPS ~60 FT AND FLOWS INTO MUTT LAKE. THIS LAKE COULD USE MORE HARVEST. '94 FISH IN AVERAGE CONDITION.

'03 FISH WERE ANGLED.

LAKE NAME: JAY LAKE COUNTY: 40 T: 6S R: 13E SEC: 14D  
DRAINAGE: STILLWATER ELEV: 9600 ACREAGE: 23.7 DEPTH: 35 FT  
LOCATION: 45.30647, -110.06692 MARCUSONS CODE: 93

ACCESS: BEST ACCESS IS FROM THE LAKE PLATEAU. THE LAKE IS IN THE FLOOD CREEK DRAINAGE WHICH IS BASICALLY IMPASSABLE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WOODBINE	15	(6)	+4,530	-0
INITIAL CREEK	22	(19.5)	+4,200	-1,000

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/10/2005

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Yellowstone Cutthroat	14	13.4	9.3-15.5
1991	Yellowstone Cutthroat	20	13.4	11.6-14.7
1986	Yellowstone Cutthroat	1	14	14-14

STOCKING HISTORY	STOCKING PLAN
1977: Yellowstone Cutthroat (2300 fish)	

COMMENTS: GOLDEN TROUT ARE IN SURROUNDING LAKES DOWNSTREAM. WAS PLANTED IN 77 WITH CUTTHROAT. SAUNDERS CAUGHT 15" CT IN 1983. ONLY ADULT SPAWNERS WERE SAMPLED IN '91.

CAMP SITES: UNSHELTERED AREA. LOTS OF FLAT SPOTS. SOME FIREWOOD .

SURVEY NOTES:  
MIKE POORE REPORTS ANGLERS CATCHING MANY LARGE FISH IN '86. FISH WERE SPAWNING IN THE OUTLET 7/24/91. FISH WERE HEALTHY BUT NOT FAT. THIS LAKE IS DOING FINE ON ITS OWN.

LAKE NAME: JORDAN LAKE COUNTY: 40 T: 7S R: 13E SEC: 11  
DRAINAGE: STILLWATER ELEV: 8970 ACREAGE: 14.7 DEPTH: 35 FT  
LOCATION: 45.23496, -110.0781 MARCUSONS CODE: 62

ACCESS: TRAIL #27 E FORK OF MAIN BOULDER-L KATHLEEN-RAINBOW CR-L COLUMBINE-COLUMBINE PASS-BETWEEN FAVONIUS & PENTAD, THEN 2 MILES DOWN & UP TO JORDAN.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BOX CANYON	14	(14)	+3,400	-1,400

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/1/1998

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Yellowstone Cutthroat	14	9.4	6.5-12.2
1998	Yellowstone Cutthroat	8	11.3	8.5-14.4
1986	Yellowstone Cutthroat	5	10.8	6.5-12.5

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

COMMENTS: IN 1969 IT WAS FELT THIS LAKE NEEDED INCREASED HARVEST. SEEMED TO BE A WELL USED LAKE. FISHING WAS GOOD. '86 NET WAS SET IN FAIRLY SHALLOW WATER, BUT OBSERVED LOTS OF FISH.

CAMP SITES: SOME CAMPSITES ALONG THE EAST SHORE WITH PLENTY OF FIREWOOD.

SURVEY NOTES:  
GIL LONGMIRE 8/89 CAUGHT LOTS OF CT'S 10-14". FISHED FOR ~1 HOUR - GREAT ACTION. '98 NET AND HOOK & LINE FOR 2.5 HOURS. FISH WERE THIN. OTHER FISH 1-12" OBSERVED. SURVEYED 08 3.75 HR. NETSET + ANGLED, FISH WERE THIN.

LAKE NAME: JORDEN LAKE		COUNTY: 10		T: 9S	R: 16E	SEC: 14
DRAINAGE: CLARKS FORK		ELEV: 9625	ACREAGE: 36.0	DEPTH: 120FT		
LOCATION: 45.0458, -109.71561		MARCUSONS CODE: 121				
ACCESS: NORTH FROM CLAY BUTTE TRAILHEAD PAST GRANITE LAKE, THEN NW TO LAKE ELAINE, THEN NW PAST FARLEY LAKE TO JORDAN LAKE.						
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>		
CLARKS FORK	10.5	(10.5)	+2,100	-475		
<u>SPECIES PRESENT</u>		<u>ABUNDANCE</u>	<u>STATUS</u>			
Yellowstone Cutthroat		Common	Self-Sustained			
LAST GILL NET SET: 8/3/2005						
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>		
2005	Yellowstone Cutthroat	14	11.5	8.8-12.8		
1992	Yellowstone Cutthroat	29	11.1	8-14.5		
1988	Yellowstone Cutthroat	15	13.1	8.7-14.4		
<u>STOCKING HISTORY</u>		<u>STOCKING PLAN</u>				
1981: Yellowstone Cutthroat (7230 fish)						
1967: Yellowstone Cutthroat (4000 fish)						
1959: Yellowstone Cutthroat (2110 fish)						
COMMENTS: FISH FROM JORDEN MOVED INTO MELODY LAKE DOWNSTREAM. FISH SAMPLED IN 1984 WERE CAUGHT ON HOOK AND LINE.						
CAMP SITES: GOOD PLACES TO CAMP, BUT VERY LITTLE FIREWOOD IS AVAILABLE.						
<u>SURVEY NOTES:</u>						
'92 - REPRODUCTION LOOKS GOOD. PLENTY OF FISH. FISH WERE ATTEMPTING TO SPAWN IN THE OUTLET STREAM. D HAGENSTON 8/8/87 10-14" CT'S. DOUG BARONICK OBSERVED LOTS OF FRY IN '88. '89 CREEL CARDS - 6 CT 8-16+".						
7 CT '84 11.6-13.2" AVE. 12.2".						

LAKE NAME: KERSEY LAKE		COUNTY: 49	T: 9S	R: 15E	SEC: 22,23
DRAINAGE: CLARKS FORK		ELEV: 8070	ACREAGE: 118.0	DEPTH: 68 FT	
LOCATION: 45.02789, -109.84059			MARCUSONS CODE: 60		
ACCESS: APPROXIMATELY 2 MILES OF EXCELLENT TRAIL FROM COOKE PASS. 4X4 TRUCKS CAN REACH THE NORTHWEST CORNER OF THE LAKE.					
TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN	
CLARKS FORK	2	(2)	+230	-0	
<u>SPECIES PRESENT</u>		<u>ABUNDANCE</u>	<u>STATUS</u>		
Brook Trout		Abundant	Self-Sustained		
Lake Trout		Rare	Self-Sustained		
Yellowstone Cutthroat		Common	Self-Sustained		
LAST GILL NET SET: 7/19/2006					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
2006	Yellowstone Cutthroat	0		-	
2006	Lake Trout	0		-	
2006	Brook Trout	62	8.9	6-14.5	
<u>STOCKING HISTORY</u>		<u>STOCKING PLAN</u>			
1981: Lake Trout (5000 fish)					
1969: Yellowstone Cutthroat (22675 fish)					
1947: Brook Trout (4600 fish)					
COMMENTS: LAKE TROUT HAVE BECOME SELF-SUSTAINING BUT IN APPARENTLY LOW #S. THEY SEEM TO HAVE INCREASED BROOK TROUT SIZE. EB AVE '83 = 8.1" '87 = 9.1" '89 = 11.6" '91 = 10.2" '95 = 10.4" '97 = 11.5" '02 = 9.7" '06=8.9".					
CAMP SITES: CAMPSITES AVAILABLE. FIREWOOD SLIM. EASY HIKE, EXCELLENT TRAIL					
<u>SURVEY NOTES:</u>					
'83 - 20 LT 9.2-11.4" AV 10.3", 20 EB 6.4-11.9" AV 8.1", '87 0 LT 22EB 6.4-12.9" AV 9.1 1 6" CHUB, '89 3 LT 14.7-16.8 AV 15.6, 8 EB 10.7-12.6" AV 11.6", '91 2 LT 16.0-28.8" AV 22.4" 58 EB 6.2-13.5" AV 10.2" CHUB 6.5".					
'95 4 LT 10.6-20.2" AV 17.3", 55 EB 6.4-16.5", CHUB 6.4". '97 4 LT 13.7-21.2" AV 17.9, 27 EB 8.3-13.7" AV 11.5, 3 CT 7.9-16.0".MUCH OF SHORE BURNED IN '88. '89 CREEL CARDS 4 CT <8-12"??? 81 EB <8-16", 1 EB 16+ ". TWO NETS SET IN '02. TWO NETS SET IN '06					

LAKE NAME: KAUFMAN LAKE		COUNTY: 49	T: 5S	R: 11E	SEC: 21
DRAINAGE: BOULDER		ELEV: 8942	ACREAGE: 39.7	DEPTH: 70 FT	
LOCATION: 45.38682, -110.36544		MARCUSONS CODE: 76			
ACCESS: BEST ROUTE IS UP FOUR MILE CREEK PAST SILVER PATIENT AND WEST BOULDER LAKES OR UP SPECULATOR CREEK LEAVING THE TRAIL AT THE SWITCHBACKS.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
FOURMILE	7.0	(2.5)	+4,785	-2,095	
SPECULATOR CREE	7.0	(2.0)	+5,340	-2,110	
<u>SPECIES PRESENT</u>		<u>ABUNDANCE</u>	<u>STATUS</u>		
Arctic Grayling		Unknown	Unknown		
Yellowstone Cutthroat		Common	Self-Sustained		
LAST GILL NET SET: 8/1/2004					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
2005	Yellowstone Cutthroat	27	13	8-16	
2004	Yellowstone Cutthroat	8	11.5	8.5-13	
1999	Yellowstone Cutthroat	13	15.2	11.3-17.3	
<u>STOCKING HISTORY</u>		<u>STOCKING PLAN</u>			
1985: Arctic Grayling (800 fish)					
1979: Yellowstone Cutthroat (20000 fish)					
1979: Yellowstone Cutthroat (20000 fish)					
COMMENTS: ALSO KNOWN AS FALLS CREEK LAKE. 5-6" CT OBSERVED IN '85 & '92. REPRODUCTION IS OCCURING. GRAYLING WERE PLANTED ONE WEEK AFTER THE '85 SURVEY & 2 WEEKS BEFORE THE '92 SURVEY.					
CAMP SITES: SOME CAMPSITES. FIREWOOD AVAILABLE. HORSE CAMP AT LAKE.					
<u>SURVEY NOTES:</u>					
WHAT WILL BECOME OF THE GRAYLING PLANT? NO GRAYLING TAKEN OR OBSERVED IN '92 OR '99. EXCELLENT SPAWNING GRAVEL IN THE INLET. '92 - MANY FISH SEEN CRUISING & RISING. FISH WERE SOMEWHAT THIN BUT DID NOT SEEM UNHEALTHY.					
PLANTED WITH GOLDEN TROUT IN 1958, CUTTHROAT IN 1970 AND 1977. '85 - 20 CT 8.0-11.6" AVE 9.3". '04 FISH WERE ANGLED. FISH >17" SEEN IN INLET. '92 14 CT 13.1-18.3" AVE. 15.3".					

LAKE NAME: KEYSER BROWN		COUNTY: 10	T: 8S	R: 18E	SEC: 32AD
DRAINAGE: ROCK CREEK		ELEV: 8720	ACREAGE: 9.5	DEPTH: 8 FT	
LOCATION: 45.0881, -109.53161		MARCUSONS CODE: 34			
ACCESS: LOCATED ON THE LAKE FORK OF ROCK CREEK 7 MILES FROM THE TRAILHEAD. ABOUT 6 MILES UP TRAIL #1 TO MARKED FORK, THEN TRAIL #2 (LEFT) FOR 1 MILE.					
TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN	
LAKE FORK ROCK	7	(7)	+1,700	-100	
SPECIES PRESENT		ABUNDANCE	STATUS		
Brook Trout		Abundant	Self-Sustained		
Yellowstone Cutthroat		Abundant	Self-Sustained		
LAST GILL NET SET: 7/7/2005					
Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)	
2005	Yellowstone Cutthroat	9	8	6.5-10	
2005	Brook Trout	19	7.6	6.5-9	
STOCKING HISTORY		STOCKING PLAN			
1933: Brook Trout (11000 fish)					
COMMENTS: FISHERY NEEDS MORE HARVEST. CT CAME FROM FISH PLANTED IN FIRST ROCK LAKE IN 1953. '94 - CUTTHROAT HAVE DEFINITELY ESTABLISHED THEMSELVES. HOW DO THESE HOLD THEIR OWN AGAINST THE BROOKIES?					
CAMP SITES: NICE PLACES TO CAMP. FIREWOOD AVAILABLE.					
SURVEY NOTES:					
'71 NET - 38 EB'S AVE 7.5", 3 CT'S AVE 6.8". '89 CREEL CARDS 33 CT <12", MOST <8", 26 EB <12", 7 RB?? <12" 1 RB?? 12-1 '94 FISH IN AVERAGE CONDITION - 19 CT 6.0-9.5" AVE. 8.5". 16 EB 5.8-8.6" AVE. 7.3".					

LAKE NAME: KIDNEY LAKE COUNTY: 10 T: 9S R: 17E SEC: 21CC  
DRAINAGE: CLARKS FORK ELEV: 9910 ACREAGE: 2.8 DEPTH: 15 FT  
LOCATION: 45.02356, -109.64249 MARCUSONS CODE: 227

ACCESS: TRAILS FROM HWY 212 NEAR BEARTOOTH BUTTE SERVE THE AREA. THE LAKE IS SE OF LAKE ELAINE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLAY BUTTE	9	(9)	+800	-350

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/9/2006

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Brook Trout	16	8.5	6.3-9.5
1993	Brook Trout	18	9.2	6.8-12.5
1974	Brook Trout	10	7.4	6-8

STOCKING HISTORY	STOCKING PLAN
1937: Brook Trout (1600 fish)	

COMMENTS: NICE FISHERY FOR HIKERS, RIGHT ON THE TRAIL

CAMP SITES: NICE PLACES TO CAMP. FIREWOOD FOUND NEARBY, BUT NOT HERE.

SURVEY NOTES:

'93 - FISH WERE STUNTED BUT APPEARED HEALTHY. MFWP SURVEY 06, AVERAGE BROOKIES,AVERAGE HEALTH.

LAKE NAME: LADY OF THE LAKE COUNTY: 49 T: 9S R: 15E SEC: 5,8  
DRAINAGE: CLARKS FORK ELEV: 8800 ACREAGE: 42.8 DEPTH: 29 FT  
LOCATION: 45.06847, -109.89022 MARCUSONS CODE: 6

ACCESS: TRAIL #31 UP LADY OF THE LAKE CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
LADY OF THE LAK	2	(2)	+160	-160

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1993

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Brook Trout	8	10.8	9.3-12.3
1993	Brook Trout	26	8.1	4.3-12.1
1969	Brook Trout	45	7.7	6-10

STOCKING HISTORY	STOCKING PLAN

COMMENTS: NO CHANGE IN MANAGEMENT. THE ABUNDANT BROOKIES IN 2004 WERE THIN. GOOD SPAWNING HABITAT IN INLET AND OUTLET.

CAMP SITES: FIREWOOD AND CAMPSITES AVAILABLE.

SURVEY NOTES:

DAVE HERGENRIDER - LOADS OF EB'S IN '89. '89 CREEL CARDS 78 EB <8-12", 1 EB >12" '93 - FISH SEEM TO BE IN GOOD CONDITION, A FAIR AMOUNT OF FAT IN BODY CAVITY. OBSERVED NUMEROUS 3-9" FISH CRUISING SHORELINE. TOM MCGILLVRAY '93 - 100'S OF EB'S, 6-10".

'04 FISH WERE ANGLED IN TWO HOURS.

LAKE NAME: KOOKOO LAKE COUNTY: 10 T: 8S R: 17E SEC: 23AA  
DRAINAGE: ROCK CREEK ELEV: 10200 ACREAGE: 6.1 DEPTH: 30 FT  
LOCATION: 45.12199, -109.58816 MARCUSONS CODE: 58

ACCESS: NORTHWEST OF SHADOW AND SUNDANCE LAKES UP THE WEST FORK OF ROCK CREEK. HEAD NORTH FROM THE SUNDANCE BRIDGE UP ONE OF TWO CHUTES TO PLATEAU.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WEST FORK ROCK	7.5	(6.5)	+2,340	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stock, with some natural reproduction

LAST GILL NET SET: 8/1/1997

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2001	Yellowstone Cutthroat	10	15.1	10.5-18.2
1997	Yellowstone Cutthroat	18	12.1	9.3-18
1996	Yellowstone Cutthroat	23	10.3	7.7-16.7

STOCKING HISTORY	STOCKING PLAN
2002: Yellowstone Cutthroat (610 fish)	2010: Yellowstone Cutthroat (610 fish)
1994: Yellowstone Cutthroat (610 fish)	
1985: Yellowstone Cutthroat (872 fish)	

COMMENTS: Y'CT STOCK OF 1,760 IN '72 HAD POOR GROWTH SO WAS STOCKED WITH MCBRIDE CT'S IN '85. SOME SPAWNING POTENTIAL IN INLET AND OUTLET. SEVERAL REDDS OBSERVED IN OUTLET '94. SOME REPRO SEEMS TO BE

CAMP SITES: CAMPING POSSIBLE, BUT ROCKY. BETTER BELOW. NO FIREWOOD.

SURVEY NOTES:

GRADUATE STUDY '93-'96. GROWTH HAD IMPROVED SOMEWHAT IN '90. 19 FISH AVE. 12.2", 9.6-13.6". FISH CONDITION AVERAGE. WE'VE GONE FROM NO REPRO AND POOR GROWTH WITH THE OLD YCT STOCK (AT TOO HEAVY NUMBERS) TO SOME REPRO AND A FEW LONG LIVED PIGS HERE

USING THE MCBRIDE STRAIN. FISH FAT IN '95, '97, '01. PLANT LOWERED IN '94 TO 100/ACRE. UP CYCLE TO 10+ YEARS?

LAKE NAME: LAKE ABUNDANCE COUNTY: 49 T: 8S R: 14E SEC: 32  
DRAINAGE: SLOUGH CREEK ELEV: 8400 ACREAGE: 17.2 DEPTH: 37 FT  
LOCATION: 45.08917, -110.01165 MARCUSONS CODE: 1

ACCESS: 4X4 JEEP TRAIL FROM DAISY PASS NORTH OF COOKE CITY OR HIKE IN BY TRAIL FROM SLOUGH CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
LAKE ABUNDANCE	.25	(.25)	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stock, with some natural reproduction

LAST GILL NET SET: 8/22/1997

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1997	Yellowstone Cutthroat	11	10.3	6.3-16.3
1989	Yellowstone Cutthroat	6	15.3	14.5-16.1
1981	Yellowstone Cutthroat	43	11.4	7.2-17

STOCKING HISTORY	STOCKING PLAN
2008: Yellowstone Cutthroat (1000 fish)	2011: Yellowstone Cutthroat (1000 fish)
2005: Yellowstone Cutthroat (1000 fish)	
2002: Yellowstone Cutthroat (1000 fish)	

COMMENTS: REPRODUCTION OCCURS BUT HARVEST EXCEEDS RECRUITMENT SO THE LAKE IS STOCKED EVERY 3 YRS. FISHING PRESSURE IS HEAVY IN WINTER. FISH WERE VERY FAT AND HEALTHY IN 1989.

CAMP SITES: CAMPING IS EXCELLENT W/ FIREWOOD. SOME GARBAGE PRESENT.

SURVEY NOTES:

STOCKED EVERY 3 YEARS. HEAVILY USED LAKE. MUCH OF THE AREA BURNED IN '88 BUT MOST OF SHORELINE IS INTACT FOR A FEW YARDS. CT'S STOCKED '38, '39, '42, '47, '70, '72, '77, '84, '87, '90, '93, '96.

LAKE NAME: LAKE ARIES COUNTY: 49 T: 8S R: 14E SEC: 27AA  
DRAINAGE: STILLWATER ELEV: 9570 ACREAGE: 3.8 DEPTH: 32 FT  
LOCATION: 45.11214, -109.96665 MARCUSONS CODE: 29  
  
ACCESS: HIKE CROSS COUNTRY FROM GOOSE LAKE. ONE CAN REACH GOOSE LAKE WITH A 4X4 TRUCK OR HIKE NE FROM BEAUTY LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	4.5	(0)	+1,000	-1,200

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1989

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1999	Brook Trout	18	7.9	6.1-9.5
1989	Brook Trout	56	8.3	6-9
1970	Brook Trout	58	7.8	5-9.5

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

COMMENTS: NO ADDITIONAL MANAGEMENT SUGGESTED. LITTLE USE.

CAMP SITES: CAMPING IS FAIR, SOME FIREWOOD. LITTLE SIGN OF '88 FIRE.

SURVEY NOTES:

FISH WERE EVERYWHERE IN 1989, OVERPOPULATED AND VERY SKINNY. GREG ALDRICH REPORTS LOTS OF SMALL EB'S 8/92. DENNIS HAGENSTON 8/93 - SMALL 8-10" BROOKIES.

LAKE NAME: LAKE AT FALLS COUNTY: 10 T: 8S R: 16E SEC: 13,14  
DRAINAGE: EAST ROSEBUD ELEV: 8100 ACREAGE: 49.8 DEPTH: 50 FT  
LOCATION: 45.12311, -109.70903 MARCUSONS CODE: 12

ACCESS: 11 MILES FROM THE TRAILHEAD AT EAST ROSEBUD LAKE - TRAIL #15. COUNT ON 2 DAYS TO GET THERE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ALPINE (EAST ROS	11	(11)	+2,100	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Rare	Unknown
Yellowstone Cutthroat Trout X Golden Tro	Common	Self-Sustained

LAST GILL NET SET: 8/1/1998

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Yellowstone Cutthroat Hybrid	34	11.4	7-15
1998	Yellowstone Cutthroat Hybrid	11	9.5	6.9-14.9
1987	Yellowstone Cutthroat Hybrid	12	10.1	6.5-15.5

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

1955: Golden Trout (6400 fish)

COMMENTS: CTXGT HYBRIDS APPEAR TO BE DOMINATING. HEAVILY USED BUT FISHERY APPEARS IN GOOD SHAPE. USFS RANGER REPORTS MANY SPAWNING FISH AND FRY IN 1987.

CAMP SITES: COUPLE OF GOOD CAMP SPOTS. FIREWOOD AVAILABLE BUT PICKED OVER.

SURVEY NOTES:

8/18/76 - 4 CT AVE. 14.6" 8.0-17.0 AND 1 GT 9.8". '89 CREEL CARDS 61 CT >8-16+", 4 RB??? 12-16" RANGE. '98 - 4-12" FISH WERE RISING. '98 - ED KEYSER AND CREW CAUGHT 10"ERS. ARLEN LUNDBERG AND CREW CAUGHT THREE 16-18"ERS IN THE INLET IN '00.

FWP SAMPLED 07, 14 HOUR SET, AVERAGE HEALTH.

LAKE NAME: LAKE COLUMBINE COUNTY: 40 T: 7S R: 13E SEC: 17  
DRAINAGE: BOULDER ELEV: 9132 ACREAGE: 5.3 DEPTH: 10 FT  
LOCATION: 45.21784, -110.14445 MARCUSONS CODE: 30

ACCESS: USFS TRAIL #27 UP THE EAST FORK OF THE BOULDER RIVER.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
UPSIDEDOWN TRAI	15.0	(15.0)	+3,800	-1,200
BOX CANYON	11.5	(11.5)	+2,400	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Unknown	Unknown

LAST GILL NET SET: 7/30/2007

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Arctic Grayling	0		-

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

Arctic Grayling (1000 fish)

COMMENTS: GRAYLING SHOULD BECOME SELF-SUSTAINING. GRAYLING WERE SCHEDULED TO BE PLANTED IN 1984 BUT NO RECORD OF AN ACTUAL PLANT CAN BE FOUND. (PLANT CANCELLED AT REQUEST OF USFS)

CAMP SITES: FIREWOOD LIMITED.

SURVEY NOTES:

PLANT WITH GRAYLING WHEN AVAILABLE. CLEAR WITH USFS. GIL LONGMIRE REPORTS NO FISH 8/89, LOOKS DEAD. JACK ROBERTSON REPORTS BARREN IN 1990. FWP SAMPLED 07 OVERNIGHT SET 13 HOURS,NO FISH. SURVEY ONLY IF PLANTED,4 YEARS AFTER PLANT.

LAKE NAME: LAKE ELAINE COUNTY: 10 T: 9S R: 16E SEC: 19BB  
DRAINAGE: CLARKS FORK ELEV: 9250 ACREAGE: 132.4 DEPTH: 156FT  
LOCATION: 45.0348, -109.68385 MARCUSONS CODE: 168

ACCESS: NORTH FROM CLAY BUTTE TRAILHEAD PAST GRANITE LAKE THEN NW 3-4 MILES TO LAKE ELAINE. GOOD TRAIL ALL THE WAY.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLAY BUTTE	10	(10)	+1,000	-600

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/2000

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2000	Brook Trout	7	9.6	7.6-11.2
1990	Brook Trout	47	8.9	6.7-12.5
1975	Brook Trout	36	8.9	6.7-12.2

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

Lake Trout

COMMENTS: USFS RANGER REPORTS ONE 10" EB IN 1983. TOUGH TO CATCH. '89 AND '90 FIELDWORKERS REPORT TROUT WERE EASY TO CATCH. THIS LAKE IS UNDERUSED FOR ITS SIZE.

CAMP SITES: EXCELLENT CAMPSITES AND FIREWOOD.

SURVEY NOTES:

D. HAGENSTON 8/9/87 9" EB. THIS MAY BE A GOOD PLACE FOR A LAKE TROUT INTRODUCTION. '00 NET SET FOR ONLY 5 HOURS. FISH WERE IN ROUGH SHAPE.

LAKE NAME: LAKE GERTRUDE COUNTY: 10 T: 8S R: 18E SEC: 10C  
DRAINAGE: ROCK CREEK ELEV: 9550 ACREAGE: 6.1 DEPTH: 11 FT  
LOCATION: 45.13942, -109.49623 MARCUSONS CODE: 48

ACCESS: 4 MILE RIGOROUS CLIMB UP TRAIL #12 ALONG TIMBERLINE CREEK FROM THE WEST FORK OF ROCK CREEK. TRAIL #8 TO SILVER RUN LAKES SPLITS LEFT 2/3 UP.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
TIMBERLINE	4	(4)	+2,000	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Brook Trout	71	8	6-10
1995	Brook Trout	16	8.5	7-11
1971	Brook Trout	37	7.4	6.2-9.4

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

1934: Brook Trout (11200 fish)

1933: Brook Trout (10000 fish)

1932: Brook Trout (6000 fish)

COMMENTS: THIS LAKE WAS STOCKED IN 1919 BY O.J. SALO AND HIS BOSS, AL CROONQUIST. FISHING HAS ALWAYS BEEN FOR SMALL BROOKIES. GRAVEL/RUBBLE INLET SUITABLE FOR SPAWNING. OUTLET QUESTIONABLE.

CAMP SITES: SOME PLACES TO CAMP. FIREWOOD PLENTIFUL.

SURVEY NOTES:

'95 - FISH WERE IN AVERAGE SHAPE. GOOD FISHING. FRY OBSERVED THESE FISH SEEM TO BE DOING JUST FINE.

LAKE NAME: LAKE MCKNIGHT COUNTY: 49 T: 4S R: 10E SEC: 13,14  
DRAINAGE: BOULDER ELEV: 9120 ACREAGE: 10.8 DEPTH: 60 FT  
LOCATION: 45.4902, -110.44445 MARCUSONS CODE: 90

ACCESS: TRAIL #37 UP DAVIS CREEK ON THE WEST BOULDER. FOLLOW TRAIL UP A TRIBUTARY NORTH OF THE LAKES THEN SOUTH. TOUGH CROSS COUNTRY.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
DAVIS CREEK	9.5	(8.5)	+3,700	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Rare	Stocked

LAST GILL NET SET: 8/2/2002

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2002	Golden Trout	0		-
1996	Golden Trout	1	15.6	15.6-15.6

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

2005: Golden Trout (1100 fish)

2009: Yellowstone Cutthroat (1600 fish)

1992: Golden Trout (927 fish)

COMMENTS: MANAGEMENT IS KEYED WITH UPPER McNIGHT LAKE. NO GOLDENS FOUND IN '88 or '89 SURVEYS. '90 GILL NET SET FOR 17 HOURS. DEAD 8" FISH SEEN IN'96. STRANGE ALGAE SEEN. CHANGE TO YCT MANAGEMENT TO PROECT

CAMP SITES: NO GOOD CAMP SPOT - LIMITED FUEL.

SURVEY NOTES:

1920 GOLDENS PLANTED IN 1982 DID NOT TAKE WELL. REPLANTED. GOOD FOOD BASE - SHRIMP, CADDIS NYMPHS, AQUATIC BEETLES. SPAWNING MAY OCCUR IN SHORT STREAM CONNECTING LAKE McKNIGHT WITH UPPER McKNIGHT LAKE BUT WOULD BE DIFFICULT IN THE LAKE McKNIGHT OUTLET.

THESE LAKES ARE BEAUTIFUL, ISOLATED, HARD TO GET TO. '02 NET SET FOR 4 HOURS.

LAKE NAME: LAKE MARY COUNTY: 10 T: 8S R: 18E SEC: 6,7  
DRAINAGE: ROCK CREEK ELEV: 9930 ACREAGE: 8.0 DEPTH: 50 FT  
LOCATION: 45.15191, -109.5643 MARCUSONS CODE: 68

ACCESS: 5 MILES OF GOOD TRAIL FROM THE TRAILHEAD ON THE WEST FORK OF ROCK CREEK TO QUINNEBAUGH MEADOWS. THEN HEAD NORTH UP A GOOD STEEP TRAIL ~1 MILE

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WEST FORK ROCK	6	(6)	+2,100	-50

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1977

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Brook Trout	18	10.9	6.3-12.9
1977	Brook Trout	10	10.6	9.2-12.6

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

1938: Brook Trout (2600 fish)

1934: Brook Trout (11200 fish)

1933: Brook Trout (8000 fish)

COMMENTS: NO CHANGE IN MANAGEMENT. SPAWNING POTENTIAL IN OUTLET. ANGLED 7/05 MFWP CREW MANY SMALL FISH.

CAMP SITES: CAMPING NEAR THE OUTLET.

SURVEY NOTES:

LAKE NAME: LAKE OF THE CLOUDS COUNTY: 10 T: 9S R: 16E SEC: 5B  
DRAINAGE: CLARKS FORK ELEV: 9680 ACREAGE: 23.6 DEPTH: 85 FT  
LOCATION: 45.07482, -109.7803 MARCUSONS CODE: 93

ACCESS: TAKE CLARKS FORK TRAIL #567 (EXCELLENT) 6 MILES TO RUSSEL LAKE. 2/3 MI MORE OVER BRIDGE NEAR END OF SWITCHBACKS HEAD N UP STEEP WASH (STREAM).

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	8.5	(8)	+1,700	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/1999

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Yellowstone Cutthroat	10	13.5	13-14.5
1999	Yellowstone Cutthroat	12	9.2	6.8-14.4
1995	Yellowstone Cutthroat	22	11.5	8.8-13.7

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

2008: Yellowstone Cutthroat (2360 fish)

2014: Yellowstone Cutthroat (2360 fish)

2002: Yellowstone Cutthroat (2360 fish)

1996: Yellowstone Cutthroat (2360 fish)

COMMENTS: VERY SCENIC SPOT. GREAT OUTLET VIEW. '88 FIRE WAS EVIDENT ON A RIDGE OVER RUSSEL LAKE, BUT NOT HERE. STOCKED EVERY 6 YEARS. STOCKING RATE LOWERED FROM 3500 TO 2360 IN '90 TO INCREASE

CAMP SITES: WOOD VERY SCARCE. SOME CAMPSITES, BUT LITTLE SHELTER.

SURVEY NOTES:

'89 FISH WERE BOTH FAT AND SKINNY. '95 FISH WERE AVERAGE TO FAT. IS SOME REPRO OCCURING? CT'81 7, AVE 13.9", 13.3-14.7". M JONES CAUGHT NUMEROUS 2-3 LB CT'S IN '84.

IN '85 (AFTER PLANT) HE SAW 6"ERS & CAUGHT THE OLDER YEAR CLASS OF LARGE CT'S BUT THEY WERE ALL HEAD & THIN, ONLY ~1.5 LBS. D HAGENSTON 8/27/89 12" CT'S. D FISCHER '97 FAT 14-15"ERS. CT PLANT '67,76. FWP SAMPLED 07 6.5 HOURS,HEALTHY FISH.



LAKE NAME: LAKE OF THE WINDS COUNTY: 10 T: 9S R: 16E SEC: 4D  
DRAINAGE: CLARKS FORK ELEV: 9910 ACREAGE: 40.7 DEPTH: 186FT  
LOCATION: 45.07024, -109.75658 MARCUSONS CODE: 100

ACCESS: HIKE 5 TRAIL MILES (#567) FROM KERSEY LAKE TO RUSSEL LAKE THEN HEAD EAST FOR 2 MILES CROSS COUNTRY.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	9.5	(9)	+1,900	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/1999

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Yellowstone Cutthroat	18	14.2	7.5-16
1999	Yellowstone Cutthroat	24	11.8	10-13.5
1989	Yellowstone Cutthroat	13	11.3	7.1-14.1

STOCKING HISTORY STOCKING PLAN

2001: Yellowstone Cutthroat (2035 fish)  
1993: Yellowstone Cutthroat (2035 fish)  
1956: Golden Trout (10052 fish)

COMMENTS: MAY WISH TO LOWER NUMBERS STOCKED. SOME REPRODUCTION APPARENT FROM '89 SCALE SAMPLES - AGES 1,2,3,4. CT'S STOCKED IN '77 & '85. NUMBERS STOCKED IN '93 LOWERED TO 50/ACRE.

CAMP SITES: CAMPING POSSIBLE BUT RATHER EXPOSED. FIREWOOD SPARSE.

SURVEY NOTES:  
STOCKED EVERY 8 YEARS. NO SIGN OF '88 FIRE. BEST ACCESS IS TO CLIMB UP LAKE OF THE WINDS OUTLET STREAM, THOUGH NOT APPARENT FROM MARIANE. '99 FISH WERE IN AVERAGE CONDITION.

D HAGENSTON 8/7/87 11-12" CT'S - FAT. D HAGENSTON 8/28/89 8" CT'S. D FISCHER '97 3 8" CT'S. '99 SURVEY CREW REPORTS RB'S AND RBXCT'S!  
FWP SAMPLED 07, 2 HOUR SET,AVERAGE HEALTH.

LAKE NAME: LAKE PINCHOT COUNTY: 40 T: 6S R: 13E SEC: 26  
DRAINAGE: STILLWATER ELEV: 9260 ACREAGE: 53.9 DEPTH: 30 FT  
LOCATION: 45.27979, -110.0734 MARCUSONS CODE: 91

ACCESS: BEST ACCESS IS FROM THE LAKE PLATEAU. AVOID THE FLOOD CREEK DRAINAGE LIKE THE PLAGUE! BASICALLY IMPASSABLE!

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
UPSIDEDOWN CRE	16	(16)	+3,750	-1,000
BOX CANYON	18	(18)	+2,950	-400

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout X Golden Trout	Common	Self-Sustained

LAST GILL NET SET: 8/6/2002

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2002	Rainbow Trout X Golden Trout	10	10.5	7.5-13.4
1993	Unknown Hybrid	30	10.3	6.1-14.8
1969	Unknown Hybrid	13	9.5	6.8-13.5

STOCKING HISTORY STOCKING PLAN

1939: Golden Trout (12000 fish)

COMMENTS: RAINBOW ORIGIN NOT KNOWN. SPAWNING SUCCESS IS EVIDENT. ANY COMBINATION OF GT X CT X RB IS POSSIBLE. THE INTERESTING HYBRIDS PROVIDE A GOOD FISHERY. FISH IN '02 LOOKED LIKE RAINBOWS.

CAMP SITES: EXCELLENT CAMPING, LOTS OF FIREWOOD. LAKE RECEIVES A LOT OF USE.

SURVEY NOTES:  
GILL NETTED IN 1986? GIL LONGMIRE 8/89 CAUGHT A FEW 8-10"ERS '89 CREEL CARDS 11 RB <8-12", 8 CT?? (GT?) 8-12 ". '93 ALL FISH SEEMED HEALTHY. ANGLERS WERE CATCHING NO FISH IN 2001 SO WE WILL SAMPLE IN 2002. '02 FISH WERE ANGLED IN TWO HOURS.

FISH FROM 3-10"S SEEN IN '02.

LITTLE KERN GOLDEN TROUT CAN LOOK LIKE A 'RAINBOW' TROUT.

LAKE NAME: LAKE OF THE WOODS COUNTY: 49 T: 8S R: 14E SEC: 6  
DRAINAGE: STILLWATER ELEV: 8675 ACREAGE: 7.9 DEPTH: 16 FT  
LOCATION: 45.16149, -110.04553 MARCUSONS CODE: 49

ACCESS: TAKE TRAIL #24 DOWN THE STILLWATER FROM THE LAKE ABUNDANCE TRAILHEAD. AT HORSESHOE CREEK TAKE TRAIL #34 TO LAKE OF THE WOODS.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
LAKE ABUNDANCE	15	(15)	+1,700	-1,500
WOODBINE, INDEP				

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

LAST GILL NET SET: 8/21/2002

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2002	Yellowstone Cutthroat	10	8.2	5.8-11.6
1995	Yellowstone Cutthroat	32	9.3	4.4-15.3
1972	Yellowstone Cutthroat	54	8.5	6.6-11.4

STOCKING HISTORY STOCKING PLAN

COMMENTS: INDIGENOUS CUTTHROAT. THESE FISH MAY HAVE BEEN TRANPLANTED FROM PEACE LAKES. DR.BENKE CONFIRMED THE PURENESS OF THESE FISH. INLET HAS GOOD SPAWNING POTENTIAL, OUTLET ONLY FAIR. GENETIC

CAMP SITES: MANY CAMPSITES, PLENTY OF FIREWOOD.

SURVEY NOTES:  
'95 FISH WERE AVERAGE TO FAT. 2002 FISH WERE ANGLED.

LAKE NAME: LAKE SURRENDER COUNTY: 32 T: 6S R: 14E SEC: 19B  
DRAINAGE: STILLWATER ELEV: 8625 ACREAGE: 9.1 DEPTH: 40 FT  
LOCATION: 45.29614, -110.03663 MARCUSONS CODE: 86

ACCESS: BEST ACCESS IS FROM THE LAKE PLATEAU. THE LAKE IS IN THE FLOOD CREEK DRAINAGE WHICH IS BASICALLY IMPASSABLE.. FROM WOUNDED MAN FOLLOW A POOR TRAIL PAST PINCHOT & RAVEN.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BOX CANYON	19	(19)	+3,100	-1,100
WEST STILLWATER	21	(21)	+3,300	-1,200

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout X Golden Trout	Common	Self-Sustained
Yellowstone Cutthroat Trout X Golden Tro	Common	Self-Sustained
Yellowstone Cutthroat Trout X Rainbow	Common	Self-Sustained

LAST GILL NET SET: 8/6/1997

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1997	Yellowstone Cutthroat Hybrid	9		8.6-16.7
1997	Yellowstone Cutthroat Hybrid	8	11.6	8-14.5

STOCKING HISTORY STOCKING PLAN

COMMENTS: LAKE IS FULL OF COLORFUL HYBRIDS. MOSQUITOES WILL DRIVE YOU CRAZY IN JULY. ACCESS IS BOTH LONG AND DIFFICULT. CT X GT X RB HYBRIDS AND EVERYTHING IN BETWEEN.

CAMP SITES: SOME NICE CAMPING SPOTS. PLENTY OF FIREWOOD.

SURVEY NOTES:  
SAMPLED IN 1986?? 4-17" FISH OBSERVED IN '97. FISH IN AVERAGE CONDITION. NET SET -1 HOUR, MOST FISH WERE HOOK AND LINED.

LAKE NAME: LAKE WILDERNESS COUNTY: 32 T: 6S R: 15E SEC: 26,27  
DRAINAGE: STILLWATER ELEV: 9481 ACREAGE: 19.0 DEPTH: 120FT  
LOCATION: 45.27896, -109.84123 MARCUSONS CODE: 2

ACCESS: IF GOING UP WOODBINE CREEK, DOWNFALL AND THICK LODGEPOLE. BEST TO CROSS STILLWATER PLATEAU FROM NEAR THE BENBOW MINE. PARTIAL TRAILS.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
NEAR CHROME LA	7	(2)	+1,500	-1,100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/31/2004

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Yellowstone Cutthroat	16	12.1	10-14.3
1996	Yellowstone Cutthroat	13	12.3	9.3-14.1
1988	Yellowstone Cutthroat	17	13.9	10.5-15.6

STOCKING HISTORY STOCKING PLAN

1984: Yellowstone Cutthroat (3000 fish)  
1976: Yellowstone Cutthroat (540 fish)

COMMENTS: GOOD SPAWNING AREA IN OUTLET. McBRIDE CT PLANTED ON A ONE TIME ONLY BASIS IN 1984. REPRODUCTION OCCURING. FISH WERE STILL THIN IN '96. 10 OF THE 13 WERE ANGLED.

CAMP SITES: MANY CAMPSITES. SOME GARBAGE. LOTS OF FIREWOOD IS AVAILABLE.

SURVEY NOTES:  
GILL NET SET DURING THE DAY. A 1" YOY AND SEVERAL 6" FISH OBSERVED. NO FURTHER STOCKING ADVISED. 9/90 D HAGENSTON REPORTS THE 1/2 DOZEN CT'S CAUGHT LOOKED 'TERRIBLE' - VERY SKINNY, BIG HEADS, ~14-15".

7/92 ANGLER REPORTS EASILY CAUGHT 12-14" CT'S, EXTREMELY SKINNY. RIPE FEMALES. FISH WERE STACKED UP AT OUTLET. HAGENSTON SAYS FISH STILL TERRIBLE 9/92. NO CT'S NETTED IN '78. '04 FISH WERE ANGLED, LOOKED PRETTY GOOD.

LAKE NAME: LEO LAKE COUNTY: 10 T: 9S R: 16E SEC: 6D  
DRAINAGE: CLARKS FORK ELEV: 9300 ACREAGE: 8.5 DEPTH: 55 FT  
LOCATION: 45.06959, -109.79358 MARCUSONS CODE: 79

ACCESS: CHIEF JOSEPH TRAILHEAD. ~7 MILES PASSING KERSEY AND RUSSEL LAKES. HEAD TOWARD FOSSIL LAKE. 1/4 MILE WEST OF LONN LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	8	(7.75)	+1,440	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/19/2008

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Yellowstone Cutthroat	0		-
1999	Yellowstone Cutthroat	4	11.9	10.5-13.5
1990	Yellowstone Cutthroat	10	10.2	7.2-13.4

STOCKING HISTORY STOCKING PLAN

1968: Yellowstone Cutthroat (3120 fish)

COMMENTS: THESE FISH HAVE BEEN SELF-SUSTAINING SINCE '68 FROM THE OLD YCT STOCK. #S MIGHT BE INCREASED BY SUPPLEMENTAL STOCKING WITH McBRIDES BUT WE SHOULD KEEP THIS POPULATION PURE FOR LONG TERM

CAMP SITES: THIS TRAIL GETS HEAVY USE. A FEW CAMPSITES. SOME FIREWOOD.

SURVEY NOTES:  
1987 - 6 OTHER FISH FROM 10 - 14" WERE SEEN IN THE LAKE. 2-4" FISH WERE SEEN IN THE OUTLET. '90 - FISH WERE THIN. EVIDENCE OF HEAVY USE. '93 - 6 SEEN 16-19". THE 10 IN OUTLET 2.5-3" MAY NOT HAVE ACCESS BACK TO THE LAKE.

CT'75 14, AVE 10.8", 7.3-14.0". LUNDBERG '00 - 9-11" THIN CT'S OUTLET AREA PARTIALLY BURNED. CALLED NYMPH LAKE ON USGS 7.5' QUAD.

LAKE NAME: LEAKY RAFT LAKE COUNTY: 49 T: 8S R: 15E SEC: 22DA  
DRAINAGE: CLARKS FORK ELEV: 10150 ACREAGE: 8.5 DEPTH: 30 FT  
LOCATION: 45.11729, -109.84477 MARCUSONS CODE: 33A

ACCESS: LONG LAKE TRAILHEAD-LADY OF THE LAKE-NORTH TO BROADWATER RIVER-TRAIL UP ZIMMER CREEK 1.5 MI-EAST TO LOWER AERO-UPPER AERO-SOUTH.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
LADY OF THE LAK	8.5	(7.5)	+1,580	-235
GOOSE LAKE JEEP	7	(6)	+1,420	-630

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stock, with some natural reproduction

LAST GILL NET SET: 8/20/2007

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Yellowstone Cutthroat	3	15.5	14.5-16.5
1997	Yellowstone Cutthroat	21	12	10-13.7
1991	Yellowstone Cutthroat	26	10.8	9.5-12.8

STOCKING HISTORY STOCKING PLAN

2008: Yellowstone Cutthroat (425 fish)  
2000: Yellowstone Cutthroat (425 fish)  
1992: Yellowstone Cutthroat (850 fish)  
2016: Yellowstone Cutthroat (425 fish)

COMMENTS: FISH WERE THIN BUT VERY COLORFUL IN '81. SURVEY BEFORE '92 PLANT SHOWED VERY THIN FISH. CUT #S STOCKED TO 50/ACRE OR LESS. '91 FISH WERE VERY TINY 7 YEAR OLD FISH. 425 CT'S PLANTED IN 1976.

CAMP SITES: NO FIREWOOD. NO FLAT PLACES. BETTER CAMP SOMEPLACE ELSE!

SURVEY NOTES:  
STOCKED EVERY 8 YEARS. '88 - CAUGHT 20 FISH IN 2 HOURS, AVE 9-10". '89 CREEL CARDS 39 CT'S <8-12" RANGE. D FISCHER 8/91 10-12" CT, PRETTY, HEALTH OK. '97 - TWO OBVIOUS AGE GROUPS BUT THERE SEEMS TO BE NO PLACE FOR SPAWNING.

D HAGENSTON 8/92 REPORTS CHUNKY 13" CT'S. FWP SAMPLED 07,16 HOUR SET,FEW FISH,RESTOCKED IN 08.

LAKE NAME: LIGHTNING LAKE COUNTY: 40 T: 6S R: 13E SEC: 2  
DRAINAGE: STILLWATER ELEV: 9340 ACREAGE: 61.3 DEPTH: 122FT  
LOCATION: 45.33478, -110.07024 MARCUSONS CODE: 102

ACCESS: UP TRAIL #90 FROM INITIAL CREEK TO EAST SIDE OF TUMBLE CREEK OR EAST SIDE OF LIGHTNING CREEK. MAY BE BEST FROM NEAR MOUTH OF DIVIDE CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
INITIAL CREEK	9.5	(5)	+2,950	-200

LAKE PLATEAU

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Common	Self-Sustained

LAST GILL NET SET: 8/1/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2003	Golden Trout	16	9.4	6.9-16.3
1995	Golden Trout	13	11.3	7.3-19.4
1978	Golden Trout	8	12	9.8-19

STOCKING HISTORY STOCKING PLAN

1956: Golden Trout (10310 fish)

COMMENTS: FISH WERE PROGENY OF SYLVAN LAKE STOCK. GOLDENS SPAWN IN THE OUTLET. OFFSPRING SPEND TIME IN LITTLE LIGHTNING, THEN MOVE BACK STREAM INTO LIGHTNING.

CAMP SITES: NICE SITES. PLENTY OF WOOD BUT PICKED OVER BETWEEN LAKES.

SURVEY NOTES:  
'89 CREEL CARDS GT'S - 21 <8", 42 8-12", 2 12-16", 4 >16". '93 - AREA HAS BEEN HAMMERED BY CAMPING. MIGHT POST SIGNS ABOUT NO-TRACE CAMPING. '95 - SEEMS TO BE THE SAME OLD LIGHTNING LAKE - THE FISH ARE VERY FAT.

DENNIS HAGENSTON FOUND LOTS OF 12-18" FISH SPAWNING 7/6&7/00. MANY FIRE RINGS, SOME GARBAGE, HEAVY USE. '03 FISH WERE HOOK & LINED BY EARL RADONSKI.

LAKE NAME: LILLIS LAKECOUNTY: 49T: 9S R: 15E SEC: 27D  
DRAINAGE: CLARKS FORKELEV: 8140ACREAGE: 2.7DEPTH: 30 FT  
LOCATION: 45.01754, -109.84015MARCUSONS CODE: 67

ACCESS: 3/4 MILE SOUTH OF KERSEY LAKE. IT'S ON A GOOD FOOT TRAIL. GOOD DAY HIKE MATERIAL.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

CLARKS FORK2(2)+300-30

SPECIES PRESENT

ABUNDANCE

STATUS

Brook TroutCommonSelf-Sustained

LAST GILL NET SET: 8/1/2000

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2008Brook Trout19106.1-13.5

2000Brook Trout79.46.5-12.3

1972Brook Trout3106.4-12.1

STOCKING HISTORY

STOCKING PLAN

COMMENTS: DIFFICULT TO FISH IN LATE SUMMER DUE TO AN ABUNDANCE OF EMERGENT VEGETATION. NO SPAWNING AREAS ARE EVIDENT.

CAMP SITES: NO GOOD PLACES NEAR THE LAKE. LOTS OF FIREWOOD.

SURVEY NOTES:

MIKE POORE REPORTS FISH PRESENT IN '89. '89 CREEL CARDS 10 EB <8-<16". AL HARRIS REPORTS LOADS OF 10" CT JUNE '91. '93 GILL NET PRODUCED 15 EB 6.6-13.3" AVE 10.9" & 2 CT 14.2-15.1". '94 GILL NET PRODUCED 5 EB 8.1-13.3" AVE 10.8", & 1 CT 15.5".

FAIRLY CLOSE TO THE TRAILHEAD. '00 THE CUTTHROAT APPEAR TO BE GONE. SURVEYED 08 16.75 HOUR NET SET, FISH ARE IN GOOD SHAPE.

LAKE NAME: LITTLE FACE LAKECOUNTY: 32T: 7S R: 15E SEC: 3C  
DRAINAGE: WEST ROSEBUD ELEV: 9980ACREAGE: 8.4DEPTH: 55 FT  
LOCATION: 45.24512, -109.85441MARCUSONS CODE: 33

ACCESS: ACCESS IS FROM THE ISLAND LAKE TRAIL 3/4 ALONG ISLAND LAKE. FOLLOW OUTLET STREAM UP WEST SIDE ~2 MILES - NO TRAIL. STAY NEAR STREAM. STEEP.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

MYSTIC LAKE10(7)+3,600-300

SPECIES PRESENT

ABUNDANCE

STATUS

Yellowstone CutthroatRareUnknown

LAST GILL NET SET: 7/29/1997

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

1997Yellowstone Cutthroat610.19.7-10.6

STOCKING HISTORY

STOCKING PLAN

COMMENTS: THE LAKES IN THIS CIRQUE WERE FISHLESS WHEN PAT MARCUSON SURVEYED THEM IN 1975 AND 1978. IN 1996 JIM THOMPSON FROM THE MYSTIC LAKE POWER PLANT SAW 6-9" CUTTHROATS HERE. 4-9" FISH SEEN IN

CAMP SITES: QUESTIONABLE, ROCKY CAMPSITES, SOME FIREWOOD. VERY PRETTY.

SURVEY NOTES:

NO POTENTIAL SPAWNING AREAS. SMALL OUTLET FLOWS ONLY DURING EARLY SUMMER. THE POSSIBILITY OF FISH MOVEMENT BETWEEN THE 5 LAKES IN THIS CIRQUE EXISTS BUT IS DOUBTFUL DUE TO STREAM GRADIENTS. WHERE THESE FISH CAME FROM IS A MYSTERY.

A FISH MIGHT HARDLY SURVIVE THE DROP OUT OF HERE LET ALONE BE ABLE TO INVADE FROM BELOW. ERODED PECTORAL FINS IN '97. RALPH SAUNDERS 9/04 FISH PRESENT.

LAKE NAME: LINE LAKECOUNTY: 10T: 9S R: 19E SEC: 34BB  
DRAINAGE: CLARKS FORKELEV: 9680ACREAGE: 4.7DEPTH: 26 FT  
LOCATION: 45.00553, -109.37549MARCUSONS CODE: 246

ACCESS: THE LAKE IS 2 MILES EAST OF HWY 212 AT THE MT-WYO STATE LINE. NOT ACTUALLY ON MAIN LINE CREEK DRAINAGE.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

NEAR MT/WY BOR2.5(2.5)+500-1,045

SPECIES PRESENT

ABUNDANCE

STATUS

Yellowstone CutthroatCommonStocked

LAST GILL NET SET: 8/1/1991

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2002Yellowstone Cutthroat12424-24

1991Yellowstone Cutthroat319.317-22

1981Yellowstone Cutthroat514.86.3-20.8

STOCKING HISTORY

STOCKING PLAN

2007: Yellowstone Cutthroat (705 fish)  
2003: Yellowstone Cutthroat (705 fish)  
1938: Brook Trout (1040 fish)

COMMENTS: THE LAKE PRODUCES LARGE FISH AND ACCESS IS EASY. EB'S FIRST PLANTED IN 1937. CUTTHROATS SINCE 1958. PLANTED EVERY 4 YEARS SINCE 1987

CAMP SITES: FIREWOOD IS SCARCE BUT PRESENT. NICE FLAT PLACES TO CAMP.

SURVEY NOTES:

STOCKED EVERY 4 YEARS AT 150/ACRE. LAKE SHOWS HEAVY USE, WITH MUCH OF THE GRASS ALONG THE SHORELINE TRAMPLED. WATER TURBID, BROWNISH. LOTS OF SHRIMP & PLANKTON. FISH WERE FAT & FULL OF SHRIMP.

BEANO SHERIDAN CAUGHT ONE 4.5 LBS IN '94 BUT HAD NO ACTION IN '96. SAW A FEW RISES FROM WHAT LOOKED LIKE SMALLER FISH. SHRIMP IN INLET POOL. 6/06 GLENN OWENS CAUGH 30 FISH 14-17" ALL IN GOOD SHAPE.

LAKE NAME: LITTLE FALLS LAKECOUNTY: 10T: 9S R: 17E SEC: 20D  
DRAINAGE: CLARKS FORKELEV: 9620ACREAGE: 11.4DEPTH: 40 FT  
LOCATION: 45.02581, -109.64972MARCUSONS CODE: 209

ACCESS: TRAILS FROM THE BEARTOOTH BUTTE AREA ON HWY 212 SERVE THE AREA. THE LAKE IS EAST OF LAKE ELAINE AND GREEN LAKE.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

CLAY BUTTE10(9.75)+800-640

SPECIES PRESENT

ABUNDANCE

STATUS

Brook TroutAbundantSelf-Sustained

LAST GILL NET SET: 8/17/2005

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2005Brook Trout187.26.3-9.3

1993Brook Trout128.56-10.1

1974Brook Trout607.56.4-11.6

STOCKING HISTORY

STOCKING PLAN

COMMENTS: ONE OF THE PRETTIEST SPOTS IN THE WORLD. CALLED SPOGEN LAKE ON USGS 7.5' QUAD AND USFS MAPS. THERE IS SOME GRAVEL IN THE OUTLET BUT IT IS PROBABLY NOT SUITABLE FOR OTHER SPECIES.

CAMP SITES: NICE CAMPSITES, PLENTY OF FIREWOOD.

SURVEY NOTES:

'93 - FISH WERE STUNTED AND THIN. NOT MUCH TO BE DONE HERE UNLESS THE WHOLE CHAIN OF LAKES IS REHABED.

LAKE NAME: LITTLE GOOSE LAKE COUNTY: 49 T: 8S R: 15E SEC: 19A  
DRAINAGE: STILLWATER ELEV: 9835 ACREAGE: 8.1 DEPTH: 23 FT  
LOCATION: 45.12585, -109.90686 MARCUSONS CODE: 43

ACCESS: HIKE 1 MILE UP GOOSE CREEK FROM GOOSE LAKE. ONE CAN REACH GOOSE LAKE WITH A 4X4 VEHICLE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	1.5	(1.5)	+100	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2000	Yellowstone Cutthroat	15	11.1	7.8-13.9
1990	Yellowstone Cutthroat	22	10.4	6.8-17.3
1972	Yellowstone Cutthroat	22	10.4	7.6-16.3

STOCKING HISTORY STOCKING PLAN

Yellowstone Cutthroat

COMMENTS: NO PLANTING RECORDS. FISH MAY HAVE COME FROM THE CLARKS FORK RIVER.

CAMP SITES: FIREWOOD SCARCE. USED OFTEN.

SURVEY NOTES:  
REPRODUCTION IS OCCURRING AT A HEALTHY RATE. MONITOR PERIODICALLY. '90 GILL NET SET FOR 26.5 HOURS. FISH WERE IN AVE. CONDITION. 16 OTHER CT'S 6-10" CAUGHT WITH HOOK AND LINE. SPAWNING OBSERVED IN OUTLET. OUTLET WATER LEVEL WAS DOWN 1-3 FEET IN 2001.

LAKE NAME: LITTLE SCAT LAKE COUNTY: 10 T: 8S R: 16E SEC: 26AB  
DRAINAGE: EAST ROSEBUD ELEV: 9330 ACREAGE: 5.0 DEPTH: 3 FT  
LOCATION: 45.10836, -109.71329 MARCUSONS CODE: 15

ACCESS: 10 MILES FROM TRAILHEAD AT EAST ROSEBUD LAKE. NO TRAIL FOR THE LAST 2 MILES FROM LAKE AT FALLS. VERY DIFFICULT CLIMB.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ALPINE (EAST ROS	13.8	(11.5)	+3,400	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Unknown	Unknown

LAST GILL NET SET: 7/24/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1990	Golden Trout	0		-

STOCKING HISTORY STOCKING PLAN

2005: Golden Trout (500 fish)  
1982: Golden Trout (3840 fish)

COMMENTS: LITTLE SCAT WAS PLANTED TO DISTRIBUTE GT DOWNSTREAM INTO SCAT LAKE AND MARTIN LAKE. REPLANT THE CHAIN WITH GOLDENS BUT THIS TIME INTO SCAT AND/OR MARTIN LAKES. LITTLE SCAT IS TOO SHALLOW.

CAMP SITES: NO ADEQUATE CAMPING THO' SOME FIREWOOD IS AVAILABLE.

SURVEY NOTES:  
8/5/87 NO FISH CAUGHT OR OBSERVED IN 1 HOUR. PROBABLY TOO SHALLOW TO OVERWINTER FISH. 4.5 HOUR GILL NET SET IN '90. ENTER DRAINAGE AT THE RIGHT EDGE OF THE FALLS AND STAY RIGHT AROUND MARTIN LAKE. 07/30/03 - VISUAL SURVEY - NO SIGN OF FISH. LAKE IS ONLY 4-5 FT DEEP. SAMPLE WITH MARTIN AND SCAT.

LAKE NAME: LITTLE LIGHTNING LAKE COUNTY: 40 T: 6S R: 13E SEC: 2DA  
DRAINAGE: STILLWATER ELEV: 9280 ACREAGE: 6.9 DEPTH: 12 FT  
LOCATION: 45.33811, -110.06733 MARCUSONS CODE: 102

ACCESS: UP TRAIL #90 FROM INITIAL CREEK TO EAST SIDE OF TUMBLE CREEK OR EAST SIDE OF LIGHTNING CREEK. MAY BE BEST FROM NEAR MOUTH OF DIVIDE CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
INITIAL CREEK	9.25	(5)	+2,900	-200

LAKE PLATEAU

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/2/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1995	Golden Trout	41	9	5.8-16.1
1978	Golden Trout	82	8.5	6.3-12.7

STOCKING HISTORY STOCKING PLAN

COMMENTS: FISH FROM LIGHTNING LAKE SPAWN IN THE OUTLET. EMERGING FRY DRIFT INTO LITTLE LIGHTNING. OVER TIME SOME OF THESE WORK BACK INTO LIGHTNING.

CAMP SITES: NICE PLACES TO CAMP BUT FIREWOOD IS PICKED OVER BETWEEN LAKES.

SURVEY NOTES:  
'89 CREEL CARDS 19 GT <8", 63 GT 8-12". 8/22/93 R STIFF ANGLED 10 GT'S, AVE. 8.8, 7.8-13.2". FISH SEEMED OF AVERAGE HEALTH. THERE MAY WELL BE TOO MANY FISH HERE. EASY TO CATCH. MANY FISH SEEN CRUISING AND RISING. HAGENSTON 7/00 - 8-15" GT'S IN GOOD SHAPE.  
THERE ARE MANY FIRE RINGS BETWEEN LIGHTNING AND LITTLE LIGHTNING. SAMPLE WITH LIGHTNING LAKE.

LAKE NAME: LITTLE WASHTUB LAKE COUNTY: 49 T: 9S R: 15E SEC: 4A  
DRAINAGE: CLARKS FORK ELEV: 9190 ACREAGE: 2.2 DEPTH: 30 FT  
LOCATION: 45.08184, -109.86209 MARCUSONS CODE: 51

ACCESS: FROM LADY OF THE LAKE TRAIL FOLLOW SKY TOP CREEK (GOOD TRAIL) & HEAD SE AT CONFLUENCE WITH LOWER AERO CREEK PAST WEST END OF CLIFF LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	4	(3.5)	+710	-880
LADY OF THE LAK	5.5	(5)	+1,040	-654

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Common	Stocked

LAST GILL NET SET: 8/1/1998

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Arctic Grayling	0		-
1998	Arctic Grayling	10	7.7	7.5-8.2

STOCKING HISTORY STOCKING PLAN

2007: Arctic Grayling (230 fish)  
1997: Arctic Grayling (220 fish)  
1992: Arctic Grayling (220 fish)  
2016: Arctic Grayling (220 fish)

COMMENTS: CALLED WASHTUB LAKE ON USGS 7.5' QUAD. LITTLE SIGN OF USE. NO FISH FOUND IN '05. SURVEY AFTER RESTOCKING. GRAYLING TO BE STOCKED EVERY 8 YEARS.

CAMP SITES: NESTLED IN ROCKS. FEW FLAT SPOTS. LOTS OF FIREWOOD.

SURVEY NOTES:  
GRAYLING PLANTED IN 1985. NONE FOUND IN 1991 NETS. RESTOCKED IN 1991, '92 & '97. NO INLET. OUTLET IS SLOW/SEASONAL AND HAS A SILT SUBSTRATE WITH LILY PADS. TOM MCGILLVRAY '93 - CAUGHT 6 9-10" GRAYLING, ONE 17.75". GOOD CONDITION.

LAKE NAME: LONE ELK LAKE COUNTY: 49 T: 8S R: 15E SEC: 26BA  
DRAINAGE: CLARKS FORK ELEV: 10070 ACREAGE: 18.1 DEPTH: 40 FT  
LOCATION: 45.11188, -109.83156 MARCUSONS CODE: 35

ACCESS: HIKE DOWN OUTLET STREAM FROM LONG LAKE TO NEAR LADY OF THE LAKE.  
THEN TO BROADWATER RIVER. STAY ON WEST SIDE OF SKY TOP CREEK TO LONE  
ELK LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	6	(6)	+1,600	-600
LADY OF THE LAK	7.5	(7.5)	+1,900	-450

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Rare	Unknown
Brook Trout	Common	Self-Sustained

LAST GILL NET SET: 8/25/1998

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1998	Brook Trout	14	8.3	6.7-9.8
1987	Brook Trout	25	7.8	6.1-9.5
1973	Arctic Grayling	2	17.8	17.5-18

STOCKING HISTORY	STOCKING PLAN
1992: Arctic Grayling (1810 fish)	
1955: Arctic Grayling	
Brook Trout	

COMMENTS: GRAYLING PROBABLY DRIFTED DOWNSTREAM FROM THE SKY TOP CREEK  
LKS OR FROM ROUGH LAKE - NONE HAVE BEEN REPORTED SINCE 1973. INLET  
HAS EXCELLENT SPAWNING. D. ARNESON 8/86 CAUGHT MANY 5-8" EB, NO

CAMP SITES: SOME ROCKY USED CAMPSITES. ABOVE TREELINE SO NO FIREWOOD.

SURVEY NOTES:  
"73 NETTING - 7 EB AVE. 9.1" 6.0-16.5", ALONG WITH THE TWO GRAYLING LISTED ABOVE. "89  
CREEL CARDS 14 EB <8". D HAGENSTON REPORTS 6-8" EB'S - AVERAGE CONDITION. LOTS  
OF AVERAGE SIZE BROOKIES HERE.

LAKE NAME: LONG LAKE COUNTY: 49 T: 9S R: 15E SEC: 6  
DRAINAGE: CLARKS FORK ELEV: 9471 ACREAGE: 11.9 DEPTH: 21 FT  
LOCATION: 45.08151, -109.91127 MARCUSONS CODE: 10

ACCESS: 4X4 TRAVEL ON THE GOOSE LAKE JEEP TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	DRIVE	TO		

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained
Yellowstone Cutthroat	Rare	Self-Sustained

LAST GILL NET SET: 8/1/1987

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2000	Brook Trout	39	8.2	6.1-10.2
1987	Brook Trout	12	7.8	6.6-8.6
1980	Brook Trout	29	8.3	6.5-10.2

STOCKING HISTORY	STOCKING PLAN
1941: Yellowstone Cutthroat (10396 fish)	
1940: Brook Trout (11400 fish)	
1938: Brook Trout (4900 fish)	

COMMENTS: SOME CUTTHROAT FROM OVIS LAKE MAY DRIFT DOWN INTO LONG LAKE.  
BROOKIES PLANTED IN 1933 AND 1936. CALLED LONE LAKE ON USGS 7.5'  
QUAD.

CAMP SITES: MANY WELL USED CAMP SITES. FIREWOOD IS PICKED OVER.

SURVEY NOTES:  
THE BROOKIES COULD STAND MORE HARVEST HERE. '00 2 CT'S CAUGHT, 12.2-12.9". '89  
CREEL CARDS 3 EB 8-12" RANGE.

LAKE NAME: LONESOME LAKE COUNTY: 10 T: 9S R: 17E SEC: 35B  
DRAINAGE: CLARKS FORK ELEV: 10050 ACREAGE: 35.3 DEPTH: 38 FT  
LOCATION: 45.00456, -109.60211 MARCUSONS CODE: 242

ACCESS: ISLAND LAKE TRAIL #614/620 TOWARD BECKER LAKE. PAST BECKER LAKE HIKE  
OVER THE RIDGE TO THE WEST.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ISLAND LAKE	6.5	(4)	+600	-0
CLAY BUTTE				

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

LAST GILL NET SET: 8/13/2008

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Brook Trout	18	8.8	4.9-10.8
1995	Brook Trout	8	8.6	7.4-9.1
1974	Brook Trout	38	7.9	6.5-9

STOCKING HISTORY	STOCKING PLAN
1937: Brook Trout (15860 fish)	
1936: Rainbow Trout (6600 fish)	

COMMENTS: THE LAKE IS ON THE MT-WYO STATE LINE. SPAWNING POTENTIAL DOESN'T  
LOOK GREAT IN THE OUTLET OR THE INLET.

CAMP SITES: NICE PLACES TO CAMP. ABOVE TREE LINE - NO FIREWOOD AVAILABLE.

SURVEY NOTES:  
BROOKIES HERE APPEAR UNDERNOURISHED. '96 BEANO SHERIDAN FOUND SMALL  
BROOKIES. SURVEYED 08, TYPICAL EB LAKE LOTS OF FISH, MORE HARVEST WOULD BE  
BENEFICIAL TO OVERALL HEALTH OF POPULATION.

LAKE NAME: LOST LAKE COUNTY: 10 T: 9S R: 18E SEC: 3  
DRAINAGE: ROCK CREEK ELEV: 8520 ACREAGE: 11.3 DEPTH: 25 FT  
LOCATION: 45.07974, -109.50081 MARCUSONS CODE: 32

ACCESS: 5 MILES OF MAINTAINED TRAIL UP LAKE FORK OF ROCK CREEK. HEAD SOUTH  
BEFORE THE BRIDGE. PATH IS MARKED - '94.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
LAKE FORK ROCK	5	(5)	+1,320	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Unknown	Unknown
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/1/1991

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Yellowstone Cutthroat	6	19.2	17-20.8
1991	Yellowstone Cutthroat	3	13.4	10.8-13.4
1988	Yellowstone Cutthroat	9	15.4	10.8-22

STOCKING HISTORY	STOCKING PLAN
1997: Arctic Grayling (1185 fish)	
1984: Arctic Grayling (1000 fish)	
1975: Yellowstone Cutthroat (1500 fish)	

COMMENTS: '88-ABOUT 6 GRAYLING ~12-14" WERE OBSERVED. WATER CODE 22-8512.  
CUTTHROATS PLANTED '60, '61, '65, '71. CUTTHROAT SEEM EXCELLENT WITH  
GOOD REPRODUCTION.

CAMP SITES: GOOD CAMPSITES. PLENTY OF FIREWOOD. USE INCREASING.

SURVEY NOTES:  
D HAGENSTON 7/28/01 SAW 14" CT CAUGHT, 16-18"ERS CRUISING. ARE THE GRAYLING  
REPRODUCING? 16"ERS IN '90, NONE SEEN '91. 6/89 ANGLER REPORTS NO GRAYLING BUT  
SAW LOTS OF CUTTHROAT. 6/20/89 TOM TYRE REPORTS CATCHING 1 16.5" GR. AND SAW 6  
OTHERS RISING.  
7/92 ANGLER BROUGHT IN 18" 2.2 LB GR. '89 CREEL CARDS - 4 CT 8-16", 2 >16", 1 EB?? >16".  
7/28/01 DENNIS HAGENSTON - ANGLER HAD A NICE 14" CUTT AND SAW OTHERS CRUISING 16-  
18".

FWP'S FIRST FISHERIES BIOLOGIST, CHUCK PHENICIE, REPORTED IN 1954 THAT CARP WERE  
ILLEGALLY INTRODUCED HERE.

LAKE NAME: LOST LAKE		COUNTY: 10	T: 7S	R: 17E	SEC: 30
DRAINAGE: EAST ROSEBUD		ELEV: 9160	ACREAGE: 3.5	DEPTH: 36 FT	
LOCATION: 45.19426, -109.68792		MARCUSONS CODE: 45			
ACCESS: WEST OF EAST ROSEBUD LAKE UP THE SOUTH (WEST) FORK OF ARMSTRONG CREEK. TRAIL PART OF THE WAY IF FOUND. MOSTLY BRUTAL BUSHWACKING.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
ARMSTRONG CREE	3	(0)	+3,000	-0	
<u>SPECIES PRESENT</u>		<u>ABUNDANCE</u>	<u>STATUS</u>		
Arctic Grayling		Unknown	Stocked		
Yellowstone Cutthroat		Rare	Unknown		
LAST GILL NET SET: 8/1/1990					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
1992	Yellowstone Cutthroat	0		-	
1992	Arctic Grayling	0		-	
<u>STOCKING HISTORY</u>		<u>STOCKING PLAN</u>			
2008: Arctic Grayling (400 fish)		2016: Arctic Grayling (350 fish)			
1997: Arctic Grayling (364 fish)					
1992: Arctic Grayling (350 fish)					
COMMENTS: AKA HIDDEN LAKE. G. ALDRICH REPORTS 11" GR IN 1986. CT REPORTEDLY CAUGHT IN 1987. INLET APPEARS GOOD FOR SPAWNING. LUNDBERG & CREW CAUGHT NO FISH IN 5 HOURS IN '92 BUT SAW GR FINGERLINGS???					
CAMP SITES: LOTS OF FIREWOOD. GOOD CAMPING BELOW THE LK ON THE SOUTH SIDE. NO					
<u>SURVEY NOTES:</u>					
DETERMINE STATUS OF GRAYLING PLANTS. CT'S PLANTED IN '65 & '71. NONE CAUGHT IN A 1978 GILL NET. WATER CODE 22-8510. '89 CREEL CARDS 1 GR 12- 16" RANGE, 2 CT 8-16" RANGE. '90 SURVEY CREW SAMPLED NO FISH, BUT SAW FISH RISING AND 1 CT CRUISING.					
NETTED ONLY 2 HRS IN '90 AND 3 HOURS IN '92. TOUGH LAKE TO GET TO. WELL STOCK GRAYLING HERE EVERY 8 YEARS.					

LAKE NAME: LOWER ARCH CREEK LAKE		COUNTY: 10	T: 8S	R: 16E	SEC: 2BA
DRAINAGE: EAST ROSEBUD		ELEV: 9580	ACREAGE: 24.3	DEPTH: 95 FT	
LOCATION: 45.16475, -109.72182			MARCUSONS CODE: 41		
ACCESS: 3.5 MILES UP TRAIL #15 ABOVE EAST ROSEBUD LAKE. C ROSS CREEK ABOVE ELK LAKE. STEEP HIKE UP THE SOUTH SIDE OF ARCH CREEK. NO TRAIL. TIMBER, BUSHWACKING IS A MESS.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
ALPINE (EAST ROS	7	(3.5)	+3,300	-100	
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>		<u>STATUS</u>		
Yellowstone Cutthroat	Common		Self-Sustained		
LAST GILL NET SET: 8/7/1996					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
1996	Yellowstone Cutthroat	7	13.1	10.9-15.6	
1987	Yellowstone Cutthroat	14	9.9	7.2-13.4	
1984	Yellowstone Cutthroat	10	9.6	7.5-12.9	
<u>STOCKING HISTORY</u>			<u>STOCKING PLAN</u>		
1971: Yellowstone Cutthroat (6240 fish)					
COMMENTS: NO ADDITIONAL MANAGEMENT NEEDED IF FISH CONTINUE TO REPRODUCE. AKA LOWER ARCH LAKE, WATER CODE #22-8530. SURVEY ALONG WITH UPPER AND ARCH LAKES.					
CAMP SITES: PLENTY OF FIREWOOD AND CAMPSITES AVAILABLE.					
<u>SURVEY NOTES:</u>					
ARLEN LUNDBERG & 7 OTHERS CAUGHT 180+ FISH 8/92, ALL SIZES, SELF SUSTAINING. ARLEN & CREW WERE BACK 7/94 - GOOD FOR 10-16"ERS. MIKE GORDON 2001 REPORTS VERY GOOD FISHING FOR 10-15"ERS.					

LAKE NAME: LOWER AERO LAKE		COUNTY: 49	T: 8S	R: 15E	SEC: 27,28
DRAINAGE: CLARKS FORK		ELEV: 9995	ACREAGE: 189.9	DEPTH: 185FT	
LOCATION: 45.10849, -109.86321		MARCUSONS CODE: 29			
ACCESS: GOOSE LAKE JEEP TRAIL-LONG LAKE OR LADY OF THE LAKE TRAIL. THEN UP ZIMMER CREEK OR SKY TOP CREEK. GOOD TRAIL UP THE WEST SIDE OF ZIMMER CREEK.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
GOOSE LAKE JEEP	5	(5)	+1,300	-650	
LADY OF THE LAK	6.5	(6.5)	+1,400	-250	
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>		<u>STATUS</u>		
Brook Trout	Common		Self-Sustained		
Yellowstone Cutthroat	Common		Stocked		
LAST GILL NET SET: 8/18/2004					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
2004	Yellowstone Cutthroat	12	14.9	14-16.4	
2004	Brook Trout	4	10.7	7.4-13.1	
<u>STOCKING HISTORY</u>		<u>STOCKING PLAN</u>			
1959: Yellowstone Cutthroat (2110 fish)					
COMMENTS: CUTTHROAT DRIFT DOWNSTREAM FROM UPPER AERO LAKE. B SHERIDAN REPORTS LOTS OF HEALTHY CT AND EB AND GOOD FISHING IN 1983. '94 GILL NET TOOK 2 EB, 13.9 & 15.5" DURING/AFTER UNEXPLAINED FISH KILL..					
CAMP SITES: FIREWOOD IS SCARCE, AS ARE GOOD FLAT SPOTS. BETTER BELOW.					
<u>SURVEY NOTES:</u>					
D ARNESON 8-86 CAUGHT A FEW 8-15" EB. EB'91 - 45 FISH 6.5-15.6", AVE. 10.3". '91 MANY CT SPAWNING BETWEEN UPPER & LOWER AERO. FISH IN GOOD SHAPE. D HAGENSTON 8/92 SAW 18" CT'S SPAWNING IN CREEK, NOTHING IN LAKE.					
'94 FISH KILL - DEAD FISH IN WATER EVERY 50-100'. GILL NET TAKE POOR. RESAMPLE REGULARLY FOR A FEW YEARS. '96 - 8 EB 8.8-15.7" AVE. 11.4". '98 NETS - 50.5 HRS PRODUCED 64 EB 5.1-14.3" AVE. 10.7" AND 1 CT 17.4".					

LAKE NAME: LOWER BASIN LAKE		COUNTY: 10	T: 8S	R: 19E	SEC: 8
DRAINAGE: ROCK CREEK		ELEV: 8360	ACREAGE: 2.5	DEPTH: 21 FT	
LOCATION: 45.1504, -109.41255			MARCUSONS CODE: 41		
ACCESS: 2 1/2 MILES OF EXCELLENT, THOUGH SOMEWHAT STEEP TRAIL UP BASIN CREEK.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
BASIN CREEK	2.5	(2.5)	+1,550	-0	
<u>SPECIES PRESENT</u>		<u>ABUNDANCE</u>	<u>STATUS</u>		
Arctic Grayling		Unknown	Unknown		
Brook Trout		Rare	Self-Sustained		
LAST GILL NET SET: 7/14/1995					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
1995	Brook Trout	2	14.2	13.8-14.5	
<u>STOCKING HISTORY</u>		<u>STOCKING PLAN</u>			
1997: Arctic Grayling (260 fish)					
1985: Arctic Grayling (200 fish)					
1938: Brook Trout (1040 fish)					
COMMENTS: BROOK TROUT OCCUPY THE LAKE AT VARIOUS TIMES BY COMING DOWNSTREAM FROM UPPER BASIN LAKE. WINTERKILL IS COMMON. AKA BASIN CREEK LAKE - LOWER - WATER CODE #22/7223/03.					
CAMP SITES: FEW CAMPSITES, SOME FIREWOOD.					
<u>SURVEY NOTES:</u>					
LILY PADS SURROUND THE LAKE. MOSQUITO HOLE. SPAWNING POTENTIAL VERY GOOD IN INLET, FAIR IN OUTLET. NO FISH OBSERVED BY SURVEY TEAM IN '91. '95 - BOTH FISH WERE VERY FAT, FULL OF LEECHES. NO SIGN OF THE GRAYLING PLANTED IN 1985.					
STEVE SWEDBERG RAN INTO A GRIZZLY HERE IN LATE JULY 2000!					

LAKE NAME: LOWER SNOW LAKE COUNTY: 10 T: 8S R: 17E SEC: 4  
DRAINAGE: EAST ROSEBUD ELEV: 9160 ACREAGE: 8.0 DEPTH: 53 FT  
LOCATION: 45.15285, -109.64092 MARCUSONS CODE: 4

ACCESS: 2.5 MILES UP EAST ROSEBUD TRAIL THEN X-COUNTRY 2 MILES UP SNOW CREEK ON THE NORTH (EAST) SIDE. TOUGH HIKE - STEEP.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ALPINE (EAST ROS	5	(3)	+3,000	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained

LAST GILL NET SET: 8/1/1992

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2000	Rainbow Trout	3	12.7	6.4-17.5
1992	Rainbow Trout	9	12.1	10.3-13.9
1982	Rainbow Trout	1	18	18-18

STOCKING HISTORY STOCKING PLAN

COMMENTS: RB WERE TO BE PLANTED IN UPPER SNOW LAKE IN '89 ASSUMING THEY WOULD MOVE INTO LOWER SNOW. THEY APPEAR TO HAVE BEEN PUT IN LOWER SNOW INSTEAD. GOOD LAKE TO STUDY GLACIAL SILT AND TROUT

CAMP SITES: GOOD CAMPSITES WITH PLENTY OF FIREWOOD.

SURVEY NOTES:

CHECK FOR POSSIBLE REPRODUCTION BEFORE RESTOCKING. FISH WERE FAT. MAIN INLET & OUTLET NOT SUITABLE FOR SPAWNING BUT SOME MINOR INLETS ON THE EAST SIDE HAD GOOD GRAVEL SUBSTRATES. 6.4" RB IN '00 SHOWS SOME REPRO.

GREG ALDRICH CAUGHT 12 & 13.5" FAT RB'S - MEMORIAL DAY 1993. RAINBOWS HAVE BEEN PLANTED INTO THE SNOW LAKES IN '50, '78, '89, & '93. BOB LESHER & KIM LATTERAL FOUND 6-12" FISH RISING & CRUISING 7/7/06.

LAKE NAME: MARGARET LAKE COUNTY: 49 T: 9S R: 15E SEC: 26  
DRAINAGE: CLARKS FORK ELEV: 8100 ACREAGE: 3.9 DEPTH: 22 FT  
LOCATION: 45.01601, -109.8304 MARCUSONS CODE: 66

ACCESS: GOOD TRAIL TO VERNON LAKE, THEN HEAD NORTH 1/4 MILE CROSS COUNTRY TO MARGARET LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	2.5	(2)	+400	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/2000

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Yellowstone Cutthroat	5	20	17.3-23.3
2000	Yellowstone Cutthroat	5	18.6	16.8-20.6
1993	Yellowstone Cutthroat	7	13.8	12.5-14.6

STOCKING HISTORY STOCKING PLAN

2008: Yellowstone Cutthroat (490 fish)  
2002: Yellowstone Cutthroat (490 fish)  
1996: Yellowstone Cutthroat (490 fish)

COMMENTS: WARM WATER, LILY PADS, SWAMPY SHORELINE. '93 - MANY CRUSTACEANS AND OTHER AQUATIC INVERTEBRATES. FISH WERE PLUMP. NO SPAWNING POTENTIAL. INFLOW SEEPS FROM A MARSH. OUTLET IS SILTED.

CAMP SITES: NO CAMPING AT LAKE (FLOATING BOG AT OUTLET). LOTS OF FIREWOOD.

SURVEY NOTES:

STOCKED EVERY 6 YEARS. BEAR COUNTRY. PLANTED IN 1990 BY HORSEBACK. DENNIS H-8/98-BEANO S CAUGHT A NICE BROOK TROUT & SAW OTHERS! WHAT STOCKING RATE? 100/ACRE? 125/? 150/? PROBABLY 125/ACRE. DETERMINE AFTER SURVEY. 137/ACRE STOCKED IN '90.

LOWER THE RATE AND GROW WHOPPERS? CUTTHROAT PLANTED '55, '72, '78, '81, '89. NO FISH CAUGHT IN AN '89 GILL NET. BIG FISH CAUGHT HERE GLENN OWENS IN '05. BIG FAT FISH SAMPLED IN '06 UP TO 4.6LBS.

LAKE NAME: LOWER STORM LAKE COUNTY: 32 T: 7S R: 15E SEC: 35,36  
DRAINAGE: WEST ROSEBUD ELEV: 9839 ACREAGE: 17.8 DEPTH: 95 FT  
LOCATION: 45.18367, -109.82079 MARCUSONS CODE: 10

ACCESS: START FROM MYSTIC LAKE. TRAIL TO HUCKLEBERRY CREEK, THEN CROSS COUNTRY. 2 MILES OF STEEP TERRAIN.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
MYSTIC LAKE	9.25	(8)	+3,900	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/6/2001

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2001	Yellowstone Cutthroat	12	14.2	9.5-16.8
2001	Yellowstone Cutthroat	10	12.1	9.8-13.4
1990	Yellowstone Cutthroat	8	13.4	7.5-17

STOCKING HISTORY STOCKING PLAN

2003: Yellowstone Cutthroat (890 fish)  
1995: Yellowstone Cutthroat (890 fish)  
1987: Yellowstone Cutthroat (1800 fish)

COMMENTS: MANAGEMENT IS FOR A TROPHY FISHERY. #S STOCKED IN '95 LOWERED TO 890 TO INCREASE GROWTH. 50/ACRE. CUTTHROAT FIRST PLANTED IN 1950, THEN 1979.

CAMP SITES: CAMPSITES ARE LIMITED. SCARCE FIREWOOD. ABOVE TREELINE.

SURVEY NOTES:

STOCKED EVERY 8 YEARS. GILL NET SET FOR 20 HOURS IN '90. FISH WERE FAT. '01 FISH WERE HOOK & LINED. POOR SPAWNING POTENTIAL. CONTINUE CURRENT STOCKING PROGRAM. LITTLE USE. TRY TO SAMPLE WITH HUCKLEBERRY LAKE.

LAKE NAME: MARIANE LAKE COUNTY: 10 T: 9S R: 16E SEC: 9  
DRAINAGE: CLARKS FORK ELEV: 9542 ACREAGE: 50.8 DEPTH: 70 FT  
LOCATION: 45.05896, -109.75991 MARCUSONS CODE: 102

ACCESS: TAKE TRAIL #567 FROM KERSEY LAKE TO RUSSEL LAKE. FROM RUSSEL LAKE HEAD EAST ~2 MILES ON A GOOD TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	8.3	(8.3)	+1,900	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/19/1999

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1999	Brook Trout	15	8.7	6.5-11.5
1990	Brook Trout	69	8.9	6.3-11
1973	Brook Trout	35	7.6	6.5-9.7

STOCKING HISTORY STOCKING PLAN

COMMENTS: RAINBOW TROUT OCCUPIED THE LAKE IN THE 50'S AND 60'S. BROOKIES DOMINATE THE FISHERY NOW. TREMENDOUS SPAWNING INLET.

CAMP SITES: GOOD CAMPSITES. LOTS OF FIREWOOD. HEAVY USE.

SURVEY NOTES:

8/7/87 D HAGENSTON FOUND 9" EB. '89 CREEL CARDS 5 EB <8-<16". MARIANE MAY BE A GOOD PLACE TO PLANT LAKE TROUT. THESE BROOKIES ARE STUNTED AND PREDATION BY LAKE TROUT MIGHT INCREASE THEIR GROWTH. PLANT 2540 LAKE TROUT WHEN AVAILABLE. SURVEY FIRST.

LAKE NAME: MARKER LAKE COUNTY: 10 T: 8S R: 17E SEC: 23CB  
DRAINAGE: ROCK CREEK ELEV: 10870 ACREAGE: 15.5 DEPTH: 115FT  
LOCATION: 45.11368, -109.60416 MARCUSONS CODE: 62

ACCESS: 2 MILES FROM MAINTAINED TRAIL AT SUNDANCE LAKE. HEAD NW FROM SUNDANCE BRIDGE. TOUGH CLIMB, WORTH IT.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WEST FORK ROCK	9	(6.5)	+3,007	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stocked

LAST GILL NET SET: 8/1/2001

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2001	Yellowstone Cutthroat	43	15.5	11.1-17.8
1990	Yellowstone Cutthroat	20	13.7	10.8-17.3
1981	Yellowstone Cutthroat	39	10.5	6.1-16.2

STOCKING HISTORY	STOCKING PLAN
2002: Yellowstone Cutthroat (3100 fish)	2010: Yellowstone Cutthroat (3100 fish)
1994: Yellowstone Cutthroat (3100 fish)	
1986: Yellowstone Cutthroat (3080 fish)	

COMMENTS: G. OWENS '00 - 14-18" VERY FAT AND HEALTHY. 8/15/84 USFS REPORTS DIFFICULT TO CATCH CT'S IN GOOD CONDITION. 3 KEPT, AVE SIZE 15", MAX. = 20". HIGHEST FISHERY IN THE BEARTOOTH. '01 FISH NOT FAT.

CAMP SITES: ABOVE TIMBERLINE. POOR CAMPING, NO FIREWOOD.

SURVEY NOTES:

GROWTH STUDY WAS DONE IN THIS LAKE. SEE HOW CURRENT AND PAST STOCKING HAS AFFECTED GROWTH RATES. '90 - EASY TO CATCH AND VERY HEALTHY. GILL NET SET FOR 1.5 HOURS. FISH WERE FAT. STOCKING RATES SEEM RIGHT ON. '93 - BOB WHITE SAW 10" & 18-20" FISH.

FISH CAUGHT WERE THIN (ICE OUT ABOUT 8/1). RE-EVALUATE PLANTING SCHEDULE. CT'S STOCKED '50, '72, '78.

LAKE NAME: MARTES LAKE COUNTY: 40 T: 7S R: 13E SEC: 2,3  
DRAINAGE: STILLWATER ELEV: 9150 ACREAGE: 17.5 DEPTH: 33 FT  
LOCATION: 45.24941, -110.08534 MARCUSONS CODE: 65

ACCESS: ACCESSED FROM BOX CANYON TRAIL, UPSIDEDOWN TRAIL, OR WOODBINE TRAIL THE LAKE IS NORTH OF THE MIDDLE FORK OF WOUNDED MAN CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BOX CANYON TRAI	18.5	(18)	+3,600	-900
WOODBINE	19.5	(19)	+4,200	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/7/2002

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2002	Yellowstone Cutthroat	2	15.7	15-16.3
1994	Yellowstone Cutthroat	5	15.1	14.3-16.1
1985	Yellowstone Cutthroat	6	12.7	11.3-14.5

STOCKING HISTORY	STOCKING PLAN
2003: Yellowstone Cutthroat (875 fish)	2011: Yellowstone Cutthroat (875 fish)
1995: Yellowstone Cutthroat (875 fish)	
1987: Yellowstone Cutthroat (1755 fish)	

COMMENTS: MARTES PRODUCES LARGE FISH. FIRST CT PLANT '69, THEN '79. STOCK EVERY EIGHT YEARS TO MAINTAIN THE TROPHY FISHERY. WE CUT THE NUMBERS OF THE '95 PLANT TO 50/ACRE TO BOOST GROWTH RATES.

CAMP SITES: SOME GOOD CAMP SPOTS AT EAST END OF LAKE WITH PLENTY OF FUEL.

SURVEY NOTES:

JACK ROBERTSON REPORTS 1.5 - 2.5 LB CT'S IN 1990. NO LONGER TROPHIES IN 1994, 7 YEAR OLDS ARE 15" LONG. DAVE FISCHER REPORTS SLOW FISHING FOR 12-13" CT'S IN 1999. '02 FISH WERE 'BIG AND FAT'.

VERY LITTLE USE.

LAKE NAME: MARSH LAKE COUNTY: 49 T: 9S R: 15E SEC: 9CD  
DRAINAGE: CLARKS FORK ELEV: 9018 ACREAGE: 3.8 DEPTH: 25 FT  
LOCATION: 45.05826, -109.87143 MARCUSONS CODE: 19

ACCESS: TRAIL #31 TO LADY OF THE LAKE. CROSS THE OUTLET STREAM HERE AND AT SWAMP LAKE TO THE EAST. THEN TO WEIDY LAKE AND SOUTHEAST TO MARSH.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
LADY OF THE LAK	4	(1.5)	+650	-480

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/2002

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Yellowstone Cutthroat	12	12.3	11-14.5
2002	Yellowstone Cutthroat	18	14.6	12.3-14.5
2000	Yellowstone Cutthroat	8	11.4	10.5-12

STOCKING HISTORY	STOCKING PLAN
2003: Yellowstone Cutthroat (380 fish)	2009: Yellowstone Cutthroat (380 fish)
1997: Yellowstone Cutthroat (380 fish)	
1980: Rainbow Trout (402 fish)	

COMMENTS: A LOT OF DOWNFALL TO HIKE OVER. DESMET RB WERE PLANTED IN '80. RALPH SAUNDERS REPORTS NO FISH IN 1984. ANGLER REPORTS BARREN IN 1987. PUT ON A 6 YEAR STOCKING ROTATION - 100/ACRE.

CAMP SITES: ADEQUATE CAMPSITES ARE AVAILABLE AND FIREWOOD IS ABUNDANT.

SURVEY NOTES:

DETERMINE STATUS AND MANAGEMENT PLAN. FISH MAY HAVE A TOUGH TIME IN THIS LAKE. HARRY YATES REPORTS 10" CT IN GOOD CONDITION SUMMER '92. D HAGENSTON 8/95 - CUTTS 15" IN GOOD SHAPE. '96 FISH IN AVERAGE CONDITION. D HAGENSTON 8/99 - ONE 10" GRAYLING!

MISSED AIR PLANT FROM MOSQUITO '97? NICE PLACE TO CAMP. PRETTY LAKE - SEEMS SECLUDED. NO FISH WERE CAUGHT IN '89 BUT CT'S STOCKED THAT YEAR AND AGAIN IN '91.

REASSESS PLANT BEFORE '09. MAY WANT TO TWEAK BACK NUMBERS TO 50 OR 75/ACRE. FISH WERE A BIT THIN IN '02. FISH FROM 3-14" WERE SEEN IN '02. MFWP 06 SURVEY 11-14.5" CUTTS.

LAKE NAME: MARTIN LAKE COUNTY: 10 T: 9S R: 17E SEC: 21B  
DRAINAGE: CLARKS FORK ELEV: 9660 ACREAGE: 31.4 DEPTH: 42 FT  
LOCATION: 45.03252, -109.64216 MARCUSONS CODE: 211

ACCESS: TRAILS FROM THE BEARTOOTH BUTTE AREA ON HWY 212 SERVE THE AREA. THE LAKE IS EAST OF LAKE ELAINE AND GREEN LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLAY BUTTE	10	(9.75)	+820	-620

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/17/2005

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Brook Trout	11	7.8	6.8-9.5
1993	Brook Trout	10	8.8	7.4-10.3
1974	Brook Trout	37	7.6	6-9.5

STOCKING HISTORY	STOCKING PLAN
1937: Brook Trout (10620 fish)	
1936: Yellowstone Cutthroat (8400 fish)	

COMMENTS: THE INLETS AND OUTLETS OF ALL THIS CHAIN HAVE GRAVEL FOR SPAWNING.

CAMP SITES: NICE PLACES TO CAMP. PLENTY OF FIREWOOD.

SURVEY NOTES:

'93 NET SET FOR 4 HRS. '93 ALL FISH WERE FAIRLY THIN AND STUNTED.



LAKE NAME: MEDICINE LAKE		COUNTY: 10		T: 8S	R: 16E	SEC: 20.21
DRAINAGE: EAST ROSEBUD		ELEV: 9906	ACREAGE: 30.3	DEPTH: 42 FT		
LOCATION: 45.11883, -109.76976			MARCUSONS CODE: 33			
ACCESS: UP THE WELL TRAVELED TRAIL FROM EAST ROSEBUD LAKE TO TWIN OUTLETS LAKE THEN NORTHWEST TO MEDICINE LAKE.						
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>		
ALPINE (EAST ROS	15.5	(14.5)	+3,860	-160		
<u>SPECIES PRESENT</u>		<u>ABUNDANCE</u>	<u>STATUS</u>			
Yellowstone Cutthroat		Common	Stocked			
LAST GILL NET SET: 8/1/1990						
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>		
2001	Yellowstone Cutthroat	30	13.8	12.5-15.2		
1990	Yellowstone Cutthroat	8	12.8	11.8-15		
1981	Yellowstone Cutthroat	0		-		
<u>STOCKING HISTORY</u>			<u>STOCKING PLAN</u>			
2003: Yellowstone Cutthroat (3030 fish)			2013: Yellowstone Cutthroat (3030 fish)			
1993: Yellowstone Cutthroat (3030 fish)						
1955: Golden Trout (6400 fish)						
COMMENTS: LAKE SHOULD BE ALLOWED TO REST BETWEEN PLANTS. CUTTHROATS STOCKED IN 1971, '78, '85.						
CAMP SITES: FEW CAMPSITES. LITTLE USE. NO FIREWOOD.						
<u>SURVEY NOTES:</u>						
MANY FISH IN 2001. HAD BEEN STOCKED EVERY 6 THEN 8 YRS. WE WILL NOW STOCK EVERY 10 YEARS. D HAGENSTON 8/29/89 12" CT'S, SOME SKINNY. '90 GILL NET SET FOR 3.5 HOURS. FISH WERE FAT. NO FISH NETTED IN TWO PREVIOUS SURVEYS.						
ARLEN LUNDBERG AND CREW COULD TURN ONLY 2 15"ERS HERE IN '00. SAW 4 OTHERS.						

  

LAKE NAME: MERMAID LAKE		COUNTY: 49		T: 8S	R: 15E	SEC: 36DDA
DRAINAGE: CLARKS FORK		ELEV: 9700	ACREAGE: 6.8	DEPTH: 30 FT		
LOCATION: 45.08778, -109.80047			MARCUSONS CODE: 91			
ACCESS: ALONG EAST ROSEBUD-COOKE CITY TRAIL #567. MERMAID IS BETWEEN SKULL AND FOSSIL LAKES. GO NORTH OVER A SMALL RIDGE FROM THE SOUTH SIDE OF SKULL.						
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>		
CLARKS FORK	9.5	(9.2)	+2,200	-150		
<u>SPECIES PRESENT</u>		<u>ABUNDANCE</u>	<u>STATUS</u>			
Yellowstone Cutthroat		Rare	Stocked			
LAST GILL NET SET: 8/13/2003						
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>		
2003	Yellowstone Cutthroat	1	18.3	18.3-18.3		
1996	Yellowstone Cutthroat	3	14.1	13.4-14.7		
1989	Yellowstone Cutthroat	3	16.8	12.4-19.5		
<u>STOCKING HISTORY</u>			<u>STOCKING PLAN</u>			
2006: Yellowstone Cutthroat (680 fish)			2014: Yellowstone Cutthroat (680 fish)			
1998: Yellowstone Cutthroat (680 fish)						
1990: Unknown Species (683 fish)						
COMMENTS: THIS LAKE IS ALONG THE BUSIEST TRAIL IN THE BEARTOOTH. CURRENT MANAGEMENT PRODUCING TROPHY FISH AS INTENDED-NO CHANGE. '89 - WHERE DID THE 12.4" FISH COME FROM? - READ SCALES.						
CAMP SITES: THERE ARE LEVEL PLACES TO CAMP BUT NO FIREWOOD.						
<u>SURVEY NOTES:</u>						
'89 FISH WERE VERY FAT. SAW NO OTHERS CRUISING OR RISING. '96 FISH IN GOOD CONDITION. LEAVE AS IS - NO CHANGES. '89 CREEL CARDS 1 CT >16". BEANO HEARD FISHING WAS GOOD IN '96. AN ANGLER REPORTED CATCHING A BROOK TROUT IN AUG. '98!!						
CALLED FULCRUM LAKE ON USGS 7.5' QUAD.						

LAKE NAME: MIDNIGHT LAKE

DRAINAGE: CLARKS FORK

LOCATION: 45.02659, -109.69635

COUNTY: 10

ELEV: 9480

MARCUSONS CODE: 164

T: 9S

R: 16E

SEC: 24DB

ACREAGE: 5.1

DEPTH: 30 FT

ACCESS: NORTH FROM CLAY BUTTE TRAILHEAD PAST GRANITE LAKE. THEN NW TO LAKE ELAINE. THEN SW TO MIDNIGHT OR TRAIL 568/612 FROM IVY LAKE JEEP TRAIL TRAILHEAD

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

IVY LAKE JP TRAIL

7.25

(6.75)

+1,900

-350

CLAY BUTTE

SPECIES PRESENT

ABUNDANCE

STATUS

Brook Trout

Abundant

Self-Sustained

LAST GILL NET SET: 8/1/1975

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

1994

Brook Trout

55

8.1

6.7-10.3

1975

Brook Trout

53

7.9

6.5-8.5

STOCKING HISTORY

STOCKING PLAN

COMMENTS: FISH MOVE BETWEEN FARLEY LAKE AND MIDNIGHT LAKE. SEDIMENT LADEN INLET, COBBLE OUTLET. CALLED RED STORM LAKE ON USGS 7.5' QUAD. PRETTY LAKE.

CAMP SITES: A COUPLE OF PLACES TO CAMP. PLENTY OF FIREWOOD AVAILABLE.

SURVEY NOTES:

D HAGENSTON 8/9/87 9" EB. '94 AS IN '75 - BROOKIES ARE OVERABUNDANT, AVERAGE TO THIN CONDITION, DEFINITELY STUNTED.

LAKE NAME: MOCCASIN LAKE

DRAINAGE: CLARKS FORK

LOCATION: 45.08309, -109.84892

COUNTY: 49

ELEV: 9400

MARCUSONS CODE: 52

T: 9S

R: 15E

SEC: 3

ACREAGE: 6.8

DEPTH: 30 FT

ACCESS: THE OUTLET DRAINS INTO THE BROADWATER RIVER 1 MILE NORTH OF BROADWATER LAKE. NO TRAIL EXISTS.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

GOOSE LAKE JEEP

4.5

(3.5)

+900

-830

LADY OF THE LAK

SPECIES PRESENT

ABUNDANCE

STATUS

Brook Trout

Common

Self-Sustained

LAST GILL NET SET: 8/1/1994

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2006

Brook Trout

13

9.11

7-10.5

1994

Brook Trout

7

8.4

6.3-9.8

1973

Brook Trout

35

6.9

6.1-10

STOCKING HISTORY

STOCKING PLAN

COMMENTS: SELF-SUSTAINING BROOKIE LAKE. '94 FISH - ON THE POOR AND SKINNY SIDE.

CAMP SITES: PLENTY OF FIREWOOD AND NICE CAMPSITES.

SURVEY NOTES:

D HAGENSTON 8/92 REPORTS 10" EB'S - AVERAGE CONDITION. D HAGENSTON 8/95 REPORTS 8-9" EB'S - LARGE HEADS. MFWP 06 SURVEY AVERAGE FISH 7-10.5"

LAKE NAME: MIRROR LAKE

DRAINAGE: BOULDER

LOCATION: 45.27704, -110.1494

COUNTY: 40

ELEV: 9740

MARCUSONS CODE: 16

T: 6S

R: 13E

SEC: 30

ACREAGE: 16.4

DEPTH: 80 FT

ACCESS: ON LAKE PLATEAU IN THE HEADWATERS OF RAINBOW CREEK. ACCESS VIA USFS TRAIL #26.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

UPSIDEDOWN TRAI

9.5

(8.5)

+3,550

-100

SPECIES PRESENT

ABUNDANCE

STATUS

Rainbow Trout

Common

Self-Sustained

LAST GILL NET SET: 8/1/1993

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2003

Rainbow Trout

8

10.4

8-12

1993

Rainbow Trout

11

9

6.1-11.5

1988

Rainbow Trout

12

9.2

5.5-12.6

STOCKING HISTORY

STOCKING PLAN

COMMENTS: PLANTING HISTORY UNKNOWN. NO CHANGE IN MANAGEMENT ADVISED. REPRODUCTION APPEARS EXCELLENT. SPAWNING OCCURRING IN INLET STREAMS. COULD USE MORE HARVEST.

CAMP SITES: CAMPSITES BEST NEAR THE OUTLET. SOME FIREWOOD NEARBY.

SURVEY NOTES:

RB'69 - 8 FISH 6.5-13.3" AVE. 11.0". FISH SIZES SIMILAR TO LAST NETTING - 1988. '88 - FISH WERE IN GOOD SHAPE. '93 - FISH WERE SMALL BUT HEALTHY. ANGLER REPORTS SEEING LOTS OF FISH IN 1999. FISH FROM 3 -12" SEEN IN '03.

LAKE NAME: MOON LAKE

DRAINAGE: ROCK CREEK

LOCATION: 45.03801, -109.53707

COUNTY: 10

ELEV: 10400

MARCUSONS CODE: 15

T: 9S

R: 18E

SEC: 20,17

ACREAGE: 82.2

DEPTH: 115FT

ACCESS: 4 MILES OF HIKING FROM THE END OF THE GLACIER LAKE (ROCK CREEK) ROAD. BREAK OFF GLACIER TRAIL AT THE BRIDGE.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

GLACIER LAKE

4

(4)

+1,680

-0

SPECIES PRESENT

ABUNDANCE

STATUS

Yellowstone Cutthroat

Abundant

Stocked

LAST GILL NET SET: 8/1/1991

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2002

Yellowstone Cutthroat

31

13.9

9-17.1

1991

Yellowstone Cutthroat

28

12.5

8.2-15.7

1981

Yellowstone Cutthroat

7

12.4

8.3-17

STOCKING HISTORY

STOCKING PLAN

2008: Yellowstone Cutthroat (8220 fish)

2011: Yellowstone Cutthroat (8220 fish)

2005: Yellowstone Cutthroat (8220 fish)

2002: Yellowstone Cutthroat (8220 fish)

COMMENTS: IF FISH GROWTH REMAINS GOOD AND THE DAPHNIA DENSITY REMAINS STABLE, CONTINUE TO STOCK EVERY 3 YEARS WITH 8,000 FISH/YEAR SPAWNING AREAS LIMITED.

CAMP SITES: MANY PLACES TO CAMP BUT NO FIREWOOD. WINDY.

SURVEY NOTES:

STOCKED EVERY 3 YEARS. CHECK ON GROWTH AND FOOD SUPPLY AND DECIDE ON BEST STOCKING PROGRAM. '89 CREEL CARDS 51 CT'S 12-16", 1 SMALLER, 6 LARGER. 3 EB?? 8-12" RANGE. '91& '02 - FISH IN GOOD SHAPE - FAT. BROOKIE PLANT 1938.

CT PLANTS '53, '55, '69, '72, '75, '81, '84, '87, '90, '93, '96, '99.

LAKE NAME: MOSQUITO LAKECOUNTY: 49T: 9S R: 15E SEC: 9ACDRAINAGE: CLARKS FORKELEV: 9020ACREAGE: 3.0DEPTH: 21 FTLLOCATION: 45.06596, -109.8676MARCUSONS CODE: 18A

ACCESS: TRAIL #31 TO LADY OF THE LAKE. CROSS THE OUTLET STREAM HERE AND AT SWAMP LAKE TO THE EAST. THEN NORTHEAST FROM THE NORTH SIDE OF WEIDY LAKE.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

LADY OF THE LAK4(1.5)+730-450

SPECIES PRESENTABUNDANCESTATUS

Arctic GraylingUnknownUnknown

LAST GILL NET SET: 8/1/1996

YearSpecies Caught# of fishAve Lenght(in)Range(in)

2002Arctic Grayling0-

1996No Fish Captured0-

STOCKING HISTORYSTOCKING PLAN

2008: Arctic Grayling (300 fish)2016: Arctic Grayling (300 fish)

1997: Arctic Grayling (312 fish)

1992: Arctic Grayling (300 fish)

COMMENTS: GRAYLING WERE STOCKED IN 1985, '91, '92 & '97 BUT NO FISH HAVE BEEN SAMPLED. LOCAL OUTFITTER REPORTS CATCHING GR'S UP TO 17" IN '95, BUT NONE IN '96. GRAYLING STOCKED EVERY 8 YEARS.

CAMP SITES: REALLY NICE CAMP SITES. PLENTY OF FIREWOOD AVAILABLE.

SURVEY NOTES:

D HAGENSTON 8/95 - NO SIGN OF FISH. NO FISH SEEN IN '96. LAKE WATER CLEAR. VISIBILITY DOWN TO 10-12'. TONS OF FISH FEED IN THIS LAKE. TWO NETS SET IN 2002.

D HAGENSTON 8/99 - NO FISH ACTIVITY, LOTS OF SHRIMP. '97 GRAYLING PLANT MAY HAVE GONE INTO MARSH LAKE. GOOD GRIZZLY COUNTRY!

LAKE NAME: MOUNTAIN SHEEP LAKECOUNTY: 10T: 9S R: 18E SEC: 30DRAINAGE: ROCK CREEKELEV: 9985ACREAGE: 7.3DEPTH: 18 FTLLOCATION: 45.01843, -109.55862MARCUSONS CODE: 12

ACCESS: HEADWATERS OF ROCK CREEK. 2 MILES OF STEEP TRAIL TO GLACIER LAKE. 1 MILE CROSS COUNTRY (NW).

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

GLACIER LAKE3.5(2)+1,400-150

SPECIES PRESENTABUNDANCESTATUS

Yellowstone CutthroatCommonStocked

LAST GILL NET SET: 8/4/1999

YearSpecies Caught# of fishAve Lenght(in)Range(in)

1999Yellowstone Cutthroat2413.512.5-15.8

1990Yellowstone Cutthroat1613.77.3-16.4

1981Yellowstone Cutthroat111210.2-13.7

STOCKING HISTORYSTOCKING PLAN

1976: Yellowstone Cutthroat (1620 fish)

1969: Yellowstone Cutthroat (2430 fish)

COMMENTS: FISH MOVE INTO MTN SHEEP LAKE FROM MTN GOAT LAKE. MANAGEMENT OF MTN SHEEP IS DEPENDENT ON MGMT OF MTN GOAT. STOCKING AT MOUNTAIN GOAT SEEMS RIGHT ON.

CAMP SITES: FUEL FOR FIRES IS SCARCE. POOR CAMPING.

SURVEY NOTES:

SURVEY WITH MOUNTAIN GOAT LAKE. '90 GILL NET SET FOR 19.5 HOURS. FISH WERE FAT. SOME REPRODUCTION WAS EVIDENT IN '90. '99 FISH WERE FAT. SEPT.'08 FRANK EWALT ANGLED 15 YCT, APPROX 1.5 LBS.

LAKE NAME: MOUNTAIN GOAT LAKECOUNTY: 10T: 9S R: 18E SEC: 30BADRAINAGE: ROCK CREEKELEV: 10040ACREAGE: 12.5DEPTH: 60 FTLLOCATION: 45.02006, -109.5565MARCUSONS CODE: 11

ACCESS: HEADWATERS OF ROCK CREEK. 2 MILES OF STEEP TRAIL TO GLACIER LAKE AND 1 MILE CROSS COUNTRY (NW).

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

GLACIER LAKE3.5(2)+1,500-150

SPECIES PRESENTABUNDANCESTATUS

Yellowstone CutthroatCommonStocked

LAST GILL NET SET: 8/4/1999

YearSpecies Caught# of fishAve Lenght(in)Range(in)

1999Yellowstone Cutthroat913.311.3-15.5

1990Yellowstone Cutthroat912.310.6-14.1

1984Yellowstone Cutthroat2812.66.2-17.2

STOCKING HISTORYSTOCKING PLAN

2006: Yellowstone Cutthroat (1000 fish)2010: Yellowstone Cutthroat (1000 fish)

2002: Yellowstone Cutthroat (1000 fish)

1998: Yellowstone Cutthroat (1000 fish)

COMMENTS: FISH SPEND THREE YEARS IN THE LAKE THEN MIGRATE INTO MOUNTAIN SHEEP LAKE. CUTTHROAT STOCKED '69, '76, '82, '86, '90.

CAMP SITES: FIREWOOD SCARCE. POOR CAMPSITES NEAR TIMBERLINE.

SURVEY NOTES:

STOCKED EVERY 4 YEARS. SEEMS RIGHT ON. '90 GILL NET SET FOR 18.5 HOURS. FISH WERE IN AVERAGE CONDITION. '99 FISH WERE VERY FAT. '08 FRANK EWALT ANGLED 2 FISH APPROX. 8-10".

LAKE NAME: MOUNTAIN VIEW LAKECOUNTY: 32T: 5S R: 15E SEC: 20DRAINAGE: STILLWATERELEV: 6750ACREAGE: 4.0DEPTH: 13.0LLOCATION: 45.38711, -109.90126MARCUSONS CODE:

ACCESS: ACCESS OFF FOREST SERVICE ROAD 846 NEAR NYE BEHIND STILLWATER MINE. TAKE FIRST (GATED) ROAD 45.410 N /109.879 W ON YOUR LEFT WHEN YOU GET TO HORSEMAN FLATS. BUSHWACK NO TRAIL. RECOMMEND USING GPS TO HELP YOU

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

HORSEMAN FLATS2.0NO

SPECIES PRESENTABUNDANCESTATUS

Brook TroutUnknownUnknown

White SuckerAbundantSelf-Sustained

LAST GILL NET SET: 8/9/1989

YearSpecies Caught# of fishAve Lenght(in)Range(in)

1989White Sucker318.16.5-11.1

1989Brook Trout37.16.4-8

STOCKING HISTORYSTOCKING PLAN

COMMENTS: OUTSIDE A-B WILDERNESS. MORE THAN A FEW GAPS IN OUR DATA ON THIS ONE.

CAMP SITES:

SURVEY NOTES:

LAKE CHUBS PRESENT '89. JEREMIAH WOOD 406-328-4594 HAS THE PARTICULARS ON THIS LAKE.

LAKE NAME: MOUSE LAKE		COUNTY: 40		T: 7S	R: 13E	SEC: 22AC
DRAINAGE: STILLWATER		ELEV: 9650	ACREAGE: 6.9	DEPTH: 30 FT		
LOCATION: 45.20934, -110.09574		MARCUSONS CODE: 55				
ACCESS: TRAIL #27 UP EAST FORK OF MAIN BOULDER-LAKE KATHLEEN-RAINBOW CREEK-LAKE COLUMBINE-COLUMBINE PASS. THEN AROUND UNNAMED LAKE TO EAST THEN SE.						
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>		
BOX CANYON	13.5	(12.5)	+3,650	-500		
WOODBINE	22.5	(21.5)	+3,850	-0		
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>		<u>STATUS</u>			
Yellowstone Cutthroat	Abundant		Stock, with some natural reproduction			
LAST GILL NET SET: 8/1/1998						
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>		
2008	Yellowstone Cutthroat	22	14.6	12.3-15.9		
1998	Yellowstone Cutthroat	23	12	7.5-14.3		
1992	Yellowstone Cutthroat	0		-		
<u>STOCKING HISTORY</u>	<u>STOCKING PLAN</u>					
2008: Yellowstone Cutthroat (300 fish)		2016: Yellowstone Cutthroat (345 fish)				
2000: Yellowstone Cutthroat (690 fish)						
1992: Yellowstone Cutthroat (690 fish)						
COMMENTS: IN 1979 4"-10" FISH WERE OBSERVED BELOW THE S.E. OUTLET. NO TROUT OBSERVED OR NETTED IN 1992. 582 CT'S PLANTED IN 1970.						
CAMP SITES: THERE ARE FLAT AREAS (ROCKY) NEAR THE LAKE WITH FIREWOOD.						
<u>SURVEY NOTES:</u>						
SOME REPRODUCTION SEEMS TO BE TAKING PLACE IN YEARS OF EXCESSIVE SNOWMELT IN A TINY INLET WITH A GRAVEL SUBSTRATE. '92 - THERE WAS A LOT OF EVIDENCE OF USE. CHECK BEFORE '08 PLANT - CONSIDER CUTTING PLANT TO 50/ACRE EVERY 8 YEARS.						
'98 - OTHER FISH 4-13" SEEN RISING. SURVEYED 08, NICE FISH, SUGGEST CAMPING AT FAVONIUS OR PENTAD.						
'08 PLANT CUT TO 300. MONITOR BEFORE 2016 TO ASSESS STOCKING RATE.						

LAKE NAME: MYSTIC LAKE		COUNTY: 32		T: 7S	R: 16E	SEC: 7,8,9
DRAINAGE: WEST ROSEBUD		ELEV: 7673	ACREAGE: 435.0	DEPTH: 220FT		
LOCATION: 45.22191, -109.78589		MARCUSONS CODE: 4				
ACCESS: 3 MILES OF GOOD TRAIL FROM THE END OF THE WEST ROSEBUD CREEK ROAD.						
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>		
MYSTIC LAKE	3	(3)	+1,300	-0		
<u>SPECIES PRESENT</u>		<u>ABUNDANCE</u>	<u>STATUS</u>			
Rainbow Trout		Common	Self-Sustained			
LAST GILL NET SET: 8/15/1984						
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>		
1984	Rainbow Trout	23	10.2	6-13.6		
<u>STOCKING HISTORY</u>		<u>STOCKING PLAN</u>				
1951: Rainbow Trout (2750 fish)						
1950: Rainbow Trout (2000 fish)						
1949: Rainbow Trout (15000 fish)						
COMMENTS: LARGEST LAKE IN THE A-B WILDERNESS. ONE OF THE FEW LAKES WITH SELF-SUSTAINING RAINBOW TROUT. RB'S FIRST STOCKED 1941. CUTTHROAT PLANTED ONCE IN 1944.						
CAMP SITES: LAKE RECIEVES A LOT OF USE. CAMPSITES AND FIREWOOD AVAILABLE.						
<u>SURVEY NOTES:</u>						
JEREMIAH WOOD HAS CURRENT INFO. 406-328-4594						
SAMPLE WITH PPL IN 2009.						

LAKE NAME: MUTT LAKE		COUNTY: 49		T: 8S	R: 14E	SEC: 36BC
DRAINAGE: STILLWATER		ELEV: 9190	ACREAGE: 1.5	DEPTH: 3.5FT		
LOCATION: 45.09167, -109.93656		MARCUSONS CODE: 47				
ACCESS: MUTT IS ACCESSIBLE FROM THE GOOSE LAKE JEEP TRAIL. OUTSIDE THE A-B WILDERNESS.						
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>		
GOOSE LAKE JEEP	2	(1)	+0	-640		
<u>SPECIES PRESENT</u>		<u>ABUNDANCE</u>	<u>STATUS</u>			
Brook Trout		Unknown	Unknown			
LAST GILL NET SET: 8/19/2008						
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>		
2008	Brook Trout	0		-		
2003	Brook Trout	15	4.4	3.8-5		
1994	Brook Trout	15	5.9	3.4-9.2		
<u>STOCKING HISTORY</u>		<u>STOCKING PLAN</u>				
COMMENTS: ROTENONE PROJECT TO REMOVE EB 07-09 WILL BE PLANTED WITH 8 INCH YCT WHEN PROJECT IS COMPLETED. OUTLET FLOWS INTO GOOSE CREEK WHICH HAS EXCELLENT SPAWNING GRAVEL AND PERMANENT FLOWS. FISH						
CAMP SITES: SOME CAMPSITES. SCARCE FIREWOOD.						
<u>SURVEY NOTES:</u>						
THE INLET STREAM FROM JEFF LAKE HAS EXCELLENT SPAWNING GRAVEL AND FLOW. THIS LAKE COULD USE MORE HARVEST. '94 FISH APPEARED IN AVERAGE HEALTH. '03 FISH WERE ANGLED - LOTS OF 2" FISH SEEN ALONG SHORE. SURVEYED 08. NO FISH NETTED.						

LAKE NAME: NARROW ESCAPE LAKE		COUNTY: 40	T: 6S	R: 13E	SEC: 19
DRAINAGE: BOULDER		ELEV: 9340	ACREAGE: 11.6	DEPTH: 20 FT	
LOCATION: 45.29958, -110.14991		MARCUSONS CODE: 4			
ACCESS: HEADWATERS OF HAWLEY CREEK. ACCESS BEST FROM RAINBOW AND/OR MIRROR LAKE. NO TRAIL FROM EITHER LAKE. TAKE THE WEST EDGE OF SQUEEZE LAKE.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
UPSIDEDOWN CRE	14.5	(11.5)	+4,000	-1,000	
BOX CANYON	14.5	(11.5)	+3,200	-500	
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>		<u>STATUS</u>		
Yellowstone Cutthroat	Common		Self-Sustained		
LAST GILL NET SET: 8/1/1997					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
2001	Yellowstone Cutthroat	9	12.4	8.4-14.8	
1997	Yellowstone Cutthroat	9	12	10.2-14.9	
1996	Yellowstone Cutthroat	2	16.7	15.6-17.8	
<u>STOCKING HISTORY</u>	<u>STOCKING PLAN</u>				
1989: Yellowstone Cutthroat (1100 fish)					
1977: Yellowstone Cutthroat (1100 fish)					
COMMENTS: THE FISHERY IS SELF-SUSTAINING. VERIFY IN FUTURE. NETTED IN 1988 FOR 2 HOURS - NO FISH CAUGHT OR SEEN. '97 FISH WERE VERY FAT					
CAMP SITES: NICE CAMPSITES AT INLET AND OUTLET. PLENTY OF FIREWOOD.					
<u>SURVEY NOTES:</u>					
TO GET TO NARROW ESCAPE TRAVEL AROUND THE SOUTH SIDE OF SQUEEZE LAKE. SAMPLE WITH SQUEEZE. SOME USE SEEN IN '97, A PATH AND FIRE RING 8/92 BILL BYRNES - GOOD CUTTHROAT FISHING - 14" 1.5 LBS, 18" 2.5 TO 3 LBS. D FISCHER REPORTED 15-17" CT IN '86.					
LOTS OF FAT FISH SEEN CRUISING IN '96 FROM 7-17". '01 - GREAT MACROINVERTEBRATE DIVERSITY. FISH VERY HEALTHY.					

LAKE NAME: NEMIDJI LAKE COUNTY: 32 T: 7S R: 15E SEC: 16B  
DRAINAGE: WEST ROSEBUD ELEV: 9595 ACREAGE: 13.7 DEPTH: 25 FT  
LOCATION: 45.22745, -109.8711 MARCUSONS CODE: 29

ACCESS: MYSTIC LAKE TRAIL TO SILVER LAKE. THEN NORTH ~1.5 MILES. FAIRLY STEEP. TRAIL LEADS OFF AT FIRST SIGHT OF SILVER TO THE WEST THEN NORTH ONCE YOU REACH THE BENCH. .

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
MYSTIC LAKE	9.5	(8)	+3,700	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/3/2004

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Yellowstone Cutthroat	17	11.8	9.5-12.8
1996	Yellowstone Cutthroat	11	13.3	9.6-15.5
1991	Yellowstone Cutthroat	9	12.5	9.3-14

STOCKING HISTORY STOCKING PLAN

2005: Yellowstone Cutthroat (1370 fish)  
2001: Yellowstone Cutthroat (1370 fish)  
1997: Yellowstone Cutthroat (1370 fish)

COMMENTS: EXCELLENT FISHING, HIGH CATCHABILITY WAS MAINTAINED BY HIGH STOCKING NUMBERS. A BEAUTIFUL SPOT BUT HARD TO GET TO. D. FISCHER '88 8-15" CT AVE. 12". G. ALDRICH '92 - 12" & 15-17" GOOD SHAPE. WILL CHANGE

CAMP SITES: NO GOOD CAMPING AT LAKE BUT WITHIN 1/4 MILE WITH FIREWOOD.

SURVEY NOTES:  
DENSITY LOWERED TO 100/ACRE FROM 300/ACRE IN '94 AND CHANGED TO A 4 YEAR SCHEDULE STARTING IN 1997. NO REAL INLET OR OUTLET FOR SPAWNING. MOST OF SUBSTRATE IS ROCK. IN AUG '91 FISH WERE HEALTHY BUT NOT FAT.

D HAGENSTON 7/5/91 CT'S 9-14" SMALLER ONES SNAKEY. R SAUNDERS 8/96 CAUGHT TONS 4-16". NETTING LOOKED ON TRACK-'96. LUNDBERG '96-WHOPPERS. CT PLANTS '79, '84,'89, '94. '87 26 CT 8.4-14.1" AVE. 11.7".

LAKE NAME: NUGGET LAKE COUNTY: 32 T: 7S R: 15E SEC: 20C  
DRAINAGE: WEST ROSEBUD ELEV: 9340 ACREAGE: 8.3 DEPTH: 30 FT  
LOCATION: 45.20672, -109.89709 MARCUSONS CODE: 25

ACCESS: 8 MILES TO SILVER LAKE ON GOOD TRAIL. THEN FOLLOW A PRIMITIVE TRAIL WEST FROM THE NORTH END OF SILVER LAKE FOR 3.5 MILES.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WEST ROSEBUD (M	11.5	(8)	+3,400	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/2/2004

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Yellowstone Cutthroat	10	13.1	12.2-14
1997	Yellowstone Cutthroat	14	12.7	10.9-16.3
1994	Yellowstone Cutthroat	14	9.5	6.8-16.5

STOCKING HISTORY STOCKING PLAN

2008: Yellowstone Cutthroat (415 fish)  
2000: Yellowstone Cutthroat (415 fish)  
1992: Yellowstone Cutthroat (830 fish)

COMMENTS: GOOD GROWTH RATES. LAKE IS MANAGED AS A TROPHY FISHERY. STOCKED EVERY 8 YEARS. POSSIBILITY OF SOME REPRODUCTION OCCURRING. WE TWEAKED NUMBERS BACK TO 50/ACRE IN 2000. 1,660 PLANTED 1976.

CAMP SITES: SOME CAMPSITES WITH AN ABUNDANCE OF FIREWOOD AVAILABLE.

SURVEY NOTES:  
D FISCHER '88 FOUND ON AND OFF HOT FISHING FOR 10-16" CT'S. DENNIS HAGENSTON 7/5/91 CT'S 12-14" NICE CHUNKY FISH. GREG ALDRICH REPORTS HEAVY 16-17"ERS 8/92. NOT A LOT BUT WORTH THE TROUBLE. A LUNDBERG 8/93 6 FISH 15-18". 12-14"ERS IN INLET AREA.

IN '96 A FEW FAT ONES AND SOME SMALLER WE'LL TRY GROWING SOME REAL WHOPPERS IN HERE. '86 34 CT 6.9-16.3" AVE. 8.7".

LAKE NAME: NORTH PICKET PIN LAKE COUNTY: 32 T: 5S R: 14E SEC: 6AC  
DRAINAGE: STILLWATER ELEV: 8825 ACREAGE: 5.3 DEPTH: 20 FT  
LOCATION: 45.43064, -110.04095 MARCUSONS CODE: 105

ACCESS: PICKET PIN 4X4 ROAD #140 FROM THE W FORK STILLWATER RIVER. ACCESS ROAD TO LAKES IS NOT MARKED BUT HEAD EAST JUST BEFORE THE BRASS MONKEY MINE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
PICKET PIN ROAD	0	0	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/16/1998

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1998	Yellowstone Cutthroat	2	16.1	14.9-17.3
1989	Yellowstone Cutthroat	13	14.5	13.4-16.5
1981	Yellowstone Cutthroat	11	13.9	12.7-15.5

STOCKING HISTORY STOCKING PLAN

2007: Yellowstone Cutthroat (530 fish)  
2003: Yellowstone Cutthroat (530 fish)  
1999: Yellowstone Cutthroat (530 fish)

COMMENTS: GOOD FOOD SUPPLY OF SHRIMP. GOOD FISH GROWTH. '98 FISH WERE VERY HEALTHY LOOKING. CUTTHROATS PLANTED '69, '79, '81, '83, '87, '89, '91.

CAMP SITES: MANY CAMPSITES AND LOTS OF FIREWOOD AVAILABLE.

SURVEY NOTES:  
STOCKED EVERY 4 YEARS. GIL LONGMIRE 8/89 CAUGHT 2 CT'S ~14", SAW HALF A DOZEN MUCH, MUCH LARGER. THIS LAKE SEEMS TO BE GETTING HEAVY USE.

LAKE NAME: OLY LAKE COUNTY: 10 T: 8S R: 16E SEC: 20  
DRAINAGE: EAST ROSEBUD ELEV: 9620 ACREAGE: 2.5 DEPTH: 18 FT  
LOCATION: 45.10964, -109.77635 MARCUSONS CODE: 28

ACCESS: HEADWATERS OF EAST ROSEBUD CREEK DOWNSTREAM FROM CAIRN LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ALPINE (EAST ROS	15.5	(15.25)	+3,600	-160

LAST GILL NET SET: 8/1/2001

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	No Fish Captured	0		-

STOCKING HISTORY STOCKING PLAN

COMMENTS: CAIRN LAKE BROOKIES UPSTREAM MAY EVENTUALLY INFEST THE LOWER E. ROSEBUD DRAINAGE. IN 1987 NO EB'S WERE OBSERVED HERE. LOTS OF LARGE (.75-1.5") FAIRY SHRIMP IN '94.

CAMP SITES: A COUPLE OF NICE PLACES TO CAMP. NO FIRES ALLOWED.

SURVEY NOTES:  
MAKE SURE THAT BROOKIES FROM CAIRN LAKE DON'T MOVE DOWNSTREAM. CONSIDER ROTENONE IF THEY DO. PLEASE EAT ANY BROOKIE CAUGHT HERE. '94 - ONE FISH (CT ?) SEEN IN OUTLET STREAM ~250 YARDS BELOW AT FURTHEST UPSTREAM POINT WHERE CUTTS COULD  
MAKE IT UP FROM BELOW. NET SET FOR 39.5 HOURS - '94 - WATER LEVEL SEEMS A FOOT LOWER THAN NORMAL.FWP SAMPLED 07, 7 HOUR SET NO FISH.

LAKE NAME: OTTER LAKE		COUNTY: 10		T: 9S	R: 16E	SEC: 10C
DRAINAGE: CLARKS FORK		ELEV: 9620		ACREAGE: 61.2		DEPTH: 177FT
LOCATION: 45.0532, -109.74234				MARCUSONS CODE: 103		
ACCESS: TAKE TRAIL #567 FROM KERSEY LAKE TO RUSSEL LAKE. FROM RUSSEL LAKE HEAD EAST APPROXIMATELY 3 MILES.						
<u>TRAILHEAD</u>		<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
CLARKS FORK		9	(9)	+1,900	-300	
<u>SPECIES PRESENT</u>			<u>ABUNDANCE</u>	<u>STATUS</u>		
Arctic Grayling			Rare	Unknown		
Brook Trout			Common	Self-Sustained		
LAST GILL NET SET: 7/17/2002						
<u>Year</u>	<u>Species Caught</u>		<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
2002	Brook Trout		75	8	6-11	
2002	Brook Trout		13		8-11.9	
2002	Arctic Grayling		1	14.3	14.3-14.3	
<u>STOCKING HISTORY</u>			<u>STOCKING PLAN</u>			
1956: Rainbow Trout (456 fish)						
COMMENTS: THE BROOK TROUT ARE IN GOOD SHAPE. THE GRAYLING PROBABLY CAME DOWN FROM INDIAN KNIFE LAKE. THIS LAKE GETS A MODERATE AMOUNT OF USE.						
CAMP SITES: SOME ROCKY CAMPSITES WITH SOME FIREWOOD ARE AVAILABLE.						
<u>SURVEY NOTES:</u>						
D. HAGENSTON 8/7/87 9-11" EB. 7/18/90 - ONE EB 11.5" AND ONE GRAYLING 14.3" WERE TAKEN IN A 1 HOUR NET SET. THE 12 OTHER EB'S WERE CAUGHT WITH HOOK AND LINE THE SAME DAY.						
15 EB TAKEN IN 1975 6.7-10.3" AVERAGE 8.5".						

LAKE NAME: OVIS LAKE		COUNTY: 49	T: 9S	R: 15E	SEC: 6
DRAINAGE: CLARKS FORK		ELEV: 9600	ACREAGE: 8.6	DEPTH: 45 FT	
LOCATION: 45.07785, -109.91886			MARCUSONS CODE: 11		
ACCESS: 4X4 TRAVEL ON THE GOOSE LAKE JEEP TRAIL.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
GOOSE LAKE JEEP	.5	(0)	+240	-0	
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>		<u>STATUS</u>		
Brook Trout	Common		Self-Sustained		
Yellowstone Cutthroat	Common		Stocked		
LAST GILL NET SET: 8/1/2000					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
2008	Brook Trout	19	7.5	6.9-11.7	
2000	Brook Trout	10	7.9	5-11	
<u>STOCKING HISTORY</u>		<u>STOCKING PLAN</u>			
2006: Yellowstone Cutthroat (860 fish)		2009: Yellowstone Cutthroat (860 fish)			
2003: Yellowstone Cutthroat (860 fish)					
2000: Yellowstone Cutthroat (860 fish)					
COMMENTS: THIS LAKE IS ON THE 3 YEAR STOCKING PLAN. GOOD FLOW IN INLET. A FAIR AMOUNT OF FISHING PRESSURE HERE. CUTTHROATS PLANTED '70, '76, '79, '82, '88, '91, '94.					
CAMP SITES: CAMPING SITES AND FIREWOOD EXIST.					
<u>SURVEY NOTES:</u>					
1980 - 5 CT 10.0-13.4" AVE 11.8", 6 EB 8.2-12.5" AVE 9.2". '87 14 EB 6.3-14.2" AVE 10.4". '93 4 CT 11.6-15.2", 10 EB 6.9-13.1" AVE 10.0". '93 CT'S WERE CAUGHT BY AN ANGLER. '89 CREEL CARDS 1 EB 8-12" RANGE. '00 ANGLERS WERE CATCHING 12-13" CUTTHROATS.					
STOCK AT 100/ACRE. DAVE H. ANGLED 2 YCT 10.2 & 10.4" AND 8 EB 4.1-9.0" AVE. 7.6" 07/19/03. SURVEYED 08, FISH ARE FAT, 2 YCT ANGLED, HEAVILY USED AREA.					

LAKE NAME: OUZEL LAKE		COUNTY: 10	T: 9S	R: 16E	SEC: 5BB
DRAINAGE: CLARKS FORK		ELEV: 9410	ACREAGE: 3.5	DEPTH: 24 FT	
LOCATION: 45.07653, -109.78805			MARCUSONS CODE: 92		
ACCESS: APPROXIMATELY 5 TRAIL MILES FROM KERSEY LAKE, 7-8 MILES FROM THE CHIEF JOSEPH TRAILHEAD.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
CLARKS FORK	8.25	(8.25)	+1,500	-300	
<u>SPECIES PRESENT</u>		<u>ABUNDANCE</u>	<u>STATUS</u>		
Brook Trout		Abundant	Self-Sustained		
LAST GILL NET SET: 8/1/1990					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
2002	Brook Trout	13	8.1	7-9.2	
1990	Brook Trout	19	8.9	4.9-12	
<u>STOCKING HISTORY</u>		<u>STOCKING PLAN</u>			
1989: Yellowstone Cutthroat (525 fish)					
1981: Yellowstone Cutthroat (423 fish)					
1977: Yellowstone Cutthroat (400 fish)					
COMMENTS: THE LAKE IS LOCATED IN A HIGH USE AREA. ABSENCE OF CT SUGGESTS HEAVY PRESSURE, OR MORE LIKELY, HEAVY COMPETITION FROM THE BROOKIES. CUTTHROATS FIRST PLANTED IN 1971. 93 PLANT CANCELED NO					
CAMP SITES: SOME VERY NICE CAMPSITES AND FIREWOOD AVAILABLE.					
<u>SURVEY NOTES:</u>					
HAD BEEN STOCKED EVERY 4 YEARS. HEAVILY USED LAKE. D HAGENSTON 8/27/89 10" EB'S. '89 CREEL CARDS 5 CT 8-12". D FISCHER 8/91 GILL NET IN 1990 SET FOR 17 HOURS. EB'S WERE FAT.					
ONE 11.5" CUTTHROAT SAMPLED IN 1980.					

LAKE NAME: OWL LAKE		COUNTY: 40		T: 6S	R: 13E	SEC: 27C
DRAINAGE: STILLWATER		ELEV: 9541	ACREAGE: 14.4	DEPTH: 30 FT		
LOCATION: 45.27588, -110.10009			MARCUSONS CODE: 71			
ACCESS: APPROXIMATELY 12 TRAIL MILES FROM THE TRAILHEAD ON THE WEST FORK OF THE STILLWATER.						
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>		
UPSIDEDOWN TRAI	14	(14)	+3,700	-700		
<u>SPECIES PRESENT</u>		<u>ABUNDANCE</u>	<u>STATUS</u>			
Yellowstone Cutthroat Trout X Rainbow		Common	Self-Sustained			
LAST GILL NET SET: 8/1/1993						
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>		
2003	Yellowstone Cutthroat Trout X Rainbow	15	11.5	9.5-13.2		
1993	Unknown Hybrid	8	10	7-12.3		
1978	Unknown Hybrid	11	10.1	8.5-13.5		
<u>STOCKING HISTORY</u>		<u>STOCKING PLAN</u>				
COMMENTS: R.SAUNDERS REPORTS NUMEROUS 10" FISH IN 1983.						
CAMP SITES: TOO WET & ROCKY, SOME PLACES ARE OK. FIREWOOD NEARBY.						
<u>SURVEY NOTES:</u>						
'93 - NO CHANGES NEEDED. FISH AND LAKE ARE DOING FINE. FISH WERE AVERAGE IN ALL RESPECTS. OBVIOUSLY HYBRIDS. FISH WERE TRYING TO SPAWN IN THE INLETS AND OUTLET. THEY MUST BE SUCCESSFUL. ANGLER REPORTS LOTS OF 14" FISH IN 1999.						

LAKE NAME: PABLO LAKE COUNTY: 49 T: 9S R: 15E SEC: 1AB  
DRAINAGE: CLARKS FORK ELEV: 9780 ACREAGE: 0.7 DEPTH: 12 FT  
LOCATION: 45.08406, -109.80577 MARCUSONS CODE: 83

ACCESS: FROM CLARKS FORK TRAILHEAD TAKE TRAIL #3 PAST KERSEY LAKE TO TRAIL #567, UP RUSSELL CREEK PAST BALD KNOB LAKE TO SKULL LAKE THEN WEST 1/4 MILE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	9.5	(9.25)	+1,730	-150

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Common	Self-Sustained

LAST GILL NET SET: 8/19/2008

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Golden Trout	7	8.9	7-12.75
1996	Golden Trout	8	8.2	6.6-9.1

STOCKING HISTORY	STOCKING PLAN
2005: Golden Trout	

COMMENTS: FISH HERE HAVE RESULTED FROM THE 1984 PLANT OF GOLDENS INTO PICASSO LAKE JUST UPSTREAM. NO UPSTREAM MOVEMENT FROM HERE BACK TO PICASSO IS POSSIBLE. PLANTED PICASSO AGAIN IN 05 (810 FISH).

CAMP SITES: ROCKY WITH NO FIREWOOD. CAMPING IS BETTER NEAR BALD KNOB LAKE.

SURVEY NOTES:  
INLET IS COBBLE/BOULDER. OUTLET HAS SOME GRAVEL (FOUND IN POOL DOWNSTREAM TOO). 96 FISH WERE AVERAGE TO THIN. 4-10" FISH WERE OBSERVED. SAMPLE WITH PICASSO

LAKE NAME: PENTAD LAKE COUNTY: 40 T: 7S R: 13E SEC: 15  
DRAINAGE: STILLWATER ELEV: 9362 ACREAGE: 40.7 DEPTH: 58 FT  
LOCATION: 45.2245, -110.10187 MARCUSONS CODE: 59

ACCESS: TRAIL #27 UP EAST FORK OF MAIN BOULDER-LAKE KATHLEEN-RAINBOW CREEK-LAKE COLUMBINE-COLUMBINE PASS. THEN DOWNHILL TO FAVONIUS AND PENTAD LAKES.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BOX CANYON	12.5	(12.5)	+3,300	-700

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1998

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Yellowstone Cutthroat	8	9.5	6.4-11.6
1998	Yellowstone Cutthroat	31	11.4	8-14.4
1985	Yellowstone Cutthroat	12	10.4	7-14.3

STOCKING HISTORY	STOCKING PLAN
Unknown Species	

COMMENTS: ORIGIN OF THESE FISH UNKNOWN. NATURAL REPRODUCTION OCCURING. THERE IS INTERACTION WITH FAVONIUS LAKE UPSTREAM.

CAMP SITES: PLENTY OF CAMPSITES BUT FIREWOOD IS A LITTLE PICKED OVER.

SURVEY NOTES:  
GIL LONGMIRE 8/89 CAUGHT LOTS OF CT'S 8-12". SURVEYED 08, FISH IN AVERAGE SHAPE.

LAKE NAME: PEACE LAKE COUNTY: 49 T: 8S R: 13E SEC: 1,2  
DRAINAGE: SLOUGH CREEK ELEV: 8725 ACREAGE: 4.7 DEPTH: 4 FT  
LOCATION: 45.16348, -110.0645 MARCUSONS CODE: 5

ACCESS: HEADWATERS OF WOUNDED MAN CREEK, A TRIBUTARY OF SLOUGH CREEK, OR HIKE UP HORSESHOE CREEK, A TRIBUTARY OF THE STILLWATER.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
INDEPENDENCE	14	(14)	+1,125	-2,000
LAKE ABUNDANCE	16	(16)	+2,025	-1,700

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

LAST GILL NET SET: 8/21/2002

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2002	Yellowstone Cutthroat	10	7.9	7.1-9.3
1989	Yellowstone Cutthroat	24	9	6.5-10.9
1979	Yellowstone Cutthroat	4	6.7	6.5-7.2

STOCKING HISTORY	STOCKING PLAN

COMMENTS: ONE OF TWO LAKES IN THE A-B WILDERNESS WITH INDIGENOUS CUTTHROAT. MANAGEMENT SHOULD BE TO PROTECT THE STATUS OF THE FISHERY. THE FISH IN '89 WERE SMALL BUT VERY HEALTHY LOOKING.

CAMP SITES: FIREWOOD AVAILABLE. MUCH OF THIS AREA BURNED IN '88.

SURVEY NOTES:  
ONE OF ONLY TWO LAKES IN THE BEARTOOTHs WITH INDIGENOUS CUTTHROAT. MAY NEED SPECIAL PROTECTION.

'02 FISH WERE ANGLED EASILY.

LAKE NAME: PHANTOM LAKE COUNTY: 32 T: 7S R: 16E SEC: 26,27  
DRAINAGE: EAST ROSEBUD ELEV: 9320 ACREAGE: 19.5 DEPTH: 56 FT  
LOCATION: 45.19528, -109.72749 MARCUSONS CODE: 47

ACCESS: 5.5 MILES OF GOOD TRAIL FROM EAST ROSEBUD LAKE, THEN UNIMPROVED FOR .5 TILL LOST IN ROCKS. STAY NEAR CLIFFS. GO THROUGH SADDLE & REFINd TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
PHANTOM CREEK #	6	(5)	+3,300	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/27/1997

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1997	Yellowstone Cutthroat	3	10.5	7.2-13.9
1986	Yellowstone Cutthroat	14	11.4	6.7-15.3

STOCKING HISTORY	STOCKING PLAN
1955: Arctic Grayling (50000 fish)	
1949: Yellowstone Cutthroat (56672 fish)	

COMMENTS: TOUGH CLIMB TO THE LAKE. NO CHANGE IN MANAGEMENT PLANNED. BEAUTIFUL PLACE. TOUGH TO FISH SHORELINE BECAUSE OF CLIFFS.

CAMP SITES: EXCELLENT CAMPING AND FIREWOOD.

SURVEY NOTES:  
DON CUTHILL 7/13/92, 14-15" CT'S IN GOOD SHAPE. NOT AS MANY AS IN FROZE TO DEATH. LOTS OF FISH 4-13" SEEN CRUISING IN '97.

LAKE NAME: PICASSO LAKE

COUNTY: 49

T: 8S

R: 15E

SEC: 36CD

DRAINAGE: CLARKS FORK

ELEV: 9800

ACREAGE: 8.1

DEPTH: 28 FT

LOCATION: 45.08637, -109.80816

MARCUSONS CODE: 84

ACCESS: FROM CLARKS FORK TRAILHEAD TAKE TRAIL #3 PAST KERSEY LAKE TO TRAIL #567, UP RUSSEL CREEK PAST BALD KNOB LAKE TO SKULL LAKE THEN WEST 1/4 MILE.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

CLARKS FORK

9.5

(9.25)

+1,770

-150

SPECIES PRESENT

ABUNDANCE

STATUS

Golden Trout

Common

Stock, with some natural reproduction

LAST GILL NET SET: 8/20/2008

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2008

Golden Trout

16

8.5

7.5-10

1996

Golden Trout

0

-

1995

Golden Trout

11

13.4

10.8-15

STOCKING HISTORY

STOCKING PLAN

2005: Golden Trout (810 fish)

1984: Golden Trout (1500 fish)

COMMENTS: REPRODUCTION WAS NOT APPARENT IN '89. SAMPLE AGAIN FOR SIGNS OF REPRODUCTION OR AGEING OUT OF THESE FISH. INLET AND OUTLET WITH POOR SPAWNING POTENTIAL. CALLED BASIN LAKE ON USGS QUAD. NEXT

CAMP SITES: CAMPING IS POOR WITH NO FIREWOOD. LITTLE EVIDENCE OF USE - '96

SURVEY NOTES:

'89 FISH WERE FAT. CLOUDS OF SHRIMP IN LAKE. DISCOVERED BY LOCAL OUTFITTERS. '95 NETTING WAS A SHALLOW WATER 6 HOUR DAY SET. 5 GT'S ~8" ANGLED FROM 3-4 FT DEEP POOLS BELOW LAKE. STREAMFLOW HERE ALMOST ALL UNDERGROUND.

R. APPLE REPORTS SEEING MANY FINGERLINGS IN SHALLOWS IN '95. '96 - SKELETAL REMAINS OF ONE 14" FISH SEEN IN LAKE. PLANT WHEN AVAILABLE??

FWP CREW ANGLED 03, 0 CAUGHT OR SEEN. SURVEYED 08, 2 FRY SEEN,1 FISH CAUGHT ANGLING.

LAKE NAME: PNEUMONIA LAKE

COUNTY: 49

T: 8S

R: 15E

SEC: 34AA

DRAINAGE: CLARKS FORK

ELEV: 9880

ACREAGE: 3.6

DEPTH: 33 FT

LOCATION: 45.09764, -109.84345

MARCUSONS CODE: 46

ACCESS: EAST OF SKYTOP CREEK AND NORTH OF MOCCASIN LAKE. NO TRAIL LEADS TO THE LAKE.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

GOOSE LAKE JEEP

5.5

(5)

+1,200

-600

SPECIES PRESENT

ABUNDANCE

STATUS

Arctic Grayling

Unknown

Unknown

Yellowstone Cutthroat

Abundant

Self-Sustained

LAST GILL NET SET: 7/30/1987

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

1987

No Fish Captured

-

STOCKING HISTORY

STOCKING PLAN

1997: Arctic Grayling (2608 fish)

1992: Arctic Grayling (2500 fish)

1984: Arctic Grayling (1344 fish)

COMMENTS: NO FISH CAUGHT IN GILL NETS '73 & '87.

CAMP SITES: NO FIREWOOD.

SURVEY NOTES:

LITTLE NEED FOR A NEW FISHERY IN THIS AREA. LEAVE FISHLESS.

LAKE NAME: PIPIT LAKE

COUNTY: 40

T: 6S

R: 13E

SEC: 34BB

DRAINAGE: STILLWATER

ELEV: 9580

ACREAGE: 7.0

DEPTH: 25 FT

LOCATION: 45.27283, -110.10509

MARCUSONS CODE: 70

ACCESS: ACCESS IS SERVED BY SEVERAL TRAILS TO THE LAKE PLATEAU BETWEEN THE BOULDER AND STILLWATER DRAINAGES.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

UPSIDEDOWN TRAI

14

(14)

+3,700

-700

SPECIES PRESENT

ABUNDANCE

STATUS

Yellowstone Cutthroat Trout X Rainbow

Common

Self-Sustained

LAST GILL NET SET: 8/1/2007

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2007

Yellowstone Cutthroat Hybrid

7

9.82

7-11.25

2003

Yellowstone Cutthroat Hybrid

10

12.7

10.2-16.5

1993

Yellowstone Cutthroat Hybrid

4

14.5

12.8-16.2

STOCKING HISTORY

STOCKING PLAN

2005: Golden Trout (810 fish)

1984: Golden Trout (1500 fish)

COMMENTS: ORIGIN OF THE FISH UNKNOWN. FRANK KOLSCHEFSKY CAUGHT 3 RB/CT BY HOOK AND LINE IN 1983. SIZES RANGED FROM 6.3-16.5" AVG = 11.0".

CAMP SITES: NICE PLACES TO CAMP. PLENTY OF FIREWOOD.

SURVEY NOTES:

EXCELLENT TRAIL ALL THE WAY. PIPIT IS BETWEEN THE RAINBOW LAKES AND WOUNDED MAN LAKE. '93 FISH WERE SPAWNING IN THE INLETS AND OUTLET. ALL WERE OBVIOUS HYBRIDS, NICE AND HEALTHY. SEEMS TO BE DOING FINE ON ITS OWN.

FWP SAMPLED 07,6.5 HOUR SET+ANGLING,FAT FISH.

LAKE NAME: PRINCESS LAKE

COUNTY: 32

T: 7S

R: 15E

SEC: 25

DRAINAGE: WEST ROSEBUD

ELEV: 9080

ACREAGE: 25.0

DEPTH: 35 FT

LOCATION: 45.19778, -109.81337

MARCUSONS CODE: 6

ACCESS: GOOD TRAIL TO HUCKLEBERRY CREEK AT THE UPPER END OF MYSTIC LAKE. PATH UP W SIDE OF HUCKLEBERRY CREEK FADES IN & OUT FOR 1 MILE THEN IMPROVES.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

MYSTIC LAKE

8

(8)

+3,100

-300

SPECIES PRESENT

ABUNDANCE

STATUS

Arctic Grayling

Unknown

Unknown

Yellowstone Cutthroat

Abundant

Self-Sustained

LAST GILL NET SET: 8/23/2005

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2005

Yellowstone Cutthroat

20

11

6.5-15.3

1998

Yellowstone Cutthroat

11

14.1

12.4-16.3

1986

Arctic Grayling

5

11.1

10.7-12.1

STOCKING HISTORY

STOCKING PLAN

1997: Arctic Grayling (2608 fish)

1992: Arctic Grayling (2500 fish)

1984: Arctic Grayling (1344 fish)

COMMENTS: SOME GOOD GRAVELS AROUND THE 3 OR 4 INLETS LEAD ONE TO THINK SPAWNING IS POSSIBLE. '98 - LOOKS LIKE CT HAVE COME DOWN FROM ABOVE. 8-18" CT'S SEEN RISING. APPEARS CT HAVE BECOME SELF-

CAMP SITES: GOOD CAMPING HERE - LOTS OF FUEL AND SHELTER.

SURVEY NOTES:

GR PLANT 1956. '84 GR MAY HAVE AGED OUT WITH NO REPRO. GOOD POTENTIAL. GOOD FOOD SUPPLY. VERY PRETTY LAKE. USED BY GOATS. LOCATED ALONG THE ACCESS ROUTE TO GRANITE LAKE, THIS LAKE SEES SOME USE. PLANT GR EVERY 8 YRS.

GILL NET SET IN '90 FOR 17 HOURS CAUGHT NO FISH. '98 NET SET FOR 3 HOURS - FISH WERE FAT. 8/99 ANGLER REPORTS A LARGE CT & ~9" GRAYLING. SAMPLE WITH AVALANCHE LAKE. FWP CREW SAMPLED 05, YCT ARE REPRODUCING 6.5"- 15.25", NO SIGN OF GRAYLING.



LAKE NAME: PRODUCTION LAKECOUNTY: 49T: 8SR: 15ESEC: 26CDRAINAGE: CLARKS FORKELEV: 10070ACREAGE: 3.1DEPTH: 42 FTLLOCATION: 45.10259, -109.83388MARCUSONS CODE: 44

ACCESS: GOOSE LAKE JEEP TRAIL - LADY OF THE LAKE CREEK - BROADWATER RIVER. THEN HEAD UP SKY TOP CREEK AND TURN EAST ~3/4 MILE BELOW LONE ELK LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	6.5	(5)	+3,450	-700
LADY OF THE LAK	8.5	(7)	+3,600	-500

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

LAST GILL NET SET: 8/5/2003

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2003	Brook Trout	17	9.2	8-10
1996	Brook Trout	14	9	6.6-10.4
1973	Brook Trout	19	9.1	7.8-10.2

STOCKING HISTORY

STOCKING PLAN

COMMENTS: SELF-SUSTAINING BROOKIES. '96 FISH WERE THIN. PAT MARCUSON SAID TOMMY GARRISON MOST LIKELY PLANTED EB'S HERE IN THE LATE 50'S OR EARLY 60'S.

CAMP SITES: ABOVE TREE LINE. FEW PLACES TO CAMP. ROCKY. NO FIREWOOD.

SURVEY NOTES:

'89 CREEL CARDS - 2 EB <8-<12". D HAGENSTON 8/95 BROOKIES 7-10" WITH BIG HEADS. V ICHIOKA 8/95 EB'S - MANY 5-9"ERS. FWP SAMPLED 03, ANGLED FOR 1 HOUR, 17 FISH CAUGHT. A FEW FISH PROB. MAKE IT DOWN TO RECRUITMENT DURING HIGH WATER.

LAKE NAME: QUEER LAKECOUNTY: 10T: 9SR: 17ESEC: 8CDRAINAGE: CLARKS FORKELEV: 9600ACREAGE: 26.4DEPTH: 49 FTLLOCATION: 45.05165, -109.65719MARCUSONS CODE: 187

ACCESS: TRAIL #618 4 MILES TO FORK. THEN 6 MILES TO THIEL LAKE & ON TO KIDNEY LAKE. FORD CREEK AT WRIGHT LAKE & TAKE TRAIL TO GREEN LAKE. HEAD N THRU SADDLE & UP CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLAY BUTTE	12.5	(12)	+1,300	-600

MUDDY CREEK, CR

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

LAST GILL NET SET: 8/9/2006

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Brook Trout	26	7.9	6.5-11
1995	Brook Trout	7	7.8	6.3-12
1974	Brook Trout	99	8	6.2-10.5

STOCKING HISTORY

STOCKING PLAN

COMMENTS: CALLED CASTLE LAKE ON USGS 7.5' QUAD. VERY PRETTY PLACE. GOOD SPAWNING POTENTIAL IN BOTH INLET AND OUTLET. COULD ALSO TAKE CRAZY LAKES TRAIL #568 THAT STARTS NEAR IVY LAKE (IVY LAKE JEEP

CAMP SITES: SOME FIREWOOD BUT LACK OF NICE FLAT PLACES TO CAMP.

SURVEY NOTES:

'95 FISH WERE AVERAGE TO THIN. MFWP 06 SURVEY AVERAGE FISH 6.5-11".

LAKE NAME: PROSPECT LAKECOUNTY: 49T: 5SR: 11ESEC: 27CDRAINAGE: BOULDERELEV: 9640ACREAGE: 6.8DEPTH: 30 FTLLOCATION: 45.36644, -110.35965MARCUSONS CODE: 43

ACCESS: HIKE UP TRAIL #22 ALONG FOURMILE CREEK FROM THE USFS STATION. FROM SILVER LAKE FOLLOW THE LEFT FORK OF THE INLET STREAM ~1 MILE TO PROSPECT.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
FOURMILE RANGE	11.5	(10.5)	+3,800	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Rare	Self-Sustained
Yellowstone Cutthroat	Unknown	Unknown

LAST GILL NET SET: 8/1/1985

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1985	Rainbow Trout	7	9.5	8.2-10.1
	Rainbow Trout	12	9	7.6-11

STOCKING HISTORY

STOCKING PLAN

COMMENTS: THIS LAKE WAS PLANTED WITH DeSMET RAINBOW IN 1980. POOR GROWTH BY '85 FOR FIVE YR OLDS. THE CHANCE OF ENCOUNTERING OTHER HIKERS IS PRETTY GOOD. GILL NETTED FROM 2007-09 TO REMOVE RB. YCT STOCKED

CAMP SITES: FAIRLY ROCKY, WITH LITTLE FIREWOOD. CAMPING BETTER AT SILVER.

SURVEY NOTES:

SOME OF '97 FISH WERE HOOK AND LINED. 6-7" FISH WERE MATURE. OBVIOUS PARTIAL WINTER KILL OCCURED. 6-8 DEAD FISH ALONG SHORELINE. 9/94 - RB'S 6-8" PACKED WITH FINGERNAIL CLAMS.

DRAINAGE DOWNSTREAM CONTAINS STREAM DWELLING CUTTHROAT. LAKE IS BEING GILL NETTED CONTINUOUSLY FOR 3 YEARS. ASSESSMENT WILL BE DONE IN 2009 TO SEE IF RB ARE ALL GONE THEN YCT WILL BE PLANTED ANNUALLY UNTIL 2014

LAKE NAME: RAINBOW LAKECOUNTY: 10T: 8SR: 16ESEC: 13CDRAINAGE: EAST ROSEBUD ELEV: 7670ACREAGE: 58.0DEPTH: 180FTLOCATION: 45.13522, -109.69208MARCUSONS CODE: 8

ACCESS: LEAVE EAST ROSEBUD LAKE ON TRAIL #15. YOU'LL PASS ELK LAKE AND RIMROCK LAKE ON THE WAY TO RAINBOW LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ALPINE (EAST ROS	8	(8)	+1,600	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained
Rainbow Trout X Golden Trout	Common	Self-Sustained
Yellowstone Cutthroat	Unknown	Unknown

LAST GILL NET SET: 8/18/1998

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1998	Rainbow Trout X Golden Trout	2	8.4	7.5-9.3
1987	Golden Trout Hybrid	15	10.8	9.1-15.3

STOCKING HISTORY

STOCKING PLAN

COMMENTS: GT PLANTED IN LAKE AT FALLS IN 1955 DRIFTED INTO RAINBOW LAKE. CTxGTxRB HYBRIDS EXIST IN RAINBOW LAKE. HAS BEEN A GOOD SELF-SUSTAINING FISHERY.

CAMP SITES: THE MANY CAMPSITES ARE OVERUSED AND FIREWOOD IS PICKED OVER.

SURVEY NOTES:

'69 NETTING- 6 GTxRB AVE.9.8" 6.9-13.0" '87 NETTING PRODUCED WHAT APPEARED AS CT, RB, GTxRB, CTxGTxRB. '89 CREEL CARDS - 34 CT'S <8-16", 168 RB'S <8-16". '98 - FRY AND 6-10" FISH SEEN. FISH NOT VERY HEALTHY. STRESSED FROM FIRE EFFECTS OR 3 LONG WINTERS?

'98 - ED KEYSER AND CREW CAUGHT 13"ERS.

LAKE NAME: RAINBOW LAKE #2 COUNTY: 40 T: 6S R: 13E SEC: 29,32  
DRAINAGE: BOULDER ELEV: 9432 ACREAGE: 17.5 DEPTH: 30 FT  
LOCATION: 45.27283, -110.12747 MARCUSONS CODE: 18

ACCESS: FROM THE BOX CANYON TRAILHEAD TAKE TRAILS #27/28/211 TO THE RAINBOW LAKES. ACCESS ALSO BY USING THE UPSIDEDOWN TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BOX CANYON	11.25	(11.25)	+2,650	-100
UPSIDE DOWN CRE	11.25	(11.25)	+3,750	-1,000

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/2/2007

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Rainbow Trout	31	8.85	6-13
1997	Rainbow Trout	19	10.2	6.4-13.5
1988	Rainbow Trout	16	9.2	6.2-14.8

STOCKING HISTORY	STOCKING PLAN
1949: Rainbow Trout	
1932: Yellowstone Cutthroat	

COMMENTS: THIS IS THE LARGEST OF THE SEVEN LAKES. HEAVILY FISHED - GOOD REPRODUCTION - SIZES OF FISH VERY SIMILAR TO THOSE AT '69 AND '88 SAMPLINGS.

CAMP SITES: THERE ARE GOOD PLACES TO CAMP BUT FIREWOOD IS PICKED OVER.

SURVEY NOTES:  
'88 NETTED FISH HAD BEEN EATING TERRESTRIALS - BEETLES, APHIDS, DIPTERA. '97 FISH WERE IN AVERAGE SHAPE. THE RAINBOW LAKES WERE PLANTED WITH 8,000 CUTTHROAT IN 1932 AND 3,500 RAINBOWS IN 1949. FWP SAMPLED 07,14 HOUR SET MANY FISH,AVERAGE HEALTH.

LAKE NAME: RAINBOW LAKE #4 COUNTY: 40 T: 6S R: 13E SEC: 32  
DRAINAGE: BOULDER ELEV: 9425 ACREAGE: 7.9 DEPTH: 35 FT  
LOCATION: 45.26182, -110.12943 MARCUSONS CODE: 20

ACCESS: FROM THE BOX CANYON TRAILHEAD TAKE TRAILS #27/28/211 TO THE RAINBOW LAKES. ACCESS ALSO FROM THE UPSIDEDOWN TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BOX CANYON	10	(10)	+2,600	-100
UPSIDE DOWN CRE	10	(10)	+3,700	-1,000

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained
Yellowstone Cutthroat Trout X Rainbow	Unknown	Unknown

LAST GILL NET SET: 8/2/2007

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Rainbow Trout	15	8.1	6-11
1997	Rainbow Trout	14	9.4	6.2-12.1
1988	Rainbow Trout	22	8.9	6-15.7

STOCKING HISTORY	STOCKING PLAN
1949: Rainbow Trout	
1932: Yellowstone Cutthroat	

COMMENTS: NO CHANGE IN MANAGEMENT. HEAVILY FISHED - GOOD REPRODUCTION - SIZES OF FISH SIMILAR TO THOSE AT '69 AND '88 SAMPLINGS.

CAMP SITES: THERE ARE GOOD PLACES TO CAMP BUT FIREWOOD IS PICKED OVER.

SURVEY NOTES:  
10 CTXRB IN '69 AVERAGED 8.7", 6.2-11.5". '97 FISH WERE NOT EXCEPTIONALLY HEALTHY BUT IN AVERAGE CONDITION. THE RAINBOW LAKES WERE PLANTED WITH 8,000 CUTTHROAT IN 1932 AND 3,500 RAINBOWS IN 1949. FWP SAMPLED 07,12 HOUR SET,AVERAGE HEALTH.

LAKE NAME: RAINBOW LAKE #3 COUNTY: 40 T: 6S R: 13E SEC: 32,33  
DRAINAGE: BOULDER ELEV: 9395 ACREAGE: 6.8 DEPTH: 25 FT  
LOCATION: 45.26758, -110.12504 MARCUSONS CODE: 19

ACCESS: FROM THE BOX CANYON TRAILHEAD TAKE TRAILS #27/28/211 TO THE RAINBOW LAKES. ACCESS ALSO FROM THE UPSIDEDOWN TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BOX CANYON	11	(11)	+2,600	-100
UPSIDE DOWN CRE	11	(11)	+3,700	-1,000

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained

LAST GILL NET SET: 8/1/2007

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Rainbow Trout	16	10.5	6-13.5
1997	Rainbow Trout	8	11.3	9.1-14.5
1988	Rainbow Trout	10	10.2	7.2-13.8

STOCKING HISTORY	STOCKING PLAN
1949: Rainbow Trout	
1932: Yellowstone Cutthroat	

COMMENTS: NO CHANGE IN MANAGEMENT. HEAVILY FISHED - GOOD REPRODUCTION - SIZES OF FISH SIMILAR TO THOSE AT '69 AND '88 SAMPLINGS.

CAMP SITES: THERE ARE GOOD PLACES TO CAMP BUT FIREWOOD IS PICKED OVER.

SURVEY NOTES:  
NETTED FISH WERE HEALTHY AND FAT. '88 STOMACHS: MOST WITH TERRESTRIALS - SOME WITH PLANARIA TYPE INVERTS. '97 FISH WERE IN AVERAGE SHAPE. THE RAINBOW LAKES WERE PLANTED WITH 8,000 CUTTHROAT IN 1932 AND 3,500 RB'S IN 1949. FWP SAMPLED 07,14 HOUR SET.

LAKE NAME: RAINBOW LAKE #5 COUNTY: 40 T: 6S R: 13E SEC: 28,33  
DRAINAGE: BOULDER ELEV: 9635 ACREAGE: 5.1 DEPTH: 12 FT  
LOCATION: 45.2737, -110.12123 MARCUSONS CODE: 21

ACCESS: FROM THE BOX CANYON TRAILHEAD TAKE TRAILS #27/28/211 TO THE RAINBOW LAKES. ACCESS ALSO FROM THE UPSIDEDOWN TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BOX CANYON	11.75	(11.75)	+2,650	-150
UPSIDEDOWN TRAI	11.75	(11.75)	+3,750	-1,150

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained

LAST GILL NET SET: 8/1/2007

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Rainbow Trout	7	8.5	5.8-11.8
2001	Rainbow Trout	6	12.9	11.2-15.7
1988	Rainbow Trout	8	8.6	5.9-13.5

STOCKING HISTORY	STOCKING PLAN
1949: Rainbow Trout	
1932: Yellowstone Cutthroat	

COMMENTS: GOOD SPAWNING AREAS. FISH WERE IN GOOD SHAPE IN '88. HEAVILY FISHED. GOOD REPRODUCTION. OUTLET ROCKS COVERED WITH A PRECIPITATE IN 2001.

CAMP SITES: MANY WELL USED CAMPSITES. FIREWOOD IS PICKED OVER.

SURVEY NOTES:  
THE RAINBOW LAKES WERE PLANTED WITH 8,000 CUTTHROAT IN 1932 AND 3,500 RAINBOWS IN 1949. FWP SAMPLED 07,8 HOUR SET,AVERAGE HEALTH.

LAKE NAME: RAINBOW LAKE #6 COUNTY: 40 T: 6S R: 13E SEC: 28CD  
DRAINAGE: BOULDER ELEV: 9652 ACREAGE: 2.4 DEPTH: 10 FT  
LOCATION: 45.27602, -110.11734 MARCUSONS CODE: 22

ACCESS: FROM THE BOX CANYON TRAILHEAD TAKE TRAILS #27/28/211 TO THE RAINBOW LAKES. ACCESS ALSO FROM THE UPSIDEDOWN TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BOX CANYON	11.75	(11.75)	+2,650	-150
UPSIDEDOWN TRAI	11.75	(11.75)	+3,750	-1,150

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained

LAST GILL NET SET: 8/1/2001

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Rainbow Trout	5	7.65	5.75-8.5
2001	Rainbow Trout	3	8.7	6.5-10.5
1988	Rainbow Trout	13	8.1	5.9-11.8

STOCKING HISTORY	STOCKING PLAN
1949: Rainbow Trout	
1932: Yellowstone Cutthroat	

COMMENTS: LAKE IS A WIDE SPOT IN THE CREEK. NO CHANGE IN MANAGEMENT. SIZES OF FISH SIMILAR TO THOSE AT LAST SAMPLING IN 1969. OUTLET ROCKS COVERED WITH A PRECIPITATE IN 2001.

CAMP SITES: MANY WELL USED CAMPSITES. FIREWOOD IS LIMITED.

SURVEY NOTES:  
THE RAINBOW LAKES WERE PLANTED WITH 8,000 CUTTHROAT IN 1932 AND 3,500 RAINBOWS IN 1949. FWP SAMPLED 07,4 HOUR SET AND ANGLED.

LAKE NAME: RAINBOW LAKES COUNTY: 40 T: 6S R: 13E SEC: 28,29  
DRAINAGE: BOULDER ELEV: 9395 ACREAGE: VARY DEPTH:  
LOCATION: 45.27286, -110.12756 MARCUSONS CODE:

ACCESS: FROM THE BOX CANYON TRAILHEAD TAKE TRAILS #27/28/211 TO THE RAINBOW LAKES. ACCESS ALSO FROM THE UPSIDEDOWN TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BOX CANYON	VARY			
UPSIDEDOWN TRAI	VARY			

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained

LAST GILL NET SET: 8/1/2007

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Rainbow Trout			-

STOCKING HISTORY	STOCKING PLAN
1949: Rainbow Trout (3500 fish)	
1932: Yellowstone Cutthroat (8000 fish)	

COMMENTS: THERE ARE 7 LAKES IN THE CHAIN. THEY ARE REFFERED TO AS RAINBOW LAKE #1, #2 ETC. ALL BUT #1 HAVE SELF-SUSTAINING RAINBOW POPULATIONS.

CAMP SITES: FIREWOOD FOUND NEAR THE OUTLET.

SURVEY NOTES:

LAKE NAME: RAINBOW LAKE #7 COUNTY: 40 T: 6S R: 13E SEC: 28D  
DRAINAGE: BOULDER ELEV: 9658 ACREAGE: 9.5 DEPTH: 24 FT  
LOCATION: 45.27576, -110.11152 MARCUSONS CODE: 23

ACCESS: FROM THE BOX CANYON TRAILHEAD TAKE TRAILS #27/28/211 TO THE RAINBOW LAKES. ACCESS ALSO FROM THE UPSIDEDOWN TRAIL. HEADWATER LAKE ON E RAINBOW CREEK

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BOX CANYON	12	(12)	+2,650	-150
UPSIDEDOWN TRAI	12	(12)	+3,750	-1,150

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained

LAST GILL NET SET: 8/1/2007

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Rainbow Trout	12	11.3	6-13.5
2001	Rainbow Trout	6	11.4	10.3-12.1
1988	Rainbow Trout	17	9.3	5.7-16.3

STOCKING HISTORY	STOCKING PLAN
1949: Rainbow Trout	
1932: Yellowstone Cutthroat	

COMMENTS: FISH WERE IN GOOD SHAPE. NO CHANGE IN MANAGEMENT. HEAVILY FISHED. GOOD REPRODUCTION. FRY SEEN IN 2001.

CAMP SITES: MANY WELL USED CAMPSITES. NO FIREWOOD.

SURVEY NOTES:  
THE RAINBOW LAKES WERE PLANTED WITH 8,000 CUTTHROAT IN 1932 AND 3,500 RAINBOWS IN 1949. FWP SAMPLED 07,14.5 HOUR SET,AVERGAE HEALTH.

LAKE NAME: RAM LAKE COUNTY: 32 T: 6S R: 16E SEC: 33BD  
DRAINAGE: WEST ROSEBUD ELEV: 9580 ACREAGE: 14.4 DEPTH: 29 FT  
LOCATION: 45.26942, -109.76598 MARCUSONS CODE: 35

ACCESS: HEADWATERS OF CHICKEN CREEK. A TRIBUTARY OF WEST ROSEBUD CREEK WEST OF WEST ROSEBUD LAKE. NO TRAIL EXISTS. TOUGH X-COUNTRY.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WEST ROSEBUD	3.5	(0)	+3,376	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/7/2001

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2001	Yellowstone Cutthroat	12	11.6	6.6-15.4
1981	Yellowstone Cutthroat	1	15.5	15.5-15.5

STOCKING HISTORY	STOCKING PLAN
1983: Yellowstone Cutthroat (1455 fish)	
1975: Yellowstone Cutthroat (2000 fish)	

COMMENTS: HARD LAKE TO HIKE TO BUT THE REWARDS ARE GREAT. AGE III FISH AVERAGED 13 INCHES. 1990 - GROWTH IS DOWN. LOTS OF FISH AND FRY. FISH WERE FAIRLY EASY TO CATCH. EXCELLENT SPAWNING POTENTIAL IN

CAMP SITES: MANY CAMPSITES. LITTLE USE. LOTS OF FIREWOOD IS AVAILABLE.

SURVEY NOTES:  
HAD BEEN STOCKED EVERY 8 YEARS. CANCEL '91 PLANT. '90 GILL NET SET FOR 4.5 HOURS. FISH IN AVERAGE CONDITION. 9/18/89 RALPH SAUNDERS FISHED THE ENTIRE PERIMETER FOR 3 FISH. 14" 1 lb., 12", 11". GOOD CONDITION.

SOME FISH SURVIVE THE WATERFALL AND END UP IN EWE LAKE. MARCUSON SAYS "IT HURTS TO GET THERE". 7/26/08 KIM LATTERAL ANGLED 16 YCT 9-15" AND OBSERVED APPROX. 75 NEAR OUTLET,5.75 HOUR HIKE IN AND 4.5 OUT.

LAKE NAME: RAVEN LAKE

COUNTY: 32

T: 6S

R: 13E

SEC: 24,25

DRAINAGE: STILLWATER

ELEV: 8750

ACREAGE: 10.0

DEPTH: 46 FT

LOCATION: 45.28811, -110.05421

MARCUSONS CODE: 87

ACCESS: BEST ACCESS IS FROM THE LAKE PLATEAU. THE LAKE IS IN THE FLOOD CREEK DRAINAGE WHICH IS BASICALLY IMPASSABLE. FROM WOUNDED MAN FOLLOW A POOR TRAIL PAST PINCHOT.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

BOX CANYON

18

(18)

+3,300

-800

WEST STILLWATER

20

(20)

+3,300

-900

SPECIES PRESENT

ABUNDANCE

STATUS

Rainbow Trout X Golden Trout

Common

Self-Sustained

Yellowstone Cutthroat Trout X Golden Tro

Common

Self-Sustained

Yellowstone Cutthroat Trout X Rainbow

Common

Self-Sustained

LAST GILL NET SET: 8/6/1997

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

1997

Unknown Hybrid

7

9

5.8-11.2

1983

Unknown Hybrid

32

7.2-14.6

STOCKING HISTORY

STOCKING PLAN

COMMENTS: COLORFUL HYBRIDS. RALPH SAUNDERS CAUGHT 13" CT IN 1983. ACCESS IS LONG AND DIFFICULT.

CAMP SITES: NICE CAMPSITES WITH PLENTY OF FIREWOOD AVAILABLE.

SURVEY NOTES:

8/89 GIL LONGMIRE CAUGHT LOTS OF SMALL GT'S 6-10", 1 CT ~14". '97 - FISH WERE AVERAGE TO THIN. 6 OF 7 FISH WERE HOOK AND LINED.

LAKE NAME: RECRUITMENT LAKE

COUNTY: 49

T: 8S

R: 15E

SEC: 26

DRAINAGE: CLARKS FORK

ELEV: 10038

ACREAGE: 13.1

DEPTH: 53 FT

LOCATION: 45.09887, -109.83779

MARCUSONS CODE: 45

ACCESS: HEAD UP SKY TOP CREEK THEN HEAD EAST APPROXIMATELY 1 MILE BELOW LONE ELK LAKE.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

GOOSE LAKE JEEP

6

(5)

+1,400

-600

SPECIES PRESENT

ABUNDANCE

STATUS

Brook Trout

Rare

Self-Sustained

LAST GILL NET SET: 8/1/1973

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

1992

Brook Trout

2

14.4

11.9-17.4

1973

Brook Trout

2

19.7

19.6-19.8

STOCKING HISTORY

STOCKING PLAN

COMMENTS: NO NATURAL REPRODUCTION OCCURS. FISH MOVE INTO THIS LAKE FROM PRODUCTION LK<#44>. MANAGEMENT OF #44 AFFECTS RECRUITMENT LAKE. ABOVE TREELINE.

CAMP SITES: THERE IS VERY LITTLE FIREWOOD AND FEW FLAT PLACES TO CAMP.

SURVEY NOTES:

'92 ~20"ER FELL OUT OF NET. V ICHIOKA 8/95 VERY SLOW FISHING. ONE 20" 3.5 LB EB. LAKE AND FISH WERE FULL OF FAIRY SHRIMP. GLEN OWENS SAYS THE FISH HERE ARE STILL LARGE - '00. LITTLE NEED AT PRESENT TO NET THIS LAKE. ONE EB ~18" SEEN IN 2003.

8/1/08 OWENS ANGLED 7 EB 7-14".

LAKE NAME: RENIE LAKE

COUNTY: 10

T: 9S

R: 17E

SEC: 28BA

DRAINAGE: CLARKS FORK

ELEV: 9900

ACREAGE: 15.3

DEPTH: 55 FT

LOCATION: 45.02043, -109.63608

MARCUSONS CODE: 228

ACCESS: TRAILS FROM HWY 212 NEAR BEARTOOTH BUTTE SERVE THE AREA. THE LAKE IS NE OF GRANITE LAKE.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

CLAY BUTTE

8.5

(8.25)

+780

-280

SPECIES PRESENT

ABUNDANCE

STATUS

Brook Trout

Common

Self-Sustained

LAST GILL NET SET: 8/8/2006

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2006

Brook Trout

23

9.2

7-11

1993

Brook Trout

3

9.8

7.3-11.1

1974

Brook Trout

26

10.3

8.5-12.4

STOCKING HISTORY

STOCKING PLAN

COMMENTS: FISH ARE FAT. D ARNESON 7-88 CAUGHT "JUST THE RIGHT #S" OF 6-12" EB. CALLED MARMOT LAKE ON USGS 7.5' QUAD. CALLED NORTH HIDDEN LAKE ON USFS MAPS

CAMP SITES: SOME NICE SPOTS TO CAMP. FIREWOOD LIMITED.

SURVEY NOTES:

'93 NET SET FOR 4 HOURS. <20 OTHER FISH SEEN RISING. SOME FRY SEEN IN THE OUTLET. OUTLET AREA DOES HAVE GRAVEL, EB OBVIOUSLY SPAWN HERE. FISH SEEMED HEALTHY, LESS STUNTED THAN IN THE LAKES BELOW. BODIES ARE A LITTLE CHUNKIER THAN IN SURROUNDING LAKES.

OUTLET FEEDS INTO HEIDI LAKE. COULD BE REHABED TO CT BUT WHY? TWO FISH ANGLED7/15/03 9.5 & 12.0". MFWP SURVEY 06 AVERAGE FISH 7-11"

LAKE NAME: RIMROCK LAKE

COUNTY: 10

T: 8S

R: 16E

SEC: 12

DRAINAGE: EAST ROSEBUD

ELEV: 7540

ACREAGE: 33.6

DEPTH: 25 FT

LOCATION: 45.14458, -109.68737

MARCUSONS CODE: 7

ACCESS: EAST ROSEBUD TRAIL #15. RIMROCK IS THE SECOND LAKE ENCOUNTERED ON THE MAIN TRAIL. THE VALLEY IS NARROW AND STEEP HERE.

TRAILHEAD

MILES

TRAIL

ELEVATION UP

ELEVATION DOWN

ALPINE (EAST ROS

6

(6)

+1,300

-50

SPECIES PRESENT

ABUNDANCE

STATUS

Rainbow Trout X Golden Trout

Common

Self-Sustained

LAST GILL NET SET: 8/1/1995

Year

Species Caught

# of fish

Ave Lenght(in)

Range(in)

2007

Rainbow Trout Hybrid

13

10.1

7.6-12.5

1995

Rainbow Trout Hybrid

13

10.9

8.4-14

1985

Rainbow Trout

6

9.2

6-14.2

STOCKING HISTORY

STOCKING PLAN

1948: Rainbow Trout (6816 fish)

COMMENTS: ORIGIN OF THESE FISH IS UNKNOWN. LOTS OF HYBRID MIXES. THESE FISH PROBABLY CAME DOWN FROM RAINBOW LAKE. '96 FIRE BURNT THIS AREA TO TOAST.

CAMP SITES: NO FIREWOOD. NO GOOD PLACES TO LEGALLY CAMP.

SURVEY NOTES:

'95 FISH SEEMED TO BE IN DECENT SHAPE, AVERAGE TO FAT.FWP SAMPLED 07,AVERAGE FISH.

LAKE NAME: ROBIN LAKE		COUNTY: 10		T: 9S	R: 17E	SEC: 20CD
DRAINAGE: CLARKS FORK		ELEV: 9575	ACREAGE: 8.3	DEPTH: 58 FT		
LOCATION: 45.02327, -109.65603			MARCUSONS CODE: 207			
ACCESS: TRAILS FROM THE BEARTOOTH BUTTE AREA ON HWY 212 SERVE THE AREA. THE LAKE IS EAST OF LAKE ELAINE.						
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>		
CLAY BUTTE	10.5	(9.75)	+800	-690		
<u>SPECIES PRESENT</u>		<u>ABUNDANCE</u>	<u>STATUS</u>			
Brook Trout		Abundant	Self-Sustained			
LAST GILL NET SET: 8/1/1993						
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>		
2003	Brook Trout	35	7.3	5.3-11		
1993	Brook Trout	9	8.4	6-11.5		
<u>STOCKING HISTORY</u>		<u>STOCKING PLAN</u>				
COMMENTS: ORIGIN OF THE RAINBOW TROUT IN '74 UNKNOWN. THEY ARE OBVIOUSLY LONG GONE. D ARNESON 7-88 CAUGHT MANY 6-12" EB. CALLED WHITCOMB LAKE ON USGS 7.5' QUAD AND USFS MAPS.						
CAMP SITES: KIND OF WET & ROCKY BUT THERE ARE PLACES. PLENTY OF FIREWOOD.						
<u>SURVEY NOTES:</u> '74 NET 3 RB 7.5-11.0", AVE 9.8, 29 EB 7.5-11.6", AVE 9.9. GOOD GRAVEL AT THE INLET/OUTLET. '93 NET SET FOR 3 HRS. H & L 10 OTHERS 7.3-11.3". FISH WERE FAT AND HEALTHY (THOUGH SMALL). SAW MANY FISH & FRY CRUISING, RISING. BEST LAKE IN THIS CHAIN.						

LAKE NAME: ROCK TREE LAKE		COUNTY: 10				T: 9S	R: 16E	SEC: 10B
DRAINAGE: CLARKS FORK		ELEV: 9820		ACREAGE: 18.1		DEPTH: 130FT		
LOCATION: 45.06122, -109.74335				MARCUSONS CODE: 104				
ACCESS: TAKE TRAIL #567 FROM KERSEY LAKE TO RUSSEL LAKE. FROM RUSSEL LAKE HEAD EAST 3 MILES. THE LAKE IS 1/2 MILE NORTH OF OTTER LAKE.								
<u>TRAILHEAD</u>		<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>		<u>ELEVATION DOWN</u>		
CLARKS FORK		10.5	(10)	+2,300		-300		
<u>SPECIES PRESENT</u>			<u>ABUNDANCE</u>		<u>STATUS</u>			
Golden Trout			Unknown		Unknown			
LAST GILL NET SET: 8/15/2007								
<u>Year</u>	<u>Species Caught</u>		<u># of fish</u>		<u>Ave Lenght(in)</u>	<u>Range(in)</u>		
2007	Golden Trout		0			-		
<u>STOCKING HISTORY</u>				<u>STOCKING PLAN</u>				
2008: Golden Trout (1500 fish)								
1992: Golden Trout (1180 fish)								
1991: Golden Trout (1355 fish)								
COMMENTS: APPARENTLY SELF-SUSTAINING IN '88 WITH NUMEROUS 4-6" FISH OBSERVED IN THE OUTLET STREAM AND IN SMALL POND ALONG THE OUTLET. NO TROUT SAMPLED OR OBSERVED '90.RESTOCK WITH GT WHEN AVAILABLE.								
CAMP SITES: ROCKY CAMPSITES. SCARCE FIREWOOD.								
<u>SURVEY NOTES:</u>								
FAIRY SHRIMP (EUBRANCHIOPODA-ANOSTRACA) ARE COMMON. THE GOOD FOOD SUPPLY DICTATES RESTOCKING. CUTTHROATS WERE PLANTED IN 1968. GILL NET IN 1990 WAS SET FOR 18 HOURS, 15 HOURS IN 1999. FAIR SPAWNING POTENTIAL IN INLET AND OUTLET.								
(SMALL AREAS OF GOOD GRAVEL) BOTTOM OF LAKE IS SILT AND BOULDERS. FWP SAMPLED 07,17 HOUR SET.								

LAKE NAME: ROCK ISLAND LAKE		COUNTY: 49	T: 9S	R: 15E	SEC: 25,26
DRAINAGE: CLARKS FORK		ELEV: 8166	ACREAGE: 137.0	DEPTH: 110FT	
LOCATION: 45.01568, -109.81024		MARCUSONS CODE: 73			
ACCESS: 3.25 MILES FROM KERSEY LAKE TRAILHEAD. PAST KERSEY TAKE RIGHT TRAIL #565 ~.75 MILES TO ROCK ISLAND.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
CLARKS FORK	3.25	(3.25)	+350	-250	
<u>SPECIES PRESENT</u>		<u>ABUNDANCE</u>	<u>STATUS</u>		
Brook Trout		Common	Self-Sustained		
Yellowstone Cutthroat		Abundant	Stocked		
LAST GILL NET SET: 7/19/2006					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
2006	Yellowstone Cutthroat	8	13	7-16	
2006	Brook Trout	39	7.17	6.25-8.5	
<u>STOCKING HISTORY</u>		<u>STOCKING PLAN</u>			
2008: Yellowstone Cutthroat (13700 fish)		2011: Yellowstone Cutthroat (13700 fish)			
2005: Yellowstone Cutthroat (13700 fish)					
1939: Brook Trout (7000 fish)					
COMMENTS: GRAYLING POSSIBLE. BENO-'84 14-16" EB & CT. FISHED HEAVILY BY LOCALS YEAR ROUND. MONITOR FREQUENTLY. FIRST CT PLANT '42. '89 CREEL CARDS 115 CT'S 8-16", 29 EB'S 8-16". 9/13/91 2 CT 15.2 & 15.9".					
CAMP SITES: MANY WELL USED CAMP SPOTS. FIREWOOD AVAILABLE.					
<u>SURVEY NOTES:</u> M BARRETT 6/91 SLOW FISHING 2 EB ~15" VERY FAT, 1 CT ~15". 6/92 GREAT FISHING FOR 8-13" CT'S GOOD SHAPE. 8/93 GLIDDENS REPORT CT'S IN POOR SHAPE. CT'72 9 CT 7.6-17.0" AVE 10.7". '95 36 CT 7.1-15.5" AVE 11.5", 3 EB 9.5-11.5" AVE 10.7".  TWO GILL NETS SET IN '00. STOCKED EVERY 3 YEARS. HEAVILY FISHED LAKE. MFWP SURVEY 06 MANY SMALL BROOK TROUT, OBSERVED CT'S UP TO 18" CRUISING SHORELINE.  BROOK TROUT PLANTED '33, '38, '39. CT'S IN '42, '47, '48, '65, '66, '67, '68, '70, '72, '74, '77, '80, '81, '84, '87, '88, '90, '93, '96, '99.					

LAKE NAME: ROUGH LAKE		COUNTY: 49	T: 8S	R: 15E	SEC: 23
DRAINAGE: CLARKS FORK		ELEV: 10150	ACREAGE: 102.2	DEPTH: 110FT	
LOCATION: 45.12119, -109.82467		MARCUSONS CODE: 36			
ACCESS: LONG LAKE TOWARD LADY OF THE LAKE. THEN NORTH TO BROADWATER RIVER/ZIMMER CREEK. CROSS RIVER AND STAY ON NORTH SIDE OF SKY TOP CREEK TO ROUGH.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
GOOSE LAKE JEEP	6.5	(6.5)	+1,600	-600	
LADY OF THE LAK	8	(8)	+1,900	-450	
<u>SPECIES PRESENT</u>		<u>ABUNDANCE</u>	<u>STATUS</u>		
Arctic Grayling		Rare	Unknown		
Brook Trout		Abundant	Self-Sustained		
LAST GILL NET SET: 8/25/1998					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
1998	Brook Trout	29	8.7	5.9-11.4	
1993	Brook Trout	20	9.9	8.2-10.9	
1987	Brook Trout	35	8.3	6.3-9.6	
<u>STOCKING HISTORY</u>		<u>STOCKING PLAN</u>			
1992: Arctic Grayling (10220 fish)					
1955: Arctic Grayling					
1938: Brook Trout (4320 fish)					
COMMENTS: GRAYLING WERE THE RESULT OF THE PLANT IN SKY TOP CREEK LAKES IN 1955. ARE THERE ANY LEFT? NONE FOUND IN '87, '93 GILLNETS. '89 CREEL CARDS - 25 EB 8-12". EXCELLENT INLET/OUTLET SPAWNING.					
CAMP SITES: SOME FLAT PLACES NEAR INLET. NO FIREWOOD. ABOVE TREE LINE.					
<u>SURVEY NOTES:</u>					
1973 NET TOOK 5 GR 12.1-14.1" AND 24 EB 6.0-11.8". D ARNESON 8-86 CAUGHT MANY 5-8" EB. D FISCHER 8/91 SMALL EB, TOO MANY. LAKE TROUT INTRODUCTION CONTEMPLATED. GRAYLING WERE PLANTED IN 1992. FISH IN '93 HAD GOOD BODY SIZE BUT LARGE HEADS, FAIRLY HEALTHY.					
V ICHIOKA 8/95 CAUGHT MANY EB'S 7-10". TURBID GLACIAL TINT TO WATER, BROWN NEAR OUTLETS.					

LAKE NAME: ROUND LAKE COUNTY: 49 T: 9S R: 15E SEC: 6D  
DRAINAGE: CLARKS FORK ELEV: 9340 ACREAGE: 31.0 DEPTH: 32 FT  
LOCATION: 45.07418, -109.90677 MARCUSONS CODE: 8&9

ACCESS: RIGHT ON THE GOOSE LAKE JEEP TRAIL OUT OF COOKE CITY. WITH A 4WD ONE WOULDN'T NEED TO WALK MORE THAN A FEW STEPS TO REACH THE LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	0	(0)	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 7/19/2003

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2003	Yellowstone Cutthroat	2	11.3	10.4-12.1
2003	Brook Trout	9	8.5	6.3-11.7

STOCKING HISTORY STOCKING PLAN

1949: Rainbow Trout (3570 fish)  
1946: Yellowstone Cutthroat (4000 fish)  
1940: Brook Trout (10000 fish)

COMMENTS: PERIODIC SURVEILLANCE TO MONITOR POPULATION TRENDS. EB PLANTED IN '33 & '39, CT IN '41. THE FOREST SERVICE MAINTAINS A RENTAL CABIN HERE.

CAMP SITES:

SURVEY NOTES:  
1969 SURVEY - 18 EB 8.8-13.9" AVE 11.3". 2 CT 7.3-7.9" AVE 7.6". 1987 SURVEY - 17 EB 6.3-12.8" AVE 9.4 2 CT 6.7-7.5" AVE. 7.1" BEANO SHERIDAN HEARD OF FAT 14-16" BROOKIES TAKEN HERE IN '96 FROM A RAFT. 2-3" FISH SEEN NEAR OUTLET IN '03.

1995 - 19 EB 6.2-14.1" AVE. 9.8" & 4 CT 8.6-11.5" AVE. 10.0".

LAKE NAME: SADERBALM LAKE COUNTY: 32 T: 6S R: 14E SEC: 5B  
DRAINAGE: STILLWATER ELEV: 8980 ACREAGE: 7.4 DEPTH: 29 FT  
LOCATION: 45.34246, -110.01747 MARCUSONS CODE: 98

ACCESS: HIKE UP SADERBALM CREEK, A TRIBUTARY OF THE WEST FORK OF THE STILLWATER. NO TRAIL EXISTS FROM #90 ON THE WEST FORK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
INITIAL CREEK	6	(2)	+2,400	-0
HORSEMAN FLATS	9	(7)	+3,600	-900

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Unknown	Unknown

LAST GILL NET SET: 8/1/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2003	Arctic Grayling	0	-	-

STOCKING HISTORY STOCKING PLAN

1997: Arctic Grayling (775 fish)  
1992: Arctic Grayling (740 fish)  
1991: Arctic Grayling (740 fish)

COMMENTS: THIS LAKE AND CREEK ARE CALLED SODDERHOLM ON OLD FOREST SERVICE MAPS AND IN MARCUSONS ORIGINAL FILES. GOOD FOOD SUPPLY. SPAWNING POTENTIAL IN OUTLET. 2009 PLANT DEPENDS ON AVAIABILITY.

CAMP SITES: NO CAMPSITES. LOTS OF FIREWOOD.

SURVEY NOTES:  
THE 500 GRAYLING PLANTED IN 1985 DID NOT TAKE. '90 GILL NET SET FOR 2.5 HOURS BY VOLUNTEER CREW. THIS IS A TOUGH LAKE TO GET TO. TOM MCGILLVRAY FISHED FOR ~1.5 HOURS IN '94. SAW NO SIGN OF FISH. LAKE APPEARED TO HAVE LOTS OF FOOD. VERY PRETTY SPOT.  
GRAYLING WILL BE PUT ON AN EIGHT YEAR SCHEDULE STARTING IN 2009.

LAKE NAME: RUSSEL LAKE COUNTY: 10 T: 9S R: 16E SEC: 7A  
DRAINAGE: CLARKS FORK ELEV: 8780 ACREAGE: 27.5 DEPTH: 95 FT  
LOCATION: 45.06113, -109.79038 MARCUSONS CODE: 77

ACCESS: TAKE USFS TRAIL #567 FROM CHIEF JOSEPH CAMPGROUND. APPROXIMATELY 6 TRAIL MILES.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	6	(6)	+1,200	-280

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

LAST GILL NET SET: 8/1/1993

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Brook Trout	61	7.4	6.5-10.5
1993	Brook Trout	54	8.8	6.5-11.3
1972	Brook Trout	18	8.3	6.6-11

STOCKING HISTORY STOCKING PLAN

COMMENTS: GOOD FISHERY FOR CAMPERS AND HIKERS.

CAMP SITES: NICE PLACES BUT HARD TO GET FAR FROM WATER. FIREWOOD AVAILABLE

SURVEY NOTES:  
MAJOR USE. SHORELINE BEATEN DOWN ALONG TRAIL. '93 FISH WERE SMALL BUT HEALTHY. SOME HAD LARGE HEADS INDICATIVE OF STUNTING.  
FWP SAMPLED 07,13.5 HOUR SET,MANY AVERAGE FISH.

LAKE NAME: SCAT LAKE COUNTY: 10 T: 8S R: 16E SEC: 23D  
DRAINAGE: EAST ROSEBUD ELEV: 9310 ACREAGE: 7.0 DEPTH: 45 FT  
LOCATION: 45.11054, -109.71343 MARCUSONS CODE: 14

ACCESS: STEEP CLIMB AT LAKE AT FALLS (11.5 MI. FROM E. ROSEBUD LAKE). CLIMB THE CHUTE JUST TO THE RIGHT OF THE FALLS. STAY ON THE WEST SIDE OF MARTIN LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ALPINE (EAST ROS	13.5	(11.5)	+3,350	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Unknown	Unknown

LAST GILL NET SET: 8/1/1998

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2003	Golden Trout	0	-	-

STOCKING HISTORY STOCKING PLAN

2005: Golden Trout (700 fish)  
1992: Golden Trout (457 fish)  
1991: Golden Trout (1072 fish)

COMMENTS: '82 PLANT WAS IN LITTLE SCAT LAKE. PLANT WAS ALSO INTENDED TO CREATE A GT FISHERY IN SCAT LAKE & MARTIN LAKE DOWNSTREAM.  
EXCELLENT HABITAT FOR GOLDEN TROUT. GREAT OUTLET SPAWNING SITE.

CAMP SITES: QUESTIONABLE CAMPING NEAR THE LAKE. PLENTY OF FIREWOOD.

SURVEY NOTES:  
SHALLOW GILLNET SET FOR 1.5 HOURS IN '87 CAUGHT NO FISH. GILL NET SET FOR 4.5 HOURS IN '90, 18 HOURS IN '98. ONE 12"ER WAS POSSIBLY SEEN IN THE OUTLET STREAM IN '98. NET SET FOR 19 HOURS IN '03.

SURVEY WITH MARTIN AND L. SCAT.

LAKE NAME: SCHOOLARM LAKE/UP MUD      COUNTY: 49      T: 9S      R: 15E      SEC: 7BA  
DRAINAGE: CLARKS FORK      ELEV: 9520      ACREAGE: 3.0      DEPTH: 25 FT  
LOCATION: 45.06788, -109.91169      MARCUSONS CODE: 5  
  
ACCESS: NO TRAILS LEAD TO THE LAKE, BUT IT'S AN EASY WALK OFF OF THE GOOSE LAKE JEEP TRAIL.  
  

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	.5	(0)	+100	-0

  

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stocked

  

LAST GILL NET SET: 8/1/2000  

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Yellowstone Cutthroat	27	11.6	10.3-14
2000	Yellowstone Cutthroat	0		-

  

STOCKING HISTORY	STOCKING PLAN
2007: Yellowstone Cutthroat (150 fish)	2013: Yellowstone Cutthroat (150 fish)
2001: Yellowstone Cutthroat (300 fish)	
1977: Yellowstone Cutthroat (450 fish)	

  

COMMENTS: AKA UPPER MUD LAKE. OUTSIDE A-B WILDERNESS. SURVEY MARKERS IN VICINITY IN '92. PLANTED ON A 6 YEAR CYCLE.  
  
CAMP SITES: BEAUTIFUL SPOT WITH EXCELLENT CAMPING AND GOOD FIREWOOD.  
  
SURVEY NOTES:  
FISH WERE CRUISING ALONG THE EAST SHORE, BUT SOMEHOW AVOIDED THE NET IN 1992. CT WERE 1.5-2.5 LBS, 16-19". ALMOST A TROPHY FISHERY BUT REPRODUCTION APPEARS VERY MARGINAL. CT PLANT OF 100/ACRE IN '01 THEN 50/ACRE EVERY 6 YEARS.  
  
MFWP SURVEY 06 NICE HEALTHY FISH, ABUNDANT.

LAKE NAME: SEDGE LAKE      COUNTY: 49      T: 9S      R: 15E      SEC: 13,14  
DRAINAGE: CLARKS FORK      ELEV: 9100      ACREAGE: 4.7      DEPTH: 28 FT  
LOCATION: 45.05412, -109.81762      MARCUSONS CODE: 62  
  
ACCESS: TRAIL #567 1/2 MI TO JEEP TRAIL #306. UP #306 TO BROADWATER RIVER TRAIL #564. HEAD X-COUNTRY EAST BEFORE CURL LAKE TO SEDGE CREEK THEN UP E SIDE.  
  

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	6.5	(4)	+1,200	-100

  

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Unknown	Unknown
Yellowstone Cutthroat	Abundant	Self-Sustained

  

LAST GILL NET SET: 8/1/1995  

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1999	Yellowstone Cutthroat	20	9	6.4-11.2
1995	Yellowstone Cutthroat	17	10.4	5.5-16.7
1992	Yellowstone Cutthroat	30	9.1	6.5-13

  

STOCKING HISTORY	STOCKING PLAN
1997: Arctic Grayling (489 fish)	
1992: Arctic Grayling (470 fish)	

  

COMMENTS: IN MIDDLE OF THE '88 BURN, NOT VERY PRETTY. CUTTHROAT DRIFTED IN FROM AQUARIUS. BOTH SPECIES APPEARED TO BE REPRODUCING IN '78. GRAYLING HAVE LOST THE COMPETITION. NONE NETTED IN '92, '95, '99. NEXT  
  
CAMP SITES: EAST SIDE UNBURNED. WOOD AND CAMPSITES AVAILABLE. ROCKY.  
  
SURVEY NOTES:  
'92 - MANY CT'S OF VARIOUS SIZES CRUISING & RISING. THE OUTLET HAS GRAVEL FOR SPAWNING, AND THE CT ARE OBVIOUSLY DOING WELL. FISH APPEARED HEALTHY BUT NOT FAT. '95 2-4" FISH SEEN IN STREAM, INLET, OUTLET.  
  
DAVE HERGENRIDER REPORTS THAT 5 GRAYLING WERE CAUGHT 7/92 11-16" SO MAYBE THERE ARE A FEW HANGING IN THERE. NICE LAKE BUT A MUD HOLE.

LAKE NAME: SECOND ROCK LAKE      COUNTY: 10      T: 8S      R: 17E      SEC: 36  
DRAINAGE: ROCK CREEK      ELEV: 9110      ACREAGE: 25.9      DEPTH: 50 FT  
LOCATION: 45.08094, -109.56397      MARCUSONS CODE: 36  
  
ACCESS: LAKE FORK TRAIL #1 FOR 6 MILES TO TRAIL #2 TO KEYSER BROWN LAKE. STAY NORTH OF KEYSER BROWN, FIRST ROCK, AND CREEK TO SECOND ROCK LAKE.  
  

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
LAKE FORK ROCK	9	(7)	+2,100	-100

  

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

  

LAST GILL NET SET: 8/1/1994  

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Brook Trout	74	8.4	6-12.3
1994	Brook Trout	69	9.3	6.3-13.8
1971	Brook Trout	29	8.9	5.8-12.4

  

STOCKING HISTORY	STOCKING PLAN
1953: Yellowstone Cutthroat (4700 fish)	
1933: Brook Trout (42000 fish)	

  

COMMENTS: ON 7/26/84 USFS RANGER CAUGHT 7 EB - MAX. SIZE = 12.0". '89 CREEL CARDS - 43 EB 8-12", 90 EB 12-16", 1 RB?? 8-12" RANGE.  
  
CAMP SITES: NICE MEADOW NEAR OUTLET & OTHERS. PLENTY OF FIREWOOD.  
  
SURVEY NOTES:  
SELF-SUSTAINING BROOKIE LAKE. AKA SECOND ROCK CREEK LAKE. FROM LAKE FORK TRAILHEAD TAKE TRAIL #1 TO TRAIL #2 WHICH GOES TO KEYSER BROWN LAKE. FROM KEYSER BROWN FOLLOW PATHS ON THE NORTH SIDE OF THE CREEK TO FIRST ROCK LAKE.  
  
THEN CROSS-COUNTRY ON THE NORTH SIDE OF THE VALLEY TO SECOND ROCK LAKE. MFWP SURVEY 06 LOTS OF FISH 6-12.5"

LAKE NAME: SENAL LAKE      COUNTY: 10      T: 8S      R: 17E      SEC: 12,13  
DRAINAGE: ROCK CREEK      ELEV: 10140      ACREAGE: 3.1      DEPTH: 10 FT  
LOCATION: 45.13732, -109.58117      MARCUSONS CODE: 66  
  
ACCESS: NEAR DUDE LAKE ON THE WEST FORK OF ROCK CREEK. 5 MILES UP WEST FORK ON GOOD TRAIL THEN A PATH 1 MILE NORTH UP DRAINAGE.  
  

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WEST FORK ROCK	5	(4)	+2,277	-0

  

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Rare	Unknown

  

LAST GILL NET SET: 7/13/2005  

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Yellowstone Cutthroat	6	14.8	13-15.5
2005	Brook Trout	7	12	9-13.3

  

STOCKING HISTORY	STOCKING PLAN

  

COMMENTS: NO CHANGE IN MANAGEMENT. STOCKING PRE-DATES WRITTEN RECORDS.  
  
CAMP SITES: ABOVE TIMBERLINE. CAMP BELOW.  
  
SURVEY NOTES:  
CT COME DOWN FROM DUDE LAKE. NICE BROOKIES. THE LAKE SHOWED SOME SIGNS OF USE IN '91.  
  
EB '77 - 5 FISH 13.5-14.2" AVE. 13.9". 1991 - 16 EB 9.5-14.6" AVE. 12.4", 2 CT 6.4-12.4" AVE. 9.4".

LAKE NAME: SEPTEMBER MORN LAKE COUNTY: 10 T: 8S R: 18E SEC: 29C  
DRAINAGE: ROCK CREEK ELEV: 9696 ACREAGE: 11.3 DEPTH: 75 FT  
LOCATION: 45.09886, -109.54339 MARCUSONS CODE: 40

ACCESS: 8 MILES UP THE LAKE FORK OF ROCK CREEK NEAR SUNDANCE PASS ON TRAIL #1.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
LAKE FORK ROCK	8	(8)	+2,500	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1994

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Brook Trout	18	9.7	7-11.5
1994	Brook Trout	21	9.5	6-11.7
1971	Brook Trout	33	9.8	6.1-11

STOCKING HISTORY STOCKING PLAN

1933: Brook Trout (7000 fish)  
1931: Yellowstone Cutthroat (25000 fish)

COMMENTS: NO SPECIAL MANAGEMENT. '94 - LITTLE CHANGE FROM 1971 GILL NETTING.

CAMP SITES: SEVERAL SITES. FUEL IS LIMITED.

SURVEY NOTES:  
'89 CREEL CARDS - 6 EB 8-12" RANGE. '94 GENERAL CONDITION OF FISH WAS GOOD. ONE FISH HAD BEEN EATING WHAT WERE PROBABLY FINGERNAIL CLAMS. MFWP SURVEY 06 MANY FISH, FRY SEEN, AVERAGE HEALTH.

LAKE NAME: SHADOW LAKE COUNTY: 10 T: 8S R: 17E SEC: 25,26  
DRAINAGE: ROCK CREEK ELEV: 9580 ACREAGE: 3.6 DEPTH: 6 FT  
LOCATION: 45.10128, -109.58562 MARCUSONS CODE: 52

ACCESS: HIKE 8 MILES UP WEST FORK ON TRAIL #1 TO SUNDANCE BRIDGE. STAY ON RIGHT SIDE OF CREEK. TRAIL DISAPPEARS AND REAPPEARS. LAKE IS A CREEK MEANDER.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WEST FORK ROCK	9	(9)	+1,870	-160

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stocked

LAST GILL NET SET: 8/1/2001

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2001	Yellowstone Cutthroat	24	9.8	8-11.8
1995	Yellowstone Cutthroat	1	10.3	10.3-10.3
1990	Yellowstone Cutthroat	3	14.2	12.6-15.9

STOCKING HISTORY STOCKING PLAN

2003: Yellowstone Cutthroat (360 fish)  
1997: Yellowstone Cutthroat (360 fish)  
1991: Yellowstone Cutthroat (360 fish)

COMMENTS: 100/ACRE EVERY 6 YEARS BEGINNING IN 1991. LAKE IS ~1/2 MILE ABOVE THE SUNDANCE BRIDGE (GOOD PATH). DON'T MISTAKE IT FOR THE UNNAMED LAKE IMMEDIATELY ABOVE THE BRIDGE. WATER CODE #22-9143.

CAMP SITES: FEW FLAT PLACES TO CAMP. LITTLE FIREWOOD. CAMP IN VALLEY BELOW

SURVEY NOTES:  
POOR REPRODUCTION IF ANY. HEAVY USE WOULD INDICATE A NEED FOR STOCKING. THE UNNAMED LAKE BETWEEN THIS LAKE AND THE BRIDGE IS A BETTER CANDIDATE. IT IS DEEPER AND THE INLET HAS GRAVEL FOR SPAWNING. '90 GILL NET SET FOR 18.5 HOURS.

FISH WERE IN AVERAGE CONDITION. RECONSIDER FUTURE PLANTS.

CUTTS FIRST PLANTED IN '80.

LAKE NAME: SHADOW LAKE COUNTY: 10 T: 7S R: 17E SEC: 19,20  
DRAINAGE: EAST ROSEBUD ELEV: 8400 ACREAGE: 8.4 DEPTH: 19 FT  
LOCATION: 45.19611, -109.6731 MARCUSONS CODE: 44

ACCESS: ACCESSIBLE VIA A VERY STEEP INTERMITTENT TRAIL WEST OF EAST ROSEBUD LAKE OR BY HIKING X-COUNTRY FROM ARMSTRONG CREEK.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ARMSTRONG CREE	2.5	(0)	+2,240	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1971

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2002	Brook Trout	200		3-6
2002	Brook Trout	20	7	6-8.3
1971	Brook Trout	36	8.4	6.2-9.3

STOCKING HISTORY STOCKING PLAN

COMMENTS: LITTLE CAN BE DONE TO IMPROVE THE FISHERY. FISH ARE STUNTED. IF REHABILITATED PLANT GRAYLING. WATER CODE #22-9142

CAMP SITES: THERE IS PLENTY OF FIREWOOD AND A FEW GOOD PLACES TO CAMP.

SURVEY NOTES:  
'92 MANY 8-9" BROOK TROUT CRUISING & RISING. ARLEN LUNDBERG & CREW CAUGHT 81 BROOK TROUT 5-9" 8/92. FISH IN 2002 WERE OBSERVED FROM SHORE.

LAKE NAME: SHELF LAKE COUNTY: 10 T: 9S R: 18E SEC: 20,21  
DRAINAGE: ROCK CREEK ELEV: 10120 ACREAGE: 51.0 DEPTH: 55 FT  
LOCATION: 45.02634, -109.52226 MARCUSONS CODE: 16

ACCESS: 3 MILES FROM THE END OF THE GLACIER LAKE (ROCK CREEK) ROAD. TRAIL IS STEEP AND FULL OF DOWNED TIMBER. LEAVE GLACIER LAKE TRAIL .25 MILES AFTER FOOT BRIDGE & HEAD NORTH UP THE RIDGE ON THE WEST SIDE OF THE

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GLACIER LAKE	3	(3)	+1,400	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

LAST GILL NET SET: 8/1/1991

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Brook Trout	23	12.4	9-14.25
1991	Brook Trout	11	11	7.9-13.3
1969	Brook Trout	20	11	6.5-14.7

STOCKING HISTORY STOCKING PLAN

COMMENTS: BROOKIE DENSITY FLUCTUATES WITH ZOOPLANKTON DENSITY. FISH ARE GENERALLY IN EXCELLENT CONDITION. LEAVE THE GLACIER LAKE TRAIL AT THE BRIDGE. STAY ON EAST SIDE OF CREEK. ACCESS IS POSSIBLE FROM

CAMP SITES: CAMPSITES ARE AWAY FROM THE LAKE. NO FIREWOOD. CAMP BELOW.

SURVEY NOTES:  
'89 CREEL CARDS - 2 EB 12-16" RANGE. '91 FISH WERE FAT. SOME FRY SEEN. TINY (~1mm) TRANSPARENT BALLS RESEMBLING Volvox, A COLONIAL FLAGELLATE, WERE PRESENT IN GREAT NUMBERS IN '90, NOT PRESENT IN '91.

EARL RADONSKI & CANYON MCBRIDE SET NET 13.5 HRS. 06' GOOD EB LAKE.



LAKE NAME: SHELTER LAKE COUNTY: 49 T: 8S R: 15E SEC: 26BB  
DRAINAGE: CLARKS FORK ELEV: 10040 ACREAGE: 6.8 DEPTH: 45 FT  
LOCATION: 45.11089, -109.8388 MARCUSONS CODE: 34

ACCESS: GOOSE LAKE JEEP TRAIL - LADY OF THE LAKE CREEK - BROADWATER RIVER.  
THEN HEAD UP THE NORTH SIDE OF SKY TOP CREEK ON AN UNMAINTAINED TRAIL..

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	7	(6.5)	+3,450	-700
LADY OF THE LAK	9	(8.5)	+3,600	-500

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

LAST GILL NET SET: 8/1/1973

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1996	Brook Trout	8	8.2	7.7-9.3
1973	Brook Trout	24	7.6	6.1-8.8

STOCKING HISTORY STOCKING PLAN

COMMENTS: NO CHANGE IN MANAGEMENT. EB'S AVERAGED 8" IN 1988. '96 FISH WERE AVERAGE TO THIN. SEASONAL INLET. OUTLET IS COBBLE AND SAND.

CAMP SITES: ABOVE TREE LINE. FEW PLACES TO CAMP. ROCKY. NO FIREWOOD.

SURVEY NOTES:

DENNIS HAGENSTON 8/92 REPORTS 6-8" BROOK TROUT - AVERAGE CONDITION. EVIDENCE OF SOME USE IN '96. SIX OF THE '96 FISH WERE ANGLED. OVERNIGHT NET SET PRODUCED ONLY TWO FISH.

LAKE NAME: SILT LAKE #2 COUNTY: 10 T: 8S R: 17E SEC: 26CCD  
DRAINAGE: ROCK CREEK ELEV: 9800 ACREAGE: 4.4 DEPTH: 10 FT  
LOCATION: 45.09625, -109.59672 MARCUSONS CODE: 54

ACCESS: 9.5 MILES UP THE TRAIL ALONG THE WEST FORK OF ROCK CREEK AND 1 MILE FURTHER UP THE CREEK DRAINAGE ON A GOOD PATH.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WEST FORK ROCK	10.5	(10.5)	+2,100	-160

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1999	Yellowstone Cutthroat	8	10.5	9.1-12.2
1990	Yellowstone Cutthroat	10	9.6	8.1-13.7

STOCKING HISTORY STOCKING PLAN  
2008: Yellowstone Cutthroat (220 fish) 2012: Yellowstone Cutthroat (220 fish)  
2004: Yellowstone Cutthroat (220 fish)  
2000: Yellowstone Cutthroat (220 fish)

COMMENTS: 50/ACRE EVERY 4 YEARS. OUTLET IS BLOCKED BY TALUS. HOPE FISH MOVE TO OTHER LAKES. USE OF THE LAKE INDICATES A NEED FOR CONTINUED STOCKING.

CAMP SITES: POOR CAMPING. FIREWOOD IS AWAY FROM LAKE.

SURVEY NOTES:

CT'S PLANTED IN '76, '80, '84, '88, '92. WATER IS COLD (36) AND GROWING SEASON SHORT (SURROUNDING MOUNTAINS BLOCK SUNLIGHT). '90 GILL NET SET FOR 18.5 HOURS. FISH WERE THIN. '99 FISH ALL SEEMED HEALTHY AND FAT.

LAKE NAME: SHIP LAKE COUNTY: 10 T: 8S R: 17E SEC: 23  
DRAINAGE: ROCK CREEK ELEV: 10400 ACREAGE: 28.9 DEPTH: 55 FT  
LOCATION: 45.11679, -109.59669 MARCUSONS CODE: 61

ACCESS: 1 MILE FROM MAINTAINED TRAIL AT SUNDANCE LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WEST FORK ROCK	8	(6.5)	+2,600	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1980

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1993	Brook Trout	28	9.8	7.1-12.3
1980	Brook Trout	16	9	7.2-11.8

STOCKING HISTORY STOCKING PLAN

1934: Brook Trout (11200 fish)  
1932: Brook Trout (6000 fish)

COMMENTS: USFS RANGER VISITED THE LAKE ON 8/14/84. EB IN GOOD CONDITION, AVERAGE SIZE = 8.5 ". 1988 9-12" BROOKIES. BROOKIES ARE OBVIOUSLY REPRODUCING WELL.

CAMP SITES: ABOVE TIMBERLINE. SOME ROCKY PLACES, CAMP BELOW. NO FIREWOOD.

SURVEY NOTES:

'93 - FISH WERE STUNTED BUT AVERAGE IN BODY WEIGHT FOR THEIR SIZE. PROVIDES A GOOD CONTRAST TO CUTTHROAT FISHERIES IN NEARBY LAKES.

LAKE NAME: SILT LAKE #3 COUNTY: 10 T: 8S R: 17E SEC: 26CD  
DRAINAGE: ROCK CREEK ELEV: 9820 ACREAGE: 3.2 DEPTH: 7 FT  
LOCATION: 45.096, -109.60187 MARCUSONS CODE: 55

ACCESS: ABOUT 11 MILES UP THE WEST FORK OF ROCK CREEK, 9.5 ON A MAINTAINED TRAIL, LAST 1.5 ON A PATH.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WEST FORK ROCK	11	(11)	+2,100	-160

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1999	Yellowstone Cutthroat	0		-
1990	Yellowstone Cutthroat	14	8.4	5.7-12.1
1983	Yellowstone Cutthroat	5	6.1	6-6.3

STOCKING HISTORY STOCKING PLAN  
2008: Yellowstone Cutthroat (160 fish) 2012: Yellowstone Cutthroat (160 fish)  
2004: Yellowstone Cutthroat (160 fish)  
2000: Yellowstone Cutthroat (160 fish)

COMMENTS: 50/ACRE EVERY 4 YEARS. OUTLET BLOCKED BY TALUS HINDERING DOWNSTREAM MIGRATION.

CAMP SITES: POOR CAMPING. LITTLE FIREWOOD NEAR THE LAKE.

SURVEY NOTES:

CT'S PLANTED IN '80, '84, '88, '92 GILL NET SET FOR 17.5 HRS. FISH WERE SMALL & THIN. VERY POOR GROWTH IN VERY COLD WATER (36). USE INDICATES A NEED FOR STOCKING, BUT WITH FEWER FISH.

LAKE NAME: SILVER LAKECOUNTY: 49T: 5SR: 11E SEC: 34DRAINAGE: BOULDERELEV: 9046ACREAGE: 10.0DEPTH: 30 FTLLOCATION: 45.36079, -110.35063MARCUSONS CODE: 42ACCESS: HIKE UP FOURMILE CREEK ON TRAIL #22 & #149 FROM THE FOREST SERVICE STATION ON THE BOULDER RIVER.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWNFOURMILE CREEK10.5(10.5)+3,100-200

SPECIES PRESENTABUNDANCESTATUSRainbow TroutRareUnknownYellowstone CutthroatUnknownUnknown

LAST GILL NET SET: 8/1/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1995	Rainbow Trout	26	11.5	6.2-16.1
1992	Rainbow Trout	7	12.6	10-18
	Rainbow Trout	39	10.9	6.3-18

STOCKING HISTORYSTOCKING PLAN2008: Yellowstone Cutthroat (1000 fish)2009: Yellowstone Cutthroat (1000 fish)

COMMENTS: OUTLET HAS GOOD SPAWNING HABITAT, INLET IS FAIR. '97 - SET FOUR NETS, '99-2. USED HEAVILY BY CHURCH CAMPS. RB'92 7, AVE 12.6", 10.0-18.0". FWP RAINBOW REMOVAL PROJECT SHOULD BE COMPLETED IN 09' 1000 YCT

CAMP SITES: EXCELLENT CAMPING BUT FIREWOOD GETTING PICKED OVER BY CAMPERS.

SURVEY NOTES:

'97 CT PLANT IS A MINOR SWAMP OUT ATTEMPT TO PROTECT CT'S IN 4-MILE & MEATRACK CREEKS. WE WILL STOCK CT'S EVERY YEAR. FIRST CT'S '31. '92 - A FEW 3-4" FISH SEEN NEAR OUTLET. H20 = 64oF. MANY FISH SEEN CRUISING & RISING. FISH WERE HEALTHY BUT NOT FAT.

SET A COUPLE OF NETS IN '95, '96. FISH HAD BEEN SELF-SUSTAINING SINCE 1939 TILL '89, PLANT. WATERCODE #22-9185. CT'S PLANTED IN '97, 01. MFWP IS REMOVING RAINBOWS AND WILL STOCK NATIVE YELLOWSTONE CT AFTER RB REMOVAL.

LAKE NAME: SILVER RUN LAKE #43COUNTY: 10T: 8SR: 18E SEC: 14DRAINAGE: ROCK CREEKELEV: 9600ACREAGE: 3.6DEPTH: 4 FTLLOCATION: 45.13545, -109.47867MARCUSONS CODE: 43ACCESS: TAKE TRAIL #12 UP TIMBERLINE CREEK ~2.75 MILES THEN #8 TO THE LEFT. THE LAKES ARE LOCATED JUST UNDER THE SILVER RUN PLATEAU. THERE ARE 5 LAKES.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWNTIMBERLINE5(4.5)+1,900-0

SPECIES PRESENTABUNDANCESTATUSBrook TroutRareSelf-Sustained

LAST GILL NET SET: 7/13/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1995	Brook Trout	1	10.2	10.2-10.2

STOCKING HISTORYSTOCKING PLAN

COMMENTS: MUST BE A PRETTY TOUGH SPOT FOR A FISH TO SPEND THE WINTER! MAY BE POTENTIAL FOR SPAWNING IN THE OUTLET.

CAMP SITES: SOME CAMPING SPOTS. PLENTY OF FIREWOOD.

SURVEY NOTES:

'95 FISH WAS IN AVERAGE HEALTH. NO FISH FOUND IN #45, #46, OR #46B. DO FISH MOVE HERE FROM DOWNSTREAM?

LAKE NAME: SILVER LAKECOUNTY: 32T: 7SR: 15E SEC: 22DRAINAGE: WEST ROSEBUDELEV: 7820ACREAGE: 72.6DEPTH: 21 FTLLOCATION: 45.20995, -109.8541MARCUSONS CODE: 15ACCESS: 8 MILES OF GOOD TRAIL FROM THE MYSTIC LAKE HYDROELECTRIC PLANT ON WEST ROSEBUD CREEK.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWNMYSTIC LAKE8(8)+1,900-300

SPECIES PRESENTABUNDANCESTATUSRainbow TroutCommonSelf-SustainedYellowstone Cutthroat Trout X RainbowCommonSelf-Sustained

LAST GILL NET SET: 7/26/2000

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2000	Rainbow Trout	4	10.3	6-15.5

STOCKING HISTORYSTOCKING PLAN1949: Rainbow Trout (28560 fish)1948: Rainbow Trout (25440 fish)1947: Rainbow Trout (25440 fish)

COMMENTS: NO CHANGE IN MANAGEMENT. HEAVY USE. GRAVEL PRESENT IN BOTH INLETS AND OUTLET, WITH DECENT SPAWNING POTENTIAL. WATER CODE #22-9184.

CAMP SITES: PLENTY OF CAMPSITES AND FIREWOOD.

SURVEY NOTES:

D FISCHER '88 REPORTS LOTS OF FISH IN THE OUTLET 4 - 15". '91 - INLET AND OUTLET STREAMS HAD CONGREGATIONS OF SMALLER FISH. FISH WERE FAT. '74 - 24 RB 5.8-14.6", AVE 7.0". '91 - 3 RB 13.0-18.0" AVE 14.8", 3 RB/CT 14.0-17.5" AVE 16.3".

LAKE NAME: SILVER RUN LAKE #44COUNTY: 10T: 8SR: 18E SEC: 14DRAINAGE: ROCK CREEKELEV: 9600ACREAGE: 2.3DEPTH: 4 FTLLOCATION: 45.13332, -109.48196MARCUSONS CODE: 44ACCESS: TAKE TRAIL #12 UP TIMBERLINE CREEK ~2.75 MILES THEN #8 TO THE LEFT. THE LAKES ARE LOCATED JUST UNDER THE SILVER RUN PLATEAU. THERE ARE 5 LAKES.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWNTIMBERLINE5(4.5)+1,900-0

SPECIES PRESENTABUNDANCESTATUSBrook TroutRareSelf-Sustained

LAST GILL NET SET: 7/13/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1995	Brook Trout	5	13.5	10.9-14.9

STOCKING HISTORYSTOCKING PLAN

COMMENTS: VERY SUPRISED TO SEE FISH HERE. SEEMS VERY STRANGE THAT THESE FISH ARE NOT FROZEN OUT EVERY WINTER. MAY BE SPAWNING POTENTIAL IN INLET, NONE IN OUTLET.

CAMP SITES: SOME ROCKY PLACES TO CAMP. PLENTY OF FIREWOOD.

SURVEY NOTES:

'95 FISH WERE AVERAGE TO FAT. NO FISH FOUND IN #45, #46, OR #46B. DO FISH MOVE HERE FROM DOWNSTREAM?

LAKE NAME: SILVER RUN LAKE #47COUNTY: 10T: 8S R: 18E SEC: 14CB  
DRAINAGE: ROCK CREEKELEV: 9600ACREAGE: 2.5DEPTH: 10 FT  
LOCATION: 45.12934, -109.48257MARCUSONS CODE: 47

ACCESS: TAKE TRAIL #12 UP TIMBERLINE CREEK ~2.75 MILES THEN #8 TO THE LEFT. THE LAKES ARE LOCATED JUST UNDER THE SILVER RUN PLATEAU. THERE ARE 5 LAKES.

TRAILHEADMILESTRAILELEVATION UP  
TIMBERLINE5.5(4.5)+1,900

ELEVATION DOWN  
-0

SPECIES PRESENTABUNDANCESTATUS  
Brook TroutCommonSelf-Sustained

LAST GILL NET SET: 8/30/2005

YearSpecies Caught# of fishAve Lenght(in)Range(in)

2005Brook Trout2410.79.5-12

1995Brook Trout1011.19-12

1977Brook Trout310.510.5-10.5

STOCKING HISTORYSTOCKING PLAN

COMMENTS: #47 MAY BE THE ONLY LAKE HERE THAT CAN OVERWINTER FISH. THE FISH MAY HAVE COME FROM TIMBERLINE OR GERTRUDE LAKES. NO PLANTING RECORDS. POSSIBLE/PROBABLE SPAWNING IN OUTLET AND INLET.

CAMP SITES: FEW CAMPSITES. SOME FIREWOOD.

SURVEY NOTES:

'89 CREEL CARDS - 5 EB 8-12" RANGE. '95 FISH WERE AVERAGE TO VERY THIN. NO FISH FOUND IN #45, #46, OR #46B.

LAKE NAME: SKEETER LAKECOUNTY: 10T: 9S R: 17E SEC: 30CC  
DRAINAGE: CLARKS FORKELEV: 9310ACREAGE: 10.7DEPTH: 25 FT  
LOCATION: 45.00829, -109.6841MARCUSONS CODE: 149

ACCESS: GRANITE LAKE TRAIL #618 FROM HWY 212 NEAR BEARTOOTH BUTTE. LAKE IS WEST OF GRANITE LAKE. HEAD STRAIGHT NORTH FROM SPAGHETTI LAKE.

TRAILHEADMILESTRAILELEVATION UP  
CLAY BUTTE #6188(7)+800

ELEVATION DOWN  
-900

CRAZY LAKES6(3)+1,200

-0

SPECIES PRESENTABUNDANCESTATUS  
Arctic GraylingUnknownStocked

LAST GILL NET SET: 8/2/2005

YearSpecies Caught# of fishAve Lenght(in)Range(in)

2005Arctic Grayling0-

1999Arctic Grayling510.610.4-11.1

1994Arctic Grayling310.810.1-11.3

STOCKING HISTORYSTOCKING PLAN

2008: Arctic Grayling (1100 fish)2015: Arctic Grayling (1070 fish)

2004: Arctic Grayling (1072 fish)

1997: Arctic Grayling (1106 fish)

COMMENTS: LAKE DOESN'T SEEM VERY PROMISING-SHALLOW, WEEDY. THERE DOESN'T SEEM TO BE AN INLET OR OUTLET - LITTLE CHANCE FOR SPAWNING. THE ENTIRE BOTTOM SEEMED TO BE HEAVILY SILTED. CHECK REPRODUCTION.

CAMP SITES: THERE ARE CAMPSITES AND FIREWOOD BUT THE LAKE IS APTLY NAMED.

SURVEY NOTES:

60-70% OF LAKE COVERED WITH LILY PADS. '89 FISH 14.9" WAS IN GOOD SHAPE. SAW NO OTHER FISH. WATER TEMP WAS WARM - 66oF. '94 FISH WERE FAT AND HEALTHY WITH LOTS OF ABDOMINAL FAT. NO SIGN OF REPRO. '99 FISH HAD BEEN EATING MOSQUITO LARVAE.

M ANDERSON 9/99 SAW 13-14" GR'S NEAR SHORE. MUDDY CREEK TRAILHEAD 11 MILES (10), +1,230, -0. GR PLANTED '85. G OWENS '04 NO FISH SEEN.

LAKE NAME: SIOUX CHARLEY LAKECOUNTY: 32T: 6S R: 14E SEC: 12AB  
DRAINAGE: STILLWATERELEV: 5630ACREAGE: 3.6DEPTH: 3.5FT  
LOCATION: 45.33164, -109.93082MARCUSONS CODE: 7

ACCESS: AN EASY 3 MILES FROM THE TRAILHEAD AT WOODBINE CAMPGROUND ON THE STILLWATER RIVER. GREAT TRAIL.

TRAILHEADMILESTRAILELEVATION UP  
WOODBINE3(3)+350

ELEVATION DOWN  
-50

SPECIES PRESENTABUNDANCESTATUS  
Brook TroutAbundantSelf-Sustained

Rainbow TroutRareSelf-Sustained

LAST GILL NET SET: 8/14/1996

YearSpecies Caught# of fishAve Lenght(in)Range(in)

1996Brook Trout277.95.4-9.7

1974Brook Trout328.46.3-10.2

STOCKING HISTORYSTOCKING PLAN

1951: Rainbow Trout (2750 fish)

1947: Yellowstone Cutthroat (7365 fish)

COMMENTS: NO ADDITIONAL MANAGEMENT NEEDED. CT'S PLANTED '31, '37, '40, '41. RB'S IN '33, '34, '36, '40, '48, '49.

CAMP SITES: MANY PLACES TO CAMP BUT FIREWOOD IS PICKED OVER.

SURVEY NOTES:

'96 FISH WERE IN AVERAGE CONDITION. '89 CREEL CARDS - 188 EB <8-12", 1 >16". 56 RB <8-12", 3 12-16" RANGE. 4 CT <8".

LAKE NAME: SKULL LAKECOUNTY: 49T: 8S R: 15E SEC: 36  
DRAINAGE: CLARKS FORKELEV: 9640ACREAGE: 5.5DEPTH: 16 FT  
LOCATION: 45.08555, -109.80297MARCUSONS CODE: 82

ACCESS: USFS TRAIL #567 FROM KERSEY LAKE. THE LAKE IS IN BETWEEN BALD KNOB AND KERSEY LAKES.

TRAILHEADMILESTRAILELEVATION UP  
CLARKS FORK9(9)+1,700

ELEVATION DOWN  
-280

SPECIES PRESENTABUNDANCESTATUS  
Brook TroutAbundantSelf-Sustained

LAST GILL NET SET: 8/20/2008

YearSpecies Caught# of fishAve Lenght(in)Range(in)

2008Brook Trout237.76.9-8.4

1993Brook Trout68.17-9.6

1970Brook Trout617.35.7-9.6

STOCKING HISTORYSTOCKING PLAN

COMMENTS: THE LAKE IS OVERCROWDED WITH BROOKIES. REPRODUCTION IS OBVIOUS.

CAMP SITES: SOME NICE PLACES, BUT WHY CAMP HERE? NO FIREWOOD.

SURVEY NOTES:

'89 CREEL CARDS - 27 EB <8", 2 8-12" RANGE. '93 - JUST AFTER ICE OUT. NO FISH RISING - ALL FEEDING ON THE BOTTOM - MISSED THE NET. THE FISH CAUGHT WERE SMALL AND THIN. ARLEN LUNDBERG AND CREW CAUGHT 60-70 5-10" BROOKIES IN '00.

SURVEYED 08, NO CHANGES FROM 93.

LAKE NAME: SKY TOP LAKESCOUNTY: 49T: 8S R: 15E SEC: 24DRAINAGE: CLARKS FORKELEV: 10380ACREAGE: VARYDEPTH: LOCATION: 45.12397, -109.80949MARCUSONS CODE: 37

ACCESS: THE LAKES ARE IN THE SKY TOP DRAINAGE EAST OF AERO LAKE. UNMAINTAINED TRAIL. THERE ARE SEVEN LAKES.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	10-12	(7)	+2,300	-1,000

LAST GILL NET SET: 8/4/1993

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1993	No Fish Captured			-

STOCKING HISTORY

STOCKING PLAN

1955: Arctic Grayling (50000 fish)

COMMENTS: GRAYLING EGGS WERE PLANTED IN 1955 BUT THEY APPEAR TO HAVE DRIFTED DOWNSTREAM INTO ROUGH LAKE. WATER IN LAKES IS A LITTLE CLOUDY (GLACIAL MILK). THESE LAKES ARE CONSIDERD FISHLESS PLEASE

CAMP SITES: VERY ROCKY. NO FIREWOOD.

SURVEY NOTES:

'93 - NO SIGN OF ANY FISH. UPPER 3 LAKES FROZEN 8/4/93. TWO LOWER LAKES 50 & 90% ICE COVERED. CONSIDER STOCKING THE LOWER 4 LAKES #37, 38, 39, 40, WITH EITHER MCT'S OR GT'S. SPAWNING GRAVEL IN SPOTS BETWEEN LAKES. NO AQUATIC VEGETATION SEEN.

THREE TYPES OF CRUSTACEANS PRESENT. D FISCHER '91 - MET PARTIES IN PAST YEARS WHO REPORTED BIG! CT'S IN STREAMS. PLEASE REPORT ANY FISH CAUGHT FROM ANY OF THESE LAKES TO MFWP.

LAKE NAME: SLIVER LAKECOUNTY: 49T: 8S R: 15E SEC: 34CDRAINAGE: CLARKS FORKELEV: 9520ACREAGE: 6.9DEPTH: 22 FTLLOCATION: 45.09116, -109.85327MARCUSONS CODE: 48

ACCESS: THE OUTLET DRAINS INTO SKY TOP CREEK NEAR IT'S CONFLUENCE WITH LOWER AERO CREEK. NO TRAIL. CROSS SKY TOP CREEK AT OUTLET OF LOWER AERO THERE IS A FAINT TRAIL THAT LEADS SOUTH TOWARDS CLIFF LAKE THEN NE. TO

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	5	(4.5)	+900	-600

SPECIES PRESENT

ABUNDANCE

STATUS

Brook Trout

Abundant

Self-Sustained

LAST GILL NET SET: 8/1/1992

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Brook Trout	16	9.7	6-11.5
1992	Brook Trout	24	9.2	6.8-10.5
1973	Brook Trout	2	19.5	19.5-19.5

STOCKING HISTORY

STOCKING PLAN

COMMENTS: THE OUTLET FROM HUNGER LAKE #47 FLOWS INTO SLIVER LAKE AND DURING HIGH FLOWS SOME EB MAKE IT TO SLIVER LAKE. SPAWNING IS PROBABLY TAKING PLACE IN 2 TEMPORARY INLETS AS FISH ARE NOW

CAMP SITES: BEAUTIFUL LAKE. LOTS OF FIREWOOD. NICE PLACE TO CAMP.

SURVEY NOTES:

JUST BELOW TIMBERLINE. D ARNESON 8/86 - MEDIUM #S OF 8-12" EB. D HAGENSTON 8/92 8-10" BIG HEADS, SKINNY BODIES. D HAGENSTON, V ICHIOKA, 8/95 6-11" EB'S, AVERAGE SHAPE.

ACCESS IS FROM THE LADY OF THE LAKE TRAILHEAD OR FROM A TRAILHEAD BETWEEN LONG AND ROUND LAKES ON THE GOOSE LAKE JEEP TRAIL. CALLED SPLINTER LAKE ON USGS 7.5' QUAD. MFWP SURVEY 06, 6-11.5" FISH, LAKE IS .5 MILES NE OF CLIFF LAKE.

LAKE NAME: SLIDEROCK LAKECOUNTY: 10T: 9S R: 18E SEC: 16DRAINAGE: ROCK CREEKELEV: 10480ACREAGE: 81.0DEPTH: 245FTLOCATION: 45.03843, -109.51297MARCUSONS CODE: 30

ACCESS: HIKE FROM JEEP TRAIL ON HELLROARING PLATEAU. THE LAKE IS AT THE HEAD OF HELLROARING CREEK. 4 MILE HIKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
HELLROARING PLA	3	(2)	+1,200	-480

SPECIES PRESENT

ABUNDANCE

STATUS

Brook Trout

Abundant

Self-Sustained

LAST GILL NET SET: 8/1/2000

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Brook Trout	17	11.2	9.8-12.8
2000	Brook Trout	26	10.6	7.7-13.1
1991	Brook Trout	51	9.4	6.3-12.6

STOCKING HISTORY

STOCKING PLAN

1938: Brook Trout (1560 fish)

1933: Brook Trout (13600 fish)

COMMENTS: RALPH SAUNDERS FISHED THE LAKE 8/84. REPORTS EXCELLENT FISHING. SIZES RANGED FROM 10.0-12.0". THIS IS THE DEEPEST LAKE IN THE BEARTOOTHES.

CAMP SITES: ABOVE TIMBERLINE. NO REAL CAMPSITES. NO FIREWOOD.

SURVEY NOTES:

'89 CREEL CARDS - 5 EB 12-16" RANGE, 1 RB?? 16"+. '91 FISH WERE GENERALLY IN GOOD SHAPE. '00 & '04 FISH WERE NICE BODIED AND HEALTHY. '04 FISH WERE ANGLED.

LAKE NAME: SLOUGH LAKECOUNTY: 10T: 7S R: 17E SEC: 19DRAINAGE: EAST ROSEBUD ELEV: 7500ACREAGE: 5.8DEPTH: 6 FTLOCATION: 45.20551, -109.6845MARCUSONS CODE: 46

ACCESS: SLOUGH LAKE IS A WIDE SPOT IN ARMSTRONG CREEK, A TRIBUTARY TO EAST ROSEBUD CREEK. 2 MILES OF GOOD TRAIL FROM E ROSEBUD LAKE. THRU '96 BURN.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
PHANTOM CREEK	2	(2)	+1,350	-0

SPECIES PRESENT

ABUNDANCE

STATUS

Brook Trout

Common

Self-Sustained

LAST GILL NET SET: 8/26/1997

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1997	Brook Trout	5	9.4	7.9-10.9

STOCKING HISTORY

STOCKING PLAN

1936: Brook Trout (16326 fish)

1931: Rainbow Trout (229 fish)

COMMENTS: LAKE IS A WIDE SPOT IN ARMSTRONG CREEK AND ALMOST TOO SHALLOW TO SET GILL NETS.

CAMP SITES: A FEW PLACES TO CAMP. PLENTY OF FIREWOOD.

SURVEY NOTES:

'97 FISH WERE FAT.

LAKE NAME: SMETHURST LAKE COUNTY: 10 T: 9S R: 18E SEC: 14  
DRAINAGE: ROCK CREEK ELEV: 9580 ACREAGE: 4.6 DEPTH: 4 FT  
LOCATION: 45.04134, -109.47033 MARCUSONS CODE: 26

ACCESS: HIKE UP HELLROARING CREEK FROM THE JEEP TRAIL #3004. NW DOWN A STEEP GRASSY SLOPE FROM THE TRAILHEAD.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
HELLROARING PLA	1.5	(1)	+280	-460

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/1/2000

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Yellowstone Cutthroat	8	9.4	7.9-10.3
2004	Brook Trout	3	10.9	9.9-12.3
2000	Yellowstone Cutthroat	16	7.5	6.3-9.8

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

COMMENTS: GOOD SPAWNING AREA. THIS LAKE IS A SHALLOW WIDE SPOT IN HELLROARING CREEK. MOST OF SHORELINE IS MARSHY. AKA HELLROARING LAKE #10. PROSPECTOR MELVIN MARTIN MAY HAVE PLANTED THESE CUTTS

CAMP SITES: GOOD CAMPSITES. FIREWOOD IS AVAILABLE.

SURVEY NOTES:

'90 GILL NET SET FOR 24.5 HOURS. FISH WERE STUNTED. MANY FRY SEEN. 13 CT 6.8-10.3" AVE 8.5". 3 EB 5.7-9.3" AVE 7.7". CUTTHROAT ARE THE DOMINANT SPECIES WITH SOME EB PRESENT. .5 HOUR ANGLING PRODUCED 8 CT 7.9-10.3" AVE. 9.4" - AVERAGE SHAPE - 07/13/04.

LAKE NAME: SODALITE LAKE COUNTY: 49 T: 9S R: 15E SEC: 1,2  
DRAINAGE: CLARKS FORK ELEV: 9840 ACREAGE: 25.8 DEPTH: 90 FT  
LOCATION: 45.08508, -109.81645 MARCUSONS CODE: 57

ACCESS: HEAD OF SODALITE CREEK. CAN EASILY BE REACHED FROM FOSSIL AND BALD KNOB LAKES. SELDOM TRAVELED TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	10	(9)	+2,000	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Common	Self-Sustained

LAST GILL NET SET: 8/19/2008

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Brook Trout	22	9	6-10.4
1993	Brook Trout	4	8.7	6.6-9.6
1970	Brook Trout	32	8.6	6.2-10.3

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

1959: Yellowstone Cutthroat (2110 fish)

COMMENTS: THE LAKE IS OVERCROWDED. '93 - THE FISH WERE AVERAGE IN APPEARANCE, BUT THE 9" ONES HAD HUGE HEADS INDICATING STUNTING. FRY SEEN.

CAMP SITES: SOME NICE SPOTS. NO FIREWOOD AVAILABLE.

SURVEY NOTES:

SURVEY BEFORE POSSIBLE LAKE TROUT INTRODUCTION. ONE TIME PLANT OF LAKE TROUT WHEN AVAILABLE AFTER SURVEY. '93 - JUST AFTER ICE OUT AND THE EB WERE STILL IN DEEP WATER RESULTING IN THE POOR # OF TROUT PER NET. SURVEYED 08,LOTS OF FISH, EAT SOME.

LAKE NAME: SNOWBANK LAKE COUNTY: 10 T: 9S R: 18E SEC: 15  
DRAINAGE: ROCK CREEK ELEV: 10040 ACREAGE: 18.8 DEPTH: 40 FT  
LOCATION: 45.03958, -109.49336 MARCUSONS CODE: 19

ACCESS: EASY HIKE FROM HELLROARING JEEP TRAIL #3004.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
HELLROARING PLA	3	(2.5)	+480	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2000	Brook Trout	39	9.4	6.3-11.7
1990	Brook Trout	3	8.9	8.4-9.3
1970	Brook Trout	28	8.2	6.5-11.4

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

COMMENTS: FISHERY WOULD BENIFIT FROM INCREASED FISHING PRESSURE. ALSO REFERRED TO AS HELLROARING LAKE #3. EB ARE SLIGHTLY LARGER THAN ADJACENT LAKES.

CAMP SITES: CAMPING IS BETTER AT LOWER LAKES. LITTLE FIREWOOD.

SURVEY NOTES:

'90 GILL NET SET FOR 2 HOURS. FISH WERE IN FAIR CONDITION. MANY FISH SEEN RISING AND CRUISING. JERRY BURNS '91 CAUGHT 30 10" FAT EB'S IN ONE HOUR. LOTS OF TRASH.

8 EB ANGLED 8.2-10.4" AVE. 9.5" - AVERAGE HEALTH WITH A FAIR AMOUNT OF FAT - 07/14/04.

LAKE NAME: SOURDOUGH LAKE COUNTY: 49 T: 8S R: 14E SEC: 22DC  
DRAINAGE: STILLWATER ELEV: 9520 ACREAGE: 2.6 DEPTH: 22 FT  
LOCATION: 45.11418, -109.96807 MARCUSONS CODE: 24

ACCESS: BEST ACCESS IS FROM GOOSE LAKE VIA THE GOOSE LAKE JEEP TRAIL. FROM GOOSE LAKE HIKE CROSS COUNTRY 3 MILES WEST.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	4.5	(0)	+1,000	-1,200

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1989

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1999	Brook Trout	10	8	6.1-9
1989	Brook Trout	42	8.4	5.8-9.6
1970	Brook Trout	39	8.6	6-9.8

STOCKING HISTORY	STOCKING PLAN
------------------	---------------

1967: Yellowstone Cutthroat (1000 fish)

COMMENTS: NO CHANGE IN MANAGEMENT. '99 FISH WERE CAUGHT WITH HOOK & LINE IN ONE HOUR.

CAMP SITES: CAMPING IS FAIR BUT NOT MUCH FIREWOOD. NO EVIDENCE OF '88 FIRE

SURVEY NOTES:

LOTS OF FISH. THEY SEEMED HEALTHIER AND LARGER THAN THE BROOKIES IN ARIES LAKE. GREG ALDRICH REPORTS LOTS OF SMALL EB'S 8/92. DENNIS HAGENSTON 8/93 8-10" SMALL BROOKIES.

LAKE NAME: SOUTH PICKET PIN LAKECOUNTY: 32T: 5SR: 14E SEC: 6CA  
DRAINAGE: STILLWATERELEV: 9025ACREAGE: 5.0DEPTH: 19 FT  
LOCATION: 45.42641, -110.04695MARCUSONS CODE: 104

ACCESS: PICKET PIN 4X4 ROAD #140 FROM THE W FORK STILLWATER RIVER. ACCESS ROAD TO LAKES IS NOT MARKED BUT HEAD EAST JUST BEFORE THE BRASS MONKEY MINE

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

PICKET PIN ROAD0(0)+0-0

SPECIES PRESENTABUNDANCESTATUS

Yellowstone CutthroatUnknownStocked

LAST GILL NET SET: 8/19/2008

YearSpecies Caught# of fishAve Lenght(in)Range(in)

2008Yellowstone Cutthroat613.112.3-14.1

2003Yellowstone Cutthroat0-7-9.5

1998Yellowstone Cutthroat288.5

STOCKING HISTORYSTOCKING PLAN

2005: Yellowstone Cutthroat (625 fish)2009: Yellowstone Cutthroat (625 fish)

2003: Yellowstone Cutthroat (656 fish)

2001: Yellowstone Cutthroat (625 fish)

COMMENTS: GOOD FOOD SUPPLY OF SHRIMP. GOOD FISH GROWTH. FISHING PRESSURE MAY JUSTIFY RAISING #S STOCKED IF GROWTH WILL STAY GOOD. #S RAISED TO 125/ACRE IN 1997.

CAMP SITES: MANY CAMPSITES.LOTS OF FIREWOOD AVAILABLE.

SURVEY NOTES:

STOCKED EVERY 4 YEARS. FIRST PLANTED WITH CT'S IN 1971, NEXT IN 1985 & '97. GIL LONGMIRE SAW NO FISH EARLY AUGUST '89. '98 - 2 GILL NETS SET. FISH WERE HEALTHY ONE-YEAR OLDS. '03 NET SET FOR 6 AFTERNOON HOURS.

11 CT'S NETTED IN 1981 12.5-15.5" AVE. 13.4". POSSIBLE WINTERKILL ON OCCASION? SURVEYED 08, FISH ARE DOING GOOD, NOT A LOT BUT GOOD SIZE.

LAKE NAME: SPECULATOR LAKECOUNTY: 49T: 5SR: 11E SEC: 27AC  
DRAINAGE: BOULDERELEV: 9449ACREAGE: 9.7DEPTH: 35 FT  
LOCATION: 45.37639, -110.34446MARCUSONS CODE: 45

ACCESS: BEST TO ACCESS FROM SILVER LAKE. GET TO SILVER ON TRAIL #22 & #149 UP FOURMILE CREEK FROM THE FOREST SERVICE STATION ON THE BOULDER RIVER.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

FOURMILE CREEK12(10.5)+4,300-600

SPECULATOR CREE11(10)+3,900-0

SPECIES PRESENTABUNDANCESTATUS

Yellowstone CutthroatAbundantStocked

LAST GILL NET SET: 8/2/2006

YearSpecies Caught# of fishAve Lenght(in)Range(in)

2006Yellowstone Cutthroat2213.110.3-14.5

1999Yellowstone Cutthroat4811.26.9-13.5

1992Yellowstone Cutthroat1613.89.3-15.4

STOCKING HISTORYSTOCKING PLAN

2008: Yellowstone Cutthroat (1455 fish)2016: Yellowstone Cutthroat (1455 fish)

2000: Yellowstone Cutthroat (1455 fish)

1992: Yellowstone Cutthroat (1455 fish)

COMMENTS: SOME REPRODUCTION OCCURS. PLANTING SCHEDULE SEEMS OK IF '92 FISH WERE FROM '84 PLANT. EVIDENCE OF FISHERMEN USING THE LAKE TO A DEGREE IN '92. GOOD TRAIL BUT DEADFALLS ARE EXHAUSTING.

CAMP SITES: QUESTIONABLE CAMPSITES. SCARCE FIREWOOD. BETTER BELOW.

SURVEY NOTES:

2,425 CT'S PLANTED IN '76. NOW STOCKED EVERY 8 YRS 150/ACRE. NO REAL INLET. '92 - SOME GRAVEL IN OUTLET PROVIDED ENOUGH ROOM FOR SEVERAL REDDS. LIMITED SPAWNING SUCCESS. DOZEN OR SO FISH SEEN IN SMALL POOL BELOW THE OUTLET ~6-14".

CHECK SCALES TO VERIFY THAT THESE ARE FROM THE '84 PLANT. THEY WERE IN GOOD SHAPE BUT NOT FAT. MFWP SURVEY 06, AVERAGE TO THIN, FISH EASILY CAUGHT (BAILEY).

LAKE NAME: SPAGHETTI LAKECOUNTY: 10T: 9SR: 16E SEC: 36AA  
DRAINAGE: CLARKS FORKELEV: 9190ACREAGE: 6.3DEPTH: 54 FT  
LOCATION: 45.00485, -109.68947MARCUSONS CODE: 150

ACCESS: THE LAKE IS WEST OF GRANITE LAKE. TRAILHEAD TO GRANITE LAKE IS ON HWY 212 NEAR BEARTOOTH BUTTE. IF YOU USE CRAZY LAKES TRAILHEAD USE GPS AFTER LEAVING COPELAND LAKE.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

CLAY BUTTE #6188(7)+700-900

CRAZY LAKES5.5(3)+1,000-0

SPECIES PRESENTABUNDANCESTATUS

Arctic GraylingCommonStocked

LAST GILL NET SET: 8/2/2005

YearSpecies Caught# of fishAve Lenght(in)Range(in)

2005Arctic Grayling107.36.8-8

1999Arctic Grayling1812.211.2-12.9

1994Arctic Grayling314.611.8-18.5

STOCKING HISTORYSTOCKING PLAN

2008: Arctic Grayling (630 fish)2016: Arctic Grayling (630 fish)

2004: Arctic Grayling (998 fish)

1997: Arctic Grayling (630 fish)

COMMENTS: BOTH INLET AND OUTLET ARE MARSHES. SEEMS TO BE LITTLE SPAWNING POTENTIAL. SUBSTRATE IS VERY SILTY. NO SIGN OF '88 FIRE. GR STOCKED EVERY 8 YEARS. GR FIRST STOCKED IN 1985.

CAMP SITES: SOME NICE PLACES TO CAMP. PLENTY OF FIREWOOD.

SURVEY NOTES:

'89 15.8 & 16" FISH WERE EXTREMELY FAT. LAKE WAS WARM - 64oF. '94 FISH WERE FAT AND HEALTHY. 3 HOOK & LINE WERE 11-13". THE 18.5"ER WAS PROBABLY FROM THE '85 PLANT. GLEN OWENS '00 - VERY FAT 14-16.5" GR. '04 A FEW FISH RISING - NONE CAUGHT.

LAKE NAME: SPIDER LAKECOUNTY: 49T: 8SR: 14E SEC: 22DA  
DRAINAGE: STILLWATERELEV: 9750ACREAGE: 6.3DEPTH: 28 FT  
LOCATION: 45.11896, -109.96589MARCUSONS CODE: 26

ACCESS: HIKE 3 MILES CROSS COUNTRY FROM GOOSE LAKE. ONE CAN DRIVE TO GOOSE LAKE WITH A 4X4 TRUCK. NE OF SOURDOUGH LAKE.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

GOOSE LAKE JEEP5(0)+1,300-1,200

SPECIES PRESENTABUNDANCESTATUS

Brook TroutAbundantSelf-Sustained

LAST GILL NET SET: 8/1/1989

YearSpecies Caught# of fishAve Lenght(in)Range(in)

1999Brook Trout238.76.2-11.9

1989Brook Trout368.66.8-10.1

1971Brook Trout398.56-9.6

STOCKING HISTORYSTOCKING PLAN

COMMENTS: LAKE IS OVERCROWDED WITH FISH AND HAS LITTLE FISHING PRESSURE.

CAMP SITES: A FEW ROCKY CAMP SPOTS. LITTLE FIREWOOD. NO SIGN OF '88 FIRE.

SURVEY NOTES:

D. ARNESON 8/87 FOUND PERHAPS TOO MANY 6-10" EB'S. DENNIS HAGENSTON 8/93 FOUND 9-12" BROOKIES IN GOOD SHAPE.

LAKE NAME: SQUEEZE LAKE COUNTY: 40 T: 6S R: 13E SEC: 16,20  
DRAINAGE: BOULDER ELEV: 9535 ACREAGE: 7.0 DEPTH: 22 FT  
LOCATION: 45.29171, -110.14547 MARCUSONS CODE: 5

ACCESS: EASY ACCESS FROM MIRROR/RAINBOW LAKES. TRAILS LEAD TO RAINBOW LAKE. FROM THERE IT'S CROSS COUNTRY HIKING.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
UPSIDEDOWN TRAI	13.5	(11.5)	+3,770	-670
BOX CANYON TRAI	15.5	(13.5)	+2,859	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2001	Yellowstone Cutthroat	16	13.7	11.1-15.3
1990	Yellowstone Cutthroat	7	12.2	10.2-13.3

STOCKING HISTORY	STOCKING PLAN
2003: Yellowstone Cutthroat (700 fish)	2011: Yellowstone Cutthroat (700 fish)
1995: Yellowstone Cutthroat (700 fish)	
1987: Yellowstone Cutthroat (707 fish)	

COMMENTS: STOCKING SCHEDULE AND LOW FISH DENSITY SHOULD PRODUCE LARGE FISH. D.FISCHER REPORTS NO FISH IN 1986. SAMPLE WITH NARROW ESCAPE LAKE. FIRST STOCKED WITH CUTTHROATS IN 1970, '79.

CAMP SITES: MANY CAMPSITES. LITTLE USE. LOTS OF FIREWOOD.

SURVEY NOTES:  
STOCKED EVERY 8 YEARS. YEARLING FISH OBSERVED IN '88 BY BARB KELLY. CAN BE REACHED CROSS COUNTRY UP HAWLEY CR BUT IS EASIEST VIA UPSIDE-DOWN TRAIL TO RAINBOW LAKES (~10 MI).

FROM RAINBOW LAKE #18 IT IS AN EASY CROSS COUNTRY HIKE TO SQUEEZE LAKE LOCATED SOUTH OF MT DOUGLAS (1-1.5 MI). ANGLER REPORTS 10-14" CUTTS IN 1999.

LAKE NAME: STAR LAKE COUNTY: 40 T: 8S R: 15E SEC: 4A  
DRAINAGE: WEST ROSEBUD ELEV: 8640 ACREAGE: 23.5 DEPTH: 15 FT  
LOCATION: 45.16873, -109.86305 MARCUSONS CODE: 16

ACCESS: 12 MILES FROM THE MYSTIC LAKE POWER PLANT ON WEST ROSEBUD CREEK <LAST 3 MILES NO TRAIL>. TOUGH ACCESS.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
MYSTIC LAKE	12	(9)	+2,700	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Unknown	Stocked

LAST GILL NET SET: 8/22/2006

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Yellowstone Cutthroat			-

STOCKING HISTORY	STOCKING PLAN
2008: Yellowstone Cutthroat (3000 fish)	
1980: Yellowstone Cutthroat (825 fish)	

COMMENTS: RECOMMEND PLANTING FLUVIAL GRAYLING. THIS LAKE WAS PLANTED WITH 825 M013 IN 1980. '91 NET CAUGHT NO FISH. WATER CODE #22-9339. SAMPLE WITH EEDICA LAKE. SAMPLE 4-5 YEARS AFTER '08 PLANT TO ASSESS

CAMP SITES: SOME CAMPSITES & WOOD AT THE INLET END BUT ACCESS DIFFICULT.

SURVEY NOTES:  
THIS LAKE IS BEAUTIFUL. CLEAR WATER. THE OUTLET HAS VARIOUS SIZES OF GRAVEL SUITABLE FOR SPAWNING. (2 INLETS NOT OBSERVED). LOTS OF FEED PRESENT. DIFFICULT ACCESS AND OUTLET SPAWNING POTENTIAL MAKE THIS A GOOD CANDIDATE FOR SOME "SPECIAL" TYPE OF FISHERY.  
(OUTLET SPAWNING GR OR GT?). MFWP SURVEY 06 NO FISH NETTED OR OBSERVED (WHEN STAR IS STOCKED AGAIN SURVEY WILL BE DONE 4 YEARS AFTER PLANT).

LAKE NAME: STAR LAKE COUNTY: 49 T: 8S R: 15E SEC: 31AC  
DRAINAGE: CLARKS FORK ELEV: 9646 ACREAGE: 7.9 DEPTH: 36 FT  
LOCATION: 45.0948, -109.90944 MARCUSONS CODE: 14

ACCESS: STAR LAKE IS RIGHT ON THE GOOSE LAKE JEEP TRAIL. A 4X4 TRUCK CAN MAKE IT TO THE LAKE BUT IT WON'T NECESSARILY LIKE DOING IT.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	0	(0)	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Yellowstone Cutthroat	7	12.3	6.7-15.8
1995	Yellowstone Cutthroat	13	10.4	9.1-12.4
1990	Yellowstone Cutthroat	20	10.2	6.7-16.5

STOCKING HISTORY	STOCKING PLAN
2008: Yellowstone Cutthroat (790 fish)	2012: Yellowstone Cutthroat (790 fish)
2004: Yellowstone Cutthroat (790 fish)	
2000: Yellowstone Cutthroat (790 fish)	

COMMENTS: STOCKED AT 100 FISH/ACRE EVERY 4 YRS. IF FISH GROWTH DECREASES REDUCE FREQUENCY TO EVERY 6 YRS. NO SPAWNING AREAS. D. ARNESON 8/87 REPORTS A FEW 6-10" EB. NO EB SAMPLED IN '90 OR '95.

CAMP SITES: SOME CAMPING SITES AND FIREWOOD. NEXT TO JEEP TRAIL.

SURVEY NOTES:  
1980 SURVEY - 2 CT'S, 12.5-14.5", AVE. 13.5". 1990 - STOCKING SEEMS RIGHT ON THE MONEY. 1995 - FISH WERE AVERAGE TO FAT. SOME FINE (1cm) GRAVELS AT NW INLET THAT MAY BE TOO SILTY FOR SPAWNING. WATER CODE #22-9338.

BEANO SHERIDAN SAW A NUMBER OF 10-12" FISH 8/96. CT'S PLANTED '64, '70, '76, '84, '88, '92, '04, '08. RB'S IN '59. EB'S IN '40.

LAKE NAME: STASH LAKE COUNTY: 49 T: 8S R: 15E SEC: 35BC  
DRAINAGE: CLARKS FORK ELEV: 9985 ACREAGE: 3.1 DEPTH: 24 FT  
LOCATION: 45.09203, -109.83578 MARCUSONS CODE: 55

ACCESS: GOOSE LAKE JEEP TRAIL - LADY OF THE LAKE CREEK - BROADWATER RIVER. THEN UP THE NORTH SIDE OF SKY TOP CREEK TO 1/2 MILE PAST AERO CREEK THEN EAST.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	7	(5)	+3,400	-600
LADY OF THE LAK	9	(7)	+3,550	-400

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/1996

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Yellowstone Cutthroat	1	14.8	14.8-14.8
1996	Yellowstone Cutthroat	17	11.8	9.7-13.4
1987	Yellowstone Cutthroat	3	11.9	11.4-12.4

STOCKING HISTORY	STOCKING PLAN
2007: Yellowstone Cutthroat (310 fish)	2015: Yellowstone Cutthroat (310 fish)
1999: Yellowstone Cutthroat (310 fish)	
1991: Yellowstone Cutthroat (411 fish)	

COMMENTS: 8 YEAR STOCKING SCHEDULE. REPRODUCTION IS DOUBTFUL. DROP TO 75 OR 100/ACRE.

CAMP SITES: A FEW PLACES TO PITCH A TENT. SOME FIREWOOD IS AVAILABLE.

SURVEY NOTES:  
D HAGENSTON 8/92 REPORTS NO INDICATION OF FISH. D HAGENSTON 8/95 REPORTS 11" CT'S - AVERAGE CONDITION. V ICHIOKA 8/95 REPORTS MANY 10-12" HEALTHY CT'S. '96 FISH WERE THIN.

THE '05 FISH WAS FAT AND HEALTHY LOOKING. ONE OTHER FISH SEEN ~15".

LAKE NAME: STEPHANIE LAKECOUNTY: 49T: 8S R: 15E SEC: 25B  
DRAINAGE: CLARKS FORKELEV: 10260ACREAGE: 13.9DEPTH: 65 FT  
LOCATION: 45.1101, -109.80903MARCUSONS CODE: 89

ACCESS: USFS TRAIL #567 FROM KERSEY LAKE. FROM THE SADDLE NEAR FOSSIL LAKE  
HEAD TO THE WEST AND NORTH OF WINDY LAKE. TAKE THE 3RD DRAW HEADING  
NORTH.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN  
CLARKS FORK11.5(9.5)+2,500-280

SPECIES PRESENTABUNDANCESTATUS  
Yellowstone CutthroatCommonStocked

LAST GILL NET SET: 8/28/1996  

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1996	Yellowstone Cutthroat	20	12.3	9.1-14.3
1989	Yellowstone Cutthroat	20	10.8	9.8-11.6

STOCKING HISTORYSTOCKING PLAN

2006: Yellowstone Cutthroat (1390 fish)2014: Yellowstone Cutthroat (1390 fish)

1998: Yellowstone Cutthroat (1390 fish)

1990: Yellowstone Cutthroat (1392 fish)

COMMENTS: GOAL OF TROPHY FISHERY NOT MET BY INITIAL 200/ACRE. CHECKED IN '96  
TO SEE IF 100/ACRE IN '90 HAS INCREASED GROWTH. LARGE #S OF '82 PLANT  
PRESENT IN '90 WILL COMPLICATE MATTERS.

CAMP SITES: FEW CAMPSITES. NO FIREWOOD. NO SIGN OF '88 FIRE (NO TREES).

SURVEY NOTES:  
STOCKING HALTED TILL NEXT SAMPLING. '89 - FISH WERE SMALL FOR 7 YR OLDS AND  
OBVIOUSLY THIN. OUTLET REDDS IN '96 '89 CREEL CARDS - 1 CT <8", 10 FROM 8-12". D  
FISCHER 8/91 10-11" CT PRETTY, HEALTH OK.

D HAGENSTON 8/95 CAUGHT ONE CT - A 14 INCHER - KIND OF SNAKEY. CALLED LOOKING  
GLASS LAKE ON USGS 7.5' QUAD. '96 EVIDENCE OF MODERATE USE.

LAKE NAME: SUNDANCE LAKECOUNTY: 10T: 8S R: 17E SEC: 24  
DRAINAGE: ROCK CREEKELEV: 9370ACREAGE: 2.9DEPTH: 17 FT  
LOCATION: 45.10915, -109.57725MARCUSONS CODE: 50

ACCESS: 8 MILES UP THE MAINTAINED TRAIL ALONG THE WEST FORK OF ROCK CREEK TO  
THE SUNDANCE BRIDGE, THEN CROSS & HIKE BACK DOWNSTREAM.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN  
WEST FORK ROCK9(9)+1,800-250

SPECIES PRESENTABUNDANCESTATUS  
Yellowstone CutthroatRareStocked

LAST GILL NET SET: 8/1/2001  

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2001	Yellowstone Cutthroat	3	10.7	8.1-12.6
1995	Yellowstone Cutthroat	0	-	-

STOCKING HISTORYSTOCKING PLAN

2008: Yellowstone Cutthroat (290 fish)2012: Yellowstone Cutthroat (290 fish)

2004: Yellowstone Cutthroat (290 fish)

2000: Yellowstone Cutthroat (290 fish)

COMMENTS: IT IS HOPED THAT SUNDANCE, SHADOW, THE 3 SILT LAKES, AND THE STREAM  
CAN SUPPORT A FISHERY. FURTHER INVESTIGATION IS NEEDED. USE  
INDICATES THE NEED FOR STOCKING WITH A LARGER NUMBER OF FISH (90).

CAMP SITES: FEW PLACES TO CAMP. FIREWOOD SCARCE. CAMP ON THE HILL ABOVE.

SURVEY NOTES:  
'90 GILL NET SET FOR 41.5 HOURS. SOME FISH WERE SEEN RISING BUT NONE WERE TAKEN  
IN 2 DAYS OF NETTING. '95 - FISH SEEM TO BE GONE. CUTTHROATS PLANTED IN '80, '84, '88  
'92, EB'S IN '33 & '34.

LAKE NAME: SUMMERVILLE LAKECOUNTY: 10T: 9S R: 17E SEC: 17,18  
DRAINAGE: CLARKS FORKELEV: 9560ACREAGE: 43.0DEPTH: 50 FT  
LOCATION: 45.04671, -109.66701MARCUSONS CODE: 174

ACCESS: TRAIL #618 4 MI TO FORK. THEN 6 MILES TO THIEL LAKE & ON TO KIDNEY LAKE.  
FORD CREEK AT WRIGHT LAKE & TAKE TRAIL TO GREEN LAKE. HEAD N THRU  
SADDLE.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN  
CLAY BUTTE12(12)+1,300-600  
MUDDY CREEK, CR

SPECIES PRESENTABUNDANCESTATUS  
Brook TroutAbundantSelf-Sustained

LAST GILL NET SET: 8/1/1974  

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1995	Brook Trout	34	8.8	6.3-11.2
1974	Brook Trout	44	8.4	6.3-9.8

STOCKING HISTORYSTOCKING PLAN

COMMENTS: TYPICAL BROOKIE LAKE. POSSIBLE SPOT FOR LAKE TROUT INTRODUCTION?  
INLET HAS GOOD SPAWNING POTENTIAL.

CAMP SITES: SOME FIREWOOD AVAILABLE BUT A LACK OF NICE FLAT CAMP SPOTS.

SURVEY NOTES:  
'95 FISH WERE AVERAGE TO THIN.

LAKE NAME: SUNDOWN LAKECOUNTY: 40T: 7S R: 13E SEC: 10C  
DRAINAGE: STILLWATERELEV: 9500ACREAGE: 5.2DEPTH: ?????  
LOCATION: 45.23307, -110.10294MARCUSONS CODE: 61

ACCESS: BOX CANYON TRAIL - COLUMBINE PASS FROM THE BOULDER 16 MILES OR FROM  
WOODBINE UP STILLWATER & WOUNDED MAN 21 MILES.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN  
BOX CANYON16(15)+3,500-500  
WOODBINE21(20)+3,700-0

SPECIES PRESENTABUNDANCESTATUS  
Yellowstone CutthroatCommonStocked

LAST GILL NET SET: 8/1/1985  

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1992	Yellowstone Cutthroat	0	-	-
1985	Yellowstone Cutthroat	3	13.7	13-14.3

STOCKING HISTORYSTOCKING PLAN

2003: Yellowstone Cutthroat (520 fish)2011: Yellowstone Cutthroat (520 fish)

1995: Yellowstone Cutthroat (520 fish)

1987: Yellowstone Cutthroat (510 fish)

COMMENTS: TROPHY FISHERY IS THE INTENT HERE AND 1985 RESULTS WERE  
ENCOURAGING. ALL FISH WERE IN EXCELLENT CONDITION. SMALL HEADS  
AND LARGE BODIES. NO FISH SEEN CRUISING OR RISING IN '92, NONE TAKEN

CAMP SITES: EXCELLENT CAMPSITE WITH FIREWOOD. BEAUTIFUL LAKE.

SURVEY NOTES:  
STOCKED EVERY 8 YEARS STARTING IN 1979. THERE IS NO REGULAR INLET, AND THE  
OUTLET IS ROCK OR SILT WITH NO GOOD SUBSTRATE FOR SPAWNING. ALTHOUGH THERE  
IS NO TRAIL, HORSES CAN ACCESS THE LAKE (AND HAVE).

IT SHOWS USE FROM FOOT TRAVEL AND HORSES. D FISCHER '99 - SLOW FISHING FOR 16"  
CT'S.



LAKE NAME:	SUNKEN ROCK LAKE	COUNTY:	40	T:	7S	R:	13E	SEC:	3DC
DRAINAGE:	STILLWATER	ELEV:	9250	ACREAGE:	11.0	DEPTH:	30 FT		
LOCATION:	45.24555, -110.09159			MARCUSONS CODE:	64				

ACCESS: TRAIL #27 E FORK OF MAIN BOULDER-L KATHLEEN-RAINBOW CREEK-L  
COLUMBINE-COLUMBINE PASS-BETWEEN FAVONIUS & PENTAD-E SIDE JORDAN  
LAKE-UP INLET THEN WEST.

<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>
BOX CANYON TRAI	15.5	(14.5)	+3,700	-1,400
WOODBINE	20	(19)	+4,275	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Golden Trout	Unknown	Unknown

LAST GILL NET SET: 8/1/1998

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>
2008	Golden Trout	35	12.3	9.6-15.3
1998	Golden Trout	5	9.5	7.6-10.2
1994	Golden Trout	0		-

<u>STOCKING HISTORY</u>	<u>STOCKING PLAN</u>
2005: Golden Trout (1100 fish)	2011: Golden Trout (1100 fish)
1992: Golden Trout (718 fish)	
1991: Golden Trout (1168 fish)	

COMMENTS: CT WERE NOT DOING WELL SO GOLDEN TROUT PLANTED IN '84. MARGINAL SPAWNING AREAS IN OUTLET WERE NOT USABLE 8/9/90. CT WERE STOCKED IN 1969. '98 FISH TAKEN FROM POND BELOW. APPEAR SS. SURVEY 4-5 YEARS

CAMP SITES: BEAUTIFUL PLACE TO CAMP. PLENTY OF FIREWOOD.

SURVEY NOTES:

NICE LAKE WITH GOOD POTENTIAL. SOME USE INDICATED IN '90. GT'S STOCKED IN '84 NOT FOUND IN 17 HOUR GILL NET SET IN '90. NO GT'S TAKEN IN 16 HR NET SET IN '94 OR 20 HR SET IN '98. GOLDENS ARE PRESENT IN THE SMALL POND BELOW

WE MAY WISH TO PLANT THIS LAKE ON AN 8 YR CYCLE WITH GT OR CT AT 100/ACRE. WE COULD USE ANGLER REPORTS. SURVEYED 08, FISH SEEM TO BE DOING GOOD, MAY HAVE SOME REPRODUCTION BECAUSE OF SIZE RANGE CAUGHT.

LAKE NAME: SWAMP LAKE COUNTY: 49 T: 9S R: 15E SEC: 8  
DRAINAGE: CLARKS FORK ELEV: 8900 ACREAGE: 10.4 DEPTH: 21 FT  
LOCATION: 45.06311,-109.88116 MARCUSONS CODE: 17

ACCESS: TAKE THE TRAIL UP LADY OF THE LAKE CREEK (#31). THEN HEAD EAST - CROSS COUNTRY - FROM THE OUTLET OF LADY OF THE LAKE.

<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>
LADY OF THE LAK	3	(1.5)	+600	-450

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/2000

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2006	Yellowstone Cutthroat	19	11.8	10-12.8
2000	Yellowstone Cutthroat	0		-
1996	Arctic Grayling	8	14.9	13.4-15.8

<u>STOCKING HISTORY</u>	<u>STOCKING PLAN</u>
2003: Yellowstone Cutthroat (1040 fish)	2009: Yellowstone Cutthroat (1040 fish)
1997: Yellowstone Cutthroat (1040 fish)	
1985: Arctic Grayling (500 fish)	

COMMENTS: ANGLERS REPORT 10" GRAYLING IN JUNE 1987, FISHING GOOD AND FISH IN EXCELLENT CONDITION. FISH FOOD ABUNDANT. MOST OF THE AREA AROUND THE LAKE IS SOMEWHAT BOGGY.

CAMP SITES: FEW CAMP SITES. PLENTY OF FIREWOOD. NO SIGN OF '88 FIRE.

**SURVEY NOTES:**

2 OVERNIGHT GILL NETS IN '89 CAUGHT 0. MIKE POORE 7/89 - NO FISH OBSERVED OR CAUGHT WITH HOOK & LINE. IDEAL OBSERVATION CONDITIONS. '96 FISH WERE FAT. 100 FISH/ACRE EVERY SIX YEARS STARTING IN 1991. CUTTHROATS STOCKED IN '67, '70, '89, '91.

D HAGENSTON 8/95 - CUTTHROAT 14-15", GOOD SHAPE. ANGLER REPORTS 12-13" FISH IN 1999. MFWP SURVEY 06. 10-13" FISH. AVERAGE HEALTH.

LAKE NAME: SURPRISE LAKE	COUNTY: 49	T: 8S	R: 15E	SEC: 35CA
DRAINAGE: CLARKS FORK	ELEV: 9860	ACREAGE: 7.1	DEPTH: 33 FT	
LOCATION: 45.08733, -109.83187	MARCUSONS CODE: 54			

ACCESS: LONG LAKE TOWARD LADY OF THE LAKE THEN N TO BROADWATER RIVER UP N  
SIDE OF SKYTOP CREEK TO AERO CREEK. THEN S TO CLIFF-SLIVER-MOCCASIN-  
WEASEL-SURPRISE.

<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>
GOOSE LAKE JEEP	6	(3)	+1,300	-600
LADY OF THE LAK	7.5	(4.5)	+1,600	-450

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Stock, with some natural reproduction

LAST GILL NET SET: 8/25/2004

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2004	Yellowstone Cutthroat	17	10.1	8-13.5
1998	Yellowstone Cutthroat	7	11.4	8.9-15.7
1987	Yellowstone Cutthroat	9	12.8	8-21.5

<u>STOCKING HISTORY</u>	<u>STOCKING PLAN</u>
1993: Yellowstone Cutthroat (700 fish)	
1989: Yellowstone Cutthroat (400 fish)	
1985: Yellowstone Cutthroat (708 fish)	

COMMENTS: THIS LAKE WAS PRODUCING THE TROPHY FISHERY AS INTENDED. WE'VE STOPPED ITS 8 YEAR STOCKING ROTATION TO ACCOUNT FOR THE NATURAL REPRODUCTION. CT'S PLANTED IN '68 & '77.

CAMP SITES: LITTLE USED. FEW ROCKY CAMPING SITES. FIREWOOD IS AVAILABLE.

SURVEY NOTES:

'89 CREEL CARDS - 13 CT <8". 7/89 - FISHERMEN REPORT LARGE CT'S, 5-6 LBS. D HAGENSTON 8/92 REPORTS 11-16" CT'S IN AVERAGE CONDITION. V ICHIOKA 8/95 - MANY 5-7" CT'S A LITTLE ON THE SKINNY SIDE. EXTRA PLANT '89 MAY HAVE SLOWED THE GROWTH RATE A BIT.

'98 - 8-10"ERS SEEN RISING. HOLD OFF '01 PLANT TO ASSESS REPRODUCTION. 2 CT '73 BOTH 16.5". '04 FISH NOT VERY FAT, FOOD SEEMS SCARCE.

LAKE NAME:	SWEDE LAKE	COUNTY:	10	T:	9S	R:	17E	SEC:	28D
DRAINAGE:	CLARKS FORK	ELEV:	9810	ACREAGE:	11.8	DEPTH:	84	FT	
LOCATION:	45.01306, -109.63096	MARCUSONS CODE:	235						

ACCESS: FOUR MILES ON CLAY BUTTE TRAIL TO THIEL LAKE TRAIL. PAST THIEL LAKE 1/2 MILE TO SWEDE LAKE OUTLET STREAM. STAY ON EAST SIDE OF STREAM.

<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>
CLAY BUTTE #618	7	(6.5)	+600	-280
MUDDY CREEK	9	(8.5)	+1,000	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Abundant	Self-Sustained

LAST GILL NET SET: 8/8/2006

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2006	Yellowstone Cutthroat	6	12.1	11.3-13.5
2000	Yellowstone Cutthroat	16	9.6	6.7-17.2
1994	Yellowstone Cutthroat	27	11.2	6.8-14.1

**STOCKING HISTORY**  
1996: Yellowstone Cutthroat (590 fish)  
1988: Yellowstone Cutthroat (1168 fish)  
1980: Yellowstone Cutthroat (1179 fish)

COMMENTS: REPRODUCTION IS OCCURRING AS .5-1" FISH WERE SEEN IN '89 AND LOTS OF 5-6" FISH IN '94 & 3-4" FISH IN '00. NO OBVIOUS SPAWNING AREAS. MONITOR CLOSELY FOR CONTINUED REPRODUCTION.

CAMP SITES: NICE CAMPSITES AND SOME FIREWOOD AVAILABLE. NO SIGN OF 88 FIRE

SURVEY NOTES:

STEVE SWEDBERG REPORTS 13-16" CT'S IN '86. FISH WERE RARE. D ARNISON 7/88 CAUGHT SIX 12" CUTTS IN 1/2 HOUR. MARK BARRETT 7/93 LOTS OF FISH 6-12", SOME LOOKED GOOD, OTHERS THIN. FISH TRYING TO SPAWN IN THE INLET STREAM.

CALLED THROOP LAKE ON USGS 7.5' QUAD AND USFS MAPS. USGS ALSO HAS ANOTHER  
 THROOP LAKE LOCATED JUST UPSTREAM FROM SECOND ROCK LAKE. MFWP SURVEY 06,  
 FEW AND THIN FISH, MAY NEED TO BE PUT BACK ON PLANTING SCHED. SPAWNING  
 HABITAT POOR. NO REPRODUCTION.

LAKE NAME: SYLVAN LAKECOUNTY: 10T: 7S R: 17E SEC: 26DRAINAGE: EAST ROSEBUD ELEV: 9165ACREAGE: 18.5DEPTH: 40 FTLLOCATION: 45.18848, -109.58861MARCUSONS CODE: 2

ACCESS: ~6 MILES OF TRAIL FROM EAST ROSEBUD LAKE <TRAILHEAD IS EAST OF EAST ROSEBUD LAKE>.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
SYLVAN LAKE #13	6.5	(6.5)	+3,174	-240

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1994

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Golden Trout	20	9.2	6-12
1994	Golden Trout	44	9.4	4.9-12.1
1983	Golden Trout	45	10	6.4-12

STOCKING HISTORY

STOCKING PLAN

1939: Golden Trout (3000 fish)

COMMENTS: THIS IS OUR GOLDEN TROUT BROOD LAKE WHERE EGGS HAVE BEEN TAKEN THROUGH THE YEARS FOR PLANTING OTHER WATERS. EVEN SO, THIS THRIVING POPULATION COULD STAND SOME FISH HARVEST.

CAMP SITES: EXCELLENT CAMPING & FUEL 1/4 MILE BELOW LAKE.

SURVEY NOTES:

GRIZZLY TROUBLE 9/00. '89 CREEL CARDS - 11 GT 8-12". STEVE REMICK 6/27/93, 5 GT'S ~12", THIN BUT IN GOOD SHAPE. MALES RIPE, FEMALES NOT QUITE. '94 VERY LITTLE FLOW OUT OF LAKE. LEVEL APPEARS TO BE 6-8" DOWN FROM NORMAL.

THIS AREA IS SHOWING IMPACTS OF HEAVY USE. GENETICS AND FISH HEALTH ARE GOOD - EGG TAKE IN 2005,06,07,08,09.

LAKE NAME: TIMBERLINE LAKECOUNTY: 10T: 8S R: 18E SEC: 15,16DRAINAGE: ROCK CREEK ELEV: 9660ACREAGE: 31.4DEPTH: 85 FTLLOCATION: 45.13573, -109.50536MARCUSONS CODE: 49

ACCESS: RIGOROUS CLIMB UP TRAIL #12 ALONG TIMBERLINE CREEK. 2/3 UP IS TRAIL #8 TO THE SILVER RUN LAKES. PASS LAKE GERTRUDE ON THE WAY.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
TIMBERLINE	5	(5)	+2,100	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Brook Trout	62	8	6.5-9.8
1995	Brook Trout	54	8.5	6.5-10.2
1971	Brook Trout	19	7.6	6.2-9.1

STOCKING HISTORY

STOCKING PLAN

1934: Brook Trout (11200 fish)

1933: Brook Trout (24000 fish)

1932: Brook Trout (6000 fish)

COMMENTS: IN 1917 O.J. SALO AND AL CROONQUIST HAULED 10 PAILS OF 100 BROOKIES EACH TO TIMBERLINE LAKE. OJ'S PLACE IS NOW THE BOYS RANCH NORTH OF RED LODGE. OK SPAWNING AREA IN INLET.

CAMP SITES: SOME CAMPING SPOTS AND FIREWOOD AVAILABLE.

SURVEY NOTES:

'95 - GOOD FISHING. FISH WERE AVERAGE TO THIN. '95 - UNNAMED LAKE BETWEEN TIMBERLINE AND GERTRUDE - 33 EB 6.5-10.1", AVE. 9.0". THIS UNNAMED LAKE IS BASICALLY CONNECTED TO TIMBERLINE (HIGH WATER?).

LAKE NAME: TIEL LAKECOUNTY: 10T: 9S R: 17E SEC: 28,29DRAINAGE: CLARKS FORK ELEV: 9260ACREAGE: 18.5DEPTH: 35 FTLLOCATION: 45.00705, -109.6459MARCUSONS CODE: 232

ACCESS: TRAILS FROM HWY 212 NEAR BEARTOOTH BUTTE SERVE THE AREA. THE LAKE IS EAST OF GRANITE LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLAY BUTTE	6	(6)	+100	-280

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1993

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2003	Brook Trout	8	6.4	5.7-7
1993	Brook Trout	36	8	6.5-12
1974	Brook Trout	25	7.7	6.6-8.4

STOCKING HISTORY

STOCKING PLAN

1940: Brook Trout (5000 fish)

1937: Brook Trout (4000 fish)

COMMENTS: THE AREA IS FREQUENTED BY GRIZZLY BEARS. STEVE SWEDBERG WAS CHASED OUT OF CAMP BY ONE HERE! COULD USE MORE HARVEST. LOTS OF WEEDS ALONG THE SHORELINE.

CAMP SITES: NICE CAMPSITES. PLENTY OF FIREWOOD AVAILABLE. SOME TRASH.

SURVEY NOTES:

CALLED THIEL LAKE ON USGS 7.5' QUAD AND THE LATEST USFS MAPS CALLED TIEL LAKE ON USGS 15' QUAD AND OLDER USFS MAPS. GOOD STOPPING OFF PLACE FOR PEOPLE ON THE TRAIL. THE SMALL EB PROBABLY PROVIDE AN ENJOYABLE FISHERY.

'03 NET SET FOR ONE HOUR. ONE BIG BRUISER OBSERVED CHASING FRY.

LAKE NAME: TRAIL LAKECOUNTY: 10T: 9S R: 17E SEC: 20ACDRAINAGE: CLARKS FORK ELEV: 9800ACREAGE: 7.1DEPTH: 55 FTLLOCATION: 45.02962, -109.65242MARCUSONS CODE: 208

ACCESS: TRAILS FROM THE BEARTOOTH BUTTE AREA ON HWY 212 SERVE THE AREA. THE LAKE IS EAST OF LAKE ELAINE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLAY BUTTE	10.5	(10.5)	+980	-640

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Stocked

LAST GILL NET SET: 8/1/2000

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2003	Yellowstone Cutthroat	13	11	9.5-12.5
2000	Yellowstone Cutthroat	26	9.6	8.6-10.8
1993	Yellowstone Cutthroat	17	11.6	9.8-18.5

STOCKING HISTORY

STOCKING PLAN

2003: Yellowstone Cutthroat (535 fish)

1995: Yellowstone Cutthroat (710 fish)

1987: Yellowstone Cutthroat (710 fish)

COMMENTS: '85-POOR CONDITION FOR A SIX YEAR OLD FISH. COPEPODS WERE OBSERVED FROM SHORE. NO SPAWNING AREAS EXIST. INLET AND OUTLET ARE TEMPORARY. DROP '03 PLANT TO 75/ACRE. SMALL 5 YEAR OLDS IN '00.

CAMP SITES: A COUPLE OF NICE PLACES. PLENTY OF FIREWOOD.

SURVEY NOTES:

STOCKED EVERY 8 YEARS STATRTING IN 1979. D ARNESON 7-88 MEDIUM #S OF 6-12" CT '93 - VERY HEALTHY, ALTHOUGH THE LARGER ONES WERE THIN. MORE THAN ONE AGE CLASS THOUGH NO GOOD PLACE TO SPAWN (TINY OUTLET WITH A LITTLE GRAVEL).

CHECK SCALES FOR AGES/REPRODUCTION. THREE APPARENT AGE CLASSES. ONE CT CAUGHT IN '85 12.7".

LAKE NAME: TRIANGLE LAKE COUNTY: 10 T: 9S R: 18E SEC: 30D  
DRAINAGE: ROCK CREEK ELEV: 9730 ACREAGE: 7.9 DEPTH: 35 FT  
LOCATION: 45.11909, -109.59203 MARCUSONS CODE: 10

ACCESS: 2 MILES OF STEEP TRAIL TO GLACIER LAKE. TRIANGLE DRAINS INTO THE NW END OF GLACIER LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GLACIER LAKE	3	(2)	+1,170	-160

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/3/1999

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1999	Yellowstone Cutthroat	2	9.9	6-13.8
1990	Yellowstone Cutthroat	6	12.9	12.5-13.7
1984	Yellowstone Cutthroat	1	13	13-13

STOCKING HISTORY	STOCKING PLAN
2001: Yellowstone Cutthroat (790 fish)	2009: Yellowstone Cutthroat (790 fish)
1993: Yellowstone Cutthroat (800 fish)	
1985: Yellowstone Cutthroat (817 fish)	

COMMENTS: STOCKING SHOULD BE ONCE EVERY 8 YEARS. THIS WILL YIELD ADEQUATE TROUT GROWTH AND SUSTAIN THE ZOOPLANKTON NUMBERS. LOWER STOCKING RATE TO 790, 100/ACRE IN 2001. WATER CODE #22-9489.

CAMP SITES: CAMPING SITES ARE BETTER AT GLACIER LAKE.

SURVEY NOTES:

STOCKED EVERY 8 YEARS. '90 GILL NET SET FOR 22.5 HOURS. FISH WERE THIN. 99 FISH WERE AVERAGE. GRAVEL AT SNOWMELT INLETS LOOKS GOOD FOR SPAWNING BUT NONE WAS KNOWN TO OCCUR UNTIL THE 6" FISH WAS TAKEN IN '99. FIRST CUTTHROAT PLANT IN '69, NEXT IN '77.

LAKE NAME: TRIANGLE LAKE COUNTY: 10 T: 8S R: 17E SEC: 23A  
DRAINAGE: ROCK CREEK ELEV: 10440 ACREAGE: 6.3 DEPTH: 35 FT  
LOCATION: 45.01281, -109.55217 MARCUSONS CODE: 60

ACCESS: WEST FORK ROCK CREEK TRAIL #1 7 MILES ALMOST TO SUNDANCE PASS. THEN WEST UPHILL THROUGH ONE OF TWO CHUTES. UP THE OUTLET STREAM NOT RECOMMENDED.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
WEST FORK ROCK	8	(6.5)	+2,600	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stock, with some natural reproduction

LAST GILL NET SET: 8/1/1996

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2001	Yellowstone Cutthroat	0		-
1996	Yellowstone Cutthroat	4	14.9	13.2-17.7
1995	Yellowstone Cutthroat	2	16.3	12.5-20

STOCKING HISTORY	STOCKING PLAN
2002: Yellowstone Cutthroat (630 fish)	2010: Yellowstone Cutthroat (630 fish)
1994: Yellowstone Cutthroat (630 fish)	
1985: Yellowstone Cutthroat (654 fish)	

COMMENTS: GROWTH IS GOOD. IN 1987 AN ANGLER BROUGHT IN A 3.5 LB, 10 YR OLD CT. '93 NET CAUGHT ONE 21" FISH - FAT, LOADED WITH SHRIMP. ONE FISH 3 LB SEEN. '94 NET - 8.8 & 19.3".

CAMP SITES: ABOVE TIMBERLINE. BEST TO CAMP ALONG THE W FORK OF ROCK CREEK.

SURVEY NOTES:

CT'S FIRST PLANTED 1971, THEN 1977. STOCKING AT 100/ACRE EVERY 8 YEARS SEEMS RIGHT ON. NO REAL SPAWNING POTENTIAL BUT 8.8" FISH IN '94 INDICATES SOME REPRODUCTION. '93 PLANT CHANGED TO '94 TO HELP GRADUATE STUDY DEALING WITH LAKE PRODUCTIVITY

AND STOCKING RATES. FIN CLIPPED '94 FISH HAVE NOT BEEN FOUND. WHERE ARE THEY? '81 SURVEY - 14 CT'S 12.2-15.5", AVE. 13.3".

LAKE NAME: TRIANGLE LAKE COUNTY: 10 T: 9S R: 16E SEC: 10DB  
DRAINAGE: CLARKS FORK ELEV: 9830 ACREAGE: 6.3 DEPTH: 55 FT  
LOCATION: 45.05664, -109.73413 MARCUSONS CODE: 110

ACCESS: TAKE TRAIL #567 FROM KERSEY LAKE TO RUSSEL LAKE. FROM RUSSEL HEAD EAST 3.5 MILES. THE LAKE IS NE OF OTTER LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	10	(9.75)	+2,100	-280

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/21/2001

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2001	Yellowstone Cutthroat	1	14.5	14.5-14.5
1999	Yellowstone Cutthroat	7	11.6	11-12.9
1992	Yellowstone Cutthroat	23	9.5	8.5-10.5

STOCKING HISTORY	STOCKING PLAN
2003: Yellowstone Cutthroat (630 fish)	2011: Yellowstone Cutthroat (630 fish)
1995: Yellowstone Cutthroat (630 fish)	
1987: Yellowstone Cutthroat (1000 fish)	

COMMENTS: CT'S STOCKED IN '79. D. HAGENSTON 8/8/87 11" CT FAT. NO SPAWNING POTENTIAL IN OUTLET OR INLET. 2001-LAKE IS 5-6' BELOW FULL POOL. WATER CODE #22-9488.

CAMP SITES: NOT MUCH FIREWOOD OR GOOD PLACES TO CAMP. BETTER DOWN BELOW.

SURVEY NOTES:

'92 FISH WERE AVE WEIGHT TO VERY THIN. ALL FROM '87 PLANT. NO SIGNS OF SPAWNING COLORS. CHANGING STOCKING PLAN TO 100/ACRE EVERY 8 YEARS IN '95. THERE ARE SIGNS OF USE AND THIS LAKE WILL PROVIDE A DECENT OUTING FOR PAN-SIZED FISH. '99 FISH WERE FAT.

LAKE NAME: TROUT LAKE COUNTY: 40 T: 6S R: 12E SEC: 3,4  
DRAINAGE: BOULDER ELEV: 6140 ACREAGE: 0.9 DEPTH: 5 FT  
LOCATION: 45.33746, -110.23012 MARCUSONS CODE: 37

ACCESS: NEAR THE BOULDER RIVER ROAD NORTH OF HILLARY BRIDGE. JUST EAST OF THE BOULDER RIVER.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
NONE - VEHICLE A	0	(0)	+0	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/1971

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2008	Yellowstone Cutthroat	8	10.3	8-14
1971	Yellowstone Cutthroat Hybrid	2	8.3	7.2-9.3

STOCKING HISTORY	STOCKING PLAN
2008: Yellowstone Cutthroat (200 fish)	2009: Yellowstone Cutthroat (200 fish)
2007: Yellowstone Cutthroat (200 fish)	
1984: Rainbow Trout (602 fish)	

COMMENTS: PLANTED YEARLY WITH CT. GOOD SUPPLY OF FRESHWATER SHRIMP. CRAYFISH PRESENT. SUBJECT TO WINTERKILL. SMALL POND WITH EASY ACCESS. CABIN ON LAKE. CAMPING IN NEARBY CAMPGROUNDS.

CAMP SITES: QUESTIONABLE CAMPING. NO FIREWOOD.

SURVEY NOTES:

STOCKED EVERY YEAR. PLANTED FISH ARE GENERALLY LARGE & SMALL CATCHABLES. '93 - 14.6", '95 - 13.9", '96 - 6.1 & 13.9", '97 - 6.7". '98 - 7.5 & 10.6", '99 - 6.5 & 13.8", '00 - 6.3 & 12.0", '01 - 7.3 & 11.6", '02 - 9.8 & 11.3", 03-08 7-11"

NO SIGN OF LARGER FISH IN '96.SAMPLE BEFORE THE YEARLY PLANT TO ASSESS OVERWINTER SURVIVAL.

LAKE NAME: TUMBLE LAKE

DRAINAGE: STILLWATER

LOCATION: 45.34578, -110.04115

COUNTY: 32

ELEV: 9080

MARCUSONS CODE: 100

T: 6S

R: 14E

SEC: 6B

ACREAGE: 53.2

DEPTH: 77 FT

ACCESS: NO TRAIL EXISTS FROM TRAIL #90 ON THE WEST FORK OF THE STILLWATER. FOLLOW TUMBLE CREEK. IT'S A STEEP CLIMB.

TRAILHEAD

INITIAL CREEK

MILES

6.5

TRAIL

(4)

ELEVATION UP

+2,600

ELEVATION DOWN

-100

SPECIES PRESENT

Yellowstone Cutthroat

ABUNDANCE

Common

STATUS

Self-Sustained

LAST GILL NET SET: 8/1/1993

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2003	Yellowstone Cutthroat	8	13.1	11.5-14.5
1993	Yellowstone Cutthroat	20	12	9.6-13.6
1974	Yellowstone Cutthroat	8	14.1	13.1-15.8

STOCKING HISTORY

STOCKING PLAN

1977: Yellowstone Cutthroat (5000 fish)

1968: Yellowstone Cutthroat (5074 fish)

COMMENTS: LAKE IS ALSO REFERRED TO AS JASPER LAKE. RALPH SAUNDERS REPORTS A LOT OF 12" CT IN 1983. BENO REPORTS 22 CT 10-12" IN 1983. WATER CODE #22-9510.

CAMP SITES: NICE CAMPSITE, PLENTY OF FIREWOOD.

SURVEY NOTES:

'89 CREEL CARDS 8 CT 8-12", 57 CT 12-16". '93 - OBVIOUSLY REPRODUCING - SEVERAL AGE CLASSES. LOTS OF FISH, EASY TO CATCH, LONG THIN BODIES. DENNIS HAGENSTON 7/00 CUTTS WERE IN NICE SHAPE, 11-13" . FISH IN THE UPPER LAKE WERE IN POOR SHAPE.

'03 FISH WERE ANGLED BY EARL RADONSKI.

LAKE NAME: TWIN LAKES

DRAINAGE: WEST ROSEBUD

LOCATION: 45.37356, -109.71176

COUNTY: 32

ELEV: 6050

MARCUSONS CODE: 47

T: 5S

R: 16E

SEC: 26

ACREAGE: 0.3

DEPTH: 11 FT

ACCESS: JEEP TRAIL FROM 4K GUEST RANCH.

TRAILHEAD

PRIVATE

MILES

DRIVE

TRAIL

TO

ELEVATION UP

ELEVATION DOWN

SPECIES PRESENT

Brown Trout

ABUNDANCE

Rare

STATUS

Self-Sustained

LAST GILL NET SET: 7/14/1970

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1970	Brown Trout	8	11	6.7-18

STOCKING HISTORY

STOCKING PLAN

1950: Rainbow Trout (4136 fish)

1950: Yellowstone Cutthroat (3180 fish)

COMMENTS: OLD HEADGATE AND IRRIGATION STRUCTURE RECENTLY IMPROVED. ON FOREST SERVICE LAND BUT OUTSIDE WILDERNESS. SHORT, EASY HIKE FROM BENBOW ATV TRAIL.

CAMP SITES: ASK LANDOWNER.

SURVEY NOTES:

CONTACT REGIONAL BIOLOGIST FOR CURRENT INFO. JEREMIAH WOOD (406) 328-4594

LAKE NAME: TURGULSE LAKE

DRAINAGE: EAST ROSEBUD

LOCATION: 45.17345, -109.76245

COUNTY: 32

ELEV: 10206

MARCUSONS CODE: 49

T: 7S

R: 16E

SEC: 33,32

ACREAGE: 82.9

DEPTH: 80 FT

ACCESS: 7 MILES UP PHANTOM CREEK TRAIL NEAR EAST ROSEBUD LAKE. THEN 3 MILES X-COUNTRY UPSTREAM FROM PHANTOM LAKE.

TRAILHEAD

PHANTOM CREEK

MILES

10

TRAIL

(7)

ELEVATION UP

+4,100

ELEVATION DOWN

-0

SPECIES PRESENT

Yellowstone Cutthroat

ABUNDANCE

Abundant

STATUS

Self-Sustained

LAST GILL NET SET: 8/1/1986

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2003	Yellowstone Cutthroat	36	11.7	6.5-15.5
1986	Yellowstone Cutthroat	14	13.6	11.2-16.6

STOCKING HISTORY

STOCKING PLAN

1978: Yellowstone Cutthroat (10000 fish)

COMMENTS: FISH CONGREGATE NEAR OUTLET. SPAWNING SUBSTRATE APPEARS MARGINAL BUT THE FISH ARE OBVIOUSLY REPRODUCING VERY WELL.

CAMP SITES: THERE ARE PLACES TO CAMP BUT NO FIREWOOD. STAY AT PHANTOM.

SURVEY NOTES:

'92 - MANY FISH SEEN CRUISING AND RISING 6-16". FISH WERE IN GOOD SHAPE AND OF DIFFERENT AGE GROUPS. FRIENDS OF A. LUNDBERG 7/94 CAUGHT TONS OF FISH OF ALL SIZES.8 FISH ANGLED '03 13.0-14.3 AVE. 13.7".

LAKE NAME: TWIN OUTLETS LAKE

DRAINAGE: EAST ROSEBUD

LOCATION: 45.11407, -109.75112

COUNTY: 10

ELEV: 9190

MARCUSONS CODE: 23

T: 8S

R: 16E

SEC: 21,22

ACREAGE: 29.5

DEPTH: 50 FT

ACCESS: APPROXIMATELY 14 MILES FROM THE TRAILHEAD AT EAST ROSEBUD LAKE ON TRAIL #15. IT IS ON THE MAIN TRAIL.

TRAILHEAD

ALPINE (EAST ROS

MILES

14

TRAIL

(14)

ELEVATION UP

+3,100

ELEVATION DOWN

-160

SPECIES PRESENT

Golden Trout

ABUNDANCE

Rare

STATUS

Self-Sustained

Yellowstone Cutthroat

Common

Self-Sustained

Yellowstone Cutthroat Trout X Golden Tro

Rare

Self-Sustained

LAST GILL NET SET: 8/1/1994

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2007	Yellowstone Cutthroat	10	9.2	7-12.5
1994	Yellowstone Cutthroat	5	9.9	6.9-13.4
1994	Golden Trout	1	6.9	6.9-6.9

STOCKING HISTORY

STOCKING PLAN

1968: Yellowstone Cutthroat

COMMENTS: CT RESULT FROM DRIFT FROM DEWEY LAKE UPSTREAM. CT IN DEWEY WERE PLANTED BY ACCIDENT. GOLDEN TROUT ARE PRESENT. SEE CARD FOR INFO. CUTTHROAT PREDOMINATE.

CAMP SITES: NICE CAMPING SPOTS. PLENTY OF FIREWOOD. NO FIRES ABOVE HERE.

SURVEY NOTES:

'89 CREEL CARDS - 6 CT 8-12" RANGE. MAKEUP OF CATCH IN '85 GILLNET WAS SIMILAR BUT FISH AVERAGED ~2" LONGER. '98 - ED KEYSER AND CREW CAUGHT 13"ERS.FWP SAMPLED 07, NO GT,8 HOUR SET,AVERAGE CT.

LAKE NAME:	UNNAMED CF089A	COUNTY:	49	T:	8S	R:	15E	SEC:	25BD
DRAINAGE:	CLARKS FORK	ELEV:	10260	ACREAGE:	1.7	DEPTH:	17 FT		
LOCATION:	45.10781, -109.80979	MARCUSONS CODE:	89A						

ACCESS: USFS TRAIL #567 FROM KERSEY LAKE. FROM THE SADDLE NEAR FOSSIL LAKE  
HEAD TO THE WEST AND NORTH OF WINDY LAKE. TAKE THE 3RD DRAW HEADING  
NORTH.

<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>
CLARKS FORK	11.5	(9.5)	+2,480	-280

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/28/1996

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>
1996	Yellowstone Cutthroat	11	8.4	6.9-13.4

STOCKING HISTORY STOCKING PLAN

COMMENTS: TROUT MOVED DOWN FROM STEPHANIE. THESE FISH APPEAR TO BE REPRODUCING. NO TRAILS. NO HORSE TRAFFIC.

CAMP SITES: FEW GOOD CAMPSITES. ROCKY, CAMP BELOW. NO FIREWOOD.

SURVEY NOTES:  
MANY FISH IN THIS LAKE.

LAKE NAME: UPPER ARCH CREEK LAKE COUNTY: 10 T: 8S R: 16E SEC: 3  
DRAINAGE: EAST ROSEBUD ELEV: 10120 ACREAGE: 46.9 DEPTH: 112FT  
LOCATION: 45.1588, -109.73759 MARCUSONS CODE: 42

ACCESS: 3.5 MILES UP TRAIL #15 ABOVE EAST ROSEBUD LK. CROSS CREEK ABOVE ELK LK. THEN A STEEP HIKE UP THE S SIDE OF ARCH CREEK <NO TRAIL>. TIMBER BUSHWACKING IS A MESS.

<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>
ALPINE (EAST ROS	8	(3.5)	+3,900	-100

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Abundant	Self-Sustained

LAST GILL NET SET: 8/8/1996

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
1996	Yellowstone Cutthroat	33	12.6	8.3-15.7
1987	Yellowstone Cutthroat	39	11.1	6.6-14.5
1984	Yellowstone Cutthroat	38	10.4	8.4-12.5

STOCKING HISTORY STOCKING PLAN

1991: Yellowstone Cutthroat (3513 fish)  
1980: Yellowstone Cutthroat (3508 fish)

COMMENTS: UPPER ARCH CREEK LAKE WATER CODE 22-9622. AKA ARCH LAKE ON USGS 7.5' & 15' QUADS, USFS MAPS, AND ROCKY MTN SURVEYS MAPS. '99 PLANT WILL BE CANCELED - GOOD REPRODUCTION SEEMS TO BE OCCURING.

CAMP SITES: ROCKY, NO FIREWOOD. CAMPING BEST AT LOWER ARCH LAKE.

SURVEY NOTES:  
NET WITH ARCH LAKE TO VERIFY SUFFICIENT NATURAL REPRODUCTION '96 STRANGE  
ORANGE FUNGUS ON SKIN OF SOME FISH. A LUNDBERG REPORTS 2 FISHERMEN CATCHING  
& RELEASING 35 FISH 8/92. TWO SIZES 5-6"ERS AND 15"ERS.

ARLEN L. AND CREW 7/94 REPORT A MIXED CREEL - 6 5", 12 9", 12", 24 18-19". M GORDON REPORTS 15-20" FISH EVERY 30-45 MIN. - 2001

LAKE NAME: UPPER AERO LAKE	COUNTY: 49	T: 8S	R: 15E	SEC: 14,15
DRAINAGE: CLARKS FORK	ELEV: 10140	ACREAGE: 291.8	DEPTH: 195FT	
LOCATION: 45.12639, -109.84089	MARCUSONS CODE: 31			

ACCESS: LONG LAKE TRAILHEAD NORTH TO ZIMMER CREEK. GOOD TRAIL TO LOWER AERO UP ZIMMER CREEK & OVER SADDLE. PATH AROUND WEST SIDE. POSSIBLE DAY HIKE.

<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>
GOOSE LAKE JEEP	7	(6)	+1,400	-650
LADY OF THE LAK	8.5	(7.5)	+1,600	-250

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Yellowstone Cutthroat	Abundant	Stocked

LAST GILL NET SET: 8/17/2004

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>
2004	Yellowstone Cutthroat	18	14.7	12.3-16.3
1998	Yellowstone Cutthroat	0		-
1991	Yellowstone Cutthroat	29	13.7	10.3-15.5

<u>STOCKING HISTORY</u>	<u>STOCKING PLAN</u>
2006: Yellowstone Cutthroat (29180 fish)	2012: Yellowstone Cutthroat (29180 fish)
2000: Yellowstone Cutthroat (29180 fish)	
1994: Yellowstone Cutthroat (29180 fish)	

COMMENTS: BENO SHERIDAN REPORTS GOOD FISHING IN 1983. IF SIZE OF FISH DECLINES, STOCKED ON A 6 YR. ROTATION. NO REAL SPAWNING POTENTIAL. NO GOOD INLET. THE OUTLET IS MOSTLY LARGE COBBLE BUT FISH ARE TRYING TO

CAMP SITES: A FEW DECENT FLAT SPOTS. NO FIREWOOD. BEAUTIFUL VIEW.

SURVEY NOTES:  
100 FISH/ACRE MAY TRANSLATE TO MUCH HIGHER DENSITIES IF THE FISH ARE NOT USING THE DEEP OPEN WATER AREAS. CHANGE TO 50/ACRE EVERY 4 YR? '81 - 8 CT - AVE 14.3" - RANGE 12.0-15.4. D FISCHER 8/91 NO FISH. IN '87 THE CT'S WERE BIG, 18" & FULL BODIED.

'91 FISH WERE LONG & THIN. '93, '97 - NO FISH IN GOOD NET SETS, SAW ONE FISH RISE IN '93. INVESTIGATE. 15 CT '87 8.1-14.4" AVE. 10.8". '04 FISH LOOKED REALLY GOOD.

LAKE NAME:	UPPER BASIN LAKE	COUNTY:	10	T:	8S	R:	19E	SEC:	7A
DRAINAGE:	ROCK CREEK	ELEV:	8960	ACREAGE:	6.7	DEPTH:	5.5FT		
LOCATION:	45.14548, -109.42913	MARCUSONS CODE:	42						

ACCESS: 4 MILES OF EXCELLENT TRAIL UP BASIN CREEK. 2,100' CLIMB.

<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>
BASIN CREEK	4	(4)	+2,138	-0

<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1991

<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Length(in)</u>	<u>Range(in)</u>
2006	Brook Trout	40	8.3	4.8-11
1991	Brook Trout	22	8.1	6-11.5
1971	Brook Trout	13	9.6	7-13.7

STOCKING HISTORY STOCKING PLAN

1958: Yellowstone Cutthroat (3000 fish)  
1953: Yellowstone Cutthroat (3325 fish)  
1938: Brook Trout (1560 fish)

COMMENTS: LAKE IS VERY SHALLOW BUT MAY BE DEEPER THAN THE 5.5 FT SHOWN IN OUR RECORDS. 8 FT MORE PROBABLE. OUTSIDE THE A-B WILDERNESS.

CAMP SITES: DECENT CAMPING. LOTS OF FIREWOOD.

SURVEY NOTES:  
'91 - LAKE SHOWS FAIRLY HEAVY USE. FISH WERE SMALL BUT HEALTHY. LARGE HEADS ON BIGGER FISH MAY INDICATE STUNTING. OUTLET STREAM HAS GOOD GRAVEL. THIS LAKE HAS REAL POSSIBILITIES FOR REHABILITATION AND CONVERSION TO A GRAYLING FISHERY.  
HARVEY NYBERG 08/01/04 7-9" EB'S IN GOOD SHAPE. MFWP SURVEY 06, MANY SIZES AVERAGE HEALTH.

LAKE NAME: UPPER McKNIGHT LAKECOUNTY: 49T: 4S R: 10E SEC: 14DRAINAGE: BOULDERELEV: 9134ACREAGE: 3.4DEPTH: 20 FTLLOCATION: 45.48863, -110.44744MARCUSONS CODE: 89ACCESS: HIKE UP DAVIS CREEK ON USFS TRAIL #38 THEN CROSS COUNTRY UP TO THE LAKE. SEE LAKE McKNIGHT ALSO.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

WEST BOULDER12.5(10.5)+3,584-0

SPECIES PRESENTABUNDANCESTATUS

Golden TroutUnknownUnknown

LAST GILL NET SET: 8/2/2002

YearSpecies Caught# of fishAve Lenght(in)Range(in)

2002Golden Trout0-

STOCKING HISTORYSTOCKING PLAN

2005: Golden Trout (1100 fish)  
1982: Golden Trout (1920 fish)

COMMENTS: NO GOLDEN TROUT SEEN OR TAKEN IN A 3 HOUR GILL NET SET IN '88. LOTS OF GAMMARUS. GILL NET SET FOR 16.5 HOURS IN '90.. NET SET FOR ONLY 1.5 HOURS IN '02. GT WILL NOT BE PLANTED AGAIN, WILL SWITCH TO YCT

CAMP SITES: SOME FIREWOOD.

SURVEY NOTES:

SEE COMMENTS FOR LAKE McKNIGHT. THE McKNIGHT LAKES MAY BE ACCESSED DIRECTLY UP THE OUTLET STREAM, BUT IT IS VERY STEEP, WITH LOTS OF DEADFALLS AND ROCK SLIDES TO NEGOTIATE.

SAMPLE AFTER A POSSIBLE REPLANT.

LAKE NAME: VERNON LAKECOUNTY: 49T: 9S R: 15E SEC: 35BA DRAINAGE: CLARKS FORKELEV: 7900ACREAGE: 8.2DEPTH: 32 FTLLOCATION: 45.009, -109.83228MARCUSONS CODE: 68ACCESS: GOOD FOOT TRAIL FROM KERSEY LAKE. LEAVE MAIN TRAIL SE JUST BEFORE KERSEY LAKE. THEN 1.5 MILES.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

CLARKS FORK3(3)+300-200

SPECIES PRESENTABUNDANCESTATUS

Brook TroutCommonSelf-Sustained  
Yellowstone CutthroatAbundantSelf-Sustained

LAST GILL NET SET: 7/3/2008

YearSpecies Caught# of fishAve Lenght(in)Range(in)

2008Yellowstone Cutthroat1811.76.8-17.1  
2008Brook Trout215.214-16.4

STOCKING HISTORYSTOCKING PLAN

1947: Brook Trout (4800 fish)

COMMENTS: CUTTHROAT SPAWN IN THE INLET. BEAR COUNTRY! BEANO SHERIDAN 7/96 - CT'S AVE. 14", ONE 16.5", 1.5 LBS. ALL FISH LOOKED IN PRETTY GOOD SHAPE.

CAMP SITES: LOTS OF USE. CAMPING GOOD ON SOUTH SIDE. FIREWOOD PICKED OVER.

SURVEY NOTES:

'72 4 EB AVE 8.9, 7.5-10.1 13 CT AVE 8.3, 6.9-17.5 IN '89 THE RED LODGE CHIEF OF POLICE CAUGHT 6 CT'S UP TO 12-13". 91 - 7 EB 7.5-16.4" AVE 10.2", 58 CT 7.0-15.2" AVE 10.5". ANGLER 5/19/92 LOTS OF 13-14" CT AND 13" EB.

W YODER REPORTS LOTS OF 12-14" BROOKIES AND CUTTS, 5/14/92. SURVEYED 08, NICE FISH AND A SHORT HIKE TOO.

LAKE NAME: UPPER SNOW LAKECOUNTY: 10T: 8S R: 17E SEC: 9B DRAINAGE: EAST ROSEBUDELEV: 9265ACREAGE: 10.4DEPTH: 25 FTLLOCATION: 45.14917, -109.63917MARCUSONS CODE: 5ACCESS: 2.5 MILES UP EAST ROSEBUD TRAIL THEN 2.5 MILES UP SNOW CREEK.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

ALPINE (EAST ROS5.5(2.5)+3,100-0

SPECIES PRESENTABUNDANCESTATUS

Rainbow TroutUnknownStocked

LAST GILL NET SET: 8/1/1992

YearSpecies Caught# of fishAve Lenght(in)Range(in)

2000Rainbow Trout0-  
1981Rainbow Trout1510.19.5-11

STOCKING HISTORYSTOCKING PLAN

1993: Rainbow Trout (1076 fish)  
1989: Rainbow Trout (2500 fish)  
1978: Rainbow Trout (2160 fish)

COMMENTS: NO SIGNS OF FISH IN 1992. GOOD LAKE TO STUDY EFFECTS OF GLACIAL SILT ON TROUT EGG DEVELOPMENT. THE '96 FIRE TURNED THIS AREA TO TOAST. '00 NET SET FOR ONLY 3 HOURS.

CAMP SITES: GOOD CAMPSITES NEAR THE LAKE.

SURVEY NOTES:

EVALUATE BEFORE NEXT PLANT. ADJUST FREQUENCY AND NUMBERS. THE MAIN INLET STREAM APPEARS SUITABLE FOR SPAWNING FOR 50 OR SO YARDS UPSTREAM. GLACIAL SILT MAY BE A PROBLEM. THE OUTLET IS ALL ROCK. LOTS OF AQUATIC INVERTEBRATES PRESENT.  
RB'S FIRST PLANTED IN 1950. STOCKED AT 100/ACRE IN 1993. EVALUATE FOR YCT MANAGEMENT. STOCKING RB IN MOUNTAIN LAKES HAS LED TO RECENT ERRANT PLANTS THAT IMPACT MANAGEMENT IN OTHER DRAINAGES.

LAKE NAME: W FISHTAIL CR LK #40COUNTY: 32T: 6S R: 15E SEC: 24ADRAINAGE: WEST ROSEBUDELEV: 9375ACREAGE: 1.1DEPTH: 4 FTLLOCATION: 45.29841, -109.8002MARCUSONS CODE: 40ACCESS: FROM CHROME LAKE IT'S ALL CROSS COUNTRY, FORESTED, STEEP, ROCKY, THICK AND DIFFICULT UNTIL YOU HIT THE CREEK, THEN IT'S EASY ON THE W SIDE.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

BENBOW MINE-CH5(0)+1,600-600

SPECIES PRESENTABUNDANCESTATUS

Golden TroutCommonSelf-Sustained

LAST GILL NET SET:

STOCKING HISTORYSTOCKING PLAN

COMMENTS: FISH HAVE MADE IT DOWN HERE FROM PLANTS IN THE LAKES ABOVE. GOOD SPAWNING IN INLET, OK IN OUTLET. GREAT LOOKING STREAM SECTION ~1 MILE BELOW.

CAMP SITES: GOOD CAMPSITES. PLENTY OF FIREWOOD. JUST BELOW TIMBERLINE.

SURVEY NOTES:

'98 - 2-5" FISH OBSERVED. OBVIOUS REPRODUCTION HERE. '98 FISH WERE VERY FAT. IN 2004 9-11" FISH WERE OBSERVED. VERY SPOOKY FISH WERE SEEN IN THE CREEK BELOW THE LAKE. THEY MAY WINTER HERE AS THE LAKE IS VERY SHALLOW.

LAKE NAME: W FISHTAIL CR LK #41 COUNTY: 32 T: 6S R: 15E SEC: 24DB  
DRAINAGE: WEST ROSEBUD ELEV: 9690 ACREAGE: 7.3 DEPTH: 40 FT  
LOCATION: 45.2942, -109.80722 MARCUSONS CODE: 41

ACCESS: FROM CHROME LAKE IT'S ALL CROSS COUNTRY, FORESTED, STEEP, ROCKY, THICK AND DIFFICULT UNTIL YOU HIT THE CREEK, THEN IT'S EASY ON THE W SIDE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BENBOW MINE-CH	5.5	(0)	+2,000	-600

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Unknown	Unknown

LAST GILL NET SET: 8/11/2004

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Golden Trout	0		-

STOCKING HISTORY	STOCKING PLAN
1992: Golden Trout (477 fish)	2011: Golden Trout (250 fish)
1991: Golden Trout (750 fish)	
1982: Golden Trout (3250 fish)	

COMMENTS: INLET IS BOULDER/SILT, NO GRAVEL. OUTLET HAS MARGINAL GRAVEL FOR SPAWNING. FISH FROM PREVIOUS PLANTS HAVEN'T BEEN SEEN HERE. THIS LAKE LOOKS FINE FOR GOLDEN TROUT.

CAMP SITES: FEW ROCKY/BOGGY CAMPSITES. NO FIREWOOD. ABOVE TIMBERLINE.

SURVEY NOTES:  
DOUBTFUL IF FISH FROM BELOW CAN MOVE UP INTO #41. PUT ON AN 8 YEAR STOCKING ROTATION AT 100/ACRE.

LAKE NAME: W FISHTAIL CR LK #43 COUNTY: 32 T: 6S R: 15E SEC: 24AB  
DRAINAGE: WEST ROSEBUD ELEV: 9588 ACREAGE: 4.2 DEPTH: 24 FT  
LOCATION: 45.30138, -109.80496 MARCUSONS CODE: 43

ACCESS: FROM CHROME LAKE IT'S ALL CROSS COUNTRY, FORESTED, STEEP, ROCKY, THICK AND DIFFICULT UNTIL YOU HIT THE CREEK, THEN IT'S EASY ON THE W SIDE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BENBOW MINE-CH	5.25	(0)	+1,700	-600

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/12/2004

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Golden Trout	10	13.2	10.3-14.6
1998	Golden Trout	34	13.7	8.8-16.5

STOCKING HISTORY	STOCKING PLAN
1992: Golden Trout (275 fish)	
1991: Golden Trout (440 fish)	
1982: Golden Trout (3250 fish)	

COMMENTS: POOR LOOKING SPAWNING IN THE OUTLET, LITTLE GRAVEL, DOESN'T SEEM TO HAVE KEPT THESE FISH FROM REPRODUCING, PERHAPS TOO WELL. '98 & '04 - FRY WERE SEEN IN THE LITTLE OUTLET POND.

CAMP SITES: SOME CAMPSITES PRESENT. PLENTY OF FIREWOOD.

SURVEY NOTES:  
'98 - LARGER FISH WERE THINNER. NEW AND OLD REDDS OBSERVED. FISH 5-18" WERE SEEN. 80% OF FISH CAUGHT HAD EMPTY STOMACHS. '04 FISH LOOKED GOOD FROM 2-16".

GLENN RICKETT & 3 OTHERS CAUGHT 16 FISH 10-16" 07/19-22/04. 2 UPPER LAKES APPEARED BARREN. WATER WAS 43F. VERY LITTLE USE - ONE OLD FIRE RING.

LAKE NAME: W FISHTAIL CR LK #41A COUNTY: 32 T: 6S R: 15E SEC: 24AC  
DRAINAGE: WEST ROSEBUD ELEV: 9715 ACREAGE: 2.0 DEPTH: 12 FT  
LOCATION: 45.29534, -109.80964 MARCUSONS CODE: 41A

ACCESS: FROM CHROME LAKE IT'S ALL CROSS COUNTRY, FORESTED, STEEP, ROCKY, THICK AND DIFFICULT UNTIL YOU HIT THE CREEK, THEN IT'S EASY ON THE W SIDE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BENBOW MINE-CH	5.5	(0)	+2,000	-600

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Unknown	Unknown

LAST GILL NET SET: 8/11/2004

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Golden Trout	0		-

STOCKING HISTORY	STOCKING PLAN
1992: Golden Trout (130 fish)	
1991: Golden Trout (206 fish)	
1982: Golden Trout (3360 fish)	

COMMENTS: INLET IS SAND/SILT, NO GRAVEL. OUTLET IS SILT/BOULDERS, NO GRAVEL. FISH FROM PREVIOUS PLANTS HAVEN'T BEEN SEEN HERE. WATER IS "MILKY" FROM GLACIAL MELT. DRAINS INTO LAKE #41. NO FUTURE PLANTS

CAMP SITES: FEW CAMPSITES. ROCKY AND BOGGY. NO FIREWOOD.

SURVEY NOTES:  
DOUBTFUL IF FISH FROM BELOW CAN MOVE UP INTO #41A. THIS LAKE DOES NOT APPEAR TO HAVE ENOUGH FOOD SUPPLY TO SUSTAIN A FISH POPULATION.

LAKE NAME: W FISHTAIL CREEK LAKES COUNTY: 32 T: 6S R: 15E SEC: 11,12  
DRAINAGE: WEST ROSEBUD ELEV: 8500 ACREAGE: 19.1 DEPTH: 2-40F  
LOCATION: 45.29534, -109.80971 MARCUSONS CODE: 40

ACCESS: FOLLOW OLD ROADS IN BENBOW MINE AREA NEAR CHROME LAKE THEN BAIL OFF INTO NOWHERE. ROUTE IS MODERATELY DIFFICULT DUE TO DOWNFALL & ROCK FIELDS.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BENBOW MINE/CH	~5	(0)	+~1800	-600

SPECIES PRESENT	ABUNDANCE	STATUS
Golden Trout	Unknown	Unknown

LAST GILL NET SET:

STOCKING HISTORY	STOCKING PLAN
1992: Golden Trout (882 fish)	
1991: Golden Trout (1396 fish)	
1982: Golden Trout (9860 fish)	

COMMENTS: THERE ARE 18 LAKES IN THE CHAIN. THERE ARE GAME TRAILS ONCE YOU REACH WEST FISHTAIL CREEK. 9/97 P MURTER REPORTS 16" GT'S WITH SMALLER FISH PRESENT IN NORTHERN LAKE. FINGERLINGS IN OUTLET POOL

CAMP SITES: FIREWOOD AVAILABLE EXCEPT AT THE UPPER LAKES.

SURVEY NOTES:  
9/97 DENNIS HAGENSTON CAUGHT 11-14" GT'S IN #43, VERY POOR CONDITION. A 9"ER WAS IN GOOD SHAPE. MANY FISH JUMPING. #40 - OBSERVED FISH RISING. #41 & 41A - SAW NO FISH RISING. LOTS OF BUG LIFE. APPEARED BARREN.

9860 GT'S PLANTED IN 1982 SOME OF WHICH WERE YEARLINGS. '91 #41 730, #41A 200, #43 420. #41 477, #41A 130, #43 275 PLANTED IN 1992.

LAKE NAME: WADE LAKE COUNTY: 10 T: 9S R: 16E SEC: 24CB  
DRAINAGE: CLARKS FORK ELEV: 9620 ACREAGE: 10.5 DEPTH: 15 FT  
LOCATION: 45.02659, -109.7049 MARCUSONS CODE: 163

ACCESS: HEAD EAST FROM KERSEY FOR 12 MILES TO JORDAN LAKE. THEN TURN SOUTH AND WALK 1 MILE TO WADE LAKE. ABOUT 1/2 THAT DISTANCE FROM IVY LAKE JEEP TRAIL.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
IVY LAKE JP TRAIL	6.75	(6.5)	+1,900	-200
CLARKS FORK TRA				

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1994

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Brook Trout	44	9.8	5.8-12
1994	Brook Trout	29	9.2	6.6-12.3
1975	Brook Trout	22	9.1	6.5-10.5

STOCKING HISTORY STOCKING PLAN

COMMENTS: NO CHANGE IN MANAGEMENT. CALLED LENNON LAKE ON USGS 7.5' QUAD. NO GREAT SPAWNING AREAS - INLET IS SEDIMENTED, OUTLET IS COBBLE/BOULDER.

CAMP SITES: BEAUTIFUL PLACES TO CAMP. PLENTY OF FIREWOOD AVAILABLE.

SURVEY NOTES:

A SELF-SUSTAINING BROOKIE LAKE THAT COULD STAND SOME HARVEST. D HAGENSTON 8/9/87 11-12" EB - FAT (WATER BRACKISH). '94 FISH HAD AVERAGE BODIES BUT THE LARGE FISH WERE THIN. MFWP SURVEY 06, MANY FISH 6-12" GOOD HEALTH.

LAKE NAME: WEASEL LAKE COUNTY: 49 T: 8S R: 15E SEC: 35CB  
DRAINAGE: CLARKS FORK ELEV: 9940 ACREAGE: 3.7 DEPTH: 20 FT  
LOCATION: 45.0882, -109.83658 MARCUSONS CODE: 54A

ACCESS: LEAVE GOOSE LAKE JEEP TRAIL NEAR LONG LAKE. HEAD UP SKY TOP CREEK TO AERO CREEK. HEAD EAST 1.5 MILES.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	5	(3.5)	+1,450	-830
LADY OF THE LAK				

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/25/2004

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Yellowstone Cutthroat	17	13	11.8-14.3
1994	Yellowstone Cutthroat	1	13.5	13.5-13.5
1987	Yellowstone Cutthroat	0		-

STOCKING HISTORY STOCKING PLAN

2005: Yellowstone Cutthroat (370 fish)  
1997: Yellowstone Cutthroat (370 fish)  
1990: Yellowstone Cutthroat (394 fish)  
2013: Yellowstone Cutthroat (370 fish)

COMMENTS: NO FISH FROM THE '81 PLANT FOUND IN '87 NET. ON AN 8 YEAR ROTATION STAGGERED WITH SURPRISE LAKE. SMALL POSSIBILTY OF SPAWNING IN OUTLET IF WATER WAS HIGH ENOUGH.

CAMP SITES: PRETTY PLACE BUT CLOSED IN. LIMITED FIREWOOD.

SURVEY NOTES:

HOW LONG WAS '94 NET SET? STOCKED IN 1981, 1990, THEN 1997 TO GET BACK ON SCHEDULE WITH SURPRISE LAKE. DENNIS HAGENSTON 8/92 REPORTS 11" CTS - AVERAGE CONDITION. V ICHIOKA 8/95 - ONE 14" CT. VERY SLOW FISHING.

'04 FISH IN AVERAGE CONDITION.

LAKE NAME: WALL LAKE COUNTY: 10 T: 9S R: 17E SEC: 21AA  
DRAINAGE: CLARKS FORK ELEV: 9900 ACREAGE: 14.4 DEPTH: 28 FT  
LOCATION: 45.03273, -109.62978 MARCUSONS CODE: 214

ACCESS: 4 MILES ON CLAY BUTTE TRAIL #618 TO THIEL LAKE TRAIL. PAST THIEL LAKE TO KIDNEY, WRIGHT, AND MARTIN LAKES. WALL LAKE IS ABOVE MARTIN.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLAY BUTTE #618	11.25	(9.75)	+1,050	-620
MUDDY CREEK				

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/17/2005

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Brook Trout	20	7.4	6-9.3
1994	Brook Trout	23	7.2	6.5-8.4
1974	Brook Trout	40	7.2	6-9.2

STOCKING HISTORY STOCKING PLAN

COMMENTS: BROOKIES MOVE DOWNSTREAM INTO MARTIN LAKE. CALLED RACHEL LAKE ON USGS 7.5' QUAD AND USFS MAPS. NO GOOD SPAWNING AREAS ARE EVIDENT BUT THAT DOESN'T SEEM TO BOTHER BROOKIES

CAMP SITES: MANY PLACES TO CAMP. SOME FIREWOOD.

SURVEY NOTES:

LITTLE CHANGE IN THIS STUNTED BROOKIE POPULATION FROM THE LAST GILLNETTING 10 & 30 YEARS AGO. WATCH FOR POSSIBLE DOWNSTREAM MIGRATION OF CUTTHROAT TROUT FROM THE CLOVERLEAF LAKES.

LAKE NAME: WEASEL LAKE #48 COUNTY: 49 T: 5S R: 11E SEC: 12DD  
DRAINAGE: BOULDER ELEV: 9440 ACREAGE: 8.6 DEPTH: 75 FT  
LOCATION: 45.40944, -110.30156 MARCUSONS CODE: 48

ACCESS: HIKE UP TRAIL #18 ALONG GREAT FALLS CREEK, THEN SOUTH X-COUNTRY THRU SADDLE. THEN SIDE HILL UP THE VALLEY TO THE LAKES.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GREAT FALLS CRE	10	(7.75)	+4,800	-400

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/1/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2002	Yellowstone Cutthroat	10	10.6	9.2-11.8
1995	Yellowstone Cutthroat	20	10.2	6.6-13.6
1972	Yellowstone Cutthroat	9	10	6.1-15.7

STOCKING HISTORY STOCKING PLAN

COMMENTS: THERE ARE 7 LAKES IN THE CHAIN. TWO HAVE FISH. #48 HAS A SELF-SUSTAINING CT POPULATION AND #51 IS PLANTED EVERY 8 YEARS AT 50/ACRE. #48 AKA WEASEL CREEK LAKE #2. NO PLANTING RECORDS EXIST

CAMP SITES: MANY CAMPING SITES. PLENTY OF FIREWOOD.

SURVEY NOTES:

AKA CHIPPY LAKES. AKA WEST CHIPPY CREEK. SCENIC PLACE BUT ACCESS IS NOT A CAKE WALK! '95 FISH WERE IN AVERAGE CONDITION. '02 FISH WERE ANGLED AND VERY THIN.



LAKE NAME: WEASEL LAKE #51COUNTY: 49T: 5SR: 11E SEC: 12DBDRAINAGE: BOULDERELEV: 9890ACREAGE: 5.4DEPTH: 35 FTLLOCATION: 45.41256, -110.31055MARCUSONS CODE: 51

ACCESS: HIKE UP TRAIL #18 ALONG GREAT FALLS CREEK, THEN SOUTH X-COUNTRY THRU SADDLE. THEN SIDE HILL UP THE VALLEY TO THE LAKES.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GREAT FALLS CRE	10	(7.75)	+4,800	-400

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2002	Yellowstone Cutthroat	9	14.4	9.2-16.1
1995	Yellowstone Cutthroat	23	14.4	11.3-16

STOCKING HISTORY

STOCKING PLAN

2003: Yellowstone Cutthroat (270 fish)

2011: Yellowstone Cutthroat (270 fish)

1995: Yellowstone Cutthroat (270 fish)

1987: Yellowstone Cutthroat (511 fish)

COMMENTS: CT'S PLANTED IN '79. THERE ARE 7 LAKES IN THE CHAIN. TWO HAVE FISH. #48 HAS A SELF-SUSTAINING POP. #51 WAS PLANTED IN 1987 AT ~100 FISH/ACRE. #51 AKA WEASEL CREEK LAKE #3. SAMPLE GREAT FALLS CREEK LAKE WHEN

CAMP SITES: PLENTY OF FLAT SPOTS BUT NO FUEL OR SHELTER.

SURVEY NOTES:

AKA CHIPPY LAKES. AKA WEST CHIPPY CREEK. SCENIC PLACE BUT ACCESS IS NOT A CAKE WALK! '95 - FISH IN AVERAGE CONDITION. ONE REDD OBSERVED IN OUTLET. THESE 8 YEAR OLD FISH AREN'T THAT BAD BUT GIVEN SS FISH IN #48 &

THE TUFF ACCESS WE CUT THE STOCKING RATE TO 50/ACRE TO SEE IF WE COULD BOOST FISH SIZE HERE.

LAKE NAME: WEELUNA LAKECOUNTY: 32T: 7SR: 15E SEC: 9DRAINAGE: WEST ROSEBUD ELEV: 9694ACREAGE: 10.2DEPTH: 30 FTLLOCATION: 45.23389, -109.86949MARCUSONS CODE: 30

ACCESS: 8 MILES OF GOOD TRAIL FROM MYSTIC LAKE HYDRO PLANT THEN NORTH FROM SILVER LAKE FOR 2 MILES. FAIRLY STEEP. NO TRAIL

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
MYSTIC LAKE	10	(8)	+3,800	-300

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/3/2004

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Yellowstone Cutthroat	17	14.1	9.6-16.5
1996	Yellowstone Cutthroat	26	14.2	11-17
1991	Yellowstone Cutthroat	10	11.7	7.9-15.9

STOCKING HISTORY

STOCKING PLAN

2005: Yellowstone Cutthroat (765 fish)

1989: Yellowstone Cutthroat (1275 fish)

1980: Yellowstone Cutthroat (1297 fish)

COMMENTS: THIS LAKE WAS MANAGED AS A TROPHY FISHERY. WAS STOCKED EVERY 8 YEARS ALTERNATELY WITH NEMIDJI LAKE WHICH HAD RECEIVED MORE FISH TO PROVIDE A MORE HIGHLY CATCHABLE POPULATION. '91 CHUNKY 9-18"

CAMP SITES: CAMPSITES & WOOD. D FISCHER '88 LOTS OF 12-16" 1.5-2.5 LB CT

SURVEY NOTES:

WAS STOCKED EVERY 8 YRS TROPHY FISHERY. PLANT DENSITY WAS TO BE LOWERED FROM 125/ACRE TO 75/ACRE IN '97. '91 WIDE RANGE OF SIZES MAY MEAN REPRODUCTION . FURTHER PLANTS CANCELED BECAUSE OF REPRODUCTION. NO REAL INLET, SEASONAL OUTLET.

LOTS OF GRAVEL ALONG SPRING FED WEST SIDE. G ALDRICH 8/92 LOTS OF 15-17"ERS. R SAUNDERS '96 8-9" AND 16" NICE, NOT FAT. 16 CT '87 11.5-14.4" AVE. 13.1".

LAKE NAME: WEDNESDAY LAKECOUNTY: 10T: 9SR: 17E SEC: 15DADRAINAGE: CLARKS FORKELEV: 10200ACREAGE: 6.2DEPTH: 12 FTLLOCATION: 45.04012, -109.60654MARCUSONS CODE: 218

ACCESS: 8+ MILES UP FROM ISLAND LAKE. GOOD TRAIL TO GOLDEN LAKE THEN OVER THE HILL SOUTHEAST. IT'S THE FIRST LAKE UPSTREAM FROM CLOVERLEAF LAKE #217.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
ISLAND LAKE WY	8.5	(6)	+1,000	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Abundant	Self-Sustained

LAST GILL NET SET: 8/16/2005

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2005	Yellowstone Cutthroat	14	10.9	7-15

STOCKING HISTORY

STOCKING PLAN

COMMENTS: THIS LAKE WAS CONSIDERED FISHLESS TILL DENNIS HAGENSTON CAUGHT 12" CUTTHROATS (AVERAGE CONDITION) SUMMER 1995. CLOVERLEAF LAKES #215, 216, & 223 WERE STOCKED WITH CUTTHROATS IN 1975.

CAMP SITES: QUESTIONABLE CAMPING. NO FIREWOOD.

SURVEY NOTES:

DID FISH FIND THEIR WAY HERE FROM CLOVERLEAF LAKE #217? FISH PASSAGE IS APPARENTLY POSSIBLE THROUGH THE STREAM BETWEEN THE LAKES. SAMPLE ALONG WITH THE CLOVERLEAFS.

LAKE NAME: WEST BOULDER LAKECOUNTY: 49T: 5SR: 11E SEC: 27BDRAINAGE: BOULDERELEV: 9628ACREAGE: 13.0DEPTH: 55 FTLLOCATION: 45.37679, -110.36101MARCUSONS CODE: 75

ACCESS: TAKE TRAIL #22 FROM FOURMILE 7 MILES TO SILVER LAKE. HEAD X-COUNTRY N ALONG CREEK TO NEXT LAKE. THEN CLIMB WEST THRU A SADDLE AND DROP INTO LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
FOURMILE CREEK	9	(7)	+4,500	-500

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/1995

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2004	Yellowstone Cutthroat	8	14.4	13.1-15.5
1995	Yellowstone Cutthroat	28	12.7	11.4-13.8
1985	Yellowstone Cutthroat	6	12.1	11.5-13

STOCKING HISTORY

STOCKING PLAN

2003: Yellowstone Cutthroat (1300 fish)

2011: Yellowstone Cutthroat (1300 fish)

1995: Yellowstone Cutthroat (1950 fish)

1987: Yellowstone Cutthroat (2000 fish)

COMMENTS: '85 - ALL FISH WERE IN GOOD CONDITION. GOLDEN TROUT WERE PLANTED IN 1958. NO SPAWNING AREAS EXIST. ACCESS IS TOUGH AND THE LAKE IS A LONG WAY FROM ANY TRAILHEAD.

CAMP SITES: THERE ARE FEW GOOD PLACES TO CAMP BUT THERE IS FIREWOOD.

SURVEY NOTES:

WAS STOCKED EVERY 8 YEARS AT 150/ACRE. '95 - FISH WERE IN OK CONDITION THOUGH NOT VERY BIG FOR 8 YEAR OLDS. STOCKING RATE LOWERED TO 100/ACRE TO BOOST GROWTH WHILE KEEPING ENOUGH FISH HERE SO THAT ANYONE MAKING THIS TREK CAN EXPECT REASONABLY GOOD

FISHING SUCCESS. CT'S PLANTED IN 1979. '04 FISH WERE ANGLED.

LAKE NAME:	WEST ROSEBUD LAKE	COUNTY:	32	T:	7S	R:	16E	SEC:	2
DRAINAGE:	WEST ROSEBUD	ELEV:	6387	ACREAGE:	19.0	DEPTH:	6	FT	
LOCATION:	45.25002, -109.71069	MARCUSONS CODE:	2						
ACCESS: APPROXIMATELY 45 MILES SOUTH OF COLUMBUS, MT. ACCESSIBLE BY TWO WHEEL DRIVE VEHICLE.									
TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN					
DRIVE TO	0	(0)	+0	-0					
SPECIES PRESENT		ABUNDANCE	STATUS						
Brook Trout		Common	Self-Sustained						
Brown Trout		Common	Self-Sustained						
Rainbow Trout		Common	Stocked						
LAST GILL NET SET:									
STOCKING HISTORY									
2008: Rainbow Trout (3000 fish)									
2007: Rainbow Trout (3000 fish)									
1998: Yellowstone Cutthroat (3034 fish)									
STOCKING PLAN									
2009: Rainbow Trout (3000 fish)									
COMMENTS: COLUMBUS CREW HAS GILL NET DATA. BOTH RAINBOWS AND CUTTHROATS HAVE BEEN PLANTED IN THE PAST. 3 PLANTS ANUALLY OF 6" RB'S, 1,000 EACH - LATE MAY, LATE JUNE, LATE JULY.									
CAMP SITES: HAS USFS CAMPGROUND NEAR OUTLET.									
SURVEY NOTES:									
SURVEYED EVERY OTHER YEAR. MOUNTAIN WHITEFISH AND LONGNOSE SUCKERS ALSO PRESENT. CONTACT REGIONAL BIOLOGIST FOR CURRENT INFO.									
JEREMIAH WOOD (406) 328-4594									

LAKE NAME:	WIDEWATER LAKE	COUNTY:	10	T:	9S	R:	16E	SEC:	29
DRAINAGE:	CLARKS FORK	ELEV:	8008	ACREAGE:	110.7	DEPTH:	110	FT	
LOCATION:	45.01265, -109.77689	MARCUSONS CODE:	72						
ACCESS: USFS TRAIL #567 TO KERSEY LAKE. THEN HEAD EAST ON TRAIL #3. TOTAL TRIP ~6 MILES. MUCH DEADFALL SURROUNDING LAKE.									
TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN					
CLARKS FORK	6.5	(6)	+300	-325					
SPECIES PRESENT		ABUNDANCE	STATUS						
Arctic Grayling		Rare	Unknown						
Brook Trout		Common	Self-Sustained						
Rainbow Trout		Common	Self-Sustained						
LAST GILL NET SET: 8/16/2004									
Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)					
2004	Rainbow Trout	12	12.3	11-13.5					
2004	Brook Trout	3	9.2	8.3-10					
2004	Arctic Grayling	0	-	-					
STOCKING HISTORY					STOCKING PLAN				
COMMENTS: GRAYLING AND RAINBOW ORIGIN PROBABLY FROM UP OR DOWNSTREAM LAKES. 1 SPOT FIRE FROM '88 VISIBLE ON SE SIDE.									
CAMP SITES: LOTS OF FIREWOOD AND GOOD CAMPING ON THE SOUTH END.									
SURVEY NOTES:									
'89 FISH WERE HEALTHY BUT NOT TOO FAT. AVE #'S SAMPLED AND AVE SIZES SIMILAR TO '81 NETTING. NO CHANGE IN MANAGEMENT. '89 CREEL CARDS - 3 RB 8-12" RANGE, 1 CT?? 8-12" RANGE. MARK BARRETT 6/92 - LOTS OF FISH RISING.									
'89 19 EB 5.8-11.4" AVE. 8.8" & 17 RB 6.6-14.1" AVE. 10.4". '04 FISH SEEMED TO BE IN GOOD HEALTH, NORMAL.									

LAKE NAME:	WIDOWED LAKE	COUNTY:	10	T:	9S	R:	16E	SEC:	11DD
DRAINAGE:	CLARKS FORK	ELEV:	10010	ACREAGE:	3.2	DEPTH:	15	FT	
LOCATION:	45.05408, -109.71104	MARCUSONS CODE:	123						
ACCESS: APPROXIMATELY 8 MILES EAST OF KERSEY LAKE VIA CANYON LAKE OR 12 MILES FROM KERSEY VIA RUSSEL & OTTER LAKES.									
TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN					
IVY LK JEEP TRAIL	9.5	(8.25)	+2,650	-700					
SPECIES PRESENT		ABUNDANCE	STATUS						
Golden Trout		Unknown	Unknown						
LAST GILL NET SET: 8/15/2007									
Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)					
2007	Golden Trout	1	10.5	10.5-10.5					
2001	Golden Trout	0	-	-					
STOCKING HISTORY					STOCKING PLAN				
COMMENTS: LOWEST LAKE IN THE DESOLATION LAKE CHAIN. GT WERE FIRST PLANTED IN DESOLATION LAKE UPSTREAM IN '82. DOWNSTREAM MOVEMENT WAS THE GOAL. NO FISH CAUGHT IN NET IN '84.									
CAMP SITES: QUESTIONABLE CAMP SPOTS. SCARCE FIREWOOD.									
SURVEY NOTES:									
GOLDENS PLANTED UPSTREAM IN 1982, '91, & '92. SEE IF GOLDENS HAVE GOTTEN INTO LAKE AND DETERMINE STATUS. LIMITED SPAWNING POTENTIAL IN OUTLET AND INLET. '01 - LAKE IS DOWN A GOOD 4-5 FT BELOW FULL POOL. STREAM BETWEEN ANCHOR & WIDOWED HAD HEAVY ALGAE.									
FWP SAMPLED 07,24 HOUR SET.									

LAKE NAME:	WIEDY LAKE	COUNTY:	49	T:	9S	R:	15E	SEC:	9CA
DRAINAGE:	CLARKS FORK	ELEV:	9010	ACREAGE:	7.0	DEPTH:	68	FT	
LOCATION:	45.06089, -109.87309	MARCUSONS CODE:	18						
ACCESS: TRAIL #31 TO LADY OF THE LAKE. CROSS THE OUTLET STREAM HERE AND AT SWAMP LAKE TO THE EAST. THEN CONTINUE EAST TO WEIDY.									
TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN					
LADY OF THE LAK	3.5	(1.5)	+670	-400					
SPECIES PRESENT		ABUNDANCE	STATUS						
Yellowstone Cutthroat		Common	Stocked						
LAST GILL NET SET: 8/1/2002									
Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)					
2006	Yellowstone Cutthroat	4	17.6	15.8-19					
2002	Yellowstone Cutthroat	4	14	13.3-15					
2000	Yellowstone Cutthroat	6	12.5	11.9-13					
STOCKING HISTORY					STOCKING PLAN				
2007: Yellowstone Cutthroat (525 fish)					2013: Yellowstone Cutthroat (525 fish)				
2001: Yellowstone Cutthroat (525 fish)									
1985: Arctic Grayling (300 fish)									
COMMENTS: NO SPAWNING POTENTIAL. THIS IS A HIGH DENSITY MOSQUITO AREA. ANGLER REPORTS EXCELLENT FISHING FOR 8-9" GRAYLING IN JUNE 1987. FISH FAT AND IN EXCELLENT CONDITION. BEWARE OF GRIZZLY BEARS!									
CAMP SITES: ADEQUATE CAMPING AREAS WITH PLENTY OF FIREWOOD AVAILABLE.									
SURVEY NOTES:									
NO GR FOUND IN '89. 6 YEAR ROTATION - CT 7/19/89 - NO FISH OBSERVED OR NETTED - NONE CAUGHT ON HOOK AND LINE. HARRY YATES SUMMER/92 REPORTS VERY HUNGRY, LARGE 12-14" CT'S. D HAGENSTON 8/95 CUTTHROAT 12", SOME IN GOOD CONDITION, OTHERS NOT.									
875 CT'S PLANTED IN 1989. WILL DROP #'S TO 75/ACRE IN '01. ANGLER REPORTS LOTS OF CT IN 1999, SAW A GRAYLING. MFWP SURVEY 06,FEW FISH, BIG AND FAT									

LAKE NAME: WILD BILL LAKECOUNTY: 10T: 8SR: 19ESEC: 3DRAINAGE: ROCK CREEKELEV: 6719ACREAGE: 3.2DEPTH: 8 FTLLOCATION: 45.15665, -109.36916MARCUSONS CODE: 69

ACCESS: APPROXIMATELY 10 MILES UP THE WEST FORK OF ROCK CREEK.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

DRIVE TO LAKE0(0)+0-0

SPECIES PRESENTABUNDANCESTATUS

Rainbow TroutCommonStocked

LAST GILL NET SET:

STOCKING HISTORYSTOCKING PLAN

2008: Rainbow Trout (6000 fish)2009: Rainbow Trout (6000 fish)

2007: Rainbow Trout (6000 fish)

2006: Rainbow Trout (6000 fish)

COMMENTS: LAKE IS STOCKED FOUR TIMES A YEAR PRIOR TO HOLIDAYS FROM MAY TO SEPTEMBER WITH CATCHABLE SIZED RAINBOW. LAKE IS HANDICAPPED ACCESSIBLE.

CAMP SITES: PARKING LOT.

SURVEY NOTES:

LAKE NAME: WOOD LAKECOUNTY: 32T: 6SR: 15ESEC: 26CDRAINAGE: STILLWATERELEV: 9690ACREAGE: 12.0DEPTH: 38 FTLLOCATION: 45.27511, -109.8343MARCUSONS CODE: 3

ACCESS: ACCESS TOUGH UP WOODBINE CREEK, DOWNFALL AND THICK LODGEPOLE. BEST TO CROSS THE STILLWATER PLATEAU FROM NEAR THE BENBOW MINE. PARTIAL TRAILS.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

NEAR CHROME LA8(2)+1,700-1,100

SPECIES PRESENTABUNDANCESTATUS

Yellowstone CutthroatCommonStocked

LAST GILL NET SET: 8/31/2004

YearSpecies Caught# of fishAve Lenght(in)Range(in)

2004Yellowstone Cutthroat712.910.5-14

1998Yellowstone Cutthroat413.311-15

1988Yellowstone Cutthroat313.112-13.8

STOCKING HISTORYSTOCKING PLAN

2005: Yellowstone Cutthroat (1200 fish)2013: Yellowstone Cutthroat (1200 fish)

1997: Yellowstone Cutthroat (1200 fish)

1989: Yellowstone Cutthroat (1800 fish)

COMMENTS: LAKE SHOULD BE STOCKED EVERY 8 YEARS. LIMITED SPAWNING SUCCESS MIGHT BE POSSIBLE IN THE SILTY INLET. OUTLET IS ALL BOULDER/COBBLE. NOT MUCH USE BUT FISH HEADS IN LAKE '96.

CAMP SITES: QUESTIONABLE CAMPSITES. BEST AT LAKE WILDERNESS.

SURVEY NOTES:  
CT'S FIRST PLANTED IN 1976 THEN '81. FISH HERE ARE FAT. NUMBERS PLANTED TO BE LOWERED TO 100/ACRE IN '97.  
11CT "78 9-11" AVE 10.6. 04 FAT HEALTHY FISH. '08 BROCK ANDERSON CAUGHT APPROX. 30 FISH 12-13" FAT & HEALTHY AND 6 18-20" FATTIES.

LAKE NAME: WINDY LAKECOUNTY: 49T: 8SR: 15ESEC: 36ACDRAINAGE: CLARKS FORKELEV: 9830ACREAGE: 36.7DEPTH: 48 FTLLOCATION: 45.09493, -109.80679MARCUSONS CODE: 85

ACCESS: USFS TRAIL #567 FROM KERSEY LAKE. THE LAKE IS EAST OF FOSSIL LAKE.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

CLARKS FORK9.5(9)+2,000-280

SPECIES PRESENTABUNDANCESTATUS

Brook TroutAbundantSelf-Sustained

LAST GILL NET SET: 8/20/2008

YearSpecies Caught# of fishAve Lenght(in)Range(in)

2008Brook Trout767.86.3-9

1993Brook Trout1386.5-9.8

1970Brook Trout277.56.5-9.3

STOCKING HISTORYSTOCKING PLAN

COMMENTS: FISH ARE OVERCROWDED AND ARE IN POOR CONDITION. CALLED DEAD HORSE LAKE AND FIZZLE LAKE IN FWP'S WATER CODE BOOK AND FIZZLE LK ON THE USGS 7.5' QUAD.

CAMP SITES: SOME CAMPING SPOTS, BUT ROCKY. NO FIREWOOD.

SURVEY NOTES:  
'89 CREEL CARDS - 17 EB <8". SURVEY BEFORE POSSIBLE LAKE TROUT INTRODUCTION. '93 - FISH WERE STUNTED. 8 FISH ANGLED IN '03 6.8-8.3 AVE. 7.5".  
SURVEYED 08, NO CHANGE HERE IN 38 YEARS, MASSIVE HARVESTING WOULD PROB. HELP IMPROVE THIS POPULATION.

LAKE NAME: WOUNDED MAN LAKECOUNTY: 40T: 6SR: 13ESEC: 34ADRAINAGE: STILLWATERELEV: 9248ACREAGE: 50.2DEPTH: 55 FTLLOCATION: 45.27206, -110.08635MARCUSONS CODE: 72

ACCESS: POPULAR LAKE ON THE LAKE PLATEAU NEAR WOUNDED MAN CREEK. SEVERAL TRAILS SERVE THE AREA.

TRAILHEADMILESTRAILELEVATION UPELEVATION DOWN

BOX CANYON15(15)+3,100-500

WEST STILLWATER17(17)+3,300-600

SPECIES PRESENTABUNDANCESTATUS

Rainbow TroutCommonSelf-Sustained

LAST GILL NET SET: 8/1/1997

YearSpecies Caught# of fishAve Lenght(in)Range(in)

2003Rainbow Trout87.88.5-12.5

1997Rainbow Trout1610.37.8-13.2

1986Rainbow Trout397.8-10.8

STOCKING HISTORYSTOCKING PLAN

1946: Yellowstone Cutthroat (19890 fish)

1938: Yellowstone Cutthroat (40190 fish)

COMMENTS: NO RECORD OF THE ORIGIN OF THE RB'S. THIS IS A POPULAR FISHING SPOT. HIGH USE AREA. FIRST STOP UP THE WEST FORK TRAIL.

CAMP SITES: A LOT OF CAMPING SITES. SOME FIREWOOD IS AVAILABLE.

SURVEY NOTES:  
'89 CREEL CARDS - 1 CT??(RB?) <8". GIL LONGMIRE 8/89 CAUGHT LOTS OF 8-10"ERS. '97 FISH WERE THIN. '03 FISH ANGLED. ~50 FISH OBSERVED ON REDDS IN INLET. FISH IN EXCELLENT CONDITION.

LAKE NAME: WRIGHT LAKE COUNTY: 10 T: 9S R: 17E SEC: 21CB  
DRAINAGE: CLARKS FORK ELEV: 9650 ACREAGE: 7.9 DEPTH: 40 FT  
LOCATION: 45.02855, -109.64569 MARCUSONS CODE: 210

ACCESS: TRAILS FROM THE BEARTOOTH BUTTE AREA ON HWY 212 SERVE THE AREA. THE LAKE IS EAST OF LAKE ELAINE AND GREEN LAKE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
CLARKS FORK	9.75	(9.75)	+800	-620

SPECIES PRESENT	ABUNDANCE	STATUS
Brook Trout	Abundant	Self-Sustained

LAST GILL NET SET: 8/9/2006

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Brook Trout	28	8.7	7.3-9.3
1993	Brook Trout	50	8.1	5.4-10.4
1974	Brook Trout	35	8.2	7.2-10

STOCKING HISTORY	STOCKING PLAN
1937: Brook Trout (9600 fish)	

COMMENTS: BROOKIES ARE OBVIOUSLY REPRODUCING WELL. THE AREA HAS DECENT GRAVEL BETWEEN LAKES, COULD SUPPORT OTHER SPECIES, BUT NOT TOGETHER WITH THE BROOK TROUT.

CAMP SITES: EXCELLENT CAMPING. PLENTY OF FIREWOOD AVAILABLE.

SURVEY NOTES:  
LOTS OF EASY TO CATCH BROOKIES. 4 LAKES AND ONLY 85' OF DROP BETWEEN THE TOP AND BOTTOM LAKES. MFWP SURVEY 06, MANY FISH, SMALLER SIZES.

LAKE NAME: ZIMMER LAKE COUNTY: 49 T: 8S R: 15E SEC: 20CA  
DRAINAGE: CLARKS FORK ELEV: 10140 ACREAGE: 26.0 DEPTH: 55 FT  
LOCATION: 45.11985, -109.88386 MARCUSONS CODE: 28

ACCESS: EAST OF GOOSE LAKE. NO TRAIL. OR ONE CAN HIKE UP LADY OF THE LAKE CREEK, THEN NORTH UP ZIMMER CREEK. GOOD TRAIL. LONG LAKE TRAILHEAD IS SHORTER.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	5	(4)	+1,420	-560
LADY OF THE LAK	6.5	(5.5)	+1,580	-80

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/13/1997

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1997	Yellowstone Cutthroat	12	9.6	8.7-11.4
1991	Yellowstone Cutthroat	12	12.3	7-14.8
1980	Yellowstone Cutthroat	32	8.9	7-10.2

STOCKING HISTORY	STOCKING PLAN
2000: Yellowstone Cutthroat (2600 fish)	
1992: Yellowstone Cutthroat (2600 fish)	
1984: Yellowstone Cutthroat (2600 fish)	

COMMENTS: SOME REPRODUCTION OCCURS BUT IT IS RECOMMENDED THE LAKE BE STOCKED EVERY EIGHT YEARS. A FINE LAYER OF SILT COVERS THE SPAWNING SUBSTRATE.

CAMP SITES: NO FIREWOOD. POOR CAMPING. CAMP BELOW.

SURVEY NOTES:  
EB'S PLANTED IN '36, CT'S IN '59, '67, '68, '76, '91 - REDDS WERE VISIBLE IN THE OUTLET, AND THE CT WERE SPAWNING. SOME FRY SEEN. CONTINUE STOCKING EVERY 8 YEARS. 9/96 BEANO SHERIDAN FOUND A GOOD SUPPLY OF 10-11" FISH.

THE LONG WINTERS OF '96 & '97 MAY HAVE SLOWED GROWTH HERE.

LAKE NAME: WRONG LAKE COUNTY: 49 T: 8S R: 14E SEC: 15A  
DRAINAGE: STILLWATER ELEV: 9000 ACREAGE: 20.6 DEPTH: 116FT  
LOCATION: 45.13688, -109.96311 MARCUSONS CODE: 20

ACCESS: HEAD WEST FROM THE END OF THE GOOSE LAKE JEEP TRAIL PAST ANVIL AND BEAUTY LAKES, LAKE ARIES, SOURDOUGH, SPIDER, FLY AND COURTHOUSE LAKES.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
GOOSE LAKE JEEP	6.5	(0)	+1,600	-2,100

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/1/1989

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1999	Yellowstone Cutthroat	13	10.7	9.5-11.9
1989	Yellowstone Cutthroat	4	10	9.3-11
1979	Yellowstone Cutthroat	1	11.5	11.5-11.5

STOCKING HISTORY	STOCKING PLAN
2001: Yellowstone Cutthroat (2060 fish)	2009: Yellowstone Cutthroat (2060 fish)
1993: Yellowstone Cutthroat (2060 fish)	
1985: Yellowstone Cutthroat (3106 fish)	

COMMENTS: 25% OF SHORELINE WAS BURNED IN 1988. REPORTS IN 83&84 OF LOTS OF 11-13" FISH. D ARNESON 8-87 FOUND MEDIUM #'S OF 8-14" CT, WORTH IT! DIDN'T SEE A LOT OF FISH IN 1989. VERY LITTLE USE HERE.

CAMP SITES: CAMPING IS GOOD WITH LOTS OF FIREWOOD ON THE SOUTH SHORE.

SURVEY NOTES:  
IN '89 A FEW 2" FINGERLINGS WERE SEEN. LOWER THE STOCKING DENSITY TO 100 FISH/ACRE EVERY 8 YEARS. D FISCHER 8/91 11-12" CT'S SAW 3-13" IN OUTLET. DENNIS HAGENSTON 8/93 - 11-14" CT'S IN GOOD SHAPE. '99 FISH WERE THIN.

FIRST PLANTED WITH CUTTHROATS IN 1970, NEXT IN 1979.

# **2009 CRAZY MOUNTAINS SECTION**



Bigtimber Falls by: Earl Radonski

LAKE NAME: BLUE LAKE					COUNTY: 40	T: 3N	R: 12E	SEC: 6CC
DRAINAGE: BIG TIMBER CRK					ELEV: 7900	ACREAGE: 10.1	DEPTH: 42 FT	
LOCATION: 46.03307, -110.28942					MARCUSONS CODE: 9			
ACCESS: FOLLOW TRAILS #119 & 118 FROM THE HALF MOON TRAILHEAD FOR 4 MILES ALONG BIG TIMBER CREEK. EASY ACCESS.								
TRAILHEAD		MILES	TRAIL	ELEVATION UP	ELEVATION DOWN			
BIG TIMBER CREE		4	(4)	+1,100	-100			
SPECIES PRESENT			ABUNDANCE		STATUS			
Rainbow Trout			Common		Self-Sustained			
LAST GILL NET SET: 8/20/1997								
Year	Species Caught		# of fish	Ave Lenght(in)		Range(in)		
1997	Rainbow Trout		18	9.5		8.3-11.4		
1990	Rainbow Trout		24	9.2		5-13.6		
1973	Rainbow Trout			9.1		-		
STOCKING HISTORY			STOCKING PLAN					
1930: Rainbow Trout								
COMMENTS: THE LAKE IS CONNECTED TO THUNDER AND GRANITE LAKES. WITH THUNDER, THE MOST VISITED LAKES IN THE CRAZY MOUNTAINS. 7/89 D HAGENSTON LOTS OF 4-6" FISH RISING. 10-12"ERS SEEN IN INLET & OUTLET								
CAMP SITES: GOOD CAMPSITES. LITTLE FIREWOOD. SHORELINE IS 95% TIMBERED.								
SURVEY NOTES:								
RAINBOW TROUT WERE PROBABLY STOCKED BY DRUCKMILLER (A GALENA AND SULFITE MINER) IN THE LATE 1930'S. AMPLE SPAWNING AREAS EXIST BETWEEN LAKES. '97 - 2 NET NIGHTS - FIRST NIGHT PRODUCED NO FISH. RON CARLSON REPORTS SLOW FISHING FOR 8-12"ERS - 8/89.								
'90 FISH HAD EATEN IMMATURE + ADULT AQUATIC INSECTS AND A FEW TERRESTRIALS.								

LAKE NAME: CASCADE LAKE					COUNTY: 40	T: 4N	R: 12E	SEC: 29
DRAINAGE: SWEET GRASS CRK					ELEV: 8856	ACREAGE: 6.8	DEPTH: 25 FT	
LOCATION: 46.06537, -110.26181					MARCUSONS CODE: 16			
ACCESS: THE LAKE IS ON PRIVATE PROPERTY. ACCESS IS DIFFICULT. NOT MANY VISITORS. FROM HALF MOON CAMPGROUND UP OVER THE RIDGE TAKES 5.5 HOURS. THE OUTLET LOOKS BAD FOR ACCESS.								
TRAILHEAD		MILES	TRAIL	ELEVATION UP	ELEVATION DOWN			
BIG TIMBER CREE		3.5		+3,310	-925			
SPECIES PRESENT			ABUNDANCE		STATUS			
Yellowstone Cutthroat			Common		Self-Sustained			
LAST GILL NET SET: 8/1/1990								
Year	Species Caught		# of fish	Ave Lenght(in)		Range(in)		
1999	Yellowstone Cutthroat		8	19.5		17.3-21.8		
1990	Yellowstone Cutthroat		7	13.1		10-19.1		
1980	Yellowstone Cutthroat		32	11.7		-		
STOCKING HISTORY			STOCKING PLAN					
1982: Yellowstone Cutthroat (1012 fish)								
1978: Yellowstone Cutthroat (1000 fish)								
1974: Yellowstone Cutthroat (960 fish)								
COMMENTS: THIS LAKE SITS ABOVE TIMBERLINE IN A NARROW CIRQUE BASIN. LAKE RECIEVES LIMITED SUNLIGHT. VERY LITTLE USE. TOUGH ACCESS								
CAMP SITES: NO FIREWOOD. THE LAKE IS SURROUNDED BY TALUS ROCK MOUNTAINS.								
SURVEY NOTES:								
BROOK TROUT STOCKED IN '46. A 5 LB BROOKIE WAS NETTED IN 1973 DAVID WARD 8/7/89 REPORTS EXCELLENT FISHING FOR COOKIE-CUTTER 2 LB. CUTTS. NO SPAWNING GROUNDS IN STREAMS. LIMITED REPRODUCTION MUST OCCUR IN SOME YEARS.								
SAMPLE REGULARY IN CASE REPRO FAILS TO SUSTAIN A POPULATION HERE. GLENN OWENS FOUND VERY NICE FISH HERE IN '01.								

LAKE NAME: CAMPFIRE LAKE					COUNTY: 49	T: 4N	R: 11E	SEC: 30
DRAINAGE: SWEET GRASS CRK					ELEV: 8250	ACREAGE: 35.4	DEPTH: 30 FT	
LOCATION: 46.06914, -110.40026					MARCUSONS CODE: 23			
ACCESS: GOOD TRAIL ACROSS PRIVATE GROUND TO TRAIL #122 THEN #123. 15 MILES, UP 2,200 FT, DOWN 200.								
TRAILHEAD		MILES	TRAIL	ELEVATION UP	ELEVATION DOWN			
SWEET GRASS CRE		15	(15)	+2,200	-200			
SPECIES PRESENT			ABUNDANCE		STATUS			
Yellowstone Cutthroat			Unknown		Stocked			
LAST GILL NET SET: 8/1/1999								
Year	Species Caught		# of fish	Ave Lenght(in)		Range(in)		
2001	Yellowstone Cutthroat		60	7.5		5.7-8.7		
1999	Yellowstone Cutthroat		0			-		
1995	Yellowstone Cutthroat		11	11		6.9-17.2		
STOCKING HISTORY			STOCKING PLAN					
2008: Yellowstone Cutthroat (5310 fish)								
2000: Yellowstone Cutthroat (5310 fish)								
1992: Yellowstone Cutthroat (5310 fish)								
COMMENTS: AKA HINDU LAKE. PRETTY LAKE. ACCESS BY BIG TIMBER OR PORCUPINE CREEK (6 MILES) MAY BE BETTER. 150/ACRE EVERY 4 YEARS SEEMED A BIT HEAVY. CHANGED TO AN 8 YEAR CYCLE.								
CAMP SITES: CAMPSITES & FIREWOOD AVAILABLE. LAKE IS JUST BELOW TIMBERLINE.								
SURVEY NOTES:								
SPAWNING AREAS APPEAR TO BE LIMITED TO THE OUTLET OR SHOALS IN THE LAKE. REPRODUCTION MAY BE OCCURING BUT WAS NOT EVIDENT IN '99. CT'90, 40, 7.2-17.7". CT'83, 31, 8.8-11.8". LOCATED ON BENCH ABOVE MOOSE LAKE. MODERATE USE. GOOD TRAIL.								
CT'S PLANTED IN '32, '39, '80, '84,'88.								

LAKE NAME: CAVE LAKE					COUNTY: 49	T: 4N	R: 11E	SEC: 26
DRAINAGE: SWEET GRASS CRK					ELEV: 8250	ACREAGE: 15.5	DEPTH: 41 FT	
LOCATION: 46.0697, -110.32268					MARCUSONS CODE: 18			
ACCESS: HEAD UP MILLY CREEK ~4 MILES FROM THE MAINTAINED TRAIL UP SWEET GRASS CREEK (TRAIL #122). ACCESS TO #122 IS ACROSS PRIVATE LAND.								
TRAILHEAD		MILES	TRAIL	ELEVATION UP	ELEVATION DOWN			
SWEET GRASS CRE		8	(4)	+2,600	-200			
SPECIES PRESENT			ABUNDANCE		STATUS			
Golden Trout Hybrid			Common		Self-Sustained			
LAST GILL NET SET: 8/1/1999								
Year	Species Caught		# of fish	Ave Lenght(in)		Range(in)		
2001	Golden Trout		18	13.5		6.1-18.3		
1999	Golden Trout		11	13.3		8.3-18.8		
1990	Golden Trout		4	18.3		16.5-20.4		
STOCKING HISTORY			STOCKING PLAN					
1992: Golden Trout (1012 fish)								
1984: Golden Trout (5000 fish)								
1980: Golden Trout (1300 fish)								
COMMENTS: BEAUTIFUL LAKE IN OPEN BASIN. A FEW TREES SCATTERED AROUND LAKE. TOUGH ACCESS. GT FIRST STOCKED IN '80, AGAIN IN '84. SHORELINE IS 75% TALUS ROCK, 25% ALPINE TIMBER AND GRASS. DNA SAMPLES TAKEN 03 FISH								
CAMP SITES: SOME CAMP AREAS AND FIREWOOD.								
SURVEY NOTES:								
'90 - 2 FISH 16-17" ESCAPED FROM NET. D WARD 8/7/89 REPORTS EXCELLENT FISHING FOR GOLDENS OF ALL SIZES - GOOD REPRO. CAUGHT FISH FROM .5 - 2.5 LBS., SAW OTHERS LARGER. C SIMMONS '94 6-8"ERS SEEN IN PONDS.								
OUTLET HAS TWO SMALL PONDS WITH SOME GRAVEL (ADDED TO BY USES) WHICH ALLOWS GT SPAWNING. HOW MUCH REPRODUCTION OCCURS WILL DETERMINE FUTURE FISH SIZE. SOMEHOW BOTH RAINBOW AND CUTTHROAT GENES ARE IN THESE FISH!!								

LAKE NAME: COTTONWOOD LAKE COUNTY: 49 T: 3N R: 11E SEC: 3A  
DRAINAGE: COTTONWOOD CRK. ELEV: 8550 ACREAGE: 9.2 DEPTH: 36 FT  
LOCATION: 46.03825, -110.34113 MARCUSONS CODE: 28

ACCESS: FOLLOW A MAINTAINED TRAIL UP COTTONWOOD CREEK. THE LAKE IS ON PRIVATE LAND.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
COTTONWOOD CR	4	(4)	+2,000	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/15/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1990	Yellowstone Cutthroat	35	8.7	6.5-15.7
1990	Yellowstone Cutthroat			-
1983	Yellowstone Cutthroat	18		8.1-11.3

STOCKING HISTORY	STOCKING PLAN
2008: Yellowstone Cutthroat (920 fish)	2012: Yellowstone Cutthroat (920 fish)
2004: Yellowstone Cutthroat (920 fish)	
2000: Yellowstone Cutthroat (920 fish)	

COMMENTS: THE LAKE IS ON PRIVATE LAND BUT ACCESS IS NOT A PROBLEM. THIS LAKE IS ON A 4 YEAR STOCKING SCHEDULE. BEAUTIFUL LITTLE LAKE LOCATED AT TIMBERLINE IN SCATTERED TREES.

CAMP SITES: CAMPSITES AND FIREWOOD AVAILABLE.

SURVEY NOTES:

CAMPSITES, SHORELINE TRAILS, ETC. INDICATE THE LAKE RECIEVES CONSIDERABLE RECREATIONAL USE. '90 FISH HAD EATEN CHIRONOMID LARVAE, ZOOPLANKTON, AND MAYFLIES. CT'S PLANTED IN '63, '69, '72, '76, '84, '88, '92 '96. "WRONG LAKE SAMPLED IN 06 SAMPLE IN 09"

LAKE NAME: DRUCKMILLER LAKE COUNTY: 49 T: 3N R: 11E SEC: 1  
DRAINAGE: BIG TIMBER CRK. ELEV: 8500 ACREAGE: 24.2 DEPTH: 97 FT  
LOCATION: 46.03115, -110.30918 MARCUSONS CODE: 12

ACCESS: TAKE THE TRAIL AT HALF MOON CAMPGROUND TO GRANITE LAKE. THEN CONTINUE ALONG BIG TIMBER CREEK TO THE DIVIDE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BIG TIMBER CREE	4.5	(4)	+1,800	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Stocked

LAST GILL NET SET: 8/16/2006

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Rainbow Trout	8	12.4	10.8-14.5
2001	Rainbow Trout	12	14	10.5-18
1990	Rainbow Trout	36	12.2	7.7-17.5

STOCKING HISTORY	STOCKING PLAN
2003: Rainbow Trout (2420 fish)	2011: Rainbow Trout (2420 fish)
1995: Rainbow Trout (2412 fish)	
1987: Rainbow Trout (4000 fish)	

COMMENTS: EAGLE LAKE RAINBOW WERE PLANTED IN 1987 AT 165/ACRE. DENSITY AND STRAIN SHOULD BE ASSESSED BEFORE THE 2003 STOCKING. CT'S MOVE OUT OF YELLOWSTONE R INTO BIG TIMBER CREEK. AKA GRANITE LAKE.

CAMP SITES: SOME FIREWOOD. LAKE SURROUNDED BY TALUS ROCK AND SNOWFIELDS.

SURVEY NOTES:

NO SPAWNING AREAS PRESENT. RON CARLSON REPORTS GOOD, HEAVY 16-18" RAINBOWS 8/89. '90 FISH WERE FEEDING PRIMARILY ON RED ZOOPLANKTON. A FEW CADDIS LARVAE WERE ALSO CONSUMED. 7/12/99 - LAKE WAS TOTALLY ICE COVERED.

EB PLANTED IN '33, RB IN '35, '36, '37, '76, '78, '84. REASSESS RAINBOW PLANTS IN THE CRAZIES. MFWP SURVEY 06, GOOD NUMBERS AND GOOD HEALTH.

LAKE NAME: CRAZY LAKE COUNTY: 40 T: 3N R: 12E SEC: 18  
DRAINAGE: BIG TIMBER CRK. ELEV: 8700 ACREAGE: 16.9 DEPTH: 58 FT  
LOCATION: 46.00896, -110.28537 MARCUSONS CODE: 4

ACCESS: TRAILS #119/118 FROM HALF MOON TO BLUE LAKE. THEN CROSS COUNTRY OVER TALUS ROCK TO THE LAKE. VERY DIFFICULT.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BIG TIMBER CREE	7	(4)	+3,000	-1,000
BELEY LAKES	8	(0)	+2,300	-0

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Stocked

LAST GILL NET SET: 8/19/1997

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1997	Yellowstone Cutthroat	18	9.7	6.8-12.7
1980	Yellowstone Cutthroat		10.8	-

STOCKING HISTORY	STOCKING PLAN
2006: Yellowstone Cutthroat (1690 fish)	2014: Yellowstone Cutthroat (1690 fish)
1998: Yellowstone Cutthroat (2535 fish)	
1994: Yellowstone Cutthroat (2535 fish)	

COMMENTS: THIS CIRQUE LAKE IS ON FOREST SERVICE LAND BUT IS WITHIN CHECKERBOARD TYPE OWNERSHIP. '97 - NO SIGNS OF USE. NO PATH AROUND LAKE. NO FIRE RINGS. NO PATH TO THE LAKE.

CAMP SITES: FEW ROCKY CAMPSITES. NO FIREWOOD.

SURVEY NOTES:

6 YEAR OLD FISH AVERAGED 10.8" IN 1980. #S STOCKED SHOULD BE LOWERED FROM 150/ACRE AND/OR STOCKING FREQUENCY LENGTHENED. TRY 100/ACRE 8 YEAR CYCLE. CT'S STOCKED '74, '78, '82, '86 '90. NO STREAM SPAWNING AREA 1 FT. SIZE RUBBLE.

ACCESS UP THE DRAINAGE THROUGH PRIVATE PROPERTY MAY BE AN EASIER ROUTE IN.

LAKE NAME: FOREST LAKE COUNTY: 47 T: 6N R: 10E SEC: 26D  
DRAINAGE: COTTONWOOD CRK. ELEV: 8000 ACREAGE: 23.5 DEPTH: 30 FT  
LOCATION: 46.244, -110.43425 MARCUSONS CODE: 33

ACCESS: FOLLOW ROUGH FOREST SERVICE ROAD ON THE MIDDLE FORK OF COTTONWOOD CREEK

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
DRIVE TO				

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 7/13/1972

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1972	Yellowstone Cutthroat		9.7	-

STOCKING HISTORY	STOCKING PLAN
1961: Arctic Grayling (4800 fish)	
1959: Yellowstone Cutthroat (250 fish)	
1955: Yellowstone Cutthroat (3456 fish)	

COMMENTS: THE LAKE IS IN REGION FOUR. GREAT FALLS HEADQUARTERS MAY HAVE CURRENT INFO. RB PLANTED IN '51, GRAYLING IN '61, CT'S IN '31, '32, '34, '52, '54, '55, '59. SELF-SUSTAINING CT'S SINCE.

CAMP SITES: FIREWOOD AVAILABLE.

SURVEY NOTES:

'90 - ANGLER REPORTS LOTS OF 1.5-2 LB CUTTS. LEROY GIBSON AUG. '96 - CAUGHT MANY 8-9"ERS, 3 WERE 1.5-2 LBS.

LAKE NAME: GRANITE LAKE COUNTY: 40 T: 3N R: 11E SEC: 1  
DRAINAGE: BIG TIMBER CRK. ELEV: 7900 ACREAGE: 13.4 DEPTH: 95 FT  
LOCATION: 46.03456, -110.29345 MARCUSONS CODE: 10

ACCESS: FOLLOW TRAIL #119/118 FROM THE HALF MOON TRAILHEAD FOR 4 MILES ALONG BIG TIMBER CREEK. EASY ACCESS.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BIG TIMBER CREE	4	(4)	+1,100	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained

LAST GILL NET SET: 8/19/1997

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1997	Rainbow Trout	6	9.6	7.3-13.2
1990	Rainbow Trout	13	8.4	5.5-11
1980	Rainbow Trout	8	-	-

STOCKING HISTORY STOCKING PLAN

1930: Rainbow Trout

COMMENTS: MISSPLACEMENT OF A SIGN BY A USFS EMPLOYEE CAUSES THIS LAKE TO BE CALLED THUNDER LAKE ON SOME MAPS. THE LAKE IS CONNECTED TO THUNDER AND BLUE LAKES. HEAVY USE AREA.

CAMP SITES: GOOD CAMPSITES. FIREWOOD LIMITED. SHORELINE IS 40% TIMBERED.

SURVEY NOTES:  
RAINBOW TROUT WERE PROBABLY STOCKED BY DRUCKMILLER (A GALENA AND SULFITE MINER) IN THE LATE 1930'S. AMPLE SPAWNING AREAS EXIST BETWEEN LAKES. '97 - NUMBERS SEEM LOW. FISH WERE CONCENTRATED AROUND THE INLETS.

RON CARLSON REPORTS SLOW FISHING FOR 8-12"ERS 8/89.

LAKE NAME: LOWER TWIN LAKE COUNTY: 49 T: 4N R: 11E SEC: 36C  
DRAINAGE: BIG TIMBER CRK. ELEV: 7650 ACREAGE: 10.6 DEPTH: 7 FT  
LOCATION: 46.04524, -110.30769 MARCUSONS CODE: 13

ACCESS: TAKE THE TRAIL AT HALF MOON CAMPGROUND. THE LAKE IS BELOW TIMBERLINE.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BIG TIMBER CREE	4	(4)	+900	-100

SPECIES PRESENT	ABUNDANCE	STATUS
Arctic Grayling	Unknown	Unknown
Yellowstone Cutthroat Trout X Rainbow	Abundant	Self-Sustained

LAST GILL NET SET: 8/1/1990

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1999	Yellowstone Cutthroat Trout X Rainbow	3	12	12-12
1990	Yellowstone Cutthroat Hybrid	26	8.6	5.6-14.2

STOCKING HISTORY STOCKING PLAN

1992: Arctic Grayling (1060 fish)  
1944: Rainbow Trout (7776 fish)  
1936: Brook Trout (5004 fish)

COMMENTS: THE TWIN LAKES SEEM TO FUNCTION MORE AS PART OF BIG TIMBER CREEK THAN AS LAKES. BOTH ARE NEARLY FILLED IN WITH SAND SIZED SEDIMENT AND HAVE A DISTINCT CHANNEL RUNNING THROUGH THEM.

CAMP SITES: FIREWOOD AVAILABLE. SHORELINE IS 50% MEADOW GRASS, 50% TIMBER.

SURVEY NOTES:  
MUCH OF THE AREA AROUND THE LAKES SHOWS IMPACTS OF TRAMPLING BY LIVESTOCK. THIS AREA HAS A NATURALLY HIGH EROSION POTENTIAL AND THE LIVESTOCK HAVE CONTRIBUTED TO THE SEDIMENTATION OF THE STREAM AND LAKES. GOOD SPAWNING AREAS EXIST BETWEEN THE LAKES.  
8" FISH SEEN IN '99. '90, '99 - NO SIGN OF THE GRAYLING PLANTED IN 1985, '91, OR '92.

LAKE NAME: HIDDEN LAKE COUNTY: 40 T: 3N R: 12E SEC: 30D  
DRAINAGE: SWAMP CREEK ELEV: 8910 ACREAGE: 5.0 DEPTH: 63 FT  
LOCATION: 45.97691, -110.27528 MARCUSONS CODE: 2

ACCESS: ACROSS PRIVATE PROPERTY NEAR BELEY LAKES. THEN UP SOUTH FORK OF SWAMP CREEK. SOME TRAIL AND EASY X-COUNTRY HIKING.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
BELEY LAKES	3	(2)	+1,900	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Yellowstone Cutthroat	Common	Self-Sustained

LAST GILL NET SET: 8/1/1980

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
1995	Yellowstone Cutthroat	6	12.1	7.8-17.3
1980	Yellowstone Cutthroat	-	12.8	-

STOCKING HISTORY STOCKING PLAN

1982: Yellowstone Cutthroat (1012 fish)  
1978: Yellowstone Cutthroat (1000 fish)  
1974: Yellowstone Cutthroat (960 fish)

COMMENTS: THIS IS A CIRQUE LAKE ABOVE TIMBERLINE AND THE SURROUNDING MOUNTAIN IS ALL TALUS ROCK. ACCESS THRU PUBLIC LAND TOUGH. AKA FISH LAKE. AKA ROCK LAKE.

CAMP SITES: NO FIREWOOD. CAMPING IS BETTER BELOW.

SURVEY NOTES:  
NO REAL INLET. NO REAL GOOD SPAWNING AREA IN OUTLET, BUT THE FISH ARE OBVIOUSLY REPRODUCING HERE. '95 FISH WERE VERY FAT AND HEALTHY LOOKING. 8/87 - REPORT OF MANY 1 LB CT'S - SOMEWHAT THIN, SOME ~1/2 LB.

LAKE NAME: MOOSE LAKE COUNTY: 49 T: 4N R: 11E SEC: 29  
DRAINAGE: SWEET GRASS CRK ELEV: 7550 ACREAGE: 13.1 DEPTH: 11 FT  
LOCATION: 46.06746, -110.38696 MARCUSONS CODE: 21

ACCESS: MAINTAINED TRAIL UP THE MIDDLE FORK OF SWEET GRASS CREEK, OR FROM PORCUPINE RANGER STATION.

TRAILHEAD	MILES	TRAIL	ELEVATION UP	ELEVATION DOWN
SWEET GRASS CRE	14	(14)	+1,500	-200

SPECIES PRESENT	ABUNDANCE	STATUS
Rainbow Trout	Common	Self-Sustained

LAST GILL NET SET: 8/15/2006

Year	Species Caught	# of fish	Ave Lenght(in)	Range(in)
2006	Rainbow Trout	4	10.3	6.3-14
1990	Rainbow Trout	15	8.4	6-13.2
1980	Rainbow Trout	-	10.2	-

STOCKING HISTORY STOCKING PLAN

1941: Yellowstone Cutthroat (3492 fish)  
1931: Yellowstone Cutthroat (7040 fish)

COMMENTS: LAKE IS LOCATED IN TIMBERED VALLEY AT HEAD OF SWEET GRASS CRK WHICH RUNS OUT OF LAKE. ~1000 FT BELOW CAMPFIRE LAKE. STOCKED WITH CT EGGS IN '26 OR '27. MORE CT'S AND RB'S WERE STOCKED LATER.

CAMP SITES: FIREWOOD AVAILABLE. GOOD TRAIL. MODERATE USE.

SURVEY NOTES:  
MOOSE IS A SHALLOW LAKE BUT ADEQUATE WATER EXCHANGE ALLOWS FISH TO OVERWINTER AND PROPAGATE. GOOD SPAWNING AREAS IN 2 SOUTHERN INLETS. NUMEROUS CAMPSITES, TREES, AND CONSIDERABLE GARBAGE PRESENT IN 1973.

SOME OF THESE RAINBOWS MAY SHOW CUTTHROAT CHARACTERISTICS. MFWP SURVEY 06, ONLY 4 FISH CAUGHT IN 12.5 HOUR OVERNIGHT SET (MAY NEED TO PLANT THIS LAKE).



LAKE NAME: NORTH FORK LAKE		COUNTY: 49	T: 4N	R: 11E	SEC: 8A
DRAINAGE: SWEET GRASS CRK		ELEV: 8150	ACREAGE: 4.5	DEPTH: 6 FT	
LOCATION: 46.11105, -110.37945		MARCUSONS CODE: 25			
ACCESS: UP NORTH FORK OF SWEET GRASS CREEK VIA TRAIL FROM SWEET GRASS CREEK.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
SWEET GRASS CRE	13	(13)	+2,100	-200	
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>		<u>STATUS</u>		
Yellowstone Cutthroat	Common		Self-Sustained		
LAST GILL NET SET: 8/1/1990					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
2001	Yellowstone Cutthroat	28	10.5	6.4-12.96	
1990	Yellowstone Cutthroat	37	9.5	6.3-14	
1980	Yellowstone Cutthroat	7		8.9-14.6	
<u>STOCKING HISTORY</u>			<u>STOCKING PLAN</u>		
1949: Rainbow Trout (10000 fish)					
1938: Yellowstone Cutthroat (22350 fish)					
COMMENTS: ONE OF THE FEW CUTTHROAT FISHERIES THAT IS SELF-SUSTAINING.					
SPAWNING AREAS ARE FOUND IN THE SPLIT FLOWS OF THE INLET AND ALSO					
IN THE OUTLET. SHORELINE IS 50% ROCK, 40% GRASS, AND 10% TREES.					
CAMP SITES: CAMPSITES & FIREWOOD AVAILABLE. GOOD TRAIL. MODERATE USE.					
<u>SURVEY NOTES:</u>					
FISH CAN MOVE TO A SMALL POND IN THE OUTLET. SUNLIGHT LAKE SITs JUST ABOVE.					
SEVERAL OTHER SMALL LAKES NEARBY. SAMPLE WITH SUNLIGHT LAKE.					

LAKE NAME: ROCK LAKE		COUNTY: 49	T: 3N	R: 11E	SEC: 11
DRAINAGE: ROCK CREEK		ELEV: 8550	ACREAGE: 50.0	DEPTH: 90 FT	
LOCATION: 46.02084, -110.32978		MARCUSONS CODE: 31			
ACCESS: HEADWATERS OF ROCK CREEK. FOLLOW THE MAINTAINED TRAIL UP ROCK CREEK.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
ROCK CREEK	6	(6)	+1,900	-100	
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>		<u>STATUS</u>		
Yellowstone Cutthroat	Common		Stocked		
LAST GILL NET SET: 8/1/1990					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
2001	Yellowstone Cutthroat	26	11.6	9.6-13.8	
1990	Yellowstone Cutthroat	0		-	
1983	Yellowstone Cutthroat	40		7.9-15.4	
<u>STOCKING HISTORY</u>			<u>STOCKING PLAN</u>		
2007: Yellowstone Cutthroat (2500 fish)			2013: Yellowstone Cutthroat (2500 fish)		
2001: Yellowstone Cutthroat (2500 fish)					
1935: Rainbow Trout (8000 fish)					
COMMENTS: THIS IS THE LARGEST LAKE IN THE CRAZIES. ABOVE TIMBERLINE, MOSTLY TALUS ROCK & SNOWFIELDS. '90 NET MAY HAVE MISSED THE YEARLING '89 PLANT. CT'S PLANTED '47,'63,'78,'81,'83,'89,'93,'95,'96.					
CAMP SITES: LIMITED WOOD AND CAMPSITES AVAILABLE NEAR LAKE.					
<u>SURVEY NOTES:</u>					
ROCK LAKE IS THE ONLY LAKE IN THE CRAZIES WITH A SIGNIFICANT ISLAND AND IT ONLY EXISTS WHEN THE LAKE IS AT FULL POOL. A TUNNEL EXISTS AT THE OUTLET TO RETRIEVE WATER FOR IRRIGATION DURING PERIODS WHEN NO OUTFLOW EXISTS.					
DRAWDOWN SHOULD NOT HAVE MUCH IMPACT ON FISHERY. THIS LAKE IS IN R-3 AND CONFUSION MAY OCCUR OVER THE NEXT PLANT.					

LAKE NAME: PEAR LAKE		COUNTY: 49	T: 3N	R: 11E	SEC: 12
DRAINAGE: BIG TIMBER CRK.		ELEV: 8450	ACREAGE: 39.8	DEPTH: 185FT	
LOCATION: 46.02408, -110.30561		MARCUSONS CODE: 11			
ACCESS: FOLLOW THE TRAIL FROM THE HALF MOON CAMPGROUND TO BLUE LAKE. THEN HIKE CROSS COUNTRY TO THE LAKE.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
BIG TIMBER CREE	4.5	(4)	+1,700	-100	
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>		<u>STATUS</u>		
Rainbow Trout	Common		Stocked		
LAST GILL NET SET: 8/17/2006					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
2006	Rainbow Trout	2	17.5	17-18	
1999	Rainbow Trout	8	11.9	9.5-13.6	
1990	Rainbow Trout	16	14.7	12-18.2	
<u>STOCKING HISTORY</u>			<u>STOCKING PLAN</u>		
2008: Rainbow Trout (3980 fish)			2016: Rainbow Trout (3980 fish)		
2000: Rainbow Trout (3980 fish)					
1992: Rainbow Trout (4055 fish)					
COMMENTS: DeSMET RB WERE PLANTED. MIGHT THEY BECOME SELF SUSTAINING? CUTTHROAT MOVE OUT OF THE YELLOWSTONE RIVER INTO BIG TIMBER CREEK. RB'S PLANTED IN '35, '36, '37, '76, '78 '84.					
CAMP SITES: NO FIREWOOD. SHORELINE IS 98% TALUS ROCK AND ROCK RIDGES.					
<u>SURVEY NOTES:</u>					
SPAWNING AREA OBVIOUSLY IS LACKING. 7/16/89 D HAGENSTON 1/4 STILL FROZEN. A FEW FISH SEEN IN OUTLET (12-14"). CAUGHT 19" RB FULL OF READY TO SPAWN EGGS. '90 AND '99 FISH HAD BEEN FEEDING ON RED ZOOPLANKTON.					
'99 FISH LOOKED IN GOOD SHAPE, NOT TOO SKINNY, RIPE. 7/12/99 LAKE STILL 1/3 COVERED WITH ICE. REASSESS RAINBOW PLANTS IN THE CRAZIES. MFWP SURVEY 06, FEW FISH, BUT BIG ONES ONE FISH FELL OUT OF THE NET AT SHORE ESTIMATED 6-7LBS.					

LAKE NAME: SMELLER LAKE		COUNTY: 49	T: 3N	R: 11E	SEC: 13
DRAINAGE: ROCK CREEK		ELEV: 8800	ACREAGE: 22.0	DEPTH: 110FT	
LOCATION: 46.00424, -110.30181		MARCUSONS CODE: 32			
ACCESS: FOLLOW THE TRAIL UP SMELLER CREEK. YOU MUST CROSS PRIVATE LAND TO ACCESS THE TRAILHEAD.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
ROCK CREEK	6	(6)	+2,200	-100	
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>		<u>STATUS</u>		
Yellowstone Cutthroat	Common		Stocked		
LAST GILL NET SET: 8/1/1990					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
2001	Yellowstone Cutthroat	35	14	10.1-18.7	
1990	Yellowstone Cutthroat	7	10.7	6.5-17.2	
1983	Yellowstone Cutthroat	10	14.5	7.6-15.9	
<u>STOCKING HISTORY</u>			<u>STOCKING PLAN</u>		
2008: Yellowstone Cutthroat (1100 fish)			2012: Yellowstone Cutthroat (1100 fish)		
2004: Yellowstone Cutthroat (1100 fish)					
2000: Yellowstone Cutthroat (1100 fish)					
COMMENTS: ACCESS FAIRLY DIFFICULT. THE TRAIL IS STEEP THE LAKE IS ON PRIVATE LAND. ??? RB PLANTED IN '35, CT '40, '63, '69, 72, '76, '79, '84, '88, '92. 4 YEAR STOCKING SCHEDULE.					
CAMP SITES: VERY LIMITED FIREWOOD AND CAMPSITES. LIMITED USE.					
<u>SURVEY NOTES:</u>					
SMELLER OCCUPIES A GLACIAL CIRQUE OF TALUS AND SOLID ROCK. IT RECIEVES LITTLE SUNLIGHT DUE TO STEEP SURROUNDING MOUNTAINS BUT GROWTH RATES IN THE PAST HAVE BEEN EXCELLENT. ABOVE TIMBERLINE. BRIGHT ORANGE FLESH (DIAPTOMUS SHOSHONE IN STOMACHS).					

LAKE NAME: SUNLIGHT LAKE		COUNTY: 49	T: 4N	R: 11E	SEC: 8
DRAINAGE: SWEET GRASS CRK	ELEV: 8500	ACREAGE: 8.0	DEPTH: 34 FT		
LOCATION: 46.10975, -110.38967		MARCUSONS CODE: 26			
ACCESS: FOLLOW THE CATTLE TRAIL UP THE NORTH FORK ~3 1/2 MILES FROM THE MAINTAINED TRAIL UP SWEET GRASS CREEK.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
SWEET GRASS CRE	13.5	(13.5)	+2,500	-200	
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>			
Yellowstone Cutthroat	Common	Stocked			
LAST GILL NET SET: 8/1/1990					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
2001	Yellowstone Cutthroat	13	13.9	13-15	
1990	Yellowstone Cutthroat	15	11.9	7.1-15.2	
1980	Yellowstone Cutthroat	23		6.1-14.3	
<u>STOCKING HISTORY</u>	<u>STOCKING PLAN</u>				
2002: Yellowstone Cutthroat (1000 fish)	2010: Yellowstone Cutthroat (1000 fish)				
1994: Yellowstone Cutthroat (1000 fish)					
1986: Yellowstone Cutthroat (1050 fish)					
COMMENTS: STOCKED EVERY 8 YEARS. THE LAKE SITS JUST ABOVE TIMBERLINE IN AN OPEN BASIN. SHORELINE IS 40% GRASS, 60% ROCKS. GOOD TRAIL. EB PLANTED '37, RB '41, CT '39, '74, '78, '82.					
CAMP SITES: CAMPSITES AVAILABLE CLOSE BELOW THE LAKE. WOOD IS SCARCE.					
<u>SURVEY NOTES:</u>					
OUTLET SPAWNING AREA AND LITTLE LAKE IN OUTLET HAVE SOME GRAVEL-SIZE SUBSTRATE. GOLDEN TROUT MIGHT DO WELL HERE BUT COULD HYBRIDIZE WITH THE SELF-SUSTAINING CUTTHROATS OF NORTH FORK LAKE LOCATED JUST DOWNSTREAM. SAMPLE WITH NORTH FORK LAKE.					
CT'S PLANTED IN 1982. 2001 NET SET FOR 44 HOURS.					

LAKE NAME: THUNDER LAKE		COUNTY: 40	T: 3N	R: 12E	SEC: 6CD
DRAINAGE: BIG TIMBER CRK.	ELEV: 7900	ACREAGE: 3.2	DEPTH: 7 FT		
LOCATION: 46.03372, -110.286		MARCUSONS CODE: 8			
ACCESS: FOUR MILES FROM THE HALF MOON TRAILHEAD ALONG BIG TIMBER CREEK. EASY ACCESS.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
BIG TIMBER CREE	4.5	(4)	+1,000	-100	
<u>SPECIES PRESENT</u>	<u>ABUNDANCE</u>	<u>STATUS</u>			
Rainbow Trout	Common	Self-Sustained			
LAST GILL NET SET: 8/1/1990					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
2001	Rainbow Trout	8	9.5	6.1-11.1	
1990	Rainbow Trout	37	7.6	4.3-9.8	
1973	Rainbow Trout		8.4	-	
<u>STOCKING HISTORY</u>	<u>STOCKING PLAN</u>				
1930: Rainbow Trout					
COMMENTS: WITH BLUE, THE MOST VISITED LAKES IN THE CRAZY MOUNTAINS. THUNDER LAKE IS CONNECTED TO BLUE AND GRANITE LAKES. AKA LOWER BLUE LAKE.					
CAMP SITES: CAMPSITES AND FIREWOOD AVAILABLE. SHORELINE IS 90% TIMBERED.					
<u>SURVEY NOTES:</u>					
RAINBOW TROUT WERE PROBABLY STOCKED BY DRUCKMILLER (A GALENA AND SULFITE MINER) IN THE LATE 1930'S. AMPLE SPAWNING AREAS EXIST BETWEEN LAKES. '01 NET SET FOR 3 HOURS. RON CARLSON REPORTS SLOW FISHING FOR 8-12"ERS 8/89.					
'90 FISH HAD EATEN IMMATURE & ADULT AQUATIC INSECTS AND A FEW TERRESTRIALS.					

LAKE NAME: SWAMP LAKE		COUNTY: 40				T: 3N	R: 12E	SEC: 31
DRAINAGE: SWAMP CREEK		ELEV: 8350		ACREAGE: 22.2		DEPTH: 61 FT		
LOCATION: 45.96654, -110.27511				MARCUSONS CODE: 1				
ACCESS: PRIVATE ROAD ON THE GROSFIELD RANCH. ACCESS FROM THE BIG TIMBER CREEK RANGER STATION IS DIFFICULT.								
<u>TRAILHEAD</u>		<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>		<u>ELEVATION DOWN</u>		
GROSFIELD RANCH		3	(3)	+1,300		-200		
<u>SPECIES PRESENT</u>			<u>ABUNDANCE</u>		<u>STATUS</u>			
Brook Trout			Abundant		Self-Sustained			
LAST GILL NET SET: 8/29/1990								
<u>Year</u>	<u>Species Caught</u>		<u># of fish</u>		<u>Ave Lenght(in)</u>		<u>Range(in)</u>	
1990	Brook Trout		19		10		8-12.6	
1985	Brook Trout				9.9		-	
<u>STOCKING HISTORY</u>			<u>STOCKING PLAN</u>					
1959: Brook Trout (9900 fish)								
1954: Brook Trout (9000 fish)								
COMMENTS: BEST ACCESS IS FROM PRIVATE LAND. ONE MUST TRAVEL ~7 MILES FROM BELEY LAKES. ACCESS USING ONLY PUBLIC LAND INVOLVES MANY HARD, DIFFICULT MILES.								
CAMP SITES: LIMITED WOOD AND CAMPSITES AT LAKE. LIMITED USE.								
<u>SURVEY NOTES:</u>								
SWAMP LAKE IS A CIRQUE LAKE NESTLED IN TALUS ROCK WITH ONLY SPARSE STUNTED CONIFERS NEAR THE OUTLET. IT IS A COLD, DEEP, MOUNTAIN LAKE, NOT AT ALL SWAMP-LIKE. '90 FISH STOMACHS CONTAINED DIAPTOMUS SHOSHONE AND MAYFLIES.								

LAKE NAME: UPPER TWIN LAKE		COUNTY: 49	T: 3N	R: 11E	SEC: 2AA
DRAINAGE: BIG TIMBER CRK.	ELEV: 7700	ACREAGE: 6.8	DEPTH: 6 FT		
LOCATION: 46.04242, -110.31447		MARCUSONS CODE: 14			
ACCESS: TAKE THE TRAIL AT HALF MOON CAMPGROUND. THE LAKE IS BELOW TIMBERLINE.					
<u>TRAILHEAD</u>	<u>MILES</u>	<u>TRAIL</u>	<u>ELEVATION UP</u>	<u>ELEVATION DOWN</u>	
BIG TIMBER CREE	4.5	(4.5)	+1,000	-100	
<u>SPECIES PRESENT</u>		<u>ABUNDANCE</u>	<u>STATUS</u>		
Arctic Grayling		Unknown	Unknown		
Yellowstone Cutthroat Trout X Rainbow		Abundant	Self-Sustained		
LAST GILL NET SET: 8/1/1990					
<u>Year</u>	<u>Species Caught</u>	<u># of fish</u>	<u>Ave Lenght(in)</u>	<u>Range(in)</u>	
1999	Yellowstone Cutthroat Trout X Rainbow	4	10.9	7.4-13.2	
1990	Yellowstone Cutthroat Hybrid	13	9.5	5.2-12.1	
<u>STOCKING HISTORY</u>		<u>STOCKING PLAN</u>			
1992: Arctic Grayling (680 fish)					
1991: Arctic Grayling (680 fish)					
COMMENTS: THE TWIN LAKES SEEM TO FUNCTION MORE AS PART OF BIG TIMBER CREEK THAN AS LAKES. BOTH ARE NEARLY FILLED IN WITH SAND SIZED SEDIMENT AND HAVE A DISTINCT CHANNEL RUNNING THROUGH THEM.					
CAMP SITES: FIREWOOD AVAILABLE. SHORELINE 10% TALUS, 65% TIMBER, 25% GRASS					
<u>SURVEY NOTES:</u>					
MUCH OF THE AREA AROUND THE LAKES SHOWS IMPACTS OF TRAMPLING BY LIVESTOCK. THIS AREA HAS A NATURALLY HIGH EROSION POTENTIAL AND THE LIVESTOCK HAVE CONTRIBUTED TO THE SEDIMENTATION OF THE STREAM AND LAKES. GOOD SPAWNING AREAS EXIST BETWEEN THE LAKES.					
90, 99 - NO SIGN OF THE GRAYLING PLANTED IN 1985, 91, 92.					