



A FIVE-YEAR FISH DISTRIBUTION AND MANAGEMENT PLAN
FOR THE
BIG TIMBER AND RED LODGE HATCHERY UNITS
MONTANA

By

Raymond M. West
Junior Biologist

UNITED STATES DEPARTMENT OF AGRICULTURE
FOREST SERVICE
REGION ONE

Approved by
Elmer G. Phillips
Montana State Superintendent of Fisheries

September 1941



Table 9 - Management data on streams recommended
for planting in the Big Timber and
Red Lodge Hatchery Districts.

Name of stream	Miles fishing water	Width in feet	Number tribu- taries	Temperature degrees Fahrenheit ^{1/}	Food condition	Amount of fishing ^{2/}	Species fish present	List barriers in stream or rearing pond possibilities
Yellowstone Drainage							Ct, LL, Eb, Rb, S, Gr, Cat, Perch, Bass, Carp, Wf	
Yellowstone River, from mouth of Shields River to mouth Bighorn River	180	150	4 main rivers		fair	v. heavy		
Yellowstone River (South Side)								
Lower Deer Creek	13	10	6		good	medium	Ct, Rb, (below falls)	Deer Cr. Falls $\frac{1}{2}$ mi. above W. Fk. of Lower Deer Cr.
(Lower Deer Creek goes dry 4 miles from mouth but is good fishing above that point.)								
Upper Deer Creek	8	8	2		good	small	Gr. above falls Ct, Rb, LL, Eb	6 mi. of stream above falls
E. Fk. Upper Deer Creek	9	6			"	"	Ct, Rb, LL, Eb	
W. Fk. Upper Deer Creek	6	5			"	"	Ct, Rb, LL, Eb	
Mission Creek	13	8	2		"	medium	Ct, Rb, LL, Eb	Almost dry in lower end during summer.
Little Mission	3	6			"	small	Ct, Rb, LL, Eb	
Mill Fork Creek	3	6			"	"	Ct, Rb, LL, Eb	

^{1/} Temperatures during July and August to be entered as records become available.

^{2/} Light fishing, 0-300 man-days use; medium fishing, 300-1000 man-days use; heavy fishing, 1000-3000 man-days use;
very heavy fishing, more than 3000 man-days use.

Table 9 - Management data on streams recommended for planting in the Big Timber and Red Lodge Hatchery Districts.

Sheet 2 of 7

Name of stream	Miles fishing water	Width in feet	Number tributaries	Temperature degrees Fahrenheit ^{1/}	Food condition	Amount of fishing ^{2/}	Species fish present	List barriers in stream or rearing pond possibilities
Tributaries of Yellowstone River (North Side)								
Swamp Creek	11	10	2		good	medium	Eb, Ct	Beaver dams 10 mi. from mouth
N.Fk. Swamp Creek	4	6			"	"	Eb	
S.Fk. Swamp Creek	5	8			"	"	Eb	
Big Timber Creek	20	20	5		"	heavy	Eb, LL, Ct, Rb	50' falls and fast rapids 17 mi. from mouth
S.Fk. Big Timber Creek	9	15	1		"	medium	Rb, Eb	
Mid.Fk. Big Timber Creek	4	10			"	small	Eb	
North Amelong Creek	3	10	1		"	none	Eb	Possibly a falls in lower end
Otter Creek	30	12	1		fair	small	Eb	Dam and irrigation reservoir 18 mi. from mouth
Sweetgrass Creek	55	40	7		good	heavy	Eb, LL, Ct, Rb	Sinks for 2 mi. between Brannin Ranch and the series of falls
N.Fk. Sweetgrass	3	10			"	none	Ct?	Series of falls 1 mi. from mouth
Mid.Fk. Sweetgrass	4	20	1		"	medium	Ct, Rb	
S.Fk. Sweetgrass Basin Creek	3	12			"	none	none	Series of falls near mouth
	6	6			"	small	Eb	Dam & irrigation reservoir 2 mi. from mouth

^{1/} Temperatures during July and August to be entered as records become available.

^{2/} Light fishing, 0-300 man-days use; medium fishing, 300-1000 man-days use; heavy fishing, 1000-3000 man-days use; very heavy fishing, more than 3000 man-days use.

Table 9 - Management data on streams recommended
for planting in the Big Timber and
Red Lodge Hatchery Districts.

Name of stream	Miles fishing water	Width in feet	Number tribu- taries	Temperature degrees Fahrenheit	Food condition	Amount of fishing	Species fish present	List barriers in stream or rearing pond possibilities
Main Boulder River	63	50	30		good	heavy	Ct, Rb, Eb, LL, S, Wf	30' falls 28 mi. from mouth
Boulder River	20	25	5		"	medium	Ct, Rb, Eb	falls in Box Canyon
East Boulder River								35' falls 15 mi. from mouth (used for irrigation)
								Upper 10 mi. closed to fishing
Enos Creek	3	5			"	light	Ct, Rb, Eb	
Elk Creek	9	10			"	"	Ct, Rb, Eb	
Hawley Creek	6	8	1		"	"	Ct, Rb	Fast rapids $\frac{1}{2}$ mi. from mouth
E.Fk. Main Boulder	9	15	2		"	none	Ct, Rb	Closed to fishing
Rainbow Creek	7	6			"	"	Ct, Rb	" " "
Sheep Creek	4	4			"	"	none	" " "
Copper Creek	4	4			"	"	"	" " "
Elk Creek	5	4			"	"	"	" " "
Bridge Creek	5	6			"	"	"	" " "
Fourmile Creek	5	6	1		"	"	"	25' falls $\frac{1}{2}$ mi. from mouth
Meatrack Creek	7	6			"	"	"	Fast rapids 1 mi. from mouth
West Boulder River	32	30	12		"	medium	Ct, Rb, Eb, LL	Fast rapids 18 mi. from mouth
Falls Creek	5	7			"	none	Rb?	Series of falls $\frac{1}{2}$ mi. from mouth
Davis Creek	8	7	3		"	"	Ct, Rb	

1/ Temperatures during July and August to be entered as records become available.

2/ Light fishing, 0-300 man-days use; medium fishing, 300-1000 man-days use; heavy fishing, 1000-3000 man-days use;
very heavy fishing, more than 3000 man-days use.

Table 9 - Management data on streams recommended for planting in the Big Timber and Red Lodge Hatchery Districts.

Sheet 4 of 7

Name of stream	Miles fishing water	Width in feet	Number tributaries	Temperature degrees Fahrenheit	Food condition	Amount of fishing ^{2/}	Species fish present	List barriers in stream or rearing pond possibilities
Stillwater Drainage	65	40	40		good	v. heavy	Ct, Rb, Gr, S, LL, Eb, Wf	Woodbine Falls, 1/2 mi. above mouth
Stillwater River	8	8			fair	none	Rb, Ct	Fast rapids 1 mi. above mouth
Woodbine Creek	4	6			"	"	Rb, Ct	"
Falls Creek	3	6			"	"	Rb, Ct	"
Herein Creek	3	6			"	"	Rb, Ct	"
Corkscrew Creek	2	5			"	"	Rb, Ct	"
Clarks Creek	4	8			"	"	Rb, Ct	"
Glacier Creek	5	8			"	light	Rb, Ct	Fast rocky stream
Goose Creek	2	6			"	none	Rb, Ct	"
Horseshoe Creek	8	10	3		"	light	Rb, Ct	"
Wounded Man Creek	6	10			"	none	Rb, Ct	"
S. Fk. Wounded Man	4	5	1		"	"	Rb, Ct	Fast rapids 1 mi. above mouth
Mid. Fk. Wounded Man	8	10			"	"	Eb (lower end only)	
Flood Creek	3	4			"	"	None	
Rabbit Gulch	24	20	13		good	heavy	Ct, Rb, LL, Eb	Series of falls 1/2 mi. above mouth of Cathedral Creek
W. Fk. Stillwater River					"	none	above falls)	mouth of Cathedral Creek
Lewis Creek	2	2	2		"	none	Ct	Steep and rocky at upper end
Hidden Creek	2	5	5		fair	"	Ct	"
Trail Creek	1	4	4		"	"	Ct	"
Divide Creek	3	4	4		"	"	Ct	"
Iron Creek	4	6	6		good	"	Ct	"
Castle Creek	9	8	5		"	light	Ct	Beaver ponds at upper end
							Ct, Rb, LL	

1/ Temperatures during July and August to be entered as records become available.

2/ Light fishing, 0-300 man-days use; medium fishing, 300-1000 man-days use; heavy fishing, 1000-3000 man-days use; very heavy fishing, more than 3000 man-days use.

Table 9 - Management data on streams recommended for planting in the Big Timber and Red Lodge hatchery districts.

Sheet 5 of 7

Name of stream	Miles fishing water	Width in feet	Number tributaries	Temperature degrees Fahrenheit	Food condition	Amount of fishing ^{2/}	Species fish present	List barriers in stream or rearing pond possibilities
Stillwater Drainage								
Picket Pin	6	5	1		good	light	Ct, Rb	
Lodgepole Creek	4	4	3		"	"	Ct, Rb	
W.Fk. Rosebud Creek	30	25	15		"	heavy	Ct, Rb, Eb, LL	Dam 150' high at lower end of Mystic Lake, falls above Silver Lake
Line Creek	3	5			"	none	Rb, Ct	
Fiddler Creek	6	6	2		"	light	Rb, Ct	
E. Fiddler Creek	5	6			"	"	Rb, Ct	
Mid. Fiddler Creek	5	6			"	"	Rb, Ct	
Fishtail Creek	9	15	4		"	medium	Rb, Ct	
E. Fishtail Creek	5	8			"	light	Rb, Ct	
W. Fishtail Creek	9	8			"	"	Rb, Ct	
E. Rosebud Creek	33	20	11		"	medium	Rb, Ct, LL, S, Wf, Eb	Series of falls 3 mi. from mouth (beaver dam around Slough Lake)
Phantom Creek	7	8			"	"	Eb	
Spread Creek	3	5			"	none	none	
Clark Fork Drainage								
Clark Fork of the								
Yellowstone River	60	75	25		poor	heavy	Rb, Ct, LL, S, Wf, Bream, Cat, Eels	Open to fishing yearlong
Line Creek	3	8	1		good	light	Rb, Ct	
Bluewater Creek	12	6			fair	"	Eb, Ct	(Bluewater spring recommended for fish hatchery and rearing pond site)

^{1/} Temperatures during July and August to be entered as records become available.

^{2/} Light fishing, 0-300 man-days use; medium fishing, 300-1000 man-days use; heavy fishing, 1000-3000 man-days use; very heavy fishing, more than 3000 man-days use.

Table 9 - Management data on streams recommended for planting in the Big Timber and Red Lodge Hatchery Districts.

Sheet 6 of 7

Name of stream	Miles fishing water	Width in feet	Number tributaries	Temperature degrees Fahrenheit	Food condition	Amount of fishing ^{2/}	Species fish present	List barriers in stream or rearing pond possibilities
Pryor Creek (head of creek only)	15	20	3		fair	medium	Rb, Ct, Eb	
Rock Creek Drainage	57	30	20		good	v. heavy	Rb, Ct, Eb	Some simple stream improvements desirable
Rock Creek						light	Rb, Ct, S	
Alkali or Clear Creek	14	6	1		"	medium	Rb, Ct, Eb	
Lake Creek	8	12	6		"	"	Rb, Ct, Eb	
W. Fk. Rock Creek	18	14	11		"	"	Rb, Ct, Eb	Lower 7 mi. closed to fishing. Sentinel Falls 12' high. Fish planted above falls.
Timberline Creek	5	6	1		"	none	Rb, Ct, Eb	
Basin Creek	3	5	2		"	"	Rb, Ct, Eb	
Ingles Creek	3	4			"	"	Rb, Ct, Eb	
Silver Run Creek	3	4			"	"	Rb, Ct, Eb	
Blacktail Creek	2	4			"	"	Rb, Ct, Eb	
Washoe Creek	2	4			"	"	Rb, Ct, Eb	
Nichols Creek	2	4			"	"	none	
Red Lodge Creek	40	10	10		fair	medium	Ct, Rb, Eb, S	
Thiel Creek	8	5			"	light	Ct, Rb, Eb, S	
Hogan Creek	3	5			"	"	Ct, Rb, Eb, S	
Harney Creek	6	5			"	"	Ct, Rb, Eb, S	
Willow Creek	25	6	3		"	"	Ct, Rb, Eb, S	

1/ Temperatures during July and August to be entered as records become available.

2/ Light fishing, 0-300 man-days use; medium fishing, 300-1000 man-days use; heavy fishing, 1000-3000 man-days use;

very heavy fishing, more than 3000 man-days use.

Table 9 - Management data on streams recommended for planting in the Big Timber and Red Lodge Hatchery Districts.

Name of stream	Miles fishing water.	Width in feet	Number tributaries	Temperature degrees Fahrenheit	Food condition	Amount of fishing	Species fish present	List barriers in stream or rearing pond possibilities
Tributaries Bighorn River	85	100	10		fair	heavy	Pike, Cat, S, Carp, Ling, Bass, Eels	10' dam at Crow Agency used for irrigation
Bighorn River	62	50	8		"	"	Ct, Rb, Ll, Eb, Bass, Wf, Pike S, Carp, Ling, Eels	
Little Bighorn River					good	"	Rb, Eb, S	
Lodgegrass Creek	28	16	4		"	"	Rb, Ll, S	
Rottengrass Creek	27	10	2		"	"	Rb, Ct, Eb, S	
Soap Creek	18	20	3		"	light	Ct, Rb, Eb	Falls 16 mi. above mouth
Black Canyon Creek	23	25			"	"	Ct, Rb, Eb	Falls 10 mi. from mouth
Bull Elk	15	15			"	"	Ct, Rb, Eb	
Little Bull Elk	6	10			"	medium	Rb, Ct, Eb, S	
West Pass Creek	13	20			"	"	Bass, Cat, Crappie, Perch	
Warren's Slough	2	100			"	"	Ct	
Sage Creek (head of drainage only)	12	6			fair	light	Ct	
Crooked Creek (head of drainage only)	10	4			"	"	Ct	
Dry Head Creek (head of drainage only)	16	8			good	"	Ct	

1/ Temperatures during July and August to be entered as records become available.

2/ Light fishing, 0-300 man-days use; medium fishing, 300-1000 man-days use; heavy fishing, 1000-3000 man-days use; very heavy fishing, more than 3000 man-days use.

Table 10. Management data on lakes recommended for stocking in the
Big Timber and Red Lodge Hatchery Districts.

Sheet 1 of 3

Name of lake	Acreage	Temperature degrees F. 1/	Food condi- tion	Species fish present	Percent of area under 30 feet in depth	Percent of area over 100 feet in depth	Amount of vegetation present	Principal type of shore line; mud, gravel, rock, etc.	Drains into
Yellowstone River (North Side) Crazy Mountains									
Swamp Lake	28		v. good	Eb, Ct	30		large	rock	Swamp Creek
Fish Lake	7		fair	Ct	50		none	"	"
Lower Crazy Lake	12		good	Ct, Rb	20		small	"	S.Fk. Big Timber Cr.
Upper Crazy Lake	16		"	Ct, Rb	20		"	"	"
Thunder Lake	7		"	Rb	50		medium	"	N.Fk.
Granite Lake	19		"	Rb	30		"	"	"
Blue Lake	15		fair	Rb	5	20	none	"	"
Timberline or Druckemiller Lake	15		"	Rb	25		"	"	"
Pear Lake	38		"	Rb	25		"	"	"
Twin Lakes	20		good	Ct, Rb	100		medium	mud, rock	"
Cascade Lake	8		poor	Gr	25		small	rock	"
Cave Lake	15		fair	Rb	25		"	"	Cascade & Hellroaring Milly Cr.- Sweetgrass
Moose Lake	15		v. good	Ct, Rb	50		medium	mud, gravel	Mid. Fk. Sweetgrass
Campfire or Hindu Lake	31		fair	Rb, Ct	25		small	rock, gravel	"
Sunlight Lake	18		good	Ct	25		"	rock	N.Fk. Sweetgrass
Upper Glass Lindsey	650		"	LL, Rb	50		medium	mud, rock	Lower Glass Lindsey
Lower Glass Lindsey	1200		fair	Ct, Eb Eb, LL, Rb Ct, Perch Bass	50		small	"	No drainage, used for irrigation

1/ Temperatures during July and August to be entered as records become available.

Table 10. Management data on lakes recommended for stocking in the
Big Timber and Red Lodge Hatchery Districts.

Sheet 2 of 3

Name of lake	Acreage	Temperature degrees F.	Food condi- tion	Species fish present	Percent of area under 30 feet in depth	Percent of area over 100 feet in depth	Amount of vegetation present	Principal type of shore line; mud, gravel, rock, etc.	Drains into
<u>Boulder River Drainage</u>									
Ingle Lake	5		v. good	Rb	100		large	mud, gravel	East Boulder
Horseshoe Lakes	40	55	good	none	75		medium	mud, rock	Upsidedown Creek
Unnamed lake 3/4 mi. SE of Horseshoe Lakes	15		"	"	75		"	mud, rock	E.Fk. Main Boulder
Mirror Lake	30		v. good	"	25	25	small	"	Rainbow Creek
Three unnamed lakes east of Upper Rainbow	25		good	"	25		medium	rock, mud	"
Burnt Gulch Lake	10		"	"	25	10	small	"	"
Lake Columbine	5		"	"	100		large	mud	Columbine Creek
Blue Lake	5		fair	"	10	50	small	rock	E.Fk. Main Boulder
Elk Lake	10		"	"	20	40	"	rock, mud	Elk Creek
Bridge Lake	20		"	Ct or Rb	20	40	"	"	Bridge Creek
Two unnamed lakes head			"	none	100		light	"	Great Falls Cr.
Great Falls Creek	6		"	Ct or Rb	15	50	"	"	Davis Creek
Lake McKnight	20		"	none	20	5	none	"	"
Blacktail Lake	5		"	none					
<u>Main Stillwater Drainage</u>									
Horseshoe Lake	10		good	Ct	20	20	medium	"	Horseshoe Creek Stillwater River

1/ Temperatures during July and August to be entered as records become available.

Table 10. Management data on lakes recommended for stocking in the Big Timber and Red Lodge Hatchery Districts.

Sheet 3 of 3

Name of lake	Acreage	Temperature degrees F.	Food condi- tion	Species fish present	Percent of area under 30 feet in depth	Percent of area over 100 feet in depth	Amount of vegetation present	Principal type of shore line; mud, gravel, rock, etc.	Drains into
W. Rosebud Drainage									
Emerald Lake	10		good	Ct, Rb, LL Eb, Gr, Wf S	100		medium	mud, rock, gravel, sand	West Rosebud
West Rosebud Lake	5		"	Ct, Rb, LL Gr, Wf, S	100		"	mud, rock, gravel, sand	"
Mystic Lake	700		"	Rb	40	50	large	mud, sand, rock	"
Island Lake	100		"	Rb	70	30	"	mud, rock	"
Chrome Lake	5		"	none	100		"	mud	Fishtail - West Rosebud
Lilypad Lake	15		"	Ct, Rb, S	100		"	mud, rock	Fiddler - West Rosebud
Crater Lake	10		"	Ct, Rb, S	100		"	"	Fiddler - West Rosebud
Clark Fork of the Yellowstone Drainage									
Line Lake	20		poor	Rb	15	15	none	rock, gravel	Line Creek
Rock Creek Drainage									
Cooney Dam Lake	1000		fair	Eb, Rb, Ct, S	70	none	large	mud, gravel	Red Lodge Creek
Glacier Lake	160		poor	Eb	5	75	none	rock	Rock Creek
Crescent Lake	10		"	Eb	5	75	"	"	"
Black Canyon Lake	100		"	Eb	5	80	"	"	Lake Creek
Basin Cr. Lakes	25		good	Eb	35		large	mud, gravel, rock	W.Fk. Rock Creek
Slough Lake	15		"	Eb	100		"	mud, gravel, rock	" " "

1/ Temperatures during July and August to be entered as records become available.

Table 12. Lakes of the Big Timber and Red Lodge Hatchery Districts in which no planting is recommended.

Name of lake	Acreage	Species fish present	Reason for not planting				Other
			Too warm	Undesirable fish present	Too shallow	Inadequate food	
<u>Yellowstone River (North Side) Crazy Mountains</u>							
Glacier Lake	15	None					Inaccessible
Diamond Lake	13	"					
Boulder River	3	Ct or Rb					Adequately stocked
Camp Lake							
Four unnamed lakes in head of Hawley Creek	80	None					Inaccessible
Trout Lake	2	"					"
Emerald Lake	4	"					"
Upper Rainbow	40	Ct					Adequately stocked
Middle Rainbow	18	Ct, Rb					"
Lower Rainbow	15	Ct, Rb					"
Two unnamed lakes in N.Fk. Upsidedown Cr.	7	None					Inaccessible
Fish Lake	15	Ct					Adequately stocked
Unnamed Lakes $\frac{1}{2}$ mi. SE							
Fish Lake	5	None					
Lake Kathleen	3	"					
Silver Lake	15	Rb			x		Overstocked at present
Two unnamed lakes above Silver Lake	15	None				x	Inaccessible
Four unnamed lakes at head of Bramble Creek	20	"				x	"
Speculator Lake	15	"					"
Four lakes at head of Weasel Creek	15	"					"
One unnamed lake head of Great Falls Creek	2	Rb					Adequately stocked

Table 12. Lakes of the Big Timber and Red Lodge Hatchery
Districts in which no planting is recommended.

Sheet. 2 of 5

Name of lake	Acreage	Species fish present	Reason for not planting				Other
			Too warm	Undesirable fish present	Too shallow	Inadequate food	
<u>Boulder Drainage</u> (Continued)							
Two unnamed lakes in Falls Creek	5	None					Hard to plant
Four unnamed lakes in Froze-to-Death Creek	5	"					Inaccessible
Meeker's or Nurses' Lake	3	"	x		x		Silver salmon planted 1938 - none survived
<u>West Boulder Drainage</u>							Adequately stocked Inaccessible
West Boulder Lake	160	Rb					
Alpine Lake	15	None					
<u>Stillwater River Drainage</u>							
Goose Lake	40	Ct					Adequately stocked Inaccessible
Lake Wilderness	30	None					"
Two unnamed lakes on S. Fork of Wounded Man	30	"				x	Adequately stocked at present
Crazy Mule Lake	30	Ct					Same as above
Two unnamed lakes above Crazy Mule Lake	20	"					" " "
Gordon Lake	15	"					" " "
Two unnamed lakes above Gordon Lake	30	None				x	Over-stocked at present
Gordon Lake	40	Rb				x	" " "
Barrier Lake	45	"				x	" " "
Wounded Man Lake	15	"				x	" " "
Big Fish Lake							

Table 12. Lakes of the Big Timber and Red Lodge Hatchery Districts in which no planting is recommended.

Sheet 3 of 5

Name of lake	Acreage	Species fish present	Reason for not planting				Other
			Too warm	Undesirable fish present	Too shallow	Inadequate food	
Stillwater Drainage (Continued)							
Three unnamed lakes in main Wounded Man Drainage	20	Rb					
Lake Pinchot	70						Adequately stocked at present
Cimmerian, Spector and 16 unnamed lakes in Flood Creek Drainage	185	None					Golden trout planted, 1938, none in evidence in 1939 or 1940
Mountain View Lake	8	"			?		Inaccessible
West Fork of Stillwater River							Apparently stagnant
Six unnamed lakes in Soderholm Creek	30	"					Inaccessible
Three unnamed lakes in Tumble Creek	50	"					"
Unnamed lake in Lightning Creek Drainage	70	"					"
Two unnamed lakes in Picket Pin Drainage	10	Ct					Adequately stocked

Table 12. Lakes of the Big Timber and Red Lodge Hatchery
Districts in which no planting is recommended.

Name of lake	Acreage	Species fish present	Reason for not planting					Other
			Too warm	Undesirable fish present	Too shallow	Inadequate food	Needs investigation	
<u>West Rosebud Drainage</u>								
Reeves Lake	8	None			x			Goes dry
Silver Lake	60	Rb, Ct						Adequately stocked now
Four unnamed lakes above Silver Lake	100	Rb, Ct						Same as above
Unnamed lake at head of Huckleberry Creek	10	None					x	Inaccessible
Chicken Lake	30	"						
<u>East Rosebud Drainage</u>								
Sylvan Lake	20	Golden trout						Adequately stocked
Crow Lake	25	Rb, Eb						Same as above
Rainbow Lake	50	Rb						Same as above
Thirteen unnamed lakes above Rainbow Lake	150	None						Inaccessible
Rimrock Lake	20	Rb						Adequately stocked
Elk Lake	40	"						Same as above
East Rosebud Lake	160	Rb, Eb, Ct, S						Privately owned, not open to public
Shadow Lake	15	Rb						Adequately stocked
Six lakes head of Phanton Creek	60	None						Inaccessible

Table 12. Lakes of the Big Timber and Red Lodge Hatchery Districts in which no planting is recommended.

Name of lake	Acreage	Species fish present	Reason for not planting				Other
			Too warm	Undesirable fish present	Too shallow	Inadequate food	
<u>Tributary of Rock Creek Drainage</u>							
Hellroaring lakes, (6)	65	Ct, Eb		Planted 1933		x	Overstocked at present
Broadwater Lake	5	Ct,Eb,Rb					Planting in stream
Lost Lake	10	Eb					Adequately stocked
First Rock Creek Lake	30	Eb, Ct					"
Second Rock Creek Lake	20	Eb, Ct		Planted 1939			"
Keyser Brown Lake	30	Eb, Ct					"
September Morn Lake	5	Eb					"
<u>Tributary to W. Fork Rock Creek Drainage</u>							
Timberline	40	Eb					"
Gertrude	50	Eb					"
Ship Lake	40	Eb					"
Dude Lake	10	Eb					"
Mary Lake	40	Eb					"

Table 13. Species of fishes and their distribution in the main streams and lakes of the Big Timber and Red Lodge Hatchery Districts.

River or lake	Species of fish															
	Trout					Other fish										
	Cutthroat	Rainbow	Eastern Brook	Loch Levan	Golden Trout	Grayling	Rocky Mtn. whitefish	Suckers	Perch	Bass	Carp	Pike	Bluegill (bream)	Ling	Catfish	Tels
<u>Rivers</u>																
Bighorn								X		X	X	X		X	X	X
Boulder, below falls	X	X	X	X			X									
Boulder, above falls	X	X														
Clarks Fork Yellowstone	X	X	X	X			X	X	X	X	X		X	X	X	X
East Rosebud	X	X	X	X			X	X						X	X	X
Little Bighorn	X	X	X	X			X	X		X	X	X				
Lower Deer, below falls	X	X														
Lower Deer, above falls						X										
Red Lodge	X	X	X					X								
Rock	X	X	X					X								
Stillwater	X	X	X	X		X	X	X								
West Rosebud	X	X	X	X		X	X	X								
W.Fork Stillwater	X	X	X	X												
W.Fork Stillwater, above falls	X	X														
Yellowstone	X	X	X	X		X	X	X	X	X	X	X	X	X		X
<u>Lakes</u>																
Barrier		X														
Big Fish		X														
Black Canyon			X													
Blue		X														
Bridge	?	?														
Campfire of Hindu	X	X														
Cascade						X										
Cave		X														
Chrome		X														
Cooney Dam	X	X	X					X								
Crazy Mule		X														

Table 13. Species of fishes and their distribution in the main streams and lakes of the Big Timber and Red Lodge Hatchery Districts.

River or lake	Species of fish															
	Trout					Other fish										
	Cutthroat	Rainbow	Eastern Brook	Loch Levan	Golden Trout	Grayling	Rocky Mtn. whitefish	Suckers	Perch	Bass	Carp	Pike	Bluegill (bream)	Ling	Catfish	Eels
Crow			X													
Emerald	X	X	X	X		X	X	X								
Fish	X															
Glacier			X													
Goose	X															
Gordon	X															
Granite		X														
Hellroaring Lakes			X													
Horseshoe	X															
Ingle		X														
Island		X														
Keyser Brown	X	X	X													
Lilypad	X	X	X				X									
Lower Crazy	X	X														
Lower Glass																
Lindsey	X	X	X	X		X			X							
Lake McKnight	?	?														
Mystic		X														
Moose	X	X														
Pear		X														
Picket Pin	X															
Pinchot					?											
Rainbow		X														
Roosevelt	X															
Silver	X	X														
Sunlight	X															
Swamp	X		X													
Sylvan					X											
Thunder		X														
Twin Lakes	X	X														
Timberline		X														
Upper Crazy	X	X														
Upper Glass																
Lindsey	X	X	X	X		X			X							
Wounded Man		X														
Species native to unit	X						X	X						X		X
Introduced species		X	X			X	X		X	X	X	X	X		X	