

GUIDELINES FOR USING THE WETTED PERIMETER
(WETP) COMPUTER PROGRAM
OF THE
MONTANA DEPARTMENT OF FISH, WILDLIFE AND PARKS

By
Frederick A. Nelson
Montana Department of Fish, Wildlife and Parks
8695 Huffine Lane
Bozeman, Montana 59715

Revised
July, 1984

GUIDELINES FOR USING THE WRITING-RESEARCH
(WTR) COMPUTER PROGRAM
OF THE
MONTANA DEPARTMENT OF FISH, WILDLIFE AND PARKS

For a complete description of the
WTR program, see the "WTR
Manual" which is included with
the program.

WTR
1981

TABLE OF CONTENTS

INTRODUCTION -----	1-1
DERIVING RECOMMENDATIONS USING WETTED PERIMETER -----	2-1
DESCRIPTION OF THE WETP PROGRAM -----	3-1
FIELD DATA REQUIREMENTS -----	4-1
FIELD METHODS -----	5-1
Equipment -----	5-1
Selecting Study Areas and Placing Cross-sections -----	5-3
Establishing Bench Marks -----	5-3
Surveying Techniques -----	5-3
Measuring Water Surface Elevations -----	5-4
Measuring Stream Discharges -----	5-4
Measuring Cross-sectional Profiles -----	5-5
OFFICE METHODS -----	6-1
WETP Data Format -----	6-1
Selecting Flows of Interest -----	6-1
WETP Data Output -----	6-2
OTHER USES FOR THE WETP OUTPUT -----	7-1
FINAL CONSIDERATIONS -----	8-1
LITERATURE CITED -----	9-1

APPENDICES

- A. Calculation of stage height at zero flow (zf) from Rantz (1982)
- B. Example of WETP input format
- C. Example of WETP data output

TABLE OF CONTENTS

1-1	INTRODUCTION
1-2	GENERAL INFORMATION
1-3	DESCRIPTION OF THE PROJECT
1-4	1-1 TO 1-4
1-5	1-5 TO 1-6
1-6	1-6 TO 1-7
1-7	1-7 TO 1-8
1-8	1-8 TO 1-9
1-9	1-9 TO 1-10
1-10	1-10 TO 1-11
1-11	1-11 TO 1-12
1-12	1-12 TO 1-13
1-13	1-13 TO 1-14
1-14	1-14 TO 1-15
1-15	1-15 TO 1-16
1-16	1-16 TO 1-17
1-17	1-17 TO 1-18
1-18	1-18 TO 1-19
1-19	1-19 TO 1-20
1-20	1-20 TO 1-21
1-21	1-21 TO 1-22
1-22	1-22 TO 1-23
1-23	1-23 TO 1-24
1-24	1-24 TO 1-25
1-25	1-25 TO 1-26
1-26	1-26 TO 1-27
1-27	1-27 TO 1-28
1-28	1-28 TO 1-29
1-29	1-29 TO 1-30
1-30	1-30 TO 1-31
1-31	1-31 TO 1-32
1-32	1-32 TO 1-33
1-33	1-33 TO 1-34
1-34	1-34 TO 1-35
1-35	1-35 TO 1-36
1-36	1-36 TO 1-37
1-37	1-37 TO 1-38
1-38	1-38 TO 1-39
1-39	1-39 TO 1-40
1-40	1-40 TO 1-41
1-41	1-41 TO 1-42
1-42	1-42 TO 1-43
1-43	1-43 TO 1-44
1-44	1-44 TO 1-45
1-45	1-45 TO 1-46
1-46	1-46 TO 1-47
1-47	1-47 TO 1-48
1-48	1-48 TO 1-49
1-49	1-49 TO 1-50
1-50	1-50 TO 1-51
1-51	1-51 TO 1-52
1-52	1-52 TO 1-53
1-53	1-53 TO 1-54
1-54	1-54 TO 1-55
1-55	1-55 TO 1-56
1-56	1-56 TO 1-57
1-57	1-57 TO 1-58
1-58	1-58 TO 1-59
1-59	1-59 TO 1-60
1-60	1-60 TO 1-61
1-61	1-61 TO 1-62
1-62	1-62 TO 1-63
1-63	1-63 TO 1-64
1-64	1-64 TO 1-65
1-65	1-65 TO 1-66
1-66	1-66 TO 1-67
1-67	1-67 TO 1-68
1-68	1-68 TO 1-69
1-69	1-69 TO 1-70
1-70	1-70 TO 1-71
1-71	1-71 TO 1-72
1-72	1-72 TO 1-73
1-73	1-73 TO 1-74
1-74	1-74 TO 1-75
1-75	1-75 TO 1-76
1-76	1-76 TO 1-77
1-77	1-77 TO 1-78
1-78	1-78 TO 1-79
1-79	1-79 TO 1-80
1-80	1-80 TO 1-81
1-81	1-81 TO 1-82
1-82	1-82 TO 1-83
1-83	1-83 TO 1-84
1-84	1-84 TO 1-85
1-85	1-85 TO 1-86
1-86	1-86 TO 1-87
1-87	1-87 TO 1-88
1-88	1-88 TO 1-89
1-89	1-89 TO 1-90
1-90	1-90 TO 1-91
1-91	1-91 TO 1-92
1-92	1-92 TO 1-93
1-93	1-93 TO 1-94
1-94	1-94 TO 1-95
1-95	1-95 TO 1-96
1-96	1-96 TO 1-97
1-97	1-97 TO 1-98
1-98	1-98 TO 1-99
1-99	1-99 TO 1-100

1-100	1-100 TO 1-101
1-101	1-101 TO 1-102
1-102	1-102 TO 1-103
1-103	1-103 TO 1-104
1-104	1-104 TO 1-105
1-105	1-105 TO 1-106
1-106	1-106 TO 1-107
1-107	1-107 TO 1-108
1-108	1-108 TO 1-109
1-109	1-109 TO 1-110
1-110	1-110 TO 1-111
1-111	1-111 TO 1-112
1-112	1-112 TO 1-113
1-113	1-113 TO 1-114
1-114	1-114 TO 1-115
1-115	1-115 TO 1-116
1-116	1-116 TO 1-117
1-117	1-117 TO 1-118
1-118	1-118 TO 1-119
1-119	1-119 TO 1-120
1-120	1-120 TO 1-121
1-121	1-121 TO 1-122
1-122	1-122 TO 1-123
1-123	1-123 TO 1-124
1-124	1-124 TO 1-125
1-125	1-125 TO 1-126
1-126	1-126 TO 1-127
1-127	1-127 TO 1-128
1-128	1-128 TO 1-129
1-129	1-129 TO 1-130
1-130	1-130 TO 1-131
1-131	1-131 TO 1-132
1-132	1-132 TO 1-133
1-133	1-133 TO 1-134
1-134	1-134 TO 1-135
1-135	1-135 TO 1-136
1-136	1-136 TO 1-137
1-137	1-137 TO 1-138
1-138	1-138 TO 1-139
1-139	1-139 TO 1-140
1-140	1-140 TO 1-141
1-141	1-141 TO 1-142
1-142	1-142 TO 1-143
1-143	1-143 TO 1-144
1-144	1-144 TO 1-145
1-145	1-145 TO 1-146
1-146	1-146 TO 1-147
1-147	1-147 TO 1-148
1-148	1-148 TO 1-149
1-149	1-149 TO 1-150
1-150	1-150 TO 1-151
1-151	1-151 TO 1-152
1-152	1-152 TO 1-153
1-153	1-153 TO 1-154
1-154	1-154 TO 1-155
1-155	1-155 TO 1-156
1-156	1-156 TO 1-157
1-157	1-157 TO 1-158
1-158	1-158 TO 1-159
1-159	1-159 TO 1-160
1-160	1-160 TO 1-161
1-161	1-161 TO 1-162
1-162	1-162 TO 1-163
1-163	1-163 TO 1-164
1-164	1-164 TO 1-165
1-165	1-165 TO 1-166
1-166	1-166 TO 1-167
1-167	1-167 TO 1-168
1-168	1-168 TO 1-169
1-169	1-169 TO 1-170
1-170	1-170 TO 1-171
1-171	1-171 TO 1-172
1-172	1-172 TO 1-173
1-173	1-173 TO 1-174
1-174	1-174 TO 1-175
1-175	1-175 TO 1-176
1-176	1-176 TO 1-177
1-177	1-177 TO 1-178
1-178	1-178 TO 1-179
1-179	1-179 TO 1-180
1-180	1-180 TO 1-181
1-181	1-181 TO 1-182
1-182	1-182 TO 1-183
1-183	1-183 TO 1-184
1-184	1-184 TO 1-185
1-185	1-185 TO 1-186
1-186	1-186 TO 1-187
1-187	1-187 TO 1-188
1-188	1-188 TO 1-189
1-189	1-189 TO 1-190
1-190	1-190 TO 1-191
1-191	1-191 TO 1-192
1-192	1-192 TO 1-193
1-193	1-193 TO 1-194
1-194	1-194 TO 1-195
1-195	1-195 TO 1-196
1-196	1-196 TO 1-197
1-197	1-197 TO 1-198
1-198	1-198 TO 1-199
1-199	1-199 TO 1-200

INTRODUCTION

The wetted perimeter and discharge relationships for selected channel cross-sections are a useful tool for deriving instream flow recommendations for the rivers and streams of Montana. Wetted perimeter is the distance along the bottom and sides of a channel cross-section in contact with water (Figure 1). As the discharge in a stream channel decreases, the wetted perimeter also decreases, but the rate of loss of wetted perimeter is not constant throughout the entire range of discharges. Starting at zero discharge, wetted perimeter increases rapidly for small increases in discharge up to the point where the stream channel nears its maximum width. Beyond this break or inflection point, the increase of wetted perimeter is less rapid as discharge increases. An example of a wetted perimeter-discharge relationship showing a well-defined inflection point is given in Figure 2. The instream flow recommendation is selected at or near this inflection point.

The MDFWP developed in 1980 a relatively simple wetted perimeter predictive (WETP) computer model for use in its instream flow program. This model eliminates the relatively complex data collecting and calibrating procedures associated with the hydraulic simulation computer models in current use while providing more accurate and reliable wetted perimeter predictions.

The WETP computer program was written by Dr. Dalton Burkhalter, aquatic consultant, 1429 S. 5th Ave., Bozeman, Montana 59715. The program is written in FORTRAN IV and is located at the computer center, Montana State University, Bozeman. Direct all correspondence concerning the program to Fred Nelson, Montana Department of Fish, Wildlife and Parks, 8695 Huffine Lane, Bozeman, Montana 59715.




Figure 1. The wetted perimeter in a channel cross-section.




Figure 2. An example of a relationship between wetted perimeter and flow for a riffle cross-section.




Figure 2. A plot of the relative intensity of the emission spectrum of a hydrogen atom as a function of wavelength. The x-axis is wavelength in nm and the y-axis is relative intensity.

DERIVING RECOMMENDATIONS USING WETTED PERIMETER

When formulating flow recommendations for a waterway, the annual flow cycle is divided into two separate periods. They consist of a relatively brief runoff or high flow period, when a large percentage of the annual water yield is passed through the system, and a nonrunoff or low flow period, which is characterized by relatively stable base flows maintained primarily by groundwater outflow. For headwater rivers and streams, the high flow period generally includes the months of May, June and July while the remaining months encompass the low flow period.

Separate instream flow methods are applied to each period. Further, it is necessary to classify a waterway as a stream or river and to use a somewhat different approach when deriving low flow recommendations for each. A waterway is considered a stream if the mean annual flow is less than approximately 200 cfs.

Method for the Low Flow Period - Streams

The wetted perimeter/inflection point method is presently the primary method being used by the MDFWP for deriving low flow recommendations for streams. This method is primarily based on the assumption that the food supply is a major factor influencing a stream's carrying capacity (the numbers and pounds of fish that can be maintained indefinitely by the aquatic habitat). The principal food of many of the juvenile and adult game fish inhabiting the streams of Montana is aquatic invertebrates, which are primarily produced in stream riffle areas. The method assumes that the game fish carrying capacity is proportional to food production, which in turn is proportional to the wetted perimeter in riffle areas. This method is a slightly modified version of the Washington Method (Collings, 1972 and 1974), which is based on the premise that the rearing of juvenile salmon is proportional to food production and in turn is proportional to the wetted perimeter in riffle areas. The Idaho Method (White and Cochnauer, 1975 and White, 1976) is also based on a similar premise.

The plot of wetted perimeter versus flow for stream riffle cross-sections generally shows two inflection points, the uppermost being the more prominent. In the example (Figure 3), these inflection points occur at approximate flows of 8 and 12 cfs. Beyond the upper inflection point, large changes in flow cause only very small changes in wetted perimeter. The area available for food production is considered near optimal beyond this point. At flows below the upper inflection point, the stream begins to pull away from the riffle bottom until, at the lower inflection point, the rate of loss of wetted perimeter begins to rapidly accelerate. Once flows are reduced below the




Figure 3. An example of a relationship between wetted perimeter and flow for a stream riffle cross-section.

lower inflection point, the riffle bottom is being exposed at an accelerated rate and the area available for food production greatly diminishes.

The wetted perimeter-flow relationship may also provide an index of other limiting factors that influence a stream's carrying capacity. One such factor is cover. Cover, or shelter, has long been recognized as one of the basic and essential components of fish habitat. Cover serves as a means for avoiding predators and provides areas of moderate current speed used as resting and holding areas by fish. It is fairly well documented that cover improvements will normally increase the carrying capacity of streams, especially for larger size fish. Cover can be significantly influenced by streamflow.

In the headwater streams of Montana, overhanging and submerged bank vegetation are important components of cover. The wetted perimeter-flow relationship for a stream channel may bear some similarity to the relationship between bank cover and flow. At the upper inflection point, the water begins to pull away from the banks, bank cover diminishes and the stream's carrying capacity declines. Flows exceeding the upper inflection point are considered to provide near optimal bank cover. At flows below the lower inflection point, the water is sufficiently removed from the bank cover to severely reduce its value as fish shelter.

It has been demonstrated that riffles are also critical areas for spawning sites of brown trout and shallow inshore areas are required for the rearing of brown and rainbow trout fry (Sando, 1981). It is therefore assumed that, in addition to maximizing bank cover and food production, the flows exceeding the upper inflection point would also provide the most favorable spawning and rearing conditions.

Riffles are the area of a stream most affected by flow reductions (Bovee, 1974 and Nelson, 1977). Consequently, the flows that maintain suitable riffle conditions will also maintain suitable conditions in pools and runs, areas normally inhabited by adult fish. Because riffles are the habitat most affected by flow reductions and are essential for the well-being of both resident and migratory fish populations, they should receive the highest priority for instream protection.

The wetted perimeter/inflection point method provides a range of flows (between the lower and upper inflection points) from which a single instream flow recommendation can be selected. Flows below the lower inflection point are judged undesirable based on their probable impacts on food production, bank cover and spawning and rearing habitat, while flows exceeding the upper inflection point are considered to provide a near optimal habitat for fish. The lower and upper inflection points are believed to bracket those flows needed to maintain the low and high levels of aquatic habitat potential. These flow levels are defined as follows:

1. High Level of Aquatic Habitat Potential - That flow regime which will consistently produce abundant, healthy and thriving aquatic populations. In the case of game fish species, these flows would produce abundant game fish populations capable of sustaining a good to excellent sport fishery for the size of stream involved. For rare, threatened or endangered species, flows to accomplish the high level of aquatic habitat maintenance would: 1) provide the high population levels needed to ensure the continued existence of that species, or 2) provide the flow levels above those which would adversely affect the species.
2. Low Level of Aquatic Habitat Potential - Flows to accomplish a low level of aquatic habitat maintenance would provide for only a low population of the species present. In the case of game fish species, a poor sport fishery could still be provided. For rare, threatened or endangered species, their populations would exist at low or marginal levels. In some cases, this flow level would not be sufficient to maintain certain species.

The final flow recommendation is selected from this range of flows by the fishery biologist who collected, summarized and analyzed all relevant field data for the streams of interest. The biologist's rating of the stream resource forms the basis of the flow selection process. Factors considered in the evaluation include the level of recreational use, the existing level of environmental degradation, water availability and the magnitude and composition of existing fish populations. The fish population information, which is essential for all streams, is a major consideration. A marginal or poor fishery would likely justify a flow recommendation at or near the lower inflection point unless other considerations, such as the presence of species of special concern (arctic grayling and cutthroat trout, for example), warrant a higher flow. In general, only streams with exceptional resident fish populations or those providing crucial spawning and/or rearing habitats for migratory populations would be considered for a recommendation at or near the upper inflection point. The process of deriving the flow recommendation for the low flow period thus combines a field method (wetted perimeter/inflection point method) with a thorough evaluation by a field biologist of the existing stream resource.

It is recommended that at least three and preferably five riffle cross-sections are used in the analysis. The final flow recommendation is derived by averaging the recommendations for each cross-section, or the computed wetted perimeters for all riffle cross-sections at each flow of interest averaged and the recommendation selected from the wetted perimeter-flow relationship for the composite of all cross-sections. The latter method is preferred.

A study evaluating the wetted perimeter/inflection point method for small trout streams was completed at the Cooperative Fisheries Research Unit, Montana State University, as a thesis project (Randolph and White, 1984). An

innovative approach in which stream sections were isolated with weirs and wild rainbow trout added during the high flow period, saturating the habitat, was used. Changes in trout carrying capacity, as determined by the movement of trout out of the sections, were measured as the flow decreased. The derived relationships between flow and trout carrying capacity were then compared to the relationships between flow and various habitat parameters, including the riffle wetted perimeter. The authors reported that in the pool-riffle habitats of their study stream the wetted perimeter/inflection point method worked well, while in run-riffle habitats the method underestimated the flow that was needed to maintain rainbow trout at a reasonable level. In no case did the method overestimate the summer instream flow needs.

Method for the Low Flow Period - Rivers

The Montana Department of Fish, Wildlife and Parks completed a study in 1980 that validated the wetted perimeter method as applied to the trout rivers of southwest Montana (Nelson, 1980a, 1980b and 1980c). In this study, the actual trout standing crop and flow relationship were derived from long-term data collected for five reaches of the Madison, Gallatin, Big Hole and Beaverhead Rivers, all nationally acclaimed wild trout fisheries. These relationships provided a range of flow recommendations for each reach. Flows less than the lower limit were judged undesirable since they led to substantial reductions of the standing crops of adult trout or the standing crops of a particular group of adults, such as trophy-size trout. Flows greater than the upper limit supported the highest adult standing crops during the study period. Flows between the lower and upper limits are broadly defined as those flows supporting intermediate standing crops or those standing crops that normally occur within each reach. The final recommendation was selected from this range of flows.

The range of flows derived from the trout-flow relationships for the five river reaches were compared to those derived from the wetted perimeter method as applied to riffle areas. The study results showed that the inflection point flows had a somewhat different impact on the trout standing crops of rivers than previously assumed for streams. For rivers, the flow at the upper inflection point is a fairly reliable estimate of the lower limit of the range of flows derived from the trout-flow relationships or, in other terms, flows less than the upper inflection point are undesirable as recommendations since they appear to lead to substantial reductions of the standing crops of adult trout.

The flow at the upper inflection point is not necessarily the preferred recommendation for all trout rivers. The "Blue Ribbon" rivers may require a higher flow in order to maintain the sport fishery resource at the existing level. In general, flows less than the upper inflection point are undesirable as flow recommendations regardless of the rating of the river resource.

independently in which various objectives were achieved with water and other
resources added during the high flow period. The objectives of the study were
based. Changes in river carrying capacity, as determined by the objectives of
study and of the objectives, were assessed as the flow decreased. The derived
relationships between flow and river carrying capacity were then compared to
the relationships between flow and various habitat parameters, including the
river's water temperature. The authors reported that the relationships
between the river's carrying capacity and the various habitat parameters
were not significant. The authors also reported that the river's carrying
capacity was not significantly related to the river's water temperature.
The authors also reported that the river's carrying capacity was not
significantly related to the river's water temperature.

Water for the River's Habitat

The authors reported that the river's carrying capacity was not
significantly related to the river's water temperature. The authors also
reported that the river's carrying capacity was not significantly related
to the river's water temperature. The authors also reported that the
river's carrying capacity was not significantly related to the river's
water temperature. The authors also reported that the river's carrying
capacity was not significantly related to the river's water temperature.
The authors also reported that the river's carrying capacity was not
significantly related to the river's water temperature. The authors also
reported that the river's carrying capacity was not significantly related
to the river's water temperature. The authors also reported that the
river's carrying capacity was not significantly related to the river's
water temperature. The authors also reported that the river's carrying
capacity was not significantly related to the river's water temperature.

The authors also reported that the river's carrying capacity was not
significantly related to the river's water temperature. The authors also
reported that the river's carrying capacity was not significantly related
to the river's water temperature. The authors also reported that the
river's carrying capacity was not significantly related to the river's
water temperature. The authors also reported that the river's carrying
capacity was not significantly related to the river's water temperature.
The authors also reported that the river's carrying capacity was not
significantly related to the river's water temperature. The authors also
reported that the river's carrying capacity was not significantly related
to the river's water temperature. The authors also reported that the
river's carrying capacity was not significantly related to the river's
water temperature. The authors also reported that the river's carrying
capacity was not significantly related to the river's water temperature.

The authors also reported that the river's carrying capacity was not
significantly related to the river's water temperature. The authors also
reported that the river's carrying capacity was not significantly related
to the river's water temperature. The authors also reported that the
river's carrying capacity was not significantly related to the river's
water temperature. The authors also reported that the river's carrying
capacity was not significantly related to the river's water temperature.
The authors also reported that the river's carrying capacity was not
significantly related to the river's water temperature. The authors also
reported that the river's carrying capacity was not significantly related
to the river's water temperature. The authors also reported that the
river's carrying capacity was not significantly related to the river's
water temperature. The authors also reported that the river's carrying
capacity was not significantly related to the river's water temperature.

DESCRIPTION OF THE WETP PROGRAM

The WETP program uses 2 to 10 sets of stage (water surface elevation) measurements taken at different known discharges (flows) to establish a rating curve. This curve has the equation, $Q = p(S - z_f)^n$ where:

Q = discharge
S = stage height
z_f = stage height at zero flow
p = a constant
n = a constant exponent.

The relationship of measured points, if perfect, would plot as a straight line on log - log paper with n equal to the slope of the line and p equal to the discharge when $(S - z_f) = 1$. The actual line is determined by least squares regression using the measured points. Once the stage-discharge rating curve for each cross-section is determined, the stage at a flow of interest can be predicted. This rating curve, when coupled with the cross-sectional profile, is all that is needed to predict the wetted perimeter at most flows of interest.

The stage height at zero flow (z_f) may be taken as the lowest elevation on the cross-sectional profile for riffles but is more difficult to determine for non-riffles, particularly pools, in which case the procedures of Rantz (1982) should be consulted. The applicable portions of that paper are included in Appendix A.

The z_f value for a non-riffle cross-section can also be measured in the field. It is the highest elevation of the thalweg (as referenced to the bench mark elevation) at the downstream control, which is typically the head of a riffle. The control is a channel feature which causes water to backup in an upstream direction.

The value of z_f is controlled by use of an option record (OPTS) in the input data. If the option is set to one, z_f is either set to a value supplied by the user or, in the absence of a supplied value, z_f is automatically set to the lowest elevation in the cross-sectional profile. If the user does not want z_f to equal the lowest elevation in the cross-sectional profile, the values for z_f are entered on the XSEC records. The option record must be the first entry in the data file and is illustrated in Appendices B and C.

The option of setting z_f to zero by setting the option record to zero is also available. Prior to this program revision, all results were obtained with z_f automatically set to zero. Option zero is included solely for the purpose of comparing results. Because the program now incorporates z_f into the calculations, the accuracy of the hydraulic predictions for those flows of

interest that are less than the lowest measured calibration flow should improve over calculations previously made with $z_f = 0$.

The program should be run using three sets of stage-discharge data collected at a high, intermediate and low flow. Additional data sets are desirable, but not necessary. The three measurements are made when runoff is receding (high flow), near the end of runoff (intermediate flow) and during late summer-early fall (low flow). The high flow should be considerably less than the bankfull flow, while the low flow should approximate the lowest flow that normally occurs during the summer-fall field season. Sufficient spread between the highest and lowest calibration flows is needed in order for the program to compute a linear, sloping rating curve.

The WETP program will run using only two sets of stage-discharge data. This practice is not recommended since substantial "two-point" error can result.

In addition to wetted perimeter (WETP), the program also predicts other hydraulic characteristics that can be used in deriving flow recommendations for selected time periods and life functions. These are the mean depth (DBAR) in ft, mean velocity (VBAR) in ft/sec, top width (WDTH) in ft, cross-sectional area (AREA) in ft^2 , stage (STGE) in ft, and maximum depth (DMAX) in ft.

A useful program option, termed the width-at-given-depth (WAGD) option, will calculate for up to 10 given depths the width (in ft) and percentage of the top width having depths greater than or equal to the given values. The width and percentage of the longest, continuous segment having the required depths is also listed for each flow of interest. This option is illustrated in Appendices B and C.

FIELD DATA REQUIREMENTS

The required inputs to the WETP program for each cross-section are:

1. Three sets of stage-discharge data measured at a high, intermediate and low flow. The stage height at zero flow (zf) is mandatory only when the program is applied to non-riffle areas.
2. The cross-sectional profile which consists of channel elevations (vertical distances) and the horizontal distance of each elevation measurement from the headstake (zero point). Up to 150 sets of measurements per cross-section are accepted by the program.

The following are needed to document field work:

1. Slides or photographs of the study area and cross-sections at the time field data are collected.
2. Field notebooks containing all surveying data, notes and calculations, recorded in a neat, consistent manner.

FIELD DATA REQUIREMENTS

The following figures to the WFT program for each data-requirement are:

1. Three sets of data-requirements are required for a field investigation. The data are: (a) The data-requirements for the field investigation, (b) The data-requirements for the field investigation, and (c) The data-requirements for the field investigation.

2. The data-requirements for the field investigation are: (a) The data-requirements for the field investigation, (b) The data-requirements for the field investigation, and (c) The data-requirements for the field investigation.

3. The data-requirements for the field investigation are: (a) The data-requirements for the field investigation, (b) The data-requirements for the field investigation, and (c) The data-requirements for the field investigation.

4. The data-requirements for the field investigation are: (a) The data-requirements for the field investigation, (b) The data-requirements for the field investigation, and (c) The data-requirements for the field investigation.

5. The data-requirements for the field investigation are: (a) The data-requirements for the field investigation, (b) The data-requirements for the field investigation, and (c) The data-requirements for the field investigation.

FIELD METHODS

Equipment

1. Level (a self-leveling or automatic level such as a Wild NAK1 is preferred).
2. 25-ft, telescoping, fiberglass level rod.
3. 50-500 ft canyon line or other suitable measuring tape. Tape should be calibrated to 0.1 ft.
4. Rebar cut in 30-inch pieces (stakes). Two stakes are needed per cross-section.
5. Two clamps (modified vise grips with flat jaws).
6. Engineers field notebook.
7. Pencils.
8. Current meter and rod, stopwatch and beeper box. Gurley or Price AA current meters are preferred. A Marsh-McBirney instantaneous readout current meter can be used in place of a Gurley or Price AA meter, provided the instantaneous meter is correctly calibrated.
9. Small sledge hammer.
10. Camera.
11. Fluorescent spray paint and flagging.
12. Forms for recording stream discharges and cross-sectional profiles.
13. A rod fitted with a porcelain, enameled, iron gage (Part No. 15405, Leupold and Stevens, Inc., P.O. Box 688, Beaverton, Oregon 97075) for measuring water depths. A current meter rod can be substituted.

Selecting Study Areas and Placing Cross-sections

Follow these guidelines when selecting study areas and placing cross-sections.

1. It is best to locate study areas and stake cross-sections during low water prior to the onset of runoff. It will be difficult to select these sites during the high water period when data collection begins.
2. Place the cross-sections in riffle areas if the wetted perimeter/inflection point method will be used to derive recommendations.

Cross-sections can be placed in a single riffle or a number of different riffles. Cross-sections should describe the typical riffle habitats within the stream reach being studied. Other critical habitat types can also be used, depending on your chosen method.

3. Describe the riffles using 3 to 10 cross-sections. It is recommended that at least 3 and preferably 5 riffle cross-sections are used. The program accepts 1 to 10 cross-sections per study area.
4. The WETP model assumes that the water surface elevations at the water's edge on the left bank (WEL) and right bank (WER) of a cross-section are always equal at a given flow. This is a valid assumption since the water surface elevations at WEL and WER generally remain within 0.1 ft of each other as the flow changes, provided the water surface elevations at WEL and WER were matched when the cross-section was established. Avoid placing cross-sections in areas where this assumption is likely to be violated, such as sharp bends in rivers and multiple channels containing islands. If cross-sections through these areas are unavoidable, you should proceed with caution.
5. Place the headstake marking each cross-section well up on the bank. Drive the headstake almost flush with the ground and mark well. In addition to marking the cross-section, the headstake is also your zero reference point for measuring horizontal distances across the cross-section. Headstakes for all the cross-sections within a study area should be located on the same bank.

Another stake is driven directly across from the headstake on the opposite bank. Place this stake so that the water surface elevations at the WEL and WER of the established cross-section are equal or similar (within 0.05 ft). This will require the use of a level and level rod. This stake is used to mark the cross-section on the bank opposite the headstake and also to attach the measuring tape when the channel profile is measured, so should not be driven to ground level. Cross-sections, when established, should be roughly perpendicular to the banks.

6. Number the cross-sections consecutively from downstream to upstream (the downstream-most cross-section is #1).
7. Measure the distances between cross-sections. This is an optional measurement that might be useful in locating cross-sections during return trips.
8. Remember, the WETP model is invalidated if channel changes occur in the study area during the data collecting process. For this reason, the collection of all field data should be completed during the period beginning when runoff is receding and ending with the onset of runoff the

following year. The stream channel is expected to be stable during this period.

Establishing Bench Marks

Establish a bench mark at or near your study area. The bench mark is a point that will not be disturbed or moved. A nail driven into the base of a tree, a fixed spot on a bridge abutment and a survey stake driven into the ground are examples of bench marks. Designating one of the cross-sectional headstakes within a study area as the bench mark is an acceptable practice. Bench marks should be well marked and described in your field notebook so they can be easily located during return trips. All channel and water surface elevations are established relative to the bench mark, which is assigned an elevation of 100.00 or 10.00 ft. Use 10.00 ft whenever possible.

For streams having "heavy" vegetative cover, the use of a single bench mark may not be practical. In this case, the individual headstakes can be used as bench marks. For example, the headstake for cross-section #1 could serve as the bench mark for cross-sections #1 and 2, while the headstake for cross-section #3 could serve as the bench mark for cross-sections #3, 4 and 5. Each headstake could also serve as the bench mark for that individual cross-section. While this is not the best surveying technique, certain stream reaches may require its use. Be sure to carefully record in your notebook which headstakes are used as bench marks to avoid confusion and errors on return trips.

Remember, channel and water surface elevations for all cross-sections within a study area do not have to be tied to a single bench mark for the WETP program to run properly. However, the use of a single bench mark enhances your field technique.

Surveying Techniques

The reader is referred to Spence (1975) and Bovee and Milhous (1978) for a discussion of the surveying techniques used to measure cross-sectional profiles and water surface elevations. Both papers should be read by those unfamiliar with the mechanics of surveying. All investigators must receive field training before attempting any measurements.

It is important to be consistent and to use good technique when collecting and recording data. Record all data in your notebook and complete all calculations while in the field, so that any surveying errors can be detected and corrected. Remember, your field notebooks may be examined in court or hearing proceedings. Good quality equipment such as an automatic level is also an asset.

Measuring Water Surface Elevations (Stages)

Water surface elevations should be measured for each cross-section at three different flows. If cross-sections are established prior to runoff, then you must return to the study area at least three more times, when runoff is receding (high flow), near the end of runoff (intermediate flow) and during late summer or early fall (low flow).

It should be noted that it is unnecessary to collect surface elevation measurements for all of the cross-sections within a study area at the same flows. For example, if another cross-section is added to the study area at a later date, the calibration flows for this new cross-section do not have to match those for the remaining cross-sections. It is also unnecessary to have the same number of calibration flows for all of the cross-sections within a study area.

Water surface elevations are measured at the water's edge directly opposite the stake marking the cross-section on each bank. The stretching of a tape across the cross-section is unnecessary, since the horizontal distances from the headstake to the WEL and WER are not needed. Measure water surface elevations to the nearest 0.01 ft. The mechanics of this measurement are discussed in Bovee and Milhous (1978). Once water surface elevations are calculated, repeat the measurements and check for surveying errors. If a single bench mark is used, then water surface elevations should increase with the upstream progression of cross-sections.

As previously discussed, the WETP model assumes that the water surface elevations at WEL and WER are always equal at a selected flow of interest. In a stream channel, the surface elevations at the WEL and WER of a cross-section should remain fairly equal as the flow varies, provided the elevations at WEL and WER were matched when the cross-section was established. Consequently, it is necessary to measure the water surface elevations at both WEL and WER during all return trips to verify this assumption. These two measurements should always be within approximately 0.1 ft of one another. For the larger waterways, a greater difference is allowable. Average these two measurements to obtain the water surface elevation that is entered on the coding sheets.

Measuring Stream Discharges

The flow through the study area must be measured each time water surface elevations are determined. On the larger waterways, it is best to locate study areas near USGS gage stations to eliminate a discharge measurement.

Use standard USGS methods when measuring discharges. Publications of Bovee and Milhous (1978), Buchanan and Somers (1969), and Smoot and Novak (1968) describe these methods and provide information on the maintenance of current meters. Read these publications before attempting any discharge measurements. Field training is also mandatory.

Measuring Cross-sectional Profiles

The channel profile has to be determined for each cross-section. Unlike the measurement of water surface elevations, this has to be done only once. It is best to measure profiles at the lowest calibration flow when wading is easiest. For the unwadable, larger waterways that require the use of a boat, profiles are best measured at an intermediate calibration flow.

For wadable streams, a measuring tape is stretched across the cross-section with the zero point set on top of the headstake. Setting the headstake at zero, while not mandatory, is a good practice that provides consistency in your field technique. Never attach the tape directly to the headstake. The tape is attached with a vise grip to a stake that is driven behind the headstake. A vise grip can be attached directly to the stake on the opposite bank to stretch and hold the tape in place.

Elevations are now measured between the headstake and water's edge using the level rod. Elevations are measured at major breaks in the contour. The horizontal distance of each elevation measurement from the headstake (zero point) is also recorded. Elevations are also measured between the water's edge at the opposite bank and the opposite stake and the horizontal distance from the headstake recorded for each measurement. Elevations of the exposed portions of instream rocks and boulders are also measured in this manner. Measure elevations to the nearest 0.01 ft and horizontal distances to the nearest 0.1 ft.

Be sure to collect profile measurements for points well above the water's edge. It is a good practice, although not mandatory, to begin at the headstake (0.0 distance) and end at the stake on the opposite bank. Remember, the highest elevations on both banks of the cross-sectional profile must be substantially higher than the stage at the highest calibration flow, if predictions are to be made for flows of interest that exceed the highest calibration flow.

For the segment of the cross-section containing water, a different approach involving the measurement of water depth is used. Water depth is measured using a current meter rod or a rod fitted with a porcelain, enameled, iron gage. Do not use your level rod. Measure depths at all major breaks in the bottom contour. Generally, 10-30 depth measurements are needed for streams and creeks. Measure depths to the nearest 0.05 ft (current meter rod) or 0.01 ft (rod fitted with gage). For each depth measurement, record the horizontal distance from the headstake (zero point). The bottom elevation at each distance from the headstake is determined by subtracting the water depth from the water surface elevation (average for WEL and WER). For example, if the average water surface elevation is 9.26 ft and at 10.2 ft from the headstake the water depth is 0.90 ft, then the bottom elevation at this distance is 8.36 ft (9.26 ft minus 0.90 ft). The elevations for all points covered by water are calculated in this manner.

For the unswadable, larger waterways, cross-sectional profiles are measured using a boat, depth recorder and range finder. Graham and Penkal (1978) describe this technique.

The WETP program will handle vertical banks. When recording these data, the horizontal distance from the headstake to both the top and bottom of the vertical will be the same, but the elevations will be different.

The program will not handle undercut banks. These data have to be adjusted before being entered on the coding sheets. The best method is to treat undercuts as vertical banks. To accomplish this, the horizontal distance from the headstake to the bottom of the undercut is substituted for the horizontal distance to the top of the undercut, creating a vertical bank.

The program will handle islands, bars and multiple channels, provided the water surface elevations at all the water's edges of the cross-section remain relatively equal as the total stream flow changes. Since this is unlikely, these areas should be avoided when establishing cross-sections.

OFFICE METHODS

WETP Data Format

An example describing the WETP format is given in Appendix B. Much of the format is self-explanatory. Carefully examine this example and the explanatory notations before attempting to code your data on the coding sheets.

The five cross-sections in the example were located in riffles. The stage height at zero flow (zf) was therefore set to the lowest elevation in the cross-sectional profile for each.

All elevations in the example were established relative to a single bench mark, which was assigned an elevation of 100.00 ft for illustration only. A bench mark elevation of 10.00 ft would be more appropriate and should be used whenever possible.

Enter the WETP data on the coding sheets in the following manner:

1. Flows of interest (up to 100 flows are accepted by the program)

Integers in cfs or with decimal points (not to exceed six characters, including decimal point, if used)

2. Cross-sectional profile data (up to 150 sets of measurements are accepted)

Distances from headstake - nearest 0.1 ft
Channel elevations - nearest 0.01 ft

3. Stage-discharge data (2 to 10 sets of measurements are accepted)

Stages (water surface elevations) - nearest 0.01 ft
Discharges (flows) - nearest 0.1 cfs

4. Stage height at zero flow (zf) data (1 for each cross-section if desired)

zf - nearest 0.01 ft

If the cross-sectional profile, stage-discharge and zf data are entered in the above manner, decimal points are not needed. However, decimal points can be used if desired.

Selecting Flows of Interest

You will be extrapolating data for flows of interest that are less than the lowest measured calibration flow for a particular cross-section. The

extrapolation of data beyond the highest calibration flow is a less desirable option since our main interest is to derive minimum flow recommendations. Remember, the stage-discharge rating curve generally flattens out at extremely high (above bankfull) and extremely low flows. At these flows, the predicted stages from the measured rating curve are inaccurate and will lead to inaccurate hydraulic predictions.

Use the following guidelines when selecting flows of interest (Bovee and Milhous, 1978):

1. Two point stage-discharge rating curve

Hydraulic predictions should not be made for flows which are less than 0.77 times the minimum measured flow, nor for flows higher than 1.3 times the maximum measured flow.

2. Three point (or greater) stage-discharge rating curve

Hydraulic predictions should not be made for flows which are less than 0.4 times the minimum measured flow, nor for flows higher than 2.5 times the maximum measured flow.

WETP Data Output

The output for the input example in Appendix B is given in Appendix C. Carefully examine this output.

When reviewing your outputs, consider the following:

1. Errors

Carefully check the profile and stage-discharge data on the printouts for errors. The keypunch operators occasionally make errors, even though they carefully proof the data files. The vast majority of errors, however, are the result of format and recording errors on the coding sheets. If corrections are needed, mark all changes on the coding sheets in red ink or pencil and return to Fred Nelson so the file can be corrected and your data rerun.

2. Error messages

The vast majority of error messages that occasionally appear on the printouts are a result of undetected format errors on the coding sheets. These are easily corrected and the file rerun before the printout is sent to the cooperator.

An error message will appear when predictions are requested for flows of interest having stages higher than the highest elevations in the

cross-sectional profile. Additional profile measurements collected higher up on the banks will correct this problem, if deemed necessary.

3. r^2 values

If the r^2 value for a stage-discharge rating curve is less than approximately 0.90, the cross-section should be eliminated from the analysis. Low r^2 values may be due to errors, so recheck the stage and discharge measurements before eliminating these cross-sections. For those cross-sections having only two sets of stage-discharge measurements (remember, this practice is not recommended), r^2 values are automatically 1.000 and consequently of no use in assessing the reliability of the hydraulic predictions.

OTHER USES FOR THE WETP OUTPUT

The wetted perimeter/inflection point method, as previously described, is the primary method the MDFWP is presently using to derive instream flow recommendations for the waterways of Montana. The WETP program and output can also be used in other ways for deriving recommendations. Some of these uses are discussed in the following examples.

Passage of Migratory Trout

Many streams, particularly those in northwest Montana, provide important spawning and rearing habitats for migratory salmonids. Sufficient stream flows are needed not only to maintain the spawning and rearing habitats, but also to pass adults through shallow riffle areas and other natural barriers while moving to their upstream spawning areas.

Trout passage criteria relating to stream depth have been developed in Oregon and Colorado (Table 1). These criteria, when used in conjunction with the WETP output for critical riffle areas, can be used to derive minimum passage flows. For example, passage criteria developed by the Colorado Division of Wildlife for streams 20 ft and wider indicate that the minimum average depth needed to pass trout through riffles is 0.5-0.6 ft. The output for the Tobacco River (Table 2) shows that the average depth for all five riffle cross-sections exceeds 0.5 ft, the approximate minimum average depth required for passage, at a flow of approximately 120 cfs. A flow of at least 120 cfs is therefore recommended during the spawning period to facilitate the passage of adult trout to upstream spawning areas.

Table 1. Trout passage criteria (from Wesche and Rechar, 1980).

<u>Species</u>	<u>Source</u>	<u>Minimum Depth (ft)</u>	<u>Average Depth (ft)</u>	<u>Where Developed</u>
Large Trout ≥20 inches	Thompson 1972	0.6	---	Oregon
Other Trout <20 inches	Thompson 1972	0.4	---	Oregon
Trout (on streams 20 ft or greater)	Colo. Div. of Wild. 1976	---	0.5-0.6 across riffles	Colorado
Trout (on streams 10-20 ft wide)	Colo. Div. of Wild. 1976	---	0.2-0.4 across riffles	Colorado

Table 2. Average depths for five riffle cross-sections in the Tobacco River, Montana, at selected flows of interest. Average depths were derived using the WETP computer program.

Flow (cfs)	Average Depth (ft)				
	Riffle cs #1	Riffle cs #2	Riffle cs #3	Riffle cs #4	Riffle cs #5
100	.44	.65	.79	.68	.47
110	.49	.69	.85	.72	.52
120	.54	.73	.91	.75	.57

The minimum depth criteria developed in Oregon could also be used in conjunction with the WAGD option of the WETP program to derive passage recommendations. For this evaluation, criteria are developed requiring at least a certain percentage of the top width of a cross-section to have water depths greater than or equal to the minimum needed for fish passage. In Oregon, at least 25% of the top width and a continuous portion equaling at least 10% of the top width are used (Thompson, 1972). The flow that satisfies these criteria for all cross-sections is recommended.

Goose Nesting Requirement

The maintenance of adequate flows around islands selected by Canada geese for nesting is necessary to insure that the nests are protected from mammalian predators. Under low flow conditions, these predators have easy access to the islands and can significantly reduce goose production. The security of the islands is a primary factor in their selection as nest sites by geese. This security is provided by adequate side channel flows, which are a function of depth, width, and velocity. Since wetted perimeter is a function of both width and depth, its relationship to discharge is believed to be the best indicator of the minimum flows that are needed to maintain secure nesting islands.

The wetted perimeter/inflection point method is applied to the shallowest area of the side channel bordering each nesting island. A wetted perimeter-side channel discharge curve is generated for each cross-section and the inflection point determined. A curve correlating the side channel flow to the total river flow is also derived during the field season. From these curves, the total river discharge that would provide the inflection point flow in each side channel is determined. The final recommendation is derived by averaging the recommendations for each island or choosing the river flow that would maintain at least the inflection point flow around all the islands being sampled in the study area. The latter method is preferred.

Depth and width criteria could also be developed and used in conjunction with the WAGD option of the WETP program to formulate flow recommendations for nesting.

Maintenance of Spawning and Rearing Habitats in Side Channels

Side channels provide important and sometimes critical spawning and rearing habitats for many cold and warm water fish species. The maintenance of these habitats is dependent on adequate side channel flows.

The wetted perimeter/inflection point method, when applied to the riffle areas of critical side channels, will provide a measure of the side channel flow that is needed to maintain the spawning and rearing habitats at acceptable levels. When this side channel recommendation is used in conjunction with a curve correlating the side channel flow to the total river flow, the total river flow that would maintain adequate side channel flow can be determined.

This method is applied to a series of side channels and the final recommendation derived by averaging the recommendations for each or choosing the river flow that would maintain at least the inflection point flow in all the sampled side channels. The latter method is again preferred.

Recreational Floating Requirement

Minimum depth and width criteria have been developed for various types of boating craft by the Cooperative Instream Flow Service Group of the U.S. Fish and Wildlife Service (Hyra, 1978). These are listed in Table 3.

Table 3. Required stream width and depth for various recreation craft.

<u>Recreation Craft</u>	<u>Required Depth (ft)</u>	<u>Required Width (ft)</u>
Canoe-kayak	0.5	4
Drift boat, row boat-raft	1.0	6
Tube	1.0	4
Power boat	3.0	6
Sail boat	3.0	25

These criteria are minimal and would not provide a satisfactory experience if the entire river was at this level. However, if the required depths and widths are maintained in riffles and other shallow areas, then these minimum conditions will only be encountered a short time during the float and the remainder of the trip will be over water of greater depths.

Cross-sections are placed in the shallowest area along the waterway. The WAGD option of the WETP program is used to determine the flow that will satisfy the minimum criteria for the craft of interest. For example, if deriving a recommendation for power boats, the flow providing depths ≥ 3.0 ft for at

least a 6.0 ft, continuous length of top width is recommended. When a series of cross-sections are used, the results for each cross-section are analyzed separately and the flow satisfying the criteria for all cross-sections is recommended.

This analysis can be expanded using additional criteria. For example, in addition to the above criteria for power boats, it can also be required that a certain percentage of the top width, such as 25%, has depths ≥ 3.0 ft. Remember, you will have to justify all criteria used in your analysis.

FINAL CONSIDERATIONS

Be sure to compare your instream flow recommendations to the water availability. For gaged streams, many summary flow statistics, such as the mean and median monthly flow of record, are available for comparison. For ungaged streams, instantaneous flow measurements collected by various state and federal agencies and simulated data are useful. The primary purpose is to determine if the recommendation is reasonable based on water availability. It is also desirable, for future planning, to define the period in which water in excess of the recommendation is available for consumptive uses and to quantify this excess.

It is common for the low flow recommendations for many of the headwater rivers and streams to equal or exceed the normal water availability for the months of November through March. This is the winter period when the natural flows are lowest for the year. These naturally occurring low flows, when coupled with the adverse effects of surface and anchor ice formation and the resulting scouring of the channel at ice-out, can impact the fishery. Consequently, water depletions during the winter have the potential to be extremely harmful to the already stressed fish populations. For headwater rivers and streams, it is generally accepted that little or no water should be removed during the critical winter period if fish populations are to be maintained at existing levels.

The recommendations derived from the wetted perimeter/inflection point method only apply to the low flow or nonrunoff months. For the high flow or runoff period, flow recommendations should be based on those flows judged necessary for flushing bottom sediments and maintaining the existing channel morphology. This method, termed the dominant discharge/channel morphology concept (Montana Department of Fish and Game, 1979), requires at least ten years of continuous USGS gage records for deriving high flow recommendations, so cannot be applied to most streams.

LITERATURE CITED

- Bovee, K. D. 1974. The determination, assessment and design of "instream value" studies for the Northern Great Plains region. Univ. of Montana. Final Report. Contract No. 68-01-2413, Envir. Protection Agency. 204 pp.
- Bovee, K. D. and R. Milhous. 1978. Hydraulic simulation in instream flow studies: theory and techniques. Cooperative Instream Flow Service Group, 2625 Redwing Rd., Fort Collins, CO 80526. 131pp.
- Buchanan, T. J. and W. P. Somers. 1969. Discharge measurements at gaging stations. Techniques of Water Resources Investigations of the United States Geological Survey, Book 3, Chapter A8.
- Collings, Mike. 1972. A methodology for determining instream flow recommendations for fish. In Proceedings of Instream Flow Methodology Workshop. Washington Dept. of Ecology, Olympia, WA. pp. 72-86.
- _____. 1974. Generalization of spawning and rearing discharges for several Pacific salmon species in western Washington. USGS, Open File Report. 39pp.
- Colorado Division of Wildlife. 1976. Required instream flows Crystal River and Avalanche Creek. Open File Letter. Colorado Division of Wildlife, 6060 Broadway, Denver, CO 80216. 33pp.
- Graham, P. J. and R. F. Penkal. 1978. Aquatic environmental analysis in the lower Yellowstone River. Montana Department of Fish, Wildlife and Parks, Helena, MT 59620. 102pp.
- Hyra, R. 1978. Methods of assessing instream flows for recreation. Instream Flow Information Paper: No. 6. FWS/OBS - 78/34. 44pp.
- Montana Department of Fish and Game, 1979. Instream flow evaluation for selected streams in the upper Missouri River basin. Montana Department of Fish, Wildlife and Parks, 1420 East Sixth Avenue, Helena, MT 59620. 254pp.
- Nelson, F. A. 1977. Beaverhead River and Clark Canyon Reservoir fishery study. Montana Department of Fish, Wildlife and Parks. 118pp.
- _____. 1980a. Evaluation of four instream flow methods applied to four trout river in southwest Montana. Montana Dept. of Fish, Wildlife and Parks, 8695 Huffine Lane, Bozeman, MT. 105pp.

- _____. 1980b. Supplement to evaluation of four instream flow methods applied to four trout river in southwest Montana. Montana Dept. of Fish, Wildlife and Parks, 8695 Huffine Lane, Bozeman, MT. 55pp.
- _____. 1980c. Evaluation of selected instream flow methods in Montana. In Western Proceedings 60th Annual Conference of the Western Association of Fish and Wildlife Agencies. Western Division, American Fisheries Society. pp. 412-432.
- Randolph, C. L. and R. G. White. 1984. Validity of the wetted perimeter method for recommending instream flows for salmonids in small streams. Research Project Technical Completion Report, Montana Water Resources Research Center, Montana State University, Bozeman, Montana. 103pp.
- Rantz, S. E. (and others). 1982. Measurement and computation of streamflow: Volume 2. Computation of discharge. Geological Survey Water-Supply Paper 2175. U.S. Government Printing Office, Washington, D. C.
- Sando, S. K. 1981. The spawning and rearing habitats of rainbow trout and brown trout in two rivers in Montana. M.S. Thesis, Montana State University, Bozeman. 67pp.
- Smoot, G. F. and C. E. Novak. 1968. Calibration and maintenance of vertical-axis type current meters. Techniques of Water Resources Investigations of the United States Geological Survey, Book 8, Chapter B2.
- Spence, L. E. 1975. Guidelines for using Water Surface Profile program to determine instream flow needs for aquatic life. Montana Dept. of Fish, Wildlife and Parks, Helena, MT 59620. Prelim. Draft. 22pp.
- Thompson, K. E. 1972. Determining streamflows for fish life. In Proc. Instream Flow Requirement Workshop, Pacific NW River Basins Comm., Portland, OR. pp. 31-50.
- Wesche, T. A. and P. A. Rechard. 1980. A summary of instream flow methods for fisheries and related research needs. Eisenhower Consortium Bulletin 9. Water Res. Research Inst., Univ. of Wyoming, Laramie, WY. 122 pp.
- White, Robert G. 1976. A methodology for recommending stream resource maintenance flows for large rivers. In Proceedings of the Symp. and Spec. Conf. on Instream Flow Needs, ed. J. F. Orsborn and C. H. Allman. Vol. II, pp. 367-386. Amer. Fish. Soc., Bethesda, MD.
- White, Robert and Tim Cochnauer. 1975. Stream resource maintenance flow studies. Idaho Dept. of Fish and Game and Idaho Coop. Fishery Research Unit Report. 136 pp.

APPENDIX A

Calculation of stage height at zero flow (z_f) from Rantz (1982)

period. On the other hand, if, as is usually the case, discharge measurements are lacking to define the upper end of the rating, the defined lower part of the rating curve must be extrapolated to the highest stage experienced. Such extrapolations are always subject to error, but the error may be reduced if the analyst has a knowledge of the principles that govern the shape of rating curves. Much of the material in this chapter is directed toward a discussion of those principles, that when the hydrographer is faced with the problem of extending the high-water end of a rating curve he can decide whether the extrapolation should be a straight line, or whether it should be concave upward or concave downward.

The problem of extrapolation can be circumvented, of course, if the unmeasured peak discharge is determined by use of the indirect methods discussed in chapter 9. In the absence of such peak-discharge determinations, some of the uncertainty in extrapolating the rating may be reduced by the use of one or more of several methods of estimating the discharge corresponding to high values of stage. Four such methods are discussed in the section titled "High-flow Extrapolation."

In the discussions that follow it was generally impractical to use both English and metric units, except where basic equations are given. Consequently English units are used throughout, unless otherwise noted.

STAGE-DISCHARGE CONTROLS

The subject of stage-discharge controls was discussed in detail in chapter 3, but a brief summary at this point is appropriate.

The relation of stage to discharge is usually controlled by a section or reach of channel downstream from the gage that is known as the station control. A section control may be natural or manmade; it may be a ledge of rock across the channel, a boulder-covered riffle, an overflow dam, or any other physical feature capable of maintaining a fairly stable relation between stage and discharge. Section controls are often effective only at low discharges and are completely submerged by channel control at medium and high discharges. Channel control consists of all the physical features of the channel that determine the stage of the river at a given point for a given rate of flow. These features include the size, slope, roughness, alignment, constrictions and expansions, and shape of the channel. The reach of channel that acts as the control may lengthen as the discharge increases, introducing new features that affect the stage-discharge relation.

Knowledge of the channel features that control the stage-discharge relation is important. The development of stage-discharge curves where more than one control is effective, and where the number of

measurements is limited, usually requires judgment in interpolating between measurements and in extrapolating beyond the highest measurements. That is particularly true where the controls are not permanent and the various discharge measurements are representative of changes in the positioning of segments of the stage-discharge curve.

GRAPHICAL PLOTTING OF RATING CURVES

Stage-discharge relations are usually developed from a graphical analysis of the discharge measurements plotted on either rectangular-coordinate or logarithmic plotting paper. In a preliminary step the discharge measurements available for analysis are tabulated and summarized on a form such as that shown in figure 139. Discharge is then plotted as the abscissa, corresponding gage height is plotted as the ordinate, and a curve or line is fitted by eye to the plotted points. The plotted points carry the identifying measurement numbers given in figure 139; the discharge measurements are numbered consecutively in chronological order so that time trends can be identified.

At recording-gage stations that use stilling wells, systematic and significantly large differences between inside (recorded) gage heights and outside gage heights often occur during periods of high stage, usually as a result of intake drawdown (see section in chapter 4 titled, "Stilling Wells"). For stations where such differences occur, both inside and outside gage heights for high-water discharge measurements are recorded on the form shown in figure 139, and in plotting the measurements for rating analysis, the outside gage readings are used first. The stage-discharge relation is drawn through the outside gage readings of the high-water discharge measurements and is extended to the stage of the outside high-water marks that are observed for each flood event. The stage-discharge relation is next transposed to correspond with the inside gage heights obtained from the stage-recorder at the times of discharge measurement and at flood peaks. It is this transposed stage-discharge relation that is used with recorded stages to compute the discharge.

The rationale behind the above procedure is as follows. The outside gage readings are used for developing the rating because the hydraulic principles on which the rating is based require the use of the true stage of the stream. The transposition of the rating to inside (recorded) stages is then made because the recorded stages will be used with the rating to determine discharge. The recorded stages are used for discharge determination because if differences exist between inside and outside gage readings, those differences will be known only for those times when the two gages are read concurrently. If the

outside gage heights were used with the rating to determine discharge, variable corrections, either known or assumed, would have to be applied to recorded gage heights to convert them to outside stages. We have digressed here to discuss differences between inside and outside gage heights, because in the discussions that follow no distinction between the two gages will be made.

The use of logarithmic plotting paper is usually preferred for graphical analysis of the rating because in the usual situation of compound controls, changes in the slope of the logarithmically plotted rating identify the range in stage for which the individual controls are effective. Furthermore, the portion of the rating curve that is applicable to any particular control may be linearized for rational extrapolation or interpolation. A discussion of the characteristics of logarithmic plotting follows.

The measured distance between any two ordinates or abscissas on logarithmic graph paper, whose values are printed or indicated on the sheet by the manufacturer of the paper, represents the difference between the logarithms of those values. Consequently, the measured distance is related to the ratio of the two values. Therefore, the distance between pairs of numbers such as 1 and 2, 2 and 4, 3 and 6, 5 and 10, are all equal because the ratios of the various pairs are identical. Thus the logarithmic scale of either the ordinates or the abscissas is maintained if all printed numbers on the scale are multiplied or divided by a constant. This property of the paper has practical value. For example, assume that the logarithmic plotting paper available has two cycles (fig. 140), and that ordinates ranging from 0.3 to 15.0 are to be plotted. If the printed scale of ordinates is used and the bottom line is called 0.1, the top line of the paper becomes 10.0, and values between 10.0 and 15.0 cannot be accommodated. However, the logarithmic scale will not be distorted if all values are multiplied by a constant. For this particular problem, 2 is the constant used in figure 140, and now the desired range of 0.3 to 15.0 can be accommodated. Examination of figure 140 shows that the change in scale has not changed the distance between any given pair of ordinates; the position of the ordinate scale has merely been transposed.

We turn now to a theoretical discussion of rating curves plotted on logarithmic graph paper. A rating curve, or a segment of a rating curve, that plots as a straight line of logarithmic paper has the equation,

$$Q = p(G - c)^n \quad (53)$$

where

Q is discharge;

$(G - c)$ is head or depth of water on the control—this value is indicated by the ordinate scale printed by the manufacturer or

FIGURE 139.—Example of form used for tabulating and summarizing current-meter discharge measurements

Eel River of Scotia, Calif.									
Station No.	Date	Time	Stage (ft.)	Discharge (cfs.)	Velocity (ft./sec.)	Area (sq. ft.)	Volume (cu. ft.)	Remarks	Notes
475	May 31	10:30	15.3	199	0.78	9.92	155		
476	Oct 5	10:15	15.5	148	0.82	8.79	121		
477	Nov 2	10:15	15.4	158	0.85	8.88	135		
478	Nov 30	10:15	15.4	2,030	2.47	12.32	5,010		
479	Jan 3	10:15	15.3	6,790	7.19	21.03	48,800		
500	25	10:15	15.2	2,350	1.73	12.74	4,050		
501	25	10:15	15.1	2,270	1.71	12.73	3,880		
502	31	10:15	15.0	3,950	4.18	16.08	16,500		
503	Feb 21	10:15	15.3	3,000	2.70	13.85	8,100		
504	Mar 31	10:15	15.4	13,590	13.59	74.20	74,200		
505	Apr 28	10:15	15.4	18,900	12.15	10.62	3,600		
506	June 1	10:15	15.4	1,000	0.83	10.62	1,000		
507	July 6	10:15	15.4	1,930	1.56	9.82	302		
508	Aug 8	10:15	15.4	1,260	1.11	9.40	140		
509	Sept 12	10:15	15.4	1,430	1.43	9.26	110		
510	Oct 4	10:15	15.4	1,160	1.21	7.30	117		




FIGURE 140.—Example showing how the logarithmic scale of graph paper may be transposed.

by the ordinate scale that has been transposed, as explained in the preceding paragraph;

G is gage height of the water surface;

e is gage height of zero flow for a section control of regular shape, or the gage height of effective zero flow for a channel control or a section control of irregular shape;

p is a constant that is numerically equal to the discharge when the head $(G - e)$ equals 1.0 ft or 1.0 m, depending on whether English or metric units are used; and

N is slope of the rating curve. (Slope in equation 53 is the ratio of the horizontal distance to the vertical distance. This conventional way of measuring slope is necessary because the dependent variable Q is always plotted as the abscissa.)

We assume now that a segment of an established logarithmic rating is linear, and we examine the effect on the rating of changes to the control. If the width of the control increases, p increases and the new rating will be parallel to and to the right of the original rating. If the width of the control decreases, the opposite effect occurs: p decreases and the new rating will be parallel to and to the left of the original rating. If the control scours, e decreases and the depth $(G - e)$ for a given gage height increases; the new rating moves to the right and will no longer be a straight line but will be a curve that is concave downward. If the control becomes built up by deposition, e increases and the depth $(G - e)$ for a given gage height decreases; the new rating moves to the left and is no longer linear but is a curve that is concave upward.

When discharge measurements are originally plotted on logarithmic paper, no consideration is given to values of e . The gage height of each measurement is plotted using the ordinate scale provided by the manufacturer or, if necessary, an ordinate scale that has been transposed as illustrated in figure 140. We refer now to figure 141. The inside scale ($e = 0$) is the scale printed by the paper manufacturer. Assume that the discharge measurements have been plotted to that scale and that they define the curvilinear relation between gage height (G) and discharge (Q) that is shown in the topmost curve. For the purpose of extrapolating the relation, a value of e is sought, which when applied to G , will result in a linear relation between $(G - e)$ and Q . If we are dealing with a section control of regular shape, the value of e will be known; it will be the gage height of the lowest point of the control (point of zero flow). If we are dealing with a channel control or section control of irregular shape, the value of e is the gage height of effective zero flow. The gage height of effective zero flow is not the gage height of some identifiable feature on the irregular section control or in the channel but is actually a mathematical constant

that is considered as a gage height to preserve the concept of a logarithmically linear head-discharge relation. Effective zero flow is usually determined by a method of successive approximations.

In successive trials, the ordinate scale in figure 141 is varied for e values of 1, 2 and 3 ft, each of which results in a different curve, but each new curve still represents the same rating as the top curve. For example, a discharge of 30 ft³/s corresponds to a gage height (G) of 5.5 ft on all four curves. The true value of e is 2 ft, and thus the rating plots as a straight line if the ordinate scale numbers are increased by that value. In other words, while even on the new scale a discharge of 30 ft³/s corresponds to a gage height (G) of 5.5 ft, the head or depth on the control for a discharge of 30 ft³/s is $(G - e)$, or 3.5 ft; the linear rating marked $e = 2$ crosses the ordinate for 30 ft³/s at 5.5 ft on the new scale and at 3.5 ft on the manufacturer's, or inside, scale. If values of e smaller than the true value of 2 ft are used, the rating curve will be concave upward, if values of e greater than 2 ft are used, the curve will be concave downward. The value of e to be used for a rating curve, or for a segment of a rating curve, can thus be determined by adding or subtracting trial values of e to the numbered scales on the logarithmic plotting paper until a value is found that results in a straight-line plot of the rating. It is important to note that if the logarithmic ordinate scale must be transposed by multiplication or division to accommodate the range of stage to be plotted, that transposition must be made before the ordinate scale is manipulated for values of e .




FIGURE 141.—Rating-curve shapes resulting from the use of differing values of effective zero flow.

A more direct solution for e , as described by Johnson (1952) is illustrated in figure 142. A plot of G versus Q has resulted in the solid-line curve which is to be linearized by subtracting a value of e from each value of G . The part of the rating between points 1 and 2 is chosen, and values of G_1 , G_2 , Q_1 , and Q_2 are picked from the coordinate scales. A value of Q_3 is next computed, such that

$$Q_3^2 = Q_1 Q_2$$

From the solid-line curve, the value of G_3 that corresponds to Q_3 is picked. In accordance with the properties of a straight line on logarithmic plotting paper,

$$(G_3 - e)^2 = (G_1 - e)(G_2 - e). \quad (54)$$

Expansion of terms in equation 54 leads to equation 55 which provides a direct solution for e .

$$e = \frac{G_1 G_2 - G_3^2}{G_1 + G_2 - 2G_3} \quad (55)$$

A logarithmic rating curve is seldom a straight line or a gentle curve for the entire range in stage. Even where a single cross section of the channel is the control for all stages, a sharp break in the




FIGURE 142.—Schematic representation of the linearization of a curve on logarithmic graph paper.

contour of the cross section, such as an overflow plain, will cause a break in the slope of the rating curve. Commonly, however, a break in slope is due to the low-water control being drowned out by a downstream section control becoming effective or by channel control becoming effective.

The use of rectangular-coordinate paper for rating analysis has certain advantages, particularly in the study of the pattern of shifts in the lower part of the rating. A change in the low-flow rating at any sites results from a change in the elevation of effective zero flow e , which means a constant shift in gage height. A shift of that kind is more easily visualized on rectangular-coordinate paper because on that paper the shift curve is parallel to the original rating curve, the two curves being separated by a vertical distance equal to the change in the value of e . On logarithmic paper the two curves will be separated by a variable distance which decreases as stage increases. A further advantage of rectangular-coordinate paper is the fact that the point of zero flow can be plotted directly on rectangular-coordinate paper, thereby facilitating extrapolation of the low-water end of the rating curve. That cannot be done on logarithmic paper because zero values cannot be shown on that type of paper.

As a general rule logarithmic plotting should be used initially in developing the general shape of the rating. The final curve may be displayed on either type of graph paper and used as a base curve for the analysis of shifts. A combination of the two types of graph paper is frequently used with the lower part of the rating plotted on an inset of rectangular-coordinate paper or on a separate sheet of rectangular-coordinate paper.

SECTION CONTROLS ARTIFICIAL CONTROLS

At this point we digress from the subject of logarithmic rating curves to discuss the ratings for artificial section controls. A knowledge of the rating characteristics of controls of standard shape is necessary for an understanding of the rating characteristics of natural controls, almost all of which have irregular shapes. On pages that follow we first discuss thin-plate weirs, then broad-crested weirs, and finally flumes.

Thin-plate weirs are generally used in small clear-flowing streams, particularly where high accuracy is desired and adequate maintenance can be provided, as in small research watersheds. Flumes are preferred for use in small streams and canals that carry sediment and debris, and in other situations where the head loss (backwater) associated with a thin-plate weir is unacceptable. Most types of flume may also be used under conditions of submergence, as opposed to free-flow

conditions, thereby permitting them to operate with even smaller head loss but with some loss of accuracy of the stage-discharge relation. The broad-crested weirs are commonly used in the larger streams.

TRANSFERABILITY OF LABORATORY RATINGS

Standard shapes or dimensions are commonly used in building artificial controls, and many of these standard structures have been rated in laboratory model studies (World Meteorological Organization, 1971). The transfer of a laboratory discharge rating to a structure in the field requires the existence, and maintenance, of similitude between laboratory model and prototype, not only with regard to the structure, but also with regard to the approach channel. For example, scour and (or) fill in the approach channel will change the head-discharge relation, as will algal growth on the control structure. Both the structure and the approach channel must be kept free from accumulations of debris, sediment, and vegetal growth. Flow conditions downstream from the structure are significant only to the extent that they control the tailwater elevation, which may influence the operation of structures designed for free-flow conditions.

Because of the likelihood of the existence or development of conditions that differ from those specified in a laboratory model study, the policy of the Geological Survey is to calibrate the prototype control in the field by discharge measurements for the entire range of stage that is experienced. (See section in chapter 3 titled, "Artificial Controls.") In-place calibration is sometimes dispensed with where the artificial control is a standard thin-plate weir having negligible velocity of approach.

THIN PLATE WEIRS

The surface of the weir over which the water flows is the crest of the weir. A thin-plate weir has its crest beveled to a chisel edge and is always installed with the beveled face on the downstream side. The crest of a thin-plate weir is highly susceptible to damage from floating debris, and therefore such weirs are used as control structures almost solely in canals whose flow is free of floating debris. Thin-plate weirs are not satisfactory for use in canals carrying sediment-laden water because they trap sediment and thereby cause the gage pool to fill with sediment, sometimes to a level above the weir crest. The banks of the canal must also be high enough to accommodate the increase in stage (backwater) caused by the installation of the weir, the weir plate being an impedence to flow in the canal. The commonly used shapes for thin-plate weirs are rectangular, trapezoidal, and triangular or V-notch.

APPENDIX B

Example of WETP input format

Stage Height At Zero Flow (zf) Option

I. Rifles

Set OPTS to one.

zf will equal lowest elevation
on cross-sectional profile.

II. Non-Rifles

Set OPTS to one and enter zf on the XSEC records.

III. Want z_f to equal zero.

Set OPTS to zero.

Use only for comparing results.

Enter as integers or with decimal points.

Distance from
headstake

Heads as 1.5 $\pm$ 7
Heads as 96.00 $\pm$ 7

Reads as 96.00 ft

Do not enter profile data past space 70.

Cross-section identification

Number of c/s per 100 s.w.c. of 10 - 20 N.Y.

IBM

FORTRAN Coding Form

GX28-7327-6 U/M 050**
Printed in U.S.A.PROGRAM *Bear Creek*

PROGRAMMER

PAGE *2* OF *4*
CARD ELECTRO NUMBER

FORTRAN STATEMENT										IDENTIFICATION SEQUENCE									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
	1	98	9238	103	9243	108	9243	113	9243	118	9248	123	9263						
	1	128	9268	133	9273	135	9283	140	9314	150	9330	159	9350						
	1	162	9407	170	9485	182	9502	194	9536										
CAL1	1		9359		334	Calibration data for CS#1 - high flow													
CAL2	1		9321		113	" - intermediate flow													
CAL3	1		9283		38	" - low flow													
XSEC	2																		
	2	0	9726	4	9719	10	9676	19	9632	20	9463	25	9404						
	2	35	9383	43	9396	44	9357	52	9356	54	9342	63	9342						
	2	75	9332	77	9323	80	9318	85	9313	90	9313	91	9293						
	2	96	9293	101	9293	107	9288	113	9298	117	9293	120	9273						
	2	125	9273	130	9273	135	9273	137	9293	138	9323	139	9393						
	2	140	9435	147	9464	155	9483	158	9515	168	9531	179	9536						
	2	190	9552																
CAL1	2		9390		334	Water surface elevations													
CAL2	2		9357		113	Each is the average for the WEL and WER													
CAL3	2		9323		38	Without decimal points, reads as 93.90, 93.57 and 93.23 ft													
XSEC	3																		
	3	0	9799	10	9782	20	9755	29	9724	36	9706	46	9674						
	3	51	9662	52	9602	63	9600	74	9607	81	9618	90	9630						
	3	99	9636	109	9636	118	9619	127	9601	130	9590	133	9585						
	3	138	9575	141	9565	147	9555	150	9550	155	9540	160	9535						
	3	165	9530	170	9515	175	9525	180	9520	185	9515	190	9540						
	3	195	9545	198	9550	199	9590	200	9697	201	9717	210	9709						

**Number of forms per card may vary slightly

AGE 3 OF 4
C-70 (REV) 10 NUMBER-

IDENTIFICATION		SEQUENCE		FORTRAN STATEMENT												IDENTIFICATION												SEQUENCE											
3	195	9545	198	9550	199	9590	200	9697	201	9717	210	9709																											
3	220	9707	224	9741	231	9746	240	9748	250	9751																													
3		9663		334	Calibration flows Without decimal points, reads as 33.4, 11.3 and 3.8 cfs																																		
3		9626		113																																			
3		9590		38																																			
4																																							
4	0	9863	10	9848	14	9824	24	9813	34	9809	43	9800																											
4	50	9785	60	9766	70	9761	80	9746	90	9734	96	9700																											
4	101	9687	108	9673	109	9661	110	9661	116	9661	121	9656																											
4	130	9656	140	9656	145	9656	147	9651	153	9646	158	9646																											
4	160	9636	165	9626	170	9626	175	9616	185	9626	195	9626																											
4	200	9631	205	9636	210	9636	215	9636	220	9641	223	9646																											
4	228	9646	234	9651	238	9656	242	9661	244	9666	250	9667																											
4	255	9687	261	9717	265	9742	272	9748	278	9763	287	9754																											
4	295	9740	310	9743	342	9745	346	9793	353	9829	361	9829																											
4		9714		334																																			
4		9685		113																																			
4		9661		38																																			
5																																							
5	0	9830	10	9806	14	9793	16	9769	18	9675	19	9640																											
5	22	9625	30	9615	40	9615	50	9625	58	9615	60	9625																											
5	65	9620	70	9630	80	9635	90	9635	98	9645	102	9655																											
5	105	9675	106	9688	110	9706	119	9690	122	9680	129	9687																											
5	135	9705	141	9736	149	9747	152	9775	161	9782	170	9788																											

At the time of the hearing, the defendant was not present.

PROGRAM	PROGRAMMER
PROGRAM	PROGRAMMER

[illegible]

GRAPHIC

PAGE 4 OF 4

SYSTEM IDENTIFICATION		FORTRAN STATEMENT																														COMMUNICATION SEQUENCE												
LINE	MARK	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40			
5		180	9777	190	9765	200	9754	215	9748	231	9746	242	9753																															
5		244	9809	248	9831	254	9842	265	9842																																			
5			9725		334																																							
5			9697		113																																							
5			9675		38																																							
1.0																																												
1.2																																												
3.4																																												
5.5																																												

Optional Entry

In this example, results are also averaged for CS# 3, 4 and 5. Use as many P00L entries as needed.

Mandatory Entry

Prints results for each cross-section as well as the averages for all cross-sections.

Width-At-Given-Depth (WAGD) Option

Up to 10 depths allowed. Separate depths of interest with single space. In this example, asking for length of top width having depths $\geq .4$ ft and 1.0 ft.

4. This area was put on survey.

Optional Entry

In this example, results are also averaged for CS# 3, 4 and 5. Use as many POOL entries as needed.

Mandatory Entry

Prints results for each cross-section as well as the averages for all cross-sections.

Width-At-Given-Depth (WAGD) Option

Up to 10 depths allowed. Separate depths of interest with single space. In this example, asking for length of top width having depths > .4 ft and 1.0 ft.

APPENDIX C

Example of WETP data output

Bear Creek - Big Hole Drainage - SW, SE, SEC 34, T2N, R12W
PROGRAM WETP

*** MONTANA DEPT. OF FISH, WILDLIFE AND PARKS ***

Program WETP Rev. 1-84 (16 June 1984)

Program WETP calculates the following parameters for a stream cross-section. Up to 10 stream cross-sections may be pooled together to obtain an average of pooled cross-sections. Cross-sections may be defined by up to 150 points.

WETP - wetted perimeter
DBAR - average depth
VBAR - average velocity throughout cross-sectional area
WDTH - top width of cross-section
AREA - cross-sectional area
STGE - water surface elevation
DMAX - maximum depth
WTOT - width at a depth > or = to a given value
WMAX - max. width at a depth > or = to a given value
PTOT - ratio of WTOT/WDTH expressed as a percent
PMAX - ratio of WMAX/WDTH expressed as a percent

CROSS-SECTION DATA

5

e - SW, SE, SEC
COMPUTED VALUES

FLOW

	AUG	6.	94.	1.	16.	14.
WTOT	- .40	.00	.00	.00	.00	.00
WMAX	.34	.00	.00	.00	.00	.00
PLOT	.34	.00	.00	.00	.00	.00
PMAK	.5-60	.00	.00	.00	.00	.00
	.5-60	.00	.00	.00	.00	.00
WTOT	1.00	.00	.00	.00	.00	.00
WMAX	.00	.00	.00	.00	.00	.00
STOT	.00	.00	.00	.00	.00	.00
PMAK	.00	.00	.00	.00	.00	.00
FLOW=						
2.0 CES						

LOW

[illegible]

LOW

Category	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377</
----------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--------

05/02

05/02

3.0 CFS

AVG	8.37	2.79	.00
	1.34	2.79	.00
	1.25	38.17	.00
	8.06	38.17	.00
	2.58		
	95.03		
	.54		

3.5 CFS

AVG	8.59	3.16
	1.33	3.16
	1.26	42.00
	2.81	42.00
	95.06	

[illegible]

0000
0000
0 0 0 0

[illegible][illegible]

	0	1	2	3	4	5	6	7	8	9
0	0	1	4	9	16	25	36	49	64	81
1	9	18	27	36	45	54	63	72	81	90
2	16	32	48	64	80	96	112	128	144	160
3	25	54	81	108	135	162	189	216	243	270
4	36	81	144	216	288	360	432	504	576	648
5	49	108	189	288	396	504	612	720	828	936
6	64	144	256	384	528	688	864	1056	1260	1476
7	81	189	324	486	672	888	1128	1392	1680	2000
8	90	243	432	648	900	1200	1560	1980	2460	3000
9	100	270	486	720	1000	1350	1764	2250	2800	3420

[illegible]

FLOW= S-O CES

Run	Time	AVG
1	0.000	0.000
2	0.000	0.000
3	0.000	0.000
4	0.000	0.000
5	0.000	0.000
6	0.000	0.000
7	0.000	0.000
8	0.000	0.000
9	0.000	0.000
10	0.000	0.000
11	0.000	0.000
12	0.000	0.000
13	0.000	0.000
14	0.000	0.000
15	0.000	0.000
16	0.000	0.000
17	0.000	0.000
18	0.000	0.000
19	0.000	0.000
20	0.000	0.000
21	0.000	0.000
22	0.000	0.000
23	0.000	0.000
24	0.000	0.000
25	0.000	0.000
26	0.000	0.000
27	0.000	0.000
28	0.000	0.000
29	0.000	0.000
30	0.000	0.000
31	0.000	0.000
32	0.000	0.000
33	0.000	0.000
34	0.000	0.000
35	0.000	0.000
36	0.000	0.000
37	0.000	0.000
38	0.000	0.000
39	0.000	0.000
40	0.000	0.000
41	0.000	0.000
42	0.000	0.000
43	0.000	0.000
44	0.000	0.000
45	0.000	0.000
46	0.000	0.000
47	0.000	0.000
48	0.000	0.000
49	0.000	0.000
50	0.000	0.000
51	0.000	0.000
52	0.000	0.000
53	0.000	0.000
54	0.000	0.000
55	0.000	0.000
56	0.000	0.000
57	0.000	0.000
58	0.000	0.000
59	0.000	0.000
60	0.000	0.000
61	0.000	0.000
62	0.000	0.000
63	0.000	0.000
64	0.000	0.000
65	0.000	0.000
66	0.000	0.000
67	0.000	0.000
68	0.000	0.000
69	0.000	0.000
70	0.000	0.000
71	0.000	0.000
72	0.000	0.000
73	0.000	0.000
74	0.000	0.000
75	0.000	0.000
76	0.000	0.000
77	0.000	0.000
78	0.000	0.000
79	0.000	0.000
80	0.000	0.000
81	0.000	0.000
82	0.000	0.000
83	0.000	0.000
84	0.000	0.000
85	0.000	0.000
86	0.000	0.000
87	0.000	0.000
88	0.000	0.000
89	0.000	0.000
90	0.000	0.000
91	0.000	0.000
92	0.000	0.000
93	0.000	0.000
94	0.000	0.000
95	0.000	0.000
96	0.000	0.000
97	0.000	0.000
98	0.000	0.000
99	0.000	0.000
100	0.000	0.000

[illegible]

TOT 1.00 .00 .00 .00 .00

LOW= 6.0 CFS

	AVG
1	1.00
2	1.00
3	1.00
4	1.00
5	1.00
6	1.00
7	1.00
8	1.00
9	1.00
10	1.00
11	1.00
12	1.00
13	1.00
14	1.00
15	1.00
16	1.00
17	1.00
18	1.00
19	1.00
20	1.00
21	1.00
22	1.00
23	1.00
24	1.00
25	1.00
26	1.00
27	1.00
28	1.00
29	1.00
30	1.00
31	1.00
32	1.00
33	1.00
34	1.00
35	1.00
36	1.00
37	1.00
38	1.00
39	1.00
40	1.00
41	1.00
42	1.00
43	1.00
44	1.00
45	1.00
46	1.00
47	1.00
48	1.00
49	1.00
50	1.00
51	1.00
52	1.00
53	1.00
54	1.00
55	1.00
56	1.00
57	1.00
58	1.00
59	1.00
60	1.00
61	1.00
62	1.00
63	1.00
64	1.00
65	1.00
66	1.00
67	1.00
68	1.00
69	1.00
70	1.00
71	1.00
72	1.00
73	1.00
74	1.00
75	1.00
76	1.00
77	1.00
78	1.00
79	1.00
80	1.00
81	1.00
82	1.00
83	1.00
84	1.00
85	1.00
86	1.00
87	1.00
88	1.00
89	1.00
90	1.00
91	1.00
92	1.00
93	1.00
94	1.00
95	1.00
96	1.00
97	1.00
98	1.00
99	1.00
100	1.00

[illegible]

XSEC	WTOT	WMAX	PTOT	PMAX
WETP	8.00	7.76	10.47	4.7
VBAR	1.78	.40	1.47	14.47
WDTH	1.93	2.10	1.51	1.29
AREAS	3.01	2.86	9.76	1.34
STGE	.78	93.38	4.63	14.13
DMAX		.65	96.92	96.57
WTOT	-40	4.65	5.81	4.01
WMAX		4.65	5.81	4.01
PTOT		65.43	59.54	27.93
PMAX		65.43	59.54	27.93
WTOT	1.00	.00	.00	.00
WMAX		.00	.00	.00
PTOT		.00	.00	.00
PMAX		.00	.00	.00

[illegible]

[illegible]

1000
 1000
 1000

9-0 CES

AVG

10-0 CFS

AVG

Bear Creek - Big Hole Drainage - SW, SE, SEC 34, T2N, R12W

PTOT -00 -00 5.99 -00 -00 -00 -00 1.20
 PMAX -00 -00 3.53 -00 -00 -00 -00 -00
 FLOW= 15.0 CFS

XSEC 1 2 3 4 5
 WETP 9.30 10.40 14.30 15.79 12.30
 DBAR 2.69 3.51 3.57 4.44 3.30
 VBAR 2.50 3.12 2.02 2.21 2.20
 WDTH 8.72 9.47 13.02 15.60 11.48
 AREA 6.01 9.80 17.43 21.80 16.33
 STGE 93.26 93.61 96.33 96.90 97.03
 DMAX 1.03 1.88 1.17 1.74 1.88
 WTOT -40 7.30 6.96 8.58 8.49
 WMAX 7.30 5.99 6.96 8.58 8.49
 PTOT 7.30 5.99 6.96 8.58 8.49
 PMAX 83.77 63.26 53.47 54.98 73.92
 WTOT 1.00 33 2.57 00 00
 WMAX 33 00 00 00 00
 PTOT 3.84 00 00 00 00
 PMAX 3.84 00 00 00 00
 FLOW= 20.0 CFS

XSEC 1 2 3 4 5
 WETP 10.02 10.62 16.20 16.29 12.78
 DBAR 7.66 8.61 16.61 20.50 12.65
 VBAR 2.83 3.45 2.22 2.47 2.60
 WDTH 9.33 9.51 14.82 16.08 11.88
 AREA 7.08 9.80 19.01 20.89 17.71
 STGE 93.38 93.72 96.43 96.99 97.11
 DMAX 1.15 1.99 1.28 1.83 1.96
 WTOT -40 7.65 8.94 12.16 8.62
 WMAX 7.65 6.31 12.16 12.16 8.62
 PTOT 81.96 66.33 12.16 12.16 8.62
 PMAX 81.96 66.33 75.66 75.66 72.55
 WTOT 1.00 2.28 3.99 00 00
 WMAX 2.28 00 3.99 00 00
 PTOT 24.39 00 3.99 00 00
 PMAX 24.39 00 26.90 00 00
 FLOW= 25.0 CFS

XSEC 1 2 3 4 5
 WETP 10.59 10.80 16.39 16.61 12.98
 DBAR 1.82 1.70 16.70 16.56 12.70
 FLOW= 25.0 CFS
 XSEC 1 2 3 4 5
 WETP 10.59 10.80 16.39 16.61 12.98
 DBAR 1.82 1.70 16.70 16.56 12.70

22

50.0 CFS

AVG

12

60.0 CFS

AVG

e - SW, SE, SEC
COMPUTED VALUES

1. S. CFS

XSEC	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331	1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361	1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391	1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421	1422	1423	1424	1425	1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436	1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449	1450	1451	1452	1453	1454	1455	1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466	1467	1468	1469	1470	1471	1472	1473	1474	1475	1476	1477	1478	1479	1480	1481	1482	1483	1484	1485	1486	1487	1488	1489	1490	1491	1492	1493	1494	1495	1496	1497	1498
------	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

2.0 cfs

2.5 CFS										
FLOW=										
1.00										
XSECT	1	2	3	4	5	6	7	8	9	AVG
WETP	.00	.00	.35	.91	3.6	.00	.00	.00	.00	.11
DBAR	.00	.00	.40	1.88	8.38	.00	.00	.00	.00	.32
VBAR	.00	.00	.82	1.28	3.33	.00	.00	.00	.00	.91
WDTH	.00	.00	6.19	8.84	5.33	.00	.00	.00	.00	.85
WAREA	.00	.00	2.45	1.57	3.20	.00	.00	.00	.00	2.40
STGE	.00	.00	95.72	96.52	96.65	.00	.00	.00	.00	96.32
SDMAX	.00	.00	.62	.36	.50	.00	.00	.00	.00	.50
.40										
WTOT	.00	.00	3.19	.00	4.57	.00	.00	.00	.00	.59
WMAX	.00	.00	3.19	.00	4.57	.00	.00	.00	.00	.59
PTOT	.00	.00	51.53	.00	53.61	.00	.00	.00	.00	53.05
PMAX	.00	.00	51.53	.00	53.61	.00	.00	.00	.00	53.05
1.00										
WTOT	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
WMAX	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
PTOT	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
PMAX	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
2.5 CFS										
FLOW=										
1.00										
XSECT	1	2	3	4	5	6	7	8	9	AVG
WETP	.00	.00	.83	.28	5.95	.00	.00	.00	.00	.35
DBAR	.00	.00	.43	2.20	8.92	.00	.00	.00	.00	.34
VBAR	.00	.00	.91	1.36	7.02	.00	.00	.00	.00	1.00
WDTH	.00	.00	6.43	9.21	5.58	.00	.00	.00	.00	8.01

[illegible][illegible]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
XSEC	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
WDBAR	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
VDBAR	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
WDBAR	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
VDBAR	1	2	3	4	5																																																																																															

[illegible]

AVG

[illegible][illegible]

WTOT	00	00	00
WMAX	00	00	00
PTOT	00	00	00
PMAX	00	00	00
1.00			

AVG

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
XSECP	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
WETBAR	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
WDTH	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
WDTHA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
STGE	1	2	3	4	5																																																																																															

[illegible]

WTOT	00	00	00	00
WMAX	00	00	00	00
PTOT	00	00	00	00
PMAX	00	00	00	00
	1.00			

AVG

5

Year	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030																																																																																																																																																																																																																																																																																																			
Population	11.20	11.43	11.65	11.87	12.09	12.31	12.53	12.75	12.97	13.19	13.41	13.63	13.85	14.07	14.29	14.51	14.73	14.95	15.17	15.39	15.61	15.83	16.05	16.27	16.49	16.71	16.93	17.15	17.37	17.59	17.81	18.03	18.25	18.47	18.69	18.91	19.13	19.35	19.57	19.79	20.01	20.23	20.45	20.67	20.89	21.11	21.33	21.55	21.77	21.99	22.21	22.43	22.65	22.87	23.09	23.31	23.53	23.75	23.97	24.19	24.41	24.63	24.85	25.07	25.29	25.51	25.73	25.95	26.17	26.39	26.61	26.83	27.05	27.27	27.49	27.71	27.93	28.15	28.37	28.59	28.81	29.03	29.25	29.47	29.69	29.91	30.13	30.35	30.57	30.79	31.01	31.23	31.45	31.67	31.89	32.11	32.33	32.55	32.77	32.99	33.21	33.43	33.65	33.87	34.09	34.31	34.53	34.75	34.97	35.19	35.41	35.63	35.85	36.07	36.29	36.51	36.73	36.95	37.17	37.39	37.61	37.83	38.05	38.27	38.49	38.71	38.93	39.15	39.37	39.59	39.81	40.03	40.25	40.47	40.69	40.91	41.13	41.35	41.57	41.79	42.01	42.23	42.45	42.67	42.89	43.11	43.33	43.55	43.77	43.99	44.21	44.43	44.65	44.87	45.09	45.31	45.53	45.75	45.97	46.19	46.41	46.63	46.85	47.07	47.29	47.51	47.73	47.95	48.17	48.39	48.61	48.83	49.05	49.27	49.49	49.71	49.93	50.15	50.37	50.59	50.81	51.03	51.25	51.47	51.69	51.91	52.13	52.35	52.57	52.79	53.01	53.23	53.45	53.67	53.89	54.11	54.33	54.55	54.77	54.99	55.21	55.43	55.65	55.87	56.09	56.31	56.53	56.75	56.97	57.19	57.41	57.63	57.85	58.07	58.29	58.51	58.73	58.95	59.17	59.39	59.61	59.83	60.05	60.27	60.49	60.71	60.93	61.15	61.37	61.59	61.81	62.03	62.25	62.47	62.69	62.91	63.13	63.35	63.57	63.79	64.01	64.23	64.45	64.67	64.89	65.11	65.33	65.55	65.77	65.99	66.21	66.43	66.65	66.87	67.09	67.31	67.53	67.75	67.97	68.19	68.41	68.63	68.85	69.07	69.29	69.51	69.73	69.95	70.17	70.39	70.61	70.83	71.05	71.27	71.49	71.71	71.93	72.15	72.37	72.59	72.81	73.03	73.25	73.47	73.69	73.91	74.13	74.35	74.57	74.79	75.01	75.23	75.45	75.67	75.89	76.11	76.33	76.55	76.77	76.99	77.21	77.43	77.65	77.87	78.09	78.31	78.53	78.75	78.97	79.19	79.41	79.63	79.85	80.07	80.29	80.51	80.73	80.95	81.17	81.39	81.61	81.83	82.05	82.27	82.49	82.71	82.93	83.15	83.37	83.59	83.81	84.

0.2

[illegible]

80

AVG	
12.00	00
1.00	00
11.00	00
4.00	00
96.00	00
	00

[illegible]

9.0 CFS

	AVG	12.39	.00
		46	.00
		71	.00
		84	.00
		29	.00
		61	.00
		79	.00
		67	.00
		67	.00
		89	.00
		89	.00
		.00	.00
		.00	.00
		.00	.00

10.0 CFS

	- .00	12.70
	- .00	.48
	- .00	1.79
	- .00	12.12
	- .00	5.61
	- .00	96.64
	- .00	.82
	- .00	6.85
	- .00	6.85
	- .00	58.87
	- .00	58.87
	- .00	.22
	- .00	.13
AVG		

2.00	2.00
1.18	1.18

FLOW= 15.0 CFS

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
XSEC	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
WETP	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
VBAR	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
WDTH	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
AREAR	1	2	3	4	5	6																																																																																														

04.

[illegible]

1.00

[illegible]

20.0 CFS
=MOT:

XSEC	NETP	BAR	BDTH	RTGE	MAX	AVG
1	00	00	00	00	00	15.09
2	00	00	00	00	00	2.53
3	20	22	22	22	22	14.26
4	20	22	22	22	22	18.28
5	20	22	22	22	22	9.28
6	20	22	22	22	22	12.38
7	20	22	22	22	22	2.68
8	20	22	22	22	22	17.10
9	20	22	22	22	22	9.28
10	20	22	22	22	22	12.38
11	20	22	22	22	22	2.68
12	20	22	22	22	22	17.10
13	20	22	22	22	22	9.28
14	20	22	22	22	22	12.38
15	20	22	22	22	22	2.68
16	20	22	22	22	22	17.10
17	20	22	22	22	22	9.28
18	20	22	22	22	22	12.38
19	20	22	22	22	22	2.68
20	20	22	22	22	22	17.10
21	20	22	22	22	22	9.28
22	20	22	22	22	22	12.38
23	20	22	22	22	22	2.68
24	20	22	22	22	22	17.10
25	20	22	22	22	22	9.28
26	20	22	22	22	22	12.38
27	20	22	22	22	22	2.68
28	20	22	22	22	22	17.10
29	20	22	22	22	22	9.28
30	20	22	22	22	22	12.38
31	20	22	22	22	22	2.68
32	20	22	22	22	22	17.10
33	20	22	22	22	22	9.28
34	20	22	22	22	22	12.38
35	20	22	22	22	22	2.68
36	20	22	22	22	22	17.10
37	20	22	22	22	22	9.28
38	20	22	22	22	22	12.38
39	20	22	22	22	22	2.68
40	20	22	22	22	22	17.10
41	20	22	22	22	22	9.28
42	20	22	22	22	22	12.38
43	20	22	22	22	22	2.68
44	20	22	22	22	22	17.10
45	20	22	22	22	22	9.28
46	20	22	22	22	22	12.38
47	20	22	22	22	22	2.68
48	20	22	22	22	22	17.10
49	20	22	22	22	22	9.28
50	20	22	22	22	22	12.38
51	20	22	22	22	22	2.68
52	20	22	22	22	22	17.10
53	20	22	22	22	22	9.28
54	20	22	22	22	22	12.38
55	20	22	22	22	22	2.68
56	20	22	22	22	22	17.10
57	20	22	22	22	22	9.28
58	20	22	22	22	22	12.38
59	20	22	22	22	22	2.68
60	20	22	22	22	22	17.10
61	20	22	22	22	22	9.28
62	20	22	22			

040

[illegible]

1.00

[illegible]

LOW= 25.0 CFS

	SEC	ETP	BAR	1	2	3	4	5				Avg
		-00	-00	-00	-00	16.39	16.61	12.98	-00	-00	-00	15.33
		-00	-00	-00	-00	.70	.56	.70	-00	-00	-00	.65

Bear Creek - Big Hole Drainage - SW, SE, SEC 34, T2N, R12W

VBAR	-00	2.41	2.72	2.96	00	00	00	00	2.70
WDTH	-00	14.84	16.37	12.02	00	00	00	00	14.41
AREA	-00	10.39	97.20	8.43	00	00	00	00	9.34
STGE	-00	96.33	97.05	97.12	00	00	00	00	96.92
DMAX	-00	1.38	1.89	1.02	00	00	00	00	1.10
WTOT	-40	10.37	13.47	8.72	00	00	00	00	10.85
WMAX	-00	7.80	13.47	8.72	00	00	00	00	9.89
PTOT	-00	69.83	82.29	72.54	00	00	00	00	74.89
PMAX	-00	52.53	82.29	72.54	00	00	00	00	69.12
WTOT	1.00	4.96	00	1.49	00	00	00	00	2.15
WMAX	-00	4.96	00	1.32	00	00	00	00	2.09
PTOT	-00	33.40	00	12.94	00	00	00	00	13.27
PMAX	-00	33.40	00	10.94	00	00	00	00	14.78

FLOW= 30.0 CFS

XSEC	1	16.55	16.87	13.15	00	00	00	00	15.52
WETP	-00	3.78	2.61	3.75	00	00	00	00	2.71
DBAR	-00	2.59	2.59	3.31	00	00	00	00	2.93
VBAR	-00	14.86	16.59	12.13	00	00	00	00	14.53
WDTH	-00	11.58	10.11	9.02	00	00	00	00	10.28
AREA	-00	96.61	97.11	97.02	00	00	00	00	96.98
STGE	-00	1.46	1.95	1.02	00	00	00	00	1.16
DMAX	-00	11.34	14.29	9.04	00	00	00	00	11.55
WTOT	-40	8.21	14.29	8.77	00	00	00	00	10.42
WMAX	-00	76.28	86.13	74.50	00	00	00	00	78.97
PTOT	-00	55.25	86.13	72.29	00	00	00	00	71.22
PMAX	-00	5.46	00	3.28	00	00	00	00	2.92
WTOT	1.00	5.46	00	2.27	00	00	00	00	2.58
WMAX	-00	36.74	00	27.08	00	00	00	00	21.27
PTOT	-00	36.74	00	18.72	00	00	00	00	18.49
PMAX	-00	36.74	00	18.72	00	00	00	00	18.49

FLOW= 40.0 CFS

XSEC	1	17.23	17.29	13.44	00	00	00	00	15.98
WETP	-00	3.89	3.70	3.83	00	00	00	00	3.81
DBAR	-00	2.93	3.35	3.32	00	00	00	00	3.41
VBAR	-00	15.39	16.96	12.37	00	00	00	00	14.89
WDTH	-00	13.65	11.93	10.17	00	00	00	00	11.92
AREA	-00	96.74	97.22	97.31	00	00	00	00	97.09
STGE	-00	1.59	1.06	1.16	00	00	00	00	1.27
DMAX	-00	13.45	15.01	10.09	00	00	00	00	12.85
WTOT	-40	8.95	15.01	8.90	00	00	00	00	10.96
WMAX	-00	8.95	15.01	8.90	00	00	00	00	10.96

	PTOT	PMAX	WTOT	WMAX	PTOT	PMAX
1.00	-00	-00	-00	-00	-00	-00
	87.40	88.51	81.89	88.51	85.93	85.93
	58.17	88.51	72.23		72.97	72.97
	6.04	88.51	5.12		4.01	4.01
	6.04	88.51	5.12		4.01	4.01
	39.25	5.17	41.55		28.66	28.66
	39.25	5.17	41.55		28.66	28.66

FLOW= 50.0 CFS

[illegible]

FLOW= 60.0 CFS

XSEC	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
WTOT	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00	12.00	13.00	14.00	15.00	16.00	17.00	18.00	19.00	20.00	21.00	22.00	23.00	24.00	25.00	26.00	27.00	28.00	29.00	30.00	31.00	32.00	33.00	34.00	35.00	36.00	37.00	38.00	39.00	40.00	41.00	42.00	43.00	44.00	45.00	46.00	47.00	48.00	49.00	50.00	51.00	52.00	53.00	54.00	55.00	56.00	57.00	58.00	59.00	60.00	61.00	62.00	63.00	64.00	65.00	66.00	67.00	68.00	69.00	70.00	71.00	72.00	73.00	74.00	75.00	76.00	77.00	78.00	79.00	80.00	81.00	82.00	83.00	84.00	85.00	86.00	87.00	88.00	89.00	90.00	91.00	92.00	93.00	94.00	95.00	96.00	97.00	98.00	99.00	100.00
WTOT	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00	12.00	13.00	14.00	15.00	16.00	17.00	18.00	19.00	20.00	21.00	22.00	23.00	24.00	25.00	26.00	27.00	28.00	29.00	30.00	31.00	32.00	33.00	34.00	35.00	36.00	37.00	38.00	39.00	40.00	41.00	42.00	43.00	44.00	45.00	46.00	47.00	48.00	49.00	50.00	51.00	52.00	53.00	54.00	55.00	56.00	57.00	58.00	59.00	60.00	61.00	62.00	63.00	64.00	65.00	66.00	67.00	68.00	69.00	70.00	71.00	72.00	73.00	74.00	75.00	76.00	77.00	78.00	79.00	80.00	81.00	82.00	83.00	84.00	85.00	86.00	87.00	88.00	89.00	90.00	91.00	92.00	93.00	94.00	95.00	96.00	97.00	98.00	99.00	100.00
WTOT	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00	12.00	13.00	14.00	15.00	16.00	17.00	18.00	19.00	20.00	21.00	22.00	23.00	24.00	25.00	26.00	27.00	28.00	29.00	30.00	31.00	32.00	33.00	34.00	35.00	36.00	37.00	38.00	39.00	40.00	41.00	42.00	43.00	44.00	45.00	46.00	47.00	48.00	49.00	50.00	51.00	52.00	53.00	54.00	55.00	56.00	57.00	58.00	59.00	60.00	61.00	62.00	63.00	64.00	65.00	66.00	67.00	68.00	69.00	70.00	71.00	72.00	73.00	74.00	75.00	76.00	77.00	78.00	79.00	80.00	81.00	82.00	83.00	84.00	85.00	86.00	87.00	88.00	89.00	90.00	91.00	92.00	93.00	94.00	95.00	96.00	97.00	98.00	99.00	100.00
WTOT	1.00	2.00	3.00	4.00	5.00	6.00	7.00	8.00	9.00	10.00	11.00	12.00	13.00	14.00	15.00	16.00	17.00	18.00	19.00	20.00	21.00	22.00	23.00	24.00	25.00	26.00	27.00	28.00	29.00	30.00	31.00	32.00	33.00	34.00	35.00	36.00																																																																

