

Montana Statewide Angling Pressure 2009



Montana
Fish Wildlife & Parks

Montana

Statewide Angling Pressure

Mail Survey

2009

Prepared by:

Robert C. McFarland
Jennifer Dykstra

Montana Department of Fish, Wildlife and Parks

August 2010

INTRODUCTION

The Montana Department of Fish, Wildlife and Parks have conducted statewide angling mail surveys in the past. Bishop (1959, 1960 & 1961) conducted the first recorded mail survey of fishing pressure on a statewide basis for Montana. He found that residents fished 1,323,129 angler days, nonresident season license holders fished 60,632 angler days, and nonresident 6-day permit holders fished 40,933 angler days for the 1958 season. In 1959 residents fished 1,345,000 angler days, nonresident season license holders fished 54,000 angler days, and nonresident 6-day permit holders fished 121,000 angler days. In 1960 the third annual survey was conducted and residents fished 1,356,000 angler days, nonresident season license holders fished 53,000 angler days, and nonresident 7-day permit holders fished 112,000 angler days.

In 1968 Holton (1970) again initiated the statewide angling pressure mail survey. He found residents had fished 1,519,126 angler days, nonresident season license holders fished 69,653 angler days, and nonresident 6-day permit holders fished 161,772 angler days. Holton (1971) conducted another statewide survey for the 1969 license year. No results were reported because it was felt they were too high due to sampling problems.

In 1975, Gaffney (unpublished data) conducted a statewide survey of angling pressure by mail. He found residents fished a total of 2,314,030 angler days and nonresidents 508,034 angler days for a statewide total of 2,822,093 angler days. An attempt was made to continue that statewide survey in 1976 using the 1975 mailing lists. This did not provide adequate samples for nonresidents, so only resident pressure was obtained.

Holton (1974) stated,

"The lack of up-to-date fishing pressure information on individual waters has been a handicap in fisheries management. It is recommended that (the) evaluation of (a) mail survey to fill this need be accomplished as soon as feasible."

The surveys were started again in 1982 and run for four consecutive years (McFarland, 1989). The statewide angling pressure ranged from 2,197,402 to 2,723,713 angler days. In 1986 the surveys were again canceled for lack of funding.

In 1989, the Montana Legislature approved funding for an "Enhanced Survey of Angling Pressure". The funding was such that the survey was to be conducted every other year. In March 1989, the statewide angling use mail survey was again re-initiated. The statewide angling pressure was estimated at 2,336,085 angler days (McFarland, 1991). From 1991 through 2005 the statewide angling use varied from 2.2 million to 3.18 million angler days. In 2009 the statewide angling use was estimated at 3,359,526 angling days (McFarland & Hughes, 1993, 1995; McFarland & Meredith 1997, 1999, 2001, 2003, McFarland & Tarum 2005, McFarland & Dykstra 2007, McFarland & Dykstra 2008). This was the highest statewide angling use total of all known surveys conducted within the state.

METHODS

The 2009 statewide angling mail pressure survey began in March of 2009 and was conducted for the license year ending in February 2010.

Samples were drawn from the Department's Automated Licensing System (ALS). There are seven types of fishing licenses available to residents: a season license, a combo license, a sportsman's license, a "senior" license, a "youth" license, a 2-day license and a disabled license. A season license is required for those resident anglers between the ages of 15 and 61 inclusive (a conservation license is required as a prerequisite to purchasing any fishing license). Residents between the ages of 12 and 14 inclusive are required to purchase a conservation license to fish. These were determined by using the date of birth on the conservation license and were classified as "youth" license holders. The combo license combines a season fishing license and a conservation license. A sportsman's license provides a deer "A" tag, elk tag, optional bear tag, conservation license, a game bird stamp and a fishing license. Residents 62 years of age and older are entitled to fish by purchasing a conservation license. These were determined by using the date of birth on the conservation license and were classified as "senior" license holders. New this survey year was the ability of residents to purchase a license valid for 2 consecutive days at a reduced cost. A conservation license was still required. Residents who are certified as permanently and substantially disabled may purchase a "Disabled Persons Conservation License". All licenses were combined to form the resident pool for sampling.

Nonresidents 15 years of age and older must have a valid Montana fishing license to fish. Those nonresidents under the age of 15 may fish by buying a nonresident license or by being in the company of an adult with a valid Montana fishing license. If the latter, the combined limit may not exceed the limit for one adult. Nonresidents have six types of licenses available for fishing in Montana; a combo license, a seasonal license, a two-day permit, a 10-day permit, a deer combo license, and the big game combo. A nonresident conservation license is required as a prerequisite to purchasing any nonresident-fishing license. The combo license combines a nonresident conservation license and seasonal fishing license. The deer combo license includes a deer tag and a fishing license. The big game license includes a conservation license, an elk tag, a deer "A" tag, a black bear tag, a fishing license and an upland game bird license. A two-day permit enables the nonresident angler to fish for two consecutive days of their choice while the ten-day permits 10 consecutive days of fishing. Anglers may purchase as many two-day or ten-day permits as they want.

A computer program was written in ORACLE to create five populations of anglers from which to draw samples. A resident season population, a resident 2-day population, a nonresident season population, a nonresident 2-day population and a nonresident 10-day population were created each month. The resident population comprised the following license types: combo, season, "seniors", "youth", disabled and sportsman. The nonresident population comprised the following license types: nonresident combo, deer combo, big game combo and nonresident season.

An ACCESS table was used to pull a random sample from each population. The amount pulled from each population was proportionally allocated to the angling pressure each population exerted from previous surveys. This proportion remained constant throughout all sampling periods.

Sampling was done on a monthly-stratified basis (Table 1.). The sample from each population was copied into an ACCESS format structure and wave information and sequential serial numbers added. The database of names and addresses were run through a Pitney-Bowes software program to validate addresses and assign correct 4 digit zip code extensions so the mailings could go out first class pre-sorted. An ACCESS report was written to affix names and address as well as bar codes directly to each questionnaire. The questionnaire and a return envelope were stuffed into window envelopes and mailed (see appendix for examples).

Authorized private dealers sell fishing licenses throughout the state. In addition, the seven regional headquarters, three area resource offices and the Helena office sell licenses through an on-line automated licensing system. This system enables the sample to be drawn for a month on the first day of the following month.

Table 1. - Period of time covered for waves for the 2009-10 statewide angling survey.	
Wave	Time Period covered
1	March '09
2	April
3	May
4	June
5	July
6	August
7	September
8	October
9	November
10	December
11	January '10
12	February

The 2007 Statewide Angling Use Survey (McFarland, 2009) indicated that residents provide approximately 75% of angling pressure, therefore sampling was done on a 75/25 split between residents and nonresidents (i.e. proportional allocation). Actual numbers sent varied slightly from wave to wave (Table 2). For the "summer" waves 11,200 residents and nonresidents were sampled early in the survey. In the "winter" the rate dropped to 5,600 residents and nonresidents. Since waves 1 and 2 had fewer license holders from which to sample, these two waves were sampled at a less intense level.

A single questionnaire was used for all groups. The questionnaire (see appendix A for an example), included questions on: what water was fished; nearest landmark, town, or county; section of stream or river fished (taken from map on back of questionnaire); date fishing occurred; number of days fished; rate the level of crowding on a scale of 1 = not at all crowded to 5 = very crowded; number of other people they saw recreating on this water; and to rate their fishing experience on a scale of 1 = poor to 5 = excellent; and the one fish species for which they were primarily fishing. A question on whether most of the anglers fishing was by shore, boat, both or ice was added this year.

To ease the sorting process different colored forms were used for each wave and also for initial and remail mailings.

Table 2. - Number of questionnaires sent for each wave by residency for 2009.								
Wave	Mailed		Useable		Returns		Return Rate Percentage	
	Res	Nonres	Res	Nonres	Res	Nonres	Res	Nonres
1	300	100	293	89	183	51	62.5	57.3
2	4199	1389	3899	1253	2137	669	54.8	53.4
3	8400	2751	7943	2482	4353	1335	54.8	53.8
4	8400	2770	7752	2443	4058	1299	52.3	53.2
5	8400	2747	7665	2388	3784	1282	49.4	53.7
6	8400	2741	7608	2416	3829	1290	50.3	53.4
7	8399	2717	7571	2407	3897	1326	51.5	55.1
8	4200	1376	3792	1234	1891	683	49.9	55.3
9	4200	1369	3773	1196	2015	650	53.4	54.3
10	4200	1383	3729	1208	2021	678	54.2	56.1
11	4199	1348	3757	1154	2067	588	55.0	51.0
12	4200	1235	3752	1069	2163	606	57.6	56.7

Surveys were mailed first class pre-sort for all the waves. This saved monetarily over regular first class postage.

Remail questionnaires were mailed to those individuals who had not yet responded, from three to four weeks after the initial mailing. Returns for each wave were monitored and when they slowed down to a few each day the remail was sent. Included in the remail were an explanation, (see appendix A for

examples), a duplicate questionnaire and a return envelope. Returns were grouped and counted according to type of license, wave and mailing (initial or remail).

Phone surveys were not done for this year because of time and budgetary constraints. Thus no comparison of non-response bias could be made. Using the exact same methodology in 1995, no nonresponse bias was detected.

The formula used for bias was:

$$A_{ij} = R_{ij} + \frac{P_{ij}}{M_{ij}} [1 - R_{ij}]$$

where A_{ij} = Adjustment factor for non-response for the i^{th} wave and j^{th} residency

R_{ij} = Response rate for mail survey for i^{th} wave and j^{th} residency (response rate is the total number of returns divided by the total number of surveys mailed out minus the number of undeliverable surveys)

P_{ij} = Phone rate of days fished per respondent for i^{th} wave and j^{th} residency

M_{ij} = Mail rate of days fished per respondent for i^{th} wave and j^{th} residency

Adjustment factors were set to 1.0 since the phoning was not done. After all questionnaires were received those that had fished in Montana during the period in question were separated from those who said "no". The "yes" respondents were then hand coded and assigned a numeric code for each water fished. They were visually edited for accuracy and completeness.

All data were then keypunched with each body of water fished for each questionnaire recorded as a single record. Edits were run to correct invalid water codes and data out of normal ranges. FORTRAN computer programs were written to analyze the data, calculate fishing pressure and standard errors, and to calculate the angler satisfaction levels.

Estimates were made for individual waters based upon the formula:

$$P_j = \sum_{i=1}^n \left[\frac{E_{ij} * D_{ij}}{R_{ij}} \right] * A_{ij}$$

where P_j = Pressure for an individual water by the j^{th} residency

E_{ij} = Number of eligible anglers for the i^{th} wave and j^{th} residency

D_{ij} = Days fished that particular water for the i^{th} wave and j^{th} wave

R_{ij} = Number of respondents from the survey for the i^{th} wave and j^{th} residency

A_{ij} = Adjustment factor for non-response for the i^{th} wave and j^{th} residency

n = number of waves in the estimate year or season

j = number of residency types (resident, non-resident, or total)

The variance was then calculated using:

$$VAR(P_j) = \sum_{i=1}^n \left[\frac{E_{ij}^2 * VAR(D_{ij})}{R_{ij}} \right] * A_{ij}^2$$

Where P_j , E_{ij} , R_{ij} , D_{ij} , and A_{ij} are the same as above.

Pressure estimates between waves and residency were assumed to be independent so variances were summed to obtain total variances. The square root of the variance was taken and this number was reported as the error for fishing pressure.

RESULTS

2009 ANNUAL

Licensed anglers fishing on Montana waters exerted 3,359,526 angler days of pressure for the 2009 license year. Residents accounted for 2,399,258 angler days (71.4%) and nonresidents made up the remaining 960,268 angler days (28.6%). Individual water estimates sorted alphabetically are given in a separate report titled "Montana Statewide Angling Pressure 2009".

The pressure distributed between Fish, Wildlife and Parks regions (Figure 1) emphasizes the cold-water fishery (Chart 1). Region 3 received the most angling pressure with 796,604 angler days (23.7%). Region 4 was next in order with 712,266 angler days (21.2%). Regions 1 and 2 were close with 577,358 (17.2%) angler days and 524,137 (15.6%) angler days respectively. Region

5 had 428,494 (12.8%) angler days. The warm-water regions of 6 and 7 were the lowest in pressure with 204,457 (6.1%) and 105,274 (3.1%) angler days respectively.

Angling in Montana in 2009 was directed toward trout. Waters were classified according the fish species the angler sought. The questionnaire asked the angler to report one fish species but up to two species were captured in entering the data. Species were classified into salmonid/nonsalmonid categories. The angling use was assigned proportionally. If only one species was listed the entire use was assigned to either salmonid or nonsalmonid depending on what species was listed. If two species were listed, the use was assigned to salmonid if both species were salmonid. If both species listed were nonsalmonid, the use was entirely assigned to nonsalmonid. If one species of each (salmonid and nonsalmonid) was listed, the use was split 50/50 between the two. If no species was listed the use was assigned according to the type of water assigned by the department in its water code for that water.

Salmonid waters accounted for 77.6% (2,606,132 angler days) of the statewide pressure while nonsalmonid waters accounted for 22.4% (750,795 angler days) of the pressure and undesignated waters accounted for less than 0.1% (2,601 angler days) of the pressure (Chart 2). An undesignated water is one that the angler did not specify a fish species being sought and the water fished was classified as undesignated and therefore could not be assigned a water type.

Within salmonid waters, the streams received more pressure than the lakes, 65.0% versus 35.0%. The nonsalmonid lakes received more pressure than the nonsalmonid streams, 70.6% versus 29.4% respectively.

Salmonid angling dominated the pressure in regions 1, 2, 3, 4, and 5. Regions 6 and 7 were predominately nonsalmonid angling (Chart 3, Table 3).

Region 3 had the largest angling pressure for salmonid streams (613,309 angler days) while region 1 had the largest pressure for salmonid lakes (251,802 angler days). Nonsalmonid stream fishing pressure was largest in region 7 (57,135 angler days), while the nonsalmonid lake angling pressure was largest in region 6 (131,872 angling days).

Table 3. - Angling pressure in angler days by region by water type for the angling year of March 2009 through February 2010.

REG	WATER TYPE	-----TOTALS-----		----RESIDENTS----		--NON-RESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
1	SALMONID STREAM	175274.	2868.	127133.	2192.	48141.	676.
	SALMONID LAKE	251802.	4172.	202963.	3403.	48839.	770.
	NONSALMONID STREAM	35319.	622.	30503.	550.	4816.	72.
	NONSALMONID LAKE	114848.	1818.	99532.	1605.	15316.	214.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	117.	2.	117.	2.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	577358.	9482.	460247.	7751.	117111.	1731.
2	SALMONID STREAM	343185.	5664.	234293.	4064.	108893.	1601.
	SALMONID LAKE	146556.	2321.	119564.	1960.	26993.	362.
	NONSALMONID STREAM	12543.	211.	9026.	165.	3518.	47.
	NONSALMONID LAKE	21736.	352.	17297.	289.	4440.	64.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	117.	2.	117.	2.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	524137.	8550.	380295.	6478.	143842.	2072.
3	SALMONID STREAM	613309.	9963.	317621.	5667.	295688.	4296.
	SALMONID LAKE	168145.	2703.	102741.	1743.	65404.	960.
	NONSALMONID STREAM	5572.	53.	5350.	50.	222.	3.
	NONSALMONID LAKE	9580.	141.	7861.	120.	1719.	21.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	796604.	12859.	433571.	7579.	363033.	5280.
4	SALMONID STREAM	264315.	4561.	189348.	3414.	74967.	1148.
	SALMONID LAKE	231497.	3987.	211276.	3663.	20221.	324.
	NONSALMONID STREAM	39840.	750.	36254.	695.	3586.	56.
	NONSALMONID LAKE	176296.	3036.	165310.	2897.	10986.	139.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	320.	5.	320.	5.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	712266.	12338.	602507.	10673.	109759.	1665.

Table 3. - Angling pressure in angler days by region by water type for the angling year of March 2009 through February 2010 (continued).

REG	WATER TYPE	-----TOTALS-----		----RESIDENTS----		--NON-RESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
5	SALMONID STREAM	284258.	4816.	143318.	2527.	140940.	2289.
	SALMONID LAKE	71965.	1231.	61282.	1079.	10684.	152.
	NONSALMONID STREAM	37793.	709.	35470.	676.	2323.	33.
	NONSALMONID LAKE	34141.	640.	29253.	561.	4889.	79.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	337.	6.	337.	6.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	428494.	7401.	269659.	4849.	158835.	2552.
6	SALMONID STREAM	10621.	171.	7649.	133.	2972.	38.
	SALMONID LAKE	29197.	505.	26470.	468.	2727.	37.
	NONSALMONID STREAM	32601.	669.	28240.	582.	4361.	87.
	NONSALMONID LAKE	131872.	2173.	97635.	1720.	34237.	453.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	167.	3.	167.	3.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	204457.	3520.	160161.	2905.	44296.	615.
7	SALMONID STREAM	2079.	27.	1832.	24.	247.	3.
	SALMONID LAKE	4376.	85.	3915.	77.	461.	9.
	NONSALMONID STREAM	57135.	1126.	48834.	953.	8301.	173.
	NONSALMONID LAKE	41476.	803.	32849.	660.	8627.	144.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	209.	6.	209.	6.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	105274.	2047.	87639.	1719.	17635.	328.
TOTAL	SALMONID STREAM	1693040.	28070.	1021193.	18020.	671847.	10050.
	SALMONID LAKE	913092.	15147.	732219.	12463.	180873.	2685.
	NONSALMONID STREAM	220802.	4140.	193676.	3670.	27126.	470.
	NONSALMONID LAKE	529993.	8962.	449781.	7851.	80212.	1112.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	2601.	49.	2390.	45.	211.	4.
	STATEWIDE PRESSURE ESTIMATES:	3359526.	56368.	2399258.	42048.	960268.	14320.

Residents (Chart 4) exerted the majority of angling pressure in 2009 in all regions. The percent of angling pressure by residents for each region was: region 1 - 79.7%, region 2 - 72.6%, region 3 - 54.4%, region 4 - 84.6%, region 5 - 62.9%, region 6 - 78.3%, and region 7 - 83.2%.

July (wave 5) was, overall, the peak fishing period, while December (wave 10) was the least fished period during the year (Table 4). Both residents and nonresidents preferred to fish during July (wave 5). Residents fished least in November (wave 9), while nonresidents fished the least in December (wave 10). This year the 2-day and 10-day nonresident use was included in the wave that the fishing occurred. In the past the 2-day and 10-day nonresident anglers were sampled at the end of the season and their use estimates could not be assigned to any one wave.

Table 4. - Pressure in angler days by wave for the survey year of March 2009 through February 2010.

<u>WAVE</u>	<u>MONTH</u>	<u>TOTAL</u>	<u>RESIDENT</u>	<u>NONRESIDENT</u>
1	March	83,800	72,792	11,008
2	April	249,019	186,465	62,554
3	May	290,310	228,094	62,216
4	June	469,354	362,465	106,889
5	July	692,514	455,468	237,046
6	August	607,133	403,967	203,166
7	September	343,865	236,134	107,731
8	October	151,812	104,051	47,761
9	November	74,705	56,666	18,039
10	December	68,828	66,192	2,636
11	January	165,353	118,573	46,780
12	February	162,835	108,416	54,419

Statewide Angling Pressure Regional Estimates 2009




Chart 1. - Percent of total statewide angling pressure by FWP region for March 2009 through February 2010.




Figure 1. Map of the State of Montana showing the Department of Fish, Wildlife & Parks Regional boundaries.

Statewide Angling Pressure Comparing Water Types 2009




Chart 2. - Angling Pressure and percentages by type of water for March 2009 through February 2010.

Statewide Angling Pressure Comparing Regional Water Types 2009




Chart 3. - Angling pressure by region by water type for March 2009 through February 2010.

Statewide Angling Pressure Comparing Region and Residency 2009




Chart 4. - Angling pressure by region by residency for March 2009 through February 2010.

Angling pressure was summarized by the 22 major drainages within the state (Table 5). The lower Clark Fork River drainage contains the angling pressure from all the streams and lakes below the Bitterroot River, excluding the pressure from those waters contained in other drainages listed (Flathead, Kootenai, and Bitterroot). The upper Clark Fork River drainage, likewise, contains all the angling pressure for waters above the Bitterroot River drainage excluding the pressure for those drainages listed. The upper Flathead River drainage contains the South Fork Flathead River drainage and all waters above the confluence of the South Fork Flathead River. The lower Flathead River drainage includes those waters below the confluence of the South Fork Flathead River including Flathead Lake and those waters (where pressure was obtainable) on the Kootenai-Salish Indian reservation. The lower Missouri River drainage covers all waters below the confluence of the Marias River, while the upper Missouri River drainage incorporates the area above the Marias River, again excluding those drainages listed separately. The lower Yellowstone River drainage represents the area below the mouth of the Bighorn River while the upper Yellowstone River drainage covers the Bighorn River drainage and all waters above the confluence of the Bighorn River.

The pressure by drainage ranged from 572,692 angler days for the Upper Missouri River drainage to 1,216 angler days for the Little Missouri River drainage.

Table 5. - Angling pressure in angler days by drainage by water type for the angling year
Of March 2009 through February 2010.

	-----TOTALS-----		----RESIDENTS----		---NONRESIDENTS---	
	Pressure	Trips	Pressure	Trips	Pressure	Trips
BEAVERHEAD DR						
SALMONID STREAM	65287.	1090.	30362.	537.	34925.	553.
SALMONID LAKE	52430.	799.	31594.	489.	20836.	310.
NONSALMONID STREAM	180.	3.	0.	0.	180.	3.
NONSALMONID LAKE	2459.	24.	1058.	8.	1401.	16.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	120355.	1915.	63014.	1034.	57341.	881.
BIG HOLE DR						
SALMONID STREAM	87892.	1505.	48907.	915.	38985.	590.
SALMONID LAKE	4491.	78.	3694.	67.	797.	11.
NONSALMONID STREAM	43.	1.	0.	0.	43.	1.
NONSALMONID LAKE	208.	3.	208.	3.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	92633.	1586.	52809.	985.	39824.	601.
BITTERROOT DR						
SALMONID STREAM	134521.	2212.	90041.	1541.	44480.	671.
SALMONID LAKE	12889.	232.	10562.	199.	2327.	33.
NONSALMONID STREAM	2244.	39.	2171.	38.	73.	1.
NONSALMONID LAKE	207.	6.	174.	5.	33.	1.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	149861.	2489.	102948.	1783.	46913.	706.
BLACKFOOT DR						
SALMONID STREAM	70690.	1173.	51215.	892.	19475.	281.
SALMONID LAKE	41215.	687.	38154.	635.	3061.	52.
NONSALMONID STREAM	1757.	33.	1040.	23.	717.	10.
NONSALMONID LAKE	17944.	284.	14257.	230.	3687.	54.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	117.	2.	117.	2.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	131722.	2177.	104783.	1781.	26939.	396.
LOWER CLARK FORK DR						
SALMONID STREAM	70690.	1164.	45697.	802.	24994.	362.
SALMONID LAKE	30185.	485.	24985.	412.	5201.	73.
NONSALMONID STREAM	26850.	462.	20115.	366.	6736.	96.
NONSALMONID LAKE	44710.	722.	35452.	593.	9259.	129.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	172435.	2831.	126247.	2173.	46188.	658.

Table 5. - Angling pressure in angler days by drainage by water type for the angling year
Of March 2009 through February 2010 (continued).

	-----TOTALS-----		----RESIDENTS----		---NONRESIDENTS---	
	Pressure	Trips	Pressure	Trips	Pressure	Trips
UPPER CLARK FORK DR						
SALMONID STREAM	97472.	1611.	66043.	1155.	31429.	456.
SALMONID LAKE	89620.	1354.	68419.	1083.	21201.	271.
NONSALMONID STREAM	1409.	26.	1319.	25.	90.	1.
NONSALMONID LAKE	951.	16.	619.	12.	332.	4.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	189451.	3006.	136399.	2274.	53052.	732.
LOWER FLATHEAD DR						
SALMONID STREAM	59077.	964.	45355.	767.	13722.	197.
SALMONID LAKE	141561.	2304.	121548.	2004.	20013.	301.
NONSALMONID STREAM	14774.	261.	14374.	254.	400.	7.
NONSALMONID LAKE	54108.	847.	49878.	789.	4230.	59.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	269519.	4376.	231154.	3813.	38365.	563.
UPPER FLATHEAD DR						
SALMONID STREAM	36039.	595.	27940.	487.	8099.	108.
SALMONID LAKE	20592.	364.	18067.	323.	2525.	41.
NONSALMONID STREAM	772.	12.	454.	8.	318.	4.
NONSALMONID LAKE	3390.	39.	3258.	37.	132.	2.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	117.	2.	117.	2.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	60910.	1011.	49836.	857.	11074.	154.
GALLATIN DR						
SALMONID STREAM	111851.	1832.	66804.	1221.	45047.	611.
SALMONID LAKE	22892.	373.	18869.	318.	4023.	55.
NONSALMONID STREAM	56.	1.	56.	1.	0.	0.
NONSALMONID LAKE	942.	18.	942.	18.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	135741.	2224.	86671.	1558.	49070.	666.
JEFFERSON DR						
SALMONID STREAM	29434.	507.	22178.	403.	7256.	104.
SALMONID LAKE	10252.	200.	9041.	185.	1211.	15.
NONSALMONID STREAM	86.	2.	86.	2.	0.	0.
NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	39772.	709.	31305.	590.	8467.	119.
KOOTENAI DR						
SALMONID STREAM	50302.	820.	35226.	614.	15076.	206.
SALMONID LAKE	62297.	1069.	40793.	707.	21504.	362.
NONSALMONID STREAM	56.	1.	56.	1.	0.	0.
NONSALMONID LAKE	15275.	258.	13192.	228.	2083.	30.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	127929.	2148.	89266.	1550.	38663.	598.

Table 5. - Angling pressure in angler days by drainage by water type for the angling year
Of March 2009 through February 2010 (continued).

	-----TOTALS-----		----RESIDENTS----		---NONRESIDENTS---	
	Pressure	Trips	Pressure	Trips	Pressure	Trips
LITTLE MISSOURI DR						
SALMONID STREAM	111.	1.	0.	0.	111.	1.
SALMONID LAKE	222.	6.	206.	5.	17.	1.
NONSALMONID STREAM	821.	9.	821.	9.	0.	0.
NONSALMONID LAKE	62.	2.	46.	1.	17.	1.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	1216.	17.	1072.	15.	144.	2.
MADISON DR						
SALMONID STREAM	209441.	3290.	84328.	1477.	125113.	1813.
SALMONID LAKE	74931.	1186.	37178.	631.	37753.	555.
NONSALMONID STREAM	117.	2.	117.	2.	0.	0.
NONSALMONID LAKE	262.	6.	180.	4.	82.	2.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	284751.	4484.	121803.	2114.	162948.	2370.
MARIAS DR						
SALMONID STREAM	7291.	116.	5698.	93.	1593.	23.
SALMONID LAKE	12178.	206.	11329.	188.	849.	18.
NONSALMONID STREAM	2924.	58.	2701.	55.	223.	3.
NONSALMONID LAKE	32100.	499.	30519.	480.	1581.	19.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	54493.	879.	50247.	816.	4246.	63.
MILK DR						
SALMONID STREAM	6824.	115.	5886.	106.	938.	9.
SALMONID LAKE	20525.	360.	19266.	346.	1259.	15.
NONSALMONID STREAM	9048.	192.	8998.	191.	50.	1.
NONSALMONID LAKE	47019.	763.	42321.	702.	4698.	62.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	167.	3.	167.	3.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	83582.	1433.	76637.	1347.	6945.	86.
LOWER MISSOURI DR						
SALMONID STREAM	19442.	360.	13909.	275.	5533.	85.
SALMONID LAKE	25637.	417.	21549.	361.	4089.	57.
NONSALMONID STREAM	34898.	693.	28065.	571.	6833.	122.
NONSALMONID LAKE	88669.	1466.	58700.	1070.	29970.	397.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	46.	1.	46.	1.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	168691.	2937.	122268.	2277.	46423.	660.
UPPER MISSOURI DR						
SALMONID STREAM	238608.	4103.	169248.	3039.	69360.	1065.
SALMONID LAKE	172053.	3009.	157047.	2763.	15006.	246.
NONSALMONID STREAM	30808.	524.	29688.	505.	1120.	20.
NONSALMONID LAKE	130950.	2352.	122150.	2240.	8800.	112.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	274.	4.	274.	4.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	572692.	9991.	478406.	8549.	94286.	1442.

Table 5. - Angling pressure in angler days by drainage by water type for the 2009 angling year
March 2009 through February 2010 (continued).

	-----TOTALS-----		----RESIDENTS----		---NONRESIDENTS---	
	Pressure	Trips	Pressure	Trips	Pressure	Trips
MUSSELSHELL DR						
SALMONID STREAM	3797.	65.	2867.	51.	930.	14.
SALMONID LAKE	19437.	344.	17970.	320.	1467.	24.
NONSALMONID STREAM	3840.	79.	3671.	77.	169.	2.
NONSALMONID LAKE	3708.	76.	3513.	73.	195.	3.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	337.	6.	337.	6.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	31118.	569.	28358.	527.	2760.	42.
ST MARY DR						
SALMONID STREAM	320.	5.	163.	3.	157.	2.
SALMONID LAKE	3297.	47.	2815.	41.	482.	6.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	3617.	52.	2978.	44.	639.	8.
SUN DR						
SALMONID STREAM	13960.	237.	11243.	200.	2717.	37.
SALMONID LAKE	19407.	339.	18688.	328.	719.	12.
NONSALMONID STREAM	401.	4.	232.	2.	169.	2.
NONSALMONID LAKE	7677.	95.	7652.	95.	25.	1.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	41445.	675.	37815.	624.	3630.	51.
LOWER YELLOWSTONE DR						
SALMONID STREAM	1968.	26.	1832.	24.	136.	2.
SALMONID LAKE	3642.	72.	3198.	64.	444.	8.
NONSALMONID STREAM	55574.	1106.	47721.	938.	7853.	168.
NONSALMONID LAKE	41073.	793.	32463.	650.	8610.	143.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	209.	6.	209.	6.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	102465.	2002.	85422.	1681.	17043.	321.
UPPER YELLOWSTONE DR						
SALMONID STREAM	378025.	6281.	196252.	3419.	181773.	2862.
SALMONID LAKE	63712.	1074.	53241.	925.	10471.	149.
NONSALMONID STREAM	34146.	634.	31992.	603.	2154.	31.
NONSALMONID LAKE	38236.	696.	33157.	615.	5079.	81.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	514118.	8685.	314641.	5562.	199477.	3123.
TOTAL						
SALMONID STREAM	1693040.	28070.	1021193.	18020.	671847.	10050.
SALMONID LAKE	913092.	15147.	732219.	12463.	180873.	2685.
NONSALMONID STREAM	220802.	4140.	193676.	3670.	27126.	470.
NONSALMONID LAKE	529993.	8962.	449781.	7851.	80212.	1112.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	2601.	49.	2390.	45.	211.	4.
STATEWIDE PRESSURE ESTIMATES:	3359526.	56368.	2399258.	42048.	960268.	14320.

Angler Satisfaction Ratings

Licensed anglers fishing on Montana waters rated their fishing experience on a scale of 1 = poor to 5 = excellent for the 2009 license year. The average rating overall was 2.79 with residents and nonresidents rating their angling experience at 2.7 and 3.02 respectively (Table 6). Individual water satisfaction ratings are given in a separate report "Montana Angler Satisfaction Ratings 2009". Region 3 had the highest overall satisfaction rating of 2.96 while region 1 had the lowest satisfaction rating of 2.55. Nonresidents were always higher in their satisfaction ratings than residents for all regions.

Table 6. - Angler satisfaction ratings by region by water type for the 2009 angling year.																			
Reg Water Type			TOTAL					RESIDENT					NONRESIDENT						
			Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	excellent 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	excellent 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's
1																			
	SALMONID STREAM	2.69	287	221	367	168	131	2.67	201	166	276	108	91	2.74	86	55	91	60	40
	SALMONID LAKE	2.48	591	301	411	243	170	2.46	468	237	328	185	132	2.52	123	64	83	57	38
	NONSALMONID STREAM	2.55	64	42	58	30	21	2.59	55	35	49	30	19	2.22	9	7	9	0	2
	NONSALMONID LAKE	2.48	212	143	194	96	53	2.47	187	124	175	79	46	2.55	25	19	19	16	7
	UNDESIG STRM MGMT	0.00	0	0	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0
	UNDESIG LAKE MGMT	3.00	0	0	1	0	0	3.00	0	0	1	0	0	0.00	0	0	0	0	0
	Regional Ratings:	2.55	1155	707	1032	538	375	2.53	912	562	830	404	288	2.60	243	145	202	134	87
2																			
	SALMONID STREAM	2.85	491	487	798	500	291	2.78	341	353	553	313	170	2.99	150	134	245	187	121
	SALMONID LAKE	2.64	318	168	281	149	136	2.62	267	140	238	120	111	2.71	51	28	43	29	25
	NONSALMONID STREAM	2.52	22	16	17	13	5	2.55	16	12	14	8	5	2.43	6	4	3	5	0
	NONSALMONID LAKE	2.55	46	35	46	15	20	2.50	41	28	39	11	16	2.80	5	7	7	4	4
	UNDESIG STRM MGMT	0.00	0	0	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0
	UNDESIG LAKE MGMT	5.00	0	0	0	0	1	5.00	0	0	0	0	1	0.00	0	0	0	0	0
	Regional Ratings:	2.77	878	707	1142	679	454	2.71	666	533	844	453	304	2.93	212	174	298	226	150
3																			
	SALMONID STREAM	3.01	735	741	1447	978	647	2.93	406	402	750	484	288	3.10	329	339	697	494	358
	SALMONID LAKE	2.79	316	198	308	194	192	2.78	193	123	184	116	117	2.80	123	75	124	78	75
	NONSALMONID STREAM	2.40	8	3	4	3	2	2.31	8	2	4	3	1	3.25	0	1	0	0	0
	NONSALMONID LAKE	2.23	27	13	14	10	3	2.20	22	10	12	6	3	2.36	5	3	2	4	0
	UNDESIG STRM MGMT	0.00	0	0	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0
	UNDESIG LAKE MGMT	0.00	0	0	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0
	Regional Ratings:	2.96	1088	956	1773	1186	844	2.88	631	538	950	609	410	3.04	457	418	823	577	434
4																			
	SALMONID STREAM	2.99	352	293	510	342	317	2.90	273	240	385	256	200	3.24	79	53	124	86	117
	SALMONID LAKE	2.68	486	287	388	277	223	2.66	441	263	353	244	197	2.82	45	24	35	33	26
	NONSALMONID STREAM	2.63	71	51	61	35	33	2.70	60	47	53	33	33	2.06	11	4	7	2	0
	NONSALMONID LAKE	2.40	276	217	286	100	53	2.40	257	208	277	92	49	2.36	19	9	9	8	4
	UNDESIG STRM MGMT	0.00	0	0	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0
	UNDESIG LAKE MGMT	4.00	0	0	1	0	1	4.00	0	0	1	0	1	0.00	0	0	0	0	0
	Regional Ratings:	2.74	1187	849	1247	754	628	2.69	1031	759	1070	625	480	3.03	156	90	177	129	148

Table 6. - Angler satisfaction ratings by region by water type for the 2009 angling year.

Reg	Water Type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's
5																			
	SALMONID STREAM	3.17	327	281	550	472	410	2.88	234	192	358	209	156	3.56	93	89	192	263	254
	SALMONID LAKE	2.55	219	102	156	91	79	2.54	194	89	143	79	68	2.62	24	13	13	12	11
	NONSALMONID STREAM	2.53	64	63	83	34	17	2.54	58	62	81	31	17	2.17	6	1	2	3	0
	NONSALMONID LAKE	2.19	123	68	60	27	21	2.16	112	61	46	25	19	2.38	10	7	14	2	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	4.00	0	0	1	0	1	4.00	0	0	1	0	1	.00	0	0	0	0	0
	Regional Ratings:	2.91	734	516	851	625	529	2.67	600	406	630	345	262	3.43	134	110	221	280	267
6																			
	SALMONID STREAM	2.94	16	7	18	9	13	2.88	14	6	14	8	10	3.18	2	1	4	1	3
	SALMONID LAKE	3.00	42	28	65	39	36	3.03	38	24	61	37	34	2.59	4	4	4	2	2
	NONSALMONID STREAM	2.74	64	29	65	30	35	2.72	57	25	56	27	29	2.90	7	4	9	3	6
	NONSALMONID LAKE	2.76	153	132	197	115	81	2.70	130	110	155	86	61	3.00	23	22	42	29	20
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	5.00	0	0	0	0	1	5.00	0	0	0	0	1	.00	0	0	0	0	0
	Regional Ratings:	2.81	276	197	346	194	167	2.78	239	166	286	159	136	2.96	37	31	60	35	31
7																			
	SALMONID STREAM	2.39	3	3	3	1	1	2.65	1	3	2	1	1	1.67	2	0	1	0	0
	SALMONID LAKE	2.70	12	7	7	3	8	2.60	12	6	5	3	7	3.44	0	1	2	0	1
	NONSALMONID STREAM	2.72	76	75	120	48	39	2.65	63	67	110	38	25	3.07	13	8	10	10	14
	NONSALMONID LAKE	2.62	74	56	101	53	18	2.67	56	42	81	44	16	2.43	18	14	20	9	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	2.00	0	1	0	0	0	2.00	0	1	0	0	0	.00	0	0	0	0	0
	Regional Ratings:	2.67	166	143	232	105	67	2.66	133	120	199	86	49	2.73	33	23	33	19	18
Total																			
	SALMONID STREAM	2.97	2213	2034	3693	2472	1811	2.85	1471	1363	2338	1380	917	3.15	741	671	1354	1092	894
	SALMONID LAKE	2.64	1997	1101	1640	1013	857	2.62	1620	887	1318	791	673	2.71	377	214	322	221	184
	NONSALMONID STREAM	2.63	371	280	408	195	153	2.63	318	251	367	171	130	2.62	52	29	40	24	23
	NONSALMONID LAKE	2.50	913	666	901	417	250	2.48	807	585	787	344	211	2.65	106	81	114	72	39
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	3.88	0	1	3	0	4	3.88	0	1	3	0	4	.00	0	0	0	0	0
	Statewide Ratings:	2.79	5495	4083	6646	4097	3076	2.70	4217	3087	4815	2687	1935	3.02	1278	996	1831	1410	1141

Angler satisfaction ratings were summarized by the twenty-two major drainages like those reported under the angling pressure section (Table 7). The ratings ranged from a high of 3.20 for the St. Mary's drainage to a low of 2.48 for the Marias River drainage and Lower Clark Fork River drainage.

Table 7. - Angler satisfaction ratings by drainage by water type for the angling year March 2009 through February 2010.

Drain- age Water type		TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	----- 2's	----- 3's	excellent 4's	5's	Avg Rate	poor 1's	----- 2's	----- 3's	excellent 4's	5's	Avg Rate	poor 1's	----- 2's	----- 3's	excellent 4's	5's
BEAVERHEAD DR																			
SALMONID STREAM		3.15	85	78	142	126	100	3.04	43	33	60	45	42	3.22	42	45	82	81	58
SALMONID LAKE		2.80	94	57	90	58	58	2.91	41	35	43	34	33	2.68	53	22	47	24	25
NONSALMONID STREAM		3.00	0	1	0	0	0	.00	0	0	0	0	0	3.00	0	1	0	0	0
NONSALMONID LAKE		1.86	9	1	1	3	0	1.00	4	0	0	0	0	2.20	5	1	1	3	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.99	188	137	233	187	159	2.96	88	68	103	79	75	3.01	100	69	130	108	84
BIG HOLE DR																			
SALMONID STREAM		3.03	116	122	219	155	110	2.91	71	71	134	80	48	3.18	45	51	85	75	62
SALMONID LAKE		3.14	15	2	12	14	13	3.13	13	1	11	11	11	3.22	2	1	1	3	2
NONSALMONID STREAM		4.00	0	0	0	0	0	.00	0	0	0	0	0	4.00	0	0	0	0	0
NONSALMONID LAKE		2.00	0	2	0	0	0	2.00	0	2	0	0	0	.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		3.04	131	126	231	170	123	2.93	84	74	145	91	59	3.19	47	52	86	79	64
BITTERROOT DR																			
SALMONID STREAM		2.88	174	159	301	184	107	2.77	124	113	196	104	61	3.08	50	46	105	80	46
SALMONID LAKE		2.61	47	11	29	15	21	2.68	39	9	25	13	20	2.18	8	2	4	2	1
NONSALMONID STREAM		2.31	4	4	2	3	0	2.33	4	3	2	3	0	2.00	0	1	0	0	0
NONSALMONID LAKE		3.50	0	1	0	0	1	5.00	0	0	0	0	1	2.00	0	1	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.84	225	175	332	202	129	2.76	167	125	223	120	82	3.03	58	50	109	82	47
BLACKFOOT DR																			
SALMONID STREAM		2.90	103	105	179	110	72	2.76	86	78	131	71	40	3.26	17	27	48	39	32
SALMONID LAKE		2.13	152	60	76	35	17	2.14	131	54	68	31	14	2.09	21	6	8	4	3
NONSALMONID STREAM		2.33	5	2	4	2	0	2.52	3	2	3	2	0	1.67	2	0	1	0	0
NONSALMONID LAKE		2.46	39	29	38	9	14	2.43	34	23	33	7	11	2.60	5	6	5	2	3
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		5.00	0	0	0	0	1	5.00	0	0	0	0	1	.00	0	0	0	0	0
Drainage Ratings:		2.59	299	197	297	156	105	2.49	254	157	235	111	67	2.96	45	40	62	45	38
LOWER CLARK FORK DR																			
SALMONID STREAM		2.52	149	118	183	71	37	2.53	88	81	123	39	25	2.49	61	37	60	32	12
SALMONID LAKE		2.29	88	34	51	20	19	2.35	70	26	43	19	16	2.01	18	8	8	1	3
NONSALMONID STREAM		2.47	41	31	40	18	10	2.54	28	24	33	13	9	2.24	13	7	7	5	1
NONSALMONID LAKE		2.58	67	57	72	39	22	2.57	58	45	61	30	19	2.64	9	12	11	9	3
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.48	346	241	347	150	88	2.50	244	177	261	102	69	2.43	102	64	86	48	19
UPPER CLARK FORK DR																			
SALMONID STREAM		2.95	121	151	208	171	93	2.93	80	111	153	118	58	3.00	41	40	55	53	35
SALMONID LAKE		2.92	113	94	164	93	91	2.89	93	74	135	70	71	3.03	20	20	29	23	20
NONSALMONID STREAM		2.63	2	3	1	2	1	2.71	2	2	1	2	1	2.00	0	1	0	0	0
NONSALMONID LAKE		2.56	3	0	1	3	0	1.90	3	0	0	1	0	3.67	0	0	1	2	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.93	240	249	374	270	185	2.90	179	188	289	192	130	3.01	61	61	85	78	55

Table 7. - Angler satisfaction ratings by drainage by water type for the angling year March 2009 through February 2010 (continued).

Drain- age Water type		TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	----- 2's	----- 3's	excellent 4's	5's	Avg Rate	poor 1's	----- 2's	----- 3's	excellent 4's	5's	Avg Rate	poor 1's	----- 2's	----- 3's	excellent 4's	5's
LOWER FLATHEAD DR																			
SALMONID STREAM		2.62	107	90	120	57	43	2.54	77	74	88	37	26	2.81	30	16	32	20	17
SALMONID LAKE		2.52	308	162	216	132	102	2.53	249	140	186	108	84	2.48	59	22	30	24	18
NONSALMONID STREAM		2.65	33	16	26	18	13	2.64	33	15	22	18	13	2.80	0	1	4	0	0
NONSALMONID LAKE		2.43	123	66	104	47	28	2.43	114	60	98	41	26	2.51	9	6	6	6	2
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.53	571	335	467	255	186	2.52	473	289	395	205	149	2.61	98	46	72	50	37
UPPER FLATHEAD DR																			
SALMONID STREAM		3.00	36	38	82	37	37	3.04	24	29	68	26	29	2.89	12	9	14	11	8
SALMONID LAKE		2.47	67	31	45	34	15	2.49	56	28	36	32	12	2.39	11	3	9	2	3
NONSALMONID STREAM		3.60	0	1	2	0	2	3.67	0	0	2	0	1	3.50	0	1	0	0	1
NONSALMONID LAKE		2.00	3	2	3	0	0	2.14	2	2	3	0	0	1.33	1	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		3.00	0	0	1	0	0	3.00	0	0	1	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.76	106	73	133	71	54	2.77	82	59	110	58	42	2.71	24	14	23	13	12
GALLATIN DR																			
SALMONID STREAM		3.14	88	102	249	163	109	3.18	47	59	138	94	66	3.10	41	43	111	69	43
SALMONID LAKE		2.73	43	33	47	26	23	2.77	36	25	41	23	20	2.52	7	8	6	3	3
NONSALMONID STREAM		2.00	0	1	0	0	0	2.00	0	1	0	0	0	.00	0	0	0	0	0
NONSALMONID LAKE		3.10	1	2	3	3	1	3.10	1	2	3	3	1	.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		3.06	132	138	299	192	133	3.07	84	87	182	120	87	3.05	48	51	117	72	46
JEFFERSON DR																			
SALMONID STREAM		2.98	50	35	68	49	40	2.92	43	25	48	40	28	3.16	7	10	20	9	12
SALMONID LAKE		2.17	41	19	14	6	10	2.13	38	17	13	6	8	2.50	3	2	1	0	2
NONSALMONID STREAM		4.00	0	0	0	1	0	4.00	0	0	0	1	0	.00	0	0	0	0	0
NONSALMONID LAKE		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.76	91	54	82	56	50	2.68	81	42	61	47	36	3.08	10	12	21	9	14
KOOTENAI DR																			
SALMONID STREAM		2.62	89	46	93	40	34	2.59	64	32	70	27	22	2.69	25	14	23	13	12
SALMONID LAKE		2.53	134	76	110	62	41	2.43	97	46	72	32	26	2.72	36	30	38	30	15
NONSALMONID STREAM		1.00	1	0	0	0	0	1.00	1	0	0	0	0	.00	0	0	0	0	0
NONSALMONID LAKE		2.55	23	22	21	12	8	2.51	17	22	18	11	5	2.73	5	0	3	1	3
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.56	247	144	225	115	83	2.50	180	100	161	70	53	2.71	67	44	64	45	30
LITTLE MISSOURI DR																			
SALMONID STREAM		1.00	1	0	0	0	0	.00	0	0	0	0	0	1.00	1	0	0	0	0
SALMONID LAKE		3.00	0	1	1	0	0	2.60	0	1	1	0	0	5.00	0	0	0	0	0
NONSALMONID STREAM		2.00	1	1	1	0	0	2.00	1	1	1	0	0	.00	0	0	0	0	0
NONSALMONID LAKE		4.00	0	0	0	0	0	3.00	0	0	0	0	0	5.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.50	2	2	3	0	1	2.33	1	2	3	0	0	3.00	1	0	0	0	1

Table 7. - Angler satisfaction ratings by drainage by water type for the angling year March 2009 through February 2010 (continued).

Drainage	Water type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	----- 2's	3's	4's	5's	Avg Rate	poor 1's	----- 2's	3's	4's	5's	Avg Rate	poor 1's	----- 2's	3's	4's	5's
MADISON DR																			
	SALMONID STREAM	2.93	234	248	475	283	170	2.83	100	112	194	115	50	3.00	134	136	281	168	120
	SALMONID LAKE	2.88	111	80	142	84	80	2.82	60	40	74	37	39	2.95	51	40	68	47	41
	NONSALMONID STREAM	4.00	0	0	0	1	0	4.00	0	0	0	1	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.33	1	4	0	0	1	2.50	1	2	0	0	1	2.00	0	2	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.92	346	332	617	368	251	2.83	161	154	268	153	90	2.99	185	178	349	215	161
MARIAS DR																			
	SALMONID STREAM	3.06	8	4	13	7	8	3.08	6	4	9	7	6	3.00	2	0	4	0	2
	SALMONID LAKE	2.82	24	12	24	13	16	2.80	24	10	22	10	16	3.14	0	2	2	3	0
	NONSALMONID STREAM	2.93	3	6	4	3	4	2.92	3	6	3	3	4	3.00	0	0	1	0	0
	NONSALMONID LAKE	2.16	79	39	53	17	8	2.13	78	37	52	16	6	3.14	1	2	1	1	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.48	116	61	95	41	36	2.44	113	57	87	37	32	3.09	3	4	8	4	4
MILK DR																			
	SALMONID STREAM	3.10	9	5	11	7	10	3.15	8	5	10	7	10	2.00	1	0	1	0	0
	SALMONID LAKE	3.07	22	23	56	32	22	3.10	20	20	53	31	21	2.58	2	3	2	1	1
	NONSALMONID STREAM	2.62	19	10	18	8	8	2.61	19	10	17	8	8	3.00	0	0	1	0	0
	NONSALMONID LAKE	2.86	51	60	73	44	40	2.82	48	57	65	42	33	3.31	3	3	7	2	7
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	5.00	0	0	0	0	1	5.00	0	0	0	0	1	.00	0	0	0	0	0
Drainage Ratings:		2.92	101	98	158	92	82	2.91	95	92	146	89	74	3.03	6	6	12	3	8
LOWER MISSOURI DR																			
	SALMONID STREAM	3.16	22	18	31	24	29	3.16	16	13	22	22	19	3.15	6	5	9	2	10
	SALMONID LAKE	2.75	63	32	39	28	40	2.71	59	28	32	27	34	3.09	3	4	7	1	6
	NONSALMONID STREAM	2.70	70	25	68	32	32	2.70	58	19	59	27	26	2.66	12	6	9	5	6
	NONSALMONID LAKE	2.67	113	77	131	73	43	2.58	91	58	96	45	30	2.93	21	19	35	28	13
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	3.00	0	0	1	0	0	3.00	0	0	1	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.75	268	153	272	157	144	2.71	225	119	211	121	109	2.93	43	34	61	36	35
UPPER MISSOURI DR																			
	SALMONID STREAM	2.94	335	280	475	316	266	2.85	262	226	359	228	165	3.20	73	54	116	88	100
	SALMONID LAKE	2.67	339	203	267	213	142	2.66	302	187	243	185	125	2.77	37	16	24	28	17
	NONSALMONID STREAM	2.58	54	38	39	22	25	2.64	47	37	34	22	24	1.93	7	1	5	0	0
	NONSALMONID LAKE	2.45	169	161	211	74	35	2.47	153	154	203	68	33	2.27	16	7	8	6	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	5.00	0	0	0	0	1	5.00	0	0	0	0	1	.00	0	0	0	0	0
Drainage Ratings:		2.75	898	683	994	626	469	2.70	764	605	840	504	349	3.03	134	78	154	122	120
MUSSELSHELL DR																			
	SALMONID STREAM	2.82	10	2	13	2	7	2.64	8	1	11	2	3	3.33	2	1	2	0	4
	SALMONID LAKE	2.86	49	27	46	29	36	2.86	45	26	41	27	33	2.87	4	1	5	2	3
	NONSALMONID STREAM	2.65	6	8	11	3	3	2.70	5	8	11	3	3	1.00	1	0	0	0	0
	NONSALMONID LAKE	2.01	23	7	6	0	6	2.05	22	7	6	0	6	1.00	1	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	4.00	0	0	1	0	1	4.00	0	0	1	0	1	.00	0	0	0	0	0
Drainage Ratings:		2.72	89	45	77	34	53	2.71	80	43	70	32	46	2.85	9	2	7	2	7

Table 7. - Angler satisfaction ratings by drainage by water type for the angling year March 2009 through February 2010 (continued).

Drain- age	Water type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	excellent 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	excellent 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	excellent 5's
ST MARY DR																			
	SALMONID STREAM	2.25	1	1	2	0	0	2.50	0	1	1	0	0	2.00	1	0	1	0	0
	SALMONID LAKE	3.38	2	5	4	3	7	3.47	1	4	4	2	6	3.00	1	1	0	1	1
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Ratings:	3.20	3	6	6	3	7	3.37	1	5	5	2	6	2.67	2	1	1	1	1
SUN DR																			
	SALMONID STREAM	3.28	18	13	26	14	32	3.28	13	12	21	13	24	3.30	5	1	5	1	8
	SALMONID LAKE	2.38	63	31	47	14	18	2.38	59	30	45	14	16	2.37	4	1	2	0	2
	NONSALMONID STREAM	2.50	0	1	1	0	0	3.00	0	0	1	0	0	2.00	0	1	0	0	0
	NONSALMONID LAKE	2.52	12	11	9	7	4	2.54	12	11	9	7	4	1.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Ratings:	2.69	94	56	84	35	54	2.66	84	53	77	34	44	2.94	10	3	7	1	10
LOWER YELLOWSTONE DR																			
	SALMONID STREAM	2.52	2	3	3	1	1	2.65	1	3	2	1	1	2.00	1	0	1	0	0
	SALMONID LAKE	2.69	11	5	4	2	8	2.60	11	4	2	2	7	3.25	0	1	2	0	1
	NONSALMONID STREAM	2.74	72	74	118	48	39	2.67	60	66	108	38	25	3.11	12	8	10	10	14
	NONSALMONID LAKE	2.65	69	55	100	53	18	2.71	51	41	80	44	16	2.41	18	14	20	9	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	2.00	0	1	0	0	0	2.00	0	1	0	0	0	.00	0	0	0	0	0
	Drainage Ratings:	2.69	155	139	225	104	66	2.68	124	116	192	85	49	2.74	31	23	33	19	17
UPPER YELLOWSTONE DR																			
	SALMONID STREAM	3.12	453	414	799	652	505	2.87	309	278	500	302	193	3.44	144	136	299	350	312
	SALMONID LAKE	2.51	198	92	130	82	64	2.52	169	77	119	70	54	2.47	29	15	11	12	10
	NONSALMONID STREAM	2.52	58	56	72	31	15	2.53	53	55	70	28	15	2.27	5	1	2	3	0
	NONSALMONID LAKE	2.22	126	67	70	31	20	2.18	116	60	55	28	18	2.46	10	7	15	3	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Ratings:	2.92	836	631	1072	797	605	2.70	648	472	745	429	281	3.35	188	159	327	368	324
Total																			
	SALMONID STREAM	2.97	2213	2034	3693	2472	1811	2.85	1471	1363	2338	1380	917	3.15	741	671	1354	1092	894
	SALMONID LAKE	2.64	1997	1101	1640	1013	857	2.62	1620	887	1318	791	673	2.71	377	214	322	221	184
	NONSALMONID STREAM	2.63	371	280	408	195	153	2.63	318	251	367	171	130	2.62	52	29	40	24	23
	NONSALMONID LAKE	2.50	913	666	901	417	250	2.48	807	585	787	344	211	2.65	106	81	114	72	39
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	3.88	0	1	3	0	4	3.88	0	1	3	0	4	.00	0	0	0	0	0
	Statewide Ratings:	2.79	5495	4083	6646	4097	3076	2.70	4217	3087	4815	2687	1935	3.02	1278	996	1831	1410	1141

Angler Crowding Ratings

Questions were included to ask the angler to rate the crowding from one (sparse) to five (crowded) and also to ascertain how many other recreationalists they encountered for each rating category. A separate report on the crowding ratings for individual waters was published entitled "Montana Angler Crowding Ratings 2009". The ratings were summarized for the seven Fish, Wildlife & Parks regions and are listed in table 8. The ratings were also summarized by the 22 major drainages in the state and are listed in table 9. The "Crowding Ratings" column lists the number of responses under each rating while the "Average Number of People Seen" column list contains exactly what the title says.

Table 8. - Crowding ratings summarized by region by residency by water type for the 2009 - 2010 angling license year.

Region Type		Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
1	SALMONID STREAM												
	Total	1.65	770	176	108	57	48	7.59	3.75	9.43	13.49	21.85	32.29
	Resdident	1.74	523	125	90	49	40	7.82	3.65	9.70	12.48	20.48	30.49
	Nonresident	1.43	247	51	18	8	8	7.03	3.99	8.71	18.43	30.38	41.38
	SALMONID LAKE												
	Total	1.75	997	357	209	76	70	16.75	9.15	17.78	33.86	26.99	57.66
	Resdident	1.81	746	297	176	67	58	15.07	8.87	16.51	23.06	22.15	55.12
	Nonresident	1.55	251	60	33	9	12	22.97	10.03	24.00	91.51	63.00	69.91
	NONSALMONID STREAM												
	Total	1.74	121	46	29	10	6	6.72	5.09	5.71	8.49	15.20	24.67
	Resdident	1.79	103	40	26	10	6	6.51	4.63	5.17	8.55	15.20	24.67
	Nonresident	1.44	18	6	3	0	0	8.16	7.78	9.37	8.00	.00	.00
	NONSALMONID LAKE												
	Total	1.79	393	144	99	29	30	12.94	7.80	13.91	21.23	35.42	26.55
	Resdident	1.82	337	129	87	27	29	12.47	7.74	12.31	19.34	35.89	25.74
	Nonresident	1.57	56	15	12	2	1	16.30	8.25	27.21	34.83	29.00	50.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resdident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Regional Crowding Ratings:													
	Total	1.73	2283	724	445	172	154	12.67	6.88	14.21	24.45	26.02	42.41
	Resident	1.79	1711	591	379	153	133	11.97	6.79	13.39	18.70	23.59	39.93
	Nonresident	1.50	572	133	66	19	21	15.24	7.18	17.85	57.48	45.68	58.09

Table 8. - Crowding ratings summarized by region by residency by water type for the 2009 - 2010 angling license year (continued).

Region Type		Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
2	SALMONID STREAM												
	Total	1.95	1340	483	382	185	151	8.26	3.24	8.92	11.69	16.09	32.48
	Resdident	2.04	855	332	256	140	131	8.23	2.65	8.01	11.17	15.14	32.06
	Nonresident	1.75	485	150	126	45	20	8.34	4.30	10.91	12.75	19.09	35.05
	SALMONID LAKE												
	Total	2.05	508	196	185	96	60	16.86	9.45	15.53	21.07	34.36	43.03
	Resdident	2.13	393	173	160	86	58	17.07	8.82	15.65	21.05	32.29	43.73
	Nonresident	1.63	115	23	25	10	2	15.83	11.64	14.85	21.03	52.00	23.50
	NONSALMONID STREAM												
	Total	1.65	49	11	9	4	2	6.49	3.76	4.79	17.46	15.75	15.00
	Resdident	1.70	37	7	6	4	2	5.90	2.64	4.80	17.85	15.75	15.00
	Nonresident	1.51	12	3	3	0	0	8.25	7.17	4.71	16.67	.00	.00
	NONSALMONID LAKE												
	Total	2.03	78	28	33	10	10	16.79	6.59	17.54	21.27	28.80	67.85
	Resdident	2.13	61	23	28	10	10	17.79	6.67	16.94	20.91	28.80	67.85
	Nonresident	1.55	17	5	5	0	0	11.97	6.36	20.40	23.20	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	Resdident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.97	1977	719	609	295	223	10.93	4.98	11.01	15.14	22.46	36.74
Resident		2.07	1347	537	450	240	201	11.41	4.63	10.83	15.38	21.87	37.04
Nonresident		1.72	630	182	159	55	22	9.69	5.76	11.55	14.45	25.07	34.00
3	SALMONID STREAM												
	Total	2.00	2246	896	756	387	245	11.37	4.32	11.27	16.29	27.37	35.96
	Resdident	2.04	1126	452	389	204	143	10.03	3.47	9.75	13.62	24.43	32.25
	Nonresident	1.96	1120	444	367	183	102	12.78	5.19	12.79	19.12	30.63	41.19
	SALMONID LAKE												
	Total	1.73	701	232	192	50	28	15.26	9.02	16.06	30.98	25.62	38.60
	Resdident	1.83	395	147	131	37	21	12.56	7.38	14.68	18.77	20.68	42.20
	Nonresident	1.58	306	85	61	13	7	19.43	11.11	18.47	57.19	39.77	27.86
	NONSALMONID STREAM												
	Total	1.51	14	4	2	1	0	10.42	5.03	14.03	47.50	.00	.00
	Resdident	1.56	12	4	2	1	0	10.74	4.67	14.03	47.50	.00	.00
	Nonresident	1.00	2	0	0	0	0	7.25	7.25	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.94	31	15	16	4	1	21.29	9.67	29.52	20.44	13.27	300.00
	Resdident	1.93	25	11	13	4	0	14.52	9.65	27.42	12.85	13.27	.00
	Nonresident	2.00	6	4	3	0	1	47.15	9.70	35.50	53.30	.00	300.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.94	2993	1148	966	442	274	12.29	5.48	12.50	19.34	26.98	37.19
Resident		1.99	1559	615	535	246	164	10.70	4.57	11.29	14.99	23.59	33.53
Nonresident		1.90	1434	533	431	196	110	14.11	6.48	13.87	24.75	31.24	42.69

Table 8. - Crowding ratings summarized by region by residency by water type for the 2009 - 2010 angling license year (continued).

Region	Type	Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
4	SALMONID STREAM												
	Total	2.14	818	347	341	168	131	14.01	4.71	13.39	19.81	30.95	36.79
	Resident	2.16	620	243	238	134	109	12.26	3.97	11.32	17.22	26.06	33.59
	Nonresident	2.08	198	103	103	34	22	19.11	7.01	18.27	25.81	50.18	52.50
	SALMONID LAKE												
	Total	2.10	760	337	292	129	127	22.66	11.38	19.81	31.88	33.07	65.86
	Resident	2.16	650	312	277	115	126	22.77	10.01	19.59	32.67	32.65	65.56
	Nonresident	1.61	109	25	15	13	1	21.63	19.40	22.56	17.55	36.67	100.00
	NONSALMONID STREAM												
	Total	1.67	156	48	27	13	6	8.56	3.56	13.57	20.97	15.58	24.80
	Resident	1.69	142	38	25	13	6	8.33	3.55	12.21	21.25	15.58	24.80
	Nonresident	1.53	14	9	2	0	0	10.57	3.71	19.21	17.50	.00	.00
	NONSALMONID LAKE												
	Total	2.22	380	202	182	106	62	29.98	14.78	26.63	38.05	43.38	87.07
	Resident	2.23	355	192	174	99	61	30.15	14.77	27.19	37.75	41.56	88.44
	Nonresident	1.99	24	10	8	6	1	26.90	14.47	16.50	44.97	71.23	3.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	2	0	0	0	0	.50	.50	.00	.00	.00	.00
	Resident	1.00	2	0	0	0	0	.50	.50	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.12	2116	935	843	416	328	19.99	8.82	18.59	27.97	34.29	57.43
Resident		2.15	1770	787	715	362	304	20.00	8.32	18.53	28.35	32.05	57.80
Nonresident		1.95	346	148	128	54	24	19.94	11.32	18.94	25.91	49.33	52.42
5	SALMONID STREAM												
	Total	2.40	790	328	422	284	204	25.69	4.95	16.48	33.51	54.69	64.19
	Resident	2.18	535	201	182	116	109	15.42	3.76	10.72	17.91	35.02	56.10
	Nonresident	2.68	255	127	240	168	95	39.02	7.46	25.64	45.37	68.40	73.57
	SALMONID LAKE												
	Total	2.08	320	114	109	53	53	15.30	6.73	15.29	17.32	31.76	46.24
	Resident	2.16	266	105	104	50	50	16.04	6.76	15.95	16.91	31.76	47.87
	Nonresident	1.53	54	9	4	3	3	9.56	6.69	7.67	27.11	31.67	18.67
	NONSALMONID STREAM												
	Total	1.59	176	39	30	8	7	5.26	2.61	6.35	9.01	6.47	45.72
	Resident	1.57	169	38	29	6	6	5.01	2.65	6.48	8.97	8.00	37.38
	Nonresident	2.08	7	1	1	2	1	10.25	1.29	1.00	10.00	1.50	100.00
	NONSALMONID LAKE												
	Total	2.14	139	59	41	38	21	23.56	11.60	21.32	32.41	44.07	54.20
	Resident	2.20	118	50	38	36	20	24.64	11.41	21.06	33.67	45.23	56.84
	Nonresident	1.68	21	9	2	2	1	15.58	12.80	22.80	13.20	23.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	2	0	0	0	0	3.50	3.50	.00	.00	.00	.00
	Resident	1.00	2	0	0	0	0	3.50	3.50	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.25	1429	541	602	384	287	21.75	5.71	16.03	29.28	49.41	59.61
Resident		2.11	1092	395	354	209	187	15.50	5.15	13.03	18.59	35.16	53.31
Nonresident		2.56	337	146	248	175	100	35.69	7.54	24.19	44.58	66.49	71.45

Table 8. - Crowding ratings summarized by region by residency by water type for the 2009 - 2010 angling license year (continued).

		Crowding Ratings						Average Number of People Seen					
Region	Type	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
6	SALMONID STREAM												
	Total	1.58	43	9	5	3	2	8.20	5.55	7.67	17.04	10.33	42.50
	Resdident	1.49	37	7	4	2	1	7.27	5.83	6.29	16.30	10.50	25.00
	Nonresident	2.00	6	2	1	1	1	12.65	4.02	12.50	20.00	10.00	60.00
	SALMONID LAKE												
	Total	1.92	101	45	35	20	3	11.19	7.47	13.83	12.04	15.71	55.67
	Resdident	1.97	89	41	34	20	3	11.54	7.73	13.93	12.21	15.71	55.67
	Nonresident	1.35	12	4	1	0	0	7.23	5.49	12.75	6.00	.00	.00
	NONSALMONID STREAM												
	Total	1.71	143	29	33	8	10	14.64	6.81	26.98	32.22	27.76	22.28
	Resdident	1.68	127	26	26	7	8	12.44	5.04	28.77	26.57	30.26	15.38
	Nonresident	1.97	16	3	7	1	2	29.29	20.69	11.70	53.30	10.00	50.00
	NONSALMONID LAKE												
	Total	1.65	416	122	101	23	10	18.80	15.02	21.79	27.37	25.05	38.08
	Resdident	1.71	317	100	86	22	10	18.54	14.18	21.94	26.36	26.16	38.08
	Nonresident	1.40	99	22	15	1	0	19.83	17.68	21.20	33.33	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	1	0	0	0	0	4.00	4.00	.00	.00	.00	.00
	Resdident	1.00	1	0	0	0	0	4.00	4.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.70	704	206	174	55	25	16.08	11.68	20.14	24.91	21.16	34.22
Resident		1.74	571	175	150	52	22	15.36	10.58	20.43	22.92	21.99	31.63
Nonresident		1.52	133	31	24	3	3	19.73	16.32	18.63	37.46	6.67	53.33
7	SALMONID STREAM												
	Total	1.22	10	0	1	0	0	5.17	4.80	3.00	10.00	.00	.00
	Resdident	1.29	7	0	1	0	0	4.28	3.56	3.00	10.00	.00	.00
	Nonresident	1.00	3	0	0	0	0	7.67	7.67	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.33	30	1	5	0	0	3.58	1.77	3.33	13.73	.00	.00
	Resdident	1.38	26	1	5	0	0	3.80	1.73	3.33	13.73	.00	.00
	Nonresident	1.00	4	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	2.10	181	61	42	31	37	24.48	3.95	13.08	30.47	85.00	86.41
	Resdident	1.93	170	51	32	18	27	16.43	3.56	11.12	17.86	87.44	58.52
	Nonresident	3.02	11	10	10	13	10	69.01	10.01	23.33	70.84	81.52	161.52
	NONSALMONID LAKE												
	Total	2.39	111	50	78	38	25	35.11	11.50	31.85	43.45	47.43	102.04
	Resdident	2.41	82	45	63	29	20	35.54	12.30	31.93	45.41	37.35	105.03
	Nonresident	2.29	29	5	15	9	5	33.56	9.38	31.04	35.27	80.00	90.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.17	334	114	127	69	62	27.59	6.29	21.22	37.60	64.31	92.71
Resident		2.09	286	99	102	47	47	23.40	5.89	20.53	34.71	56.53	78.31
Nonresident		2.53	48	15	25	22	15	47.12	8.73	25.90	49.50	80.90	137.68

Table 8. - Crowding ratings summarized by region by residency by water type for the 2009 - 2010 angling license year (continued).

		Crowding Ratings						Average Number of People Seen					
Region	Type	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
Total													
	SALMONID STREAM												
	Total	2.04	6018	2239	2015	1084	782	13.13	4.15	11.70	19.47	32.83	42.60
	Resdident	2.05	3704	1361	1160	645	534	10.58	3.45	9.72	14.41	24.32	37.22
	Nonresident	2.03	2314	878	855	439	248	17.12	5.28	14.74	26.34	45.36	54.18
	SALMONID LAKE												
	Total	1.92	3460	1294	1033	432	344	17.48	9.26	17.21	27.75	30.06	54.58
	Resdident	2.00	2581	1083	890	378	317	17.10	8.56	16.80	23.85	28.39	55.20
	Nonresident	1.59	879	211	143	54	27	19.02	11.30	19.35	51.98	41.66	47.29
	NONSALMONID STREAM												
	Total	1.78	841	238	172	75	69	12.57	4.25	11.98	21.38	44.10	59.45
	Resdident	1.73	761	205	146	59	56	9.93	3.72	11.37	16.99	37.90	40.81
	Nonresident	2.10	80	33	26	16	13	31.88	9.28	15.90	46.17	67.04	139.63
	NONSALMONID LAKE												
	Total	1.99	1550	623	550	248	160	22.82	12.04	22.30	31.90	40.37	70.71
	Resdident	2.04	1297	553	490	228	151	22.93	11.86	22.16	31.53	38.36	69.60
	Nonresident	1.70	253	70	60	20	9	22.09	12.94	23.51	34.97	62.78	89.22
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	8	0	0	0	0	1.75	1.75	.00	.00	.00	.00
	Resdident	1.00	8	0	0	0	0	1.75	1.75	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Statewide Ratings:													
	Total	1.98	11879	4396	3772	1841	1355	15.62	6.67	14.84	23.64	33.66	49.82
	Resident	2.01	8352	3203	2687	1311	1058	14.61	6.36	14.37	20.80	28.55	47.42
	Nonresident	1.93	3527	1193	1085	530	297	18.18	7.42	16.10	30.69	46.31	58.36

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2009 - 2010 angling license year.

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
BEAVERHEAD DR												
SALMONID STREAM												
Total	1.94	299	74	70	46	35	9.78	2.69	8.10	18.09	25.01	37.39
Resident	1.92	125	30	34	17	13	6.55	2.36	6.17	8.91	14.61	30.95
Nonresident	1.95	174	44	36	29	22	12.14	2.96	9.37	26.86	31.13	41.32
SALMONID LAKE												
Total	1.78	193	74	66	12	8	24.16	12.67	21.60	56.00	42.67	34.60
Resident	1.85	91	43	40	6	4	15.38	10.44	20.21	19.25	20.37	29.30
Nonresident	1.69	102	31	26	6	4	33.77	14.69	23.55	112.61	65.00	40.00
NONSALMONID STREAM												
Total	1.00	1	0	0	0	0	9.67	9.67	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	1	0	0	0	0	9.67	9.67	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.93	7	3	3	0	1	58.44	21.90	68.30	53.30	.00	300.00
Resident	1.25	3	1	0	0	0	44.97	33.30	80.00	.00	.00	.00
Nonresident	2.20	4	2	3	0	1	63.81	13.30	62.50	53.30	.00	300.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.87	501	151	139	58	44	16.23	6.82	15.91	36.85	28.66	42.85
Resident	1.88	219	74	74	23	17	10.91	6.14	15.33	14.50	16.11	30.56
Nonresident	1.86	282	77	65	35	27	20.71	7.39	16.46	62.38	36.94	50.70
BIG HOLE DR												
SALMONID STREAM												
Total	2.01	355	149	107	74	36	11.68	4.67	12.83	17.20	28.33	25.61
Resident	2.12	188	79	62	46	27	11.61	4.05	12.42	16.66	27.40	23.36
Nonresident	1.88	167	70	45	28	9	11.79	5.36	13.33	17.92	29.92	32.33
SALMONID LAKE												
Total	1.34	45	4	6	1	0	6.20	3.38	9.25	26.32	.00	.00
Resident	1.30	39	3	4	1	0	6.34	3.54	10.67	32.00	.00	.00
Nonresident	1.56	6	1	2	0	0	5.44	2.33	5.00	15.00	.00	.00
NONSALMONID STREAM												
Total	1.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.00	1	0	1	0	0	4.50	3.00	.00	6.00	.00	.00
Resident	2.00	1	0	1	0	0	4.50	3.00	.00	6.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.96	402	153	114	75	36	11.26	4.51	12.74	17.58	27.95	25.61
Resident	2.03	228	82	67	47	27	11.03	3.96	12.36	17.41	26.82	23.36
Nonresident	1.87	174	71	47	28	9	11.60	5.24	13.22	17.80	29.92	32.33

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2009 - 2010 angling license year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
BITTERROOT DR SALMONID STREAM												
Total	2.02	461	175	153	73	60	8.08	3.85	8.11	10.10	15.69	26.06
Resident	2.15	277	116	98	53	54	7.49	3.08	7.22	8.60	13.88	22.46
Nonresident	1.78	184	59	55	20	6	9.20	5.09	9.88	12.78	20.49	58.20
SALMONID LAKE												
Total	1.87	67	28	10	13	5	14.95	6.33	14.98	16.41	47.46	43.00
Resident	1.93	55	25	9	12	5	15.57	6.23	15.06	17.09	46.83	43.00
Nonresident	1.47	12	3	1	1	0	11.18	6.75	14.70	10.00	55.00	.00
NONSALMONID STREAM												
Total	1.92	9	0	1	2	1	7.62	2.67	.00	25.00	25.00	.00
Resident	2.00	8	0	1	2	1	8.10	2.77	.00	25.00	25.00	.00
Nonresident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.00	2	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.00	539	203	164	88	66	8.86	4.13	9.05	10.58	20.60	26.95
Resident	2.11	341	141	108	67	60	8.69	3.57	8.61	9.46	20.11	23.80
Nonresident	1.76	198	62	56	21	6	9.26	5.16	10.12	12.73	22.13	58.20
BLACKFOOT DR SALMONID STREAM												
Total	2.03	270	126	87	39	41	11.76	3.16	12.32	11.76	21.80	57.28
Resident	2.14	180	92	59	33	37	12.62	2.68	11.38	12.24	19.92	58.33
Nonresident	1.77	90	34	28	6	4	9.63	4.14	14.76	10.81	32.20	47.50
SALMONID LAKE												
Total	2.12	158	59	64	35	21	14.61	7.32	14.74	18.50	24.05	41.12
Resident	2.19	132	51	59	32	21	15.06	7.66	14.75	18.82	21.60	41.12
Nonresident	1.64	26	8	5	3	0	11.47	5.45	14.75	15.00	50.00	.00
NONSALMONID STREAM												
Total	1.69	8	2	4	0	0	6.16	3.20	10.00	10.52	.00	.00
Resident	1.70	6	2	3	0	0	4.46	2.18	10.00	5.70	.00	.00
Nonresident	1.67	2	0	1	0	0	12.67	6.50	.00	25.00	.00	.00
NONSALMONID LAKE												
Total	2.01	63	22	24	9	7	17.62	6.05	15.00	25.98	25.89	86.53
Resident	2.12	49	18	21	9	7	18.80	6.16	14.34	24.91	25.89	86.53
Nonresident	1.47	14	4	3	0	0	11.87	5.74	18.00	33.33	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.05	502	209	179	83	70	13.31	4.83	13.26	16.05	23.19	55.45
Resident	2.15	369	163	142	74	66	14.17	4.91	12.74	16.71	21.37	55.93
Nonresident	1.71	133	46	37	9	4	10.22	4.61	15.04	13.58	38.13	47.50

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2009 - 2010 angling license year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
LOWER CLARK FORK DR SALMONID STREAM												
Total	1.61	365	84	64	23	13	6.22	3.48	7.20	13.70	15.43	23.72
Resident	1.72	215	57	46	19	11	6.43	3.22	6.48	13.13	14.99	26.18
Nonresident	1.41	150	27	18	4	2	5.84	3.85	8.61	15.14	17.53	10.00
SALMONID LAKE												
Total	1.81	121	49	19	11	13	21.60	5.63	21.27	93.16	37.73	50.54
Resident	1.77	99	42	15	10	8	12.23	4.73	16.20	26.83	41.51	19.64
Nonresident	1.99	21	7	4	1	5	64.21	9.72	51.71	350.28	.00	99.98
NONSALMONID STREAM												
Total	1.73	80	31	15	8	4	7.38	5.43	5.30	12.67	15.38	27.00
Resident	1.82	57	25	11	8	4	7.77	5.34	5.16	13.91	15.38	27.00
Nonresident	1.43	23	6	4	0	0	6.14	5.70	5.80	9.25	.00	.00
NONSALMONID LAKE												
Total	1.76	145	51	45	11	5	14.28	8.26	18.02	21.15	39.73	32.40
Resident	1.77	119	42	36	10	5	14.01	8.12	14.45	22.36	42.89	32.40
Nonresident	1.67	25	9	9	1	0	15.69	9.07	34.76	16.22	8.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.69	712	216	144	53	35	10.98	5.04	12.67	26.71	25.09	35.30
Resident	1.76	492	166	109	47	28	9.72	4.97	10.76	18.24	26.64	25.54
Nonresident	1.52	220	50	35	6	7	14.32	5.22	18.99	53.05	13.02	74.27
UPPER CLARK FORK DR SALMONID STREAM												
Total	1.90	405	131	95	60	39	6.16	2.27	7.10	12.91	12.09	17.73
Resident	1.94	280	89	67	44	31	5.82	1.93	5.80	12.42	12.18	17.71
Nonresident	1.81	125	42	28	16	8	6.95	3.05	9.87	14.05	11.93	17.72
SALMONID LAKE												
Total	2.08	260	101	108	47	33	19.44	12.25	16.34	23.51	38.83	44.25
Resident	2.19	185	91	90	41	31	19.66	11.26	16.47	23.28	36.80	45.63
Nonresident	1.65	75	10	18	6	2	18.60	14.78	15.44	24.43	52.50	23.50
NONSALMONID STREAM												
Total	1.16	8	1	0	0	0	1.16	.75	3.33	.00	.00	.00
Resident	1.06	8	0	0	0	0	.82	.75	2.00	.00	.00	.00
Nonresident	2.00	0	1	0	0	0	4.00	.00	4.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.31	3	2	1	0	1	14.19	12.00	18.40	4.00	.00	18.33
Resident	2.90	1	1	1	0	1	11.50	10.00	10.67	4.00	.00	18.33
Nonresident	1.33	2	1	0	0	0	18.67	13.00	30.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.97	676	237	204	107	74	11.80	6.13	11.15	18.48	23.84	29.75
Resident	2.05	474	183	158	85	64	12.11	5.57	11.16	18.55	24.05	31.46
Nonresident	1.75	202	54	46	22	10	10.92	7.51	11.16	18.11	22.99	18.88

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2009 - 2010 angling license year (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
LOWER FLATHEAD DR													
SALMONID STREAM													
	Total	1.73	258	67	46	27	16	9.99	4.83	11.87	12.53	26.37	50.55
	Resident	1.81	177	50	36	22	14	9.94	4.82	13.22	11.12	22.77	39.95
	Nonresident	1.52	81	17	10	5	2	10.13	4.87	7.88	17.48	42.40	125.00
SALMONID LAKE													
	Total	1.78	516	196	127	41	36	16.68	9.52	17.06	25.02	28.49	74.23
	Resident	1.84	407	172	109	37	35	16.97	9.34	17.53	23.75	22.10	76.29
	Nonresident	1.49	108	24	18	4	1	15.44	10.37	13.83	32.83	87.50	2.00
NONSALMONID STREAM													
	Total	1.73	61	21	16	4	3	6.10	4.81	5.79	7.14	10.50	23.33
	Resident	1.75	58	19	16	4	3	5.34	3.75	4.77	7.14	10.50	23.33
	Nonresident	1.40	3	2	0	0	0	21.40	25.33	15.50	.00	.00	.00
NONSALMONID LAKE													
	Total	1.91	190	83	50	19	23	13.77	8.16	13.43	22.32	33.96	25.93
	Resident	1.93	172	78	45	18	22	13.01	7.98	13.03	18.43	33.07	24.84
	Nonresident	1.75	17	5	5	1	1	22.28	9.82	19.50	57.60	50.00	50.00
UNDESIG STRM MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	1.79	1026	367	240	91	78	13.93	7.81	14.64	20.87	28.21	53.17
	Resident	1.85	816	319	207	81	74	13.89	7.67	14.99	19.10	24.15	51.97
	Nonresident	1.52	210	48	33	10	4	14.20	8.42	12.39	31.93	61.20	75.50
UPPER FLATHEAD DR													
SALMONID STREAM													
	Total	2.03	121	41	29	16	22	10.23	3.63	10.10	17.24	18.92	31.24
	Resident	2.18	83	32	27	14	20	10.99	3.51	9.65	16.67	19.76	30.40
	Nonresident	1.51	38	9	2	2	2	7.72	3.93	11.66	25.00	13.00	39.50
SALMONID LAKE													
	Total	1.70	117	36	26	8	6	9.19	5.99	10.44	19.14	9.11	21.50
	Resident	1.78	94	32	26	8	5	9.16	6.03	10.80	19.14	9.11	5.80
	Nonresident	1.28	23	4	0	0	1	9.39	5.86	7.50	.00	.00	100.00
NONSALMONID STREAM													
	Total	2.00	2	1	2	0	0	8.00	3.00	2.00	16.00	.00	.00
	Resident	2.00	1	1	1	0	0	8.00	2.00	2.00	20.00	.00	.00
	Nonresident	2.00	1	0	1	0	0	8.00	4.00	.00	12.00	.00	.00
NONSALMONID LAKE													
	Total	1.42	8	0	0	0	1	17.32	18.53	.00	.00	.00	7.00
	Resident	1.50	7	0	0	0	1	18.63	20.29	.00	.00	.00	7.00
	Nonresident	1.00	1	0	0	0	0	10.33	10.33	.00	.00	.00	.00
UNDESIG STRM MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
	Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	1.87	250	78	57	24	29	9.88	5.23	10.15	18.06	15.65	28.39
	Resident	1.97	186	65	54	22	26	10.25	5.39	10.10	17.92	15.89	24.77
	Nonresident	1.44	64	13	3	2	3	8.34	4.79	10.38	20.67	13.00	59.67

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2009 - 2010 angling license year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
GALLATIN DR												
SALMONID STREAM												
Total	1.74	412	149	98	38	17	5.69	3.39	6.35	10.91	13.43	8.29
Resident	1.83	216	94	54	25	14	4.41	2.21	4.97	8.81	9.80	8.20
Nonresident	1.62	196	55	44	13	3	7.32	4.68	8.60	13.48	20.49	8.67
SALMONID LAKE												
Total	2.08	80	35	28	21	8	13.76	5.49	17.28	17.72	24.00	40.25
Resident	2.17	64	29	24	20	8	14.67	4.98	18.16	19.56	24.50	40.25
Nonresident	1.63	16	6	4	1	0	8.82	7.44	13.00	6.52	15.00	.00
NONSALMONID STREAM												
Total	4.00	0	0	0	1	0	.00	.00	.00	.00	.00	.00
Resident	4.00	0	0	0	1	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.60	2	1	6	1	0	15.09	1.00	50.00	15.48	6.00	.00
Resident	2.60	2	1	6	1	0	15.09	1.00	50.00	15.48	6.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.82	494	185	132	61	25	7.34	3.72	8.65	12.56	16.72	18.52
Resident	1.93	282	124	84	47	22	7.26	2.83	8.42	12.36	15.77	19.85
Nonresident	1.62	212	61	48	14	3	7.44	4.89	9.04	12.90	20.10	8.67
JEFFERSON DR												
SALMONID STREAM												
Total	1.31	191	29	12	6	1	3.57	2.66	5.92	8.33	12.50	.00
Resident	1.32	144	23	10	4	1	3.10	2.26	5.32	9.00	6.25	.00
Nonresident	1.28	47	6	2	2	0	4.96	3.69	8.18	5.00	25.00	.00
SALMONID LAKE												
Total	1.66	58	16	11	2	4	8.47	4.21	12.81	13.84	22.50	31.25
Resident	1.70	51	16	10	2	4	8.71	4.00	12.81	14.40	22.50	31.25
Nonresident	1.25	7	0	1	0	0	5.74	5.41	.00	8.00	.00	.00
NONSALMONID STREAM												
Total	2.00	0	1	0	0	0	6.00	.00	6.00	.00	.00	.00
Resident	2.00	0	1	0	0	0	6.00	.00	6.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.41	249	46	23	8	5	4.93	3.02	8.32	10.97	15.00	25.00
Resident	1.44	195	40	20	6	5	4.86	2.72	8.33	11.70	11.67	25.00
Nonresident	1.28	54	6	3	2	0	5.06	3.92	8.18	6.00	25.00	.00

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2009 - 2010 angling license year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
KOOTENAI DR												
SALMONID STREAM												
Total	1.38	234	34	17	4	8	4.52	3.12	7.21	11.10	33.00	5.73
Resident	1.36	167	21	13	4	4	4.32	2.76	6.31	10.17	33.00	11.00
Nonresident	1.42	67	13	4	0	4	4.98	4.01	8.50	14.25	.00	.50
SALMONID LAKE												
Total	1.65	265	84	39	17	15	16.93	10.76	20.11	40.60	24.12	38.53
Resident	1.70	166	57	27	13	10	14.02	10.83	16.55	20.51	14.88	34.07
Nonresident	1.56	99	27	12	4	5	22.24	10.61	27.37	85.73	54.25	47.40
NONSALMONID STREAM												
Total	1.00	1	0	0	0	0	6.00	6.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	6.00	6.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.51	59	14	11	0	2	5.48	4.32	6.93	7.82	.00	16.50
Resident	1.58	48	13	11	0	2	5.71	4.46	6.85	7.82	.00	16.50
Nonresident	1.12	11	1	0	0	0	4.19	3.74	7.67	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.53	560	133	67	21	25	11.11	6.88	15.38	27.73	25.81	26.27
Resident	1.55	382	91	51	17	16	9.26	6.49	12.80	15.14	19.14	26.11
Nonresident	1.49	178	42	16	4	9	15.20	7.69	20.83	67.86	54.25	26.56
LITTLE MISSOURI DR												
SALMONID STREAM												
Total	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
SALMONID LAKE												
Total	1.00	3	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	2	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.00	2	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	2	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.00	7	0	0	0	0	.14	.14	.00	.00	.00	.00
Resident	1.00	5	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	2	0	0	0	0	.50	.50	.00	.00	.00	.00

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2009 - 2010 angling license year (continued).

Drainage	Type	Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
MADISON DR	SALMONID STREAM												
	Total	2.36	500	302	312	170	120	16.74	6.55	12.32	18.31	31.94	44.67
	Resident	2.48	191	111	128	75	61	16.96	5.59	11.16	16.20	32.37	45.78
	Nonresident	2.29	309	191	184	95	59	16.60	7.22	12.97	19.78	31.55	43.54
	SALMONID LAKE												
	Total	1.65	298	100	77	13	7	12.26	9.81	12.45	17.66	16.46	46.70
	Resident	1.77	135	53	49	7	5	12.00	8.99	9.19	17.60	14.59	64.40
	Nonresident	1.52	163	47	28	6	2	12.51	10.47	16.10	17.74	18.67	2.50
	NONSALMONID STREAM												
	Total	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.33	4	2	0	0	0	8.83	8.25	10.00	.00	.00	.00
	Resident	1.25	3	1	0	0	0	10.00	10.67	8.00	.00	.00	.00
	Nonresident	1.50	1	1	0	0	0	6.50	1.00	12.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:	Total	2.17	803	404	389	183	127	15.54	7.76	12.34	18.18	30.84	44.78
	Resident	2.25	330	165	177	82	66	15.40	7.02	10.51	16.59	30.85	47.19
	Nonresident	2.11	473	239	212	101	61	15.66	8.33	13.58	19.51	30.79	42.20
MARIAS DR	SALMONID STREAM												
	Total	1.36	30	6	1	2	0	4.14	2.66	1.92	1.00	35.50	.00
	Resident	1.39	24	4	1	2	0	4.43	2.42	2.33	1.00	35.50	.00
	Nonresident	1.25	6	2	0	0	0	3.00	3.67	1.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.37	65	14	6	2	0	7.63	5.66	15.16	10.83	8.00	.00
	Resident	1.38	59	14	5	2	0	7.70	5.84	15.16	8.00	8.00	.00
	Nonresident	1.29	6	0	1	0	0	6.86	3.83	.00	25.00	.00	.00
	NONSALMONID STREAM												
	Total	1.52	13	3	2	1	0	3.61	1.24	7.26	12.50	5.00	.00
	Resident	1.45	13	3	1	1	0	3.54	1.24	7.26	20.00	5.00	.00
	Nonresident	3.00	0	0	1	0	0	5.00	.00	.00	5.00	.00	.00
	NONSALMONID LAKE												
	Total	1.76	111	39	27	13	4	22.17	11.75	37.02	30.02	24.28	106.25
	Resident	1.77	107	37	26	13	4	22.60	11.81	38.46	30.60	24.28	106.25
	Nonresident	1.57	4	2	1	0	0	10.29	9.25	10.00	15.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:	Total	1.60	221	64	36	18	4	15.26	8.05	26.88	25.04	22.64	106.25
	Resident	1.61	205	60	33	18	4	15.88	8.26	28.30	25.96	22.64	106.25
	Nonresident	1.43	16	4	3	0	0	6.48	5.13	5.50	15.00	.00	.00

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2009 - 2010 angling license year(continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
MILK DR												
SALMONID STREAM												
Total	1.50	30	6	4	1	1	7.97	6.65	6.50	16.30	6.00	25.00
Resident	1.52	28	6	4	1	1	8.21	6.90	6.50	16.30	6.00	25.00
Nonresident	1.00	2	0	0	0	0	3.50	3.50	.00	.00	.00	.00
SALMONID LAKE												
Total	2.08	62	37	30	17	3	10.97	5.60	13.47	12.71	13.94	55.67
Resident	2.13	55	34	30	17	3	11.27	5.97	13.33	12.71	13.94	55.67
Nonresident	1.32	6	3	0	0	0	6.32	2.31	15.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.27	54	2	4	1	1	5.46	3.01	25.00	20.75	3.00	40.00
Resident	1.28	53	2	4	1	1	5.55	3.07	25.00	20.75	3.00	40.00
Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.91	144	39	57	18	9	15.89	9.58	15.16	28.32	26.19	20.09
Resident	1.98	125	36	56	18	9	15.93	9.38	14.58	27.41	26.19	20.09
Nonresident	1.22	18	3	1	0	0	15.47	10.86	22.33	80.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	4.00	4.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	4.00	4.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.85	291	85	95	38	14	12.58	7.19	14.04	22.57	19.41	29.49
Resident	1.90	263	79	94	38	14	12.63	7.11	13.68	21.96	19.41	29.49
Nonresident	1.23	28	6	1	0	0	11.86	7.96	18.67	80.00	.00	.00
LOWER MISSOURI DR												
SALMONID STREAM												
Total	1.55	87	18	11	3	5	5.83	2.21	13.61	8.18	12.00	32.38
Resident	1.37	73	8	8	2	1	2.73	2.15	3.25	5.00	13.00	2.00
Nonresident	2.08	14	10	3	1	4	14.65	2.54	21.93	16.67	10.00	39.97
SALMONID LAKE												
Total	1.75	119	32	29	9	8	12.13	6.86	12.74	18.91	25.89	48.47
Resident	1.80	102	31	27	8	8	12.84	6.82	12.96	20.08	29.13	48.47
Nonresident	1.37	17	1	2	1	0	6.32	7.08	6.00	3.00	.00	.00
NONSALMONID STREAM												
Total	1.77	138	38	31	8	13	14.30	7.16	21.35	33.55	27.39	15.69
Resident	1.77	115	33	24	7	11	12.24	5.18	22.67	27.82	29.83	9.47
Nonresident	1.78	23	5	7	1	2	24.47	16.80	12.82	53.30	10.00	50.00
NONSALMONID LAKE												
Total	1.48	289	85	48	8	1	19.98	17.13	24.53	24.38	25.88	200.00
Resident	1.50	208	65	34	7	1	19.79	16.33	25.82	22.11	29.56	200.00
Nonresident	1.44	81	20	14	1	0	20.50	19.13	20.47	30.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.61	636	173	119	28	27	15.27	10.95	20.51	23.94	24.82	35.32
Resident	1.62	499	137	93	24	21	14.30	9.71	20.83	21.52	28.11	33.05
Nonresident	1.59	137	36	26	4	6	18.86	15.44	19.41	32.66	5.00	43.32

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2009 - 2010 angling license year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
UPPER MISSOURI DR SALMONID STREAM												
Total	2.20	715	324	334	164	127	14.90	5.20	13.89	20.11	31.28	37.15
Resident	2.23	534	231	232	129	108	13.21	4.43	12.09	17.61	26.31	33.88
Nonresident	2.11	181	93	102	35	19	19.70	7.47	18.34	25.81	49.57	55.54
SALMONID LAKE												
Total	2.31	444	249	230	115	115	25.93	13.52	22.41	27.77	34.86	68.67
Resident	2.38	370	227	217	102	114	26.17	12.02	22.17	28.36	34.29	68.38
Nonresident	1.73	74	22	13	12	1	23.83	20.82	24.77	18.32	39.60	100.00
NONSALMONID STREAM												
Total	1.73	103	37	25	11	2	10.96	4.21	16.33	23.01	17.95	56.00
Resident	1.73	98	30	24	11	2	10.70	4.31	15.32	22.73	17.95	56.00
Nonresident	1.68	5	7	1	0	0	14.05	2.40	20.47	30.00	.00	.00
NONSALMONID LAKE												
Total	2.43	212	148	144	87	58	35.06	18.29	25.22	41.54	47.80	85.76
Resident	2.46	193	142	137	80	57	35.28	18.46	25.42	41.17	45.90	87.20
Nonresident	2.10	19	6	7	6	1	31.56	16.15	21.50	49.26	71.23	3.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.25	1476	759	735	377	304	21.78	9.51	19.01	26.83	35.79	58.64
Resident	2.30	1196	630	612	323	283	21.89	9.03	18.88	26.93	33.44	58.86
Nonresident	2.02	280	129	123	54	21	21.18	11.49	19.71	26.38	49.87	55.15
MUSSELSHELL DR SALMONID STREAM												
Total	1.23	27	1	3	0	0	1.42	1.33	2.00	2.00	.00	.00
Resident	1.29	20	1	3	0	0	.98	.77	2.00	2.00	.00	.00
Nonresident	1.00	7	0	0	0	0	2.84	2.84	.00	.00	.00	.00
SALMONID LAKE												
Total	1.76	99	44	34	6	3	11.40	7.94	14.24	14.09	27.00	22.33
Resident	1.81	87	41	34	6	3	11.96	8.29	14.92	14.29	27.00	22.33
Nonresident	1.26	12	3	0	0	0	5.29	5.58	5.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.06	30	2	0	0	0	1.10	.98	3.00	.00	.00	.00
Resident	1.06	29	2	0	0	0	1.11	.98	3.00	.00	.00	.00
Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.86	24	9	4	4	2	11.43	6.43	16.72	11.33	18.50	35.00
Resident	1.85	24	8	4	4	2	11.70	6.43	18.06	12.75	18.50	35.00
Nonresident	2.33	0	1	0	0	0	4.00	.00	6.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	2	0	0	0	0	3.50	3.50	.00	.00	.00	.00
Resident	1.00	2	0	0	0	0	3.50	3.50	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.64	183	56	42	10	5	9.19	5.57	14.02	12.93	23.60	27.40
Resident	1.68	163	52	41	10	5	9.64	5.73	14.70	13.24	23.60	27.40
Nonresident	1.24	20	4	1	0	0	4.32	4.35	5.25	.00	.00	.00

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2009 - 2010 angling license year (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
ST MARY DR													
SALMONID STREAM													
Total		1.00	3	0	0	0	0	.30	.30	.00	.00	.00	.00
Resident		1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		1.00	2	0	0	0	0	.50	.50	.00	.00	.00	.00
SALMONID LAKE													
Total		1.33	14	7	0	0	0	25.86	31.14	15.30	.00	.00	.00
Resident		1.35	11	6	0	0	0	30.49	37.75	17.20	.00	.00	.00
Nonresident		1.25	3	1	0	0	0	6.25	7.00	4.00	.00	.00	.00
NONSALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.29	17	7	0	0	0	22.67	25.70	15.30	.00	.00	.00
Resident		1.33	12	6	0	0	0	28.80	34.60	17.20	.00	.00	.00
Nonresident		1.17	5	1	0	0	0	4.33	4.40	4.00	.00	.00	.00
SUN DR													
SALMONID STREAM													
Total		1.21	88	12	2	2	0	1.77	1.37	3.68	1.00	8.50	.00
Resident		1.23	70	9	2	2	0	1.79	1.45	3.11	1.00	8.50	.00
Nonresident		1.14	18	3	0	0	0	1.71	1.12	5.30	.00	.00	.00
SALMONID LAKE													
Total		1.58	116	26	24	6	2	21.76	9.34	12.18	92.95	14.20	20.00
Resident		1.60	108	25	24	6	2	20.27	6.03	12.07	92.95	14.20	20.00
Nonresident		1.11	8	1	0	0	0	47.43	51.25	15.00	.00	.00	.00
NONSALMONID STREAM													
Total		1.00	2	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Resident		1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
Nonresident		1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		1.51	28	11	4	1	0	10.25	8.25	14.56	14.67	.00	.00
Resident		1.52	28	11	4	1	0	10.36	8.38	14.56	14.67	.00	.00
Nonresident		1.00	0	0	0	0	0	1.00	1.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.45	235	49	31	9	2	13.66	6.15	10.63	75.65	11.36	20.00
Resident		1.48	207	45	31	9	2	13.49	4.78	10.89	75.65	11.36	20.00
Nonresident		1.13	28	4	0	0	0	15.22	16.29	7.73	.00	.00	.00

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2009 - 2010 angling license year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3 -----	4	5 crowded	Avg	1 sparse	2	3	4	5 -----
LOWER YELLOWSTONE DR SALMONID STREAM												
Total	1.24	9	0	1	0	0	5.57	5.22	3.00	10.00	.00	.00
Resident	1.29	7	0	1	0	0	4.28	3.56	3.00	10.00	.00	.00
Nonresident	1.00	2	0	0	0	0	11.00	11.00	.00	.00	.00	.00
SALMONID LAKE												
Total	1.29	24	1	3	0	0	3.84	1.96	3.33	17.29	.00	.00
Resident	1.33	20	1	3	0	0	4.10	1.90	3.33	17.29	.00	.00
Nonresident	1.00	4	0	0	0	0	2.25	2.25	.00	.00	.00	.00
NONSALMONID STREAM												
Total	2.11	176	60	42	31	37	24.78	3.90	13.04	30.47	85.00	86.41
Resident	1.94	166	50	32	18	27	16.65	3.63	11.04	17.86	87.44	58.52
Nonresident	3.06	10	10	10	13	10	69.84	8.51	23.33	70.84	81.52	161.52
NONSALMONID LAKE												
Total	2.43	103	50	78	38	25	36.01	12.27	31.85	43.45	47.43	102.04
Resident	2.46	74	45	63	29	20	36.63	13.37	31.93	45.41	37.35	105.03
Nonresident	2.30	29	5	15	9	5	33.83	9.54	31.04	35.27	80.00	90.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.20	314	113	125	69	62	28.41	6.53	21.28	38.08	64.31	92.71
Resident	2.12	269	98	100	47	47	24.14	6.18	20.58	35.25	56.53	78.31
Nonresident	2.57	45	15	25	22	15	48.06	8.73	25.90	49.50	80.90	137.68
UPPER YELLOWSTONE DR SALMONID STREAM												
Total	2.29	1153	509	569	336	240	21.79	4.95	15.76	28.84	50.10	59.06
Resident	2.18	702	307	275	153	136	14.27	3.96	11.30	16.53	31.64	49.92
Nonresident	2.42	451	202	294	183	104	31.41	6.48	22.55	40.39	65.65	71.10
SALMONID LAKE												
Total	2.10	289	91	87	48	53	15.35	6.33	14.83	17.82	31.82	46.24
Resident	2.19	230	84	83	45	49	16.32	6.44	15.42	17.22	31.83	48.23
Nonresident	1.52	59	7	4	3	4	9.18	5.93	7.71	30.50	31.67	21.50
NONSALMONID STREAM												
Total	1.66	148	37	30	8	7	5.81	2.93	6.53	9.01	6.47	45.72
Resident	1.63	142	36	29	6	6	5.53	2.98	6.67	8.97	8.00	37.38
Nonresident	2.18	6	1	1	2	1	11.18	1.50	1.00	10.00	1.50	100.00
NONSALMONID LAKE												
Total	2.10	149	62	44	39	19	22.72	11.28	21.35	30.83	42.82	56.16
Resident	2.16	127	52	42	37	18	23.73	11.10	21.41	31.52	43.87	59.20
Nonresident	1.65	22	10	2	2	1	15.19	12.40	21.02	16.50	23.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.21	1741	699	731	432	321	19.99	5.55	15.65	26.83	46.55	56.44
Resident	2.13	1203	479	430	242	211	14.93	5.07	12.77	17.63	32.91	49.95
Nonresident	2.35	538	220	301	190	110	29.54	6.60	21.91	39.99	63.98	68.92

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2009 - 2010 angling license year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
Total												
SALMONID STREAM												
Total	2.04	6018	2239	2015	1084	782	13.13	4.15	11.70	19.47	32.83	42.60
Resident	2.05	3704	1361	1160	645	534	10.58	3.45	9.72	14.41	24.32	37.22
Nonresident	2.03	2314	878	855	439	248	17.12	5.28	14.74	26.34	45.36	54.18
SALMONID LAKE												
Total	1.92	3460	1294	1033	432	344	17.48	9.26	17.21	27.75	30.06	54.58
Resident	2.00	2581	1083	890	378	317	17.10	8.56	16.80	23.85	28.39	55.20
Nonresident	1.59	879	211	143	54	27	19.02	11.30	19.35	51.98	41.66	47.29
NONSALMONID STREAM												
Total	1.78	841	238	172	75	69	12.57	4.25	11.98	21.38	44.10	59.45
Resident	1.73	761	205	146	59	56	9.93	3.72	11.37	16.99	37.90	40.81
Nonresident	2.10	80	33	26	16	13	31.88	9.28	15.90	46.17	67.04	139.63
NONSALMONID LAKE												
Total	1.99	1550	623	550	248	160	22.82	12.04	22.30	31.90	40.37	70.71
Resident	2.04	1297	553	490	228	151	22.93	11.86	22.16	31.53	38.36	69.60
Nonresident	1.70	253	70	60	20	9	22.09	12.94	23.51	34.97	62.78	89.22
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	8	0	0	0	0	1.75	1.75	.00	.00	.00	.00
Resident	1.00	8	0	0	0	0	1.75	1.75	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Statewide Crowding Ratings:												
Total	1.98	11879	4396	3772	1841	1355	15.62	6.67	14.84	23.64	33.66	49.82
Resident	2.01	8352	3203	2687	1311	1058	14.61	6.36	14.37	20.80	28.55	47.42
Nonresident	1.93	3527	1193	1085	530	297	18.18	7.42	16.10	30.69	46.31	58.36

2009 SUMMER

The "summer" season for angling in Montana is considered that period of the year from the first of May through the end of September. In 2009, 2,403,187 (71.5%) days of angling pressure occurred during this period (Table 10). Percentages of angling pressure within the regions for the summer period ranged from 79.0% for region 7 to 63.8% for region 6.

Residents accounted for 70.2% of the "summer" angling pressure (1,686,110 angling days). Within the regions, the residents comprised anywhere from as high as 89.0% of the "summer" angling pressure in region 6 to as low as 51.1% of the pressure in region 3.

Table 10. - Angling pressure in angler days by region by water type for the "summer" season of May 2009 through September 2009.

REG	WATER TYPE	-----TOTALS-----		-----RESIDENTS-----		-----NON-RESIDENTS-----	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
1	SALMONID STREAM	142678.	2519.	101796.	1937.	40882.	582.
	SALMONID LAKE	173473.	3329.	135077.	2695.	38396.	634.
	NONSALMONID STREAM	28031.	515.	25038.	463.	2993.	52.
	NONSALMONID LAKE	75423.	1428.	64771.	1269.	10652.	159.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	117.	2.	117.	2.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	419722.	7792.	326799.	6365.	92923.	1427.
2	SALMONID STREAM	250991.	4434.	166660.	3197.	84331.	1237.
	SALMONID LAKE	96730.	1811.	77622.	1540.	19109.	272.
	NONSALMONID STREAM	8852.	157.	5908.	117.	2944.	40.
	NONSALMONID LAKE	14789.	281.	12324.	240.	2466.	42.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	117.	2.	117.	2.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	371478.	6684.	262629.	5094.	108849.	1590.
3	SALMONID STREAM	475793.	8166.	230729.	4511.	245065.	3655.
	SALMONID LAKE	112680.	2060.	67398.	1346.	45282.	714.
	NONSALMONID STREAM	1286.	25.	1244.	24.	43.	1.
	NONSALMONID LAKE	5184.	98.	4928.	94.	256.	4.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	594942.	10347.	304297.	5974.	290645.	4373.
4	SALMONID STREAM	191925.	3618.	132090.	2678.	59835.	940.
	SALMONID LAKE	140513.	2834.	128139.	2616.	12374.	219.
	NONSALMONID STREAM	30445.	634.	27495.	586.	2950.	48.
	NONSALMONID LAKE	121470.	2441.	116365.	2368.	5105.	74.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	209.	4.	209.	4.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	484561.	9530.	404298.	8251.	80263.	1279.
5	SALMONID STREAM	198833.	3570.	99532.	1943.	99301.	1627.
	SALMONID LAKE	52293.	998.	43688.	873.	8605.	125.
	NONSALMONID STREAM	29443.	597.	27256.	566.	2187.	31.
	NONSALMONID LAKE	28007.	562.	24369.	496.	3638.	66.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	337.	6.	337.	6.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	308912.	5732.	195181.	3883.	113731.	1849.

Table 10. - Angling pressure in angler days by region by water type for the "summer" season of May 2009 through September 2009 (continued).

	-----TOTALS-----		----RESIDENTS----		--NON-RESIDENTS---	
6						
SALMONID STREAM	7514.	133.	5960.	110.	1554.	23.
SALMONID LAKE	19453.	390.	19127.	383.	326.	7.
NONSALMONID STREAM	22997.	529.	20346.	463.	2651.	66.
NONSALMONID LAKE	80328.	1623.	70568.	1452.	9760.	171.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	167.	3.	167.	3.	0.	0.
REGIONAL PRESSURE ESTIMATES:	130458.	2677.	116168.	2410.	14290.	267.
7						
SALMONID STREAM	725.	15.	725.	15.	0.	0.
SALMONID LAKE	3035.	58.	2819.	55.	216.	4.
NONSALMONID STREAM	46230.	972.	40783.	833.	5447.	139.
NONSALMONID LAKE	32986.	686.	27139.	573.	5847.	114.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	209.	6.	209.	6.	0.	0.
REGIONAL PRESSURE ESTIMATES:	83184.	1737.	71675.	1481.	11509.	256.
TOTAL						
SALMONID STREAM	1268458.	22453.	737491.	14390.	530967.	8063.
SALMONID LAKE	606726.	11615.	477763.	9576.	128963.	2039.
NONSALMONID STREAM	167283.	3427.	148069.	3051.	19214.	376.
NONSALMONID LAKE	358232.	7119.	320509.	6490.	37723.	629.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	2490.	48.	2279.	44.	211.	4.
STATEWIDE PRESSURE ESTIMATES:	2403187.	44661.	1686110.	33551.	717077.	11110.

"Summer" angling pressure by drainage (Table 11) ranged from 388,788 angler days for the upper Missouri River drainage to 517 angler days for the Little Missouri River drainage.

Table 11. - Angling pressure in angler days by drainage by water type for the "summer" angling season of May 2009 through September 2009.

DRAIN	WATER TYPE	-----TOTALS-----		----RESIDENTS----		---NONRESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
BEAVERHEAD DR							
	SALMONID STREAM	51246.	907.	22848.	441.	28398.	466.
	SALMONID LAKE	27130.	514.	16571.	328.	10559.	186.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	191.	3.	117.	2.	74.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		78567.	1424.	39536.	771.	39031.	653.
BIG HOLE DR							
	SALMONID STREAM	74716.	1324.	40428.	793.	34288.	531.
	SALMONID LAKE	4491.	78.	3694.	67.	797.	11.
	NONSALMONID STREAM	43.	1.	0.	0.	43.	1.
	NONSALMONID LAKE	91.	2.	91.	2.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		79340.	1404.	44213.	862.	35127.	542.
BITTERROOT DR							
	SALMONID STREAM	85491.	1520.	55609.	1072.	29882.	448.
	SALMONID LAKE	9636.	189.	7309.	156.	2327.	33.
	NONSALMONID STREAM	1366.	24.	1293.	23.	73.	1.
	NONSALMONID LAKE	207.	6.	174.	5.	33.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		96700.	1739.	64385.	1256.	32315.	483.
BLACKFOOT DR							
	SALMONID STREAM	59956.	1059.	41520.	793.	18436.	266.
	SALMONID LAKE	24299.	503.	22537.	469.	1762.	34.
	NONSALMONID STREAM	1714.	32.	997.	22.	717.	10.
	NONSALMONID LAKE	11399.	218.	9596.	185.	1803.	33.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	117.	2.	117.	2.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		97484.	1812.	74767.	1470.	22717.	342.
LOWER CLARK FORK DR							
	SALMONID STREAM	54986.	974.	34592.	676.	20394.	298.
	SALMONID LAKE	17872.	349.	15568.	310.	2304.	39.
	NONSALMONID STREAM	20569.	370.	15961.	298.	4608.	72.
	NONSALMONID LAKE	33697.	607.	26882.	507.	6815.	100.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		127122.	2299.	93001.	1790.	34121.	509.
UPPER CLARK FORK DR							
	SALMONID STREAM	73041.	1297.	47921.	930.	25120.	367.
	SALMONID LAKE	60137.	1073.	45472.	873.	14665.	200.
	NONSALMONID STREAM	398.	9.	398.	9.	0.	0.
	NONSALMONID LAKE	665.	12.	423.	9.	242.	3.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		134240.	2390.	94213.	1820.	40027.	570.

Table 11. - Angling pressure in angler days by drainage by water type for the "summer" angling season of May 2009 through September 2009 (continued).

DRAIN	WATER TYPE	PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
		-----TOTALS-----		-----RESIDENTS-----		-----NONRESIDENTS-----	
LOWER FLATHEAD DR							
	SALMONID STREAM	47600.	841.	35862.	671.	11738.	170.
	SALMONID LAKE	94659.	1810.	78447.	1562.	16212.	248.
	NONSALMONID STREAM	12008.	224.	11787.	219.	221.	5.
	NONSALMONID LAKE	32153.	633.	29924.	598.	2229.	35.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		186419.	3508.	156019.	3050.	30400.	458.
UPPER FLATHEAD DR							
	SALMONID STREAM	32724.	566.	25043.	462.	7681.	104.
	SALMONID LAKE	16744.	332.	14623.	296.	2121.	36.
	NONSALMONID STREAM	772.	12.	454.	8.	318.	4.
	NONSALMONID LAKE	819.	15.	819.	15.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	117.	2.	117.	2.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		51176.	927.	41056.	783.	10120.	144.
GALLATIN DR							
	SALMONID STREAM	85590.	1462.	49963.	974.	35627.	488.
	SALMONID LAKE	15999.	297.	12772.	251.	3227.	46.
	NONSALMONID STREAM	56.	1.	56.	1.	0.	0.
	NONSALMONID LAKE	782.	16.	782.	16.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		102427.	1776.	63573.	1242.	38854.	534.
JEFFERSON DR							
	SALMONID STREAM	25483.	455.	18888.	359.	6595.	96.
	SALMONID LAKE	7164.	150.	6771.	144.	393.	6.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		32647.	605.	25659.	503.	6988.	102.
KOOTENAI DR							
	SALMONID STREAM	40203.	702.	28000.	532.	12203.	170.
	SALMONID LAKE	46858.	885.	28744.	569.	18114.	316.
	NONSALMONID STREAM	56.	1.	56.	1.	0.	0.
	NONSALMONID LAKE	11274.	219.	9278.	190.	1996.	29.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		98391.	1807.	66078.	1292.	32313.	515.
LITTLE MISSOURI DR							
	SALMONID STREAM	0.	0.	0.	0.	0.	0.
	SALMONID LAKE	222.	6.	206.	5.	17.	1.
	NONSALMONID STREAM	233.	4.	233.	4.	0.	0.
	NONSALMONID LAKE	62.	2.	46.	1.	17.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		517.	11.	484.	10.	33.	1.

Table 11. - Angling pressure in angler days by drainage by water type for the "summer" angling season of May 2009 through September 2009 (continued).

DRAIN	WATER TYPE	-----TOTALS-----		----RESIDENTS----		---NONRESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
MADISON DR							
	SALMONID STREAM	160332.	2678.	54858.	1101.	105474.	1577.
	SALMONID LAKE	55104.	962.	25484.	509.	29620.	453.
	NONSALMONID STREAM	117.	2.	117.	2.	0.	0.
	NONSALMONID LAKE	126.	3.	93.	2.	33.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		215679.	3645.	80552.	1614.	135127.	2031.
MARIAS DR							
	SALMONID STREAM	4400.	83.	3525.	68.	875.	15.
	SALMONID LAKE	8331.	160.	7727.	147.	604.	13.
	NONSALMONID STREAM	2435.	52.	2212.	49.	223.	3.
	NONSALMONID LAKE	19174.	377.	19091.	375.	83.	2.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		34340.	672.	32555.	639.	1785.	33.
MILK DR							
	SALMONID STREAM	5138.	96.	5138.	96.	0.	0.
	SALMONID LAKE	14318.	290.	14108.	287.	210.	4.
	NONSALMONID STREAM	6800.	145.	6750.	144.	50.	1.
	NONSALMONID LAKE	29380.	590.	28528.	573.	852.	18.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	167.	3.	167.	3.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		55802.	1124.	54690.	1102.	1112.	22.
LOWER MISSOURI DR							
	SALMONID STREAM	16750.	315.	12078.	243.	4672.	72.
	SALMONID LAKE	15680.	300.	13669.	271.	2012.	29.
	NONSALMONID STREAM	25185.	570.	20959.	479.	4226.	91.
	NONSALMONID LAKE	52499.	1066.	43519.	911.	8981.	155.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	46.	1.	46.	1.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		110159.	2251.	90270.	1905.	19889.	346.
UPPER MISSOURI DR							
	SALMONID STREAM	168599.	3196.	113911.	2330.	54688.	866.
	SALMONID LAKE	103025.	2108.	94211.	1945.	8814.	163.
	NONSALMONID STREAM	19980.	416.	19047.	399.	933.	17.
	NONSALMONID LAKE	97022.	1958.	92247.	1890.	4775.	68.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	163.	3.	163.	3.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		388788.	7679.	319578.	6566.	69210.	1113.
MUSSELSHELL DR							
	SALMONID STREAM	3464.	61.	2632.	49.	832.	12.
	SALMONID LAKE	13053.	265.	11926.	246.	1127.	19.
	NONSALMONID STREAM	3840.	79.	3671.	77.	169.	2.
	NONSALMONID LAKE	2817.	61.	2668.	59.	149.	2.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	337.	6.	337.	6.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		23510.	471.	21233.	436.	2277.	35.

Table 11. - Angling pressure in angler days by drainage by water type for the "summer" angling season of May 2009 through September 2009 (continued).

DRAIN	WATER TYPE	-----TOTALS-----		----RESIDENTS----		---NONRESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
ST MARY DR							
	SALMONID STREAM	320.	5.	163.	3.	157.	2.
	SALMONID LAKE	1124.	23.	1039.	22.	85.	1.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		1444.	28.	1202.	25.	242.	3.
SUN DR							
	SALMONID STREAM	11880.	209.	9261.	174.	2619.	35.
	SALMONID LAKE	12769.	259.	12338.	250.	431.	9.
	NONSALMONID STREAM	169.	2.	0.	0.	169.	2.
	NONSALMONID LAKE	2328.	47.	2303.	46.	25.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		27146.	516.	23902.	470.	3244.	46.
LOWER YELLOWSTONE DR							
	SALMONID STREAM	725.	15.	725.	15.	0.	0.
	SALMONID LAKE	2460.	47.	2261.	44.	199.	3.
	NONSALMONID STREAM	45748.	963.	40301.	824.	5447.	139.
	NONSALMONID LAKE	32669.	678.	26839.	565.	5830.	113.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	209.	6.	209.	6.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		81810.	1708.	70334.	1453.	11476.	255.
UPPER YELLOWSTONE DR							
	SALMONID STREAM	265816.	4690.	134527.	2609.	131289.	2081.
	SALMONID LAKE	47030.	882.	38396.	757.	8634.	125.
	NONSALMONID STREAM	25796.	522.	23778.	493.	2018.	29.
	NONSALMONID LAKE	30834.	609.	27047.	541.	3787.	68.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		369475.	6702.	223747.	4399.	145728.	2303.
TOTAL							
	SALMONID STREAM	1268458.	22453.	737491.	14390.	530967.	8063.
	SALMONID LAKE	606726.	11615.	477763.	9576.	128963.	2039.
	NONSALMONID STREAM	167283.	3427.	148069.	3051.	19214.	376.
	NONSALMONID LAKE	358232.	7119.	320509.	6490.	37723.	629.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	2490.	48.	2279.	44.	211.	4.
STATEWIDE PRESSURE ESTIMATES:							
		2403187.	44661.	1686110.	33551.	717077.	11110.

Angler Satisfaction Ratings - Summer

The average rating overall for summer was 2.82 with residents and nonresidents rating their angling experience at 2.73 and 3.05 respectively (Table 12). Individual water satisfaction ratings for the "summer" season are given in a separate report "Montana Angler Satisfaction Ratings 2009".

Region 3 had the highest overall satisfaction rating of 2.98 while region 1 had the lowest satisfaction rating of 2.61. Nonresidents were higher in their satisfaction ratings than residents in all regions.

Table 12. - Angler satisfaction ratings by region by water type for the "summer" angling season of of May 2009 through September 2009.

Reg Water Type			TOTAL					RESIDENT					NONRESIDENT						
			Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's
1	SALMONID STREAM	2.74	229	198	336	156	115	2.70	166	151	255	98	80	2.84	63	47	81	58	35
	SALMONID LAKE	2.53	436	227	339	201	133	2.52	349	179	278	155	104	2.56	87	48	61	46	29
	NONSALMONID STREAM	2.70	45	31	50	29	20	2.75	40	26	42	29	19	2.32	5	5	8	0	1
	NONSALMONID LAKE	2.56	148	96	149	80	43	2.56	133	84	134	70	39	2.57	15	12	15	10	4
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	3.00	0	0	1	0	0	3.00	0	0	1	0	0	.00	0	0	0	0	0
	Regional Ratings:	2.61	860	553	875	468	311	2.60	690	441	710	354	242	2.68	170	112	165	114	69
2	SALMONID STREAM	2.87	365	382	613	390	232	2.81	252	280	424	251	138	3.00	113	102	189	139	94
	SALMONID LAKE	2.65	247	133	214	120	111	2.65	210	115	186	105	92	2.66	37	18	28	15	19
	NONSALMONID STREAM	2.51	17	8	13	10	3	2.55	12	6	10	6	3	2.43	5	2	3	4	0
	NONSALMONID LAKE	2.76	23	27	35	10	18	2.72	21	24	31	7	16	2.97	2	3	4	3	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	5.00	0	0	0	0	1	5.00	0	0	0	0	1	.00	0	0	0	0	0
	Regional Ratings:	2.80	653	551	875	531	366	2.75	496	425	651	370	251	2.94	157	126	224	161	115
3	SALMONID STREAM	3.03	566	611	1153	796	528	2.97	300	326	576	392	237	3.09	266	285	577	404	291
	SALMONID LAKE	2.84	231	155	220	148	160	2.79	155	102	140	92	100	2.91	76	53	80	56	60
	NONSALMONID STREAM	2.54	4	2	2	2	1	2.48	4	2	2	2	1	4.00	0	0	0	0	0
	NONSALMONID LAKE	2.28	15	5	10	5	2	2.22	15	4	9	4	2	3.00	0	1	1	1	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Ratings:	2.98	818	774	1385	952	692	2.91	476	435	727	490	341	3.07	342	339	658	462	351
4	SALMONID STREAM	3.02	264	227	400	265	257	2.93	204	188	298	195	162	3.28	60	39	101	70	95
	SALMONID LAKE	2.65	337	206	270	189	144	2.62	312	192	246	167	127	2.91	25	14	24	22	17
	NONSALMONID STREAM	2.71	52	39	46	29	29	2.78	44	36	38	28	29	2.12	8	3	7	1	0
	NONSALMONID LAKE	2.45	196	170	220	82	44	2.44	188	166	215	76	42	2.58	8	4	5	6	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	4.00	0	0	1	0	1	4.00	0	0	1	0	1	.00	0	0	0	0	0
	Regional Ratings:	2.76	851	644	938	566	476	2.70	748	584	799	467	361	3.12	103	60	139	99	115
5	SALMONID STREAM	3.14	254	211	404	328	297	2.84	190	149	275	151	118	3.56	64	62	129	177	179
	SALMONID LAKE	2.59	176	82	133	78	67	2.58	160	70	122	67	60	2.67	16	12	11	11	7
	NONSALMONID STREAM	2.60	43	55	63	30	14	2.61	39	54	61	27	14	2.40	4	1	2	3	0
	NONSALMONID LAKE	2.18	103	62	52	24	16	2.16	94	55	40	22	15	2.32	9	7	12	2	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	4.00	0	0	1	0	1	4.00	0	0	1	0	1	.00	0	0	0	0	0
	Regional Ratings:	2.88	577	412	654	462	396	2.66	484	330	500	269	209	3.42	93	82	154	193	187
6	SALMONID STREAM	3.15	8	6	14	7	11	3.13	7	5	12	6	9	3.29	1	1	2	1	2
	SALMONID LAKE	2.99	34	19	48	33	26	3.00	32	19	47	32	25	2.82	2	0	1	1	1
	NONSALMONID STREAM	2.82	48	21	49	28	29	2.81	43	19	41	26	25	2.90	5	2	8	2	4
	NONSALMONID LAKE	2.77	110	104	132	83	63	2.74	97	96	119	73	52	2.96	13	8	13	10	11
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	5.00	0	0	0	0	1	5.00	0	0	0	0	1	.00	0	0	0	0	0
	Regional Ratings:	2.84	200	151	244	152	131	2.83	179	140	219	138	113	2.97	21	11	25	14	18

Table 12. - Angler satisfaction ratings by region by water type for the "summer" angling season of May 2009 through September 2009 (continued).

Reg	Water Type	TOTAL					RESIDENT					NONRESIDENT				
		Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's
7																
	SALMONID STREAM	3.18	0	1	2	1 1	3.18	0	1	2	1 1	.00	0	0	0	0 0
	SALMONID LAKE	2.45	9	4	5	2 3	2.25	9	4	4	2 2	4.20	0	0	1	0 1
	NONSALMONID STREAM	2.78	61	62	107	44 36	2.70	50	55	98	34 22	3.18	11	7	9	10 14
	NONSALMONID LAKE	2.76	52	42	91	48 18	2.75	45	33	74	39 16	2.80	7	9	17	9 2
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	2.00	0	1	0	0 0	2.00	0	1	0	0 0	.00	0	0	0	0 0
	Regional Ratings:															
		2.76	123	111	206	95 59	2.70	105	95	179	76 41	3.03	18	16	27	19 18
Total																
	SALMONID STREAM	2.98	1688	1637	2922	1944 1442	2.87	1120	1101	1842	1095 746	3.15	567	536	1079	849 696
	SALMONID LAKE	2.66	1483	836	1251	788 656	2.64	1234	686	1028	628 517	2.77	249	149	223	160 139
	NONSALMONID STREAM	2.71	272	219	330	173 133	2.71	233	199	292	153 114	2.72	38	20	37	20 19
	NONSALMONID LAKE	2.56	649	509	692	334 205	2.54	595	464	624	293 183	2.71	54	44	68	41 22
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	3.88	0	1	3	0 4	3.88	0	1	3	0 4	.00	0	0	0	0 0
	Statewide Ratings:															
		2.82	4093	3203	5198	3241 2442	2.73	3183	2453	3790	2170 1564	3.05	910	750	1408	1071 878

Angler satisfaction ratings were summarized by the twenty-two major drainages like those reported under the angling pressure section (Table 13). The ratings ranged from a high of 3.08 for the St. Mary drainage to a low of 2.54 for the Marias River drainage.

Table 13. - Angler satisfaction ratings by drainage by water type for the "summer" angling season of May 2009 through September 2009.

Drain-age	Water type	TOTAL					RESIDENT					NONRESIDENT				
		Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's
BEAVERHEAD DR																
	SALMONID STREAM	3.17	70	64	104	106 86	3.08	34	27	42	38 36	3.23	36	37	62	68 50
	SALMONID LAKE	2.87	54	40	50	36 42	2.88	30	28	28	22 25	2.87	24	12	22	14 17
	NONSALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	2.50	1	0	0	1 0	1.00	1	0	0	0 0	4.00	0	0	0	1 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Ratings:															
		3.07	125	104	154	143 128	2.99	65	55	70	60 61	3.14	60	49	84	83 67
BIG HOLE DR																
	SALMONID STREAM	3.04	95	111	189	143 91	2.92	60	63	112	75 40	3.19	35	48	77	68 51
	SALMONID LAKE	3.14	15	2	12	14 13	3.13	13	1	11	11 11	3.22	2	1	1	3 2
	NONSALMONID STREAM	4.00	0	0	0	0 0	.00	0	0	0	0 0	4.00	0	0	0	0 0
	NONSALMONID LAKE	2.00	0	1	0	0 0	2.00	0	1	0	0 0	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Ratings:															
		3.05	110	114	201	158 104	2.94	73	65	123	86 51	3.19	37	49	78	72 53

Table 13. - Angler satisfaction ratings by drainage by water type for the "summer" angling season of May 2009 through September 2009 (continued).

Drain- age Water type		TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's
BITTERROOT DR																			
SALMONID STREAM		2.91	116	105	201	125	77	2.81	84	76	130	75	45	3.10	32	29	71	50	32
SALMONID LAKE		2.67	39	9	25	14	19	2.76	31	7	21	12	18	2.18	8	2	4	2	1
NONSALMONID STREAM		2.43	2	2	1	2	0	2.50	2	1	1	2	0	2.00	0	1	0	0	0
NONSALMONID LAKE		3.50	0	1	0	0	1	5.00	0	0	0	0	1	2.00	0	1	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.87	157	117	227	141	97	2.80	117	84	152	89	64	3.02	40	33	75	52	33
BLACKFOOT DR																			
SALMONID STREAM		2.92	85	98	156	103	61	2.78	69	73	113	67	32	3.25	16	25	43	36	29
SALMONID LAKE		2.18	115	48	57	30	15	2.21	100	44	52	28	14	1.89	15	4	5	2	1
NONSALMONID STREAM		2.33	5	2	4	2	0	2.52	3	2	3	2	0	1.67	2	0	1	0	0
NONSALMONID LAKE		2.65	19	21	27	6	12	2.64	17	19	25	4	11	2.74	2	2	2	2	1
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		5.00	0	0	0	0	1	5.00	0	0	0	0	1	.00	0	0	0	0	0
Drainage Ratings:		2.66	224	170	244	141	90	2.56	189	138	193	101	59	3.00	35	32	51	40	31
LOWER CLARK FORK DR																			
SALMONID STREAM		2.53	125	98	140	65	34	2.55	76	70	95	37	24	2.51	49	28	45	28	10
SALMONID LAKE		2.42	58	23	42	15	17	2.49	48	20	37	15	16	1.89	10	3	5	0	1
NONSALMONID STREAM		2.59	28	20	35	16	8	2.66	20	16	28	12	8	2.30	8	4	7	4	0
NONSALMONID LAKE		2.65	51	43	60	35	19	2.65	44	36	50	29	17	2.66	7	7	10	6	2
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.55	263	185	278	132	78	2.58	189	143	211	94	65	2.46	74	42	67	38	13
UPPER CLARK FORK DR																			
SALMONID STREAM		2.98	88	120	173	132	76	2.97	58	88	126	91	51	2.99	30	32	47	41	25
SALMONID LAKE		2.91	88	73	120	71	70	2.88	75	61	103	60	54	3.07	13	12	17	11	16
NONSALMONID STREAM		2.57	1	0	1	1	0	2.57	1	0	1	1	0	.00	0	0	0	0	0
NONSALMONID LAKE		2.63	1	0	1	1	0	1.75	1	0	0	0	0	3.50	0	0	1	1	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.95	179	194	295	206	146	2.92	136	150	230	153	105	3.02	43	44	65	53	41
LOWER FLATHEAD DR																			
SALMONID STREAM		2.68	83	79	111	54	38	2.59	60	66	81	35	21	2.94	23	13	30	19	17
SALMONID LAKE		2.54	230	121	175	106	76	2.57	184	103	154	90	62	2.43	46	18	21	16	14
NONSALMONID STREAM		2.78	25	13	20	18	13	2.78	25	12	17	18	13	2.75	0	1	3	0	0
NONSALMONID LAKE		2.52	82	39	75	37	22	2.53	79	34	72	34	22	2.43	3	5	3	3	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.59	421	253	382	216	149	2.58	349	216	325	178	118	2.66	72	37	57	38	31
UPPER FLATHEAD DR																			
SALMONID STREAM		3.02	31	37	81	35	34	3.04	21	28	67	24	26	2.96	10	9	14	11	8
SALMONID LAKE		2.48	61	29	41	30	15	2.49	52	26	34	28	12	2.46	9	3	7	2	3
NONSALMONID STREAM		3.60	0	1	2	0	2	3.67	0	0	2	0	1	3.50	0	1	0	0	1
NONSALMONID LAKE		2.33	0	2	1	0	0	2.33	0	2	1	0	0	.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		3.00	0	0	1	0	0	3.00	0	0	1	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.79	92	69	126	65	51	2.78	73	56	105	52	39	2.82	19	13	21	13	12

Table 13. - Angler satisfaction ratings by drainage by water type for the "summer" angling season of May 2009 through September 2009 (continued).

Drainage	Water type	TOTAL					RESIDENT					NONRESIDENT				
		Avg Rate	poor 1's	----- 2's	3's	excellent 4's 5's	Avg Rate	poor 1's	----- 2's	3's	excellent 4's 5's	Avg Rate	poor 1's	----- 2's	3's	excellent 4's 5's
GALLATIN DR																
	SALMONID STREAM	3.15	64	86	191	126 85	3.25	33	47	101	76 57	3.02	31	39	90	50 28
	SALMONID LAKE	2.74	34	29	36	19 21	2.78	29	22	32	18 18	2.50	5	7	4	1 3
	NONSALMONID STREAM	2.00	0	1	0	0 0	2.00	0	1	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	3.13	1	1	3	2 1	3.13	1	1	3	2 1	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
Drainage Ratings:		3.07	99	117	230	147 107	3.12	63	71	136	96 76	2.98	36	46	94	51 31
JEFFERSON DR																
	SALMONID STREAM	3.11	35	30	61	45 39	3.04	30	23	43	36 27	3.31	5	7	18	9 12
	SALMONID LAKE	2.20	32	13	12	5 8	2.15	30	13	12	5 6	3.00	2	0	0	0 2
	NONSALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
Drainage Ratings:		2.88	67	43	73	50 47	2.78	60	36	55	41 33	3.29	7	7	18	9 14
KOOTENAI DR																
	SALMONID STREAM	2.67	67	42	88	34 28	2.61	51	29	67	21 19	2.81	16	13	21	13 9
	SALMONID LAKE	2.63	92	57	92	55 32	2.51	69	33	62	27 20	2.85	23	24	30	28 12
	NONSALMONID STREAM	1.00	1	0	0	0 0	1.00	1	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	2.61	18	17	19	11 7	2.58	13	17	16	10 4	2.75	5	0	3	1 3
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
Drainage Ratings:		2.64	178	116	199	100 67	2.56	134	79	145	58 43	2.83	44	37	54	42 24
LITTLE MISSOURI DR																
	SALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	SALMONID LAKE	3.00	0	1	1	0 0	2.60	0	1	1	0 0	5.00	0	0	0	0 0
	NONSALMONID STREAM	2.50	0	1	1	0 0	2.50	0	1	1	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	4.00	0	0	0	0 0	3.00	0	0	0	0 0	5.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
Drainage Ratings:		3.00	0	2	3	0 1	2.60	0	2	3	0 0	5.00	0	0	0	0 1
MADISON DR																
	SALMONID STREAM	2.91	185	203	384	215 131	2.78	70	90	146	79 30	2.99	115	113	238	136 101
	SALMONID LAKE	2.91	87	66	108	68 69	2.84	50	34	56	31 35	2.99	37	32	52	37 34
	NONSALMONID STREAM	4.00	0	0	0	1 0	4.00	0	0	0	1 0	.00	0	0	0	0 0
	NONSALMONID LAKE	1.67	1	2	0	0 0	1.50	1	1	0	0 0	2.00	0	1	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
Drainage Ratings:		2.91	273	271	492	284 200	2.80	121	125	202	111 65	2.99	152	146	290	173 135
MARIAS DR																
	SALMONID STREAM	3.16	6	2	9	3 8	3.20	4	2	7	3 6	3.00	2	0	2	0 2
	SALMONID LAKE	2.97	14	8	18	11 12	2.97	14	6	16	9 12	3.00	0	2	2	2 0
	NONSALMONID STREAM	2.97	3	4	2	2 4	2.97	3	4	1	2 4	3.00	0	0	1	0 0
	NONSALMONID LAKE	2.17	57	24	39	12 6	2.16	56	24	39	12 5	3.00	1	0	0	0 1
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
Drainage Ratings:		2.54	82	38	69	29 30	2.52	79	36	64	27 27	3.00	3	2	5	2 3

Table 13. - Angler satisfaction ratings by drainage by water type for the "summer" angling season of May 2009 through September 2009 (continued).

Drainage	Water type	TOTAL					RESIDENT					NONRESIDENT				
		Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's
MILK DR																
	SALMONID STREAM	3.30	5	4	9	6 9	3.30	5	4	9	6 9	.00	0	0	0	0 0
	SALMONID LAKE	3.13	17	16	43	29 18	3.11	17	16	41	28 17	3.86	0	0	1	1 1
	NONSALMONID STREAM	2.65	15	8	14	8 6	2.64	15	8	13	8 6	3.00	0	0	1	0 0
	NONSALMONID LAKE	2.91	34	48	53	36 30	2.90	33	47	48	36 28	3.12	1	1	4	0 2
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	5.00	0	0	0	0 1	5.00	0	0	0	0 1	.00	0	0	0	0 0
Drainage Ratings:		2.98	71	76	119	80 65	2.97	70	75	112	79 62	3.31	1	1	7	1 3
LOWER MISSOURI DR																
	SALMONID STREAM	3.22	16	15	28	18 26	3.29	10	12	20	16 19	3.04	6	3	8	2 7
	SALMONID LAKE	2.65	51	23	21	19 28	2.60	49	22	19	19 24	3.33	2	1	2	0 4
	NONSALMONID STREAM	2.78	51	18	52	28 27	2.81	43	14	44	25 23	2.67	8	4	8	3 4
	NONSALMONID LAKE	2.64	83	61	82	48 34	2.59	70	54	73	38 25	2.90	13	7	9	10 9
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	3.00	0	0	1	0 0	3.00	0	0	1	0 0	.00	0	0	0	0 0
Drainage Ratings:		2.76	201	118	186	113 115	2.73	172	103	158	98 91	2.91	29	15	28	15 24
UPPER MISSOURI DR																
	SALMONID STREAM	2.98	241	216	366	250 211	2.88	191	175	271	178 130	3.27	50	41	95	72 80
	SALMONID LAKE	2.63	228	146	184	142 84	2.61	207	137	166	123 75	2.81	21	9	17	19 9
	NONSALMONID STREAM	2.71	36	30	29	19 22	2.77	31	30	24	19 21	2.09	5	0	5	0 0
	NONSALMONID LAKE	2.54	118	136	170	66 33	2.53	113	132	164	60 32	2.72	5	4	5	6 1
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	5.00	0	0	0	0 1	5.00	0	0	0	0 1	.00	0	0	0	0 0
Drainage Ratings:		2.78	625	529	750	479 351	2.71	543	475	627	382 260	3.14	82	54	123	97 91
MUSSELSHELL DR																
	SALMONID STREAM	2.81	9	2	13	2 6	2.71	7	1	11	2 3	3.13	2	1	2	0 3
	SALMONID LAKE	2.80	43	20	40	20 28	2.79	40	19	35	18 26	2.92	3	1	5	2 2
	NONSALMONID STREAM	2.65	6	8	11	3 3	2.70	5	8	11	3 3	1.00	1	0	0	0 0
	NONSALMONID LAKE	1.94	20	4	6	0 4	1.97	19	4	6	0 4	1.00	1	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	4.00	0	0	1	0 1	4.00	0	0	1	0 1	.00	0	0	0	0 0
Drainage Ratings:		2.68	78	34	71	25 42	2.66	71	32	64	23 37	2.83	7	2	7	2 5
ST MARY DR																
	SALMONID STREAM	2.25	1	1	2	0 0	2.50	0	1	1	0 0	2.00	1	0	1	0 0
	SALMONID LAKE	3.44	0	3	2	1 3	3.25	0	3	2	1 2	5.00	0	0	0	0 1
	NONSALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
Drainage Ratings:		3.08	1	4	4	1 3	3.10	0	4	3	1 2	3.00	1	0	1	0 1
SUN DR																
	SALMONID STREAM	3.33	15	10	24	11 29	3.28	11	10	19	10 21	3.50	4	0	5	1 8
	SALMONID LAKE	2.44	45	22	36	12 14	2.42	43	21	35	12 12	2.69	2	1	1	0 2
	NONSALMONID STREAM	2.00	0	1	0	0 0	.00	0	0	0	0 0	2.00	0	1	0	0 0
	NONSALMONID LAKE	2.08	7	6	3	3 0	2.11	7	6	3	3 0	1.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
Drainage Ratings:		2.74	68	39	63	26 43	2.68	61	37	57	25 33	3.19	7	2	6	1 10

Table 13. - Angler satisfaction ratings by drainage by water type for the "summer" angling season of May 2009 through September 2009 (continued).

Drain- age Water type		TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's
LOWER YELLOWSTONE DR																			
SALMONID STREAM		3.18	0	1	2	1	1	3.18	0	1	2	1	1	.00	0	0	0	0	0
SALMONID LAKE		2.32	8	3	3	1	3	2.12	8	3	2	1	2	4.00	0	0	1	0	1
NONSALMONID STREAM		2.78	60	61	105	44	36	2.71	49	54	96	34	22	3.18	11	7	9	10	14
NONSALMONID LAKE		2.77	49	41	90	48	18	2.78	42	32	73	39	16	2.77	7	9	17	9	2
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		2.00	0	1	0	0	0	2.00	0	1	0	0	0	.00	0	0	0	0	0
Drainage Ratings:																			
		2.77	118	108	200	94	58	2.72	100	92	173	75	41	3.01	18	16	27	19	17
UPPER YELLOWSTONE DR																			
SALMONID STREAM		3.10	349	312	589	468	372	2.85	245	214	379	223	148	3.44	104	98	210	245	224
SALMONID LAKE		2.57	159	74	110	73	56	2.57	138	61	101	62	49	2.51	21	13	9	11	7
NONSALMONID STREAM		2.60	37	48	52	27	12	2.60	34	47	50	24	12	2.56	3	1	2	3	0
NONSALMONID LAKE		2.22	105	59	59	26	17	2.21	96	52	46	24	16	2.34	9	7	13	2	1
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:																			
		2.91	650	495	811	596	458	2.70	513	376	577	335	226	3.34	137	119	234	261	232
Total																			
SALMONID STREAM		2.98	1688	1637	2922	1944	1442	2.87	1120	1101	1842	1095	746	3.15	567	536	1079	849	696
SALMONID LAKE		2.66	1483	836	1251	788	656	2.64	1234	686	1028	628	517	2.77	249	149	223	160	139
NONSALMONID STREAM		2.71	272	219	330	173	133	2.71	233	199	292	153	114	2.72	38	20	37	20	19
NONSALMONID LAKE		2.56	649	509	692	334	205	2.54	595	464	624	293	183	2.71	54	44	68	41	22
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		3.88	0	1	3	0	4	3.88	0	1	3	0	4	.00	0	0	0	0	0
Statewide Ratings:																			
		2.82	4093	3203	5198	3241	2442	2.73	3183	2453	3790	2170	1564	3.05	910	750	1408	1071	878

Angler Crowding Ratings - Summer

The ratings were summarized for the seven Fish, Wildlife & Parks regions for the "summer" season and are listed in table 14. The ratings were also summarized by the 22 major drainages in the state for this same period and are listed in table 15.

Table 14. - Crowding ratings summarized by region by residency by water type for the "summer" season of May 2009 through September 2009.

		Crowding Ratings						Average Number of People Seen					
Region	Type	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
1	SALMONID STREAM												
	Total	1.70	654	164	99	57	46	8.10	3.84	9.72	13.76	21.85	33.65
	Resident	1.80	448	116	84	49	39	8.35	3.75	10.02	12.87	20.48	31.27
	Nonresident	1.46	206	48	15	8	7	7.50	4.10	9.03	18.72	30.38	47.00
	SALMONID LAKE												
	Total	1.81	737	296	172	70	56	15.98	9.59	17.28	26.44	25.91	48.80
	Resident	1.87	556	248	147	61	48	15.16	9.35	16.56	21.29	20.44	49.87
	Nonresident	1.58	181	48	25	9	8	19.18	10.30	21.09	56.63	63.00	42.38
	NONSALMONID STREAM												
	Total	1.81	91	41	28	9	4	7.24	5.51	6.11	8.55	15.22	31.25
	Resident	1.84	80	36	25	9	4	6.94	4.91	5.51	8.61	15.22	31.25
	Nonresident	1.58	11	5	3	0	0	9.78	9.80	10.82	8.00	.00	.00
	NONSALMONID LAKE												
	Total	1.87	266	122	76	24	25	12.69	6.86	13.36	22.45	34.77	20.64
	Resident	1.90	233	109	67	23	25	12.13	6.76	11.71	20.78	34.10	20.64
	Nonresident	1.61	33	13	9	1	0	17.32	7.70	27.06	34.89	50.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.78	1749	623	375	160	131	12.28	6.81	13.79	20.95	25.19	37.57
Resident		1.85	1318	509	323	142	116	11.97	6.71	13.25	18.01	22.34	36.67
Nonresident		1.53	431	114	52	18	15	13.47	7.12	16.24	39.13	47.78	44.53
2	SALMONID STREAM												
	Total	1.94	1033	383	298	134	115	8.62	3.36	9.26	11.67	17.40	35.54
	Resident	2.02	670	265	199	103	97	8.66	2.82	8.48	11.31	16.35	35.91
	Nonresident	1.76	363	118	99	31	18	8.54	4.40	11.01	12.43	20.92	33.37
	SALMONID LAKE												
	Total	2.08	387	155	148	80	48	15.99	8.52	15.24	19.39	33.30	39.41
	Resident	2.14	313	141	129	73	46	16.14	7.84	15.36	19.61	32.03	40.10
	Nonresident	1.70	74	14	19	7	2	15.05	11.34	13.86	18.06	46.43	23.50
	NONSALMONID STREAM												
	Total	1.65	34	6	7	3	1	6.65	4.01	6.31	14.59	11.00	30.00
	Resident	1.68	25	4	4	3	1	5.60	2.56	6.87	13.02	11.00	30.00
	Nonresident	1.57	9	2	3	0	0	9.51	8.13	5.00	16.67	.00	.00
	NONSALMONID LAKE												
	Total	2.28	45	20	27	10	10	19.36	7.74	15.96	20.06	28.80	67.85
	Resident	2.38	37	17	24	10	10	20.70	7.90	17.43	19.80	28.80	67.85
	Nonresident	1.62	8	3	3	0	0	10.24	7.12	7.33	22.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.98	1501	566	480	227	174	11.04	4.84	11.11	14.57	23.42	38.43
Resident		2.07	1046	429	356	189	154	11.57	4.49	11.10	14.91	22.98	39.20
Nonresident		1.75	455	137	124	38	20	9.57	5.66	11.13	13.63	25.62	32.39

Table 14. - Crowding ratings summarized by region by residency by water type for the “summer” season of May 2009 through September 2009 (continued).

Region	Type	Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
3	SALMONID STREAM												
	Total	2.09	1668	753	654	342	221	12.66	4.73	11.95	17.06	28.88	36.81
	Resident	2.13	825	367	321	177	129	11.20	3.73	10.28	14.72	26.05	32.51
	Nonresident	2.05	842	386	333	165	92	14.12	5.70	13.53	19.33	31.90	42.88
	SALMONID LAKE												
	Total	1.73	530	179	140	37	23	12.35	8.10	15.08	18.90	18.61	38.92
	Resident	1.82	320	118	101	29	19	12.23	6.95	13.82	19.13	19.05	44.01
	Nonresident	1.56	210	61	39	8	4	12.59	9.88	17.52	18.30	17.13	14.75
	NONSALMONID STREAM												
	Total	1.46	10	1	1	1	0	9.35	5.15	10.00	60.00	.00	.00
	Resident	1.48	9	1	1	1	0	9.72	5.42	10.00	60.00	.00	.00
	Nonresident	1.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.08	15	8	10	4	0	13.50	10.63	17.35	14.61	13.27	.00
	Resident	2.14	13	7	10	4	0	13.63	10.42	18.07	14.61	13.27	.00
	Nonresident	1.33	2	1	0	0	0	12.00	12.00	12.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.02	2223	942	805	384	244	12.59	5.57	12.59	17.40	27.65	37.01
Resident		2.05	1168	494	433	211	148	11.47	4.70	11.25	15.85	24.72	33.99
Nonresident		1.98	1055	448	372	173	96	13.88	6.54	14.07	19.23	31.22	41.71
4	SALMONID STREAM												
	Total	2.18	624	264	270	141	107	15.02	4.75	14.19	21.24	33.43	37.00
	Resident	2.19	473	184	184	110	88	12.97	3.92	12.12	18.49	27.92	33.11
	Nonresident	2.15	151	80	86	31	19	20.83	7.41	18.85	27.09	53.00	55.01
	SALMONID LAKE												
	Total	2.14	506	232	215	96	84	20.81	9.35	19.54	24.31	32.76	70.51
	Resident	2.18	442	216	203	85	83	21.34	9.30	19.34	24.96	32.40	70.16
	Nonresident	1.73	63	16	12	10	1	15.60	9.80	21.95	13.18	35.72	100.00
	NONSALMONID STREAM												
	Total	1.75	115	36	24	13	5	9.86	3.90	15.80	22.25	15.58	28.18
	Resident	1.78	102	31	22	13	5	9.74	3.90	14.14	22.69	15.58	28.18
	Nonresident	1.46	13	5	2	0	0	11.01	4.02	25.18	17.50	.00	.00
	NONSALMONID LAKE												
	Total	2.31	265	159	147	87	54	31.20	13.92	24.94	40.76	43.40	88.24
	Resident	2.31	253	154	143	82	53	31.42	13.89	24.97	40.76	43.25	89.84
	Nonresident	2.17	11	5	4	4	1	25.57	14.57	24.20	41.30	46.22	3.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	2	0	0	0	0	.50	.50	.00	.00	.00	.00
	Resident	1.00	2	0	0	0	0	.50	.50	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.17	1513	693	657	337	252	19.97	7.82	18.54	26.66	35.12	59.13
Resident		2.19	1274	586	553	291	231	20.03	7.76	18.28	26.82	33.03	59.52
Nonresident		2.04	239	107	104	46	21	19.63	8.20	19.89	25.84	48.39	54.68

Table 14. - Crowding ratings summarized by region by residency by water type for the "summer" season of May 2009 through September 2009 (continued).

Region	Type	Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
5	SALMONID STREAM												
	Total	2.41	559	262	315	198	149	23.87	4.83	15.58	32.01	53.87	52.61
	Resident	2.24	383	169	144	93	88	14.73	3.85	10.58	17.51	35.45	43.34
	Nonresident	2.64	176	93	171	105	61	37.13	6.97	24.68	44.24	70.28	66.12
	SALMONID LAKE												
	Total	2.17	251	93	95	50	49	16.71	6.52	17.09	17.97	33.20	48.63
	Resident	2.24	211	86	91	47	46	17.50	6.58	17.86	17.42	33.29	50.55
	Nonresident	1.63	40	7	4	3	3	10.06	6.23	7.29	30.50	31.67	18.67
	NONSALMONID STREAM												
	Total	1.58	137	34	20	7	5	5.67	2.64	6.56	9.45	6.03	61.44
	Resident	1.55	131	33	20	5	4	5.38	2.70	6.72	9.45	7.64	52.89
	Nonresident	2.10	6	1	0	2	1	11.30	1.50	1.00	.00	1.50	100.00
	NONSALMONID LAKE												
	Total	2.23	109	56	36	35	20	24.55	12.90	21.77	33.75	38.96	53.17
	Resident	2.30	91	47	35	33	19	25.63	12.65	21.58	34.39	39.93	55.90
	Nonresident	1.68	18	9	1	2	1	16.67	14.14	22.80	11.00	23.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	2	0	0	0	0	3.50	3.50	.00	.00	.00	.00
	Resident	1.00	2	0	0	0	0	3.50	3.50	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.27	1058	446	467	291	225	20.88	5.78	15.99	28.31	47.29	52.00
Resident		2.17	818	336	291	179	159	15.83	5.34	13.63	18.99	34.85	47.26
Nonresident		2.51	240	110	176	112	66	33.67	7.25	23.20	43.74	67.17	63.47
6	SALMONID STREAM												
	Total	1.69	28	8	5	3	1	8.68	6.63	8.00	17.04	10.33	25.00
	Resident	1.63	25	6	4	2	1	8.47	6.86	6.50	16.30	10.50	25.00
	Nonresident	2.00	3	2	1	1	0	9.87	4.70	12.50	20.00	10.00	.00
	SALMONID LAKE												
	Total	2.03	70	34	29	18	3	12.22	8.49	13.55	12.76	16.05	55.67
	Resident	2.06	66	33	29	18	3	12.33	8.59	13.37	12.76	16.05	55.67
	Nonresident	1.18	4	1	0	0	0	9.45	7.11	20.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.78	106	24	31	8	7	16.84	8.06	30.23	33.95	27.76	15.71
	Resident	1.74	96	22	24	7	6	14.61	5.89	31.76	28.29	30.26	18.33
	Nonresident	2.10	10	2	7	1	1	33.24	28.80	13.50	53.30	10.00	.00
	NONSALMONID LAKE												
	Total	1.72	284	93	77	22	9	19.67	16.23	22.41	24.81	25.46	41.20
	Resident	1.77	243	83	74	21	9	19.90	16.05	22.66	24.89	26.64	41.20
	Nonresident	1.34	41	10	3	1	0	17.82	17.34	19.91	23.30	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	1	0	0	0	0	4.00	4.00	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	4.00	4.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.79	490	160	142	52	20	17.16	12.78	20.95	24.07	21.59	33.64
Resident		1.81	431	145	131	49	19	16.79	12.08	21.23	22.56	22.50	35.41
Nonresident		1.56	59	15	11	3	1	20.31	17.86	18.07	42.09	6.67	.00

Table 14. - Crowding ratings summarized by region by residency by water type for the "summer" season of May 2009 through September 2009 (continued).

		Crowding Ratings						Average Number of People Seen						
Region	Type	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	
7	SALMONID STREAM													
	Total	1.45	4	0	1	0	0	5.55	4.75	3.00	10.00	.00	.00	
	Resident	1.45	4	0	1	0	0	5.55	4.75	3.00	10.00	.00	.00	
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
	SALMONID LAKE													
	Total	1.32	19	0	3	0	0	4.19	1.79	10.00	16.71	.00	.00	
	Resident	1.36	17	0	3	0	0	4.55	1.88	10.00	16.71	.00	.00	
	Nonresident	1.00	2	0	0	0	0	1.20	1.20	.00	.00	.00	.00	
	NONSALMONID STREAM													
	Total	2.18	148	56	38	30	35	27.21	4.11	13.72	31.65	87.67	90.00	
	Resident	2.00	140	46	28	17	26	18.19	3.77	11.67	17.65	92.29	59.63	
	Nonresident	3.10	8	10	10	13	9	73.63	10.00	23.33	70.84	81.52	177.80	
	NONSALMONID LAKE													
	Total	2.58	73	44	73	37	24	39.57	14.25	34.66	44.51	48.11	97.88	
	Resident	2.54	60	41	59	28	19	38.52	14.49	34.27	46.37	37.89	100.00	
	Nonresident	2.75	13	3	14	9	5	44.42	13.19	40.00	36.33	80.00	90.00	
	UNDESIG STRM MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT														
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00	.00	
Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00	
Regional Crowding Ratings:														
Total		2.31	246	102	116	67	59	31.33	6.95	22.79	39.16	65.82	93.21	
Resident		2.19	222	89	92	45	45	26.01	6.52	22.15	36.10	58.44	76.68	
Nonresident		2.89	24	13	24	22	14	58.36	10.88	27.18	50.71	80.90	146.44	
Total	SALMONID STREAM													
	Total	2.08	4570	1835	1642	875	640	13.41	4.32	12.01	19.43	33.00	40.06	
	Resident	2.09	2829	1108	937	534	443	11.08	3.59	10.15	15.00	25.64	35.41	
	Nonresident	2.06	1741	727	705	341	197	17.08	5.51	14.84	25.34	44.54	50.52	
	SALMONID LAKE													
	Total	1.96	2539	1000	809	359	266	16.21	8.59	16.86	21.63	28.84	52.98	
	Resident	2.03	1939	849	706	316	246	16.55	8.26	16.64	20.85	27.83	54.67	
	Nonresident	1.62	600	151	103	43	20	14.75	9.67	18.08	27.05	36.21	32.05	
	NONSALMONID STREAM													
	Total	1.84	641	199	149	71	58	14.40	4.62	13.04	22.68	45.73	67.38	
	Resident	1.79	584	174	124	55	47	11.26	4.03	12.30	17.65	39.55	46.99	
	Nonresident	2.24	57	25	25	16	11	37.31	10.61	18.19	47.62	67.04	154.56	
	NONSALMONID LAKE													
	Total	2.11	1059	505	447	219	143	24.16	12.38	21.68	33.12	39.49	68.63	
	Resident	2.14	931	461	413	202	136	24.29	12.31	21.51	33.09	37.85	68.84	
	Nonresident	1.84	128	44	34	17	7	23.00	12.96	23.43	33.37	58.51	64.71	
	UNDESIG STRM MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT														
Total	1.00	8	0	0	0	0	1.75	1.75	.00	.00	.00	.00	.00	
Resident	1.00	8	0	0	0	0	1.75	1.75	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00	
Statewide Crowding Ratings:														
Total		2.03	8819	3540	3048	1526	1107	15.65	6.54	14.82	22.19	33.55	48.29	
Resident		2.06	6292	2592	2181	1108	872	14.96	6.36	14.44	20.48	29.19	46.68	
Nonresident		1.98	2527	948	867	418	235	17.47	6.99	15.84	26.50	45.12	54.24	

Table 15. - Crowding ratings summarized by drainage by residency by water type for the "summer" season of May 2009 through September 2009.

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
BEAVERHEAD DR												
SALMONID STREAM												
Total	2.01	234	59	56	41	34	10.77	2.90	9.12	17.39	26.55	37.90
Resident	2.00	96	22	27	15	13	7.61	2.74	7.16	9.76	15.35	30.95
Nonresident	2.02	138	37	29	26	21	12.95	3.00	10.25	24.49	33.01	42.33
SALMONID LAKE												
Total	1.66	128	47	33	5	4	12.74	8.50	19.30	18.68	10.40	25.30
Resident	1.81	67	31	25	4	3	12.61	8.18	18.03	16.56	10.50	25.70
Nonresident	1.45	61	16	8	1	1	12.96	8.86	21.82	25.41	10.00	24.00
NONSALMONID STREAM												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.00	2	0	0	0	0	35.00	35.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	50.00	50.00	.00	.00	.00	.00
Nonresident	1.00	1	0	0	0	0	20.00	20.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.89	364	106	89	46	38	11.51	5.05	13.63	17.87	24.79	36.57
Resident	1.91	164	53	52	19	16	9.89	5.25	13.52	13.03	14.33	29.97
Nonresident	1.87	200	53	37	27	22	12.97	4.87	13.74	24.69	32.16	41.50
BIG HOLE DR												
SALMONID STREAM												
Total	2.09	284	138	102	71	33	12.58	5.00	13.38	17.40	28.33	25.82
Resident	2.21	150	70	59	44	25	12.76	4.36	13.35	17.10	28.01	24.42
Nonresident	1.95	134	68	43	27	8	12.34	5.68	13.44	17.80	28.80	30.13
SALMONID LAKE												
Total	1.34	45	4	6	1	0	6.20	3.38	9.25	26.32	.00	.00
Resident	1.30	39	3	4	1	0	6.34	3.54	10.67	32.00	.00	.00
Nonresident	1.56	6	1	2	0	0	5.44	2.33	5.00	15.00	.00	.00
NONSALMONID STREAM												
Total	1.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.00	1	0	0	0	0	3.00	3.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	3.00	3.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.03	331	142	108	72	33	12.03	4.76	13.26	17.90	27.93	25.82
Resident	2.10	190	73	63	45	25	11.97	4.19	13.24	18.05	27.39	24.42
Nonresident	1.94	141	69	45	27	8	12.11	5.52	13.31	17.67	28.80	30.13

Table 15. - Crowding ratings summarized by drainage by residency by water type for the "summer" season of May 2009 through September 2009 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
BITTERROOT DR												
SALMONID STREAM												
Total	1.96	326	115	101	48	34	7.52	3.86	8.00	8.53	16.95	24.79
Resident	2.05	205	77	65	35	30	6.77	3.17	7.68	7.00	14.21	19.79
Nonresident	1.78	121	38	36	13	4	9.03	5.05	8.69	11.31	24.32	62.23
SALMONID LAKE												
Total	1.85	59	24	8	10	5	14.85	5.86	14.52	13.00	56.10	43.00
Resident	1.92	47	21	7	9	5	15.54	5.63	14.45	13.46	56.22	43.00
Nonresident	1.47	12	3	1	1	0	11.18	6.75	14.70	10.00	55.00	.00
NONSALMONID STREAM												
Total	1.43	6	0	0	1	0	4.71	2.17	.00	.00	20.00	.00
Resident	1.50	5	0	0	1	0	5.20	2.24	.00	.00	20.00	.00
Nonresident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.00	2	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.93	393	139	109	59	39	8.53	4.12	9.12	8.86	23.63	27.12
Resident	2.02	258	98	72	45	35	8.27	3.59	9.13	7.62	22.74	23.11
Nonresident	1.75	135	41	37	14	4	9.12	5.16	9.13	11.27	26.51	62.23
BLACKFOOT DR												
SALMONID STREAM												
Total	2.10	225	114	85	36	39	12.86	3.42	12.95	11.91	22.84	60.00
Resident	2.22	146	82	57	31	35	14.01	2.95	12.09	12.45	20.79	61.37
Nonresident	1.80	79	32	28	5	4	10.10	4.30	15.14	10.81	35.62	47.50
SALMONID LAKE												
Total	2.16	116	49	53	27	17	14.72	7.12	14.94	18.47	22.33	41.67
Resident	2.21	101	44	49	24	17	14.80	7.25	14.59	18.95	18.88	41.67
Nonresident	1.80	15	5	4	3	0	14.10	6.30	18.02	12.50	50.00	.00
NONSALMONID STREAM												
Total	1.67	8	1	4	0	0	6.61	3.20	20.00	10.52	.00	.00
Resident	1.67	6	1	3	0	0	4.89	2.18	20.00	5.70	.00	.00
Nonresident	1.67	2	0	1	0	0	12.67	6.50	.00	25.00	.00	.00
NONSALMONID LAKE												
Total	2.32	32	16	19	9	7	21.10	7.09	12.07	24.58	25.89	86.53
Resident	2.42	27	13	18	9	7	22.40	7.36	13.15	23.17	25.89	86.53
Nonresident	1.53	5	3	1	0	0	11.00	5.91	7.33	50.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.13	384	180	161	72	64	14.12	4.84	13.45	15.53	23.03	58.10
Resident	2.23	282	140	127	64	60	15.06	4.89	13.03	16.32	20.79	58.77
Nonresident	1.79	102	40	34	8	4	10.77	4.73	14.91	12.58	41.01	47.50

Table 15. - Crowding ratings summarized by drainage by residency by water type for the "summer" season of May 2009 through September 2009 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
LOWER CLARK FORK DR SALMONID STREAM												
Total	1.62	299	71	52	20	12	6.49	3.61	7.19	13.95	16.19	25.70
Resident	1.75	177	49	41	17	10	6.91	3.34	6.44	13.78	16.12	28.80
Nonresident	1.38	122	22	11	3	2	5.73	4.02	8.85	14.74	16.67	10.00
SALMONID LAKE												
Total	1.82	85	40	14	9	8	10.30	5.26	14.89	7.38	29.44	24.63
Resident	1.81	73	37	13	8	6	9.89	4.59	15.04	7.85	33.14	16.17
Nonresident	1.84	12	3	1	1	2	13.25	9.23	13.33	1.00	.00	50.00
NONSALMONID STREAM												
Total	1.83	55	26	13	8	3	8.41	6.38	5.86	11.78	15.38	35.00
Resident	1.91	41	21	9	8	3	8.73	6.18	5.70	12.89	15.38	35.00
Nonresident	1.57	14	5	4	0	0	7.27	6.93	6.62	9.25	.00	.00
NONSALMONID LAKE												
Total	1.80	108	49	38	8	4	14.97	8.64	18.72	22.84	39.26	15.50
Resident	1.80	93	40	30	8	4	14.21	8.33	15.08	24.24	39.26	15.50
Nonresident	1.78	15	9	8	0	0	19.15	10.67	34.76	17.50	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.72	548	186	118	45	27	9.26	5.14	11.70	15.81	22.80	24.90
Resident	1.80	385	147	94	41	23	9.58	5.09	10.85	16.24	23.81	24.00
Nonresident	1.49	163	39	24	4	4	8.33	5.26	14.88	14.17	12.50	30.00
UPPER CLARK FORK DR SALMONID STREAM												
Total	1.88	318	114	74	40	31	6.42	2.39	7.32	13.94	11.75	19.49
Resident	1.87	227	78	49	29	23	5.93	2.06	5.87	13.44	12.49	20.08
Nonresident	1.88	91	36	25	11	8	7.58	3.23	10.47	14.96	9.93	17.72
SALMONID LAKE												
Total	2.13	191	74	84	42	25	17.95	10.95	15.89	21.15	35.36	37.16
Resident	2.21	145	70	71	39	23	18.17	9.86	16.27	21.10	34.97	38.31
Nonresident	1.69	46	4	13	3	2	16.82	14.35	8.73	21.70	40.00	23.50
NONSALMONID STREAM												
Total	1.14	3	0	0	0	0	1.14	1.00	2.00	.00	.00	.00
Resident	1.14	3	0	0	0	0	1.14	1.00	2.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.63	2	0	0	0	1	15.88	13.00	20.00	.00	.00	18.33
Resident	4.25	0	0	0	0	1	18.75	.00	20.00	.00	.00	18.33
Nonresident	1.00	2	0	0	0	0	13.00	13.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.98	514	190	158	82	58	11.24	5.61	10.70	17.78	23.84	27.23
Resident	2.03	375	150	120	68	48	11.55	5.07	10.79	17.97	25.39	28.95
Nonresident	1.82	139	40	38	14	10	10.23	7.05	10.30	17.27	16.37	18.88

Table 15. - Crowding ratings summarized by drainage by residency by water type for the "summer" season of May 2009 through September 2009 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
LOWER FLATHEAD DR SALMONID STREAM												
Total	1.80	217	61	42	27	16	10.84	5.12	12.38	13.07	26.37	50.55
Resident	1.89	148	45	32	22	14	10.88	5.27	13.88	11.68	22.77	39.95
Nonresident	1.58	69	16	10	5	2	10.84	4.90	8.19	17.48	42.40	125.00
SALMONID LAKE												
Total	1.83	383	157	99	38	29	16.68	9.41	17.23	24.44	29.10	66.86
Resident	1.89	302	140	85	34	28	16.99	9.32	17.77	23.59	22.22	69.18
Nonresident	1.52	81	17	14	4	1	15.16	9.74	12.93	29.50	87.50	2.00
NONSALMONID STREAM												
Total	1.76	49	19	16	3	2	6.02	4.66	6.13	7.14	9.00	25.00
Resident	1.78	47	17	16	3	2	5.20	3.49	5.08	7.14	9.00	25.00
Nonresident	1.50	2	2	0	0	0	24.00	32.50	15.50	.00	.00	.00
NONSALMONID LAKE												
Total	2.03	118	63	35	17	19	13.30	6.87	11.72	23.02	33.84	21.90
Resident	2.04	111	60	32	16	19	12.73	6.84	11.80	19.29	32.83	21.90
Nonresident	1.86	7	3	3	1	0	23.07	7.57	10.00	63.33	50.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.85	767	300	193	85	66	13.90	7.50	14.38	20.27	28.47	48.69
Resident	1.91	608	262	166	75	63	13.91	7.43	14.91	18.87	24.12	47.02
Nonresident	1.57	159	38	27	10	3	13.92	7.83	10.84	28.81	61.20	84.00
UPPER FLATHEAD DR SALMONID STREAM												
Total	2.08	110	40	29	16	22	10.70	3.85	10.20	17.24	18.92	31.24
Resident	2.25	74	31	27	14	20	11.54	3.74	9.78	16.67	19.76	30.40
Nonresident	1.53	36	9	2	2	2	8.00	4.12	11.66	25.00	13.00	39.50
SALMONID LAKE												
Total	1.72	105	34	25	8	5	9.08	6.19	10.81	19.50	9.11	5.80
Resident	1.81	85	30	25	8	5	9.48	6.16	11.26	19.50	9.11	5.80
Nonresident	1.17	20	4	0	0	0	6.55	6.36	7.50	.00	.00	.00
NONSALMONID STREAM												
Total	2.00	2	1	2	0	0	8.00	3.00	2.00	16.00	.00	.00
Resident	2.00	1	1	1	0	0	8.00	2.00	2.00	20.00	.00	.00
Nonresident	2.00	1	0	1	0	0	8.00	4.00	.00	12.00	.00	.00
NONSALMONID LAKE												
Total	2.00	3	0	0	0	1	4.25	3.33	.00	.00	.00	7.00
Resident	2.00	3	0	0	0	1	4.25	3.33	.00	.00	.00	7.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.92	221	75	56	24	28	9.87	4.93	10.37	18.21	15.65	25.83
Resident	2.03	164	62	53	22	26	10.42	4.96	10.37	18.07	15.89	24.77
Nonresident	1.43	57	13	3	2	2	7.55	4.90	10.38	20.67	13.00	39.50

Table 15. - Crowding ratings summarized by drainage by residency by water type for the "summer" season of May 2009 through September 2009 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
GALLATIN DR												
SALMONID STREAM												
Total	1.80	305	117	83	34	14	6.48	3.87	6.81	11.84	14.53	9.41
Resident	1.87	164	73	43	22	12	4.76	2.31	5.07	9.41	10.39	9.32
Nonresident	1.70	141	44	40	12	2	8.75	5.70	9.63	14.43	22.18	10.00
SALMONID LAKE												
Total	2.17	59	31	24	17	8	14.59	5.71	17.45	17.46	24.10	40.25
Resident	2.24	48	26	21	16	8	15.44	4.98	18.00	19.66	24.70	40.25
Nonresident	1.70	11	5	3	1	0	9.55	8.91	14.40	2.00	15.00	.00
NONSALMONID STREAM												
Total	4.00	0	0	0	1	0	.00	.00	.00	.00	.00	.00
Resident	4.00	0	0	0	1	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	3.00	0	1	6	1	0	18.61	.00	50.00	15.48	6.00	.00
Resident	3.00	0	1	6	1	0	18.61	.00	50.00	15.48	6.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.89	364	149	113	53	22	8.22	4.17	9.32	13.22	17.17	20.63
Resident	2.00	212	100	70	40	20	7.87	2.92	8.88	13.01	15.75	21.69
Nonresident	1.70	152	49	43	13	2	8.81	5.93	10.11	13.57	21.63	10.00
JEFFERSON DR												
SALMONID STREAM												
Total	1.34	161	28	10	6	1	3.74	2.73	5.98	8.81	12.50	.00
Resident	1.36	120	23	9	4	1	3.24	2.37	5.32	8.68	6.25	.00
Nonresident	1.27	41	5	1	2	0	5.35	3.83	9.02	10.00	25.00	.00
SALMONID LAKE												
Total	1.65	45	15	6	1	4	8.60	3.77	13.01	17.67	15.00	31.25
Resident	1.69	41	15	6	1	4	8.75	3.54	13.01	17.67	15.00	31.25
Nonresident	1.00	4	0	0	0	0	5.75	5.75	.00	.00	.00	.00
NONSALMONID STREAM												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.42	206	43	16	7	5	4.98	2.95	8.43	12.13	12.86	25.00
Resident	1.46	161	38	15	5	5	4.89	2.67	8.36	12.27	8.00	25.00
Nonresident	1.25	45	5	1	2	0	5.38	4.00	9.02	10.00	25.00	.00

Table 15. - Crowding ratings summarized by drainage by residency by water type for the "summer" season of May 2009 through September 2009 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
KOOTENAI DR												
SALMONID STREAM												
Total	1.40	196	32	15	4	7	4.67	3.04	7.44	11.73	33.00	6.29
Resident	1.39	142	19	12	4	4	4.39	2.61	6.74	9.99	33.00	11.00
Nonresident	1.42	54	13	3	0	3	5.40	4.21	8.50	18.67	.00	.00
SALMONID LAKE												
Total	1.77	185	73	36	16	14	19.86	12.96	21.26	42.53	24.07	40.57
Resident	1.81	116	47	25	12	9	16.18	13.36	17.12	21.15	14.03	36.74
Nonresident	1.70	69	26	11	4	5	26.51	12.24	28.75	91.16	54.25	47.40
NONSALMONID STREAM												
Total	1.00	1	0	0	0	0	6.00	6.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	6.00	6.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.58	46	14	10	0	2	5.28	3.59	7.00	8.40	.00	16.50
Resident	1.68	35	13	10	0	2	5.51	3.56	6.85	8.40	.00	16.50
Nonresident	1.08	11	1	0	0	0	4.17	3.73	9.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.60	428	119	61	20	23	12.30	7.39	15.87	29.36	25.85	28.04
Resident	1.62	294	79	47	16	15	10.01	6.97	12.93	15.59	18.77	27.18
Nonresident	1.56	134	40	14	4	8	17.46	8.30	21.67	75.63	54.25	29.63
LITTLE MISSOURI DR												
SALMONID STREAM												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
SALMONID LAKE												
Total	1.00	3	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	2	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.00	5	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	4	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00

Table 15. - Crowding ratings summarized by drainage by residency by water type for the “summer” season of May 2009 through September 2009 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
MADISON DR												
SALMONID STREAM												
Total	2.46	353	247	265	143	106	18.54	7.29	12.80	19.53	34.53	45.30
Resident	2.64	114	85	100	60	53	19.50	6.11	11.37	17.93	36.17	45.44
Nonresident	2.36	239	162	165	83	53	17.98	7.85	13.58	20.53	33.34	45.18
SALMONID LAKE												
Total	1.69	232	80	67	12	6	13.18	10.59	12.37	18.84	17.17	52.83
Resident	1.76	114	41	41	6	4	12.74	9.52	8.45	19.19	15.70	78.00
Nonresident	1.61	118	39	26	6	2	13.68	11.69	16.48	18.24	18.67	2.50
NONSALMONID STREAM												
Total	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.67	1	2	0	0	0	10.00	10.00	10.00	.00	.00	.00
Resident	1.50	1	1	0	0	0	9.00	10.00	8.00	.00	.00	.00
Nonresident	2.00	0	1	0	0	0	12.00	.00	12.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.26	587	329	332	155	112	17.10	8.59	12.67	19.39	33.19	45.71
Resident	2.34	230	127	141	66	57	17.20	7.80	10.40	18.29	34.31	47.72
Nonresident	2.20	357	202	191	89	55	17.06	9.12	14.13	20.22	32.35	43.63
MARIAS DR												
SALMONID STREAM												
Total	1.38	20	5	1	1	0	4.23	2.24	2.09	1.00	60.00	.00
Resident	1.39	16	3	1	1	0	4.89	2.24	2.71	1.00	60.00	.00
Nonresident	1.33	4	2	0	0	0	1.83	2.25	1.00	.00	.00	.00
SALMONID LAKE												
Total	1.33	48	7	5	1	0	6.69	5.42	13.24	9.00	8.00	.00
Resident	1.33	43	7	4	1	0	6.61	5.59	13.24	5.00	8.00	.00
Nonresident	1.33	5	0	1	0	0	7.50	4.00	.00	25.00	.00	.00
NONSALMONID STREAM												
Total	1.63	9	2	2	1	0	4.64	1.69	9.40	12.50	5.00	.00
Resident	1.54	9	2	1	1	0	4.61	1.69	9.40	20.00	5.00	.00
Nonresident	3.00	0	0	1	0	0	5.00	.00	.00	5.00	.00	.00
NONSALMONID LAKE												
Total	1.62	85	27	17	8	0	18.81	12.27	31.69	30.82	18.90	.00
Resident	1.63	83	27	17	8	0	19.03	12.48	31.69	30.82	18.90	.00
Nonresident	1.00	2	0	0	0	0	3.00	3.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.52	164	43	25	11	0	13.17	8.38	23.39	23.80	20.38	.00
Resident	1.53	153	41	23	11	0	13.73	8.75	24.48	24.56	20.38	.00
Nonresident	1.40	11	2	2	0	0	4.47	3.18	1.00	15.00	.00	.00

Table 15. - Crowding ratings summarized by drainage by residency by water type for the "summer" season of May 2009 through September 2009 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
MILK DR												
SALMONID STREAM												
Total	1.64	21	6	4	1	1	8.75	7.31	6.50	16.30	6.00	25.00
Resident	1.64	21	6	4	1	1	8.75	7.31	6.50	16.30	6.00	25.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
SALMONID LAKE												
Total	2.19	44	30	25	16	3	11.85	6.26	12.87	13.45	14.48	55.67
Resident	2.22	41	29	25	16	3	11.98	6.47	12.64	13.45	14.48	55.67
Nonresident	1.29	2	1	0	0	0	7.71	2.80	20.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.31	44	1	4	1	1	5.90	3.52	20.00	20.75	3.00	40.00
Resident	1.32	43	1	4	1	1	6.02	3.60	20.00	20.75	3.00	40.00
Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.05	95	33	47	17	8	16.33	10.24	15.56	24.45	26.79	21.35
Resident	2.09	88	31	47	17	8	16.49	10.28	15.11	24.45	26.79	21.35
Nonresident	1.24	6	2	0	0	0	13.08	10.18	22.50	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	4.00	4.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	4.00	4.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.97	205	71	80	36	13	13.05	7.61	13.70	20.42	19.91	30.98
Resident	1.99	195	68	80	36	13	13.14	7.64	13.35	20.42	19.91	30.98
Nonresident	1.23	10	3	0	0	0	10.63	7.32	21.67	.00	.00	.00
LOWER MISSOURI DR												
SALMONID STREAM												
Total	1.50	73	15	10	3	2	5.39	2.39	15.81	8.72	12.00	11.00
Resident	1.39	61	6	7	2	1	2.98	2.37	3.33	5.29	13.00	2.00
Nonresident	1.83	12	9	3	1	1	12.46	2.65	24.11	16.67	10.00	20.00
SALMONID LAKE												
Total	1.83	80	22	20	8	7	12.57	7.37	11.60	15.49	26.63	51.14
Resident	1.85	73	22	19	7	7	12.99	7.26	11.60	16.32	30.43	51.14
Nonresident	1.56	7	0	1	1	0	6.67	8.57	.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.83	100	32	28	8	9	16.46	8.34	23.79	36.40	27.39	9.44
Resident	1.83	85	29	21	7	8	14.50	6.00	25.03	30.76	29.83	10.63
Nonresident	1.87	15	3	7	1	1	27.13	21.10	12.00	53.30	10.00	.00
NONSALMONID LAKE												
Total	1.50	200	62	32	7	1	21.05	18.33	25.64	24.10	18.86	200.00
Resident	1.52	165	53	29	6	1	21.52	18.25	26.82	24.23	21.98	200.00
Nonresident	1.38	35	9	3	1	0	18.49	18.67	18.23	23.30	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.64	456	131	90	26	19	16.04	11.59	21.71	24.31	23.08	35.00
Resident	1.65	386	110	76	22	17	15.63	10.91	22.02	22.31	26.35	37.94
Nonresident	1.62	70	21	14	4	2	18.23	15.34	19.86	35.21	5.00	10.00

Table 15. - Crowding ratings summarized by drainage by residency by water type for the "summer" season of May 2009 through September 2009 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
UPPER MISSOURI DR SALMONID STREAM												
Total	2.26	528	245	262	138	105	16.22	5.35	14.77	21.70	33.72	37.50
Resident	2.27	395	173	177	106	87	14.18	4.45	13.07	19.10	28.15	33.47
Nonresident	2.21	132	71	85	32	18	21.85	8.04	18.79	27.10	52.25	56.96
SALMONID LAKE												
Total	2.36	278	172	171	83	73	26.00	12.10	22.34	26.82	34.90	75.15
Resident	2.41	237	158	161	73	72	26.70	11.99	22.17	27.65	34.31	74.80
Nonresident	1.88	41	14	10	9	1	19.47	12.82	24.01	13.31	39.48	100.00
NONSALMONID STREAM												
Total	1.84	74	27	22	11	2	12.63	4.66	19.35	23.60	17.95	56.00
Resident	1.86	68	22	21	11	2	12.36	4.85	17.45	23.29	17.95	56.00
Nonresident	1.59	5	4	1	0	0	15.70	2.40	28.78	30.00	.00	.00
NONSALMONID LAKE												
Total	2.55	148	122	124	74	54	36.91	16.75	24.61	43.68	48.30	88.24
Resident	2.56	139	119	120	69	53	37.22	16.69	24.35	43.77	48.45	89.84
Nonresident	2.33	9	3	4	4	1	29.87	17.90	35.00	41.30	46.22	3.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.32	1029	566	580	306	236	22.82	8.76	19.41	28.00	37.00	61.14
Resident	2.36	841	473	480	260	216	23.04	8.63	19.16	28.35	34.89	61.56
Nonresident	2.14	188	93	100	46	20	21.69	9.39	20.58	26.32	49.02	56.41
MUSSELSHELL DR SALMONID STREAM												
Total	1.24	25	1	3	0	0	1.48	1.40	2.00	2.00	.00	.00
Resident	1.30	19	1	3	0	0	1.00	.79	2.00	2.00	.00	.00
Nonresident	1.00	6	0	0	0	0	3.33	3.33	.00	.00	.00	.00
SALMONID LAKE												
Total	1.80	77	38	26	6	3	11.91	7.68	15.27	14.83	27.00	22.33
Resident	1.85	67	35	26	6	3	12.58	8.14	16.11	14.83	27.00	22.33
Nonresident	1.23	10	3	0	0	0	4.62	4.50	5.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.06	30	2	0	0	0	1.10	.98	3.00	.00	.00	.00
Resident	1.06	29	2	0	0	0	1.11	.98	3.00	.00	.00	.00
Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.06	16	9	4	4	2	12.76	6.32	16.72	12.75	18.50	35.00
Resident	2.06	16	8	4	4	2	12.96	6.32	18.06	12.75	18.50	35.00
Nonresident	2.00	0	1	0	0	0	6.00	.00	6.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	2	0	0	0	0	3.50	3.50	.00	.00	.00	.00
Resident	1.00	2	0	0	0	0	3.50	3.50	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.67	150	50	33	10	5	9.35	5.09	14.77	13.41	23.60	27.40
Resident	1.71	133	46	33	10	5	9.82	5.24	15.57	13.41	23.60	27.40
Nonresident	1.19	17	4	0	0	0	4.10	3.82	5.25	.00	.00	.00

Table 15. - Crowding ratings summarized by drainage by residency by water type for the "summer" season of May 2009 through September 2009 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
ST MARY DR												
SALMONID STREAM												
Total	1.00	3	0	0	0	0	.30	.30	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	2	0	0	0	0	.50	.50	.00	.00	.00	.00
SALMONID LAKE												
Total	1.11	8	1	0	0	0	6.42	6.23	8.00	.00	.00	.00
Resident	1.13	7	1	0	0	0	6.88	6.71	8.00	.00	.00	.00
Nonresident	1.00	1	0	0	0	0	3.00	3.00	.00	.00	.00	.00
NONSALMONID STREAM												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.08	11	1	0	0	0	4.89	4.61	8.00	.00	.00	.00
Resident	1.11	8	1	0	0	0	6.11	5.88	8.00	.00	.00	.00
Nonresident	1.00	3	0	0	0	0	1.33	1.33	.00	.00	.00	.00
SUN DR												
SALMONID STREAM												
Total	1.24	74	12	2	2	0	1.81	1.35	3.68	1.00	8.50	.00
Resident	1.27	58	9	2	2	0	1.78	1.37	3.11	1.00	8.50	.00
Nonresident	1.16	16	3	0	0	0	1.87	1.23	5.30	.00	.00	.00
SALMONID LAKE												
Total	1.61	85	20	17	6	2	9.01	6.01	13.01	16.32	14.20	20.00
Resident	1.64	80	19	17	6	2	9.32	6.35	12.90	16.32	14.20	20.00
Nonresident	1.15	5	1	0	0	0	3.46	1.36	15.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.54	12	6	1	1	0	6.20	4.10	11.00	10.00	.00	.00
Resident	1.55	12	6	1	1	0	6.34	4.22	11.00	10.00	.00	.00
Nonresident	1.00	0	0	0	0	0	1.00	1.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.47	173	38	20	9	2	6.06	3.84	9.74	14.47	11.36	20.00
Resident	1.51	150	34	20	9	2	6.55	4.26	9.97	14.47	11.36	20.00
Nonresident	1.15	23	4	0	0	0	2.17	1.20	7.73	.00	.00	.00

Table 15. - Crowding ratings summarized by drainage by residency by water type for the "summer" season of May 2009 through September 2009 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
LOWER YELLOWSTONE DR SALMONID STREAM												
Total	1.45	4	0	1	0	0	5.55	4.75	3.00	10.00	.00	.00
Resident	1.45	4	0	1	0	0	5.55	4.75	3.00	10.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
SALMONID LAKE												
Total	1.31	14	0	2	0	0	4.94	2.00	10.00	21.00	.00	.00
Resident	1.35	12	0	2	0	0	5.39	2.08	10.00	21.00	.00	.00
Nonresident	1.00	2	0	0	0	0	1.50	1.50	.00	.00	.00	.00
NONSALMONID STREAM												
Total	2.19	146	55	38	30	35	27.42	4.14	13.70	31.65	87.67	90.00
Resident	2.01	138	45	28	17	26	18.33	3.80	11.60	17.65	92.29	59.63
Nonresident	3.10	8	10	10	13	9	73.63	10.00	23.33	70.84	81.52	177.80
NONSALMONID LAKE												
Total	2.62	67	44	73	37	24	40.49	15.39	34.66	44.51	48.11	97.88
Resident	2.58	54	41	59	28	19	39.52	15.79	34.27	46.37	37.89	100.00
Nonresident	2.77	13	3	14	9	5	44.92	13.69	40.00	36.33	80.00	90.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.34	233	101	115	67	59	32.08	7.26	22.86	39.45	65.82	93.21
Resident	2.22	210	88	91	45	45	26.69	6.81	22.23	36.44	58.44	76.68
Nonresident	2.91	23	13	24	22	14	58.97	11.35	27.18	50.71	80.90	146.44
UPPER YELLOWSTONE DR SALMONID STREAM												
Total	2.33	792	414	445	244	182	20.98	5.18	15.54	27.42	48.81	48.91
Resident	2.27	489	254	221	125	113	14.32	4.31	11.46	16.63	32.18	39.62
Nonresident	2.42	303	160	224	119	69	30.14	6.57	22.01	38.10	66.34	64.25
SALMONID LAKE												
Total	2.19	228	72	80	45	49	16.82	6.18	16.77	18.17	33.42	48.63
Resident	2.28	183	67	76	42	45	17.86	6.31	17.48	17.52	33.54	51.00
Nonresident	1.62	45	5	4	3	4	9.76	5.69	7.20	30.50	31.67	21.50
NONSALMONID STREAM												
Total	1.67	109	32	20	7	5	6.47	3.09	6.78	9.45	6.03	61.44
Resident	1.64	104	31	20	5	4	6.14	3.16	6.96	9.45	7.64	52.89
Nonresident	2.22	5	1	0	2	1	12.56	1.80	1.00	.00	1.50	100.00
NONSALMONID LAKE												
Total	2.19	117	55	39	36	18	23.65	12.53	21.46	32.03	37.74	55.14
Resident	2.26	98	46	38	34	17	24.65	12.32	21.19	32.57	38.61	58.29
Nonresident	1.66	19	9	1	2	1	16.27	13.61	22.80	11.00	23.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.26	1246	573	585	333	256	19.71	5.87	15.77	25.84	44.57	49.58
Resident	2.22	874	398	356	207	181	15.58	5.49	13.24	18.14	32.86	44.61
Nonresident	2.34	372	175	229	126	75	28.25	6.76	21.51	37.85	63.79	61.59

Table 15. - Crowding ratings summarized by drainage by residency by water type for the "summer" season of May 2009 through September 2009 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
Total												
SALMONID STREAM												
Total	2.08	4570	1835	1642	875	640	13.41	4.32	12.01	19.43	33.00	40.06
Resident	2.09	2829	1108	937	534	443	11.08	3.59	10.15	15.00	25.64	35.41
Nonresident	2.06	1741	727	705	341	197	17.08	5.51	14.84	25.34	44.54	50.52
SALMONID LAKE												
Total	1.96	2539	1000	809	359	266	16.21	8.59	16.86	21.63	28.84	52.98
Resident	2.03	1939	849	706	316	246	16.55	8.26	16.64	20.85	27.83	54.67
Nonresident	1.62	600	151	103	43	20	14.75	9.67	18.08	27.05	36.21	32.05
NONSALMONID STREAM												
Total	1.84	641	199	149	71	58	14.40	4.62	13.04	22.68	45.73	67.38
Resident	1.79	584	174	124	55	47	11.26	4.03	12.30	17.65	39.55	46.99
Nonresident	2.24	57	25	25	16	11	37.31	10.61	18.19	47.62	67.04	154.56
NONSALMONID LAKE												
Total	2.11	1059	505	447	219	143	24.16	12.38	21.68	33.12	39.49	68.63
Resident	2.14	931	461	413	202	136	24.29	12.31	21.51	33.09	37.85	68.84
Nonresident	1.84	128	44	34	17	7	23.00	12.96	23.43	33.37	58.51	64.71
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	8	0	0	0	0	1.75	1.75	.00	.00	.00	.00
Resident	1.00	8	0	0	0	0	1.75	1.75	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Statewide Crowding Ratings:												
Total	2.03	8819	3540	3048	1526	1107	15.65	6.54	14.82	22.19	33.55	48.29
Resident	2.06	6292	2592	2181	1108	872	14.96	6.36	14.44	20.48	29.19	46.68
Nonresident	1.98	2527	948	867	418	235	17.47	6.99	15.84	26.50	45.12	54.24

2009 WINTER

The "winter" season for angling is from March through April and October through February of the following year. In 2009, 956,065 angler days (28.5%) of the annual fishing pressure occurred during this period (Table 16). Residents accounted for 74.6% of the total angling pressure for the "winter" season. Angling pressure was directed towards salmonid streams with 44.4% and salmonid lakes accounted for 32.0% of the use during this period.

The pressure in the regions ranged from a high of 227,697 angler days for Region 4 to a low of 22,092 angler days for Region 7. Angling pressure by residents for this period for each FWP region ranged from a low of 59.4% for region 6 to a high of 87.0% for region 4.

Winter angling pressure (Table 17) by drainage ranged from 183,905 angler days for the Upper Missouri River drainage to 699 angler days for the Little Missouri River drainage in Eastern Montana. Residents accounted for as low as 54.7% of the pressure in the lower Missouri River drainage to a high of 97.3% of the pressure in the Sun River drainage.

Table 16. - Angling pressure in angler days by region by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010.

REG	WATER TYPE	-----TOTALS-----		----RESIDENTS----		---NON-RESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
1	SALMONID STREAM	32598.	349.	25342.	255.	7256.	94.
	SALMONID LAKE	78322.	844.	67880.	708.	10443.	136.
	NONSALMONID STREAM	7288.	107.	5466.	87.	1822.	20.
	NONSALMONID LAKE	39426.	391.	34762.	336.	4665.	55.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	157633.	1690.	133448.	1386.	24185.	304.
2	SALMONID STREAM	92195.	1231.	67634.	867.	24561.	364.
	SALMONID LAKE	49823.	510.	41940.	420.	7883.	90.
	NONSALMONID STREAM	3692.	55.	3118.	48.	574.	7.
	NONSALMONID LAKE	6949.	71.	4976.	49.	1973.	22.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	152658.	1866.	117668.	1384.	34990.	482.
3	SALMONID STREAM	137516.	1798.	86897.	1156.	50619.	642.
	SALMONID LAKE	55464.	643.	35344.	397.	20120.	246.
	NONSALMONID STREAM	4286.	29.	4106.	26.	180.	3.
	NONSALMONID LAKE	4395.	43.	2933.	26.	1462.	17.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	201660.	2512.	129280.	1605.	72380.	907.
4	SALMONID STREAM	72386.	944.	57255.	736.	15131.	208.
	SALMONID LAKE	90981.	1153.	83133.	1048.	7848.	105.
	NONSALMONID STREAM	9394.	117.	8757.	109.	637.	8.
	NONSALMONID LAKE	54827.	595.	48945.	530.	5882.	65.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	111.	1.	111.	1.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	227697.	2808.	198199.	2422.	29498.	386.
5	SALMONID STREAM	85425.	1247.	43786.	585.	41639.	662.
	SALMONID LAKE	19545.	232.	17467.	205.	2078.	27.
	NONSALMONID STREAM	8351.	113.	8215.	111.	136.	2.
	NONSALMONID LAKE	6010.	77.	4759.	64.	1251.	13.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	119329.	1667.	74226.	964.	45103.	703.

Table 16. - Angling pressure in angler days by region by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010 (continued).

REG	WATER TYPE	-----TOTALS-----		----RESIDENTS----		--NON-RESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
6							
	SALMONID STREAM	3106.	38.	1688.	23.	1418.	15.
	SALMONID LAKE	9742.	115.	7341.	85.	2401.	30.
	NONSALMONID STREAM	9601.	140.	7891.	119.	1710.	21.
	NONSALMONID LAKE	51541.	550.	27065.	268.	24476.	282.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:						
		73990.	843.	43985.	495.	30005.	348.
7							
	SALMONID STREAM	1354.	12.	1107.	9.	247.	3.
	SALMONID LAKE	1342.	27.	1097.	22.	245.	5.
	NONSALMONID STREAM	10906.	154.	8052.	120.	2854.	34.
	NONSALMONID LAKE	8490.	117.	5710.	87.	2780.	30.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:						
		22092.	310.	15966.	238.	6126.	72.
TOTAL							
	SALMONID STREAM	424578.	5617.	283708.	3630.	140870.	1987.
	SALMONID LAKE	306224.	3532.	254319.	2886.	51905.	646.
	NONSALMONID STREAM	53516.	713.	45604.	619.	7912.	94.
	NONSALMONID LAKE	171637.	1843.	129149.	1360.	42488.	483.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	111.	1.	111.	1.	0.	0.
	STATEWIDE PRESSURE ESTIMATES:						
		956065.	11705.	712890.	8495.	243175.	3210.

Table 17. - Angling pressure in angler days by drainage by water type for the "winter" angling season March 2009 through April 2009 and October 2009 through February 2010.

DRAIN	WATER TYPE	-----TOTALS-----		----RESIDENTS----		--NONRESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
BEAVERHEAD DR							
	SALMONID STREAM	14040.	183.	7516.	96.	6524.	87.
	SALMONID LAKE	25300.	285.	15025.	161.	10275.	124.
	NONSALMONID STREAM	180.	3.	0.	0.	180.	3.
	NONSALMONID LAKE	2268.	21.	942.	6.	1326.	15.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	DRAINAGE PRESSURE ESTIMATES:						
		41787.	491.	23483.	263.	18304.	228.

Table 17. - Angling pressure in angler days by drainage by water type for the "winter" angling season March 2009 through April 2009 and October 2009 through February 2010 (continued).

BIG HOLE DR						
SALMONID STREAM	13178.	181.	8482.	122.	4696.	59.
SALMONID LAKE	0.	0.	0.	0.	0.	0.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	116.	1.	116.	1.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	13294.	182.	8598.	123.	4696.	59.
BITTERROOT DR						
SALMONID STREAM	49027.	692.	34430.	469.	14597.	223.
SALMONID LAKE	3254.	43.	3254.	43.	0.	0.
NONSALMONID STREAM	878.	15.	878.	15.	0.	0.
NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	53159.	750.	38562.	527.	14597.	223.
BLACKFOOT DR						
SALMONID STREAM	10737.	114.	9698.	99.	1039.	15.
SALMONID LAKE	16915.	184.	15616.	166.	1299.	18.
NONSALMONID STREAM	43.	1.	43.	1.	0.	0.
NONSALMONID LAKE	6547.	66.	4664.	45.	1883.	21.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	34242.	365.	30021.	311.	4221.	54.
LOWER CLARK FORK DR						
SALMONID STREAM	15706.	190.	11107.	126.	4599.	64.
SALMONID LAKE	12313.	136.	9416.	103.	2897.	34.
NONSALMONID STREAM	6281.	92.	4154.	68.	2127.	24.
NONSALMONID LAKE	11013.	115.	8569.	87.	2444.	29.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	45311.	532.	33246.	383.	12065.	149.
UPPER CLARK FORK DR						
SALMONID STREAM	24430.	314.	18121.	225.	6309.	89.
SALMONID LAKE	29481.	281.	22946.	210.	6535.	71.
NONSALMONID STREAM	1011.	17.	921.	16.	90.	1.
NONSALMONID LAKE	286.	4.	196.	3.	90.	1.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	55208.	616.	42184.	454.	13024.	162.
LOWER FLATHEAD DR						
SALMONID STREAM	11476.	123.	9492.	96.	1984.	27.
SALMONID LAKE	46897.	494.	43096.	442.	3801.	53.
NONSALMONID STREAM	2767.	37.	2588.	35.	179.	2.
NONSALMONID LAKE	21957.	214.	19955.	191.	2002.	24.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	83096.	868.	75130.	763.	7966.	105.

Table 17. - Angling pressure in angler days by drainage by water type for the "winter" angling season March 2009 through April 2009 and October 2009 through February 2010 (continued).

UPPER FLATHEAD DR						
SALMONID STREAM	3315.	29.	2899.	25.	416.	4.
SALMONID LAKE	3848.	32.	3444.	27.	404.	5.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	2571.	24.	2439.	22.	132.	2.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	9734.	84.	8782.	74.	952.	10.
GALLATIN DR						
SALMONID STREAM	26260.	370.	16841.	247.	9419.	123.
SALMONID LAKE	6893.	76.	6097.	67.	796.	9.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	161.	2.	161.	2.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	33314.	448.	23099.	316.	10215.	132.
JEFFERSON DR						
SALMONID STREAM	3951.	52.	3290.	44.	661.	8.
SALMONID LAKE	3088.	50.	2270.	41.	818.	9.
NONSALMONID STREAM	86.	2.	86.	2.	0.	0.
NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	7125.	104.	5646.	87.	1479.	17.
KOOTENAI DR						
SALMONID STREAM	10102.	118.	7229.	82.	2873.	36.
SALMONID LAKE	15438.	184.	12048.	138.	3390.	46.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	4002.	39.	3915.	38.	87.	1.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	29541.	341.	23191.	258.	6350.	83.
LITTLE MISSOURI DR						
SALMONID STREAM	111.	1.	0.	0.	111.	1.
SALMONID LAKE	0.	0.	0.	0.	0.	0.
NONSALMONID STREAM	588.	5.	588.	5.	0.	0.
NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	699.	6.	588.	5.	111.	1.
MADISON DR						
SALMONID STREAM	49107.	612.	29467.	376.	19640.	236.
SALMONID LAKE	19826.	224.	11693.	122.	8133.	102.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	135.	3.	86.	2.	49.	1.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	69068.	839.	41246.	500.	27822.	339.

Table 17. - Angling pressure in angler days by drainage by water type for the "winter" angling season March 2009 through April 2009 and October 2009 through February 2010 (continued).

MARIAS DR						
SALMONID STREAM	2890.	33.	2172.	25.	718.	8.
SALMONID LAKE	3848.	46.	3603.	41.	245.	5.
NONSALMONID STREAM	490.	6.	490.	6.	0.	0.
NONSALMONID LAKE	12926.	122.	11428.	105.	1498.	17.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	20154.	207.	17693.	177.	2461.	30.
MILK DR						
SALMONID STREAM	1685.	19.	747.	10.	938.	9.
SALMONID LAKE	6205.	70.	5156.	59.	1049.	11.
NONSALMONID STREAM	2246.	47.	2246.	47.	0.	0.
NONSALMONID LAKE	17636.	173.	13790.	129.	3846.	44.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	27772.	309.	21939.	245.	5833.	64.
LOWER MISSOURI DR						
SALMONID STREAM	2691.	45.	1830.	32.	861.	13.
SALMONID LAKE	9957.	118.	7880.	90.	2077.	28.
NONSALMONID STREAM	9711.	123.	7104.	92.	2607.	31.
NONSALMONID LAKE	36169.	401.	15181.	159.	20988.	242.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	58528.	686.	31995.	372.	26533.	314.
UPPER MISSOURI DR						
SALMONID STREAM	70008.	908.	55337.	709.	14671.	199.
SALMONID LAKE	69030.	901.	62837.	818.	6193.	83.
NONSALMONID STREAM	10827.	109.	10639.	106.	188.	3.
NONSALMONID LAKE	33930.	394.	29904.	350.	4026.	44.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	111.	1.	111.	1.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	183905.	2312.	158827.	1983.	25078.	329.
MUSSELSHELL DR						
SALMONID STREAM	334.	4.	236.	2.	98.	2.
SALMONID LAKE	6383.	79.	6045.	75.	339.	5.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	891.	15.	846.	15.	46.	1.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	7608.	98.	7126.	91.	482.	7.
ST MARY DR						
SALMONID STREAM	0.	0.	0.	0.	0.	0.
SALMONID LAKE	2172.	24.	1775.	19.	397.	5.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	2172.	24.	1775.	19.	397.	5.

Table 17. - Angling pressure in angler days by drainage by water type for the "winter" angling season March 2009 through April 2009 and October 2009 through February 2010 (continued).

SUN DR						
SALMONID STREAM	2080.	28.	1982.	26.	98.	2.
SALMONID LAKE	6634.	81.	6346.	78.	288.	3.
NONSALMONID STREAM	232.	2.	232.	2.	0.	0.
NONSALMONID LAKE	5349.	49.	5349.	49.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	14295.	159.	13909.	154.	386.	5.
LOWER YELLOWSTONE DR						
SALMONID STREAM	1243.	11.	1107.	9.	136.	2.
SALMONID LAKE	1183.	25.	938.	20.	245.	5.
NONSALMONID STREAM	9827.	143.	7421.	114.	2406.	29.
NONSALMONID LAKE	8404.	115.	5624.	85.	2780.	30.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	20657.	294.	15090.	228.	5567.	66.
UPPER YELLOWSTONE DR						
SALMONID STREAM	112209.	1592.	61726.	811.	50483.	781.
SALMONID LAKE	16554.	191.	14717.	167.	1837.	24.
NONSALMONID STREAM	8351.	113.	8215.	111.	136.	2.
NONSALMONID LAKE	7277.	86.	5985.	73.	1292.	13.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	144390.	1981.	90642.	1161.	53748.	820.
TOTAL						
SALMONID STREAM	424578.	5617.	283708.	3630.	140870.	1987.
SALMONID LAKE	306224.	3532.	254319.	2886.	51905.	646.
NONSALMONID STREAM	53516.	713.	45604.	619.	7912.	94.
NONSALMONID LAKE	171637.	1843.	129149.	1360.	42488.	483.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	111.	1.	111.	1.	0.	0.
STATEWIDE PRESSURE ESTIMATES:						
	956065.	11705.	712890.	8495.	243175.	3210.

Angler Satisfaction Ratings - Winter

The average rating overall for winter was 2.70 with residents and nonresidents rating their angling experience at 2.60 and 2.93 respectively (Table 18). Individual water satisfaction ratings for the "winter" season are given in a separate report "Montana Angler Satisfaction Ratings 2009".

Region 5 had the highest overall satisfaction rating of 3.01 while region 7 had the lowest satisfaction rating of 2.23. Nonresidents were always higher in their satisfaction ratings than residents for all regions except region 7.

Table 18. - Angler satisfaction ratings by region by water type for the "winter" angling season March 2009 through April 2009 and October 2009 through February 2010.

Reg Water Type			TOTAL					RESIDENT					NONRESIDENT						
			Avg Rate	poor 1's	----- 2's	3's	excellent 4's	5's	Avg Rate	poor 1's	----- 2's	3's	excellent 4's	5's	Avg Rate	poor 1's	----- 2's	3's	excellent 4's
1	SALMONID STREAM	2.33	57	23	31	12	16	2.43	34	15	21	10	11	2.13	23	8	10	2	5
	SALMONID LAKE	2.29	155	73	72	41	37	2.26	119	57	50	30	28	2.38	36	16	22	11	9
	NONSALMONID STREAM	1.86	18	11	8	1	1	1.83	14	9	7	1	0	2.00	4	2	1	0	1
	NONSALMONID LAKE	2.23	64	46	45	15	10	2.18	54	39	41	9	7	2.52	10	7	4	6	3
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Ratings:	2.26	295	154	157	70	64	2.24	222	121	120	50	46	2.32	73	33	37	20	18
2	SALMONID STREAM	2.78	126	105	185	110	59	2.68	89	73	129	62	32	2.98	37	32	56	48	27
	SALMONID LAKE	2.57	71	35	67	29	25	2.49	57	25	52	15	19	2.80	14	10	15	14	6
	NONSALMONID STREAM	2.53	5	8	4	3	2	2.56	4	6	4	2	2	2.44	1	2	0	1	0
	NONSALMONID LAKE	2.08	23	8	11	5	2	1.89	20	4	8	4	0	2.62	3	4	3	1	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Ratings:	2.68	225	156	267	148	88	2.57	170	108	193	83	53	2.92	55	48	74	65	35
3	SALMONID STREAM	2.95	169	130	294	182	118	2.81	106	76	174	92	51	3.11	63	54	120	90	67
	SALMONID LAKE	2.65	85	43	88	46	32	2.73	38	21	44	24	17	2.57	47	22	44	22	15
	NONSALMONID STREAM	2.18	4	1	2	1	0	2.00	4	0	2	1	0	3.00	0	1	0	0	0
	NONSALMONID LAKE	2.17	12	8	4	5	1	2.16	7	6	3	2	1	2.18	5	2	1	3	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Ratings:	2.85	270	182	388	234	152	2.77	155	103	223	119	69	2.95	115	79	165	115	83
4	SALMONID STREAM	2.89	88	65	110	77	60	2.83	69	51	87	61	38	3.09	19	14	23	16	22
	SALMONID LAKE	2.74	149	81	118	87	79	2.75	129	71	107	76	70	2.66	20	10	11	11	9
	NONSALMONID STREAM	2.36	19	11	15	6	4	2.42	16	10	15	5	4	1.80	3	1	0	1	0
	NONSALMONID LAKE	2.22	80	47	66	17	9	2.23	69	42	62	15	7	2.13	11	5	4	2	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Ratings:	2.68	336	205	309	188	152	2.66	283	175	271	158	119	2.78	53	30	38	30	33
5	SALMONID STREAM	3.28	73	70	146	144	113	3.01	44	43	83	58	38	3.54	29	27	63	86	75
	SALMONID LAKE	2.38	42	20	23	12	12	2.36	34	19	21	11	8	2.45	8	1	2	1	4
	NONSALMONID STREAM	2.27	21	8	20	4	3	2.32	19	8	20	4	3	1.00	2	0	0	0	0
	NONSALMONID LAKE	2.21	19	6	8	2	5	2.14	18	6	6	2	4	2.78	1	0	2	0	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Ratings:	3.01	157	104	197	163	133	2.72	116	76	130	76	53	3.45	41	28	67	87	80
6	SALMONID STREAM	2.35	8	1	4	2	2	2.15	7	1	2	2	1	3.00	1	0	2	0	1
	SALMONID LAKE	3.00	8	9	17	6	10	3.15	6	5	14	5	9	2.48	2	4	3	1	1
	NONSALMONID STREAM	2.46	16	8	16	2	6	2.38	14	6	15	1	4	2.88	2	2	1	1	2
	NONSALMONID LAKE	2.75	43	28	65	32	18	2.53	33	14	36	13	9	3.02	10	14	29	19	9
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Ratings:	2.72	76	46	102	42	36	2.60	60	26	67	21	23	2.95	16	20	35	21	13

Table 18. - Angler satisfaction ratings by region by water type for the "winter" angling season March 2009 through April 2009 and October 2009 through February 2010 (continued).

Reg	Water Type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's
7	SALMONID STREAM	1.67	3	2	1	0	0	1.67	1	2	0	0	0	1.67	2	0	1	0	0
	SALMONID LAKE	3.14	3	3	2	1	5	3.25	3	2	1	1	5	2.50	0	1	1	0	0
	NONSALMONID STREAM	2.31	15	13	13	4	3	2.36	13	12	12	4	3	1.75	2	1	1	0	0
	NONSALMONID LAKE	1.96	22	14	10	5	0	2.19	11	9	7	5	0	1.58	11	5	3	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Regional Ratings:		2.23	43	32	26	10	8	2.40	28	25	20	10	8	1.68	15	7	6	0	0
Total	SALMONID STREAM	2.93	525	396	771	527	368	2.78	351	261	496	285	171	3.15	174	135	275	242	197
	SALMONID LAKE	2.58	514	265	389	224	201	2.58	386	200	290	163	156	2.57	128	65	99	61	45
	NONSALMONID STREAM	2.29	99	60	78	21	19	2.30	85	51	75	18	16	2.20	14	9	3	3	3
	NONSALMONID LAKE	2.32	264	157	209	82	45	2.24	212	120	163	51	28	2.59	52	37	46	31	17
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Statewide Ratings:		2.70	1402	880	1448	856	634	2.60	1034	634	1025	517	371	2.93	368	246	423	339	263

Angler satisfaction ratings were summarized by the twenty-two major drainages like those reported under the angling pressure section (Table 19). The St. Mary's Drainage had the highest rating of a 3.33, while the Little Missouri River drainage had the lowest rating of 1.00.

Table 19. - Angler satisfaction ratings by drainage by water type for the "winter" angling season March 2009 through April 2009 and October 2009 through February 2010.

Drain-age	Water type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's
BEAVERHEAD DR	SALMONID STREAM	3.05	15	14	38	20	14	2.89	9	6	18	7	6	3.18	6	8	20	13	8
	SALMONID LAKE	2.68	40	17	40	22	16	2.98	11	7	15	12	8	2.49	29	10	25	10	8
	NONSALMONID STREAM	3.00	0	1	0	0	0	.00	0	0	0	0	0	3.00	0	1	0	0	0
	NONSALMONID LAKE	1.75	8	1	1	2	0	1.00	3	0	0	0	0	2.00	5	1	1	2	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.79	63	33	79	44	31	2.88	23	13	33	19	14	2.72	40	20	46	25	17
BIG HOLE DR	SALMONID STREAM	2.97	21	11	30	12	19	2.83	11	8	22	5	8	3.15	10	3	8	7	11
	SALMONID LAKE	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.00	0	1	0	0	0	2.00	0	1	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.96	21	12	30	12	19	2.82	11	9	22	5	8	3.15	10	3	8	7	11

Table 19. - Angler satisfaction ratings by drainage by water type for the "winter" angling season March 2009 through April 2009 and October 2009 through February 2010 (continued).

Drainage	Water type	TOTAL					RESIDENT					NONRESIDENT				
		Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's
BITTERROOT DR	SALMONID STREAM	2.83	58	54	100	59 30	2.70	40	37	66	29 16	3.04	18	17	34	30 14
	SALMONID LAKE	2.24	8	2	4	1 2	2.24	8	2	4	1 2	.00	0	0	0	0 0
	NONSALMONID STREAM	2.17	2	2	1	1 0	2.17	2	2	1	1 0	.00	0	0	0	0 0
	NONSALMONID LAKE	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Ratings:	2.79	68	58	105	61 32	2.65	50	41	71	31 18	3.04	18	17	34	30 14
BLACKFOOT DR	SALMONID STREAM	2.79	18	7	23	7 11	2.63	31	5	18	4 8	3.36	1	2	5	3 3
	SALMONID LAKE	1.97	37	12	19	5 2	1.85	31	10	16	3 0	2.47	6	2	3	2 2
	NONSALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	2.07	20	8	11	3 2	1.91	17	4	8	3 0	2.50	3	4	3	0 2
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Ratings:	2.29	75	27	53	15 15	2.15	65	19	42	10 8	2.78	10	8	11	5 7
LOWER CLARK FORK DR	SALMONID STREAM	2.42	24	20	43	6 3	2.43	12	11	28	2 1	2.42	12	9	15	4 2
	SALMONID LAKE	1.91	30	11	9	5 2	1.80	21	6	6	4 0	2.13	8	5	3	1 2
	NONSALMONID STREAM	2.09	13	11	5	2 2	2.09	8	8	5	1 1	2.10	5	3	0	1 1
	NONSALMONID LAKE	2.27	16	14	12	4 3	2.15	13	9	11	1 2	2.60	2	5	1	3 1
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Ratings:	2.22	83	56	69	18 10	2.15	55	34	50	8 4	2.34	28	22	19	10 6
UPPER CLARK FORK DR	SALMONID STREAM	2.85	33	31	35	39 17	2.75	22	23	27	27 7	3.04	11	8	8	12 10
	SALMONID LAKE	2.95	25	21	44	22 21	2.94	18	13	32	10 17	2.95	7	8	12	12 4
	NONSALMONID STREAM	2.67	1	3	0	1 1	2.80	1	2	0	1 1	2.00	0	1	0	0 0
	NONSALMONID LAKE	2.50	2	0	0	2 0	2.00	2	0	0	1 0	4.00	0	0	0	1 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Ratings:	2.88	61	55	79	64 39	2.83	43	38	59	39 25	3.00	18	17	20	25 14
LOWER FLATHEAD DR	SALMONID STREAM	2.13	23	11	9	3 5	2.25	16	8	7	2 5	1.77	7	3	2	1 0
	SALMONID LAKE	2.44	78	41	41	26 26	2.40	65	36	32	18 22	2.62	13	4	9	8 4
	NONSALMONID STREAM	1.91	7	3	6	0 0	1.84	7	3	5	0 0	3.00	0	0	1	0 0
	NONSALMONID LAKE	2.23	41	27	29	10 6	2.17	35	25	26	7 4	2.58	6	1	3	3 2
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Ratings:	2.32	150	82	85	39 37	2.29	124	73	70	27 31	2.46	26	9	15	12 6
UPPER FLATHEAD DR	SALMONID STREAM	2.75	5	1	1	2 3	3.10	3	1	1	2 3	1.00	2	0	0	0 0
	SALMONID LAKE	2.36	6	2	4	4 0	2.50	4	2	2	4 0	2.00	2	0	2	0 0
	NONSALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	1.82	3	0	2	0 0	2.00	2	0	2	0 0	1.33	1	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Ratings:	2.41	14	4	7	6 3	2.65	9	3	5	6 3	1.63	5	1	2	0 0

Table 19. - Angler satisfaction ratings by drainage by water type for the "winter" angling season March 2009 through April 2009 and October 2009 through February 2010 (continued).

Drain- age	Water type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	2's	3's	4's	5's	Avg Rate	poor 1's	2's	3's	4's	5's	Avg Rate	poor 1's	2's	3's	4's	5's
GALLATIN DR	SALMONID STREAM	3.13	24	16	58	37	24	2.96	14	12	37	18	9	3.36	10	4	21	19	15
	SALMONID LAKE	2.67	9	4	11	7	2	2.69	7	3	9	5	2	2.57	2	1	2	2	0
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	3.00	0	1	0	1	0	3.00	0	1	0	1	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Ratings:	3.05	33	21	69	45	26	2.90	21	16	46	24	11	3.29	12	5	23	21	15
JEFFERSON DR	SALMONID STREAM	2.09	15	5	7	4	1	2.12	13	2	5	4	1	2.00	2	3	2	0	0
	SALMONID LAKE	2.05	9	6	2	1	2	2.06	8	4	1	1	2	2.00	1	2	1	0	0
	NONSALMONID STREAM	4.00	0	0	0	1	0	4.00	0	0	0	1	0	.00	0	0	0	0	0
	NONSALMONID LAKE	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Ratings:	2.11	24	11	9	6	3	2.14	21	6	6	6	3	2.00	3	5	3	0	0
KOOTENAI DR	SALMONID STREAM	2.30	22	4	5	6	6	2.39	13	3	3	6	3	2.13	9	1	2	0	3
	SALMONID LAKE	2.19	42	19	18	7	9	2.16	28	13	10	5	6	2.26	13	6	8	2	3
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.23	5	5	2	1	1	2.21	4	5	2	1	1	2.50	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Ratings:	2.23	69	28	26	15	16	2.23	46	21	16	12	10	2.22	23	7	10	3	6
LITTLE MISSOURI DR	SALMONID STREAM	1.00	1	0	0	0	0	.00	0	0	0	0	0	1.00	1	0	0	0	0
	SALMONID LAKE	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID STREAM	1.00	1	0	0	0	0	1.00	1	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Ratings:	1.00	2	0	0	0	0	1.00	1	0	0	0	0	1.00	1	0	0	0	0
MADISON DR	SALMONID STREAM	3.01	49	45	91	68	39	2.96	30	22	48	36	20	3.07	19	23	43	32	19
	SALMONID LAKE	2.76	24	14	34	16	11	2.73	10	6	18	6	4	2.78	14	8	16	10	7
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	3.00	0	2	0	0	1	3.50	0	1	0	0	1	2.00	0	1	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Ratings:	2.95	73	61	125	84	51	2.92	40	29	66	42	25	2.98	33	32	59	42	26
MARIAS DR	SALMONID STREAM	2.83	2	2	4	4	0	2.80	2	2	2	4	0	3.00	0	0	2	0	0
	SALMONID LAKE	2.46	10	4	6	2	4	2.40	10	4	6	1	4	4.00	0	0	0	1	0
	NONSALMONID STREAM	2.80	0	2	2	1	0	2.80	0	2	2	1	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.14	22	15	14	5	2	2.04	22	13	13	4	1	3.20	0	2	1	1	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Ratings:	2.34	34	23	26	12	6	2.26	34	21	23	10	5	3.25	0	2	3	2	1

Table 19. - Angler satisfaction ratings by drainage by water type for the "winter" angling season March 2009 through April 2009 and October 2009 through February 2010 (continued).

Drain- age Water type		TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's
MILK DR																			
SALMONID STREAM		2.33	4	1	2	1	1	2.43	3	1	1	1	1	2.00	1	0	1	0	0
SALMONID LAKE		2.81	5	7	13	3	4	3.04	3	4	12	3	4	1.83	2	3	1	0	0
NONSALMONID STREAM		2.50	4	2	4	0	2	2.50	4	2	4	0	2	.00	0	0	0	0	0
NONSALMONID LAKE		2.73	17	12	20	8	10	2.55	15	10	17	6	5	3.43	2	2	3	2	5
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.70	30	22	39	12	17	2.66	25	17	34	10	12	2.86	5	5	5	2	5
LOWER MISSOURI DR																			
SALMONID STREAM		2.86	6	3	3	6	3	2.53	6	1	2	6	0	3.67	0	2	1	0	3
SALMONID LAKE		3.00	12	9	18	9	12	3.02	10	6	13	8	10	2.92	1	3	5	1	2
NONSALMONID STREAM		2.39	19	7	16	4	5	2.33	15	5	15	2	3	2.64	4	2	1	2	2
NONSALMONID LAKE		2.74	30	16	49	25	9	2.50	21	4	23	7	5	2.96	8	12	26	18	4
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.74	67	35	86	44	29	2.61	53	16	53	23	18	2.96	14	19	33	21	11
UPPER MISSOURI DR																			
SALMONID STREAM		2.80	94	64	109	66	55	2.75	71	51	88	50	35	2.97	23	13	21	16	20
SALMONID LAKE		2.76	110	56	83	70	58	2.77	94	49	76	61	50	2.70	16	7	7	9	8
NONSALMONID STREAM		2.16	18	8	10	3	3	2.23	16	7	10	3	3	1.33	2	1	0	0	0
NONSALMONID LAKE		2.10	50	24	41	7	2	2.16	39	21	38	7	1	1.72	11	3	3	0	1
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.66	273	154	244	147	118	2.65	221	130	213	122	89	2.72	52	24	31	25	29
MUSSELSHELL DR																			
SALMONID STREAM		3.00	1	0	0	0	1	1.00	1	0	0	0	0	5.00	0	0	0	0	1
SALMONID LAKE		3.12	6	7	6	9	8	3.16	5	7	6	9	7	2.60	1	0	0	0	1
NONSALMONID STREAM		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
NONSALMONID LAKE		2.28	3	3	0	0	2	2.35	3	3	0	0	2	1.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.96	11	11	6	9	11	2.95	9	11	6	9	9	3.00	2	0	0	0	2
ST MARY DR																			
SALMONID STREAM		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
SALMONID LAKE		3.33	2	2	2	2	4	3.67	1	1	2	1	4	2.33	1	1	0	1	0
NONSALMONID STREAM		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
NONSALMONID LAKE		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		3.33	2	2	2	2	4	3.67	1	1	2	1	4	2.33	1	1	0	1	0
SUN DR																			
SALMONID STREAM		3.00	3	3	2	3	3	3.25	2	2	2	3	3	1.50	1	1	0	0	0
SALMONID LAKE		2.21	18	9	11	2	4	2.25	16	9	10	2	4	1.67	2	0	1	0	0
NONSALMONID STREAM		3.00	0	0	1	0	0	3.00	0	0	1	0	0	.00	0	0	0	0	0
NONSALMONID LAKE		2.88	5	5	6	4	4	2.88	5	5	6	4	4	.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Ratings:		2.55	26	17	21	9	11	2.61	23	16	20	9	11	1.60	3	1	1	0	0

Table 19. - Angler satisfaction ratings by drainage by water type for the "winter" angling season March 2009 through April 2009 and October 2009 through February 2010 (continued).

Drain- age	Water type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	----- 2's	3's	4's	excellent 5's	Avg Rate	poor 1's	----- 2's	3's	4's	excellent 5's	Avg Rate	poor 1's	----- 2's	3's	4's	excellent 5's
LOWER YELLOWSTONE DR	SALMONID STREAM	1.80	2	2	1	0	0	1.67	1	2	0	0	0	2.00	1	0	1	0	0
	SALMONID LAKE	3.25	3	2	1	1	5	3.40	3	1	0	1	5	2.50	0	1	1	0	0
	NONSALMONID STREAM	2.40	12	13	13	4	3	2.43	11	12	12	4	3	2.00	1	1	1	0	0
	NONSALMONID LAKE	2.00	20	14	10	5	0	2.27	9	9	7	5	0	1.58	11	5	3	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Ratings:	2.29	37	31	25	10	8	2.46	24	24	19	10	8	1.73	13	7	6	0	0
UPPER YELLOWSTONE DR	SALMONID STREAM	3.19	104	102	210	184	133	2.94	64	64	121	79	45	3.45	40	38	89	105	88
	SALMONID LAKE	2.24	39	18	20	8	8	2.22	31	16	18	7	5	2.31	8	2	2	1	3
	NONSALMONID STREAM	2.27	21	8	20	4	3	2.32	19	8	20	4	3	1.00	2	0	0	0	0
	NONSALMONID LAKE	2.17	21	8	11	4	3	2.05	20	8	9	3	2	3.20	1	0	2	1	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Ratings:	2.99	186	136	261	201	147	2.70	135	96	168	94	55	3.39	51	40	93	107	92
Total	SALMONID STREAM	2.93	525	396	771	527	368	2.78	351	261	496	285	171	3.15	174	135	275	242	197
	SALMONID LAKE	2.58	514	265	389	224	201	2.58	386	200	290	163	156	2.57	128	65	99	61	45
	NONSALMONID STREAM	2.29	99	60	78	21	19	2.30	85	51	75	18	16	2.20	14	9	3	3	3
	NONSALMONID LAKE	2.32	264	157	209	82	45	2.24	212	120	163	51	28	2.59	52	37	46	31	17
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Statewide Ratings:	2.70	1402	880	1448	856	634	2.60	1034	634	1025	517	371	2.93	368	246	423	339	263

Angler Crowding Ratings - Winter

The ratings were summarized for the seven Fish, Wildlife & Parks regions for the "winter" season and are listed in table 20. The ratings were also summarized by the 22 major drainages in the state for this same period and are listed in table 21.

Table 20. - Crowding ratings summarized by region by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010.

Region Type		Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
1	SALMONID STREAM												
	Total	1.27	116	12	9	0	2	3.91	3.31	5.25	10.47	.00	1.00
	Resdident	1.27	75	9	6	0	1	3.68	3.20	5.78	7.20	.00	.00
	Nonresident	1.27	41	3	3	0	1	4.33	3.51	3.67	17.00	.00	2.00
	SALMONID LAKE												
	Total	1.55	260	61	37	6	14	19.47	7.92	20.11	68.46	39.50	93.07
	Resdident	1.58	190	49	29	6	10	14.68	7.40	16.22	32.03	39.50	80.30
	Nonresident	1.47	70	12	8	0	4	33.81	9.29	35.30	200.51	.00	124.98
	NONSALMONID STREAM												
	Total	1.46	30	5	1	1	2	4.47	3.95	2.20	7.00	15.00	11.50
	Resdident	1.54	23	4	1	1	2	4.50	3.73	2.25	7.00	15.00	11.50
	Nonresident	1.13	7	1	0	0	0	4.28	4.60	2.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.57	127	22	23	5	5	13.65	9.77	16.99	17.18	38.60	56.00
	Resdident	1.58	104	20	20	4	4	13.50	9.94	15.61	14.56	46.25	57.50
	Nonresident	1.51	23	2	3	1	1	14.41	9.03	28.00	34.67	8.00	50.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Ratings:													
Total		1.50	534	101	70	12	23	14.30	7.13	16.76	43.28	37.08	69.91
Resident		1.53	393	82	56	11	17	11.98	7.04	14.24	22.69	39.73	62.12
Nonresident		1.41	141	19	14	1	6	21.42	7.33	27.59	125.65	8.00	91.98
2	SALMONID STREAM												
	Total	1.98	307	99	84	51	36	7.04	2.82	7.51	11.76	12.67	22.71
	Resdident	2.13	185	67	57	37	34	6.71	2.04	6.10	10.72	11.80	21.07
	Nonresident	1.69	122	32	27	14	2	7.66	3.99	10.45	13.94	15.07	50.00
	SALMONID LAKE												
	Total	1.93	121	41	37	16	12	20.05	12.50	16.79	27.67	39.62	57.62
	Resdident	2.08	80	32	31	13	12	20.99	12.67	16.93	27.13	33.76	57.62
	Nonresident	1.51	41	9	6	3	0	17.37	12.20	16.32	30.50	65.00	.00
	NONSALMONID STREAM												
	Total	1.66	15	4	2	1	1	6.11	3.13	2.56	27.50	30.00	.00
	Resdident	1.74	12	3	2	1	1	6.53	2.84	1.67	27.50	30.00	.00
	Nonresident	1.33	3	1	0	0	0	4.31	4.30	4.33	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.43	33	8	6	0	0	10.59	4.99	21.63	26.67	.00	.00
	Resdident	1.41	24	6	4	0	0	9.33	4.76	15.50	27.50	.00	.00
	Nonresident	1.46	9	2	2	0	0	13.93	5.68	40.00	25.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Ratings:													
Total		1.93	476	153	129	68	49	10.58	5.44	10.59	17.26	19.27	30.79
Resident		2.06	301	108	94	51	47	10.85	5.12	9.71	17.20	17.75	29.95
Nonresident		1.64	175	45	35	17	2	10.00	6.01	12.74	17.41	23.88	50.00

Table 20. - Crowding ratings summarized by region by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010 (continued).

Region Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
3	SALMONID STREAM												
	Total	1.65	578	143	102	45	24	6.13	3.17	7.65	11.32	15.78	28.12
	Resident	1.72	301	85	68	27	14	5.71	2.74	7.51	8.44	13.69	29.87
	Nonresident	1.55	277	58	34	18	10	6.64	3.62	7.87	17.08	18.95	25.70
	SALMONID LAKE												
	Total	1.73	171	53	52	13	5	24.23	11.78	19.45	63.46	45.53	37.20
	Resident	1.84	75	29	30	8	2	13.94	9.24	18.17	17.49	26.50	25.00
	Nonresident	1.63	96	24	22	5	3	34.10	13.76	20.94	126.18	76.00	45.30
	NONSALMONID STREAM												
	Total	1.59	4	3	1	0	0	12.06	4.78	15.33	35.00	.00	.00
	Resident	1.71	3	3	1	0	0	12.57	2.33	15.33	35.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	9.67	9.67	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.77	16	7	6	0	1	31.03	8.75	44.30	30.15	.00	300.00
	Resident	1.53	12	4	3	0	0	16.15	8.83	44.97	7.00	.00	.00
	Nonresident	2.18	4	3	3	0	1	56.72	8.50	43.33	53.30	.00	300.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Ratings:													
Total		1.67	770	206	161	58	30	11.12	5.21	12.04	29.01	22.44	38.69
Resident		1.74	391	121	102	35	16	7.86	4.17	11.50	11.32	16.61	29.26
Nonresident		1.59	379	85	59	23	14	14.99	6.27	12.81	59.60	31.35	49.49
4	SALMONID STREAM												
	Total	2.01	193	82	71	27	24	10.42	4.53	10.93	14.42	17.95	35.75
	Resident	2.06	146	59	54	24	21	9.85	4.15	8.85	12.93	17.53	35.62
	Nonresident	1.84	47	23	17	3	3	12.33	5.74	16.24	19.37	21.33	36.67
	SALMONID LAKE												
	Total	2.03	254	105	76	33	43	26.77	15.39	20.44	53.30	33.98	56.67
	Resident	2.12	208	96	73	30	43	26.08	11.55	20.14	54.04	33.39	56.67
	Nonresident	1.39	46	9	3	3	0	31.80	32.65	23.67	35.00	40.00	.00
	NONSALMONID STREAM												
	Total	1.40	40	11	3	0	1	4.05	2.58	6.57	12.29	.00	6.00
	Resident	1.36	39	7	3	0	1	3.59	2.64	4.23	12.29	.00	6.00
	Nonresident	1.80	1	4	0	0	0	8.80	.00	11.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.92	115	43	34	19	8	26.03	16.73	33.05	26.50	43.32	79.01
	Resident	1.93	102	38	30	17	8	25.74	17.02	36.22	23.58	33.41	79.01
	Nonresident	1.79	13	5	4	2	0	28.37	14.38	8.80	48.75	127.50	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Ratings:													
Total		1.97	603	242	186	79	76	20.06	11.30	18.78	32.61	30.75	51.75
Resident		2.03	496	201	162	71	73	19.91	9.78	19.24	33.57	28.03	52.37
Nonresident		1.68	107	41	24	8	3	20.83	18.30	16.45	26.22	54.88	36.67

Table 20. - Crowding ratings summarized by region by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010 (continued).

Region Type		Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
5	SALMONID STREAM												
	Total	2.39	231	66	107	86	55	30.68	5.25	20.09	37.94	56.58	95.75
	Resdident	1.98	152	32	38	23	21	17.71	3.58	11.37	19.48	33.04	110.01
	Nonresident	2.78	79	34	69	63	34	43.09	8.51	28.32	48.15	65.23	86.94
	SALMONID LAKE												
	Total	1.66	69	21	13	3	4	8.47	7.52	7.32	12.83	8.00	16.50
	Resdident	1.74	55	19	13	3	4	8.58	7.42	7.15	13.32	8.00	16.50
	Nonresident	1.18	14	2	0	0	0	7.88	8.00	9.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.63	39	5	10	1	2	3.81	2.48	5.00	8.10	10.00	2.50
	Resdident	1.61	38	5	9	1	2	3.77	2.55	5.00	7.91	10.00	2.50
	Nonresident	2.00	1	0	1	0	0	5.00	.00	.00	10.00	.00	.00
	NONSALMONID LAKE												
	Total	1.60	30	3	4	3	1	17.49	7.00	13.00	21.56	103.33	75.00
	Resdident	1.59	27	3	3	3	1	18.61	7.23	13.00	25.00	103.33	75.00
	Nonresident	1.67	3	0	1	0	0	8.22	5.00	.00	14.67	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Ratings:													
Total		2.18	371	95	135	93	62	24.64	5.53	16.25	32.67	56.02	87.30
Resident		1.85	274	59	63	30	28	14.18	4.58	9.55	16.82	36.80	87.72
Nonresident		2.67	97	36	72	63	34	40.40	8.24	27.25	46.59	65.23	86.94
6	SALMONID STREAM												
	Total	1.29	15	1	0	0	1	7.01	3.61	5.00	.00	.00	60.00
	Resdident	1.08	12	1	0	0	0	3.78	3.68	5.00	.00	.00	.00
	Nonresident	2.00	3	0	0	0	1	17.50	3.33	.00	.00	.00	60.00
	SALMONID LAKE												
	Total	1.59	30	11	6	2	0	7.90	5.09	14.64	8.35	12.50	.00
	Resdident	1.63	23	8	5	2	0	8.43	5.27	16.25	8.82	12.50	.00
	Nonresident	1.43	7	3	1	0	0	6.17	4.53	10.33	6.00	.00	.00
	NONSALMONID STREAM												
	Total	1.45	37	5	2	0	3	6.44	3.23	11.42	6.50	.00	37.70
	Resdident	1.41	31	4	2	0	2	3.87	2.45	12.25	6.50	.00	6.50
	Nonresident	1.63	6	1	0	0	1	18.90	7.20	8.00	.00	.00	100.00
	NONSALMONID LAKE												
	Total	1.45	131	29	24	1	1	16.58	12.42	19.95	35.65	15.00	10.00
	Resdident	1.46	74	17	12	1	1	12.96	8.10	18.31	35.42	15.00	10.00
	Nonresident	1.44	57	12	12	0	0	21.22	17.96	22.28	35.82	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Ratings:													
Total		1.46	214	46	32	3	5	13.02	9.17	17.43	28.71	13.33	36.62
Resident		1.46	140	30	19	3	3	9.65	6.01	16.51	25.38	13.33	7.67
Nonresident		1.48	74	16	13	0	2	19.26	15.13	19.15	33.52	.00	80.00

Table 20. - Crowding ratings summarized by region by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010 (continued).

		Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
7	SALMONID STREAM												
	Total	1.00	6	0	0	0	0	4.83	4.83	.00	.00	.00	.00
	Resdident	1.00	3	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	Nonresident	1.00	3	0	0	0	0	7.67	7.67	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.36	11	1	2	0	0	2.56	1.72	.00	8.50	.00	.00
	Resdident	1.42	9	1	2	0	0	2.50	1.44	.00	8.50	.00	.00
	Nonresident	1.00	2	0	0	0	0	3.00	3.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.53	33	5	4	1	2	5.89	3.27	6.02	19.25	5.00	22.50
	Resdident	1.49	30	5	4	1	1	5.37	2.60	6.02	19.25	5.00	30.00
	Nonresident	2.00	3	0	0	0	1	11.25	10.00	.00	.00	.00	15.00
	NONSALMONID LAKE												
	Total	1.45	38	6	5	1	1	13.15	6.28	11.00	28.80	22.00	200.00
	Resdident	1.59	22	4	4	1	1	16.19	6.41	7.75	31.00	22.00	200.00
	Nonresident	1.21	16	2	1	0	0	8.03	6.10	17.50	20.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Regional Ratings:													
Total		1.45	88	12	11	2	3	8.63	4.49	8.01	21.64	13.50	81.67
Resident		1.50	64	10	10	2	2	8.80	3.72	6.11	21.80	13.50	115.00
Nonresident		1.29	24	2	1	0	1	8.09	6.53	17.50	20.00	.00	15.00
Total													
SALMONID STREAM													
Total		1.91	1448	404	373	209	142	12.07	3.63	10.24	19.62	32.09	54.07
Resdident		1.90	875	253	223	111	91	8.68	3.03	7.87	11.96	17.90	46.08
Nonresident		1.93	572	150	150	98	51	17.25	4.56	14.24	31.06	48.22	68.33
SALMONID LAKE													
Total		1.80	921	294	224	73	78	21.45	11.07	18.43	49.88	36.07	60.04
Resdident		1.90	641	234	183	62	71	18.97	9.45	17.36	35.43	31.27	57.01
Nonresident		1.51	279	60	40	11	7	28.86	14.78	22.56	115.41	63.18	90.83
NONSALMONID STREAM													
Total		1.51	200	39	23	4	11	5.18	3.09	6.57	13.23	15.00	17.46
Resdident		1.51	177	31	22	4	9	4.58	2.73	6.22	13.39	15.00	8.56
Nonresident		1.53	22	7	1	0	2	9.65	5.90	8.07	10.00	.00	57.50
NONSALMONID LAKE													
Total		1.63	491	118	103	29	17	18.63	11.32	25.06	26.67	47.00	88.06
Resdident		1.67	365	92	76	26	15	17.89	10.75	25.46	23.08	42.31	76.47
Nonresident		1.53	125	26	26	3	2	20.95	12.95	23.64	37.01	87.67	175.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resdident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resdident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Statewide Ratings:													
Total		1.82	3060	856	724	315	248	15.53	7.07	14.94	29.78	34.17	56.66
Resident		1.83	2060	611	506	203	186	13.32	6.37	14.07	22.21	25.05	50.88
Nonresident		1.77	1000	245	218	112	62	20.33	8.50	17.12	47.36	50.74	73.96

Table 21. - Crowding ratings summarized by drainage by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010.

Drainage Type		Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
BEAVERHEAD DR													
SALMONID STREAM													
	Total	1.62	65	15	14	5	1	5.71	2.04	4.08	21.15	12.60	20.00
	Resident	1.61	29	8	7	2	0	2.56	1.12	3.51	5.57	9.00	.00
	Nonresident	1.62	36	7	7	3	1	8.39	2.79	4.71	36.74	15.00	20.00
SALMONID LAKE													
	Total	1.96	65	27	33	7	4	42.38	20.85	25.67	93.30	65.70	44.00
	Resident	1.96	24	12	15	2	1	21.95	16.70	25.83	23.65	40.00	40.00
	Nonresident	1.95	41	15	18	5	3	55.83	23.28	25.51	151.39	76.00	45.30
NONSALMONID STREAM													
	Total	1.00	1	0	0	0	0	9.67	9.67	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	9.67	9.67	.00	.00	.00	.00
NONSALMONID LAKE													
	Total	2.08	5	3	3	0	1	62.32	16.60	68.30	53.30	.00	300.00
	Resident	1.33	2	1	0	0	0	43.33	25.00	80.00	.00	.00	.00
	Nonresident	2.33	3	2	3	0	1	68.66	11.00	62.50	53.30	.00	300.00
UNDESIG STRM MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Ratings:													
	Total	1.82	137	45	50	12	6	28.40	11.58	21.32	70.70	43.57	82.67
	Resident	1.79	55	21	22	4	1	13.91	8.79	19.90	17.90	24.50	40.00
	Nonresident	1.84	82	24	28	8	5	38.55	13.46	22.52	112.22	53.13	91.18
BIG HOLE DR													
SALMONID STREAM													
	Total	1.45	71	11	5	3	3	5.62	3.33	5.93	12.78	29.00	23.30
	Resident	1.54	38	9	3	2	2	4.12	2.74	5.22	8.00	13.50	10.00
	Nonresident	1.33	33	2	2	1	1	7.68	3.98	9.00	20.00	60.00	50.00
SALMONID LAKE													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID STREAM													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
	Total	3.00	0	0	1	0	0	6.00	.00	.00	6.00	.00	.00
	Resident	3.00	0	0	1	0	0	6.00	.00	.00	6.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Ratings:													
	Total	1.47	71	11	6	3	3	5.62	3.33	5.93	11.65	29.00	23.30
	Resident	1.56	38	9	4	2	2	4.15	2.74	5.22	7.50	13.50	10.00
	Nonresident	1.33	33	2	2	1	1	7.68	3.98	9.00	20.00	60.00	50.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
BITTERROOT DR													
SALMONID STREAM													
Total		2.15	135	60	52	25	26	9.24	3.88	8.22	13.18	13.24	27.71
Resident		2.37	72	39	33	18	24	9.11	2.82	6.27	11.78	13.25	25.80
Nonresident		1.79	63	21	19	7	2	9.49	5.13	11.90	15.59	13.43	50.00
SALMONID LAKE													
Total		2.00	8	4	2	3	0	15.65	9.75	18.00	30.00	18.70	.00
Resident		2.00	8	4	2	3	0	15.65	9.75	18.00	30.00	18.70	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID STREAM													
Total		2.50	3	0	1	1	1	11.02	3.70	.00	25.00	30.00	.00
Resident		2.50	3	0	1	1	1	11.02	3.70	.00	25.00	30.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Ratings:													
Total		2.15	146	64	55	29	27	9.61	4.19	8.83	14.00	14.39	26.68
Resident		2.34	83	43	36	22	25	9.69	3.52	7.36	13.16	14.75	24.77
Nonresident		1.79	63	21	19	7	2	9.49	5.13	11.90	15.59	13.43	50.00
BLACKFOOT DR													
SALMONID STREAM													
Total		1.52	45	12	2	3	2	3.20	1.82	6.08	6.00	9.33	5.00
Resident		1.56	34	10	2	2	2	2.84	1.53	5.50	6.00	6.50	5.00
Nonresident		1.36	11	2	0	1	0	4.57	2.82	9.00	.00	15.00	.00
SALMONID LAKE													
Total		1.96	42	10	11	8	4	14.20	7.80	13.81	18.75	29.73	38.80
Resident		2.12	31	7	10	8	4	16.07	9.03	15.71	18.12	29.73	38.80
Nonresident		1.33	11	3	1	0	0	6.67	4.28	9.30	25.00	.00	.00
NONSALMONID STREAM													
Total		2.00	0	1	0	0	0	.00	.00	.00	.00	.00	.00
Resident		2.00	0	1	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		1.38	31	6	5	0	0	10.64	4.96	22.83	31.20	.00	.00
Resident		1.37	22	5	3	0	0	9.87	4.69	17.40	35.33	.00	.00
Nonresident		1.42	9	1	2	0	0	12.59	5.68	50.00	25.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Ratings:													
Total		1.67	118	29	18	11	6	9.43	4.77	12.00	20.79	24.16	27.53
Resident		1.76	87	23	15	10	6	9.95	5.00	10.96	19.95	25.08	27.53
Nonresident		1.37	31	6	3	1	0	7.69	4.17	15.98	25.00	15.00	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
LOWER CLARK FORK DR SALMONID STREAM	Total	1.53	66	13	12	3	1	4.91	2.89	7.15	12.60	10.30	.00
	Resident	1.52	38	8	5	2	1	3.84	2.69	6.76	8.00	5.50	.00
	Nonresident	1.54	28	5	7	1	0	6.28	3.11	7.75	15.86	20.00	.00
	SALMONID LAKE												
	Total	1.79	36	9	5	2	5	52.63	6.50	49.56	342.00	75.00	92.00
	Resident	1.61	26	5	2	2	2	20.81	5.14	24.80	155.00	75.00	30.00
	Nonresident	2.13	9	4	3	0	3	113.85	10.32	80.50	466.70	.00	133.30
	NONSALMONID STREAM												
	Total	1.40	25	5	2	0	1	4.15	3.42	2.45	18.50	.00	3.00
	Resident	1.52	16	4	2	0	1	4.33	3.16	2.25	18.50	.00	3.00
	Nonresident	1.14	9	1	0	0	0	3.68	3.79	3.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.58	37	2	7	3	1	11.50	7.16	2.00	11.86	41.00	100.00
	Resident	1.64	26	2	6	2	1	13.06	7.31	2.00	12.83	57.50	100.00
	Nonresident	1.40	10	0	1	1	0	6.82	6.78	.00	6.00	8.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Drainage Ratings:												
	Total	1.58	164	30	26	8	8	17.73	4.73	18.67	76.20	37.99	70.38
	Resident	1.57	107	19	15	6	5	10.37	4.51	10.06	30.93	46.00	32.60
	Nonresident	1.61	57	11	11	2	3	31.01	5.10	33.55	137.92	14.00	133.30
UPPER CLARK FORK DR SALMONID STREAM	Total	1.99	87	17	21	20	8	5.19	1.86	5.62	9.20	12.81	10.88
	Resident	2.18	53	11	18	15	8	5.38	1.34	5.28	9.67	11.60	10.88
	Nonresident	1.56	34	6	3	5	0	4.72	2.61	6.20	6.33	16.40	.00
	SALMONID LAKE												
	Total	1.92	69	27	24	5	8	24.16	15.96	17.72	31.56	68.00	67.03
	Resident	2.08	40	21	19	2	8	25.49	16.34	17.13	31.57	72.50	67.03
	Nonresident	1.58	29	6	5	3	0	21.42	15.48	19.83	31.60	65.00	.00
	NONSALMONID STREAM												
	Total	1.17	5	1	0	0	0	1.17	.60	4.00	.00	.00	.00
	Resident	1.00	5	0	0	0	0	.60	.60	.00	.00	.00	.00
	Nonresident	2.00	0	1	0	0	0	4.00	.00	4.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.00	1	2	1	0	0	12.50	10.00	18.00	4.00	.00	.00
	Resident	2.00	1	1	1	0	0	6.67	10.00	6.00	4.00	.00	.00
	Nonresident	2.00	0	1	0	0	0	30.00	.00	30.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Drainage Ratings:												
	Total	1.94	162	47	46	25	16	13.73	7.88	13.06	20.75	23.85	38.95
	Resident	2.10	99	33	38	17	16	14.20	7.45	12.84	20.47	18.76	38.95
	Nonresident	1.58	63	14	8	8	0	12.71	8.53	13.59	22.13	34.63	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
LOWER	FLATHEAD DR SALMONID STREAM												
	Total	1.27	41	6	4	0	0	4.03	3.35	6.83	6.80	.00	.00
	Resident	1.34	29	5	4	0	0	3.79	2.74	7.60	6.80	.00	.00
	Nonresident	1.08	12	1	0	0	0	4.69	4.83	3.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.63	133	39	28	3	7	16.72	9.90	16.34	27.22	20.67	104.71
	Resident	1.68	105	32	24	3	7	16.79	9.26	16.37	24.33	20.67	104.71
	Nonresident	1.39	27	7	4	0	0	16.28	12.21	16.10	44.50	.00	.00
	NONSALMONID STREAM												
	Total	1.55	12	2	0	1	1	6.55	5.44	2.50	.00	15.00	20.00
	Resident	1.58	11	2	0	1	1	6.26	4.96	2.50	.00	15.00	20.00
	Nonresident	1.00	1	0	0	0	0	11.00	11.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.64	72	20	15	2	4	14.81	10.24	18.78	20.68	35.00	45.00
	Resident	1.64	61	18	13	2	3	13.73	10.06	17.12	16.32	35.00	43.33
	Nonresident	1.65	10	2	2	0	1	21.57	11.32	33.75	49.00	.00	50.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Drainage Ratings:												
	Total	1.58	259	67	47	6	12	14.07	8.73	15.80	23.39	24.50	77.75
	Resident	1.62	208	57	41	6	11	13.81	8.33	15.35	20.08	24.50	80.27
	Nonresident	1.38	51	10	6	0	1	15.19	10.27	18.32	46.00	.00	50.00
UPPER	FLATHEAD DR SALMONID STREAM												
	Total	1.08	11	1	0	0	0	1.93	1.55	6.00	.00	.00	.00
	Resident	1.10	9	1	0	0	0	2.20	1.78	6.00	.00	.00	.00
	Nonresident	1.00	2	0	0	0	0	.50	.50	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.48	12	2	1	0	1	10.33	4.20	4.00	10.00	.00	100.00
	Resident	1.33	9	2	1	0	0	5.01	4.68	4.00	10.00	.00	.00
	Nonresident	1.89	3	0	0	0	1	24.56	3.00	.00	.00	.00	100.00
	NONSALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.00	5	0	0	0	0	26.82	26.82	.00	.00	.00	.00
	Resident	1.00	4	0	0	0	0	33.00	33.00	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	10.33	10.33	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Drainage Ratings:												
	Total	1.26	29	3	1	0	1	10.03	7.49	4.67	10.00	.00	100.00
	Resident	1.19	22	3	1	0	0	8.23	8.64	4.67	10.00	.00	.00
	Nonresident	1.50	7	0	0	0	1	15.88	3.86	.00	.00	.00	100.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010 (continued).

Drainage Type		Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
GALLATIN DR													
SALMONID STREAM													
Total		1.53	107	32	15	4	3	2.95	2.02	4.62	5.73	4.25	3.00
Resident		1.67	52	21	11	3	2	3.16	1.78	4.75	6.29	5.67	1.50
Nonresident		1.36	55	11	4	1	1	2.66	2.18	4.43	4.25	.00	6.00
SALMONID LAKE													
Total		1.73	21	4	4	4	0	10.25	4.90	16.03	19.30	23.50	.00
Resident		1.81	16	3	3	4	0	11.19	5.13	19.33	19.00	23.50	.00
Nonresident		1.43	5	1	1	0	0	6.74	4.24	6.00	20.00	.00	.00
NONSALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		1.00	2	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Resident		1.00	2	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Ratings:													
Total		1.56	130	36	19	8	3	4.16	2.47	5.89	8.59	13.88	3.00
Resident		1.69	70	24	14	7	2	4.91	2.52	6.58	9.01	15.86	1.50
Nonresident		1.37	60	12	5	1	1	3.02	2.35	4.56	7.40	.00	6.00
JEFFERSON DR													
SALMONID STREAM													
Total		1.15	30	1	2	0	0	2.33	2.03	4.00	6.00	.00	.00
Resident		1.08	24	0	1	0	0	2.21	1.80	.00	12.00	.00	.00
Nonresident		1.38	6	1	1	0	0	2.63	2.83	4.00	.00	.00	.00
SALMONID LAKE													
Total		1.70	13	1	5	1	0	8.00	5.70	10.00	9.18	30.00	.00
Resident		1.75	10	1	4	1	0	8.57	5.91	10.00	9.50	30.00	.00
Nonresident		1.50	3	0	1	0	0	5.75	5.00	.00	8.00	.00	.00
NONSALMONID STREAM													
Total		2.00	0	1	0	0	0	6.00	.00	6.00	.00	.00	.00
Resident		2.00	0	1	0	0	0	6.00	.00	6.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Ratings:													
Total		1.37	43	3	7	1	0	4.50	3.14	6.67	8.27	30.00	.00
Resident		1.36	34	2	5	1	0	4.72	3.01	8.00	10.00	30.00	.00
Nonresident		1.42	9	1	2	0	0	3.67	3.56	4.00	4.00	.00	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
KOOTENAI DR	SALMONID STREAM												
	Total	1.23	38	2	2	0	1	3.64	3.59	2.50	6.50	.00	2.00
	Resident	1.14	25	2	1	0	0	4.00	3.80	2.50	12.00	.00	.00
	Nonresident	1.40	13	0	1	0	1	3.00	3.23	.00	1.00	.00	2.00
	SALMONID LAKE												
	Total	1.25	80	11	3	1	1	7.15	5.74	12.64	17.00	25.00	10.00
	Resident	1.33	50	10	2	1	1	7.04	5.03	13.89	12.50	25.00	10.00
	Nonresident	1.11	30	1	1	0	0	7.34	6.87	4.33	26.00	.00	.00
	NONSALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.17	13	0	1	0	0	6.44	6.82	5.00	2.00	.00	.00
	Resident	1.14	13	0	1	0	0	6.58	6.93	.00	2.00	.00	.00
	Nonresident	1.50	0	0	0	0	0	4.50	4.00	5.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Ratings:													
	Total	1.24	132	14	6	1	2	6.11	5.23	10.92	11.00	25.00	6.00
	Resident	1.25	88	12	4	1	1	6.17	4.96	11.99	9.75	25.00	10.00
	Nonresident	1.20	44	2	2	0	1	5.95	5.76	4.50	13.50	.00	2.00
LITTLE MISSOURI DR	SALMONID STREAM												
	Total	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Ratings:													
	Total	1.00	2	0	0	0	0	.50	.50	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
MADISON DR													
SALMONID STREAM													
Total		1.99	147	55	47	27	14	9.82	4.87	10.00	11.41	17.96	39.99
Resident		2.03	77	26	28	15	8	10.19	4.85	10.36	10.15	17.10	48.15
Nonresident		1.93	70	29	19	12	6	9.43	4.95	9.68	13.23	19.09	29.17
SALMONID LAKE													
Total		1.48	66	20	10	1	1	8.44	6.90	12.82	9.78	8.00	10.00
Resident		1.81	21	12	8	1	1	8.45	6.10	11.83	9.38	8.00	10.00
Nonresident		1.22	45	8	2	0	0	8.43	7.26	14.25	11.50	.00	.00
NONSALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		1.00	3	0	0	0	0	7.67	7.67	.00	.00	.00	.00
Resident		1.00	2	0	0	0	0	11.00	11.00	.00	.00	.00	.00
Nonresident		1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Ratings:													
Total		1.85	216	75	57	28	15	9.46	5.53	10.75	11.12	17.60	37.99
Resident		1.97	100	38	36	16	9	9.82	5.24	10.83	9.97	16.53	43.91
Nonresident		1.72	116	37	21	12	6	9.10	5.81	10.67	13.07	19.09	29.17
MARIAS DR													
SALMONID STREAM													
Total		1.33	10	1	0	1	0	3.92	3.50	1.00	.00	11.00	.00
Resident		1.40	8	1	0	1	0	3.40	2.75	1.00	.00	11.00	.00
Nonresident		1.00	2	0	0	0	0	6.50	6.50	.00	.00	.00	.00
SALMONID LAKE													
Total		1.46	17	7	1	1	0	9.88	6.42	17.13	20.00	8.00	.00
Resident		1.48	16	7	1	1	0	10.16	6.63	17.13	20.00	8.00	.00
Nonresident		1.00	1	0	0	0	0	3.00	3.00	.00	.00	.00	.00
NONSALMONID STREAM													
Total		1.20	4	1	0	0	0	.60	.25	2.00	.00	.00	.00
Resident		1.20	4	1	0	0	0	.60	.25	2.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		2.11	26	12	10	5	4	30.29	9.99	49.17	28.70	33.00	106.25
Resident		2.13	24	10	9	5	4	31.93	9.52	57.00	30.22	33.00	106.25
Nonresident		1.80	2	2	1	0	0	13.20	15.50	10.00	15.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Ratings:													
Total		1.80	57	21	11	7	4	20.34	7.10	33.95	27.91	26.29	106.25
Resident		1.83	52	19	10	7	4	21.21	6.88	36.47	29.20	26.29	106.25
Nonresident		1.50	5	2	1	0	0	10.25	9.40	10.00	15.00	.00	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
MILK DR	SALMONID STREAM												
	Total	1.00	9	0	0	0	0	5.22	5.22	.00	.00	.00	.00
	Resident	1.00	7	0	0	0	0	5.74	5.74	.00	.00	.00	.00
	Nonresident	1.00	2	0	0	0	0	3.50	3.50	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.65	18	7	5	1	0	7.50	3.97	15.99	8.82	5.00	.00
	Resident	1.72	14	5	5	1	0	7.97	4.51	17.40	8.82	5.00	.00
	Nonresident	1.33	4	2	0	0	0	5.50	2.00	12.50	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.09	10	1	0	0	0	3.56	.92	30.00	.00	.00	.00
	Resident	1.09	10	1	0	0	0	3.56	.92	30.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.49	49	6	10	1	1	14.55	8.30	13.00	46.50	15.00	10.00
	Resident	1.57	37	5	9	1	1	13.93	7.35	11.20	42.80	15.00	10.00
	Nonresident	1.21	12	1	1	0	0	16.94	11.27	22.00	80.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Drainage Ratings:												
	Total	1.46	86	14	15	2	1	10.96	6.21	15.71	33.94	10.00	10.00
	Resident	1.51	68	11	14	2	1	10.59	5.65	15.73	30.66	10.00	10.00
	Nonresident	1.23	18	3	1	0	0	12.60	8.34	15.67	80.00	.00	.00
LOWER MISSOURI DR	SALMONID STREAM												
	Total	1.81	14	3	1	0	3	7.96	1.15	2.67	3.00	.00	46.67
	Resident	1.27	12	2	1	0	0	1.41	1.02	3.00	3.00	.00	.00
	Nonresident	3.17	2	1	0	0	3	24.33	2.00	2.00	.00	.00	46.67
	SALMONID LAKE												
	Total	1.58	39	10	9	1	1	11.10	5.78	15.23	26.44	20.00	30.00
	Resident	1.67	28	9	8	1	1	12.41	5.66	16.24	29.00	20.00	30.00
	Nonresident	1.24	10	1	1	0	0	6.09	6.10	6.00	6.00	.00	.00
	NONSALMONID STREAM												
	Total	1.55	38	6	3	0	4	6.75	4.00	8.35	7.67	.00	29.78
	Resident	1.55	30	4	3	0	3	3.69	2.79	5.50	7.67	.00	6.33
	Nonresident	1.55	8	2	0	0	1	17.84	8.52	14.00	.00	.00	100.00
	NONSALMONID LAKE												
	Total	1.45	89	23	16	1	0	17.53	14.45	21.77	25.04	75.00	.00
	Resident	1.41	42	12	5	1	0	12.50	8.84	21.27	9.98	75.00	.00
	Nonresident	1.48	46	11	11	0	0	21.93	19.51	22.31	31.80	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Drainage Ratings:												
	Total	1.53	180	42	29	2	8	13.18	9.33	16.93	22.92	47.50	36.14
	Resident	1.51	113	27	17	2	4	9.29	5.60	15.90	18.11	47.50	12.25
	Nonresident	1.56	67	15	12	0	4	19.60	15.58	18.76	29.65	.00	60.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
UPPER MISSOURI DR SALMONID STREAM	Total	2.01	187	79	72	26	22	10.53	4.76	11.29	14.31	18.22	35.36
	Resident	2.09	138	57	55	23	21	10.14	4.35	9.13	12.82	17.81	35.62
	Nonresident	1.75	49	22	17	3	1	11.82	5.96	16.89	19.37	21.33	30.00
	SALMONID LAKE												
	Total	2.22	166	77	59	32	42	25.78	15.82	22.57	30.67	34.79	57.31
	Resident	2.33	133	69	56	29	42	25.05	12.08	22.16	30.43	34.27	57.31
	Nonresident	1.49	33	8	3	3	0	30.82	30.75	26.13	35.00	40.00	.00
	NONSALMONID STREAM												
	Total	1.40	29	10	3	0	0	5.75	3.11	8.62	19.43	.00	.00
	Resident	1.36	29	7	3	0	0	5.59	3.11	8.89	19.43	.00	.00
	Nonresident	2.00	0	3	0	0	0	8.00	.00	8.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.95	64	26	20	13	4	27.46	21.79	28.35	28.32	44.85	51.78
	Resident	1.97	54	23	17	11	4	26.44	23.12	30.96	22.72	29.82	51.78
	Nonresident	1.83	10	3	3	2	0	33.61	14.59	8.00	60.00	127.50	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Ratings:													
Total		2.06	447	193	155	71	68	18.75	11.20	17.94	22.46	30.56	49.88
Resident		2.13	355	157	132	63	67	18.53	10.00	18.04	21.74	27.48	50.18
Nonresident		1.69	92	36	23	8	1	19.78	15.79	17.46	26.71	54.88	30.00
MUSSELSHELL DR SALMONID STREAM	Total	1.00	2	0	0	0	0	.50	.50	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.62	22	6	8	0	0	9.43	8.93	7.83	11.88	.00	.00
	Resident	1.64	20	6	8	0	0	9.47	8.72	7.83	12.63	.00	.00
	Nonresident	1.40	2	0	0	0	0	8.80	11.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.11	8	0	0	0	0	6.22	6.59	.00	.00	.00	.00
	Resident	1.00	8	0	0	0	0	6.59	6.59	.00	.00	.00	.00
	Nonresident	3.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Ratings:													
Total		1.50	33	6	9	0	0	8.46	7.82	7.83	11.22	.00	.00
Resident		1.50	30	6	8	0	0	8.72	7.86	7.83	12.63	.00	.00
Nonresident		1.50	3	0	1	0	0	5.50	7.33	.00	.00	.00	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
ST MARY DR	SALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.50	6	6	0	0	0	40.42	64.33	16.50	.00	.00	.00
	Resident	1.56	4	5	0	0	0	51.44	92.00	19.00	.00	.00	.00
	Nonresident	1.33	2	1	0	0	0	7.33	9.00	4.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Ratings:													
Total		1.50	6	6	0	0	0	40.42	64.33	16.50	.00	.00	.00
Resident		1.56	4	5	0	0	0	51.44	92.00	19.00	.00	.00	.00
Nonresident		1.33	2	1	0	0	0	7.33	9.00	4.00	.00	.00	.00
SUN DR	SALMONID STREAM												
	Total	1.00	14	0	0	0	0	1.57	1.57	.00	.00	.00	.00
	Resident	1.00	12	0	0	0	0	1.83	1.83	.00	.00	.00	.00
	Nonresident	1.00	2	0	0	0	0	.00	.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.47	31	6	7	0	0	59.10	18.48	9.53	266.65	.00	.00
	Resident	1.51	28	6	7	0	0	53.07	5.19	9.53	266.65	.00	.00
	Nonresident	1.00	3	0	0	0	0	142.67	142.67	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.49	16	5	3	0	0	13.64	11.50	18.82	16.00	.00	.00
	Resident	1.49	16	5	3	0	0	13.64	11.50	18.82	16.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Ratings:													
Total		1.39	62	11	11	0	0	35.57	12.60	13.75	186.90	.00	.00
Resident		1.42	57	11	11	0	0	32.41	6.20	13.75	186.90	.00	.00
Nonresident		1.00	5	0	0	0	0	85.60	85.60	.00	.00	.00	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
LOWER YELLOWSTONE DR SALMONID STREAM	Total	1.00	5	0	0	0	0	5.60	5.60	.00	.00	.00	.00
	Resident	1.00	3	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	Nonresident	1.00	2	0	0	0	0	11.00	11.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.25	10	1	1	0	0	2.24	1.89	.00	8.00	.00	.00
	Resident	1.30	8	1	1	0	0	2.10	1.63	.00	8.00	.00	.00
	Nonresident	1.00	2	0	0	0	0	3.00	3.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.57	30	5	4	1	2	5.72	2.77	6.02	19.25	5.00	22.50
	Resident	1.51	28	5	4	1	1	5.64	2.78	6.02	19.25	5.00	30.00
	Nonresident	2.33	2	0	0	0	1	6.67	2.50	.00	.00	.00	15.00
	NONSALMONID LAKE												
	Total	1.47	36	6	5	1	1	13.61	6.52	11.00	28.80	22.00	200.00
	Resident	1.63	20	4	4	1	1	17.14	6.86	7.75	31.00	22.00	200.00
	Nonresident	1.21	16	2	1	0	0	8.03	6.10	17.50	20.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Drainage Ratings:												
	Total	1.46	81	12	10	2	3	8.91	4.50	8.01	22.90	13.50	81.67
	Resident	1.51	59	10	9	2	2	9.28	3.97	6.11	23.22	13.50	115.00
	Nonresident	1.31	22	2	1	0	1	7.72	5.94	17.50	20.00	.00	15.00
UPPER YELLOWSTONE DR SALMONID STREAM	Total	2.16	361	95	124	92	58	24.11	4.44	16.76	33.96	53.52	91.07
	Resident	1.91	213	53	54	28	23	14.11	3.17	10.53	16.22	28.96	100.88
	Nonresident	2.43	148	42	70	64	35	34.47	6.24	24.64	47.67	64.32	84.63
	SALMONID LAKE												
	Total	1.61	61	19	7	3	4	7.96	6.86	7.52	13.89	8.00	16.50
	Resident	1.71	47	17	7	3	4	8.17	6.93	7.34	13.89	8.00	16.50
	Nonresident	1.13	14	2	0	0	0	7.00	6.71	9.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.63	39	5	10	1	2	3.81	2.48	5.00	8.10	10.00	2.50
	Resident	1.61	38	5	9	1	2	3.77	2.55	5.00	7.91	10.00	2.50
	Nonresident	2.00	1	0	1	0	0	5.00	.00	.00	10.00	.00	.00
	NONSALMONID LAKE												
	Total	1.62	32	7	5	3	1	17.66	6.78	20.60	21.40	103.33	75.00
	Resident	1.62	29	6	4	3	1	18.73	6.97	23.15	21.25	103.33	75.00
	Nonresident	1.60	3	1	1	0	0	8.40	5.00	5.00	22.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Drainage Ratings:												
	Total	2.05	495	126	146	99	65	20.88	4.74	15.11	30.79	53.21	83.51
	Resident	1.83	329	81	74	35	30	12.58	3.98	10.45	15.26	33.00	82.21
	Nonresident	2.36	166	45	72	64	35	32.82	6.22	23.51	46.79	64.32	84.63

Table 21. - Crowding ratings summarized by drainage by residency by water type for the "winter" season of March 2009 through April 2009 and October 2009 through February 2010 (continued).

Drainage	Type	Crowding Ratings						Average Number of People Seen					
		Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----	crowded				sparse	-----	crowded		
Total													
SALMONID STREAM													
Total		1.91	1448	404	373	209	142	12.07	3.63	10.24	19.62	32.09	54.07
Resident		1.90	875	253	223	111	91	8.68	3.03	7.87	11.96	17.90	46.08
Nonresident		1.93	572	150	150	98	51	17.25	4.56	14.24	31.06	48.22	68.33
SALMONID LAKE													
Total		1.80	921	294	224	73	78	21.45	11.07	18.43	49.88	36.07	60.04
Resident		1.90	641	234	183	62	71	18.97	9.45	17.36	35.43	31.27	57.01
Nonresident		1.51	279	60	40	11	7	28.86	14.78	22.56	115.41	63.18	90.83
NONSALMONID STREAM													
Total		1.51	200	39	23	4	11	5.18	3.09	6.57	13.23	15.00	17.46
Resident		1.51	177	31	22	4	9	4.58	2.73	6.22	13.39	15.00	8.56
Nonresident		1.53	22	7	1	0	2	9.65	5.90	8.07	10.00	.00	57.50
NONSALMONID LAKE													
Total		1.63	491	118	103	29	17	18.63	11.32	25.06	26.67	47.00	88.06
Resident		1.67	365	92	76	26	15	17.89	10.75	25.46	23.08	42.31	76.47
Nonresident		1.53	125	26	26	3	2	20.95	12.95	23.64	37.01	87.67	175.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Statewide Ratings:													
Total		1.82	3060	856	724	315	248	15.53	7.07	14.94	29.78	34.17	56.66
Resident		1.83	2060	611	506	203	186	13.32	6.37	14.07	22.21	25.05	50.88
Nonresident		1.77	1000	245	218	112	62	20.33	8.50	17.12	47.36	50.74	73.96

DISCUSSION

SCOPE OF ANGLING PRESSURE

The statewide angling pressure survey was conducted from March, 2009 through February, 2010. Estimates of pressure by residents and nonresidents were for licensed anglers only. This would encompass anglers 12 years of age and older. Spence (1971) found that the unlicensed angler (ages 2- 14) comprised 9% of the pressure on Rock Creek near Missoula. Peterson (1970) found that the unlicensed angler accounted for 21% and 19% of the total number of anglers on Big Spring Creek near Lewistown during 1968 and 1969 respectively. On the Bighorn River near Hardin, Stevenson (1975) found that the unlicensed angler accounted for 14.2% and 15.8% of the total number of anglers during 1972 and 1973 respectively. Fredenberg (1984) found that 10% of the anglers on Bighorn Lake and 13% of the anglers on the Yellowtail Afterbay were unlicensed. The 1975 National Fishing and Hunting Survey showed that 23.8% of the anglers nationwide were between the ages of 9 and 17. It appears that the unlicensed angler makes up between 9% to 21% of the fishing pressure depending on the type of water being fished.

Some angling pressure was obtained on Indian reservations and National Parks within Montana. This pressure was incidental to other fishing trips and only included those anglers that had purchased a Montana fishing license. Since national parks and reservations require different licensing, a complete pressure estimate of waters within those regions was not obtained.

ACCURACY

SAMPLING

Samples were drawn and questionnaires sent to the selected anglers as soon as possible. This was usually 1-2 days after the wave being sampled had ended (see discussion under Methods for details). With the use of ALS and being able to draw a sample right after the month has ended reduces memory bias and provides complete coverage of the state.

PRESSURE

No significant difference was found between the survey results and on-site creel census for rivers for the statewide angling mail surveys conducted from 1982 through 1985 (McFarland, 1989). When both surveys were conducted simultaneously on lakes and reservoirs, the results again agreed (McFarland, 1989). The same methodology was used in this survey as was used in those conducted from 1982 through 1985 and in 1989 (McFarland, 1991). At the time this report was written, no published results were available for creel census conducted during the same time frame so no direct comparisons could be made.

RETURN RATES

Return rates (# of respondents / [# of surveys sent - nondeliverables] * 100) were calculated for every wave by residency. The weighted average total return rates for residents and nonresidents were 52.7% and 54.1% respectively (Table 22).

Table 22. - Return rates for the 2009 state-wide angling survey year by wave by resident and nonresident.		
WAVE	Total Return Rates	
	Resident	Nonresident
1	62.5	57.3
2	54.8	53.4
3	54.8	53.8
4	52.3	53.2
5	49.4	53.7
6	50.3	53.4
7	51.5	55.1
8	49.9	55.3
9	53.4	54.3
10	54.2	56.1
11	55.0	51.0
12	57.6	56.7

NON-RESPONSE BIAS

Due to budgetary constraints and personnel problems telephone calls were not made and a statistical comparison was not done.

NUMBER OF LICENSED ANGLERS VS PRESSURE

The number of resident anglers has increased for the period 1982 to 1985 and then decreased until 1989 and then continued to steadily increase until 1997 when it dropped slightly for two years. In 1999 the number of resident anglers was up again and then continued to drop for the next two years. From 2002 to 2007, resident anglers fluctuated with one year increasing and the next decreasing (Table 23). The number of nonresident anglers during this same period decreased initially and then increased so that overall, the total number of anglers remained fairly static until 1993. In 1994 there was a one-year bump of a 5.4% increase from the previous year in the total number of licensed anglers in Montana. From 1995 to 1997 the number of nonresident anglers remained fairly constant. In 1998 the number increased and remained at nearly the same level for 1999. The numbers dropped for 2000 but was at near record level for 2002 and

have steadily dropped until 2006. In 2007, the number of nonresident anglers began to increase again.

Table 23. - Number of licensed anglers from 1982 through 2009 by residency.		
Year	Resident Anglers	Nonresident Anglers
1982	216,689	119,293
1983	217,483	116,875
1984	232,485	102,843
1985	236,455	106,304
1986	235,403	100,456
1987	233,111	103,936
1988	219,299	108,471
1989	216,412	114,254
1990	217,370	119,611
1991	221,723	138,243
1992	222,186	134,212
1993	226,992	151,192
1994	233,630	164,841
1995	227,849	153,887
1996	227,282	150,881
1997	222,442	151,244
1998	222,329	162,067
1999	228,419	162,572
2000	219,282	152,158
2001	216,858	164,470
2002	222,510	220,946
2003	227,562	200,647
2004	223,560	200,562
2005	233,295	185,689
2006	224,526	159,846
2007	228,415	163,088
2008	240,030	155,858
2009	248,945	159,032

Comparing statewide angling use from the mail survey versus number of anglers shows some correlation for residents in the recent years (1989-1999), while nonresidents seem to have some association between number of anglers and the amount of use exerted (Charts 5 & 6) with the exception of 1991. In 1991 the number of nonresident anglers increased while the pressure exerted by nonresidents decreased. In 1997 the pressure exerted by nonresident anglers increased while the number of nonresident anglers remained fairly static. Starting in 2002, numbers were obtained using the automated licensing system. There was an increase in both resident and nonresident numbers.

Nonresident angler numbers have decreased until 2006 and have remained fairly static since. Resident anglers have been slowly increasing. In 2009, an all time high number of angler days was estimated for both residents and nonresidents.




Chart 5. - Angling pressure versus number of anglers for residents from 1961 to 2009.




Chart 6. - Angling pressure versus number of anglers for nonresidents from 1961 to 2009.

Bank fishing vs. float fishing

A question was added to the questionnaire to ascertain how an angler had fished the body of water he/she reported. The angler was asked if they had mostly fished from shore, boat or both. In the winter months, ice fishing was added as option.

See appendix C for shore/boat fishing percentages by water, drainage, region and residency.

CONCLUSIONS AND RECOMMENDATIONS

The statewide angling pressure mail survey continues to provide valuable data on individual bodies of water as well as statewide estimates.

The survey also provides a basis for angler satisfaction on individual water bodies. With time, this data can be a valuable tool to aid fisheries managers in assessing the public perception on how well they are doing managing individual waters.

The survey provides a trend basis for crowding on the more popular waters in the state.

The survey also provides an implement to survey anglers on an year long basis about a topic of interest for that year.

It is recommended that the survey continue to be conducted every other year. This will provide long-term trend data.

A phone survey should be conducted periodically to ascertain the non-response bias if any.

This will be my last survey I conduct with the department. I wish whoever takes over the best and hope they continue to have the satisfaction I had in conducting the last 15 surveys.

LITERATURE CITED

- Bishop, Clinton G. 1959. Statewide creel census, census of fisherman's creel. Job completion Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-8, Job III. 9 pp.
- _____. 1960. Statewide creel census, census of fisherman's creel. Job completion Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-9, Job III. 9 pp.
- _____. 1961. Statewide creel census, census of fisherman's creel. Job completion Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-10, Job III. 11 pp.
- Fredenberg, Wade. 1984. South Central Montana fisheries investigations, Bighorn Lake and Bighorn River post-impoundment study. Job completion Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-20-R-27, Job IV-a. 46 pp.
- Gaffney, John J. 1975. Unpublished data. Montana Department of Fish, Wildlife and Parks. Bozeman, Mt.
- _____. 1982. Fishery management support services, inventory of resource status and fishing opportunity. Job Prog. rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-31, Job I-c, 8 pp.
- Holton, George D. 1970. Statewide creel census and statistical services, statewide creel census. Job Prog. Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-18, Job I. 16 pp.
- _____. 1971. Statewide creel census and statistical services, statewide creel census. Job Prog. Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-19, Job I-a. 3 pp.
- _____. 1974. Statewide creel census and statistical services, statewide creel census. Job Prog. Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-22, Job I-a. 2 pp.

- Holton, George D. 1974. Statewide creel census and statistical services, statewide creel census. Job Prog. Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-23, Job I-a. 3 pp.
- McFarland, Robert C. 1989. Montana Statewide Angling Pressure Mail Survey 1982-1985. Montana Department of Fish, Wildlife and Parks. Bozeman, Mt. 205 pp.
- _____. 1991. Montana Statewide Angling Pressure Mail Survey 1989. Montana Department of Fish, Wildlife and Parks. Bozeman, Mt. 43 pp.
- McFarland, Robert C. and Janet E. Hughes. 1994. Montana Statewide Angling Mail Survey 1991. Montana Fish, Wildlife and Parks. Bozeman, MT. 55 pp.
- _____. 1995. Montana Statewide Angling Mail Survey 1993. Montana Fish, Wildlife and Parks. Bozeman, MT. 58pp.
- _____. 1997. Montana Statewide Angling Mail Survey 1995. Montana Fish, Wildlife and Parks. Bozeman, MT. 58pp.
- McFarland, Robert C. and Deanna Meredith. 1999. Montana Statewide Angling Mail Survey 1997. Montana Fish, Wildlife & Parks. Bozeman, MT. 90pp.
- . 2000. Montana Statewide Angling Mail Survey 1999. Montana Fish, Wildlife & Parks. Bozeman, MT. 89 pp.
- . 2002. Montana Statewide Angling Mail Survey 2001. Montana Fish, Wildlife & Parks. Bozeman, MT. 155 pp.
- . 2005. Montana Statewide Angling Mail Survey 2003. Montana Fish, Wildlife & Parks. Bozeman, MT. 117 pp.
- McFarland, Robert C. and Jennifer Dykstra. 2007. Montana Statewide Angling Mail Survey 2005. Montana Fish, Wildlife & Parks. Bozeman, MT. 158pp.
- . 2008. Montana Statewide Angling Mail Survey 2007. Montana Fish, Wildlife & Parks. Bozeman, MT. 128pp.
- Peterson, Norman W. 1970. The yield of wild and hatchery trout from Big Spring Creek, Montana. M.S. thesis, Mont. State Univ., 35 pp.
- Spence, Liter. 1971. Rock Creek creel census, summer census Final report. Job Prog. Rept. Fed. Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-27-R, Job I, 64 pp.
- Stevenson, H. R. 1975. The trout fishery of the Bighorn River below Yellowtail Dam, Montana. M.S. thesis, Mont. State Univ., 67 pp.

U. S. Fish and Wildlife Service. 1977. 1975 national survey of hunting, fishing and wildlife-associated recreation. U. S. Dept. of Interior, Washington D. C., 99 pp.

APPENDIX A
Examples of questionnaires

Montana Fish, Wildlife & Parks

Dear Angler,

please cut along dotted line and return bottom portion

We are conducting a monthly survey sent to a random sample of fishing license holders. This survey provides important data to help determine fishing pressure on the lakes and streams of Montana. By providing us with this vital information, you will be assisting us in managing Montana's fish population.

This survey requests only YOUR fishing activities. Include ALL waters fished during the month of JUNE, 2009. If you fished one of the streams on the back of this form, please include the section number to aid us in identifying the portion of the stream. We appreciate your cooperation in returning this survey.

****EVEN IF YOU DID NOT FISH OR CATCH ANY FISH, PLEASE FILL OUT AND RETURN THIS QUESTIONNAIRE****

Did you fish in Montana during the month of JUNE, 2009?

☐ Yes - If yes, total number of days fished _____. Please continue below.

☐ No Thank you - please return

the survey

****PLEASE ENTER EACH WATER YOU FISHED. (YOUR fishing only)****


Name of Lake or Stream Fished	Section # if it applies (See back)	Nearest Town or County	# of Days FISHED in <u>JUNE only</u>	Rate your FISHING on this water: 5 = excellent to 1=poor	How many other people PER DAY did you see recreating on this water?	Rate the CROWDING on this water: 5 = very crowded to 1 =not at all crowded	What ONE fish species did you primarily fish for?	Most of your fishing on this water by? 1- Shore 1- Boat 3- Both

Thank you for your time.


WE NEED INFORMATION ON ALL WATERS FISHED IN MONTANA, NOT JUST THE WATERS INCLUDED ON THIS PAGE
SPECIFIC SECTIONS OF MONTANA WATERS THAT ARE DIFFICULT TO IDENTIFY

We need information on all waters fished in Montana, not just the waters included on this page. If you fished one of the rivers indicated on a map, please enter the specific section number indicated on a map, please enter the specific section number on the form. For waters other than those indicated on a map, (this includes the Flathead, Milk River, eastern sections of the Missouri and Yellowstone Rivers, etc.) please be very specific as to the name of the lake, stream, or reservoir and the nearest town, point of access, or landmark to facilitate identification.


Missouri River




Madison River




Big Hole River




Blackfoot River




Yellowstone River




Smith River




Clark Fork River



Bighorn River



Bitterroot River



Montana Fish, Wildlife & Parks

Dear Angler,

please cut along dotted line and return bottom portion

We recently mailed you a request for information on your fishing in Montana. As you may recall, we are conducting a monthly survey sent to a random sample of fishing license holders. This survey provides important data to help determine fishing pressure on the lakes and streams of Montana. By providing us with this vital information, you will be assisting us in managing Montana's fish population.

This survey requests only YOUR fishing activities. Include ALL waters fished during the month of JANUARY, 2010. If you fished one of the streams on the back of this form, please include the section number to aid us in identifying the portion of the stream. We appreciate your cooperation in returning this survey.

****EVEN IF YOU DID NOT FISH OR CATCH ANY FISH, PLEASE FILL OUT AND RETURN THIS QUESTIONNAIRE****

Did you fish in Montana during the month of JANUARY, 2010? ☐ Yes - If yes, total number of days fished _____. Please continue below. ☐ No - Thank you - please return the survey
--

****PLEASE ENTER EACH WATER YOU FISHED. (YOUR fishing only) ****










Name of Lake or Stream Fished	Section # if it applies (See back)	Nearest Town or County	# of Days FISHED in <u>JANUARY only</u>	Rate your FISHING on this water: 5 = excellent to 1 = poor	How many other people PER DAY did you see recreating on this water?	Rate the CROWDING on this water: 5 = very crowded to 1 =not at all crowded	What ONE fish species did you primarily fish for?	Most of your fishing on this water by? 1- Shore 1- Boat 3- Both 4- Ice

Thank you for your time.

WE NEED INFORMATION ON ALL WATERS FISHED IN MONTANA, NOT JUST THE WATERS INCLUDED ON THIS PAGE

SPECIFIC SECTIONS OF MONTANA WATERS THAT ARE DIFFICULT TO IDENTIFY

We need information on all waters fished in Montana, not just the waters included on this page. If you fished one of the rivers indicated on a map, please enter the specific section number in the appropriate space on the questionnaire form. For waters other than those indicated on a map, (this includes the Flathead, Milk River, eastern sections of the Missouri and Yellowstone Rivers, etc.) please be very specific as to the name of the lake, stream, or reservoir and the nearest town, point of access, or landmark to facilitate identification.



APPENDIX B

Boundaries of waters broken into sections

STREAM NAME		WATER CODE	DOWNSTREAM POINT	UPSTREAM POINT
BEAVER CREEK	SEC 01	15-0280	MOUTH	BEAVER CREEK RES.
	SEC 02	15-0320	BEAVER CREEK RES	BEAR PAW LAKE
	SEC 03	15-0340	BEAR PAW LAKE	ROCKY BOY INDIAN R
	SEC 04	15-0360	ROCKY BOY INDIAN RES	HEADWATERS
BIG HOLE R.	SEC 01	02-0425	MOUTH	DIVIDE CREEK
	SEC 02	02-0450	DIVIDE CREEK	PINTLAR CREEK
	SEC 03	02-0475	PINTLAR CREEK	HEADWATERS
BIG SPRING CR.	SEC 01	16-0301	JUDITH RIVER (MOUTH)	COTTONWOOD CREEK
	SEC 02	16-0310	COTTONWOOD CREEK	HEADWATERS
BIGHORN RIVER	SEC 01	22-0490	MOUTH	LITTLE BIGHORN RIVER
	SEC 02	22-0495	L.BIGHORN R	BIG HORN FAS(Access CR)
	SEC 03	22-0496	BIG HORN FAS(Access CR)	AFTERBAY
BITTERROOT R.	SEC 01	03-0475	MOUTH	BIG CREEK
	SEC 02	03-0500	BIG CREEK	HEADWATERS
BLACKFOOT R.	SEC 01	04-0600	MOUTH	CLEARWATER RIVER
	SEC 02	04-0630	CLEARWATER RIVER	N FK BLACKFOOT RIVER
	SEC 03	04-0645	N FK BLACKFOOT RIVER	ARRASTRA CREEK
	SEC 04	04-0660	ARRASTRA CREEK	HEADWATERS
BOULDER RIVER	SEC 01	22-0742	MOUTH	BOULDER FALLS(NAT BRDG)
	SEC 02	22-0756	BOULDER FALLS(NAT BRDG)	BRIDGE CREEK
	SEC 03	22-0770	BRIDGE CREEK	HEADWATERS
CLARK FORK R.	SEC 01	05-1440	IDAHO BORDER	FLATHEAD RIVER
	SEC 02	05-1456	FLATHEAD RIVER	BITTERROOT RIVER
	SEC 03	06-1118	BITTERROOT RIVER	ROCK CREEK
	SEC 04	06-1121	ROCK CREEK	LITTLE BLACKFOOT R
	SEC 05	06-1140	LITTLE BLACKFOOT R	HEADWATERS

STREAM NAME		WATER CODE	DOWNSTREAM POINT	UPSTREAM POINT
CLARKS FK YELLOWSTONE				
	SEC 01	22-1162	MOUTH	BRIDGER
	SEC 02	22-1176	BRIDGER	WYOMING BORDER
	SEC 03	22-1190	WYOMING BORDER	HEADWATERS
CROW CREEK	SEC 01	07-1000	MOUTH	LOWER CROW RESERVOIR
	SEC 02	07-1020	LOWER CROW RESERVOIR	HEADWATERS
CUT BANK CREEK	SEC 01	14-1080	MOUTH	CUT BANK
	SEC 02	14-1120	CUT BANK	GLACIER PARK
FLATHEAD RIVER	SEC 01	07-1540	MOUTH	FLATHEAD LAKE
	SEC 02	07-1560	FLATHEAD LAKE	S FK FLATHEAD R
GALLATIN RIVER	SEC 01	09-2090	MOUTH	E GALLATIN RIVER
	SEC 02	09-6878	E GALLATIN RIVER	SPANISH CREEK
	SEC 03	09-6916	SPANISH CREEK	HEADWATERS
HYALITE CREEK	SEC 01	09-2546	MOUTH	HYALITE RESERVOIR
	SEC 02	09-6802	HYALITE RESERVOIR	HYALITE LAKE
JUDITH RIVER	SEC 01	16-1800	MOUTH	PLUM CREEK
	SEC 02	16-1820	PLUM CREEK	HEADWATERS
LITTLE BIGHORN RIVER				
	SEC 01	22-3654	MOUTH	LODGE GRASS CREEK
	SEC 02	22-3668	LODGE GRASS CREEK	HEADWATERS
LITTLE BLACKFOOT R				
	SEC 01	06-3772	MOUTH	ELLISTON
	SEC 02	06-3591	ELLISTON	HEADWATERS

STREAM NAME		WATER CODE	DOWNSTREAM POINT	UPSTREAM POINT
MADISON RIVER	SEC 01	13-3400	MOUTH	ENNIS DAM
	SEC 02	13-3440	ENNIS LAKE	HEBGEN DAM
	SEC 03	13-3520	HEBGEN LAKE	YELLOWSTONE PARK
MARIAS RIVER	SEC 01	14-3240	MOUTH	TIBER DAM
	SEC 02	14-3280	LAKE ELWELL	CUT BANK CREEK
MILK RIVER	SEC 01	15-2680	MOUTH	HINSDALE
	SEC 02	15-2720	HINSDALE	MALTA
	SEC 03	15-2760	MALTA	HAVRE
	SEC 04	15-2800	HAVRE	FRESNO DAM
	SEC 05	15-2840	FRESNO RESERVOIR	CANADA
	SEC 06	15-2880	CANADA	MIDDLE & SOUTH FORKS
MISSOURI RIVER	SEC 01	16-2420	N DAKOTA BORDER	MILK RIVER
	SEC 05	16-2500	MILK RIVER	FORT PECK DAM
	SEC 06A	16-2521	FT PECK RES	BLAIN/CHOUT CO LINE
	SEC 06B	16-2522	BLAIN/CHOUT CO LINE	MARIAS RIVER
	SEC 07	17-4864	MARIAS RIVER	MORONY DAM
	SEC 08	17-4880	MORONY DAM	CASCADE BRIDGE
	SEC 09	17-4896	CASCADE BRIDGE	HOLTER DAM
	SEC 10	17-4913	HOLTER LAKE	HAUSER DAM
	SEC 11	17-4928	CANYON FERRY RES	TOSTON DAM
	SEC 12	17-4944	TOSTON DAM	HEADWATERS
MUSSELSHELL RIVER				
	SEC 01	18-4320	MOUTH	RT 3 BRIDGE NEAR LAVINA
	SEC 02	18-4350	RT 3 BRIDGE NEAR LAVINA	HEADWATERS
POPLAR RIVER	SEC 01	16-2820	MOUTH	E FK POPLAR RIVER
	SEC 02	16-2375	E FK POPLAR RIVER	CANADA

STREAM NAME		WATER CODE	DOWNSTREAM POINT	UPSTREAM POINT
PRYOR CREEK	SEC 01	22-4802	MOUTH	PRYOR
	SEC 02	22-4816	PRYOR	HEADWATERS
RED ROCK RIVER	SEC 01	01-6140	MOUTH	LIMA DAM
	SEC 02	01-6160	LIMA RESERVOIR	UPPER RED ROCK LK
ROCK CREEK	SEC 01	06-5263	MOUTH	HOGBACK CREEK
	SEC 02	06-5282	HOGBACK CREEK	HEADWATERS
ROCK CREEK	SEC 01	22-4928	MOUTH	W FK (CHROME CAMP)
	SEC 02	22-4956	W FK (CHROME CAMP)	HEADWATERS
RUBY RIVER	SEC 01	01-6360	MOUTH	RUBY RESERVOIR
	SEC 02	01-6380	RUBY RESERVOIR	HEADWATERS
SHIELDS RIVER	SEC 01	22-5334	MOUTH	CLYDE PARK
	SEC 02	22-5348	CLYDE PARK	WILLSALL
	SEC 03	22-5362	WILLSALL	HEADWATERS
SMITH RIVER	SEC 01	17-6816	MOUTH	HOUND CREEK
	SEC 02	17-6832	HOUND CREEK	CAMP BAKER
	SEC 03	17-6833	CAMP BAKER	HEADWATERS
STILLWATER R.	SEC 01	22-6104	MOUTH	WEST FORK (NYE)
	SEC 02	22-6118	WEST FORK (NYE)	HEADWATERS
SUN RIVER	SEC 01	20-6050	MOUTH	MUDDY CREEK
	SEC 02	20-6100	MUDDY CREEK	GIBSON DAM
SWAN RIVER	SEC 01	07-4560	MOUTH	SWAN LAKE
	SEC 02	07-4580	SWAN LAKE	HEADWATERS
TETON RIVER	SEC 01	14-6000	MOUTH	CHOTEAU
	SEC 02	14-6040	CHOTEAU	HEADWATERS

STREAM NAME		WATER CODE	DOWNSTREAM POINT	UPSTREAM POINT
THOMPSON RIVER	SEC 01	05-7248	MOUTH	BEND RANGER STATION
	SEC 02	05-7264	BEND RANGER STATION	HEADWATERS
TONGUE RIVER	SEC 01	21-1150	MOUTH	BEAVER CREEK
	SEC 02	21-1200	BEAVER CREEK	TONGUE RIVER DAM
	SEC 03	21-1250	TONGUE RIVER RES	WYOMING BORDER
W FK STILLWATER R				
	SEC 01	22-6664	MOUTH	IRON CREEK
	SEC 02	22-6678	IRON CREEK	HEADWATERS
YAAK RIVER	SEC 01	11-7740	MOUTH	FALLS
	SEC 02	11-7760	FALLS	HEADWATERS
YELLOWSTONE R.	SEC 01	21-1350	N DAKOTA BORDER	POWDER RIVER
	SEC 02	21-1400	POWDER RIVER	BIGHORN RIVER
	SEC 03	22-7001	BIGHORN RIVER	HUNTLEY DIVERSION
	SEC 04	22-7015	HUNTLEY DIVERSION	CLARKS FORK RIVER
	SEC 05	22-7028	CLARKS FORK RIVER	STILLWATER RIVER
	SEC 06A	22-7043	STILLWATER RIVER	REED POINT BRIDGE
	SEC 06B	22-7044	REED POINT BRIDGE	BOULDER RIVER
	SEC 07A	22-7057	BOULDER RIVER	SPRINGDALE
	SEC 07B	22-7058	SPRINGDALE	SHIELDS RIVER
	SEC 08	22-7071	SHIELDS RIVER	PINE CREEK
	SEC 09A	22-7072	PINE CREEK	EMIGRANT BRIDGE
	SEC 09B	22-7073	EMIGRANT BRIDGE	TOM MINER CREEK
	SEC 10	22-7084	TOM MINER CREEK	GARDINER

APPENDIX C

River Access Analysis

Angler types of fishing by the 22 major drainages within the state.

<i>Drainage</i>	<i>Type of Fishing</i>	<i>Frequency</i>	<i>Percentage</i>
Undesignated	Shore	62	86.1
	Boat	3	4.2
	Both	7	9.7
	Ice	0	0
Beaverhead	Shore	469	52.0
	Boat	243	26.9
	Both	88	9.7
	Ice	103	11.4
Big Hole	Shore	370	47.4
	Boat	314	40.2
	Both	96	12.3
	Ice	1	0.1
Bitterroot	Shore	544	50.9
	Boat	389	36.4
	Both	127	11.9
	Ice	8	0.8
Blackfoot	Shore	457	43.2
	Boat	420	39.7
	Both	122	11.5
	Ice	59	5.6
Lower Clark Fork	Shore	514	43.9
	Boat	436	37.2
	Both	136	11.6
	Ice	85	7.3
Upper Clark Fork	Shore	781	59.2
	Boat	299	22.7
	Both	134	10.1
	Ice	105	8.0
Lower Flathead	Shore	434	24.0
	Boat	995	55.0
	Both	215	11.9
	Ice	164	9.1
Upper Flathead	Shore	207	47.0
	Boat	143	32.5
	Both	77	17.5
	Ice	13	3.0
Gallatin	Shore	708	78.4
	Boat	103	11.4
	Both	67	7.4
	Ice	25	2.8
Jefferson	Shore	203	60.6
	Boat	90	26.9
	Both	37	11.0
	Ice	5	1.5

Kootenai	Shore	317	38.8
	Boat	389	47.6
	Both	80	9.8
	Ice	31	3.8
Little Missouri	Shore	7	87.5
	Boat	0	0.0
	Both	1	12.5
	Ice	0	0.0
Madison	Shore	893	46.7
	Boat	712	37.2
	Both	261	13.7
	Ice	46	2.4
Marias	Shore	99	28.2
	Boat	160	45.6
	Both	31	8.8
	Ice	61	17.4
Milk	Shore	245	46.3
	Boat	199	37.6
	Both	36	6.8
	Ice	49	9.3
Lower Missouri	Shore	378	38.0
	Boat	392	39.4
	Both	104	10.4
	Ice	121	12.2
Upper Missouri	Shore	1467	39.9
	Boat	1592	43.3
	Both	477	13.0
	Ice	142	3.8
Musselshell	Shore	161	53.5
	Boat	106	35.2
	Both	24	8.0
	Ice	10	3.3
St. Mary's	Shore	5	20.0
	Boat	8	32.0
	Both	5	20.0
	Ice	7	28.0
Sun	Shore	177	54.1
	Boat	63	19.3
	Both	47	14.4
	Ice	40	12.2
Lower Yellowstone	Shore	329	47.8
	Boat	239	34.7
	Both	96	13.9
	Ice	25	3.6
Upper Yellowstone	Shore	1898	48.1
	Boat	1302	33.0
	Both	705	17.8
	Ice	44	1.1

Angler types of fishing by the seven regions within the state.

Region	Type of Fishing	Frequency	Percentage
Undesignated	Shore	61	85.9
	Boat	3	4.2
	Both	7	9.9
	Ice	0	0.0
1	Shore	1235	32.4
	Boat	1838	48.3
	Both	444	11.7
	Ice	289	7.6
2	Shore	2014	52.0
	Boat	1233	31.9
	Both	447	11.6
	Ice	176	4.5
3	Shore	3128	53.4
	Boat	1853	31.6
	Both	678	11.6
	Ice	197	3.4
4	Shore	1900	40.6
	Boat	1915	40.9
	Both	589	12.6
	Ice	274	5.9
5	Shore	1634	50.0
	Boat	992	30.4
	Both	605	18.5
	Ice	36	1.1
6	Shore	409	34.7
	Boat	522	44.3
	Both	103	8.7
	Ice	145	12.3
7	Shore	344	48.3
	Boat	241	33.9
	Both	100	14.0
	Ice	27	3.8

Angler types of fishing by the residency within the state.

Residency	Type of Fishing	Frequency	Percentage
Residents	Shore	7905	47.1
	Boat	6151	36.7
	Both	2011	12.0
	Ice	710	4.2
Nonresidents	Shore	2820	42.3
	Boat	2446	36.7
	Both	962	14.5
	Ice	434	6.5

Angler Types of Fishing by Water for the 2009-10 Angling Year (annual counts of anglers and percentages)

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Abbot Creek	080020	()	1 (100.00%)	()	()
Ackley Lake	164300	38 (47.50%)	24 (30.00%)	8 (10.00%)	10 (12.50%)
Aero Lake, Lower	228526	2 (100.00%)	()	()	()
Albicaulis Lake	067296	4 (100.00%)	()	()	()
Albino Lake	227126	2 (100.00%)	()	()	()
Alder Creek	010020	1 (100.00%)	()	()	()
Alder Creek	130020	2 (100.00%)	()	()	()
Alice Creek	040030	1 (100.00%)	()	()	()
Allentown Pond	075190	()	()	()	1 (100.00%)
Alpine Lake	067315	3 (100.00%)	()	()	()
Alpine Lake	137960	1 (100.00%)	()	()	()
Altoona Lakes	067324	1 (100.00%)	()	()	()
Alvord Lake	117840	5 (55.56%)	4 (44.44%)	()	()
AMC Settling Pond #3	067282	1 (33.33%)	1 (33.33%)	1 (33.33%)	()
Anderson Reservoir	154520	1 (33.33%)	()	()	2 (66.67%)
Angels Bathing Pool	075200	()	1 (100.00%)	()	()
Anita Reservoir	227154	6 (85.71%)	()	1 (14.29%)	()
Arapooish Pond	227169	4 (100.00%)	()	()	()
Armstrong Spring Creek	220140	37 (72.55%)	4 (7.84%)	10 (19.61%)	()
Ashley Creek	070140	1 (50.00%)	1 (50.00%)	()	()
Ashley Lake	075220	4 (5.80%)	34 (49.28%)	10 (14.49%)	21 (30.43%)
Auchard Creek	170144	1 (100.00%)	()	()	()
Avalanche Creek	080330	1 (100.00%)	()	()	()
Avalanche Lake	088045	3 (100.00%)	()	()	()
Axolotl Lake	136920	3 (75.00%)	1 (25.00%)	()	()
Axolotl Lake #1	136920	3 (75.00%)	1 (25.00%)	()	()
Axolotl Lake #2	136921	()	1 (100.00%)	()	()
Badger Creek	010240	1 (100.00%)	()	()	()
Bailey Reservoir	154535	3 (75.00%)	1 (25.00%)	()	()
Bainville RR Pond #1	164365	1 (100.00%)	()	()	()
Bair Reservoir	187750	6 (42.86%)	6 (42.86%)	2 (14.29%)	()
Baker Creek	030150	1 (100.00%)	()	()	()
Baker Creek	090152	4 (100.00%)	()	()	()
Baker Lake	037225	2 (66.67%)	1 (33.33%)	()	()
Baker Lake	211778	2 (40.00%)	1 (20.00%)	2 (40.00%)	()
Baking Powder Creek	040240	1 (100.00%)	()	()	()
Bald Knob Lake	227203	2 (100.00%)	()	()	()
Baldy Lake	058400	3 (100.00%)	()	()	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Balsinger Creek	170200	()	()	1 (100.00%)	()
Baree Lake	117855	1 (100.00%)	()	()	()
Barker Lake, Lower	068512	1 (100.00%)	()	()	()
Barker Lake, Upper	069557	1 (100.00%)	()	()	()
Barron Creek	110200	2 (100.00%)	()	()	()
Basin Creek	010340	1 (100.00%)	()	()	()
Basin Creek	100120	2 (100.00%)	()	()	()
Basin Lake	228877	1 (100.00%)	()	()	()
Bass Creek	030200	1 (50.00%)	()	1 (50.00%)	()
Bass Lake	037250	1 (50.00%)	()	1 (50.00%)	()
Battle Creek	150200	3 (100.00%)	()	()	()
Battle Creek	170272	1 (100.00%)	()	()	()
Bead Pond	075250	()	()	1 (100.00%)	()
Bean Lake	178720	2 (66.67%)	1 (33.33%)	()	()
Bear Creek	030225	1 (100.00%)	()	()	()
Bear Creek	030250	1 (100.00%)	()	()	()
Bear Creek	050224	1 (100.00%)	()	()	()
Bear Creek	080540	3 (100.00%)	()	()	()
Bear Creek	150250	1 (100.00%)	()	()	()
Bear Creek	220350	1 (100.00%)	()	()	()
Bear Lake	058416	1 (100.00%)	()	()	()
Beardsley Lake	211820	()	()	1 (100.00%)	()
Beardsley Pond	211821	1 (100.00%)	()	()	()
Bearpaw Lake	154560	51 (70.83%)	10 (13.89%)	4 (5.56%)	7 (9.72%)
Beartrap Canyon Creek	130480	1 (100.00%)	()	()	()
Beaver Creek	010480	1 (100.00%)	()	()	()
Beaver Creek	040390	()	()	1 (100.00%)	()
Beaver Creek	040391	1 (100.00%)	()	()	()
Beaver Creek	050384	1 (100.00%)	()	()	()
Beaver Creek	120100	3 (100.00%)	()	()	()
Beaver Creek	130520	1 (100.00%)	()	()	()
Beaver Creek	150400	1 (100.00%)	()	()	()
Beaver Creek	170496	3 (100.00%)	()	()	()
Beaver Creek Pond	154569	2 (100.00%)	()	()	()
Beaver Creek Reservoir	154570	46 (65.71%)	14 (20.00%)	7 (10.00%)	3 (4.29%)
Beaver Creek Sec 01	150280	20 (68.97%)	3 (10.34%)	4 (13.79%)	2 (6.90%)
Beaver Creek Sec 02	150320	4 (100.00%)	()	()	()
Beaver Lake	075295	()	1 (100.00%)	()	()
Beaver Lake	075300	1 (8.33%)	9 (75.00%)	1 (8.33%)	1 (8.33%)
Beaverhead River	010500	127 (47.92%)	84 (31.70%)	51 (19.25%)	3 (1.13%)

Water Name	Code	Shore	Boat	Both	Ice
Beaverhead River Drainage	010495	4 (100.00%)	()	()	()
Beaverhead River Drainage	018480	4 (66.67%)	()	2 (33.33%)	()
Beaverhead River Drainage	019090	2 (66.67%)	()	1 (33.33%)	()
Beavertail Hill Pond	067350	19 (61.29%)	10 (32.26%)	2 (6.45%)	()
Beefstraight Creek	060475	1 (100.00%)	()	()	()
Bell Lake	108240	2 (100.00%)	()	()	()
Belt Creek	170544	67 (91.78%)	()	6 (8.22%)	()
Ben Creek	220425	()	2 (100.00%)	()	()
Berry Creek	020400	1 (100.00%)	()	()	()
Big Beaver Creek	050450	1 (100.00%)	()	()	()
Big Casino Creek	160780	1 (100.00%)	()	()	()
Big Casino Creek Reservoir	164628	5 (71.43%)	()	()	2 (28.57%)
Big Creek	030425	6 (75.00%)	2 (25.00%)	()	()
Big Creek	110420	3 (100.00%)	()	()	()
Big Creek	220476	1 (100.00%)	()	()	()
Big Creek Lakes #1 & 2	037325	2 (100.00%)	()	()	()
Big Dry Creek	160245	1 (100.00%)	()	()	()
Big Eddy Creek	050528	1 (100.00%)	()	()	()
Big Elk Creek	180360	1 (100.00%)	()	()	()
Big Hole River Drainage	020360	1 (100.00%)	()	()	()
Big Hole River Drainage	023635	1 (50.00%)	1 (50.00%)	()	()
Big Hole River Sec 01	020425	90 (30.61%)	157 (53.40%)	47 (15.99%)	()
Big Hole River Sec 02	020450	97 (37.74%)	127 (49.42%)	33 (12.84%)	()
Big Hole River Sec 03	020475	50 (65.79%)	18 (23.68%)	8 (10.53%)	()
Big Muddy Creek	160280	1 (100.00%)	()	()	()
Big Muddy Reservoir	164465	()	()	1 (100.00%)	()
Big Otter Creek	170608	2 (100.00%)	()	()	()
Big Pozega Lake	069006	1 (100.00%)	()	()	()
Big Salmon Lake	088140	1 (100.00%)	()	()	()
Big Salmon River	080740	1 (100.00%)	()	()	()
Big Sandy Creek	150440	1 (100.00%)	()	()	()
Big Sheep Creek	016740	13 (92.86%)	()	1 (7.14%)	()
Big Sky Lake	046140	1 (20.00%)	3 (60.00%)	1 (20.00%)	()
Big Sky Pond	136950	3 (100.00%)	()	()	()
Big Spring Creek Sec 01	160301	4 (50.00%)	2 (25.00%)	2 (25.00%)	()
Big Spring Creek Sec 02	160310	35 (79.55%)	5 (11.36%)	4 (9.09%)	()
Big Therriault Lake	119760	()	2 (100.00%)	()	()
Big Timber Creek	220518	6 (100.00%)	()	()	()
Bighorn Lake	229835	3 (2.50%)	99 (82.50%)	17 (14.17%)	1 (0.83%)
Bighorn River Afterbay Dam	229834	9 (36.00%)	14 (56.00%)	2 (8.00%)	()

Water Name	Code	Shore	Boat	Both	Ice
Bighorn River Sec 01	220490	21 (25.93%)	32 (39.51%)	28 (34.57%)	()
Bighorn River Sec 02	220495	24 (19.05%)	65 (51.59%)	37 (29.37%)	()
Bighorn River Sec 03	220496	141 (19.24%)	298 (40.65%)	294 (40.11%)	()
Birch Creek	010660	1 (100.00%)	()	()	()
Birch Creek	020575	1 (100.00%)	()	()	()
Birch Creek	140240	1 (100.00%)	()	()	()
Birch Creek	160340	1 (100.00%)	()	()	()
Birch Lake	075320	1 (100.00%)	()	()	()
Bison Creek	100720	7 (100.00%)	()	()	()
Bitterroot Canals	030465	1 (33.33%)	1 (33.33%)	1 (33.33%)	()
Bitterroot River Drainage	034860	2 (100.00%)	()	()	()
Bitterroot River Drainage	038865	()	1 (100.00%)	()	()
Bitterroot River Sec 01	030475	132 (43.42%)	138 (45.39%)	32 (10.53%)	2 (0.66%)
Bitterroot River Sec 02	030500	194 (43.30%)	190 (42.41%)	64 (14.29%)	()
Black Canyon Lake	227280	1 (100.00%)	()	()	()
Blackfeet Indian Reservaton	150565	1 (100.00%)	()	()	()
Blackfoot River Drainage	043650	3 (100.00%)	()	()	()
Blackfoot River Drainage	044275	2 (100.00%)	()	()	()
Blackfoot River Drainage	046855	1 (100.00%)	()	()	()
Blackfoot River Drainage	046980	1 (50.00%)	1 (50.00%)	()	()
Blackfoot River Sec 01	040600	74 (41.81%)	83 (46.89%)	20 (11.30%)	()
Blackfoot River Sec 02	040630	63 (43.15%)	65 (44.52%)	18 (12.33%)	()
Blackfoot River Sec 03	040645	24 (36.92%)	36 (55.38%)	5 (7.69%)	()
Blackfoot River Sec 04	040660	49 (77.78%)	10 (15.87%)	4 (6.35%)	()
Blacks Sawmill Pond	211915	3 (50.00%)	1 (16.67%)	2 (33.33%)	()
Blacktail Creek	020600	()	1 (100.00%)	()	()
Blacktail Deer Creek	010720	13 (100.00%)	()	()	()
Blacktail Meadows Kids Pond	018498	2 (100.00%)	()	()	()
Blaine Creek	070415	()	1 (100.00%)	()	()
Blaine Springs Creek	130560	1 (100.00%)	()	()	()
Blanchard Creek	040690	()	()	2 (100.00%)	()
Blanchard Lake	046150	3 (50.00%)	3 (50.00%)	()	()
Blanchard Lake	075400	2 (7.69%)	19 (73.08%)	3 (11.54%)	2 (7.69%)
Blodgett Creek	030550	3 (100.00%)	()	()	()
Bloody Dick Creek	010740	8 (88.89%)	()	1 (11.11%)	()
Blue Creek	110480	1 (100.00%)	()	()	()
Blue Joint Creek	030575	1 (100.00%)	()	()	()
Blue Lake	075420	()	1 (50.00%)	1 (50.00%)	()
Blue Lake	227308	1 (100.00%)	()	()	()
Bluebird Lake	117960	1 (100.00%)	()	()	()

Water Name	Code	Shore	Boat	Both	Ice
Bluewater Creek	220714	5 (100.00%)	()	()	()
Bob Lake	227310	1 (100.00%)	()	()	()
Bolster Dam	164495	5 (71.43%)	2 (28.57%)	()	()
Bonanza Creek	180540	2 (100.00%)	()	()	()
Bonanza Lake	058464	2 (66.67%)	()	1 (33.33%)	()
Bonanza Lake	058465	1 (100.00%)	()	()	()
Bond Lake	075460	()	()	()	1 (100.00%)
Boot Jack Lake	075480	()	5 (83.33%)	1 (16.67%)	()
Boot Jack Lake	117980	()	()	1 (50.00%)	1 (50.00%)
Boulder Creek	030600	1 (50.00%)	1 (50.00%)	()	()
Boulder Creek	060646	1 (100.00%)	()	()	()
Boulder Lake	067447	2 (100.00%)	()	()	()
Boulder Lake, Lower	108880	2 (100.00%)	()	()	()
Boulder River	100840	62 (89.86%)	2 (2.90%)	5 (7.25%)	()
Boulder River Sec 01	220742	83 (77.57%)	13 (12.15%)	11 (10.28%)	()
Boulder River Sec 02	220756	7 (100.00%)	()	()	()
Boulware Reservoir	211945	1 (100.00%)	()	()	()
Bowman Lake	088230	5 (55.56%)	4 (44.44%)	()	()
Box Canyon Creek	180600	1 (100.00%)	()	()	()
Box Elder Creek	150640	1 (100.00%)	()	()	()
Box Elder Creek Reservoir	164495	5 (71.43%)	2 (28.57%)	()	()
Bozeman Creek	090542	1 (100.00%)	()	()	()
Brackett Creek	220784	6 (100.00%)	()	()	()
Branch Creek	010840	1 (100.00%)	()	()	()
Branham Lakes	018540	1 (50.00%)	()	1 (50.00%)	()
Brannon Lake	108424	1 (100.00%)	()	()	()
Brenneman Slough	070550	1 (100.00%)	()	()	()
Brewington Pond North	187232	1 (100.00%)	()	()	()
Brewington Pond South	187231	1 (100.00%)	()	()	()
Brewster Creek	060684	2 (100.00%)	()	()	()
Bridger Creek	090570	7 (100.00%)	()	()	()
Bridger Creek	220798	1 (100.00%)	()	()	()
Broadview Reservoir	227343	25 (80.65%)	1 (3.23%)	3 (9.68%)	2 (6.45%)
Broadwater Lake	227350	1 (100.00%)	()	()	()
Broadwater Lake	227364	1 (100.00%)	()	()	()
Broadwater River	220826	1 (100.00%)	()	()	()
Brookie Pond	154719	()	1 (100.00%)	()	()
Brooks Reservoir #3	164549	1 (100.00%)	()	()	()
Brown Creek	070600	()	1 (100.00%)	()	()
Brownes Lake	027525	2 (100.00%)	()	()	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Browns Gulch	060722	1 (100.00%)	()	()	()
Browns Lake	046210	31 (24.60%)	63 (50.00%)	16 (12.70%)	16 (12.70%)
Buck Creek	090646	2 (100.00%)	()	()	()
Buffalo Fork Creek	220882	1 (100.00%)	()	()	()
Buffalohead Park Pond	077273	2 (66.67%)	()	()	1 (33.33%)
Bull Creek	020875	1 (100.00%)	()	()	()
Bull Lake	046225	1 (100.00%)	()	()	()
Bull Lake	075540	()	3 (100.00%)	()	()
Bull Lake	118040	12 (36.36%)	18 (54.55%)	3 (9.09%)	()
Bull River	050864	14 (60.87%)	7 (30.43%)	2 (8.70%)	()
Bunker Creek	080980	1 (100.00%)	()	()	()
Bunyan Lake	075560	1 (100.00%)	()	()	()
Burned Creek	201150	1 (100.00%)	()	()	()
Burnt Fork Bitterroot River	030850	4 (100.00%)	()	()	()
Burnt Fork Creek	050944	1 (100.00%)	()	()	()
Burnt Fork Lake	037475	1 (100.00%)	()	()	()
Bynum Reservoir	147080	3 (11.11%)	14 (51.85%)	2 (7.41%)	8 (29.63%)
Cabin Creek	011080	1 (100.00%)	()	()	()
Cabin Creek	130960	1 (100.00%)	()	()	()
Cabin Creek	201200	1 (100.00%)	()	()	()
Cabin Lake	058496	2 (66.67%)	1 (33.33%)	()	()
Cabinet Gorge Reservoir	058512	()	8 (88.89%)	1 (11.11%)	()
California Creek	020950	2 (66.67%)	()	1 (33.33%)	()
Callahan Creek	110860	2 (100.00%)	()	()	()
Camas Lakes	037500	6 (100.00%)	()	()	()
Cameron Creek	180840	1 (100.00%)	()	()	()
Cameron Lake	137160	6 (100.00%)	()	()	()
Cameron Reservoir	147120	2 (100.00%)	()	()	()
Camp Creek	021000	1 (100.00%)	()	()	()
Camp Creek	090988	1 (100.00%)	()	()	()
Camp Creek	131000	()	1 (100.00%)	()	()
Camp Creek Reservoir	108440	2 (100.00%)	()	()	()
Campfire Lake	227420	1 (100.00%)	()	()	()
Canyon Creek	021050	1 (100.00%)	()	()	()
Canyon Creek	021075	1 (100.00%)	()	()	()
Canyon Creek	041080	3 (100.00%)	()	()	()
Canyon Creek	171216	1 (100.00%)	()	()	()
Canyon Ferry Reservoir	178832	141 (19.75%)	409 (57.28%)	84 (11.76%)	80 (11.20%)
Canyon Lakes	037525	2 (100.00%)	()	()	()
Carlton Lakes	037600	1 (100.00%)	()	()	()

Water Name	Code	Shore	Boat	Both	Ice
Carp Lake	067515	1 (100.00%)	()	()	()
Carter Pond - Lower	164621	2 (66.67%)	1 (33.33%)	()	()
Carter Pond - Upper	164620	()	1 (33.33%)	()	2 (66.67%)
Casino Creek	160780	1 (100.00%)	()	()	()
Casino Creek Reservoir	164628	5 (71.43%)	()	()	2 (28.57%)
Castle Rock Lake	212527	6 (16.22%)	15 (40.54%)	8 (21.62%)	8 (21.62%)
Cataract Creek	101600	2 (100.00%)	()	()	()
Cataract Creek Reservoir	108460	1 (100.00%)	()	()	()
Cataract Lake	137180	3 (100.00%)	()	()	()
Causeway - Hauser Lake	179056	109 (33.33%)	167 (51.07%)	38 (11.62%)	13 (3.98%)
Causeway - Lake Helena	179072	27 (58.70%)	14 (30.43%)	3 (6.52%)	2 (4.35%)
Cedar Creek	051248	1 (50.00%)	()	1 (50.00%)	()
Cedar Creek	051280	2 (100.00%)	()	()	()
Cedar Log Creek	051312	1 (100.00%)	()	()	()
Chain Lake #1	088311	1 (100.00%)	()	()	()
Chain Lake #3	088313	1 (100.00%)	()	()	()
Chain Lakes	207050	1 (100.00%)	()	()	()
Chamberlain Creek	171424	2 (100.00%)	()	()	()
Chamberlain Reservoir #1	164649	1 (100.00%)	()	()	()
Charlie Creek	081440	()	1 (100.00%)	()	()
Cherry Creek	131160	3 (100.00%)	()	()	()
Cherry Lakes	027600	2 (100.00%)	()	()	()
Chief Joseph Pond	187410	1 (100.00%)	()	()	()
Chinook Lake	075700	()	()	()	1 (100.00%)
Chippy Creek	051408	1 (100.00%)	()	()	()
Chiquita Lake	097714	1 (100.00%)	()	()	()
Chouteau Reservoir	154745	()	()	()	1 (100.00%)
Church Slough	075710	1 (8.33%)	5 (41.67%)	1 (8.33%)	5 (41.67%)
Cibid Lake	118130	()	1 (100.00%)	()	()
Clancy Creek	171488	1 (100.00%)	()	()	()
Clark Canyon	011320	1 (50.00%)	()	()	1 (50.00%)
Clark Canyon Reservoir	018610	48 (20.25%)	101 (42.62%)	13 (5.49%)	75 (31.65%)
Clark Creek	171504	()	()	1 (100.00%)	()
Clark Fork River Drainage	059245	3 (100.00%)	()	()	()
Clark Fork River Drainage	068140	2 (66.67%)	1 (33.33%)	()	()
Clark Fork River Drainage	068985	1 (100.00%)	()	()	()
Clark Fork River Sec 01	051440	73 (44.79%)	57 (34.97%)	26 (15.95%)	7 (4.29%)
Clark Fork River Sec 02	051456	117 (40.91%)	115 (40.21%)	52 (18.18%)	2 (0.70%)
Clark Fork River Sec 03	061118	58 (56.31%)	33 (32.04%)	12 (11.65%)	()
Clark Fork River Sec 04	061121	26 (55.32%)	17 (36.17%)	3 (6.38%)	1 (2.13%)

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Clark Fork River Sec 05	061140	51 (67.11%)	16 (21.05%)	9 (11.84%)	()
Clarks Fk Yellowstone Sec 1	221162	4 (66.67%)	1 (16.67%)	1 (16.67%)	()
Clarks Fk Yellowstone Sec 2	221176	16 (84.21%)	3 (15.79%)	()	()
Clarks Fk Yellowstone Sec 3	221190	1 (50.00%)	()	1 (50.00%)	()
Clarks Reservoir	212450	1 (50.00%)	1 (50.00%)	()	()
Clayton Lake	088340	3 (100.00%)	()	()	()
Clear Creek	011360	1 (100.00%)	()	()	()
Clear Creek	051472	1 (100.00%)	()	()	()
Clear Creek	150960	1 (100.00%)	()	()	()
Clear Creek	221204	1 (100.00%)	()	()	()
Clearwater Lake	046300	4 (33.33%)	8 (66.67%)	()	()
Clearwater River	041290	24 (55.81%)	10 (23.26%)	9 (20.93%)	()
Cliff Lake	076440	()	1 (100.00%)	()	()
Cliff Lake	137320	4 (18.18%)	15 (68.18%)	3 (13.64%)	()
Cliff Lake	137360	1 (12.50%)	5 (62.50%)	2 (25.00%)	()
Cliff Lake	227462	()	()	1 (100.00%)	()
Cloverleaf Lakes	227468	2 (100.00%)	()	()	()
Cloverleaf Lakes - Western	227471	1 (100.00%)	()	()	()
Cloverleaf Lakes- Southern	227468	2 (100.00%)	()	()	()
Coffin Lakes	137400	1 (100.00%)	()	()	()
Cold Lake	076445	3 (100.00%)	()	()	()
Cole Pond	154761	()	1 (100.00%)	()	()
Cole Pond	154762	3 (100.00%)	()	()	()
Colstrip Pond #2	212520	()	1 (100.00%)	()	()
Colt Lake	046320	()	()	1 (100.00%)	()
Confederate Gulch	171664	1 (100.00%)	()	()	()
Cooney Reservoir	227518	85 (36.64%)	103 (44.40%)	26 (11.21%)	18 (7.76%)
Coopers Lake	046330	5 (62.50%)	2 (25.00%)	()	1 (12.50%)
Copper Creek	041440	2 (100.00%)	()	()	()
Copper Creek	061292	3 (100.00%)	()	()	()
Copper Creek	111380	5 (83.33%)	1 (16.67%)	()	()
Copper Creek Lake #3	067564	1 (100.00%)	()	()	()
Copper Lake	046360	()	1 (100.00%)	()	()
Corner Lake	227532	1 (33.33%)	()	1 (33.33%)	1 (33.33%)
Cottonwood Creek	041470	2 (100.00%)	()	()	()
Cottonwood Creek	061368	1 (100.00%)	()	()	()
Cottonwood Creek	160900	1 (100.00%)	()	()	()
Cottonwood Creek	171728	1 (100.00%)	()	()	()
Cottonwood Creek	171760	1 (100.00%)	()	()	()
Cottonwood Creek	181380	2 (100.00%)	()	()	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Cottonwood Creek	221386	1 (100.00%)	()	()	()
Cottonwood Creek	221400	1 (100.00%)	()	()	()
Cottonwood Reservoir	227538	()	1 (100.00%)	()	()
Cougar Creek	131360	1 (100.00%)	()	()	()
Cow Creek Reservoir	164789	2 (40.00%)	2 (40.00%)	1 (20.00%)	()
Cramer Creek	061444	1 (100.00%)	()	()	()
Crazy Creek	031500	1 (100.00%)	()	()	()
Crazy Mountain Ranch Pond	227580	6 (85.71%)	()	()	1 (14.29%)
Crescent Lake	027663	2 (100.00%)	()	()	()
Crescent Lake	075880	3 (100.00%)	()	()	()
Crow Creek	051760	1 (100.00%)	()	()	()
Crow Creek	171888	4 (100.00%)	()	()	()
Crow Creek Sec 01	071000	2 (66.67%)	1 (33.33%)	()	()
Crow Reservoir, Lower	077520	6 (66.67%)	2 (22.22%)	1 (11.11%)	()
Crystal Creek	111560	()	1 (100.00%)	()	()
Crystal Creek	171936	2 (100.00%)	()	()	()
Crystal Lake	018660	1 (100.00%)	()	()	()
Crystal Lake	075940	3 (100.00%)	()	()	()
Crystal Lake	118180	()	5 (41.67%)	1 (8.33%)	6 (50.00%)
Crystal Lake	164840	3 (75.00%)	()	1 (25.00%)	()
Crystal Lake	227616	()	1 (100.00%)	()	()
Cut Bank Creek Sec 01	141080	2 (100.00%)	()	()	()
Cut Bank Creek Sec 02	141120	3 (100.00%)	()	()	()
Cutbank Creek	161040	1 (100.00%)	()	()	()
Cutler Lake	227640	()	()	2 (100.00%)	()
Cyclone Lake	088480	()	1 (100.00%)	()	()
Dailey Lake	227644	17 (42.50%)	14 (35.00%)	4 (10.00%)	5 (12.50%)
Dalton Lake	058672	1 (100.00%)	()	()	()
Daly Creek	031600	3 (100.00%)	()	()	()
Danaher Creek	081900	2 (100.00%)	()	()	()
Dawson Lake	147240	()	3 (37.50%)	2 (25.00%)	3 (37.50%)
Dead Mans Lake	067619	2 (66.67%)	1 (33.33%)	()	()
Deadman Creek	011940	1 (100.00%)	()	()	()
Deadmans Basin Reservoir	187540	52 (48.60%)	49 (45.79%)	5 (4.67%)	1 (0.93%)
Dearborn River	172064	14 (63.64%)	4 (18.18%)	4 (18.18%)	()
Deep Creek	011980	1 (100.00%)	()	()	()
Deep Creek	141320	2 (100.00%)	()	()	()
Deep Creek	172080	8 (100.00%)	()	()	()
Deer Creek	061596	1 (100.00%)	()	()	()
Deer Creek	172112	1 (100.00%)	()	()	()

Water Name	Code	Shore	Boat	Both	Ice
Deer Creek	201600	1 (100.00%)	()	()	()
Deerhead Lake	027725	2 (100.00%)	()	()	()
Delmo Lake	108600	12 (54.55%)	7 (31.82%)	2 (9.09%)	1 (4.55%)
Devil Creek	082120	1 (100.00%)	()	()	()
Dewey Lake	227686	1 (100.00%)	()	()	()
Diamond Lake	058720	2 (66.67%)	1 (33.33%)	()	()
Diamond Lake	227462	()	()	1 (100.00%)	()
Diamond Lake	229542	1 (100.00%)	()	()	()
Diaphanous Lake	227689	1 (100.00%)	()	()	()
Dick Lake	227690	2 (100.00%)	()	()	()
Dickey Lake	088510	1 (25.00%)	2 (50.00%)	1 (25.00%)	()
Dickey Lake	118220	3 (50.00%)	3 (50.00%)	()	()
Dingley Lake	018740	1 (100.00%)	()	()	()
Diversion Lake	207150	2 (100.00%)	()	()	()
Divide Creek	012060	1 (100.00%)	()	()	()
Dog Creek	061691	3 (60.00%)	()	2 (40.00%)	()
Dog Creek	172256	2 (100.00%)	()	()	()
Dog Lake	075980	()	2 (66.67%)	()	1 (33.33%)
Dollar Lake	076000	1 (25.00%)	3 (75.00%)	()	()
Dolus Lake #1	067638	2 (100.00%)	()	()	()
Doris Lake #1	088525	1 (100.00%)	()	()	()
Double Lake	076020	()	()	1 (100.00%)	()
Douglas Creek	061729	3 (100.00%)	()	()	()
Drag Creek Reservoir	187560	4 (57.14%)	1 (14.29%)	1 (14.29%)	1 (14.29%)
Dredge Cut Trout Pond	165145	1 (11.11%)	6 (66.67%)	2 (22.22%)	()
Dry Bridge Slough	076035	5 (100.00%)	()	()	()
Dry Cottonwood Creek	061748	1 (100.00%)	()	()	()
Dry Creek	052128	1 (100.00%)	()	()	()
Dry Creek	052160	2 (100.00%)	()	()	()
Dry Creek	172336	10 (100.00%)	()	()	()
Dry Fk Battle Creek	151235	()	1 (100.00%)	()	()
Dry Fork Belt Creek	172352	2 (100.00%)	()	()	()
Dry Fork Reservoir	076040	1 (100.00%)	()	()	()
Dry Fork Reservoir	155083	()	1 (100.00%)	()	()
Dry Wolf Creek	161260	7 (100.00%)	()	()	()
Duck Creek	131880	3 (100.00%)	()	()	()
Duck Lake	067680	()	()	1 (100.00%)	()
Duck Lake	191000	1 (5.56%)	7 (38.89%)	4 (22.22%)	6 (33.33%)
E Fk Big Spring Creek	161340	1 (100.00%)	()	()	()
E Fk Bitterroot River	031950	34 (87.18%)	2 (5.13%)	3 (7.69%)	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
E Fk Blacktail Deer Creek	012380	5 (100.00%)	()	()	()
E Fk Mill Creek	222128	2 (100.00%)	()	()	()
E Fk Pipe Creek	112020	1 (100.00%)	()	()	()
E Fk Rock Creek	061938	3 (100.00%)	()	()	()
E Fk Spring Creek Reservoir	164950	3 (23.08%)	7 (53.85%)	()	3 (23.08%)
E Fk Yaak River	112060	1 (100.00%)	()	()	()
Eagle Creek	161320	1 (100.00%)	()	()	()
Earthquake Lake	138160	7 (21.88%)	18 (56.25%)	6 (18.75%)	1 (3.13%)
East Boulder River	222002	3 (100.00%)	()	()	()
East Fisher Creek	111980	2 (100.00%)	()	()	()
East Fork Reservoir	067695	12 (30.77%)	14 (35.90%)	10 (25.64%)	3 (7.69%)
East Fork Reservoir	155090	2 (40.00%)	2 (40.00%)	1 (20.00%)	()
East Gallatin Recreation Pd	098070	5 (62.50%)	1 (12.50%)	1 (12.50%)	1 (12.50%)
East Gallatin River	091710	44 (88.00%)	4 (8.00%)	2 (4.00%)	()
East Owl Creek	222212	1 (100.00%)	()	()	()
East Rosebud Creek	222254	26 (92.86%)	1 (3.57%)	1 (3.57%)	()
East Rosebud Lake	227714	8 (53.33%)	2 (13.33%)	5 (33.33%)	()
Easton Lake	187570	()	1 (100.00%)	()	()
Echo Lake	067733	1 (20.00%)	2 (40.00%)	1 (20.00%)	1 (20.00%)
Echo Lake	076180	6 (9.23%)	40 (61.54%)	9 (13.85%)	10 (15.38%)
Edith Lake	067752	1 (100.00%)	()	()	()
Edith Lake	178912	1 (50.00%)	()	1 (50.00%)	()
Egan Slough	076190	()	1 (50.00%)	()	1 (50.00%)
Eissinger Dam	165020	1 (100.00%)	()	()	()
Elbow Lake	046510	1 (33.33%)	2 (66.67%)	()	()
Elbow Lake	067765	2 (100.00%)	()	()	()
Elder Creek	102560	1 (100.00%)	()	()	()
Elizabeth Lake	147280	1 (100.00%)	()	()	()
Elk Creek	012580	1 (100.00%)	()	()	()
Elk Creek	052560	1 (100.00%)	()	()	()
Elk Creek	112120	1 (100.00%)	()	()	()
Elk Creek	202000	1 (100.00%)	()	()	()
Elk Creek Reservoir	187645	()	()	1 (100.00%)	()
Elk Lake	018780	8 (53.33%)	5 (33.33%)	1 (6.67%)	1 (6.67%)
Elk Lake	037825	()	()	1 (100.00%)	()
Elk Lake	227756	3 (100.00%)	()	()	()
Elk Lake	227757	1 (100.00%)	()	()	()
Elk River	132160	()	()	1 (100.00%)	()
Elkhorn Creek	091786	1 (100.00%)	()	()	()
Elkhorn Creek	102640	1 (100.00%)	()	()	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Elkhorn Creek	172624	2 (100.00%)	()	()	()
Elks Tincup Creek Pond	067771	1 (100.00%)	()	()	()
Elsina Lake	046540	()	1 (100.00%)	()	()
Emerald Lake	097980	1 (100.00%)	()	()	()
Emerald Lake	227800	2 (100.00%)	()	()	()
Emerald Lake	227812	18 (81.82%)	1 (4.55%)	3 (13.64%)	()
Englandt Reservoir	165070	6 (100.00%)	()	()	()
Ennis Lake	137560	22 (25.00%)	51 (57.95%)	8 (9.09%)	7 (7.95%)
Ester Lake	155120	()	1 (50.00%)	()	1 (50.00%)
Estes Lake	076280	()	1 (100.00%)	()	()
Estler Lake	018800	1 (50.00%)	()	1 (50.00%)	()
Eureka Reservoir	147320	5 (38.46%)	7 (53.85%)	()	1 (7.69%)
Eyraud Lake	146840	1 (20.00%)	1 (20.00%)	()	3 (60.00%)
Eyraud Lake	146841	1 (100.00%)	()	()	()
Faber Reservoir	155140	6 (40.00%)	8 (53.33%)	1 (6.67%)	()
Fairy Lake	227826	1 (50.00%)	1 (50.00%)	()	()
Falls Creek	172688	1 (100.00%)	()	()	()
Fatty Lake	076300	1 (100.00%)	()	()	()
Fawn Creek	042280	1 (100.00%)	()	()	()
Fifth Wolverine Lake	118290	()	1 (100.00%)	()	()
Finley Creek	071480	1 (100.00%)	()	()	()
Finley Reservoir	165100	2 (100.00%)	()	()	()
Firehole River	000100	41 (95.35%)	()	2 (4.65%)	()
First Lake	076380	()	()	1 (100.00%)	()
Fish & Game Hdq Pond #1	098018	10 (83.33%)	()	()	2 (16.67%)
Fish Creek	042400	3 (100.00%)	()	()	()
Fish Creek	042430	2 (66.67%)	()	1 (33.33%)	()
Fish Creek	052768	32 (96.97%)	()	()	1 (3.03%)
Fish Creek	071490	1 (100.00%)	()	()	()
Fish Creek	082745	1 (100.00%)	()	()	()
Fish Lake	037850	1 (100.00%)	()	()	()
Fish Lake	076385	4 (36.36%)	4 (36.36%)	()	3 (27.27%)
Fisher Lake	067809	1 (100.00%)	()	()	()
Fisher River	112320	34 (89.47%)	1 (2.63%)	3 (7.89%)	()
Fishtail Creek	222492	5 (100.00%)	()	()	()
Fishtrap Creek	052800	2 (66.67%)	()	1 (33.33%)	()
Fishtrap Lake	058800	2 (28.57%)	4 (57.14%)	1 (14.29%)	()
Flat Coulee	161540	()	2 (100.00%)	()	()
Flat Creek	161560	1 (100.00%)	()	()	()
Flat Creek	172800	1 (100.00%)	()	()	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Flat Lake	165110	1 (100.00%)	()	()	()
Flat Top Lake	191100	()	()	1 (100.00%)	()
Flathead Lake	076400	35 (8.95%)	307 (78.52%)	44 (11.25%)	5 (1.28%)
Flathead River Drainage	076395	1 (100.00%)	()	()	()
Flathead River Drainage	077130	1 (50.00%)	()	()	1 (50.00%)
Flathead River Drainage	088555	1 (50.00%)	()	1 (50.00%)	()
Flathead River Drainage	089230	()	1 (100.00%)	()	()
Flathead River Sec 01	071540	20 (28.17%)	42 (59.15%)	9 (12.68%)	()
Flathead River Sec 02	071560	94 (33.10%)	148 (52.11%)	42 (14.79%)	()
Flatwillow Creek	182640	1 (100.00%)	()	()	()
Fletcher Creek	132240	1 (100.00%)	()	()	()
Flint Creek Sec 01	062242	34 (87.18%)	1 (2.56%)	4 (10.26%)	()
Flotilla Lake	088560	1 (100.00%)	()	()	()
Fly Creek	222590	1 (100.00%)	()	()	()
Fly Lake	046596	1 (100.00%)	()	()	()
Forest Lake	187510	1 (100.00%)	()	()	()
Fort Peck Lake	165140	34 (8.81%)	249 (64.51%)	25 (6.48%)	78 (20.21%)
Fortine Creek	112460	1 (100.00%)	()	()	()
Fossil Lake	227924	3 (100.00%)	()	()	()
Four Horn Lake	147400	()	2 (100.00%)	()	()
Fourmile Creek	172816	1 (100.00%)	()	()	()
Fox Lake	227938	1 (100.00%)	()	()	()
Foy Lake	076420	5 (33.33%)	1 (6.67%)	3 (20.00%)	6 (40.00%)
Frank Lake	118340	()	()	2 (100.00%)	()
Fred Burr Creek	032250	1 (100.00%)	()	()	()
Fred Burr Lake	037912	1 (100.00%)	()	()	()
Freezeout Lake	147445	1 (100.00%)	()	()	()
Frenchtown Pond	058824	17 (60.71%)	5 (17.86%)	5 (17.86%)	1 (3.57%)
Frenchy Creek	071580	2 (100.00%)	()	()	()
Fresno Reservoir	155240	21 (16.03%)	93 (70.99%)	7 (5.34%)	10 (7.63%)
Froze-To-Death Lake	227960	2 (100.00%)	()	()	()
Fulcrum Lake	228662	2 (100.00%)	()	()	()
Fuse Creek	062413	1 (100.00%)	()	()	()
Fuse Lake	067904	5 (100.00%)	()	()	()
Gallatin River Drainage	092085	5 (100.00%)	()	()	()
Gallatin River Drainage	098065	4 (66.67%)	()	1 (16.67%)	1 (16.67%)
Gallatin River Sec 01	092090	44 (78.57%)	8 (14.29%)	4 (7.14%)	()
Gallatin River Sec 02	096878	250 (85.91%)	24 (8.25%)	16 (5.50%)	1 (0.34%)
Gallatin River Sec 03	096916	179 (82.11%)	23 (10.55%)	16 (7.34%)	()
Gardner Dam	165200	()	1 (50.00%)	()	1 (50.00%)

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Gardner Reservoir	121310	1 (50.00%)	()	1 (50.00%)	()
Gardner River	222695	4 (100.00%)	()	()	()
Gartside Lake	213250	8 (66.67%)	1 (8.33%)	3 (25.00%)	()
Geiger Lake	118360	1 (100.00%)	()	()	()
Geiger Lake, Lower	119080	2 (100.00%)	()	()	()
George Lake	067942	1 (100.00%)	()	()	()
George Lake	088620	2 (100.00%)	()	()	()
Georgetown Lake	067961	108 (26.87%)	141 (35.07%)	53 (13.18%)	100 (24.88%)
German Gulch	062470	1 (100.00%)	()	()	()
Geyser Slough	067980	1 (100.00%)	()	()	()
Giant Springs Fishing Pond	178955	3 (100.00%)	()	()	()
Gibbon River	132375	5 (100.00%)	()	()	()
Gibson Reservoir	207350	3 (25.00%)	9 (75.00%)	()	()
Gipsy Lake	178960	3 (100.00%)	()	()	()
Girard Gulch	062546	()	1 (100.00%)	()	()
Glacier Creek	071700	1 (100.00%)	()	()	()
Glacier Lake	067999	3 (100.00%)	()	()	()
Glacier Lake	076500	4 (80.00%)	()	1 (20.00%)	()
Glacier Lake	227980	2 (100.00%)	()	()	()
Glacier National Park	000113	10 (71.43%)	1 (7.14%)	3 (21.43%)	()
Glasgow Air Force Base Pond	155340	2 (100.00%)	()	()	()
Glaston Lake, Lower	228554	()	1 (100.00%)	()	()
Glen Lake	098070	5 (62.50%)	1 (12.50%)	1 (12.50%)	1 (12.50%)
Glen Lake	118380	()	2 (50.00%)	()	2 (50.00%)
Globe Lake	108710	1 (100.00%)	()	()	()
Gold Creek	042610	4 (100.00%)	()	()	()
Gold Creek Dredge Ponds	068113	1 (100.00%)	()	()	()
Gold Creek Lake	046598	1 (100.00%)	()	()	()
Gold Creek Lakes	068094	2 (100.00%)	()	()	()
Golden Trout Lake #1	098094	1 (100.00%)	()	()	()
Golden Trout Lake #3	098096	1 (100.00%)	()	()	()
Good Creek	071760	2 (66.67%)	()	1 (33.33%)	()
Goose Lake	227994	1 (50.00%)	()	1 (50.00%)	()
Gorge Lake	027916	1 (100.00%)	()	()	()
Governor Creek	022525	2 (100.00%)	()	()	()
Granite Creek	013080	1 (100.00%)	()	()	()
Granite Creek	032400	1 (100.00%)	()	()	()
Granite Creek	112700	1 (100.00%)	()	()	()
Granite Lake	027925	1 (100.00%)	()	()	()
Grant Creek	062698	1 (100.00%)	()	()	()

Water Name	Code	Shore	Boat	Both	Ice
Grasshopper Creek	013100	6 (100.00%)	()	()	()
Grasshopper Reservoir	155380	5 (100.00%)	()	()	()
Grave Creek	112720	3 (100.00%)	()	()	()
Graves Creek	053184	1 (100.00%)	()	()	()
Graves Creek	083100	3 (100.00%)	()	()	()
Gray Wolf Lake	076580	1 (100.00%)	()	()	()
Grayling Creek	132440	7 (100.00%)	()	()	()
Grayling Lake	027975	1 (100.00%)	()	()	()
Greek Creek	092242	2 (100.00%)	()	()	()
Green Lake	046600	1 (50.00%)	1 (50.00%)	()	()
Greenough Lake	228045	18 (94.74%)	()	1 (5.26%)	()
Greyson Creek	173216	1 (100.00%)	()	()	()
Grizzly Lake	076590	()	()	1 (100.00%)	()
Grouse Lake	118440	1 (100.00%)	()	()	()
Gurnett Creek	173280	2 (100.00%)	()	()	()
Hairpin Lake	228064	3 (100.00%)	()	()	()
Haislett Dam	165480	()	1 (100.00%)	()	()
Halfmoon Creek	202750	()	()	()	1 (100.00%)
Hall Creek	071860	()	1 (50.00%)	()	1 (50.00%)
Hall Lake	076600	2 (100.00%)	()	()	()
Handkerchief Lake	088740	1 (12.50%)	6 (75.00%)	()	1 (12.50%)
Hannon Gulch Rearing Pond	207450	()	()	()	1 (100.00%)
Hanson Creek Reservoir	165535	15 (71.43%)	2 (9.52%)	1 (4.76%)	3 (14.29%)
Hardy Creek	173328	2 (100.00%)	()	()	()
Harkness Lake	018900	4 (100.00%)	()	()	()
Harley Creek	173344	1 (100.00%)	()	()	()
Harpers Lake	046660	24 (66.67%)	6 (16.67%)	2 (5.56%)	4 (11.11%)
Harrison Lake	018920	1 (33.33%)	1 (33.33%)	()	1 (33.33%)
Hartle Reservoir	179024	1 (100.00%)	()	()	()
Harvey Creek	062945	1 (100.00%)	()	()	()
Haskill Creek	071940	1 (100.00%)	()	()	()
Haughian Pike Pond	213572	1 (100.00%)	()	()	()
Haughian Reservoir	213568	()	()	1 (100.00%)	()
Haughian Reservoir	213580	2 (100.00%)	()	()	()
Haughian Reservoir #1	213570	1 (100.00%)	()	()	()
Hauser Lake	179056	109 (33.33%)	167 (51.07%)	38 (11.62%)	13 (3.98%)
Havre Kids Pond	155640	5 (83.33%)	()	1 (16.67%)	()
Hay Creek	161710	()	()	1 (100.00%)	()
Haypress Lake	137680	5 (83.33%)	()	1 (16.67%)	()
Heart Lake	046690	3 (75.00%)	()	1 (25.00%)	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Heart Lake	058927	1 (100.00%)	()	()	()
Heart Lake	058929	1 (100.00%)	()	()	()
Heather Lake	098284	1 (100.00%)	()	()	()
Hebgen Lake	137720	66 (25.38%)	120 (46.15%)	39 (15.00%)	35 (13.46%)
Helena Valley Reg Reservoir	179075	9 (40.91%)	8 (36.36%)	3 (13.64%)	2 (9.09%)
Hell Creek	161730	()	1 (50.00%)	1 (50.00%)	()
Hell Creek	161740	()	1 (50.00%)	()	1 (50.00%)
Hell Roaring Creek	013340	1 (100.00%)	()	()	()
Hellroaring Creek	223066	1 (100.00%)	()	()	()
Hellroaring Lakes	018940	4 (66.67%)	2 (33.33%)	()	()
Hellroaring Lakes	228064	3 (100.00%)	()	()	()
Hells Canyon Creek	103280	1 (100.00%)	()	()	()
Hemlock Lake	076680	1 (100.00%)	()	()	()
Hendrickson Pond #1	179080	1 (100.00%)	()	()	()
Henry Pond	147620	1 (100.00%)	()	()	()
Hessler Lake	088800	()	()	()	1 (100.00%)
Hidden Lake	046705	1 (20.00%)	3 (60.00%)	1 (20.00%)	()
Hidden Lake	076720	()	()	1 (100.00%)	()
Hidden Lake	088810	1 (50.00%)	1 (50.00%)	()	()
Hidden Lake	137800	6 (60.00%)	4 (40.00%)	()	()
Hidden Lake	147660	()	1 (50.00%)	1 (50.00%)	()
Hidden Lake	179105	2 (100.00%)	()	()	()
Hieronymoos Pond	038120	1 (50.00%)	()	1 (50.00%)	()
Highwood Creek	053456	3 (100.00%)	()	()	()
Highwood Creek	173456	14 (93.33%)	()	1 (6.67%)	()
Holding Reservoir	179072	27 (58.70%)	14 (30.43%)	3 (6.52%)	2 (4.35%)
Holland Creek	072120	1 (100.00%)	()	()	()
Holland Lake	076780	8 (42.11%)	9 (47.37%)	2 (10.53%)	()
Hollecker Lake	213832	5 (83.33%)	1 (16.67%)	()	()
Hollowtop Lake	108760	1 (100.00%)	()	()	()
Holter Lake	179136	116 (21.85%)	332 (62.52%)	63 (11.86%)	20 (3.77%)
Home Run Pond	155722	3 (100.00%)	()	()	()
Homestake Lake	108820	6 (100.00%)	()	()	()
Homestead Reservoir	213840	1 (100.00%)	()	()	()
Hope Lake	038175	()	()	()	1 (100.00%)
Hope Lake	147720	()	2 (100.00%)	()	()
Horse Creek	132680	1 (100.00%)	()	()	()
Horse Prairie Creek	013500	1 (100.00%)	()	()	()
Horseshoe Lake	076800	1 (33.33%)	2 (66.67%)	()	()
Horseshoe Lake	118520	1 (25.00%)	3 (75.00%)	()	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Hoskin Lake	118540	3 (50.00%)	2 (33.33%)	1 (16.67%)	()
Hound Creek	173600	6 (75.00%)	()	2 (25.00%)	()
Howard Lake	118560	3 (30.00%)	6 (60.00%)	1 (10.00%)	()
Hubbart Reservoir	076840	10 (55.56%)	2 (11.11%)	()	6 (33.33%)
Huckleberry Lake	228148	2 (100.00%)	()	()	()
Hungry Horse Reservoir	088860	34 (41.98%)	37 (45.68%)	10 (12.35%)	()
Hunsberger Lake	088880	1 (100.00%)	()	()	()
Hyalite Creek Sec 01	092546	13 (56.52%)	4 (17.39%)	6 (26.09%)	()
Hyalite Creek Sec 02	096802	2 (100.00%)	()	()	()
Hyalite Lake	098474	2 (33.33%)	3 (50.00%)	1 (16.67%)	()
Hyalite Reservoir	098512	62 (48.06%)	32 (24.81%)	15 (11.63%)	20 (15.50%)
Indian Creek	042880	1 (100.00%)	()	()	()
Indian Creek	103680	1 (100.00%)	()	()	()
Indian Creek	132800	1 (100.00%)	()	()	()
Irrigation Ditches	030465	1 (33.33%)	1 (33.33%)	1 (33.33%)	()
Island Lake	118580	()	2 (100.00%)	()	()
Island Lake	118600	()	()	()	2 (100.00%)
Island Lake	228162	1 (50.00%)	()	1 (50.00%)	()
Jack Creek	103760	1 (100.00%)	()	()	()
Jackson Creek	092622	1 (100.00%)	()	()	()
Jacobson Creek	022875	1 (100.00%)	()	()	()
Jasper Lake	228180	2 (100.00%)	()	()	()
Jefferson Creek	042970	1 (100.00%)	()	()	()
Jefferson Creek	173824	2 (100.00%)	()	()	()
Jefferson River	103840	49 (38.28%)	55 (42.97%)	24 (18.75%)	()
Jefferson River Drainage	103842	1 (100.00%)	()	()	()
Jenny Reservoir	214000	()	1 (100.00%)	()	()
Jensen Pond	155780	1 (100.00%)	()	()	()
Jerry Creek	022950	1 (100.00%)	()	()	()
Jessup Mill Pond	076900	()	2 (100.00%)	()	()
Jim Lake #12	076970	()	1 (100.00%)	()	()
Jim Lake #2	076960	1 (100.00%)	()	()	()
Jocko Lake, Upper	079380	1 (100.00%)	()	()	()
Jocko River	072260	14 (100.00%)	()	()	()
Jordan Lake	228203	1 (100.00%)	()	()	()
Joseph Creek	023025	1 (100.00%)	()	()	()
Judith River Sec 01	161800	1 (100.00%)	()	()	()
Judith River Sec 02	161820	9 (81.82%)	()	2 (18.18%)	()
Jumping Creek	173872	2 (100.00%)	()	()	()
Kaiser Lake	068360	2 (100.00%)	()	()	()

Water Name	Code	Shore	Boat	Both	Ice
Keeler Creek	113380	1 (100.00%)	()	()	()
Kelley Reservoir	019000	2 (100.00%)	()	()	()
Kennedy Creek	190200	1 (100.00%)	()	()	()
Kersey Lake	228274	1 (50.00%)	1 (50.00%)	()	()
Keyser Brown Lake	228288	3 (100.00%)	()	()	()
Kicking Horse Reservoir	077020	5 (45.45%)	5 (45.45%)	1 (9.09%)	()
Kid Lake	137920	1 (100.00%)	()	()	()
Kilbrennan Lake	118640	7 (30.43%)	10 (43.48%)	4 (17.39%)	2 (8.70%)
Kintla Creek	083830	1 (100.00%)	()	()	()
Kipp Lake	147960	1 (25.00%)	1 (25.00%)	()	2 (50.00%)
Kleinschmidt Lake	046810	()	()	1 (100.00%)	()
Kolar Reservoir #1	166340	1 (33.33%)	1 (33.33%)	()	1 (33.33%)
Kootenai Creek	033000	1 (100.00%)	()	()	()
Kootenai River	113500	91 (59.09%)	43 (27.92%)	20 (12.99%)	()
Kootenai River Drainage	118835	2 (100.00%)	()	()	()
Kuhr Reservoir	155880	5 (83.33%)	1 (16.67%)	()	()
La Pierre Pond	166480	()	1 (100.00%)	()	()
Lacy Creek	023150	2 (100.00%)	()	()	()
Lagoni Lake	077100	()	()	()	1 (100.00%)
Lake Abundance	027100	2 (100.00%)	()	()	()
Lake Agnes	027125	4 (100.00%)	()	()	()
Lake Alva	046120	8 (33.33%)	14 (58.33%)	2 (8.33%)	()
Lake at Falls	228330	1 (100.00%)	()	()	()
Lake Blaine	075380	1 (12.50%)	3 (37.50%)	3 (37.50%)	1 (12.50%)
Lake Cameron	137160	6 (100.00%)	()	()	()
Lake Como	037675	25 (37.31%)	30 (44.78%)	10 (14.93%)	2 (2.99%)
Lake Creek	113540	5 (100.00%)	()	()	()
Lake Elmo	227777	51 (77.27%)	4 (6.06%)	8 (12.12%)	3 (4.55%)
Lake Elwell	149240	15 (13.89%)	60 (55.56%)	9 (8.33%)	24 (22.22%)
Lake Five	088550	()	2 (22.22%)	()	7 (77.78%)
Lake Fork Rock Creek	223472	2 (100.00%)	()	()	()
Lake Frances	147440	11 (12.50%)	52 (59.09%)	7 (7.95%)	18 (20.45%)
Lake Geneva	118686	1 (100.00%)	()	()	()
Lake Gertrude	227966	1 (100.00%)	()	()	()
Lake Helena	179072	27 (58.70%)	14 (30.43%)	3 (6.52%)	2 (4.35%)
Lake Inez	046720	2 (12.50%)	9 (56.25%)	3 (18.75%)	2 (12.50%)
Lake Josephine	228334	28 (80.00%)	4 (11.43%)	3 (8.57%)	()
Lake Koocanusa	118690	22 (8.27%)	221 (83.08%)	23 (8.65%)	()
Lake Levinsky	136950	3 (100.00%)	()	()	()
Lake Lomo	038390	4 (36.36%)	5 (45.45%)	()	2 (18.18%)

Water Name	Code	Shore	Boat	Both	Ice
Lake Marshall	046930	1 (100.00%)	()	()	()
Lake Mary Ronan	077700	3 (3.00%)	64 (64.00%)	16 (16.00%)	17 (17.00%)
Lake McDonald	089050	10 (34.48%)	12 (41.38%)	7 (24.14%)	()
Lake Of The Woods	028275	2 (100.00%)	()	()	()
Lake Pinchot	228890	1 (100.00%)	()	()	()
Lake Pisces	228348	1 (100.00%)	()	()	()
Lamarche Creek	023175	2 (100.00%)	()	()	()
Lamb Creek	174032	2 (100.00%)	()	()	()
Landers Fork Blackfoot R	043120	6 (100.00%)	()	()	()
Lark Reservoir	166495	1 (50.00%)	1 (50.00%)	()	()
Laurel Pond	228362	20 (76.92%)	4 (15.38%)	2 (7.69%)	()
Laurel Sportsmen Pond	228363	2 (100.00%)	()	()	()
Lava Lake	098588	1 (100.00%)	()	()	()
Lavon Lake	118720	()	()	1 (100.00%)	()
Ledford Creek	014240	1 (100.00%)	()	()	()
Leon Lake	118760	()	()	1 (100.00%)	()
Libby Creek	113660	4 (100.00%)	()	()	()
Lightning Lake	228372	2 (100.00%)	()	()	()
Lilly Lake	137840	1 (50.00%)	1 (50.00%)	()	()
Lily Pad Lake	228400	()	1 (100.00%)	()	()
Lindbergh Lake	077260	()	4 (66.67%)	2 (33.33%)	()
Lindsay Dam	215050	()	()	1 (100.00%)	()
Line Lake	228428	3 (100.00%)	()	()	()
Link Lake	089120	2 (66.67%)	1 (33.33%)	()	()
Lion Lake	028400	1 (100.00%)	()	()	()
Lion Lake	089140	9 (60.00%)	1 (6.67%)	1 (6.67%)	4 (26.67%)
Lipke Pond	166580	()	()	()	1 (100.00%)
Little Bear Creek	093154	1 (100.00%)	()	()	()
Little Beaver Lake	077280	1 (100.00%)	()	()	()
Little Belt Creek	174096	1 (100.00%)	()	()	()
Little Bighorn River Sec 01	223654	5 (83.33%)	()	1 (16.67%)	()
Little Bighorn River Sec 02	223668	2 (40.00%)	2 (40.00%)	1 (20.00%)	()
Little Bitterroot Lake	077300	3 (3.13%)	52 (54.17%)	8 (8.33%)	33 (34.38%)
Little Bitterroot River	072460	1 (33.33%)	2 (66.67%)	()	()
Little Blackfoot R Sec 01	063772	42 (93.33%)	1 (2.22%)	2 (4.44%)	()
Little Blackfoot R Sec 02	063591	20 (95.24%)	()	1 (4.76%)	()
Little Boulder River	104160	3 (75.00%)	()	1 (25.00%)	()
Little Box Elder Creek	152080	1 (100.00%)	()	()	()
Little Casino Creek	161965	1 (100.00%)	()	()	()
Little Elk River	133240	1 (100.00%)	()	()	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Little Falls Lake	228445	1 (100.00%)	()	()	()
Little Goose Lake	228447	1 (100.00%)	()	()	()
Little Joe Creek	054096	1 (100.00%)	()	()	()
Little Loon Lake	118880	()	()	1 (100.00%)	()
Little McGregor Lake	059096	3 (23.08%)	7 (53.85%)	1 (7.69%)	2 (15.38%)
Little Otter Creek	174208	1 (100.00%)	()	()	()
Little Porcupine Creek	210500	1 (100.00%)	()	()	()
Little Powder River	210550	1 (100.00%)	()	()	()
Little Prickly Pear Creek	174224	20 (86.96%)	()	3 (13.04%)	()
Little Racetrack Lake	068474	1 (100.00%)	()	()	()
Little Rock Creek Lake	038475	1 (100.00%)	()	()	()
Little Rocky Creek	223752	1 (100.00%)	()	()	()
Little Salmon River	084220	1 (100.00%)	()	()	()
Little Sheep Creek	014480	1 (100.00%)	()	()	()
Little Therriault Lake	118920	1 (100.00%)	()	()	()
Little Thompson River	054112	5 (83.33%)	1 (16.67%)	()	()
Little Warm Reservoir	156105	()	1 (100.00%)	()	()
Little Willow Creek	203500	1 (100.00%)	()	()	()
Lodge Grass Storage Res	229786	3 (37.50%)	3 (37.50%)	1 (12.50%)	1 (12.50%)
Logan Creek	072500	1 (100.00%)	()	()	()
Logan Creek	084260	1 (100.00%)	()	()	()
Logging Creek	174304	1 (100.00%)	()	()	()
Lolo Creek	033475	19 (90.48%)	()	1 (4.76%)	1 (4.76%)
Lolo Creek	072520	8 (100.00%)	()	()	()
Long Creek	014570	1 (100.00%)	()	()	()
Long Lake	118930	1 (100.00%)	()	()	()
Long Lake	228484	1 (100.00%)	()	()	()
Loon Lake	077400	()	1 (100.00%)	()	()
Loon Lake	077420	2 (25.00%)	6 (75.00%)	()	()
Loon Lake	089160	2 (50.00%)	1 (25.00%)	1 (25.00%)	()
Loon Lake	118940	1 (25.00%)	3 (75.00%)	()	()
Loon Lake	118980	2 (10.00%)	10 (50.00%)	2 (10.00%)	6 (30.00%)
Lost Cabin Lake	108860	1 (100.00%)	()	()	()
Lost Creek	063705	1 (100.00%)	()	()	()
Lost Creek	072560	2 (100.00%)	()	()	()
Lost Creek	072580	1 (100.00%)	()	()	()
Lost Fork Creek	203600	1 (100.00%)	()	()	()
Lost Horse Creek	023625	()	()	1 (100.00%)	()
Lost Horse Creek	033500	8 (88.89%)	()	1 (11.11%)	()
Lost Johnny Creek	084360	1 (100.00%)	()	()	()

Water Name	Code	Shore	Boat	Both	Ice
Lost Lake	059136	1 (50.00%)	()	1 (50.00%)	()
Lost Lake	119020	()	2 (100.00%)	()	()
Lost Lake	228512	2 (100.00%)	()	()	()
Louis Lake	077495	()	()	1 (100.00%)	()
Louise Lake	109000	1 (100.00%)	()	()	()
Lower Aero Lake	228526	2 (100.00%)	()	()	()
Lower Barker Lake	068512	1 (100.00%)	()	()	()
Lower Boulder Lake	108880	2 (100.00%)	()	()	()
Lower Crow Reservoir	077520	6 (66.67%)	2 (22.22%)	1 (11.11%)	()
Lower Geiger Lake	119080	2 (100.00%)	()	()	()
Lower Glaston Lake	228554	()	1 (100.00%)	()	()
Lower Hawkins Lake	118470	2 (100.00%)	()	()	()
Lower Martin Lake	077660	1 (100.00%)	()	()	()
Lower Mission Lake	148080	1 (25.00%)	3 (75.00%)	()	()
Lower Phyllis Lake	068569	1 (100.00%)	()	()	()
Lower Red Rock Lake	019080	1 (100.00%)	()	()	()
Lower Rumble Lake	077590	1 (100.00%)	()	()	()
Lower St Mary Lake	191200	()	1 (50.00%)	()	1 (50.00%)
Lower Stillwater Lake	077600	()	14 (77.78%)	()	4 (22.22%)
Lower Thompson Lake	059152	4 (14.29%)	17 (60.71%)	1 (3.57%)	6 (21.43%)
Lower Twin Lake	068588	1 (100.00%)	()	()	()
Lower Two Medicine Lake	148120	1 (33.33%)	2 (66.67%)	()	()
Lower Willow Creek Res	068595	3 (75.00%)	1 (25.00%)	()	()
Lower Wolverine Lake	119175	2 (100.00%)	()	()	()
Lowest Wolverine Lake	119090	1 (100.00%)	()	()	()
Lowland Creek	104440	1 (100.00%)	()	()	()
Lump Gulch	174416	1 (100.00%)	()	()	()
Lupine Lake	137920	1 (100.00%)	()	()	()
M Fk Flathead River	084740	21 (37.50%)	20 (35.71%)	15 (26.79%)	()
M Fk Rock Creek	064085	4 (100.00%)	()	()	()
M Fk W Fk Gallatin River	093762	4 (100.00%)	()	()	()
Madison River Drainage	137630	()	1 (100.00%)	()	()
Madison River Drainage	137940	2 (66.67%)	()	1 (33.33%)	()
Madison River Sec 01	133400	237 (52.55%)	158 (35.03%)	56 (12.42%)	()
Madison River Sec 02	133440	353 (46.57%)	291 (38.39%)	114 (15.04%)	()
Madison River Sec 03	133480	1 (100.00%)	()	()	()
Madison River Sec 03	133520	102 (72.86%)	20 (14.29%)	18 (12.86%)	()
Madison Spring Creek	133540	1 (100.00%)	()	()	()
Maney Lake	108970	3 (100.00%)	()	()	()
Marias River Drainage	149180	1 (100.00%)	()	()	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Marias River Drainage	149315	2 (100.00%)	()	()	()
Marias River Sec 01	143240	20 (76.92%)	3 (11.54%)	3 (11.54%)	()
Marias River Sec 02	143280	6 (75.00%)	()	1 (12.50%)	1 (12.50%)
Marl Lake	119120	()	6 (100.00%)	()	()
Marlboro Ranch Pond	227580	6 (85.71%)	()	()	1 (14.29%)
Marten Creek	054432	1 (20.00%)	2 (40.00%)	2 (40.00%)	()
Martes Lake	228590	1 (100.00%)	()	()	()
Martin Creek	033625	1 (100.00%)	()	()	()
Martin Lake, Lower	077660	1 (100.00%)	()	()	()
Martinsdale Reservoir	188380	20 (40.00%)	25 (50.00%)	2 (4.00%)	3 (6.00%)
May Creek	023700	2 (100.00%)	()	()	()
McCaffery Lake	077720	()	2 (66.67%)	()	1 (33.33%)
McCarthy Creek Rr Pond	166900	2 (100.00%)	()	()	()
McCarthy Lake	166920	1 (100.00%)	()	()	()
McChesney Reservoir	166921	1 (16.67%)	3 (50.00%)	2 (33.33%)	()
McClellan Creek	043480	4 (80.00%)	1 (20.00%)	()	()
McClellan Creek	174512	1 (100.00%)	()	()	()
McCoy Creek	033775	1 (100.00%)	()	()	()
McCrea Reservoir	166924	1 (100.00%)	()	()	()
McDonald Creek	084630	4 (100.00%)	()	()	()
McDonald Lake	077740	1 (100.00%)	()	()	()
McGilvray Lake	077760	()	()	()	1 (100.00%)
McGregor Creek	054608	2 (66.67%)	1 (33.33%)	()	()
McGregor Lake	059216	5 (6.67%)	39 (52.00%)	6 (8.00%)	25 (33.33%)
McKelvey Lake	137840	1 (50.00%)	1 (50.00%)	()	()
McNabb Reservoir	122640	1 (100.00%)	()	()	()
McNeil Ponds	156240	()	1 (100.00%)	()	()
McWenneger Slough	077765	()	3 (75.00%)	()	1 (25.00%)
McWhorter's Pond	077770	1 (100.00%)	()	()	()
Meadow Creek	033800	4 (100.00%)	()	()	()
Meadow Creek	084680	1 (100.00%)	()	()	()
Meadow Creek Lake	046960	1 (100.00%)	()	()	()
Meadow Lake	077790	1 (100.00%)	()	()	()
Meadow Lake #1	068683	1 (100.00%)	()	()	()
Medicine Lake	166975	5 (62.50%)	3 (37.50%)	()	()
Medicine Lodge Creek	014860	1 (100.00%)	()	()	()
Mermaid Lake	228662	2 (100.00%)	()	()	()
Middle Cottonwood Creek	093724	1 (100.00%)	()	()	()
Middle Thompson Lake	059232	4 (5.63%)	51 (71.83%)	5 (7.04%)	11 (15.49%)
Midvale Creek	143560	1 (100.00%)	()	()	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Milk River Drainage	156615	()	()	()	1 (100.00%)
Milk River Drainage	159500	()	1 (100.00%)	()	()
Milk River Sec 01	152680	16 (80.00%)	1 (5.00%)	3 (15.00%)	()
Milk River Sec 02	152720	7 (87.50%)	()	1 (12.50%)	()
Milk River Sec 03	152760	15 (83.33%)	2 (11.11%)	1 (5.56%)	()
Milk River Sec 04	152800	5 (71.43%)	2 (28.57%)	()	()
Milk River Sec 05	152840	2 (100.00%)	()	()	()
Milk River Sec 06	152880	()	()	1 (100.00%)	()
Mill Coulee	203775	2 (100.00%)	()	()	()
Mill Creek	015020	1 (100.00%)	()	()	()
Mill Creek	054800	5 (100.00%)	()	()	()
Mill Creek	064142	1 (100.00%)	()	()	()
Mill Creek	224172	3 (100.00%)	()	()	()
Miller Creek	033975	1 (100.00%)	()	()	()
Miller Creek Gravel Pit	038663	2 (100.00%)	()	()	()
Miller Gulch	174816	()	1 (100.00%)	()	()
Miller Lake	119180	()	1 (100.00%)	()	()
Millers Creek Lake	068740	1 (100.00%)	()	()	()
Mine Lake	137960	1 (100.00%)	()	()	()
Miner Creek	133920	1 (100.00%)	()	()	()
Miner Lake	028525	3 (60.00%)	1 (20.00%)	1 (20.00%)	()
Minneopa Lake	019120	1 (100.00%)	()	()	()
Minor Lake	119220	()	()	()	1 (100.00%)
Minton Creek	054944	1 (100.00%)	()	()	()
Mission Creek	072900	2 (100.00%)	()	()	()
Mission Lake, Lower	148080	1 (25.00%)	3 (75.00%)	()	()
Mission Reservoir	077880	1 (100.00%)	()	()	()
Missoula Kids Pond	068379	2 (100.00%)	()	()	()
Missoula Lake	059248	3 (60.00%)	()	2 (40.00%)	()
Missouri River Drainage	161590	()	()	()	1 (100.00%)
Missouri River Drainage	164468	2 (100.00%)	()	()	()
Missouri River Drainage	164885	1 (100.00%)	()	()	()
Missouri River Drainage	165095	9 (81.82%)	2 (18.18%)	()	()
Missouri River Drainage	165210	()	()	1 (100.00%)	()
Missouri River Drainage	165835	1 (100.00%)	()	()	()
Missouri River Drainage	166118	1 (100.00%)	()	()	()
Missouri River Drainage	167650	()	()	1 (33.33%)	2 (66.67%)
Missouri River Drainage	168670	1 (100.00%)	()	()	()
Missouri River Drainage	171048	1 (100.00%)	()	()	()
Missouri River Drainage	171270	3 (75.00%)	()	1 (25.00%)	()

Water Name	Code	Shore	Boat	Both	Ice
Missouri River Drainage	174055	1 (100.00%)	()	()	()
Missouri River Drainage	174600	1 (100.00%)	()	()	()
Missouri River Drainage	178772	()	()	1 (100.00%)	()
Missouri River Drainage	178838	2 (66.67%)	1 (33.33%)	()	()
Missouri River Drainage	179175	1 (100.00%)	()	()	()
Missouri River Drainage	179225	3 (75.00%)	()	1 (25.00%)	()
Missouri River Drainage	179255	()	()	1 (100.00%)	()
Missouri River Sec 01	162420	11 (52.38%)	4 (19.05%)	4 (19.05%)	2 (9.52%)
Missouri River Sec 05	162500	11 (47.83%)	11 (47.83%)	1 (4.35%)	()
Missouri River Sec 06	162520	()	1 (100.00%)	()	()
Missouri River Sec 06a	162521	60 (50.00%)	31 (25.83%)	26 (21.67%)	3 (2.50%)
Missouri River Sec 06b	162522	32 (51.61%)	18 (29.03%)	12 (19.35%)	()
Missouri River Sec 07	174864	72 (63.72%)	30 (26.55%)	11 (9.73%)	()
Missouri River Sec 08	174880	121 (63.68%)	48 (25.26%)	21 (11.05%)	()
Missouri River Sec 09	174896	230 (33.00%)	352 (50.50%)	112 (16.07%)	3 (0.43%)
Missouri River Sec 10	174913	133 (53.85%)	87 (35.22%)	26 (10.53%)	1 (0.40%)
Missouri River Sec 11	174928	24 (50.00%)	13 (27.08%)	6 (12.50%)	5 (10.42%)
Missouri River Sec 12	174944	15 (65.22%)	5 (21.74%)	2 (8.70%)	1 (4.35%)
Mitchel Slough	034030	()	()	1 (100.00%)	()
Mitten Lake	148248	1 (11.11%)	5 (55.56%)	2 (22.22%)	1 (11.11%)
Monroe Gulch	054962	()	()	()	1 (100.00%)
Monture Creek	043690	8 (88.89%)	()	1 (11.11%)	()
Moon Lake	228708	1 (100.00%)	()	()	()
Moore Lake	059264	2 (66.67%)	1 (33.33%)	()	()
Moose Creek	024025	1 (100.00%)	()	()	()
Moose Creek	024050	3 (100.00%)	()	()	()
Moose Creek	024100	1 (100.00%)	()	()	()
Moose Creek	034075	1 (100.00%)	()	()	()
Moose Creek	093952	1 (100.00%)	()	()	()
Moose Creek	175040	1 (100.00%)	()	()	()
Moose Creek	175056	12 (92.31%)	()	1 (7.69%)	()
Moose Lake	068759	2 (28.57%)	2 (28.57%)	3 (42.86%)	()
Moose Lake	089240	3 (75.00%)	1 (25.00%)	()	()
Morony Dam Lake	179296	5 (100.00%)	()	()	()
Morrell Creek	043750	1 (100.00%)	()	()	()
Morrison Lake	019160	1 (33.33%)	1 (33.33%)	1 (33.33%)	()
Moss Creek	072980	()	1 (100.00%)	()	()
Mud Creek	114500	1 (100.00%)	()	()	()
Mud Lake	068835	1 (100.00%)	()	()	()
Mud Lake	078000	()	3 (100.00%)	()	()

Water Name	Code	Shore	Boat	Both	Ice
Murphy Lake	119280	4 (28.57%)	8 (57.14%)	()	2 (14.29%)
Murray Lake	078080	7 (63.64%)	3 (27.27%)	1 (9.09%)	()
Murry Reservoir	167117	()	()	()	1 (100.00%)
Muskrat Creek	105000	1 (100.00%)	()	()	()
Musselshell River Drainage	183815	1 (100.00%)	()	()	()
Musselshell River Drainage	188610	4 (57.14%)	2 (28.57%)	1 (14.29%)	()
Musselshell River Drainage	188749	()	1 (100.00%)	()	()
Musselshell River Drainage	189455	1 (20.00%)	2 (40.00%)	2 (40.00%)	()
Musselshell River Sec 01	184320	30 (88.24%)	1 (2.94%)	3 (8.82%)	()
Musselshell River Sec 02	184350	17 (89.47%)	1 (5.26%)	1 (5.26%)	()
Mussigbrod Creek	024150	1 (100.00%)	()	()	()
Mussigbrod Lake	028625	4 (44.44%)	4 (44.44%)	1 (11.11%)	()
Myron Lake	119290	2 (66.67%)	1 (33.33%)	()	()
Mystic Lake	028650	6 (100.00%)	()	()	()
Mystic Lake	099082	5 (100.00%)	()	()	()
Mystic Lake	228764	15 (88.24%)	()	1 (5.88%)	1 (5.88%)
N Fk Bear Creek	134240	1 (100.00%)	()	()	()
N Fk Big Hole River	024275	1 (100.00%)	()	()	()
N Fk Blackfoot River	043960	16 (84.21%)	2 (10.53%)	1 (5.26%)	()
N Fk Flathead River	085100	19 (28.36%)	27 (40.30%)	21 (31.34%)	()
N Fk Flatwillow Creek	184560	1 (100.00%)	()	()	()
N Fk Flint Creek	064503	2 (100.00%)	()	()	()
N Fk Little Boulder River	105120	1 (100.00%)	()	()	()
N Fk Sage Creek	015520	1 (100.00%)	()	()	()
N Fk Sun River	204400	10 (83.33%)	()	2 (16.67%)	()
Nelson Creek	162650	1 (100.00%)	()	()	()
Nelson Lake	038675	1 (100.00%)	()	()	()
Nelson Reservoir	156480	4 (5.00%)	51 (63.75%)	4 (5.00%)	21 (26.25%)
Nelson Reservoir	167190	()	()	()	3 (100.00%)
Nelson Reservoir	167192	1 (11.11%)	3 (33.33%)	()	5 (55.56%)
Nelson Spring Creek	224305	9 (100.00%)	()	()	()
Nevada Creek	043900	5 (100.00%)	()	()	()
Nevada Creek	184380	1 (100.00%)	()	()	()
Nevada Lake	047020	4 (33.33%)	3 (25.00%)	1 (8.33%)	4 (33.33%)
Newlan Creek Reservoir	179330	29 (46.03%)	13 (20.63%)	15 (23.81%)	6 (9.52%)
Nez Perce Fork Bitterroot R	034275	()	()	1 (100.00%)	()
Nilan Reservoir	207900	17 (31.48%)	20 (37.04%)	10 (18.52%)	7 (12.96%)
Ninemile Creek	055168	3 (75.00%)	1 (25.00%)	()	()
Ninepipe Reservoir	078100	5 (55.56%)	2 (22.22%)	2 (22.22%)	()
Ninepipes Pond	075190	()	()	()	1 (100.00%)

Water Name	Code	Shore	Boat	Both	Ice
No Tellum Reservoir	078128	1 (100.00%)	()	()	()
Noble Lake	019220	1 (100.00%)	()	()	()
North Faber Reservoir	156535	2 (100.00%)	()	()	()
North Meadow Creek	134360	1 (100.00%)	()	()	()
North Picket Pin Lake	228880	()	2 (100.00%)	()	()
North Willow Creek	105160	2 (100.00%)	()	()	()
Norton Gulch	064617	1 (100.00%)	()	()	()
Noxon Rapids Reservoir	059328	35 (23.33%)	88 (58.67%)	13 (8.67%)	14 (9.33%)
O'Brien Pond	167300	()	()	1 (100.00%)	()
Odegard Reservoir	167350	()	2 (100.00%)	()	()
Odell Creek	024375	1 (100.00%)	()	()	()
O'Dell Creek	134400	6 (100.00%)	()	()	()
O'Dell Lake	028675	1 (100.00%)	()	()	()
Oil Pump Reservoir	216238	1 (50.00%)	1 (50.00%)	()	()
Oregon Gulch	055376	2 (100.00%)	()	()	()
Oregon Lake	059343	1 (100.00%)	()	()	()
Oregon Lake	059345	4 (100.00%)	()	()	()
Ostle Reservoir	148420	()	()	1 (100.00%)	()
Otter Creek	175696	5 (100.00%)	()	()	()
Otter Creek	224550	1 (100.00%)	()	()	()
Otter Lake	228834	()	()	1 (100.00%)	()
Outlaw Lake	059350	1 (100.00%)	()	()	()
Overwhich Creek	034575	2 (100.00%)	()	()	()
Owl Creek	044110	1 (100.00%)	()	()	()
Pablo Reservoir	078160	1 (50.00%)	()	1 (50.00%)	()
Painted Rocks Lake	038750	6 (50.00%)	6 (50.00%)	()	()
Palisade Lakes	089420	1 (100.00%)	()	()	()
Panton Coulee Reservoir	165070	6 (100.00%)	()	()	()
Paola Creek	085340	1 (100.00%)	()	()	()
Park Lake	179376	5 (62.50%)	1 (12.50%)	2 (25.00%)	()
Parker Lake	047080	1 (100.00%)	()	()	()
Parker Lake #1	078200	1 (100.00%)	()	()	()
Parmenter Creek	114920	1 (100.00%)	()	()	()
Parson Dam	179392	()	1 (100.00%)	()	()
Payola Reservoir	188700	2 (100.00%)	()	()	()
Pear Lake	028725	1 (100.00%)	()	()	()
Peck Reservoir	167521	()	()	1 (100.00%)	()
Pelican Point Gravel Pits	179394	1 (100.00%)	()	()	()
Pelican Point Pond #1	179393	4 (100.00%)	()	()	()
Pelican Point Pond #2	179395	1 (100.00%)	()	()	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Pentad Lake	228872	1 (100.00%)	()	()	()
Peoples Creek	153240	1 (50.00%)	1 (50.00%)	()	()
Pete Creek	115040	2 (100.00%)	()	()	()
Peterson Lake	028750	()	1 (100.00%)	()	()
Peterson Lake	038825	1 (100.00%)	()	()	()
Peterson Lake	078245	2 (50.00%)	()	1 (25.00%)	1 (25.00%)
Petrolia Reservoir	188720	2 (12.50%)	11 (68.75%)	1 (6.25%)	2 (12.50%)
Pettengill Creek	024500	5 (100.00%)	()	()	()
Petty Creek	055552	1 (100.00%)	()	()	()
Phantom Lakes	228876	1 (100.00%)	()	()	()
Phyllis Lake, Lower	068569	1 (100.00%)	()	()	()
Picasso Lake	228877	1 (100.00%)	()	()	()
Piedmont Pond	109365	8 (100.00%)	()	()	()
Pierce Lake	078280	()	1 (100.00%)	()	()
Pine Creek	115100	3 (100.00%)	()	()	()
Pine Creek	224662	5 (100.00%)	()	()	()
Pinkham Creek	115140	3 (100.00%)	()	()	()
Pinnow Reservoir	217275	1 (33.33%)	1 (33.33%)	1 (33.33%)	()
Pintlar Creek	024550	2 (100.00%)	()	()	()
Pintlar Lake	028800	()	1 (100.00%)	()	()
Pioneer Lake	028825	()	1 (100.00%)	()	()
Pipe Creek	115160	2 (100.00%)	()	()	()
Piper Creek	073440	1 (100.00%)	()	()	()
Piper Lake	077580	2 (100.00%)	()	()	()
Pishkun Reservoir	207950	9 (18.00%)	14 (28.00%)	8 (16.00%)	19 (38.00%)
Placid Lake	047140	9 (23.68%)	18 (47.37%)	8 (21.05%)	3 (7.89%)
Placid Lake	228918	1 (25.00%)	2 (50.00%)	()	1 (25.00%)
Pleasant Valley Fisher R	115200	1 (50.00%)	1 (50.00%)	()	()
Ployhar Pond	188780	1 (100.00%)	()	()	()
Poindexter Slough	015890	6 (85.71%)	1 (14.29%)	()	()
Poorman Creek	115240	1 (100.00%)	()	()	()
Poplar River Sec 01	162820	7 (77.78%)	()	1 (11.11%)	1 (11.11%)
Porcupine Creek	094598	2 (100.00%)	()	()	()
Portal Creek	094636	1 (100.00%)	()	()	()
Post Creek	073560	3 (100.00%)	()	()	()
Potosi Spring Ck	105160	2 (100.00%)	()	()	()
Pow Wow Pond	179504	1 (100.00%)	()	()	()
Powder River	210750	5 (83.33%)	1 (16.67%)	()	()
Pr 020 Reservoir	167780	1 (100.00%)	()	()	()
Prickly Pear Creek	176032	11 (84.62%)	()	2 (15.38%)	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Princess Lake	228932	1 (100.00%)	()	()	()
Prospect Creek	055648	5 (100.00%)	()	()	()
Pryett Creek	176048	1 (100.00%)	()	()	()
Pryor Creek Sec 01	224802	1 (100.00%)	()	()	()
Quartz Creek	085650	1 (100.00%)	()	()	()
Racetrack Creek	065073	3 (60.00%)	1 (20.00%)	1 (20.00%)	()
Racetrack Lake	069044	()	()	1 (100.00%)	()
Railroad Creek	034850	1 (100.00%)	()	()	()
Railroad Creek	144520	1 (100.00%)	()	()	()
Rainbow Dog Lake	059408	2 (33.33%)	3 (50.00%)	()	1 (16.67%)
Rainbow Lake	059392	1 (100.00%)	()	()	()
Rainbow Lake	069063	1 (100.00%)	()	()	()
Rainbow Lake	078360	()	1 (100.00%)	()	()
Rainbow Lake	138870	1 (100.00%)	()	()	()
Rainbow Lake	228960	1 (100.00%)	()	()	()
Rainbow Lake #2	228946	1 (100.00%)	()	()	()
Rainbow Lakes	228946	1 (100.00%)	()	()	()
Rainy Lake	047170	7 (43.75%)	8 (50.00%)	1 (6.25%)	()
Ramshorn Lake	099272	1 (100.00%)	()	()	()
Ranch Creek	065111	1 (100.00%)	()	()	()
Rat Lake	099310	2 (33.33%)	1 (16.67%)	3 (50.00%)	()
Rattlebone Lake	119430	()	()	2 (100.00%)	()
Rattlesnake Creek	065149	11 (100.00%)	()	()	()
Rattlesnake Reservoir	217505	()	()	1 (100.00%)	()
Ray Creek	176160	1 (100.00%)	()	()	()
Rebate Reservoir	167750	1 (100.00%)	()	()	()
Red Lodge Creek	224886	4 (80.00%)	1 (20.00%)	()	()
Red Meadow Creek	085760	1 (100.00%)	()	()	()
Red Meadow Lake	089540	3 (30.00%)	7 (70.00%)	()	()
Red Rock Creek	016180	1 (100.00%)	()	()	()
Red Rock Creek	106040	1 (100.00%)	()	()	()
Red Rock Lake, Lower	019080	1 (100.00%)	()	()	()
Red Rock River Sec 01	016140	13 (92.86%)	1 (7.14%)	()	()
Red Rock River Sec 02	016160	1 (100.00%)	()	()	()
Redfields Lake	228981	()	()	()	1 (100.00%)
Redwater River	162940	2 (66.67%)	()	()	1 (33.33%)
Regulating Reservoir	179075	9 (40.91%)	8 (36.36%)	3 (13.64%)	2 (9.09%)
Renshaw Lake	208000	()	()	1 (100.00%)	()
Reser Reservoir	158860	1 (50.00%)	1 (50.00%)	()	()
Reservoir Lake	019380	5 (55.56%)	1 (11.11%)	3 (33.33%)	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Reservoir Lake	136921	()	1 (100.00%)	()	()
River Rock Pond	099340	1 (100.00%)	()	()	()
Roaring Lion Creek	034925	1 (100.00%)	()	()	()
Robb Creek	016220	2 (100.00%)	()	()	()
Rock Creek	024900	3 (100.00%)	()	()	()
Rock Creek	044500	1 (100.00%)	()	()	()
Rock Creek	055920	3 (100.00%)	()	()	()
Rock Creek	055936	2 (100.00%)	()	()	()
Rock Creek	065225	1 (100.00%)	()	()	()
Rock Creek	065244	1 (100.00%)	()	()	()
Rock Creek	134760	1 (100.00%)	()	()	()
Rock Creek	153340	()	1 (50.00%)	1 (50.00%)	()
Rock Creek	163042	()	1 (100.00%)	()	()
Rock Creek	176192	1 (100.00%)	()	()	()
Rock Creek	176224	1 (100.00%)	()	()	()
Rock Creek	224998	3 (100.00%)	()	()	()
Rock Creek Lake	069082	1 (100.00%)	()	()	()
Rock Creek Lake #1	229023	2 (100.00%)	()	()	()
Rock Creek reservoir	067695	12 (30.77%)	14 (35.90%)	10 (25.64%)	3 (7.69%)
Rock Creek Sec 01	065263	178 (81.28%)	30 (13.70%)	11 (5.02%)	()
Rock Creek Sec 01	224928	86 (88.66%)	5 (5.15%)	6 (6.19%)	()
Rock Creek Sec 02	065282	81 (77.14%)	14 (13.33%)	10 (9.52%)	()
Rock Creek Sec 02	224956	3 (75.00%)	()	1 (25.00%)	()
Rock Island Lake	229030	5 (83.33%)	()	1 (16.67%)	()
Rock Island Lakes	028925	1 (100.00%)	()	()	()
Rock Lake	119460	1 (100.00%)	()	()	()
Rocky Creek	094938	7 (100.00%)	()	()	()
Rogers Lake	078400	2 (7.14%)	18 (64.29%)	5 (17.86%)	3 (10.71%)
Romy Lake	019400	()	1 (100.00%)	()	()
Rose Creek	205150	1 (100.00%)	()	()	()
Rosebud Creek	225026	8 (88.89%)	()	1 (11.11%)	()
Ross Fork Rock Creek	065320	1 (100.00%)	()	()	()
Ross Reservoir	159160	1 (100.00%)	()	()	()
Round Lake	229044	2 (28.57%)	()	()	5 (71.43%)
Ruby Creek	025000	2 (66.67%)	()	()	1 (33.33%)
Ruby Creek	134840	2 (100.00%)	()	()	()
Ruby River Reservoir	019440	18 (28.13%)	24 (37.50%)	3 (4.69%)	19 (29.69%)
Ruby River Sec 01	016360	112 (81.75%)	18 (13.14%)	5 (3.65%)	2 (1.46%)
Ruby River Sec 02	016380	11 (61.11%)	3 (16.67%)	4 (22.22%)	()
Rumble Lake, Lower	077590	1 (100.00%)	()	()	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Running Wolf Creek	163160	1 (100.00%)	()	()	()
Russell Lake	229072	1 (100.00%)	()	()	()
S Fk Cow Creek	163510	1 (100.00%)	()	()	()
S Fk Flathead River	086660	32 (49.23%)	15 (23.08%)	18 (27.69%)	()
S Fk Hemler Creek	074140	1 (100.00%)	()	()	()
S Fk Horse Creek	225768	1 (100.00%)	()	()	()
S Fk Judith River	163520	5 (100.00%)	()	()	()
S Fk Little Joe Creek	056672	1 (100.00%)	()	()	()
S Fk Lolo Creek	035800	()	()	1 (100.00%)	()
S Fk Madison River	135400	2 (50.00%)	()	2 (50.00%)	()
S Fk Sixteenmile Creek	177040	1 (100.00%)	()	()	()
S Fk Smith River	177056	1 (100.00%)	()	()	()
S Fk Sun River	205600	10 (90.91%)	()	1 (9.09%)	()
S Fk Two Medicine River	145680	1 (100.00%)	()	()	()
S Fk W Fk Gallatin River	095624	2 (66.67%)	()	1 (33.33%)	()
Sacajawea Park Lagoon	229086	()	1 (100.00%)	()	()
Sage Creek	163200	3 (100.00%)	()	()	()
Sage Creek	225110	1 (50.00%)	()	1 (50.00%)	()
Sagebrush Creek	176400	()	3 (75.00%)	1 (25.00%)	()
Salmo Reservoir	159175	1 (100.00%)	()	()	()
Salmon Lake	047230	12 (23.53%)	22 (43.14%)	8 (15.69%)	9 (17.65%)
Sand Basin Creek	065415	1 (100.00%)	()	()	()
Sanders Lake	069139	1 (100.00%)	()	()	()
Sandstone Creek	210880	1 (50.00%)	()	1 (50.00%)	()
Sandstone Reservoir	218775	3 (23.08%)	9 (69.23%)	()	1 (7.69%)
Savage Lake	119480	4 (36.36%)	4 (36.36%)	3 (27.27%)	()
Sawmill Creek	035150	1 (100.00%)	()	()	()
Sawtooth Creek	035175	1 (100.00%)	()	()	()
Sawtooth Lake	019460	3 (100.00%)	()	()	()
Schultz Lake	029000	1 (100.00%)	()	()	()
Schultzs Pond	019480	1 (100.00%)	()	()	()
Scott Lake	089620	1 (100.00%)	()	()	()
Scott Reservoir	179488	()	()	()	1 (100.00%)
Seeley Creek	044660	1 (100.00%)	()	()	()
Seeley Lake	047260	16 (22.54%)	26 (36.62%)	13 (18.31%)	16 (22.54%)
Sentinel Reservoir	168220	3 (75.00%)	()	1 (25.00%)	()
September Morn Lake	229128	1 (100.00%)	()	()	()
Sevenmile Creek	176512	1 (100.00%)	()	()	()
Seventeenmile Creek	115800	2 (100.00%)	()	()	()
Shady Lane Pond	078598	5 (83.33%)	1 (16.67%)	()	()

Water Name	Code	Shore	Boat	Both	Ice
Shay Lake	078600	1 (100.00%)	()	()	()
Sheep Creek	016760	1 (100.00%)	()	()	()
Sheep Creek	044800	1 (100.00%)	()	()	()
Sheep Creek	176544	16 (94.12%)	1 (5.88%)	()	()
Sheep Creek	176576	3 (100.00%)	()	()	()
Sheeps Head Creek	035350	1 (100.00%)	()	()	()
Shelf Lake	229156	1 (100.00%)	()	()	()
Shields River Sec 01	225334	13 (92.86%)	()	1 (7.14%)	()
Shields River Sec 02	225348	15 (93.75%)	()	()	1 (6.25%)
Shields River Sec 03	225362	6 (100.00%)	()	()	()
Shields River Spring Creek	225368	1 (100.00%)	()	()	()
Shonkin Creek	176656	11 (100.00%)	()	()	()
Shultz Creek	025500	1 (100.00%)	()	()	()
Silver Bow Creek	065761	2 (66.67%)	1 (33.33%)	()	()
Silver Butte Creek	115979	1 (100.00%)	()	()	()
Silver Butte Fisher River	115980	1 (100.00%)	()	()	()
Silver Creek	176704	2 (100.00%)	()	()	()
Silver King Lake	047320	()	1 (100.00%)	()	()
Silver Lake	069196	1 (100.00%)	()	()	()
Silver Lake	229184	()	()	()	1 (100.00%)
Silver Lake	229185	1 (100.00%)	()	()	()
Sioux Charley Lake	229198	4 (100.00%)	()	()	()
Sixmile Creek	225502	1 (100.00%)	()	()	()
Sixteenmile Creek	176736	9 (90.00%)	()	1 (10.00%)	()
Skalkaho Creek	035475	7 (100.00%)	()	()	()
Sleeping Child Creek	035550	6 (100.00%)	()	()	()
Sliderock Lake	229240	2 (100.00%)	()	()	()
Slough Creek	225586	6 (100.00%)	()	()	()
Slough Lake	229254	1 (100.00%)	()	()	()
Smeller Lake	229268	1 (100.00%)	()	()	()
Smith Cattle Inc Pond #1	168333	1 (100.00%)	()	()	()
Smith Creek	095320	1 (100.00%)	()	()	()
Smith Creek	205500	1 (100.00%)	()	()	()
Smith Lake	078700	9 (20.93%)	18 (41.86%)	1 (2.33%)	15 (34.88%)
Smith River Reservoir	179616	7 (38.89%)	9 (50.00%)	()	2 (11.11%)
Smith River Sec 01	176816	33 (63.46%)	11 (21.15%)	8 (15.38%)	()
Smith River Sec 02	176832	34 (29.31%)	53 (45.69%)	29 (25.00%)	()
Smith River Sec 03	176833	19 (33.93%)	23 (41.07%)	14 (25.00%)	()
Snow Lake - Lower	229296	1 (100.00%)	()	()	()
Snow Lake - Upper	229297	1 (100.00%)	()	()	()

Water Name	Code	Shore	Boat	Both	Ice
Snowbank Lake	047340	2 (100.00%)	()	()	()
Snowbank Lake	229311	2 (100.00%)	()	()	()
Snowshoe Creek	065871	2 (100.00%)	()	()	()
Soda Butte Creek	225684	11 (100.00%)	()	()	()
Sophie Lake	119620	()	5 (50.00%)	1 (10.00%)	4 (40.00%)
South Boulder River	106760	3 (75.00%)	1 (25.00%)	()	()
South Cottonwood Creek	095472	3 (75.00%)	1 (25.00%)	()	()
South Crow Creek Lake #1	078750	1 (100.00%)	()	()	()
South Fork Lake	039150	1 (100.00%)	()	()	()
South Frying Pan Creek	017240	1 (100.00%)	()	()	()
South Meadow Creek Lake	138480	1 (100.00%)	()	()	()
South Sandstone Reservoir	218775	3 (23.08%)	9 (69.23%)	()	1 (7.69%)
South Willow Creek	106880	3 (100.00%)	()	()	()
Spanish Creek	095662	4 (100.00%)	()	()	()
Spanish Lakes	099424	1 (100.00%)	()	()	()
Spanky Reservoir	168354	1 (100.00%)	()	()	()
Spar Lake	119640	2 (40.00%)	2 (40.00%)	()	1 (20.00%)
Specimen Creek	177104	1 (100.00%)	()	()	()
Speculator Lake	229333	1 (100.00%)	()	()	()
Spencer Lake	078800	()	()	1 (100.00%)	()
Spill Lake	078820	()	()	()	1 (100.00%)
Split Rock Lake	208200	2 (50.00%)	1 (25.00%)	()	1 (25.00%)
Spogen Lake	228445	1 (100.00%)	()	()	()
Spook Lake	047350	3 (60.00%)	1 (20.00%)	1 (20.00%)	()
Spoon Lake	089720	()	1 (100.00%)	()	()
Spotted Bear River	086740	8 (80.00%)	1 (10.00%)	1 (10.00%)	()
Spotted Eagle Reservoir	218815	17 (89.47%)	1 (5.26%)	1 (5.26%)	()
Spring Creek	017260	1 (100.00%)	()	()	()
Spring Creek	074280	1 (100.00%)	()	()	()
Spring Creek	095852	1 (100.00%)	()	()	()
Spring Creek	177184	1 (100.00%)	()	()	()
Spring Creek	177200	1 (100.00%)	()	()	()
Spring Creek	185630	1 (100.00%)	()	()	()
Spring Meadow Creek	086820	1 (100.00%)	()	()	()
Spring Meadow Lake	179074	15 (78.95%)	()	3 (15.79%)	1 (5.26%)
Spud Lake	039250	1 (100.00%)	()	()	()
Squaw Creek	095966	2 (100.00%)	()	()	()
St Louis Gulch	017395	1 (100.00%)	()	()	()
St Mary Lake	078480	1 (100.00%)	()	()	()
St Mary Lake, Lower	191200	()	1 (50.00%)	()	1 (50.00%)

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
St Mary River	190500	3 (100.00%)	()	()	()
St Regis River	056064	18 (78.26%)	2 (8.70%)	3 (13.04%)	()
Star Lake	229338	()	()	1 (100.00%)	()
Stewart Lake	069253	1 (33.33%)	2 (66.67%)	()	()
Stillwater Lake, Lower	077600	()	14 (77.78%)	()	4 (22.22%)
Stillwater River	074420	12 (46.15%)	8 (30.77%)	2 (7.69%)	4 (15.38%)
Stillwater River Sec 01	226104	131 (66.16%)	45 (22.73%)	21 (10.61%)	1 (0.51%)
Stillwater River Sec 02	226118	60 (78.95%)	11 (14.47%)	5 (6.58%)	()
Stopher Creek	074460	()	1 (100.00%)	()	()
Storm Lake	069291	5 (50.00%)	2 (20.00%)	3 (30.00%)	()
Storm Lake Creek	066327	1 (100.00%)	()	()	()
Sullivan Creek	177408	1 (100.00%)	()	()	()
Sulphur Bar Creek	177424	1 (100.00%)	()	()	()
Sun River Drainage	207010	1 (20.00%)	()	3 (60.00%)	1 (20.00%)
Sun River Drainage	208310	1 (100.00%)	()	()	()
Sun River Sec 01	206050	6 (85.71%)	()	1 (14.29%)	()
Sun River Sec 02	206100	47 (78.33%)	6 (10.00%)	7 (11.67%)	()
Sun River Slope Canal	206110	1 (100.00%)	()	()	()
Sunday Creek	074540	1 (100.00%)	()	()	()
Sunlight Creek	226188	1 (100.00%)	()	()	()
Sureshot Lakes	138560	2 (33.33%)	2 (33.33%)	2 (33.33%)	()
Surveyor Lake	059616	1 (100.00%)	()	()	()
Swamp Creek	045385	1 (100.00%)	()	()	()
Swamp Creek	057088	1 (100.00%)	()	()	()
Swamp Creek	116720	1 (100.00%)	()	()	()
Swan Creek	096118	5 (100.00%)	()	()	()
Swan Lake	019620	()	()	()	1 (100.00%)
Swan Lake	079000	10 (19.23%)	34 (65.38%)	7 (13.46%)	1 (1.92%)
Swan River Sec 01	074560	27 (54.00%)	15 (30.00%)	8 (16.00%)	()
Swan River Sec 02	074580	15 (83.33%)	1 (5.56%)	2 (11.11%)	()
Swartz Creek	065605	1 (50.00%)	1 (50.00%)	()	()
Swazee Lake	208300	1 (100.00%)	()	()	()
Sweet Grass Creek	226230	6 (85.71%)	()	1 (14.29%)	()
Swift Creek	074960	2 (100.00%)	()	()	()
Swift Dam	149160	2 (50.00%)	()	2 (50.00%)	()
Swimming Woman Creek	186150	1 (100.00%)	()	()	()
Swisher Lake	119710	()	1 (100.00%)	()	()
Sylvan Lake	119720	1 (100.00%)	()	()	()
Sylvan Lake	229394	2 (100.00%)	()	()	()
Sylvia Lake	079040	()	2 (100.00%)	()	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Taint Reservoir	168475	()	()	1 (100.00%)	()
Tally Lake	079060	5 (27.78%)	9 (50.00%)	4 (22.22%)	()
Tamarack Lake	039337	1 (100.00%)	()	()	()
Tamarack Lake	069329	1 (100.00%)	()	()	()
Taylor Creek	017600	1 (100.00%)	()	()	()
Taylor Fork Gallatin River	096232	14 (87.50%)	1 (6.25%)	1 (6.25%)	()
Teddy Creek	017620	1 (100.00%)	()	()	()
Tenderfoot Creek	177536	2 (66.67%)	()	1 (33.33%)	()
Tendoy Lake	029275	2 (100.00%)	()	()	()
Tenmile Creek	177552	3 (100.00%)	()	()	()
Terrace Lake	059648	2 (66.67%)	()	1 (33.33%)	()
Teton River Sec 01	146000	1 (100.00%)	()	()	()
Teton River Sec 02	146040	7 (100.00%)	()	()	()
Tetrault Lake	118060	2 (11.11%)	10 (55.56%)	2 (11.11%)	4 (22.22%)
Thain Creek	177568	3 (100.00%)	()	()	()
Thayer Creek	026287	2 (100.00%)	()	()	()
Therriault Creek	116860	2 (100.00%)	()	()	()
Thiel's Pond	229402	1 (100.00%)	()	()	()
Thomas Reservoir	168480	1 (100.00%)	()	()	()
Thompson Creek	096346	1 (100.00%)	()	()	()
Thompson Creek	120425	1 (100.00%)	()	()	()
Thompson Falls Reservoir	059664	1 (50.00%)	()	1 (50.00%)	()
Thompson Lake	099500	1 (100.00%)	()	()	()
Thompson Lake, Lower	059152	4 (14.29%)	17 (60.71%)	1 (3.57%)	6 (21.43%)
Thompson Park Pond	059668	1 (100.00%)	()	()	()
Thompson River Sec 01	057248	69 (84.15%)	6 (7.32%)	4 (4.88%)	3 (3.66%)
Thompson River Sec 02	057264	7 (77.78%)	()	2 (22.22%)	()
Three Forks Pond	138639	1 (100.00%)	()	()	()
Three Forks Pond	138640	1 (25.00%)	1 (25.00%)	2 (50.00%)	()
Thunderbolt Creek	107320	1 (100.00%)	()	()	()
Timber Lake	119800	()	()	1 (100.00%)	()
Timberline Creek	226300	1 (100.00%)	()	()	()
Tincup Lake	039400	1 (100.00%)	()	()	()
Tobacco River	116920	10 (66.67%)	2 (13.33%)	3 (20.00%)	()
Tom Poole Lake	119380	()	1 (50.00%)	1 (50.00%)	()
Tongue River Reservoir	219000	32 (15.69%)	124 (60.78%)	34 (16.67%)	14 (6.86%)
Tongue River Sec 01	211150	28 (96.55%)	()	1 (3.45%)	()
Tongue River Sec 02	211200	6 (60.00%)	3 (30.00%)	1 (10.00%)	()
Tongue River Sec 03	211250	6 (22.22%)	18 (66.67%)	2 (7.41%)	1 (3.70%)
Torrey Lake	029350	1 (100.00%)	()	()	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Toston Reservoir	179696	3 (37.50%)	2 (25.00%)	1 (12.50%)	2 (25.00%)
Track Lake	079110	1 (100.00%)	()	()	()
Trail Creek	017780	1 (100.00%)	()	()	()
Trail Creek	017800	1 (100.00%)	()	()	()
Trail Creek	026450	1 (100.00%)	()	()	()
Trail Creek	045520	1 (100.00%)	()	()	()
Trail Creek	116940	1 (100.00%)	()	()	()
Trail Creek	136160	1 (100.00%)	()	()	()
Trail Creek	146240	()	1 (100.00%)	()	()
Tranquil Basin Lakes	089880	()	()	1 (100.00%)	()
Transwestern East Pond	229484	1 (100.00%)	()	()	()
Trapper Creek	036500	1 (100.00%)	()	()	()
Triangle Pond	059685	7 (77.78%)	1 (11.11%)	1 (11.11%)	()
Triple Lakes	089920	1 (100.00%)	()	()	()
Trout Creek	057408	5 (100.00%)	()	()	()
Trout Creek	057424	1 (50.00%)	1 (50.00%)	()	()
Trout Creek	066688	2 (100.00%)	()	()	()
Truman Creek	074800	1 (100.00%)	()	()	()
Trumbo Pond	168618	1 (100.00%)	()	()	()
Tub Lake	029400	()	1 (100.00%)	()	()
Tuchuck Lake	089933	1 (100.00%)	()	()	()
Tunnel Lake	208400	8 (80.00%)	()	2 (20.00%)	()
Turgulse Lake	229513	1 (100.00%)	()	()	()
Turnley Creek	107520	2 (100.00%)	()	()	()
Twin Bridges Gravel Pond	019735	1 (100.00%)	()	()	()
Twin Creek	057568	1 (100.00%)	()	()	()
Twin Creek	087500	2 (100.00%)	()	()	()
Twin Lake	019740	1 (100.00%)	()	()	()
Twin Lake, Lower	068588	1 (100.00%)	()	()	()
Twin Lakes	029425	3 (75.00%)	1 (25.00%)	()	()
Twin Lakes	039475	2 (66.67%)	()	1 (33.33%)	()
Twin Lakes	079180	()	1 (100.00%)	()	()
Twin Lakes	138720	2 (66.67%)	()	1 (33.33%)	()
Twin Lakes Creek	057584	1 (100.00%)	()	()	()
Two Leggins Creek	226440	3 (100.00%)	()	()	()
Two Medicine Lake, Lower	148120	1 (33.33%)	2 (66.67%)	()	()
Two Medicine River	146320	3 (50.00%)	2 (33.33%)	1 (16.67%)	()
Ulerys Lake	138760	()	1 (100.00%)	()	()
Undesignated Waters	000035	5 (55.56%)	2 (22.22%)	2 (22.22%)	()
Undesignated Waters	000113	10 (71.43%)	1 (7.14%)	3 (21.43%)	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Undesignated Waters	000550	3 (100.00%)	()	()	()
Undesignated Waters	000575	2 (100.00%)	()	()	()
Undesignated Waters R3	003000	1 (100.00%)	()	()	()
Unnamed Lake	099705	()	1 (100.00%)	()	()
Unnamed Lake	229580	1 (100.00%)	()	()	()
Unnamed Lakes	079300	()	1 (100.00%)	()	()
Upper Aero Lake	229618	1 (100.00%)	()	()	()
Upper Barker Lake	069557	1 (100.00%)	()	()	()
Upper Carter Pond	164620	()	1 (33.33%)	()	2 (66.67%)
Upper Deer Creek	226454	4 (100.00%)	()	()	()
Upper Fish Trap Lake	057638	()	()	1 (100.00%)	()
Upper Foy Lake	079340	()	()	1 (100.00%)	()
Upper Hawkins Lake	118471	1 (100.00%)	()	()	()
Upper Jocko Lake	079380	1 (100.00%)	()	()	()
Upper Miner Lakes	029475	1 (100.00%)	()	()	()
Upper Red Rock Lake	019780	1 (100.00%)	()	()	()
Upper Stillwater Lake	079440	1 (5.26%)	14 (73.68%)	1 (5.26%)	3 (15.79%)
Upper Sylvan Lake	119920	()	1 (100.00%)	()	()
Upper Thompson Lake	059760	1 (3.33%)	16 (53.33%)	2 (6.67%)	11 (36.67%)
Upper Whitefish Lake	079460	2 (25.00%)	4 (50.00%)	2 (25.00%)	()
Upper Willow Creek	066783	1 (100.00%)	()	()	()
Upsata Lake	047560	2 (10.00%)	14 (70.00%)	()	4 (20.00%)
Urs Pond	168660	1 (100.00%)	()	()	()
Van Lake	079480	2 (18.18%)	8 (72.73%)	()	1 (9.09%)
Vandalia Dam	152680	16 (80.00%)	1 (5.00%)	3 (15.00%)	()
Vermilion River	057712	2 (100.00%)	()	()	()
Vernon Lake	229688	2 (66.67%)	1 (33.33%)	()	()
Vinal Lake	119940	3 (100.00%)	()	()	()
Voldseth Reservoir	189350	()	()	1 (100.00%)	()
Volf Reservoir	168703	()	1 (100.00%)	()	()
Vr 082 Reservoir	158240	()	()	()	1 (100.00%)
W Fk Bitterroot River	036800	35 (66.04%)	11 (20.75%)	7 (13.21%)	()
W Fk Blacktail Deer Creek	018120	2 (100.00%)	()	()	()
W Fk Combpest Creek	057872	()	1 (100.00%)	()	()
W Fk Dry Creek	057904	1 (100.00%)	()	()	()
W Fk Gallatin River	096764	2 (100.00%)	()	()	()
W Fk Madison River	136640	8 (88.89%)	()	1 (11.11%)	()
W Fk Rock Creek	067030	3 (100.00%)	()	()	()
W Fk Sleeman Creek	036900	()	1 (100.00%)	()	()
W Fk Stillwater R Sec 01	226664	3 (100.00%)	()	()	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
W Fk Swamp Creek	058064	1 (100.00%)	()	()	()
W Fk Upper Deer Creek	226706	1 (100.00%)	()	()	()
Wade Lake	138920	6 (17.65%)	21 (61.76%)	4 (11.76%)	3 (8.82%)
Wadsworth Reservoir	208470	7 (87.50%)	()	1 (12.50%)	()
Wagner Dam	168720	()	()	1 (100.00%)	()
Wall Lake	079500	3 (75.00%)	()	1 (25.00%)	()
Ward Creek	057760	1 (100.00%)	()	()	()
Warm Springs Creek	018020	1 (100.00%)	()	()	()
Warm Springs Creek	026750	3 (100.00%)	()	()	()
Warm Springs Creek	066859	13 (81.25%)	1 (6.25%)	2 (12.50%)	()
Warm Springs Creek	066878	3 (33.33%)	4 (44.44%)	2 (22.22%)	()
Warm Springs Creek	163920	9 (90.00%)	()	1 (10.00%)	()
Warm Springs Kids Pond	069671	()	1 (100.00%)	()	()
Waukena Lake	029625	2 (100.00%)	()	()	()
Webb Lake	047590	1 (100.00%)	()	()	()
Wednesday Lake	229728	1 (100.00%)	()	()	()
Welcome Creek	066916	1 (100.00%)	()	()	()
West Boulder River	226552	15 (93.75%)	()	1 (6.25%)	()
West Fisher Creek	117400	2 (100.00%)	()	()	()
West Rosebud Creek	226804	22 (81.48%)	4 (14.81%)	1 (3.70%)	()
West Rosebud Lake	229744	21 (75.00%)	5 (17.86%)	2 (7.14%)	()
West Tranquil Lake	089965	1 (100.00%)	()	()	()
Wet Creek	178328	1 (100.00%)	()	()	()
Whetstone Lake	069728	2 (100.00%)	()	()	()
Whitcomb Creek	087780	1 (100.00%)	()	()	()
White Gulch	178336	1 (100.00%)	()	()	()
White River	087820	5 (100.00%)	()	()	()
Whitefish Lake	079540	6 (9.84%)	38 (62.30%)	9 (14.75%)	8 (13.11%)
Whitefish River	074980	6 (66.67%)	1 (11.11%)	1 (11.11%)	1 (11.11%)
Whitehall Community Pond	109365	8 (100.00%)	()	()	()
Whiteside Reservoir #1	168820	1 (50.00%)	()	1 (50.00%)	()
Whitetail Creek	075000	()	1 (100.00%)	()	()
Whitetail Creek	107920	2 (100.00%)	()	()	()
Whitetail Creek	164120	()	1 (100.00%)	()	()
Whitetail Reservoir	168860	3 (100.00%)	()	()	()
Whitetail Reservoir	179840	()	()	1 (100.00%)	()
Wibaux Fish Pond	125252	1 (100.00%)	()	()	()
Wickiup Creek	136720	1 (100.00%)	()	()	()
Widewater Lake	229758	1 (100.00%)	()	()	()
Wild Bill Lake	229763	28 (96.55%)	()	1 (3.45%)	()

Water Name	Code	Shore	Boat	Both	Ice
Wild Horse Coulee Pond	229764	2 (100.00%)	()	()	()
Williams Creek	178443	1 (100.00%)	()	()	()
Williams Lake	119985	()	1 (100.00%)	()	()
Willow Creek	018280	1 (100.00%)	()	()	()
Willow Creek	045910	1 (100.00%)	()	()	()
Willow Creek	045940	()	2 (100.00%)	()	()
Willow Creek	058240	1 (100.00%)	()	()	()
Willow Creek	108000	7 (77.78%)	()	2 (22.22%)	()
Willow Creek	146720	1 (50.00%)	1 (50.00%)	()	()
Willow Creek	206550	1 (25.00%)	3 (75.00%)	()	()
Willow Creek	226916	()	()	1 (100.00%)	()
Willow Creek Res, Lower	068595	3 (75.00%)	1 (25.00%)	()	()
Willow Creek Reservoir	109440	7 (17.95%)	25 (64.10%)	3 (7.69%)	4 (10.26%)
Willow Creek Reservoir	179860	9 (42.86%)	3 (14.29%)	6 (28.57%)	3 (14.29%)
Willow Creek Reservoir	208500	27 (56.25%)	7 (14.58%)	4 (8.33%)	10 (20.83%)
Winter Harbor Pond	168975	1 (50.00%)	1 (50.00%)	()	()
Wise River	027025	34 (89.47%)	()	4 (10.53%)	()
Wishend Creek	046000	()	1 (100.00%)	()	()
Wolf Creek	117680	3 (100.00%)	()	()	()
Wolf Creek	164180	1 (100.00%)	()	()	()
Wolf Creek Canyon	174224	20 (86.96%)	()	3 (13.04%)	()
Wolverine Creek	117690	1 (100.00%)	()	()	()
Wolverine Lake, Lower	119175	2 (100.00%)	()	()	()
Wolverine Lake, Lowest	119090	1 (100.00%)	()	()	()
Wood Lake	208550	13 (56.52%)	3 (13.04%)	7 (30.43%)	()
Woods Lake	079580	3 (60.00%)	2 (40.00%)	()	()
Wright Pond	169000	2 (100.00%)	()	()	()
Wyman Creek	027075	5 (100.00%)	()	()	()
Yaak River Sec 01	117740	20 (76.92%)	4 (15.38%)	2 (7.69%)	()
Yaak River Sec 02	117760	4 (80.00%)	()	1 (20.00%)	()
Yellow Water Lake	189500	5 (27.78%)	6 (33.33%)	4 (22.22%)	3 (16.67%)
Yellow Weasel Pond	229833	()	2 (100.00%)	()	()
Yellowstone National Park	000100	41 (95.35%)	()	2 (4.65%)	()
Yellowstone River Drainage	212675	1 (100.00%)	()	()	()
Yellowstone River Drainage	217849	2 (100.00%)	()	()	()
Yellowstone River Drainage	217910	1 (100.00%)	()	()	()
Yellowstone River Drainage	227250	1 (50.00%)	1 (50.00%)	()	()
Yellowstone River Drainage	227428	2 (100.00%)	()	()	()
Yellowstone River Drainage	228865	2 (40.00%)	3 (60.00%)	()	()
Yellowstone River Drainage	229345	2 (100.00%)	()	()	()

<i>Water Name</i>	<i>Code</i>	<i>Shore</i>	<i>Boat</i>	<i>Both</i>	<i>Ice</i>
Yellowstone River Drainage	229390	1 (25.00%)	3 (75.00%)	()	()
Yellowstone River Drainage	229832	3 (100.00%)	()	()	()
Yellowstone River Sec 01	211350	126 (71.19%)	29 (16.38%)	21 (11.86%)	1 (0.56%)
Yellowstone River Sec 02	211400	65 (59.09%)	30 (27.27%)	15 (13.64%)	()
Yellowstone River Sec 03	227001	99 (63.46%)	37 (23.72%)	20 (12.82%)	()
Yellowstone River Sec 04	227015	87 (67.97%)	29 (22.66%)	12 (9.38%)	()
Yellowstone River Sec 05	227028	58 (61.05%)	24 (25.26%)	13 (13.68%)	()
Yellowstone River Sec 06	227042	3 (100.00%)	()	()	()
Yellowstone River Sec 06A	227043	30 (35.71%)	38 (45.24%)	16 (19.05%)	()
Yellowstone River Sec 06B	227044	37 (40.22%)	33 (35.87%)	22 (23.91%)	()
Yellowstone River Sec 07A	227057	20 (28.57%)	38 (54.29%)	12 (17.14%)	()
Yellowstone River Sec 07B	227058	18 (22.50%)	46 (57.50%)	16 (20.00%)	()
Yellowstone River Sec 08	227071	85 (34.27%)	123 (49.60%)	40 (16.13%)	()
Yellowstone River Sec 09A	227072	54 (31.58%)	91 (53.22%)	25 (14.62%)	1 (0.58%)
Yellowstone River Sec 09B	227073	40 (43.01%)	46 (49.46%)	7 (7.53%)	()
Yellowstone River Sec 10	227084	38 (46.91%)	35 (43.21%)	8 (9.88%)	()
Yellowtail Afterbay	229834	9 (36.00%)	14 (56.00%)	2 (8.00%)	()
Yogo Creek	164260	2 (100.00%)	()	()	()
Young Creek	117780	2 (100.00%)	()	()	()
Youngs Creek	087960	2 (100.00%)	()	()	()
Yourname Creek	046060	1 (100.00%)	()	()	()