

Montana Statewide Angling Pressure 2005



Montana
Fish, Wildlife & Parks

Montana

Statewide Angling Pressure

Mail Survey

2005

Prepared by:

Robert C. McFarland
Jennifer Dykstra

Montana Department of Fish, Wildlife and Parks

July 2007

INTRODUCTION

The Montana Department of Fish, Wildlife and Parks have conducted statewide angling mail surveys in the past. Bishop (1959, 1960 & 1961) conducted the first recorded mail survey of fishing pressure on a statewide basis for Montana. He found that residents fished 1,323,129 angler days, nonresident season license holders fished 60,632 angler days, and nonresident 6-day permit holders fished 40,933 angler days for the 1958 season. In 1959 residents fished 1,345,000 angler days, nonresident season license holders fished 54,000 angler days, and nonresident 6-day permit holders fished 121,000 angler days. In 1960 the third annual survey was conducted and residents fished 1,356,000 angler days, nonresident season license holders fished 53,000 angler days, and nonresident 7-day permit holders fished 112,000 angler days.

In 1968 Holton (1970) again initiated the statewide angling pressure mail survey. He found residents had fished 1,519,126 angler days, nonresident season license holders fished 69,653 angler days, and nonresident 6-day permit holders fished 161,772 angler days. Holton (1971) conducted another statewide survey for the 1969 license year. No results were reported because it was felt they were too high due to sampling problems.

In 1975, Gaffney (unpublished data) conducted a statewide survey of angling pressure by mail. He found residents fished a total of 2,314,030 angler days and nonresidents 508,034 angler days for a statewide total of 2,822,093 angler days. An attempt was made to continue that statewide survey in 1976 using the 1975 mailing lists. This did not provide adequate samples for nonresidents, so only resident pressure was obtained.

Holton (1974) stated,

"The lack of up-to-date fishing pressure information on individual waters has been a handicap in fisheries management. It is recommended that (the) evaluation of (a) mail survey to fill this need be accomplished as soon as feasible."

The surveys were started again in 1982 and run for four consecutive years (McFarland, 1989). The statewide angling pressure ranged from 2,197,402 to 2,723,713 angler days. In 1986 the surveys were again canceled for lack of funding.

In 1989, the Montana Legislature approved funding for an "Enhanced Survey of Angling Pressure". The funding was such that the survey was to be conducted every other year. In March 1989, the statewide angling use mail survey was again re-initiated. The statewide angling pressure was estimated at 2,336,085 angler days (McFarland, 1991). From 1991 through 1999 the statewide angling use varied from 2.3 million to 3.18 million angler days. In 2003 the statewide angling use was estimated at 2,740,202 angling days (McFarland & Hughes, 1993, 1995; McFarland & Meredith 1997, 1999, 2001, 2003).

METHODS

The 2005 statewide angling mail pressure survey began in March of 2005 and was conducted for the license year ending in February 2006.

Samples were drawn from the Department's Automated Licensing System (ALS). There are seven types of fishing licenses available to residents: a season license, a combo license, a sportsman's license, a "senior" license, a "youth" license, a 2-day license and a disabled license. A season license is required for those resident anglers between the ages of 15 and 61 inclusive (a conservation license is required as a prerequisite to purchasing any fishing license). Residents between the ages of 12 and 14 inclusive are required to purchase a conservation license to fish. These were determined by using the date of birth on the Conservation license and were classified as "youth" license holders. The combo license combines a season fishing license and a conservation license. A sportsman's license provides a deer "A" tag, elk tag, optional bear tag, conservation license, a game bird stamp and a fishing license. Residents 62 years of age and older are entitled to fish by purchasing a conservation license. These were determined by using the date of birth on the Conservation license and were classified as "senior" license holders. New this survey year was the ability of residents to purchase a license valid for 2 consecutive days at a reduced cost. A conservation license was still required. Residents who are certified as permanently and substantially disabled may purchase a "Disabled Persons Conservation License". All licenses were combined to form the resident pool for sampling.

Nonresidents 15 years of age and older must have a valid Montana fishing license to fish. Those nonresidents under the age of 15 may fish by buying a nonresident license or by being in the company of an adult with a valid Montana fishing license. If the latter, the combined limit may not exceed the limit for one adult. Nonresidents have six types of licenses available for fishing in Montana; a combo license, a seasonal license, a two-day permit, a 10-day permit, a deer combo license, and the big game combo. A nonresident conservation license is required as a prerequisite to purchasing any nonresident-fishing license. The combo license combines a nonresident conservation license and seasonal fishing license. The deer combo license includes a deer tag and a fishing license. The big game license includes a conservation license, an elk tag, a deer "A" tag, a black bear tag, a fishing license and an upland game bird license. A two-day permit enables the nonresident angler to fish for two consecutive days of their choice while the ten-day permits 10 consecutive days of fishing. Anglers may purchase as many two-day or ten-day permits as they want.

A computer program was written in ORACLE to create five populations of anglers from which to draw samples. A resident season population, a resident 2-day population, a nonresident season population, a nonresident 2-day population and a nonresident 10-day population were created each month. The resident population comprised the following license types: combo, season, "seniors", "youth", disabled and sportsman. The nonresident population comprised the following license types: nonresident combo, deer combo, big game combo and nonresident season.

An ACCESS table was used to pull a random sample from each population. The amount pulled from each population was proportionally allocated to the angling pressure each population exerted from previous surveys. This proportion remained constant throughout all sampling periods.

Sampling was done on a monthly-stratified basis (Table 1.). The sample from each population was copied into an ACCESS format structure and wave information and sequential serial numbers added.

An ACCESS report was written to affix names and address as well as bar codes directly to each questionnaire. The questionnaire and a return envelope were stuffed into window envelopes and mailed (see appendix for examples).

Authorized private dealers sell fishing licenses throughout the state. In addition, the seven regional headquarters, three area resource offices and the Helena office sell licenses through an on-line automated licensing system. This system enables the sample to be drawn for a month on the first day of the following month.

Table 1. Period of time covered for waves for the 2005-06 statewide angling survey.	
Wave	Time Period covered
1	March '05
2	April
3	May
4	June
5	July
6	August
7	September
8	October
9	November
10	December
11	January '06
12	February

The 2003 Statewide Angling Use Survey (McFarland, 2005) indicated that residents provide approximately 75% of the pressure,

therefore sampling was done on a 75/25 split between residents and nonresidents (i.e. proportional allocation). Actual numbers sent varied slightly from wave to wave (Table 2). For the "summer" waves 11,200 residents and nonresidents were sampled early in the survey.

In the "winter" the rate dropped to 5,600 residents and nonresidents. Since waves 1 and 2 had fewer license holders from which to sample, these two waves were sampled at a less intense level.

A single questionnaire was used for all groups. The questionnaire (see appendix A for an example), included questions on: what water was fished; nearest landmark, town, or county; section of stream or river fished (taken from map on back of questionnaire); date fishing occurred; number of days fished; rate the level of crowding on a scale of 1 = not at all crowded to 5 = very crowded; number of other people they saw recreating on this water; and to rate their fishing experience on a scale of 1 = poor to 5 = excellent; and the one fish species for which they were primarily fishing.

To ease the sorting process different colored forms were used for each wave and also for initial and remail mailings.

Table 2. Number of questionnaires sent for each wave by residency for 2005								
Wave	Mailed		Useable		Returns		Return Rate Percentage	
	Res	Nonres	Res	Nonres	Res	Nonres	Res	Nonres
1	300	99	292	90	194	52	66.4	57.8
2	4200	1380	4070	1309	2226	688	54.7	52.6
3	8399	2758	8080	2544	4142	1336	51.3	52.5
4	8399	2770	8081	2576	3958	1335	49.0	51.8
5	8400	2766	8067	2581	3927	1378	48.7	53.4
6	8399	2765	8018	2588	3854	1325	48.1	51.2
7	8400	2751	7993	2574	3856	1370	48.2	53.2
8	4200	1383	4021	1276	2071	699	51.5	54.8
9	2400	791	2271	710	1203	380	53.0	53.5
10	2400	792	2276	729	1179	416	51.8	57.1
11	2399	782	2248	720	1205	360	53.6	50.0
12	2400	792	2282	736	1183	391	51.8	53.1

Surveys were mailed first class pre-sort for all the waves. This saved monetarily over regular first class postage.

Remail questionnaires were mailed to those individuals who had not yet responded, from three to four weeks after the initial mailing. Returns for each wave were monitored and when they slowed down to a few each day the remail was sent. Included in the remail were an explanation, (see appendix A for examples), a duplicate questionnaire and a return envelope. Returns were grouped and counted according to type of license, wave and mailing (initial or remail).

Phone surveys were not done for this year because of time and budgetary constraints. Thus no comparison of non-response bias could be made. Using the exact same methodology in 1995, no nonresponse bias was detected.

The formula used was:

$$A_{ij} = R_{ij} + \frac{P_{ij}}{M_{ij}} [I - R_{ij}]$$

where A_{ij} = Adjustment factor for non-response for the i^{th} wave and j^{th} residency

R_{ij} = Response rate for mail survey for i^{th} wave and j^{th} residency (response rate is the total number of returns divided by the total number of surveys mailed out minus the number of undeliverable surveys)

P_{ij} = Phone rate of days fished per respondent for i^{th} wave and j^{th} residency

M_{ij} = Mail rate of days fished per respondent for i^{th} wave and j^{th} residency

Adjustment factors were set to 1.0 since the phoning was not done. After all questionnaires were received those that had fished in Montana during the period in question were separated from those who said "no". The "yes" respondents were then hand coded and assigned a numeric code for each water fished. They were visually edited for accuracy and completeness.

All data were then keypunched with each body of water fished for each questionnaire recorded as a single record. Edits were run to correct invalid water codes and data out of normal ranges. FORTRAN computer programs were written to analyze the data, calculate fishing pressure and standard errors, and to calculate the angler satisfaction levels.

Estimates were made for individual waters based upon the formula:

$$P_j = \sum_{i=1}^n \left[\frac{E_{ij} * D_{ij}}{R_{ij}} \right] * A_{ij}$$

where P_j = Pressure for an individual water by the j^{th} residency

E_{ij} = Number of eligible anglers for the i^{th} wave and j^{th} residency

D_{ij} = Days fished that particular water for the i^{th}

wave and j^{th} wave

R_{ij} = Number of respondents from the survey for the i^{th} wave and j^{th} residency

A_{ij} = Adjustment factor for non-response for the i^{th} wave and j^{th} residency

n = number of waves in the estimate year or season

j = number of residency types (resident, nonresident, or total)

The variance was then calculated using:

$$VAR(P_j) = \sum_{i=1}^n \left[\frac{E_{ij}^2 * VAR(D_{ij})}{R_{ij}} \right] * A_{ij}^2$$

Where P_j , E_{ij} , R_{ij} , D_{ij} , and A_{ij} are the same as above.

Pressure estimates between waves and residency were assumed to be independent so variances were summed to obtain total variances. The square root of the variance was taken and this number was reported as the error for fishing pressure.

RESULTS

2005 ANNUAL

Licensed anglers fishing on Montana waters exerted 2,785,637 angler days of pressure for the 2005 license year. Residents accounted for 1,987,351 angler days (71.3%) and nonresidents made up the remaining 798,286 angler days (28.7%). Individual water estimates sorted alphabetically are given in a separate report titled "Montana Statewide Angling Pressure 2005".

The pressure distributed between Fish, Wildlife and Parks regions (Figure 1) emphasizes the cold-water fishery (Chart 1). Region 3 received the most angling pressure with 732,921 angler days (26.3%). Region 4 was next in order with 519,361 angler days (18.6%). Regions 1 and 2 were close with 470,602 (16.9%) angler days and 491,012 (17.6%) angler days respectively. Region 5 had 333,191 (12.0%) angler days. The warm-water regions of 6 and 7 were the lowest in pressure with 142,229 (5.1%) and 81,170 (2.9%) angler days respectively.

Angling in Montana in 2005 was directed toward trout. Waters were classified according to the fish species the angler sought. The questionnaire asked the angler to report one fish species but up to two species were captured in entering the data. Species were classified into salmonid/nonsalmonid categories. The angling use was assigned proportionally. If only one species was listed the entire use was assigned to either salmonid or nonsalmonid depending

on what species was listed. If two species were listed, the use was assigned to salmonid if both species were salmonid. If both species listed were nonsalmonid, the use was entirely assigned to nonsalmonid. If one species of each (salmonid and nonsalmonid) was listed, the use was split 50/50 between the two. If no species was listed the use was assigned according to the type of water assigned by the department in its water code for that water.

Salmonid waters accounted for 81.7% (2,276,212 angler days) of the statewide pressure while nonsalmonid waters accounted for 18.3% (507,903 angler days) of the pressure and undesignated waters accounted for less than 0.1% (1,523 angler days) of the pressure (Chart 2). An undesignated water is one that the angler did not specify a fish species being sought and the water fished was classified as undesignated and therefore could not be assigned a water type.

Within salmonid waters, the streams received more pressure than the lakes, 68.9% versus 31.1%. The nonsalmonid lakes received more pressure than the nonsalmonid streams, 66.1% versus 33.9% respectively.

Salmonid angling dominated the pressure in regions 1, 2, 3, 4, and 5. Regions 6 and 7 were predominately nonsalmonid angling (Chart 3, Table 3).

Region 3 had the largest angling pressure for salmonid streams (588,168 angler days) and while region 1 had the largest pressure for salmonid lakes (206,740 angler days). Nonsalmonid stream fishing pressure was largest in region 7 (45,031 angler days), while the nonsalmonid lake angling pressure was largest in region 6 (74,777 angling days).

Table 3. Angling pressure in angler days by region by water type for the 2005 angling year.

REG	WATER TYPE	-----TOTALS-----		-----RESIDENTS-----		---NON-RESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
1	SALMONID STREAM	155161.	2643.	101868.	1845.	53293.	798.
	SALMONID LAKE	206740.	3767.	159035.	3000.	47705.	767.
	NONSALMONID STREAM	22535.	409.	19078.	361.	3457.	48.
	NONSALMONID LAKE	86168.	1382.	79316.	1285.	6852.	97.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	470602.	8200.	359295.	6490.	111307.	1710.
2	SALMONID STREAM	362802.	6336.	238958.	4434.	123844.	1902.
	SALMONID LAKE	99781.	1641.	83818.	1424.	15963.	217.
	NONSALMONID STREAM	9453.	150.	8029.	130.	1424.	20.
	NONSALMONID LAKE	18798.	332.	15913.	288.	2885.	44.
	UNDESIG STRM MGMT	68.	1.	0.	0.	68.	1.
	UNDESIG LAKE MGMT	111.	2.	111.	2.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	491012.	8461.	346828.	6277.	144184.	2184.
3	SALMONID STREAM	588168.	9726.	306498.	5453.	281670.	4273.
	SALMONID LAKE	138150.	2248.	90055.	1476.	48095.	772.
	NONSALMONID STREAM	1599.	31.	1268.	24.	331.	7.
	NONSALMONID LAKE	4907.	73.	4713.	69.	194.	4.
	UNDESIG STRM MGMT	49.	1.	0.	0.	49.	1.
	UNDESIG LAKE MGMT	49.	1.	0.	0.	49.	1.
	REGIONAL PRESSURE ESTIMATES:	732921.	12080.	402533.	7022.	330388.	5058.
4	SALMONID STREAM	219998.	3948.	156993.	2864.	63005.	1084.
	SALMONID LAKE	179610.	3094.	164711.	2867.	14899.	227.
	NONSALMONID STREAM	23665.	416.	22855.	398.	810.	18.
	NONSALMONID LAKE	95850.	1797.	92051.	1749.	3799.	48.
	UNDESIG STRM MGMT	44.	1.	44.	1.	0.	0.
	UNDESIG LAKE MGMT	195.	4.	195.	4.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	519361.	9259.	436848.	7882.	82513.	1377.

Table 3. Angling pressure in angler days by region by water type for the 2005 angling year (continued).

REG	WATER TYPE	-----TOTALS-----		----RESIDENTS----		--NON-RESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
5	SALMONID STREAM	233427.	4112.	146157.	2684.	87270.	1428.
	SALMONID LAKE	42791.	783.	34224.	649.	8567.	134.
	NONSALMONID STREAM	33031.	481.	32332.	468.	699.	13.
	NONSALMONID LAKE	23944.	470.	22099.	440.	1845.	30.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	333191.	5845.	234810.	4240.	98381.	1605.
6	SALMONID STREAM	6275.	113.	5583.	99.	692.	14.
	SALMONID LAKE	24518.	449.	22223.	424.	2295.	25.
	NONSALMONID STREAM	36660.	753.	33103.	669.	3557.	84.
	NONSALMONID LAKE	74777.	1432.	68499.	1332.	6278.	100.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	142229.	2745.	129408.	2523.	12821.	222.
7	SALMONID STREAM	2562.	45.	2132.	41.	430.	4.
	SALMONID LAKE	2181.	40.	2064.	37.	117.	3.
	NONSALMONID STREAM	45031.	839.	41996.	785.	3035.	54.
	NONSALMONID LAKE	31309.	601.	26001.	513.	5308.	88.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	88.	2.	88.	2.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	81170.	1525.	72280.	1376.	8890.	149.
TOTAL	SALMONID STREAM	1568391.	26921.	958187.	17418.	610204.	9503.
	SALMONID LAKE	707821.	12241.	561028.	9972.	146793.	2270.
	NONSALMONID STREAM	171972.	3077.	158659.	2833.	13313.	244.
	NONSALMONID LAKE	335931.	6088.	308634.	5676.	27297.	413.
	UNDESIG STRM MGMT	161.	3.	44.	1.	117.	2.
	UNDESIG LAKE MGMT	1362.	28.	799.	18.	563.	10.
	STATEWIDE PRESSURE ESTIMATES:	2785637.	48358.	1987351.	35917.	798286.	12441.

Residents (Chart 4) exerted the majority of angling pressure in 2005 in all regions. The percent of angling pressure by residents for each region was: region 1 - 76.3%, region 2 - 70.6%, region 3 - 54.9%, region 4 - 84.1%, region 5 - 70.5%, region 6 - 91.0%, and region 7 - 89.0%.

July (wave 5) was, overall, the peak fishing period, while December (wave 10) was the least fished period during the year

(Table 4). Residents and Nonresidents preferred to fish during July (wave 5). Residents fished the least in December (wave 10), while nonresidents fished the least in January (wave 11). This year the 2-day and 10-day nonresident use was included in the wave that the fishing occurred. In the past the 2-day and 10-day nonresident anglers were sampled at the end of the season and their use estimates could not be assigned to any one wave.

Table 4. Pressure in angler days by wave for the 2005 survey year.				
<u>WAVE</u>	<u>MONTH</u>	<u>TOTAL</u>	<u>RESIDENT</u>	<u>NONRESIDENT</u>
1	March	87,003	78,860	8,143
2	April	125,462	95,388	30,074
3	May	285,932	220,765	65,167
4	June	426,601	315,373	111,228
5	July	610,775	406,287	204,488
6	August	476,481	307,785	168,696
7	September	310,017	186,944	123,073
8	October	177,638	114,314	63,324
9	November	73,327	62,135	11,192
10	December	57,185	53,159	4,026
11	January	84,848	80,949	3,899
12	February	70,368	65,392	4,976

Statewide Angling Pressure Regional Estimates 2005




Chart 1. Percent of total statewide angling pressure by FWP region for 2005.




Figure 1. Map of the State of Montana showing the Department of Fish, Wildlife & Parks Regional boundaries.

Statewide Angling Pressure Comparing Water Types 2005




Chart 2. Angling Pressure and percentages by type of water for 2005.

Statewide Angling Pressure Comparing Regional Water Types 2005




Chart 3. Angling pressure by region by water type for 2005.

Statewide Angling Pressure Comparing Region and Residency 2005




Chart 4. Angling pressure by region by residency for 2005.

Angling pressure was summarized by the 22 major drainages within the state (Table 5). The lower Clark Fork River drainage contains the angling pressure from all the streams and lakes below the Bitterroot River, excluding the pressure from those waters contained in other drainages listed (Flathead, Kootenai, and Bitterroot). The Upper Clark Fork River drainage, likewise, contains all the angling pressure for waters above the Bitterroot River drainage excluding the pressure for those drainages listed. The upper Flathead River drainage contains the South Fork Flathead River drainage and all waters above the confluence of the South Fork Flathead River. The lower Flathead River drainage includes those waters below the confluence of the South Fork Flathead River including Flathead Lake and those waters (where pressure was obtainable) on the Kootenai-Salish Indian reservation. The lower Missouri River drainage covers all waters below the confluence of the Marias River, while the upper Missouri River drainage incorporates the area above the Marias River, again excluding those drainages listed separately. The lower Yellowstone River drainage represents the area below the mouth of the Bighorn River while the upper Yellowstone River drainage covers the Bighorn River drainage and all waters above the confluence of the Bighorn River.

The pressure by drainage ranged from 447,804 angler days for the Upper Yellowstone River drainage to 826 angler days for the Little Missouri River drainage.

Table 5. Angling pressure in angler days by drainage by water type for the 2005 angling year
March 2005 through February 2006

	-----TOTALS-----		-----RESIDENTS-----		---NONRESIDENTS---	
	Pressure	Trips	Pressure	Trips	Pressure	Trips
BEAVERHEAD DR						
SALMONID STREAM	45880.	853.	21108.	440.	24772.	413.
SALMONID LAKE	34032.	359.	29959.	296.	4073.	63.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	838.	9.	644.	5.	194.	4.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	80749.	1220.	51710.	740.	29039.	480.
BIG HOLE DR						
SALMONID STREAM	84526.	1525.	46577.	917.	37949.	608.
SALMONID LAKE	6884.	134.	5556.	111.	1328.	23.
NONSALMONID STREAM	166.	3.	0.	0.	166.	3.
NONSALMONID LAKE	88.	2.	88.	2.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	91664.	1664.	52221.	1030.	39443.	634.
BITTERROOT DR						
SALMONID STREAM	144810.	2517.	97848.	1788.	46962.	729.
SALMONID LAKE	8826.	180.	7988.	166.	838.	14.
NONSALMONID STREAM	2293.	29.	2138.	27.	155.	2.
NONSALMONID LAKE	1117.	17.	1083.	16.	34.	1.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	157046.	2743.	109057.	1997.	47989.	746.
BLACKFOOT DR						
SALMONID STREAM	46544.	825.	34640.	646.	11904.	179.
SALMONID LAKE	25561.	466.	23889.	437.	1672.	29.
NONSALMONID STREAM	2329.	34.	1785.	26.	544.	8.
NONSALMONID LAKE	15622.	273.	13261.	237.	2361.	36.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	90055.	1598.	73574.	1346.	16481.	252.
LOWER CLARK FORK DR						
SALMONID STREAM	106607.	1911.	61149.	1198.	45458.	713.
SALMONID LAKE	23747.	470.	18175.	382.	5572.	88.
NONSALMONID STREAM	16271.	278.	12834.	231.	3437.	47.
NONSALMONID LAKE	32272.	527.	28341.	471.	3931.	56.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	111.	2.	111.	2.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	179007.	3186.	120609.	2282.	58398.	904.

Table 5. Angling pressure in angler days by drainage by water type for the 2005 angling year
March 2005 through February 2006

	-----TOTALS-----		-----RESIDENTS-----		---NONRESIDENTS---	
	Pressure	Trips	Pressure	Trips	Pressure	Trips
UPPER CLARK FORK DR						
SALMONID STREAM	88158.	1497.	57317.	1043.	30841.	454.
SALMONID LAKE	63393.	958.	50676.	795.	12717.	163.
NONSALMONID STREAM	3125.	51.	2737.	46.	388.	5.
NONSALMONID LAKE	531.	13.	531.	13.	0.	0.
UNDESIG STRM MGMT	68.	1.	0.	0.	68.	1.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	155274.	2519.	111260.	1896.	44014.	623.
LOWER FLATHEAD DR						
SALMONID STREAM	52465.	845.	39723.	661.	12742.	184.
SALMONID LAKE	113654.	2053.	92349.	1706.	21305.	347.
NONSALMONID STREAM	7802.	164.	7445.	158.	357.	6.
NONSALMONID LAKE	41824.	662.	39893.	633.	1931.	29.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	215743.	3722.	179408.	3156.	36335.	566.
UPPER FLATHEAD DR						
SALMONID STREAM	37487.	640.	23298.	435.	14189.	205.
SALMONID LAKE	20500.	393.	16997.	338.	3503.	55.
NONSALMONID STREAM	100.	2.	100.	2.	0.	0.
NONSALMONID LAKE	1153.	23.	1153.	23.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	59240.	1057.	41548.	797.	17692.	260.
GALLATIN DR						
SALMONID STREAM	112057.	1796.	72288.	1211.	39769.	585.
SALMONID LAKE	19235.	361.	16717.	321.	2518.	40.
NONSALMONID STREAM	266.	6.	101.	2.	165.	4.
NONSALMONID LAKE	760.	15.	760.	15.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	132318.	2178.	89866.	1549.	42452.	629.
JEFFERSON DR						
SALMONID STREAM	17085.	306.	12907.	244.	4178.	62.
SALMONID LAKE	8784.	149.	8007.	138.	777.	11.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	55.	1.	55.	1.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	25924.	456.	20969.	383.	4955.	73.
KOOTENAI DR						
SALMONID STREAM	41893.	745.	26852.	509.	15041.	236.
SALMONID LAKE	50645.	886.	32735.	600.	17910.	286.
NONSALMONID STREAM	69.	2.	69.	2.	0.	0.
NONSALMONID LAKE	12377.	199.	10967.	181.	1410.	18.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	104984.	1832.	70623.	1292.	34361.	540.

Table 5. Angling pressure in angler days by drainage by water type for the 2005 angling year
March 2005 through February 2006

	-----TOTALS-----		-----RESIDENTS-----		---NONRESIDENTS---	
	Pressure	Trips	Pressure	Trips	Pressure	Trips
LITTLE MISSOURI DR						
SALMONID STREAM	0.	0.	0.	0.	0.	0.
SALMONID LAKE	461.	9.	461.	9.	0.	0.
NONSALMONID STREAM	260.	5.	260.	5.	0.	0.
NONSALMONID LAKE	105.	2.	105.	2.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	826.	16.	826.	16.	0.	0.
MADISON DR						
SALMONID STREAM	197622.	3121.	71900.	1223.	125722.	1898.
SALMONID LAKE	65121.	1164.	27334.	556.	37787.	608.
NONSALMONID STREAM	50.	1.	50.	1.	0.	0.
NONSALMONID LAKE	1625.	20.	1625.	20.	0.	0.
UNDESIG STRM MGMT	49.	1.	0.	0.	49.	1.
UNDESIG LAKE MGMT	49.	1.	0.	0.	49.	1.
DRAINAGE PRESSURE ESTIMATES:	264516.	4307.	100909.	1799.	163607.	2508.
MARIAS DR						
SALMONID STREAM	3721.	65.	2595.	48.	1126.	17.
SALMONID LAKE	8807.	140.	8569.	136.	238.	4.
NONSALMONID STREAM	3123.	65.	3123.	65.	0.	0.
NONSALMONID LAKE	25721.	439.	25581.	437.	140.	2.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	50.	1.	50.	1.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	41422.	710.	39918.	687.	1504.	23.
MILK DR						
SALMONID STREAM	4231.	68.	3953.	62.	278.	6.
SALMONID LAKE	19335.	360.	19131.	357.	204.	3.
NONSALMONID STREAM	11281.	220.	11281.	220.	0.	0.
NONSALMONID LAKE	24994.	484.	24664.	480.	330.	4.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	59841.	1130.	59029.	1117.	812.	13.
LOWER MISSOURI DR						
SALMONID STREAM	17742.	353.	13891.	289.	3851.	64.
SALMONID LAKE	16295.	303.	12490.	257.	3805.	46.
NONSALMONID STREAM	30382.	622.	26378.	527.	4004.	95.
NONSALMONID LAKE	50685.	969.	44737.	873.	5948.	96.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	115103.	2246.	97496.	1946.	17607.	300.
UPPER MISSOURI DR						
SALMONID STREAM	195940.	3490.	140741.	2525.	55199.	965.
SALMONID LAKE	128689.	2187.	118159.	2023.	10530.	164.
NONSALMONID STREAM	16317.	276.	15856.	267.	461.	9.
NONSALMONID LAKE	65158.	1247.	61499.	1201.	3659.	46.
UNDESIG STRM MGMT	44.	1.	44.	1.	0.	0.
UNDESIG LAKE MGMT	145.	3.	145.	3.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	406293.	7203.	336444.	6019.	69849.	1184.

Table 5. Angling pressure in angler days by drainage by water type for the 2005 angling year
March 2005 through February 2006

	-----TOTALS-----		-----RESIDENTS-----		-----NONRESIDENTS---	
	Pressure	Trips	Pressure	Trips	Pressure	Trips
MUSSELSHELL DR						
SALMONID STREAM	3244.	66.	2772.	60.	472.	6.
SALMONID LAKE	12146.	211.	11479.	201.	667.	10.
NONSALMONID STREAM	1721.	35.	1721.	35.	0.	0.
NONSALMONID LAKE	2649.	59.	2579.	58.	70.	1.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	19759.	371.	18550.	354.	1209.	17.
ST MARY DR						
SALMONID STREAM	174.	3.	55.	1.	119.	2.
SALMONID LAKE	7398.	125.	6778.	113.	620.	12.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	7572.	128.	6833.	114.	739.	14.
SUN DR						
SALMONID STREAM	13310.	243.	8730.	178.	4580.	65.
SALMONID LAKE	18541.	344.	16938.	323.	1603.	21.
NONSALMONID STREAM	294.	7.	294.	7.	0.	0.
NONSALMONID LAKE	2933.	64.	2933.	64.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	35077.	657.	28894.	571.	6183.	86.
LOWER YELLOWSTONE DR						
SALMONID STREAM	2562.	45.	2132.	41.	430.	4.
SALMONID LAKE	1542.	27.	1459.	25.	83.	2.
NONSALMONID STREAM	44604.	830.	41667.	778.	2937.	52.
NONSALMONID LAKE	31047.	595.	25739.	507.	5308.	88.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	88.	2.	88.	2.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	79842.	1497.	71084.	1351.	8758.	146.
UPPER YELLOWSTONE DR						
SALMONID STREAM	352336.	6010.	217714.	3902.	134622.	2108.
SALMONID LAKE	39818.	740.	30078.	586.	9740.	154.
NONSALMONID STREAM	31522.	450.	30823.	437.	699.	13.
NONSALMONID LAKE	24129.	469.	22354.	440.	1775.	29.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	447804.	7668.	300968.	5364.	146836.	2304.
TOTAL						
SALMONID STREAM	1568391.	26921.	958187.	17418.	610204.	9503.
SALMONID LAKE	707821.	12241.	561028.	9972.	146793.	2270.
NONSALMONID STREAM	171972.	3077.	158659.	2833.	13313.	244.
NONSALMONID LAKE	335931.	6088.	308634.	5676.	27297.	413.
UNDESIG STRM MGMT	161.	3.	44.	1.	117.	2.
UNDESIG LAKE MGMT	1362.	28.	799.	18.	563.	10.
STATEWIDE PRESSURE ESTIMATES:	2785637.	48358.	1987351.	35917.	798286.	12441.

Angler Satisfaction Ratings

Licensed anglers fishing on Montana waters rated their fishing their fishing experience on a scale of 1 = poor to 5 = excellent for the 2005 license year. The average rating overall was 2.83 with residents and nonresidents rating their angling experience at 2.74 and 3.04 respectively (Table 6). Individual water satisfaction ratings are given in a separate report "Montana Angler Satisfaction Ratings 2005". Region 7 had the highest overall satisfaction rating of 2.96 while region 6 had the lowest satisfaction rating of 2.58. Nonresidents were always higher in their satisfaction ratings than residents for all the regions.

Table 6. Angler satisfaction ratings by region by water type for the 2005 angling year.																			
Reg	Water Type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	----- 2's	3's	excellent 4's	5's	Avg Rate	poor 1's	----- 2's	3's	4's	5's	Avg Rate	poor 1's	----- 2's	3's	4's	5's
1	SALMONID STREAM	2.86	219	205	324	168	160	2.82	131	146	210	95	94	2.92	88	59	114	73	65
	SALMONID LAKE	2.70	443	242	353	244	215	2.66	358	195	277	191	159	2.84	85	47	76	53	56
	NONSALMONID STREAM	2.71	31	30	54	21	14	2.66	27	29	45	16	11	3.02	4	1	9	5	2
	NONSALMONID LAKE	2.59	143	102	152	84	44	2.61	128	92	140	77	41	2.43	15	10	12	7	3
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:	2.73	836	581	885	517	434	2.69	644	463	674	379	307	2.86	192	118	211	138	127
2	SALMONID STREAM	2.98	417	461	837	522	357	2.91	280	301	568	313	198	3.10	137	160	269	209	159
	SALMONID LAKE	2.81	174	127	202	101	118	2.77	154	113	172	84	96	3.07	20	14	30	17	22
	NONSALMONID STREAM	2.43	13	12	14	6	2	2.39	11	10	12	5	1	2.63	2	2	2	1	1
	NONSALMONID LAKE	2.25	53	37	40	18	4	2.27	50	27	36	18	4	2.06	3	10	4	0	0
	UNDESIG STRM MGMT	5.00	0	0	0	0	1	.00	0	0	0	0	0	5.00	0	0	0	0	1
	UNDESIG LAKE MGMT	1.00	1	0	0	0	0	1.00	1	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:	2.90	658	637	1093	648	484	2.83	496	451	788	421	301	3.08	162	186	305	227	183
3	SALMONID STREAM	2.97	701	721	1324	894	543	2.91	374	380	706	437	247	3.03	327	341	618	457	296
	SALMONID LAKE	2.69	270	163	233	151	129	2.64	195	114	164	100	83	2.80	75	49	69	51	46
	NONSALMONID STREAM	3.15	2	3	2	3	3	3.00	2	2	2	2	2	3.57	0	1	0	1	1
	NONSALMONID LAKE	2.96	9	3	9	9	6	2.93	9	3	9	7	6	3.40	0	0	0	2	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:	2.92	983	891	1569	1057	681	2.85	580	500	881	546	338	3.00	403	391	688	511	343
4	SALMONID STREAM	2.90	291	281	446	276	215	2.87	207	208	351	204	135	2.98	84	73	95	72	80
	SALMONID LAKE	2.61	403	195	297	181	169	2.61	363	186	267	162	152	2.69	40	9	30	19	17
	NONSALMONID STREAM	2.37	52	35	49	19	8	2.36	49	35	47	18	7	2.57	3	0	2	1	1
	NONSALMONID LAKE	2.20	253	132	167	57	32	2.20	247	128	162	56	32	2.06	6	4	5	1	0
	UNDESIG STRM MGMT	2.00	0	1	0	0	0	2.00	0	1	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	1.33	2	1	0	0	0	1.33	2	1	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:	2.65	1002	646	961	534	426	2.60	869	560	829	441	328	2.88	133	86	132	93	98

Table 6. Angler satisfaction ratings by region by water type for the 2005 angling year (continued).

Reg	Water Type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	----- 2's	3's	excellent 4's	5's	Avg Rate	poor 1's	----- 2's	3's	4's	5's	Avg Rate	poor 1's	----- 2's	3's	4's	5's
5	SALMONID STREAM	3.15	261	250	470	405	314	2.96	200	192	327	222	163	3.51	61	58	143	183	151
	SALMONID LAKE	2.85	124	52	102	73	81	2.74	109	47	86	62	54	3.39	15	5	16	11	27
	NONSALMONID STREAM	2.40	51	31	48	17	10	2.39	48	30	48	15	9	2.60	3	1	0	2	1
	NONSALMONID LAKE	2.07	102	28	37	18	14	2.06	96	26	32	17	13	2.23	6	2	5	1	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Regional Satisfaction Ratings:		2.97	539	361	659	515	419	2.77	453	295	494	318	239	3.46	86	66	165	197	180
6	SALMONID STREAM	2.80	10	10	11	13	4	2.76	9	9	9	10	4	3.00	1	1	2	3	0
	SALMONID LAKE	3.04	27	28	43	36	26	3.03	26	25	41	32	25	3.19	0	3	2	4	1
	NONSALMONID STREAM	2.57	66	45	58	34	23	2.54	61	43	52	31	20	2.84	5	2	6	3	3
	NONSALMONID LAKE	2.39	159	83	104	57	37	2.39	144	81	92	53	35	2.33	14	2	12	4	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Regional Satisfaction Ratings:		2.58	263	166	218	140	91	2.57	242	158	196	126	85	2.66	21	8	22	14	6
7	SALMONID STREAM	2.93	2	2	7	1	2	2.91	1	2	6	1	1	3.00	1	0	1	0	1
	SALMONID LAKE	2.38	10	6	5	0	5	2.17	10	5	5	0	3	4.00	0	1	0	0	2
	NONSALMONID STREAM	3.17	45	43	76	46	67	3.10	41	42	71	38	55	3.77	4	1	5	8	12
	NONSALMONID LAKE	2.78	52	48	73	47	26	2.79	44	42	60	41	23	2.72	8	6	13	6	3
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	2.00	0	1	0	0	0	2.00	0	1	0	0	0	.00	0	0	0	0	0
Regional Satisfaction Ratings:		2.96	109	101	162	94	100	2.92	96	93	143	80	82	3.22	13	8	19	14	18
Total																			
	SALMONID STREAM	2.98	1902	1931	3422	2279	1596	2.90	1203	1238	2179	1282	843	3.09	699	692	1243	997	752
	SALMONID LAKE	2.73	1466	827	1266	805	777	2.68	1219	689	1024	638	589	2.91	246	138	242	167	188
	NONSALMONID STREAM	2.69	261	200	304	146	128	2.65	240	191	279	125	106	3.14	21	8	25	21	21
	NONSALMONID LAKE	2.40	772	436	584	291	165	2.40	718	401	533	270	156	2.39	53	35	51	21	9
	UNDESIG STRM MGMT	3.50	0	1	0	0	1	2.00	0	1	0	0	0	5.00	0	0	0	0	1
	UNDESIG LAKE MGMT	2.25	3	3	0	1	1	2.00	3	2	0	0	1	3.00	0	1	0	1	0
Statewide Satisfaction Ratings:		2.83	4404	3399	5576	3524	2668	2.74	3384	2524	4015	2317	1696	3.04	1020	875	1561	1207	972

Angler satisfaction ratings were summarized by the twenty-two major drainages like those reported under the angling pressure section (Table 7). The ratings ranged from a high of 3.38 for the St Mary drainage to a low of 2.39 for the Jefferson River drainage.

Table 7. Angler satisfaction ratings by drainage by water type for the 2005 angling year March 2005 through February 2006.

Drain- age	Water type	TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's
BEAVERHEAD DR																			
	SALMONID STREAM	3.03	68	55	128	79	61	3.12	36	15	48	39	34	2.95	32	40	80	40	27
	SALMONID LAKE	2.54	47	31	26	17	21	2.51	36	26	22	15	14	2.65	10	5	4	2	7
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	3.60	1	0	0	3	1	3.80	0	0	0	1	1	3.40	0	0	0	2	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	2.90	116	86	154	99	83	2.88	73	41	70	55	49	2.92	43	45	84	44	34
BIG HOLE DR																			
	SALMONID STREAM	2.83	114	125	238	111	64	2.75	64	76	135	52	31	2.92	50	49	103	59	33
	SALMONID LAKE	3.11	17	11	22	16	19	3.14	14	9	16	15	16	2.93	3	2	6	1	3
	NONSALMONID STREAM	3.67	0	0	0	1	0	.00	0	0	0	0	0	3.67	0	0	0	1	0
	NONSALMONID LAKE	3.00	0	0	1	0	0	3.00	0	0	1	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	2.86	131	136	262	128	83	2.81	78	85	152	67	47	2.92	53	51	110	61	36
BITTERROOT DR																			
	SALMONID STREAM	3.00	160	167	323	194	147	2.90	114	113	208	109	86	3.17	46	54	115	85	61
	SALMONID LAKE	2.70	29	11	27	11	15	2.70	27	9	23	10	14	2.70	2	2	4	1	1
	NONSALMONID STREAM	2.60	3	1	3	3	0	2.44	3	1	3	2	0	4.00	0	0	0	1	0
	NONSALMONID LAKE	3.25	1	2	0	4	1	3.43	1	1	0	4	1	2.00	0	1	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	2.97	193	181	353	212	163	2.88	145	124	234	125	101	3.16	48	57	119	87	62
BLACKFOOT DR																			
	SALMONID STREAM	2.87	71	84	135	71	50	2.84	52	58	105	52	32	2.92	19	26	30	19	18
	SALMONID LAKE	2.51	64	52	61	20	25	2.49	58	49	55	17	22	2.71	6	3	6	3	3
	NONSALMONID STREAM	2.32	3	2	3	0	1	2.00	3	2	3	0	0	5.00	0	0	0	0	1
	NONSALMONID LAKE	2.12	46	31	32	11	2	2.13	43	23	28	11	2	2.07	3	8	4	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	2.63	184	171	231	103	78	2.59	156	134	191	81	56	2.82	28	37	40	22	22
LOWER CLARK FORK DR																			
	SALMONID STREAM	2.82	150	148	252	140	85	2.74	87	93	156	72	39	2.94	63	55	96	68	46
	SALMONID LAKE	2.41	70	26	32	18	23	2.37	59	16	24	17	16	2.54	11	10	8	1	7
	NONSALMONID STREAM	2.67	23	21	28	12	11	2.63	19	18	21	8	9	2.85	4	3	7	4	2
	NONSALMONID LAKE	2.76	36	37	61	30	17	2.78	30	32	57	26	15	2.57	6	5	4	4	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	1.00	1	0	0	0	0	1.00	1	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	2.74	280	232	374	201	138	2.68	196	159	259	124	81	2.88	84	73	115	77	57
UPPER CLARK FORK DR																			
	SALMONID STREAM	3.12	81	96	189	143	95	3.09	52	59	136	93	53	3.18	29	37	53	50	42
	SALMONID LAKE	3.01	73	59	110	68	70	2.96	65	50	91	55	57	3.23	8	9	19	13	13
	NONSALMONID STREAM	2.15	6	5	3	2	0	2.25	4	5	2	2	0	1.67	2	0	1	0	0
	NONSALMONID LAKE	2.62	2	1	0	3	0	2.62	2	1	0	3	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	5.00	0	0	0	0	1	.00	0	0	0	0	0	5.00	0	0	0	0	1
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	3.06	162	163	302	216	167	3.02	123	117	229	153	111	3.18	39	46	73	63	56

Table 7. Angler satisfaction ratings by drainage by water type for the 2005 angling year March 2005 through February 2006 (continued)

Drain- age	Water type	TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's
LOWER FLATHEAD DR	SALMONID STREAM	2.74	74	59	113	47	36	2.67	48	43	76	31	18	2.86	26	16	37	16	18
	SALMONID LAKE	2.80	205	124	206	141	118	2.77	168	107	170	113	90	2.95	37	17	36	28	28
	NONSALMONID STREAM	2.76	9	12	30	8	3	2.72	9	12	27	7	3	3.30	0	0	3	1	0
	NONSALMONID LAKE	2.49	91	48	69	42	23	2.51	85	44	65	41	22	2.19	6	4	4	1	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.73	379	245	419	240	182	2.69	310	207	339	194	134	2.88	69	38	80	46	48
UPPER FLATHEAD DR	SALMONID STREAM	3.35	27	47	59	59	66	3.21	18	34	42	32	36	3.58	9	13	17	27	30
	SALMONID LAKE	2.55	65	37	35	32	24	2.48	54	32	29	26	16	2.86	11	5	6	6	8
	NONSALMONID STREAM	3.50	0	0	1	1	0	3.50	0	0	1	1	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.47	2	1	3	1	0	2.47	2	1	3	1	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	3.00	94	85	99	93	90	2.84	74	67	76	60	52	3.39	20	18	23	33	38
GALLATIN DR	SALMONID STREAM	3.02	112	127	208	173	96	2.98	65	89	132	103	54	3.08	47	38	76	70	42
	SALMONID LAKE	2.82	46	30	55	37	25	2.84	40	22	52	29	23	2.70	6	8	3	8	2
	NONSALMONID STREAM	3.00	0	2	0	0	1	2.00	0	1	0	0	0	3.50	0	1	0	0	1
	NONSALMONID LAKE	4.13	0	0	3	1	4	4.13	0	0	3	1	4	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.99	158	159	266	211	126	2.96	105	112	187	133	81	3.05	53	47	79	78	45
JEFFERSON DR	SALMONID STREAM	2.65	46	25	40	27	18	2.62	38	18	34	19	14	2.79	8	7	6	8	4
	SALMONID LAKE	1.79	41	10	18	1	2	1.76	40	9	16	1	2	2.25	1	1	2	0	0
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	5.00	0	0	0	0	1	5.00	0	0	0	0	1	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.39	87	35	58	28	21	2.33	78	27	50	20	17	2.73	9	8	8	8	4
KOOTENAI DR	SALMONID STREAM	2.66	73	64	90	35	37	2.72	40	46	55	18	28	2.56	33	18	35	17	9
	SALMONID LAKE	2.70	110	59	82	54	57	2.65	81	44	55	36	40	2.80	29	15	27	18	17
	NONSALMONID STREAM	3.00	0	0	0	0	0	3.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.56	18	18	25	10	5	2.59	15	16	22	8	5	2.40	3	2	3	2	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.67	201	141	198	100	99	2.67	136	106	133	63	73	2.67	65	35	65	37	26
LITTLE MISSOURI DR	SALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	SALMONID LAKE	1.50	1	1	0	0	0	1.50	1	1	0	0	0	.00	0	0	0	0	0
	NONSALMONID STREAM	2.67	1	1	0	0	1	2.67	1	1	0	0	1	.00	0	0	0	0	0
	NONSALMONID LAKE	3.00	1	0	0	0	1	3.00	1	0	0	0	1	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.43	3	2	0	0	2	2.43	3	2	0	0	2	.00	0	0	0	0	0

Table 7. Angler satisfaction ratings by drainage by water type for the 2005 angling year March 2005 through February 2006 (continued)

Drain- age	Water type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	excellent 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	excellent 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	excellent 5's
MADISON DR																			
	SALMONID STREAM	3.00	213	217	394	290	179	2.86	87	86	153	100	48	3.08	126	131	241	190	131
	SALMONID LAKE	2.70	108	71	104	67	50	2.62	55	41	54	29	23	2.78	53	30	50	38	27
	NONSALMONID STREAM	1.00	1	0	0	0	0	1.00	1	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.56	2	0	3	2	0	2.56	2	0	3	2	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	2.93	325	289	501	359	229	2.79	146	128	210	131	71	3.02	179	161	291	228	158
MARIAS DR																			
	SALMONID STREAM	2.83	7	5	8	6	4	2.57	6	5	6	5	1	3.71	1	0	2	1	3
	SALMONID LAKE	3.08	16	11	12	17	16	3.04	16	11	11	16	15	4.00	0	0	1	1	1
	NONSALMONID STREAM	2.10	7	7	5	2	0	2.10	7	7	5	2	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.36	64	36	52	26	9	2.35	64	36	50	26	9	3.00	0	0	2	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	2.00	0	1	0	0	0	2.00	0	1	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	2.55	94	60	77	51	29	2.51	93	60	72	49	25	3.67	1	0	5	2	4
MILK DR																			
	SALMONID STREAM	3.25	2	5	10	11	3	3.18	2	5	9	8	3	3.75	0	0	1	3	0
	SALMONID LAKE	3.14	18	22	32	31	22	3.14	18	21	32	30	22	3.00	0	1	0	1	0
	NONSALMONID STREAM	2.75	15	15	17	14	7	2.75	15	15	17	14	7	.00	0	0	0	0	0
	NONSALMONID LAKE	2.63	47	35	54	23	20	2.63	45	35	53	23	19	2.50	2	0	1	0	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	2.86	82	77	114	79	52	2.85	80	76	112	75	51	3.10	2	1	2	4	1
LOWER MISSOURI DR																			
	SALMONID STREAM	2.95	23	20	41	23	19	3.01	16	14	35	18	15	2.75	7	6	6	5	4
	SALMONID LAKE	2.88	28	15	39	17	20	2.85	27	12	34	13	18	3.13	1	3	5	4	2
	NONSALMONID STREAM	2.50	61	38	53	27	18	2.47	55	36	44	24	15	2.78	6	2	9	3	3
	NONSALMONID LAKE	2.25	114	51	54	36	18	2.24	102	49	43	32	17	2.31	12	2	11	4	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	2.55	228	124	188	103	76	2.53	201	111	157	87	66	2.68	27	13	31	16	10
UPPER MISSOURI DR																			
	SALMONID STREAM	2.88	275	253	382	255	190	2.84	202	187	296	182	124	2.98	73	66	86	73	66
	SALMONID LAKE	2.41	321	137	191	111	84	2.40	289	130	171	98	75	2.51	32	7	20	13	9
	NONSALMONID STREAM	2.44	34	20	34	11	8	2.43	32	20	34	10	7	2.75	2	0	0	1	1
	NONSALMONID LAKE	2.14	160	85	99	28	19	2.15	154	81	96	27	19	1.93	6	4	3	1	0
	UNDESIG STRM MGMT	2.00	0	1	0	0	0	2.00	0	1	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	1.00	2	0	0	0	0	1.00	2	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	2.60	793	497	707	407	303	2.55	680	420	598	319	227	2.86	113	77	109	88	76
MUSSELSHELL DR																			
	SALMONID STREAM	2.77	9	3	9	4	5	2.88	6	3	9	4	4	2.00	3	0	0	0	1
	SALMONID LAKE	2.60	35	16	25	11	17	2.62	33	14	23	10	17	2.29	2	2	2	1	0
	NONSALMONID STREAM	2.44	5	3	5	2	1	2.44	5	3	5	2	1	.00	0	0	0	0	0
	NONSALMONID LAKE	2.05	16	5	7	1	3	2.05	16	4	7	1	3	2.00	0	1	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	2.51	66	27	46	18	26	2.54	61	24	44	17	25	2.17	5	3	2	1	1

Table 7. Angler satisfaction ratings by drainage by water type for the 2005 angling year March 2005 through February 2006 (continued)

Drain- age	Water type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	excellent 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	excellent 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	excellent 5's
ST MARY DR																			
	SALMONID STREAM	1.67	2	0	1	0	0	1.00	1	0	0	0	0	2.00	1	0	1	0	0
	SALMONID LAKE	3.53	3	4	9	8	10	3.81	0	4	6	8	9	2.43	3	0	3	0	1
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	3.38	5	4	10	8	10	3.71	1	4	6	8	9	2.33	4	0	4	0	1
SUN DR																			
	SALMONID STREAM	2.89	17	22	26	15	15	2.86	11	16	24	15	6	3.00	6	6	2	0	9
	SALMONID LAKE	3.02	32	30	54	30	34	2.96	30	29	51	26	29	3.60	2	1	3	4	5
	NONSALMONID STREAM	2.38	2	0	0	1	0	2.38	2	0	0	1	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.07	17	4	8	3	2	2.07	17	4	8	3	2	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	2.87	69	56	89	50	51	2.82	61	49	84	46	37	3.24	8	7	5	4	14
LOWER YELLOWSTONE DR																			
	SALMONID STREAM	2.93	2	2	7	1	2	2.91	1	2	6	1	1	3.00	1	0	1	0	1
	SALMONID LAKE	2.49	8	4	3	0	5	2.22	8	4	3	0	3	5.00	0	0	0	0	2
	NONSALMONID STREAM	3.17	44	42	75	45	66	3.10	40	41	71	37	54	3.79	4	1	4	8	12
	NONSALMONID LAKE	2.77	51	48	73	45	25	2.78	43	42	60	39	22	2.72	8	6	13	6	3
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	2.00	0	1	0	0	0	2.00	0	1	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	2.96	105	98	159	91	98	2.92	92	91	141	77	80	3.24	13	7	18	14	18
UPPER YELLOWSTONE DR																			
	SALMONID STREAM	3.11	375	405	766	593	422	2.98	256	275	512	327	215	3.32	119	130	254	266	207
	SALMONID LAKE	2.93	113	50	90	77	85	2.81	94	43	72	66	51	3.40	18	7	18	11	34
	NONSALMONID STREAM	2.39	46	29	44	15	9	2.38	43	28	44	13	8	2.60	3	1	0	2	1
	NONSALMONID LAKE	2.06	101	30	36	20	12	2.05	94	29	31	19	11	2.24	6	1	5	1	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction	Ratings:	2.99	635	514	938	707	528	2.84	488	375	660	427	285	3.31	147	139	278	280	243
Total																			
	SALMONID STREAM	2.98	1902	1931	3422	2279	1596	2.90	1203	1238	2179	1282	843	3.09	699	692	1243	997	752
	SALMONID LAKE	2.73	1466	827	1266	805	777	2.68	1219	689	1024	638	589	2.91	246	138	242	167	188
	NONSALMONID STREAM	2.69	261	200	304	146	128	2.65	240	191	279	125	106	3.14	21	8	25	21	21
	NONSALMONID LAKE	2.40	772	436	584	291	165	2.40	718	401	533	270	156	2.39	53	35	51	21	9
	UNDESIG STRM MGMT	3.50	0	1	0	0	1	2.00	0	1	0	0	0	5.00	0	0	0	0	1
	UNDESIG LAKE MGMT	2.25	3	3	0	1	1	2.00	3	2	0	0	1	3.00	0	1	0	1	0
Statewide Satisfaction	Ratings:	2.83	4404	3399	5576	3524	2668	2.74	3384	2524	4015	2317	1696	3.04	1020	875	1561	1207	972

Angler Crowding Ratings

Questions were included to ask the angler to rate the crowding from one (sparse) to five (crowded) and also to ascertain how many other recreations they encountered for each rating category. A separate report on the crowding ratings for individual waters was published entitled "Montana Angler Crowding Ratings 2005". The ratings were summarized for the seven Fish, Wildlife & Parks regions and are listed in table 8. The ratings were also summarized by the 22 major drainages in the state and are listed in table 9. The "crowding ratings" column lists the number of responses under each rating while the "average number of people seen" column list contains exactly what the title says.

Table 8. Crowding ratings summarized by region by residency by water type for the 2005 - 2006 angling license year.													
Region	Type	Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
1													
	SALMONID STREAM												
	Total	1.62	697	166	126	37	32	5.97	3.29	7.51	9.90	20.14	24.40
	Resident	1.71	410	108	89	32	22	5.84	2.89	7.06	9.89	21.39	15.87
	Nonresident	1.47	287	58	37	5	10	6.23	3.92	8.38	10.02	12.20	43.20
	SALMONID LAKE												
	Total	1.70	917	258	178	71	52	12.97	8.06	15.13	20.82	26.76	43.02
	Resident	1.75	697	208	153	60	45	13.15	7.75	14.11	20.86	29.10	44.72
	Nonresident	1.51	220	50	25	11	7	12.33	9.07	19.36	20.60	14.00	32.14
	NONSALMONID STREAM												
	Total	1.64	92	25	20	4	4	6.41	3.94	8.73	9.30	12.00	28.75
	Resident	1.71	75	21	19	4	4	6.19	3.63	9.06	7.15	12.00	28.75
	Nonresident	1.27	17	4	1	0	0	7.64	5.35	6.75	50.00	.00	.00
	NONSALMONID LAKE												
	Total	1.84	288	107	80	28	23	11.76	7.26	13.06	16.96	25.42	27.30
	Resident	1.85	258	101	73	26	21	11.47	6.73	13.43	15.57	26.22	27.76
	Nonresident	1.72	30	6	7	2	2	14.65	11.82	6.50	31.43	15.00	22.50
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Regional Crowding Ratings:												
	Total	1.70	1995	558	404	140	111	10.16	6.09	12.16	16.08	24.32	33.88
	Resident	1.76	1441	440	334	122	92	10.47	5.97	11.97	16.00	25.90	33.25
	Nonresident	1.50	554	118	70	18	19	9.23	6.44	12.88	16.51	13.61	36.95

Table 8. Crowding ratings summarized by region by residency by water type for the 2005 - 2006 angling license year (continued).

		Crowding Ratings						Average Number of People Seen					
Region	Type	Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----	-----	-----	crowded		sparse	-----	-----	-----	crowded
2	SALMONID STREAM												
	Total	1.99	1286	536	394	203	150	8.35	3.36	9.07	12.26	15.30	28.84
	Resident	2.12	751	334	277	154	120	8.23	2.68	7.27	11.40	13.68	31.35
	Nonresident	1.75	535	202	117	49	30	8.54	4.33	11.98	14.22	20.36	18.87
	SALMONID LAKE												
	Total	2.05	326	163	138	55	37	16.80	8.23	21.47	27.03	25.02	21.11
	Resident	2.11	264	142	123	52	35	17.06	8.23	21.21	26.39	25.84	20.75
	Nonresident	1.66	62	21	15	3	2	15.18	8.22	23.07	32.33	10.00	27.50
	NONSALMONID STREAM												
	Total	2.09	22	10	8	3	4	7.83	3.00	6.80	8.82	40.00	10.75
	Resident	2.01	19	10	5	1	4	5.65	3.26	6.80	9.09	.00	10.75
	Nonresident	2.50	3	0	3	2	0	18.63	1.33	.00	8.33	60.00	.00
	NONSALMONID LAKE												
	Total	2.13	76	25	22	15	14	13.79	5.53	15.61	27.32	23.38	23.04
	Resident	2.23	64	21	21	15	14	14.01	5.08	13.78	28.31	23.38	23.04
	Nonresident	1.35	12	4	1	0	0	12.00	7.92	25.50	7.00	.00	.00
	UNDESIG STRM MGMT												
	Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.01	1712	735	563	277	206	10.32	4.38	12.03	16.42	17.96	26.68
Resident		2.12	1099	508	427	223	174	10.75	4.16	11.45	16.52	17.16	28.02
Nonresident		1.74	613	227	136	54	32	9.30	4.77	13.24	16.04	21.25	19.41
3	SALMONID STREAM												
	Total	2.09	1930	795	754	404	251	11.79	4.17	11.21	16.53	24.37	37.69
	Resident	2.14	978	377	387	216	154	10.35	2.96	8.47	13.95	22.43	35.92
	Nonresident	2.04	952	418	367	188	97	13.29	5.41	13.67	19.25	26.65	40.55
	SALMONID LAKE												
	Total	1.82	525	181	150	46	38	12.02	7.10	13.15	17.97	28.77	30.81
	Resident	1.90	340	126	121	37	26	11.57	5.75	12.75	16.60	24.50	40.01
	Nonresident	1.65	185	55	29	9	12	13.01	9.59	13.97	23.64	46.36	10.89
	NONSALMONID STREAM												
	Total	2.26	5	2	3	3	0	26.15	9.09	47.50	16.67	52.67	.00
	Resident	2.60	3	1	3	3	0	27.80	5.00	55.00	16.67	52.67	.00
	Nonresident	1.29	2	1	0	0	0	21.43	14.00	40.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.32	14	5	11	3	3	18.40	6.78	10.60	25.96	13.67	63.33
	Resident	2.42	12	5	11	3	3	19.11	6.40	10.60	25.96	13.67	63.33
	Nonresident	1.00	2	0	0	0	0	8.60	8.60	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.05	2476	983	919	456	292	11.92	4.82	11.63	16.89	24.93	37.06
Resident		2.09	1333	509	523	259	183	10.80	3.71	9.64	14.85	22.98	36.95
Nonresident		1.99	1143	474	396	197	109	13.26	6.11	13.76	19.57	27.55	37.29

Table 8. Crowding ratings summarized by region by residency by water type for the 2005 - 2006 angling license year (continued).

		Crowding Ratings						Average Number of People Seen					
Region	Type	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
4	SALMONID STREAM												
	Total	2.16	713	250	244	174	120	14.68	5.10	13.76	22.94	28.39	36.82
	Resident	2.19	529	167	170	126	105	12.92	3.77	11.58	20.78	24.38	34.72
	Nonresident	2.08	184	83	74	48	15	19.51	8.97	18.19	27.99	39.00	51.79
	SALMONID LAKE												
	Total	2.02	590	266	220	90	73	20.35	9.58	20.55	24.79	34.93	74.96
	Resident	2.06	516	247	210	82	70	20.54	9.09	20.36	24.67	33.84	77.36
	Nonresident	1.66	74	19	10	8	3	18.44	13.03	23.16	27.29	46.13	18.67
	NONSALMONID STREAM												
	Total	2.00	96	19	19	14	16	8.47	2.63	11.91	12.53	30.75	14.56
	Resident	1.98	92	19	17	12	16	7.59	2.60	11.91	6.37	30.72	14.56
	Nonresident	2.25	4	0	2	2	0	25.75	3.50	.00	65.00	31.00	.00
	NONSALMONID LAKE												
	Total	2.31	252	134	128	59	68	33.04	15.62	31.65	39.90	64.30	60.19
	Resident	2.32	243	132	124	59	67	32.85	15.39	30.62	39.35	64.30	60.79
	Nonresident	1.88	9	2	4	0	1	40.56	22.56	100.00	56.48	.00	20.00
	UNDESIG STRM MGMT												
	Total	3.00	0	0	1	0	0	.00	.00	.00	.00	.00	.00
	Resident	3.00	0	0	1	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	3.00	1	0	1	0	1	9.33	18.00	.00	.00	.00	10.00
	Resident	3.00	1	0	1	0	1	9.33	18.00	.00	.00	.00	10.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.13	1654	670	613	338	279	19.68	8.17	20.00	26.75	36.50	51.24
Resident		2.16	1383	566	523	280	260	19.63	7.73	19.89	26.20	35.84	51.71
Nonresident		1.99	271	104	90	58	19	20.00	10.45	20.67	30.00	39.70	44.88
5	SALMONID STREAM												
	Total	2.20	767	289	314	201	128	16.20	3.78	12.87	24.65	33.71	50.03
	Resident	2.10	538	201	170	112	84	11.25	3.05	9.49	15.07	22.18	45.68
	Nonresident	2.38	229	88	144	89	44	25.42	5.48	20.53	36.03	48.28	58.23
	SALMONID LAKE												
	Total	1.90	247	68	52	37	26	11.08	5.79	12.13	17.31	25.75	25.02
	Resident	1.94	194	61	48	30	21	11.02	6.00	12.24	17.29	21.93	23.35
	Nonresident	1.72	53	7	4	6	5	11.37	4.99	11.29	17.50	43.69	32.20
	NONSALMONID STREAM												
	Total	1.61	100	33	15	0	8	5.32	2.76	6.69	10.15	.00	22.49
	Resident	1.61	97	32	14	0	8	4.90	2.67	6.12	7.40	.00	22.49
	Nonresident	1.55	3	1	1	0	0	17.45	6.00	25.00	50.00	.00	.00
	NONSALMONID LAKE												
	Total	2.40	88	28	32	24	29	25.29	8.39	29.34	36.83	36.98	49.87
	Resident	2.44	78	28	29	21	29	25.65	8.61	29.34	33.09	39.42	49.87
	Nonresident	1.87	10	0	3	2	0	20.95	6.48	.00	73.33	16.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.12	1203	418	414	262	192	15.37	4.44	13.36	24.12	32.89	45.40
Resident		2.06	907	322	262	164	143	12.16	4.12	11.40	17.05	24.39	41.89
Nonresident		2.29	296	96	152	98	49	23.72	5.43	19.91	36.37	47.15	55.57

Table 8. Crowding ratings summarized by region by residency by water type for the 2005 - 2006 angling license year(continued).

		Crowding Ratings						Average Number of People Seen					
Region	Type	Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----	-----	-----	crowded		sparse	-----	-----	-----	crowded
6	SALMONID STREAM												
	Total	1.80	32	5	5	4	3	10.60	3.82	6.62	29.07	33.25	26.67
	Resident	1.72	28	5	4	3	2	8.46	4.19	6.62	32.89	11.00	15.00
	Nonresident	2.29	4	0	1	1	1	23.86	1.25	.00	12.00	100.00	50.00
	SALMONID LAKE												
	Total	1.87	86	33	26	8	8	10.85	5.52	10.14	18.96	13.02	42.99
	Resident	1.94	75	33	26	8	8	11.19	5.38	10.14	18.96	13.02	42.99
	Nonresident	1.00	11	0	0	0	0	6.24	6.24	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	2.00	126	27	30	19	19	15.26	3.73	19.80	20.85	37.66	54.18
	Resident	1.93	121	25	23	16	17	13.08	3.56	20.00	20.83	32.88	41.68
	Nonresident	2.74	5	2	7	3	2	38.52	8.20	17.50	20.70	63.30	160.50
	NONSALMONID LAKE												
	Total	1.68	271	82	57	15	14	18.08	13.83	21.47	28.05	28.96	28.14
	Resident	1.68	251	73	56	13	13	17.69	13.40	21.42	28.08	22.62	29.92
	Nonresident	1.63	20	9	1	2	1	22.48	18.82	21.80	26.00	70.00	5.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.80	517	148	119	46	44	15.59	9.34	18.10	24.27	30.16	41.98
Resident		1.79	476	137	110	40	40	14.81	9.07	17.86	24.57	23.93	36.78
Nonresident		1.89	41	11	9	6	4	24.28	12.29	21.02	20.32	71.65	94.00
7	SALMONID STREAM												
	Total	1.93	8	3	1	0	2	5.92	2.36	9.33	2.00	.00	17.00
	Resident	2.00	6	3	0	0	2	6.45	1.50	9.33	.00	.00	17.00
	Nonresident	1.67	2	0	1	0	0	4.00	5.00	.00	2.00	.00	.00
	SALMONID LAKE												
	Total	1.38	20	3	3	0	0	4.28	3.99	4.33	5.86	.00	.00
	Resident	1.43	17	3	3	0	0	3.93	3.46	4.33	5.86	.00	.00
	Nonresident	1.00	3	0	0	0	0	7.00	7.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.86	162	40	36	20	16	16.52	4.08	21.26	33.93	40.14	61.95
	Resident	1.83	148	34	33	17	13	14.57	3.67	20.24	34.84	32.18	49.34
	Nonresident	2.14	14	6	3	3	3	33.02	8.44	27.03	24.00	85.00	116.70
	NONSALMONID LAKE												
	Total	2.52	78	48	56	41	22	46.77	10.44	17.46	86.33	60.05	113.20
	Resident	2.50	67	45	43	33	21	48.21	10.29	17.29	101.80	64.08	99.53
	Nonresident	2.58	11	3	13	8	1	38.34	11.48	20.00	34.43	43.30	400.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.12	269	94	97	61	40	28.89	5.85	18.40	63.11	53.52	87.89
Resident		2.10	239	85	80	50	36	28.23	5.44	17.73	69.98	53.24	76.82
Nonresident		2.30	30	9	17	11	4	33.39	9.18	24.69	30.68	54.67	187.52

Table 8. Crowding ratings summarized by region by residency by water type for the 2005 - 2006 angling license year(continued).

		Crowding Ratings						Average Number of People Seen					
Region	Type	Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse				crowded		sparse				crowded
Total													
	SALMONID STREAM												
	Total	2.05	5435	2044	1839	1023	686	11.49	3.93	10.88	17.43	24.97	37.18
	Resident	2.09	3241	1195	1098	643	489	9.94	3.04	8.61	14.29	20.57	35.15
	Nonresident	1.98	2194	849	741	380	197	13.87	5.25	14.06	22.10	32.46	42.24
	SALMONID LAKE												
	Total	1.87	2769	999	781	314	239	14.72	7.81	16.64	21.99	28.33	45.13
	Resident	1.94	2126	829	689	272	208	15.12	7.47	16.61	21.78	27.86	48.64
	Nonresident	1.62	643	170	92	42	31	13.02	8.91	16.75	23.55	31.32	21.54
	NONSALMONID STREAM												
	Total	1.86	605	156	132	63	67	11.52	3.54	14.17	19.35	36.07	38.68
	Resident	1.84	556	142	115	53	62	10.14	3.28	13.53	18.10	31.09	30.98
	Nonresident	2.03	49	14	17	10	5	25.09	6.62	20.66	27.76	62.69	134.22
	NONSALMONID LAKE												
	Total	2.09	1070	431	387	185	174	24.35	11.09	22.14	38.81	46.86	55.19
	Resident	2.11	974	407	358	171	169	24.38	10.89	21.97	38.74	47.58	54.04
	Nonresident	1.86	96	24	29	14	5	23.90	13.09	24.88	39.53	38.37	94.00
	UNDESIG STRM MGMT												
	Total	2.00	1	0	1	0	0	.00	.00	.00	.00	.00	.00
	Resident	3.00	0	0	1	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	2.33	3	0	2	0	1	6.67	6.00	.00	6.00	.00	10.00
	Resident	2.20	3	0	1	0	1	5.60	6.00	.00	.00	.00	10.00
	Nonresident	3.00	0	0	1	0	0	12.00	.00	.00	12.00	.00	.00
Statewide Crowding Ratings:													
	Total	2.00	9885	3631	3143	1587	1168	13.83	5.77	13.94	21.26	28.64	41.56
	Resident	2.03	6902	2574	2263	1140	930	13.67	5.53	13.57	20.62	26.86	41.31
	Nonresident	1.91	2983	1057	880	447	238	14.21	6.31	14.82	22.92	33.22	42.56

Table 9. Crowding ratings summarized by drainage by residency by water type for the 2005 - 2006 angling license Year.

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
BEAVERHEAD DR												
SALMONID STREAM												
Total	1.80	234	64	39	31	18	8.80	2.24	5.65	14.15	17.83	78.08
Resident	1.74	105	30	17	10	8	4.79	2.10	4.29	8.17	16.70	19.99
Nonresident	1.84	129	34	22	21	10	11.98	2.40	6.85	18.72	18.39	124.62
SALMONID LAKE												
Total	1.58	93	22	20	4	2	9.95	7.88	7.15	12.85	37.50	53.00
Resident	1.69	68	18	20	4	2	10.54	8.16	6.29	12.85	37.50	53.00
Nonresident	1.14	24	4	0	0	0	7.68	7.14	11.00	.00	.00	.00
NONSALMONID STREAM												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.60	3	1	1	0	0	10.50	8.83	18.00	8.00	.00	.00
Resident	2.20	0	1	1	0	0	12.40	10.00	18.00	8.00	.00	.00
Nonresident	1.00	2	0	0	0	0	8.60	8.60	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.74	330	87	60	35	20	9.12	3.89	6.17	13.61	20.07	75.57
Resident	1.73	174	49	38	14	10	7.13	4.51	5.31	10.63	22.64	26.59
Nonresident	1.75	156	38	22	21	10	11.45	3.25	7.28	18.72	18.39	124.62
BIG HOLE DR												
SALMONID STREAM												
Total	1.95	336	123	105	48	35	10.34	4.13	9.98	17.15	24.50	31.50
Resident	2.14	161	69	68	28	29	10.51	3.19	9.71	14.07	24.07	31.61
Nonresident	1.72	175	54	37	20	6	10.11	4.95	10.32	22.71	25.16	31.00
SALMONID LAKE												
Total	1.56	57	14	10	2	2	4.43	2.14	9.51	7.69	17.50	5.00
Resident	1.60	46	11	10	1	2	4.23	1.89	9.71	7.69	15.00	5.00
Nonresident	1.40	11	3	0	1	0	5.41	3.19	8.67	.00	20.00	.00
NONSALMONID STREAM												
Total	1.67	0	1	0	0	0	26.67	.00	40.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.67	0	1	0	0	0	26.67	.00	40.00	.00	.00	.00
NONSALMONID LAKE												
Total	3.00	0	0	1	0	0	10.00	.00	.00	10.00	.00	.00
Resident	3.00	0	0	1	0	0	10.00	.00	.00	10.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.91	394	138	116	50	37	9.69	3.83	10.15	16.27	24.22	30.06
Resident	2.05	207	80	79	29	31	9.47	2.90	9.71	13.21	23.76	29.89
Nonresident	1.71	187	58	37	21	6	9.96	4.84	10.75	22.71	24.91	31.00

Table 9. Crowding ratings summarized by drainage by residency by water type for the 2005 - 2006 angling license Year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
BITTERROOT DR												
SALMONID STREAM												
Total	2.09	450	214	174	87	62	7.27	3.68	7.45	10.21	13.55	15.69
Resident	2.26	244	139	128	63	50	6.94	2.81	6.45	9.64	11.58	15.70
Nonresident	1.79	206	75	46	24	12	7.82	4.72	9.27	11.65	18.67	15.75
SALMONID LAKE												
Total	1.82	53	16	16	4	4	13.17	5.98	13.32	37.20	11.80	13.25
Resident	1.91	43	15	16	4	4	14.17	6.47	12.56	37.20	11.80	13.25
Nonresident	1.09	10	1	0	0	0	5.82	3.90	25.00	.00	.00	.00
NONSALMONID STREAM												
Total	2.70	3	2	2	1	2	5.80	3.00	10.00	10.50	.00	4.00
Resident	2.67	3	2	1	1	2	5.33	3.00	10.00	11.00	.00	4.00
Nonresident	3.00	0	0	1	0	0	10.00	.00	.00	10.00	.00	.00
NONSALMONID LAKE												
Total	1.13	7	1	0	0	0	4.88	2.00	25.00	.00	.00	.00
Resident	1.00	7	0	0	0	0	2.00	2.00	.00	.00	.00	.00
Nonresident	2.00	0	1	0	0	0	25.00	.00	25.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.06	513	233	192	92	68	7.74	3.89	7.95	12.46	13.32	15.20
Resident	2.21	297	156	145	68	56	7.69	3.33	7.08	12.69	11.43	15.11
Nonresident	1.77	216	77	47	24	12	7.82	4.68	9.68	11.61	18.67	15.75
BLACKFOOT DR												
SALMONID STREAM												
Total	1.99	220	60	53	36	30	11.34	3.04	8.81	18.03	22.14	52.42
Resident	2.08	152	43	39	31	25	12.20	2.72	8.07	16.31	20.19	60.53
Nonresident	1.73	68	17	14	5	5	9.07	3.80	10.54	22.84	34.20	11.98
SALMONID LAKE												
Total	2.19	93	50	45	16	19	16.26	6.87	20.16	25.38	22.13	25.28
Resident	2.22	81	47	42	15	17	15.81	6.83	20.43	21.72	22.60	25.02
Nonresident	1.95	12	3	3	1	2	20.58	7.10	15.67	76.67	15.00	27.50
NONSALMONID STREAM												
Total	1.63	6	2	0	1	0	5.84	2.83	7.50	7.00	20.00	.00
Resident	1.35	6	2	0	0	0	4.18	2.83	7.50	7.00	.00	.00
Nonresident	4.00	0	0	0	1	0	20.00	.00	.00	.00	20.00	.00
NONSALMONID LAKE												
Total	2.23	56	21	19	14	12	14.14	5.20	16.33	29.11	23.61	17.13
Resident	2.36	45	18	18	14	12	14.55	4.61	14.79	30.36	23.61	17.13
Nonresident	1.33	11	3	1	0	0	11.13	7.55	25.67	7.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.08	376	133	118	68	62	13.19	4.31	14.24	22.57	22.42	36.77
Resident	2.17	285	110	100	61	55	13.71	4.20	14.44	21.07	21.62	39.37
Nonresident	1.74	91	23	18	7	7	11.01	4.69	13.18	30.93	29.43	16.41

Table 9. Crowding ratings summarized by drainage by residency by water type for the 2005 - 2006 angling license Year(continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
LOWER CLARK FORK DR												
SALMONID STREAM												
Total	1.84	410	182	115	33	34	8.24	3.77	10.42	13.23	15.35	26.75
Resident	1.98	220	101	68	27	29	7.84	3.18	7.48	12.89	14.50	26.34
Nonresident	1.65	190	81	47	6	5	8.73	4.40	13.97	13.72	19.37	29.00
SALMONID LAKE												
Total	1.51	120	27	6	10	4	9.95	4.94	8.85	13.20	19.79	138.50
Resident	1.56	92	21	6	8	4	11.22	5.18	8.85	13.20	21.74	138.50
Nonresident	1.33	28	6	0	2	0	5.35	4.13	8.83	.00	12.00	.00
NONSALMONID STREAM												
Total	1.73	57	16	12	4	4	8.68	4.67	10.04	11.95	31.75	27.50
Resident	1.81	42	14	10	3	4	7.66	4.46	10.77	8.50	9.00	27.50
Nonresident	1.45	15	2	2	1	0	12.45	5.33	4.50	30.00	100.00	.00
NONSALMONID LAKE												
Total	1.86	96	39	27	11	7	12.09	7.55	13.23	21.79	15.71	24.86
Resident	1.92	81	35	25	11	7	12.09	6.45	13.79	22.82	15.71	24.86
Nonresident	1.38	15	4	2	0	0	12.08	13.58	8.00	9.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.79	685	264	161	58	49	9.07	4.57	10.65	14.57	17.32	35.66
Resident	1.88	437	171	110	49	44	9.19	4.33	9.21	14.75	15.62	36.41
Nonresident	1.60	248	93	51	9	5	8.79	4.98	13.18	14.17	26.69	29.00
UPPER CLARK FORK DR												
SALMONID STREAM												
Total	1.92	324	116	72	50	34	7.24	2.34	9.16	10.70	13.31	31.11
Resident	1.99	202	73	50	35	26	6.93	1.82	7.41	9.96	10.92	34.07
Nonresident	1.78	122	43	22	15	8	7.82	3.25	12.08	12.35	18.88	21.52
SALMONID LAKE												
Total	2.07	158	94	77	35	13	18.99	10.67	24.03	25.88	27.89	18.92
Resident	2.14	127	78	65	33	13	19.35	10.37	23.72	26.74	29.06	18.92
Nonresident	1.75	31	16	12	2	0	17.11	11.85	25.41	21.24	7.50	.00
NONSALMONID STREAM												
Total	1.71	9	4	4	0	0	4.75	3.02	6.25	7.13	.00	.00
Resident	1.71	7	4	3	0	0	5.11	3.29	6.25	7.83	.00	.00
Nonresident	1.67	2	0	1	0	0	3.00	2.00	.00	5.00	.00	.00
NONSALMONID LAKE												
Total	1.69	3	2	1	0	0	8.46	5.00	10.00	15.00	.00	.00
Resident	1.69	3	2	1	0	0	8.46	5.00	10.00	15.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.97	495	217	154	85	47	11.64	5.02	15.59	18.23	19.32	27.73
Resident	2.05	339	158	119	68	39	12.34	5.08	15.53	19.12	19.73	29.02
Nonresident	1.77	156	59	35	17	8	9.80	4.92	15.70	15.19	17.54	21.52

Table 9. Crowding ratings summarized by drainage by residency by water type for the 2005 - 2006 angling license Year(continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
LOWER FLATHEAD DR												
SALMONID STREAM												
Total	1.76	196	56	41	21	12	6.52	3.37	9.07	9.26	16.45	19.33
Resident	1.87	117	35	33	19	6	6.34	2.81	8.96	8.55	16.60	15.20
Nonresident	1.58	79	21	8	2	6	6.91	4.25	9.30	12.50	15.00	23.50
SALMONID LAKE												
Total	1.81	445	148	119	46	27	15.65	9.41	18.51	23.58	32.65	38.74
Resident	1.87	346	126	104	39	26	15.76	9.34	17.14	22.53	36.47	36.39
Nonresident	1.53	99	22	15	7	1	15.22	9.76	26.41	30.93	11.43	100.00
NONSALMONID STREAM												
Total	1.69	36	11	9	1	2	4.55	2.35	6.09	6.16	21.00	20.00
Resident	1.71	33	9	9	1	2	4.43	2.22	5.47	6.16	21.00	20.00
Nonresident	1.40	3	2	0	0	0	5.80	3.67	9.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.84	154	54	39	14	14	13.30	8.24	14.34	16.99	35.14	32.77
Resident	1.84	143	53	37	13	13	12.89	8.14	14.51	13.23	37.07	33.38
Nonresident	1.75	11	1	2	1	1	19.99	9.54	5.00	87.50	10.00	25.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.80	832	271	210	82	55	12.68	7.46	15.18	18.73	28.79	32.31
Resident	1.85	640	225	185	72	47	12.88	7.50	14.73	17.27	31.12	32.16
Nonresident	1.56	192	46	25	10	8	11.89	7.38	17.38	29.56	12.00	33.25
UPPER FLATHEAD DR												
SALMONID STREAM												
Total	1.68	157	42	38	10	6	7.63	3.87	7.08	10.73	31.30	50.67
Resident	1.76	90	28	28	9	2	7.29	3.42	7.86	10.59	34.11	6.50
Nonresident	1.55	67	14	10	1	4	8.22	4.52	5.50	11.21	6.00	72.75
SALMONID LAKE												
Total	1.88	103	37	30	7	12	10.11	5.95	8.12	15.26	18.73	34.25
Resident	1.90	83	28	26	6	10	10.91	6.64	8.43	17.39	20.18	31.10
Nonresident	1.78	20	9	4	1	2	6.75	3.11	7.22	1.50	10.00	50.00
NONSALMONID STREAM												
Total	1.00	2	0	0	0	0	8.00	8.00	.00	.00	.00	.00
Resident	1.00	2	0	0	0	0	8.00	8.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.60	2	2	1	0	2	15.67	4.20	5.50	25.00	.00	35.50
Resident	2.60	2	2	1	0	2	15.67	4.20	5.50	25.00	.00	35.50
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.77	265	81	69	17	20	8.80	4.72	7.51	12.90	26.12	39.30
Resident	1.84	178	58	55	15	14	9.23	4.99	8.06	14.07	28.54	28.21
Nonresident	1.61	87	23	14	2	6	7.82	4.19	6.17	8.44	8.00	65.17

Table 9. Crowding ratings summarized by drainage by residency by water type for the 2005 - 2006 angling license Year(continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
GALLATIN DR												
SALMONID STREAM												
Total	1.90	371	143	106	57	26	5.86	2.28	7.30	9.05	12.97	20.42
Resident	1.96	220	89	67	37	20	5.10	1.83	6.63	8.23	8.69	17.19
Nonresident	1.80	151	54	39	20	6	7.07	2.90	8.45	10.51	20.94	31.17
SALMONID LAKE												
Total	2.03	87	43	39	15	8	11.49	3.99	13.58	17.92	24.57	25.88
Resident	2.15	67	37	38	15	8	12.26	3.31	14.36	18.29	24.57	25.88
Nonresident	1.30	20	6	1	0	0	6.70	6.25	8.67	4.00	.00	.00
NONSALMONID STREAM												
Total	1.67	2	0	1	0	0	15.00	17.50	.00	10.00	.00	.00
Resident	3.00	0	0	1	0	0	10.00	.00	.00	10.00	.00	.00
Nonresident	1.00	2	0	0	0	0	17.50	17.50	.00	.00	.00	.00
NONSALMONID LAKE												
Total	3.00	2	1	1	3	1	11.38	6.00	8.00	10.00	13.67	20.00
Resident	3.00	2	1	1	3	1	11.38	6.00	8.00	10.00	13.67	20.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.93	462	187	147	75	35	7.13	2.68	8.75	11.42	15.32	21.65
Resident	2.02	289	127	107	55	29	7.14	2.20	8.90	11.84	13.29	19.68
Nonresident	1.75	173	60	40	20	6	7.11	3.46	8.47	10.35	20.94	31.17
JEFFERSON DR												
SALMONID STREAM												
Total	1.26	126	14	7	1	2	3.72	1.92	4.85	6.73	100.00	51.00
Resident	1.29	98	12	6	1	2	4.14	1.91	4.76	7.87	100.00	51.00
Nonresident	1.13	28	2	1	0	0	1.99	1.81	5.50	.00	.00	.00
SALMONID LAKE												
Total	2.01	39	10	10	3	8	12.35	4.51	7.42	13.20	6.00	58.00
Resident	1.98	38	8	10	3	7	12.71	4.42	8.11	13.20	6.00	65.17
Nonresident	2.50	1	2	0	0	1	6.25	8.00	4.50	.00	.00	8.00
NONSALMONID STREAM												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.50	166	24	17	4	10	6.44	2.51	5.92	10.54	29.50	56.60
Resident	1.54	137	20	16	4	9	7.16	2.59	6.10	11.20	29.50	62.02
Nonresident	1.29	29	4	1	0	1	2.47	2.02	5.00	.00	.00	8.00

Table 9. Crowding ratings summarized by drainage by residency by water type for the 2005 - 2006 angling license Year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
KOOTENAI DR												
SALMONID STREAM												
Total	1.38	225	32	26	3	4	4.48	3.20	7.00	9.69	14.67	14.75
Resident	1.45	135	23	19	2	4	4.38	2.86	5.07	10.61	20.00	14.75
Nonresident	1.24	90	9	7	1	0	4.70	3.79	11.91	7.27	4.00	.00
SALMONID LAKE												
Total	1.44	268	49	21	8	10	9.29	7.57	13.05	16.23	8.63	22.58
Resident	1.44	188	35	15	7	6	8.20	6.18	10.43	19.61	4.14	33.53
Nonresident	1.43	80	14	6	1	4	11.91	10.82	19.64	7.48	40.00	6.25
NONSALMONID STREAM												
Total	1.00	0	0	0	0	0	15.00	15.00	.00	.00	.00	.00
Resident	1.00	0	0	0	0	0	15.00	15.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.77	45	13	13	4	2	6.19	4.09	7.69	6.31	16.75	22.00
Resident	1.71	40	12	11	3	1	5.52	3.15	8.17	6.78	15.67	24.00
Nonresident	2.20	5	1	2	1	1	10.70	11.60	2.00	3.50	20.00	20.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.45	539	94	61	15	16	7.03	5.46	10.25	11.25	12.00	20.55
Resident	1.48	364	70	46	12	11	6.45	4.62	8.28	12.68	9.67	25.84
Nonresident	1.37	175	24	15	3	5	8.38	7.23	16.01	6.85	21.33	9.00
LITTLE MISSOURI DR												
SALMONID STREAM												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
SALMONID LAKE												
Total	1.00	2	0	0	0	0	3.00	3.00	.00	.00	.00	.00
Resident	1.00	2	0	0	0	0	3.00	3.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.00	3	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Resident	1.00	3	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.00	2	0	0	0	0	2.00	2.00	.00	.00	.00	.00
Resident	1.00	2	0	0	0	0	2.00	2.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.00	7	0	0	0	0	1.86	1.86	.00	.00	.00	.00
Resident	1.00	7	0	0	0	0	1.86	1.86	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00

Table 9. Crowding ratings summarized by drainage by residency by water type for the 2005 - 2006 angling license Year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
MADISON DR												
SALMONID STREAM												
Total	2.58	380	251	329	206	129	17.60	7.38	15.10	18.77	26.94	34.63
Resident	2.78	126	70	121	94	63	16.08	5.29	10.70	15.23	22.08	36.32
Nonresident	2.46	254	181	208	112	66	18.49	8.46	16.74	20.88	31.06	33.05
SALMONID LAKE												
Total	1.85	214	83	65	18	18	15.32	10.40	16.28	22.80	36.34	21.32
Resident	1.89	101	45	37	10	7	14.52	8.54	16.11	21.59	25.70	37.29
Nonresident	1.82	113	38	28	8	11	16.09	12.05	16.38	24.35	49.65	11.15
NONSALMONID STREAM												
Total	1.00	1	0	0	0	0	9.00	9.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	9.00	9.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.50	2	1	3	0	1	9.06	4.00	7.00	10.14	.00	20.00
Resident	2.50	2	1	3	0	1	9.06	4.00	7.00	10.14	.00	20.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.41	598	335	398	224	148	17.02	8.45	15.37	19.36	27.69	32.91
Resident	2.51	231	116	162	104	71	15.53	6.72	12.77	16.60	22.43	36.19
Nonresident	2.33	367	219	236	120	77	18.02	9.56	16.68	21.29	32.30	29.93
MARIAS DR												
SALMONID STREAM												
Total	1.13	26	4	0	0	0	1.38	1.20	2.50	.00	.00	.00
Resident	1.13	20	3	0	0	0	1.53	1.51	1.67	.00	.00	.00
Nonresident	1.14	6	1	0	0	0	.86	.17	5.00	.00	.00	.00
SALMONID LAKE												
Total	1.65	42	17	9	1	2	7.31	3.58	8.93	12.33	.00	53.00
Resident	1.66	40	16	9	1	2	7.24	3.58	8.24	12.33	.00	53.00
Nonresident	1.33	2	1	0	0	0	9.00	3.50	20.00	.00	.00	.00
NONSALMONID STREAM												
Total	2.15	11	2	3	1	3	4.65	1.64	5.50	7.70	10.00	10.30
Resident	2.15	11	2	3	1	3	4.65	1.64	5.50	7.70	10.00	10.30
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.93	95	39	37	9	9	22.31	10.76	29.57	29.92	63.76	40.08
Resident	1.94	93	39	37	9	9	22.51	10.92	29.57	29.92	63.76	40.08
Nonresident	1.00	2	0	0	0	0	5.00	5.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	18.00	18.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	18.00	18.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.80	175	62	49	11	14	15.72	7.08	21.39	25.33	53.07	35.54
Resident	1.83	165	60	49	11	14	16.22	7.42	21.68	25.33	53.07	35.54
Nonresident	1.17	10	2	0	0	0	3.58	1.80	12.50	.00	.00	.00

Table 9. Crowding ratings summarized by drainage by residency by water type for the 2005 - 2006 angling license Year(continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
MILK DR												
SALMONID STREAM												
Total	1.62	23	3	3	2	1	5.68	2.55	7.70	11.40	16.50	30.00
Resident	1.63	20	3	2	2	1	5.90	2.70	7.70	11.20	16.50	30.00
Nonresident	1.50	3	0	1	0	0	4.25	1.67	.00	12.00	.00	.00
SALMONID LAKE												
Total	2.08	53	31	24	8	8	11.39	4.79	9.13	18.00	13.02	42.99
Resident	2.10	51	31	24	8	8	11.51	4.81	9.13	18.00	13.02	42.99
Nonresident	1.00	2	0	0	0	0	4.00	4.00	.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.40	49	9	4	0	2	2.90	1.59	6.56	10.42	.00	1.50
Resident	1.40	49	9	4	0	2	2.90	1.59	6.56	10.42	.00	1.50
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.83	97	36	30	8	7	16.19	10.30	14.44	29.58	20.26	45.27
Resident	1.81	96	34	30	8	6	16.19	10.41	13.55	29.58	20.26	51.98
Nonresident	2.50	1	2	0	0	1	16.00	.00	29.50	.00	.00	5.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.82	223	80	62	18	18	11.70	6.27	11.21	22.68	16.63	38.54
Resident	1.82	217	78	61	18	17	11.77	6.38	10.73	22.86	16.63	40.52
Nonresident	1.80	6	2	1	0	1	8.90	2.17	29.50	12.00	.00	5.00
LOWER MISSOURI DR												
SALMONID STREAM												
Total	1.62	87	18	9	6	6	8.91	2.56	21.05	25.33	21.53	27.83
Resident	1.57	69	14	7	4	4	8.84	2.42	25.99	29.29	4.73	28.75
Nonresident	1.79	18	4	2	2	2	9.11	3.06	3.75	11.50	55.00	26.00
SALMONID LAKE												
Total	1.59	88	9	17	3	5	11.30	5.47	17.12	35.86	22.00	13.98
Resident	1.64	73	9	17	3	4	12.04	5.45	17.12	35.86	22.00	12.25
Nonresident	1.24	15	0	0	0	1	6.41	5.46	.00	.00	.00	21.00
NONSALMONID STREAM												
Total	2.12	105	20	31	20	19	17.38	4.95	24.18	19.55	36.33	55.76
Resident	2.06	97	18	24	16	17	15.26	4.72	24.94	19.15	32.88	43.44
Nonresident	2.57	8	2	7	4	2	33.25	7.88	17.50	20.70	50.22	160.50
NONSALMONID LAKE												
Total	1.57	182	47	28	8	7	18.98	15.36	26.79	25.41	40.29	11.00
Resident	1.58	163	40	27	6	7	18.42	14.78	28.04	25.37	30.33	11.00
Nonresident	1.51	19	7	1	2	0	23.36	19.79	19.60	26.00	70.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.73	464	94	85	37	37	15.46	8.69	24.21	25.35	33.62	37.12
Resident	1.72	403	81	75	29	32	14.93	8.52	25.79	26.12	27.34	30.61
Nonresident	1.79	61	13	10	8	5	18.71	9.65	14.40	19.39	56.36	78.80

Table 9. Crowding ratings summarized by drainage by residency by water type for the 2005 - 2006 angling license Year(continued) .

		Crowding Ratings					Average Number of People Seen						
Drainage	Type	Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----	crowded				sparse	-----	crowded		
UPPER MISSOURI DR													
	SALMONID STREAM												
	Total	2.25	592	226	240	170	116	15.69	5.59	13.43	22.98	28.94	37.16
	Resident	2.29	439	149	167	123	102	13.68	4.09	10.40	20.77	24.82	34.70
	Nonresident	2.15	153	77	73	47	14	21.18	9.96	19.32	28.12	39.83	55.34
	SALMONID LAKE												
	Total	2.19	345	187	171	75	61	25.26	12.22	24.04	25.77	37.86	85.51
	Resident	2.24	293	176	162	68	60	25.51	11.49	23.64	25.56	36.70	86.34
	Nonresident	1.67	52	11	9	7	1	22.94	16.37	30.73	29.66	49.14	35.00
	NONSALMONID STREAM												
	Total	2.15	57	16	12	14	11	12.15	2.45	16.39	19.83	37.10	15.36
	Resident	2.14	55	16	10	13	11	10.90	2.32	16.39	10.82	36.07	15.36
	Nonresident	2.40	2	0	2	1	0	38.80	6.50	.00	65.00	51.00	.00
	NONSALMONID LAKE												
	Total	2.61	115	85	85	47	58	41.72	22.71	34.91	45.85	65.24	64.30
	Resident	2.63	108	83	81	47	57	41.57	22.41	33.35	45.32	65.24	65.07
	Nonresident	2.00	7	2	4	0	1	45.64	27.57	100.00	56.48	.00	20.00
	UNDESIG STRM MGMT												
	Total	3.00	0	0	1	0	0	.00	.00	.00	.00	.00	.00
	Resident	3.00	0	0	1	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	4.00	0	0	1	0	1	5.00	.00	.00	.00	.00	10.00
	Resident	4.00	0	0	1	0	1	5.00	.00	.00	.00	.00	10.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	2.28	1111	515	510	307	248	22.31	9.27	20.95	27.56	37.06	54.48
	Resident	2.33	897	425	422	252	232	22.30	8.62	20.63	26.98	36.16	54.67
	Nonresident	2.07	214	90	88	55	16	22.42	12.06	22.51	30.41	41.21	51.86
MUSSELSHELL DR													
	SALMONID STREAM												
	Total	1.24	26	1	1	0	1	1.60	1.36	2.00	3.00	.00	6.00
	Resident	1.24	23	0	1	0	1	1.62	1.37	.00	3.00	.00	6.00
	Nonresident	1.25	3	1	0	0	0	1.75	1.67	2.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.64	65	18	14	4	2	11.23	7.13	19.37	14.24	35.00	3.50
	Resident	1.64	62	14	14	4	2	11.27	7.33	20.21	14.24	35.00	3.50
	Nonresident	1.57	3	4	0	0	0	10.71	3.00	16.50	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.13	14	0	1	0	0	2.37	2.04	.00	7.00	.00	.00
	Resident	1.13	14	0	1	0	0	2.37	2.04	.00	7.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.80	18	7	4	1	2	12.92	9.68	16.86	29.50	4.00	.50
	Resident	1.83	17	7	4	1	2	13.01	9.65	16.86	29.50	4.00	.50
	Nonresident	1.00	1	0	0	0	0	10.00	10.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	1.56	124	26	20	5	5	9.24	5.73	18.02	16.36	28.80	2.80
	Resident	1.57	117	21	20	5	5	9.37	5.87	19.10	16.36	28.80	2.80
	Nonresident	1.42	7	5	0	0	0	7.67	3.43	13.60	.00	.00	.00

Table 9. Crowding ratings summarized by drainage by residency by water type for the 2005 - 2006 angling license Year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
ST MARY DR												
SALMONID STREAM												
Total	1.00	3	0	0	0	0	2.33	2.33	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Nonresident	1.00	2	0	0	0	0	3.00	3.00	.00	.00	.00	.00
SALMONID LAKE												
Total	2.06	16	7	5	5	1	13.81	11.34	16.17	21.20	10.80	15.00
Resident	2.15	12	5	5	4	1	13.40	10.89	16.20	21.20	7.28	15.00
Nonresident	1.71	4	2	0	1	0	15.43	12.75	16.00	.00	25.00	.00
NONSALMONID STREAM												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.97	19	7	5	5	1	12.88	9.92	16.17	21.20	10.80	15.00
Resident	2.11	13	5	5	4	1	12.96	10.13	16.20	21.20	7.28	15.00
Nonresident	1.56	6	2	0	1	0	12.67	9.50	16.00	.00	25.00	.00
SUN DR												
SALMONID STREAM												
Total	1.25	80	9	4	1	1	3.15	2.71	5.58	7.50	2.00	.00
Resident	1.29	58	9	4	0	1	2.78	2.07	5.58	7.50	.00	.00
Nonresident	1.13	22	0	0	1	0	4.31	4.42	.00	.00	2.00	.00
SALMONID LAKE												
Total	1.58	112	41	17	6	3	9.23	6.26	11.82	15.65	23.70	20.00
Resident	1.58	102	38	16	6	2	9.67	6.53	12.08	16.28	23.70	30.00
Nonresident	1.60	10	3	1	0	1	4.40	3.39	8.70	6.00	.00	.00
NONSALMONID STREAM												
Total	1.00	4	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Resident	1.00	4	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.38	26	4	3	1	0	10.54	6.74	6.50	19.70	100.00	.00
Resident	1.38	26	4	3	1	0	10.54	6.74	6.50	19.70	100.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.45	223	54	24	8	4	7.42	4.95	10.39	14.80	30.52	15.00
Resident	1.47	191	51	23	7	3	7.85	5.09	10.50	15.20	34.60	20.00
Nonresident	1.32	32	3	1	1	1	4.35	4.10	8.70	6.00	2.00	.00

Table 9. Crowding ratings summarized by drainage by residency by water type for the 2005 - 2006 angling license Year (continued).

Drainage	Type	Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
LOWER YELLOWSTONE DR													
	SALMONID STREAM												
	Total	1.93	8	3	1	0	2	5.92	2.36	9.33	2.00	.00	17.00
	Resident	2.00	6	3	0	0	2	6.45	1.50	9.33	.00	.00	17.00
	Nonresident	1.67	2	0	1	0	0	4.00	5.00	.00	2.00	.00	.00
	SALMONID LAKE												
	Total	1.39	15	3	2	0	0	4.75	4.59	4.33	6.20	.00	.00
	Resident	1.43	13	3	2	0	0	4.40	4.07	4.33	6.20	.00	.00
	Nonresident	1.00	2	0	0	0	0	8.00	8.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.88	157	40	36	20	16	16.70	3.99	21.26	33.93	40.14	61.95
	Resident	1.84	144	34	33	17	13	14.76	3.68	20.24	34.84	32.18	49.34
	Nonresident	2.18	13	6	3	3	3	33.45	7.48	27.03	24.00	85.00	116.70
	NONSALMONID LAKE												
	Total	2.54	74	48	56	41	22	47.52	10.92	17.46	86.33	60.05	113.20
	Resident	2.53	63	45	43	33	21	49.12	10.85	17.29	101.80	64.08	99.53
	Nonresident	2.58	11	3	13	8	1	38.34	11.48	20.00	34.43	43.30	400.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Drainage Crowding Ratings:												
	Total	2.15	255	94	96	61	40	29.58	5.97	18.40	63.71	53.52	87.89
	Resident	2.13	227	85	79	50	36	28.94	5.62	17.73	70.80	53.24	76.82
	Nonresident	2.33	28	9	17	11	4	33.98	8.91	24.69	30.68	54.67	187.52
UPPER YELLOWSTONE DR													
	SALMONID STREAM												
	Total	2.13	1158	483	474	261	167	15.13	4.33	12.65	22.39	32.55	49.35
	Resident	2.12	733	302	271	158	114	12.20	3.36	9.54	16.13	25.26	48.62
	Nonresident	2.15	425	181	203	103	53	19.92	6.01	17.85	30.76	43.76	50.85
	SALMONID LAKE												
	Total	1.91	237	66	48	37	25	10.31	5.14	10.21	15.97	25.75	25.73
	Resident	1.99	170	59	44	30	20	10.39	5.22	10.55	15.83	21.93	24.15
	Nonresident	1.61	67	7	4	6	5	10.04	4.96	7.43	17.50	43.69	32.20
	NONSALMONID STREAM												
	Total	1.69	86	33	15	1	8	5.87	2.88	6.69	9.70	45.00	22.49
	Resident	1.69	83	32	14	1	8	5.42	2.77	6.12	6.92	45.00	22.49
	Nonresident	1.55	3	1	1	0	0	17.45	6.00	25.00	50.00	.00	.00
	NONSALMONID LAKE												
	Total	2.43	84	28	35	24	29	26.51	8.06	28.63	38.24	36.98	54.95
	Resident	2.47	75	28	32	21	29	26.88	8.27	28.63	34.98	39.42	54.95
	Nonresident	1.93	9	0	3	2	0	21.71	6.09	.00	73.33	16.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Drainage Crowding Ratings:												
	Total	2.10	1567	610	573	323	230	14.81	4.58	12.80	22.48	32.13	46.51
	Resident	2.11	1062	421	362	211	172	12.74	3.96	10.69	17.39	26.31	45.57
	Nonresident	2.10	505	189	211	112	58	19.11	5.87	17.50	31.21	43.14	49.24

Table 9. Crowding ratings summarized by drainage by residency by water type for the 2005 - 2006 angling license Year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
Total												
SALMONID STREAM												
Total	2.05	5435	2044	1839	1023	686	11.49	3.93	10.88	17.43	24.97	37.18
Resident	2.09	3241	1195	1098	643	489	9.94	3.04	8.61	14.29	20.57	35.15
Nonresident	1.98	2194	849	741	380	197	13.87	5.25	14.06	22.10	32.46	42.24
SALMONID LAKE												
Total	1.87	2769	999	781	314	239	14.72	7.81	16.64	21.99	28.33	45.13
Resident	1.94	2126	829	689	272	208	15.12	7.47	16.61	21.78	27.86	48.64
Nonresident	1.62	643	170	92	42	31	13.02	8.91	16.75	23.55	31.32	21.54
NONSALMONID STREAM												
Total	1.86	605	156	132	63	67	11.52	3.54	14.17	19.35	36.07	38.68
Resident	1.84	556	142	115	53	62	10.14	3.28	13.53	18.10	31.09	30.98
Nonresident	2.03	49	14	17	10	5	25.09	6.62	20.66	27.76	62.69	134.22
NONSALMONID LAKE												
Total	2.09	1070	431	387	185	174	24.35	11.09	22.14	38.81	46.86	55.19
Resident	2.11	974	407	358	171	169	24.38	10.89	21.97	38.74	47.58	54.04
Nonresident	1.86	96	24	29	14	5	23.90	13.09	24.88	39.53	38.37	94.00
UNDESIG STRM MGMT												
Total	2.00	1	0	1	0	0	.00	.00	.00	.00	.00	.00
Resident	3.00	0	0	1	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	2.33	3	0	2	0	1	6.67	6.00	.00	6.00	.00	10.00
Resident	2.20	3	0	1	0	1	5.60	6.00	.00	.00	.00	10.00
Nonresident	3.00	0	0	1	0	0	12.00	.00	.00	12.00	.00	.00
Statewide Crowding Ratings:												
Total	2.00	9885	3631	3143	1587	1168	13.83	5.77	13.94	21.26	28.64	41.56
Resident	2.03	6902	2574	2263	1140	930	13.67	5.53	13.57	20.62	26.86	41.31
Nonresident	1.91	2983	1057	880	447	238	14.21	6.31	14.82	22.92	33.22	42.56

2005 SUMMER

The "summer" season for angling in Montana is considered that period of the year from the first of May through the end of September. In 2005 2,110,123 (75.8%) days of angling pressure occurred during this period (Table 10). Percentages of angling pressure within the regions for the summer period was very similar to the entire year ranging from 72.1% for region 4 to 79.2% for region 7.

Residents accounted for 68.1% of the "summer" angling pressure (1,437,062 angling days). Within the regions the residents comprised anywhere from as high as 90.4% of the "summer" angling pressure in region 6 to as low as 49.6% of the pressure in region 3.

Table 10. Angling pressure in angler days by region by water type for the "summer" season of May 2005 through September 2005

REG	WATER TYPE	-----TOTALS-----		----RESIDENTS----		--NON-RESIDENTS--	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
1	SALMONID STREAM	129711.	2422.	80758.	1664.	48953.	758.
	SALMONID LAKE	165674.	3367.	122178.	2642.	43496.	725.
	NONSALMONID STREAM	17182.	353.	14879.	318.	2303.	35.
	NONSALMONID LAKE	55794.	1165.	50339.	1078.	5455.	87.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	368359.	7305.	268152.	5700.	100207.	1605.
2	SALMONID STREAM	275669.	5332.	179051.	3784.	96618.	1548.
	SALMONID LAKE	71495.	1423.	58142.	1220.	13353.	203.
	NONSALMONID STREAM	5657.	115.	4543.	99.	1114.	16.
	NONSALMONID LAKE	13912.	280.	11027.	236.	2885.	44.
	UNDESIG STRM MGMT	68.	1.	0.	0.	68.	1.
	UNDESIG LAKE MGMT	111.	2.	111.	2.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	366910.	7152.	252872.	5340.	114038.	1812.
3	SALMONID STREAM	461116.	8505.	218506.	4657.	242610.	3848.
	SALMONID LAKE	103397.	1989.	60095.	1261.	43302.	728.
	NONSALMONID STREAM	1045.	21.	714.	14.	331.	7.
	NONSALMONID LAKE	2713.	58.	2597.	55.	116.	3.
	UNDESIG STRM MGMT	49.	1.	0.	0.	49.	1.
	UNDESIG LAKE MGMT	49.	1.	0.	0.	49.	1.
	REGIONAL PRESSURE ESTIMATES:	568369.	10574.	281912.	5986.	286457.	4588.
4	SALMONID STREAM	166352.	3410.	109259.	2396.	57093.	1014.
	SALMONID LAKE	113958.	2441.	104276.	2267.	9682.	174.
	NONSALMONID STREAM	16584.	358.	15774.	340.	810.	18.
	NONSALMONID LAKE	77203.	1622.	74040.	1579.	3163.	43.
	UNDESIG STRM MGMT	44.	1.	44.	1.	0.	0.
	UNDESIG LAKE MGMT	195.	4.	195.	4.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	374336.	7835.	303588.	6586.	70748.	1249.
5	SALMONID STREAM	172421.	3379.	107844.	2241.	64577.	1138.
	SALMONID LAKE	36586.	722.	28337.	591.	8249.	131.
	NONSALMONID STREAM	17943.	383.	17244.	370.	699.	13.
	NONSALMONID LAKE	20751.	434.	19067.	406.	1684.	28.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	247699.	4917.	172490.	3607.	75209.	1310.

Table 10. Angling pressure in angler days by region by water type for the "summer" season of May 2005 through September 2005 (continued)

-----TOTALS----- ----RESIDENTS---- --NON-RESIDENTS---							
6	SALMONID STREAM	4545.	101.	3853.	87.	692.	14.
	SALMONID LAKE	16177.	369.	15746.	359.	431.	10.
	NONSALMONID STREAM	25683.	618.	22176.	535.	3507.	83.
	NONSALMONID LAKE	60692.	1305.	55031.	1213.	5661.	92.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:						
		107096.	2391.	96806.	2193.	10290.	198.
7	SALMONID STREAM	1871.	37.	1756.	35.	115.	2.
	SALMONID LAKE	1571.	34.	1454.	31.	117.	3.
	NONSALMONID STREAM	33829.	728.	31239.	678.	2590.	50.
	NONSALMONID LAKE	26959.	561.	22161.	477.	4798.	84.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	88.	2.	88.	2.	0.	0.
	REGIONAL PRESSURE ESTIMATES:						
		64317.	1360.	56697.	1221.	7620.	139.
TOTAL	SALMONID STREAM	1211683.	23184.	701025.	14862.	510658.	8322.
	SALMONID LAKE	520875.	10536.	394404.	8452.	126472.	2085.
	NONSALMONID STREAM	117921.	2574.	106567.	2352.	11354.	222.
	NONSALMONID LAKE	258202.	5425.	234305.	5043.	23898.	383.
	UNDESIG STRM MGMT	161.	3.	44.	1.	117.	2.
	UNDESIG LAKE MGMT	1281.	26.	718.	16.	563.	10.
	STATEWIDE PRESSURE ESTIMATES:						
		2110123.	41748.	1437062.	30725.	673061.	11023.

"Summer" angling pressure by drainage (Table 11) ranged from 332,792 angler days for the upper Yellowstone River drainage to 826 angler days for the Little Missouri River drainage.

Angling pressure for residents by drainage ranged from a low of 34.8% for the Madison River drainage to a high of 100% for the Little Missouri drainage.

Table 11. Angling pressure in angler days by drainage by water type for the 2005 "summer" angling season May 2005 through September 2005

DRAIN	WATER TYPE	-----TOTALS-----		-----RESIDENTS-----		-----NONRESIDENTS-----	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
BEAVERHEAD DR							
	SALMONID STREAM	38893.	762.	17239.	384.	21654.	378.
	SALMONID LAKE	11891.	228.	8328.	169.	3563.	59.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	160.	4.	44.	1.	116.	3.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		50944.	994.	25611.	554.	25333.	440.
BIG HOLE DR							
	SALMONID STREAM	72907.	1411.	39043.	847.	33864.	564.
	SALMONID LAKE	6622.	131.	5344.	109.	1278.	22.
	NONSALMONID STREAM	166.	3.	0.	0.	166.	3.
	NONSALMONID LAKE	88.	2.	88.	2.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		79783.	1547.	44475.	958.	35308.	589.
BITTERROOT DR							
	SALMONID STREAM	104052.	2041.	69322.	1482.	34730.	559.
	SALMONID LAKE	7100.	156.	6262.	142.	838.	14.
	NONSALMONID STREAM	696.	14.	696.	14.	0.	0.
	NONSALMONID LAKE	469.	12.	435.	11.	34.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		112317.	2223.	76715.	1649.	35602.	574.
BLACKFOOT DR							
	SALMONID STREAM	38338.	746.	27798.	580.	10540.	166.
	SALMONID LAKE	18441.	393.	16960.	365.	1481.	28.
	NONSALMONID STREAM	1417.	26.	873.	18.	544.	8.
	NONSALMONID LAKE	11425.	227.	9064.	191.	2361.	36.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		69621.	1392.	54695.	1154.	14926.	238.
LOWER CLARK FORK DR							
	SALMONID STREAM	88159.	1686.	51277.	1081.	36882.	605.
	SALMONID LAKE	20846.	442.	16423.	360.	4423.	82.
	NONSALMONID STREAM	11223.	224.	8940.	190.	2283.	34.
	NONSALMONID LAKE	21941.	450.	18659.	399.	3282.	51.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	111.	2.	111.	2.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		142279.	2803.	95409.	2031.	46870.	772.
UPPER CLARK FORK DR							
	SALMONID STREAM	65279.	1239.	40971.	861.	24308.	378.
	SALMONID LAKE	43953.	837.	33655.	687.	10298.	150.
	NONSALMONID STREAM	1837.	39.	1604.	36.	233.	3.
	NONSALMONID LAKE	531.	13.	531.	13.	0.	0.
	UNDESIG STRM MGMT	68.	1.	0.	0.	68.	1.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		111667.	2128.	76760.	1596.	34907.	532.

Table 11. Angling pressure in angler days by drainage by water type for the 2005 "summer" angling season May 2005 through September 2005 (continued).

DRAIN	WATER TYPE	PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
		-----TOTALS-----		-----RESIDENTS-----		-----NONRESIDENTS-----	
LOWER FLATHEAD DR							
	SALMONID STREAM	40174.	758.	28607.	585.	11567.	173.
	SALMONID LAKE	88722.	1808.	68870.	1475.	19852.	333.
	NONSALMONID STREAM	7497.	161.	7140.	155.	357.	6.
	NONSALMONID LAKE	26517.	550.	24747.	522.	1770.	28.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		162908.	3275.	129362.	2735.	33546.	540.
UPPER FLATHEAD DR							
	SALMONID STREAM	34106.	607.	20411.	407.	13695.	200.
	SALMONID LAKE	18691.	378.	15336.	326.	3355.	52.
	NONSALMONID STREAM	100.	2.	100.	2.	0.	0.
	NONSALMONID LAKE	863.	21.	863.	21.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		53760.	1007.	36710.	755.	17050.	252.
GALLATIN DR							
	SALMONID STREAM	83778.	1526.	47234.	981.	36544.	545.
	SALMONID LAKE	15943.	324.	13524.	286.	2419.	38.
	NONSALMONID STREAM	266.	6.	101.	2.	165.	4.
	NONSALMONID LAKE	572.	12.	572.	12.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		100559.	1868.	61431.	1281.	39128.	587.
JEFFERSON DR							
	SALMONID STREAM	12480.	259.	9418.	209.	3062.	50.
	SALMONID LAKE	5154.	106.	4538.	96.	616.	10.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	55.	1.	55.	1.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		17689.	366.	14011.	306.	3678.	60.
KOOTENAI DR							
	SALMONID STREAM	35272.	677.	21423.	452.	13849.	225.
	SALMONID LAKE	39221.	774.	22770.	507.	16451.	267.
	NONSALMONID STREAM	69.	2.	69.	2.	0.	0.
	NONSALMONID LAKE	7890.	172.	7067.	158.	823.	14.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		82452.	1625.	51329.	1119.	31123.	506.
LITTLE MISSOURI DR							
	SALMONID STREAM	0.	0.	0.	0.	0.	0.
	SALMONID LAKE	461.	9.	461.	9.	0.	0.
	NONSALMONID STREAM	260.	5.	260.	5.	0.	0.
	NONSALMONID LAKE	105.	2.	105.	2.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		826.	16.	826.	16.	0.	0.

Table 11. Angling pressure in angler days by drainage by water type for the 2005 "summer" angling season May 2005 through September 2005 (continued).

DRAIN	WATER TYPE	-----TOTALS-----		-----RESIDENTS-----		-----NONRESIDENTS-----	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
MADISON DR							
	SALMONID STREAM	156584.	2776.	48932.	1060.	107652.	1716.
	SALMONID LAKE	59885.	1121.	25960.	548.	33925.	573.
	NONSALMONID STREAM	50.	1.	50.	1.	0.	0.
	NONSALMONID LAKE	705.	15.	705.	15.	0.	0.
	UNDESIG STRM MGMT	49.	1.	0.	0.	49.	1.
	UNDESIG LAKE MGMT	49.	1.	0.	0.	49.	1.
DRAINAGE PRESSURE ESTIMATES:							
		217322.	3914.	75647.	1623.	141675.	2291.
MARIAS DR							
	SALMONID STREAM	3050.	59.	2146.	44.	904.	15.
	SALMONID LAKE	4784.	105.	4546.	101.	238.	4.
	NONSALMONID STREAM	3042.	63.	3042.	63.	0.	0.
	NONSALMONID LAKE	17951.	383.	17811.	381.	140.	2.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	50.	1.	50.	1.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		28877.	611.	27595.	590.	1282.	21.
MILK DR							
	SALMONID STREAM	2622.	59.	2344.	53.	278.	6.
	SALMONID LAKE	13061.	300.	12857.	297.	204.	3.
	NONSALMONID STREAM	7708.	181.	7708.	181.	0.	0.
	NONSALMONID LAKE	18330.	424.	18211.	422.	119.	2.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		41721.	962.	41120.	951.	601.	11.
LOWER MISSOURI DR							
	SALMONID STREAM	15917.	320.	12066.	256.	3851.	64.
	SALMONID LAKE	11662.	244.	9721.	213.	1941.	31.
	NONSALMONID STREAM	21625.	517.	17671.	423.	3954.	94.
	NONSALMONID LAKE	43142.	899.	37600.	809.	5542.	90.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		92345.	1979.	77058.	1701.	15287.	278.
UPPER MISSOURI DR							
	SALMONID STREAM	143634.	2984.	94605.	2092.	49029.	892.
	SALMONID LAKE	80153.	1713.	73821.	1592.	6332.	121.
	NONSALMONID STREAM	10259.	223.	9798.	214.	461.	9.
	NONSALMONID LAKE	54485.	1133.	51462.	1092.	3023.	41.
	UNDESIG STRM MGMT	44.	1.	44.	1.	0.	0.
	UNDESIG LAKE MGMT	145.	3.	145.	3.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		288720.	6055.	229875.	4992.	58845.	1063.
MUSSELSHELL DR							
	SALMONID STREAM	2981.	63.	2732.	59.	249.	4.
	SALMONID LAKE	8138.	174.	7582.	165.	556.	9.
	NONSALMONID STREAM	1680.	34.	1680.	34.	0.	0.
	NONSALMONID LAKE	2502.	57.	2432.	56.	70.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		15300.	328.	14425.	314.	875.	14.

Table 11. Angling pressure in angler days by drainage by water type for the 2005 "summer" angling season May 2005 through September 2005 (continued).

DRAIN	WATER TYPE	-----TOTALS-----		-----RESIDENTS-----		-----NONRESIDENTS-----	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
ST MARY DR							
	SALMONID STREAM	174.	3.	55.	1.	119.	2.
	SALMONID LAKE	4565.	90.	3945.	78.	620.	12.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		4739.	93.	4000.	79.	739.	14.
SUN DR							
	SALMONID STREAM	11192.	209.	6612.	144.	4580.	65.
	SALMONID LAKE	12814.	289.	12119.	277.	695.	12.
	NONSALMONID STREAM	151.	4.	151.	4.	0.	0.
	NONSALMONID LAKE	2892.	63.	2892.	63.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		27049.	563.	21774.	486.	5275.	77.
LOWER YELLOWSTONE DR							
	SALMONID STREAM	1871.	37.	1756.	35.	115.	2.
	SALMONID LAKE	932.	21.	849.	19.	83.	2.
	NONSALMONID STREAM	33402.	719.	30910.	671.	2492.	48.
	NONSALMONID LAKE	26697.	555.	21899.	471.	4798.	84.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	88.	2.	88.	2.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		62989.	1332.	55501.	1196.	7488.	136.
UPPER YELLOWSTONE DR							
	SALMONID STREAM	260222.	4965.	157036.	3252.	103186.	1713.
	SALMONID LAKE	35462.	698.	26151.	548.	9311.	150.
	NONSALMONID STREAM	16475.	353.	15776.	340.	699.	13.
	NONSALMONID LAKE	20634.	431.	19020.	404.	1614.	27.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		332792.	6446.	217982.	4543.	114810.	1903.
TOTAL							
	SALMONID STREAM	1211683.	23184.	701025.	14862.	510658.	8322.
	SALMONID LAKE	520875.	10536.	394404.	8452.	126472.	2085.
	NONSALMONID STREAM	117921.	2574.	106567.	2352.	11354.	222.
	NONSALMONID LAKE	258202.	5425.	234305.	5043.	23898.	383.
	UNDESIG STRM MGMT	161.	3.	44.	1.	117.	2.
	UNDESIG LAKE MGMT	1281.	26.	718.	16.	563.	10.
STATEWIDE PRESSURE ESTIMATES:							
		2110123.	41748.	1437062.	30725.	673061.	11023.

Angler Satisfaction Ratings - Summer

The average rating overall for summer was 2.82 with residents and nonresidents rating their angling experience at 2.74 and 3.02 respectively (Table 12). Individual water satisfaction ratings for the "summer" season are given in a separate report "Montana Angler Satisfaction Ratings 2005".

Region 7 had the highest overall satisfaction rating of 3.02 while region 6 had the lowest satisfaction rating of 2.59. Nonresidents were higher or equal in their satisfaction ratings than residents for all the regions.

Table 12. Angler satisfaction ratings by region by water type for the 2005 "summer" angling season of May 2005 through September 2005

			TOTAL					RESIDENT					NONRESIDENT							
			Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's
Reg	Water	Type																		
1	SALMONID STREAM		2.87	202	198	300	159	154	2.81	120	145	191	87	90	2.96	82	53	109	72	64
	SALMONID LAKE		2.69	390	218	322	206	188	2.65	310	173	251	156	138	2.81	80	45	71	50	50
	NONSALMONID STREAM		2.74	23	30	48	17	12	2.71	20	29	40	13	11	2.97	3	1	8	4	1
	NONSALMONID LAKE		2.67	107	85	128	76	39	2.69	96	75	118	69	37	2.47	11	10	10	7	2
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction	Ratings:	2.75	722	533	800	459	395	2.71	546	423	602	326	277	2.87	176	110	198	133	118
2	SALMONID STREAM		2.96	347	393	709	411	290	2.89	236	262	489	254	163	3.08	111	131	220	157	127
	SALMONID LAKE		2.85	142	103	174	87	103	2.80	124	90	147	71	82	3.09	18	13	27	16	21
	NONSALMONID STREAM		2.41	9	9	11	3	2	2.42	7	7	10	3	1	2.33	2	2	1	0	1
	NONSALMONID LAKE		2.27	47	31	37	16	4	2.30	44	21	33	16	4	2.06	3	10	4	0	0
	UNDESIG STRM MGMT		5.00	0	0	0	0	1	.00	0	0	0	0	0	5.00	0	0	0	0	1
	UNDESIG LAKE MGMT		1.00	1	0	0	0	0	1.00	1	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction	Ratings:	2.89	546	537	931	518	401	2.83	412	381	679	345	251	3.06	134	156	252	173	150
3	SALMONID STREAM		2.96	606	629	1133	756	469	2.90	315	327	581	360	210	3.02	291	302	552	396	259
	SALMONID LAKE		2.70	235	146	211	140	113	2.66	164	102	147	93	72	2.79	70	44	64	47	41
	NONSALMONID STREAM		3.35	1	3	1	3	3	3.25	1	2	1	2	2	3.57	0	1	0	1	1
	NONSALMONID LAKE		2.98	6	3	8	7	4	2.98	5	3	8	6	4	3.00	0	0	0	1	0
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction	Ratings:	2.91	848	782	1354	906	589	2.85	486	435	737	461	288	2.99	362	347	617	445	301
4	SALMONID STREAM		2.90	253	237	374	236	188	2.87	175	172	288	173	114	2.97	78	65	86	63	74
	SALMONID LAKE		2.54	351	149	227	138	127	2.54	315	142	204	123	117	2.52	36	7	23	15	10
	NONSALMONID STREAM		2.32	47	32	42	14	7	2.30	44	32	40	13	6	2.57	3	0	2	1	1
	NONSALMONID LAKE		2.22	221	117	157	52	29	2.23	215	114	152	52	29	1.93	6	3	5	0	0
	UNDESIG STRM MGMT		2.00	0	1	0	0	0	2.00	0	1	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		1.33	2	1	0	0	0	1.33	2	1	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction	Ratings:	2.62	876	538	801	441	353	2.58	753	463	685	362	268	2.85	123	75	116	79	85
5	SALMONID STREAM		3.10	211	221	389	317	233	2.93	159	168	276	177	125	3.43	52	53	112	140	108
	SALMONID LAKE		2.90	109	48	98	65	80	2.78	96	43	82	54	54	3.43	13	5	16	11	26
	NONSALMONID STREAM		2.50	36	24	44	14	9	2.49	33	23	43	12	8	2.60	3	1	0	2	1
	NONSALMONID LAKE		2.10	85	27	35	15	12	2.06	82	25	30	14	11	2.52	3	2	5	1	1
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction	Ratings:	2.94	443	320	567	413	334	2.77	371	259	433	259	198	3.40	72	61	134	154	136
6	SALMONID STREAM		2.78	10	9	11	11	4	2.74	9	8	9	8	4	3.00	1	1	2	3	0
	SALMONID LAKE		3.05	23	22	31	29	22	3.05	22	20	31	26	22	3.00	0	2	0	3	0
	NONSALMONID STREAM		2.59	56	30	51	28	19	2.55	52	28	45	25	16	2.94	4	2	6	3	3
	NONSALMONID LAKE		2.42	134	73	92	49	34	2.42	122	71	81	47	32	2.33	11	2	11	2	2
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction	Ratings:	2.59	223	134	187	117	80	2.59	206	127	168	106	75	2.66	17	7	19	11	5

Table 12. Angler satisfaction ratings by region by water type for the 2005 "summer" angling season of May 2005 through September 2005 (continued).

Reg	Water Type	TOTAL					RESIDENT					NONRESIDENT				
		Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's
7	SALMONID STREAM	2.71	2	2	4	1	2.88	1	2	3	1	2.00	1	0	1	0
	SALMONID LAKE	2.40	8	5	5	0	2.15	8	4	5	0	4.00	0	1	0	0
	NONSALMONID STREAM	3.25	33	38	68	43	3.18	29	37	63	35	3.77	4	1	5	8
	NONSALMONID LAKE	2.84	40	45	68	44	2.84	34	39	56	38	2.82	6	6	12	6
	UNDESIG STRM MGMT	.00	0	0	0	0	.00	0	0	0	0	.00	0	0	0	0
	UNDESIG LAKE MGMT	2.00	0	1	0	0	2.00	0	1	0	0	.00	0	0	0	0
	Regional Satisfaction Ratings:	3.02	83	92	146	88	2.98	72	84	128	74	3.26	11	8	18	14
Total	SALMONID STREAM	2.96	1632	1690	2922	1892	2.89	1016	1085	1839	1061	3.07	616	605	1083	831
	SALMONID LAKE	2.72	1272	703	1094	682	2.68	1044	577	878	529	2.89	227	126	216	153
	NONSALMONID STREAM	2.74	206	167	267	123	2.69	187	159	244	104	3.15	19	8	23	19
	NONSALMONID LAKE	2.43	641	384	526	260	2.43	599	350	479	243	2.43	41	34	47	17
	UNDESIG STRM MGMT	3.50	0	1	0	0	2.00	0	1	0	0	5.00	0	0	0	0
	UNDESIG LAKE MGMT	2.25	3	3	0	1	2.00	3	2	0	0	3.00	0	1	0	1
	Statewide Satisfaction Ratings:	2.82	3754	2950	4811	2959	2.74	2850	2175	3442	1938	3.02	904	775	1369	1021

Angler satisfaction ratings were summarized by the twenty-two major drainages like those reported under the angling pressure section (Table 13). The ratings ranged from a high of 3.08 for the St. Mary drainage to a low of 2.38 for the Jefferson River drainage.

Table 13. Angler satisfaction ratings by drainage by water type for the 2005 "summer" angling season of May 2005 through September 2005.

Drain- age	Water type	TOTAL					RESIDENT					NONRESIDENT				
		Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's
BEAVERHEAD DR	SALMONID STREAM	3.02	60	51	112	67	3.13	31	14	39	33	2.94	29	37	73	34
	SALMONID LAKE	2.65	29	22	18	14	2.69	19	19	14	12	2.51	10	3	4	2
	NONSALMONID STREAM	.00	0	0	0	0	.00	0	0	0	0	.00	0	0	0	0
	NONSALMONID LAKE	3.80	0	0	0	1	5.00	0	0	0	0	3.00	0	0	0	1
	UNDESIG STRM MGMT	.00	0	0	0	0	.00	0	0	0	0	.00	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	.00	0	0	0	0	.00	0	0	0	0
	Drainage Satisfaction Ratings:	2.94	90	73	130	82	2.99	50	33	53	45	2.90	40	40	77	37
BIG HOLE DR	SALMONID STREAM	2.81	108	113	217	102	2.72	60	69	121	47	2.91	48	44	96	55
	SALMONID LAKE	3.10	17	11	20	15	3.13	14	9	15	14	2.93	3	2	5	1
	NONSALMONID STREAM	3.67	0	0	0	1	.00	0	0	0	0	3.67	0	0	0	1
	NONSALMONID LAKE	3.00	0	0	1	0	3.00	0	0	1	0	.00	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	.00	0	0	0	0	.00	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	.00	0	0	0	0	.00	0	0	0	0
	Drainage Satisfaction Ratings:	2.84	125	124	239	118	2.79	74	78	137	61	2.91	51	46	102	57

Table 13. Angler satisfaction ratings by drainage by water type for the 2005 "summer" angling season of May 2005 through September 2005 (continued).

Drain- age Water type		TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	----- 2's	3's	excellent 4's	5's	Avg Rate	poor 1's	----- 2's	3's	4's	5's	Avg Rate	poor 1's	----- 2's	3's	4's	5's
BITTERROOT DR																			
SALMONID STREAM		2.95	136	141	268	139	116	2.86	97	97	176	81	69	3.11	39	44	92	58	47
SALMONID LAKE		2.70	24	10	24	10	12	2.70	22	8	20	9	11	2.70	2	2	4	1	1
NONSALMONID STREAM		2.60	1	1	2	1	0	2.60	1	1	2	1	0	.00	0	0	0	0	0
NONSALMONID LAKE		3.33	1	1	0	3	1	3.60	1	0	0	3	1	2.00	0	1	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction		Ratings: 2.93	162	153	294	153	129	2.85	121	106	198	94	81	3.09	41	47	96	59	48
BLACKFOOT DR																			
SALMONID STREAM		2.86	62	77	128	58	46	2.85	44	53	99	43	29	2.89	18	24	29	15	17
SALMONID LAKE		2.57	49	42	55	18	21	2.54	44	39	49	15	18	2.80	5	3	6	3	3
NONSALMONID STREAM		2.67	1	2	2	0	1	2.20	1	2	2	0	0	5.00	0	0	0	0	1
NONSALMONID LAKE		2.14	41	26	29	10	2	2.15	38	18	25	10	2	2.07	3	8	4	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction		Ratings: 2.66	153	148	214	87	70	2.62	127	113	175	69	49	2.81	26	35	39	18	21
LOWER CLARK FORK DR																			
SALMONID STREAM		2.82	128	126	219	119	73	2.73	79	83	137	64	34	2.97	49	43	82	55	39
SALMONID LAKE		2.42	65	26	29	16	23	2.39	54	16	22	15	16	2.53	11	10	7	1	7
NONSALMONID STREAM		2.71	16	21	23	10	10	2.70	13	18	17	7	9	2.75	3	3	6	3	1
NONSALMONID LAKE		2.80	28	33	52	27	15	2.83	24	28	49	23	14	2.59	4	5	3	4	1
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		1.00	1	0	0	0	0	1.00	1	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction		Ratings: 2.75	238	206	324	172	122	2.68	171	145	226	109	74	2.89	67	61	98	63	48
UPPER CLARK FORK DR																			
SALMONID STREAM		3.12	64	82	151	118	75	3.09	40	52	111	77	43	3.16	24	30	40	41	32
SALMONID LAKE		3.04	61	46	91	57	62	2.99	54	38	75	45	50	3.25	7	8	16	12	12
NONSALMONID STREAM		1.84	6	3	2	1	0	2.00	4	3	2	1	0	1.00	2	0	0	0	0
NONSALMONID LAKE		2.62	2	1	0	3	0	2.62	2	1	0	3	0	.00	0	0	0	0	0
UNDESIG STRM MGMT		5.00	0	0	0	0	1	.00	0	0	0	0	0	5.00	0	0	0	0	1
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction		Ratings: 3.07	133	134	244	179	138	3.03	100	96	188	126	93	3.17	33	38	56	53	45
LOWER FLATHEAD DR																			
SALMONID STREAM		2.74	69	57	101	43	36	2.64	47	42	65	27	18	2.94	22	15	36	16	18
SALMONID LAKE		2.79	178	110	188	113	102	2.76	142	93	153	87	77	2.91	36	17	35	26	25
NONSALMONID STREAM		2.77	8	12	29	7	3	2.72	8	12	26	6	3	3.30	0	0	3	1	0
NONSALMONID LAKE		2.58	68	36	58	38	20	2.60	63	32	54	37	19	2.27	5	4	4	1	1
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction		Ratings: 2.74	323	217	377	203	163	2.70	260	180	299	159	118	2.89	63	37	78	44	45
UPPER FLATHEAD DR																			
SALMONID STREAM		3.38	24	45	57	58	64	3.21	16	34	40	31	34	3.65	8	11	17	27	30
SALMONID LAKE		2.57	63	35	32	32	24	2.50	52	30	27	26	16	2.86	11	5	5	6	8
NONSALMONID STREAM		3.50	0	0	1	1	0	3.50	0	0	1	1	0	.00	0	0	0	0	0
NONSALMONID LAKE		2.64	1	1	2	1	0	2.64	1	1	2	1	0	.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction		Ratings: 3.02	88	81	93	92	88	2.86	69	65	71	59	50	3.43	19	16	22	33	38

Table 13. Angler satisfaction ratings by drainage by water type for the 2005 "summer" angling season of May 2005 through September 2005 (continued).

Drain- age Water type		TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	excellent 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	excellent 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	excellent 5's
GALLATIN DR																			
SALMONID STREAM		2.99	99	117	164	144	83	2.96	55	80	97	85	46	3.03	44	37	67	59	37
SALMONID LAKE		2.78	43	29	52	33	21	2.80	37	21	50	26	19	2.64	6	8	2	7	2
NONSALMONID STREAM		3.00	0	2	0	0	1	2.00	0	1	0	0	0	3.50	0	1	0	0	1
NONSALMONID LAKE		3.83	0	0	3	1	2	3.83	0	0	3	1	2	.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction Ratings:		2.95	142	148	219	178	107	2.92	92	102	150	112	67	3.00	50	46	69	66	40
JEFFERSON DR																			
SALMONID STREAM		2.66	38	21	31	23	15	2.64	32	16	25	17	13	2.72	6	5	6	6	2
SALMONID LAKE		1.69	34	7	12	1	1	1.65	33	7	10	1	1	2.33	1	0	2	0	0
NONSALMONID STREAM		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
NONSALMONID LAKE		5.00	0	0	0	0	1	5.00	0	0	0	0	1	.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction Ratings:		2.38	72	28	43	24	17	2.33	65	23	35	18	15	2.68	7	5	8	6	2
KOOTENAI DR																			
SALMONID STREAM		2.68	66	63	85	35	34	2.76	33	46	52	18	26	2.54	33	17	33	17	8
SALMONID LAKE		2.69	91	51	75	46	46	2.65	66	38	50	29	32	2.81	25	13	25	17	14
NONSALMONID STREAM		3.00	0	0	0	0	0	3.00	0	0	0	0	0	.00	0	0	0	0	0
NONSALMONID LAKE		2.65	13	17	22	9	5	2.67	11	15	20	7	5	2.50	2	2	2	2	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction Ratings:		2.68	170	131	183	91	85	2.69	110	99	123	55	63	2.66	60	32	60	36	22
LITTLE MISSOURI DR																			
SALMONID STREAM		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
SALMONID LAKE		1.50	1	1	0	0	0	1.50	1	1	0	0	0	.00	0	0	0	0	0
NONSALMONID STREAM		2.67	1	1	0	0	1	2.67	1	1	0	0	1	.00	0	0	0	0	0
NONSALMONID LAKE		3.00	1	0	0	0	1	3.00	1	0	0	0	1	.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction Ratings:		2.43	3	2	0	0	2	2.43	3	2	0	0	2	.00	0	0	0	0	0
MADISON DR																			
SALMONID STREAM		3.02	182	193	337	256	164	2.89	70	74	127	85	42	3.10	112	119	210	171	122
SALMONID LAKE		2.68	102	67	101	64	44	2.60	53	39	54	29	20	2.77	49	28	47	35	24
NONSALMONID STREAM		1.00	1	0	0	0	0	1.00	1	0	0	0	0	.00	0	0	0	0	0
NONSALMONID LAKE		2.79	1	0	3	2	0	2.79	1	0	3	2	0	.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction Ratings:		2.94	287	261	441	322	208	2.79	126	114	184	116	62	3.03	161	147	257	206	146
MARIAS DR																			
SALMONID STREAM		3.04	4	5	7	6	4	2.70	4	5	5	5	1	4.17	0	0	2	1	3
SALMONID LAKE		3.12	14	6	11	11	15	3.07	14	6	10	10	14	4.00	0	0	1	1	1
NONSALMONID STREAM		2.15	6	7	5	2	0	2.15	6	7	5	2	0	.00	0	0	0	0	0
NONSALMONID LAKE		2.41	52	31	48	22	9	2.41	52	31	46	22	9	3.00	0	0	2	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		2.00	0	1	0	0	0	2.00	0	1	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction Ratings:		2.61	76	50	71	41	28	2.55	76	50	66	39	24	3.91	0	0	5	2	4

Table 13. Angler satisfaction ratings by drainage by water type for the 2005 "summer" angling season of May 2005 through September 2005 (continued).

Drain- age Water type		TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's
MILK DR	SALMONID STREAM	3.20	2	5	10	9	3	3.12	2	5	9	6	3	3.75	0	0	1	3	0
	SALMONID LAKE	3.15	16	18	22	25	20	3.15	16	17	22	24	20	3.00	0	1	0	1	0
	NONSALMONID STREAM	2.85	11	11	14	11	7	2.85	11	11	14	11	7	.00	0	0	0	0	0
	NONSALMONID LAKE	2.74	36	27	46	22	19	2.74	35	27	46	22	18	3.00	1	0	0	0	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.92	65	61	93	67	49	2.91	64	60	92	63	48	3.38	1	1	1	4	1
LOWER MISSOURI DR	SALMONID STREAM	2.93	23	17	38	21	17	2.99	16	11	32	16	13	2.75	7	6	6	5	4
	SALMONID LAKE	2.87	25	11	33	14	17	2.86	24	9	30	11	16	3.00	1	2	3	3	1
	NONSALMONID STREAM	2.48	54	26	49	23	13	2.43	49	24	40	20	10	2.86	5	2	9	3	3
	NONSALMONID LAKE	2.24	99	48	50	29	16	2.24	89	46	39	27	15	2.28	10	2	11	2	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.54	202	102	171	87	64	2.51	178	90	142	74	55	2.67	24	12	29	13	9
UPPER MISSOURI DR	SALMONID STREAM	2.88	232	210	314	214	164	2.85	165	152	237	151	106	2.96	67	58	77	63	58
	SALMONID LAKE	2.31	279	106	139	87	56	2.31	249	101	124	77	52	2.27	30	5	15	10	4
	NONSALMONID STREAM	2.42	30	18	26	9	8	2.41	28	18	26	8	7	2.75	2	0	0	1	1
	NONSALMONID LAKE	2.16	142	76	93	27	17	2.18	136	73	90	27	17	1.75	6	3	3	0	0
	UNDESIG STRM MGMT	2.00	0	1	0	0	0	2.00	0	1	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	1.00	2	0	0	0	0	1.00	2	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.58	687	412	572	338	247	2.53	582	346	477	264	184	2.81	105	66	95	74	63
MUSSELSHELL DR	SALMONID STREAM	2.75	8	3	9	4	4	2.96	5	3	9	4	4	1.00	3	0	0	0	0
	SALMONID LAKE	2.56	32	13	21	7	16	2.57	31	11	19	6	16	2.50	1	2	2	1	0
	NONSALMONID STREAM	2.53	4	3	5	2	1	2.53	4	3	5	2	1	.00	0	0	0	0	0
	NONSALMONID LAKE	2.11	14	5	7	1	3	2.12	14	4	7	1	3	2.00	0	1	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.51	59	24	42	14	24	2.54	55	21	40	13	24	2.00	4	3	2	1	0
ST MARY DR	SALMONID STREAM	1.67	2	0	1	0	0	1.00	1	0	0	0	0	2.00	1	0	1	0	0
	SALMONID LAKE	3.26	3	3	7	5	5	3.63	0	3	4	5	4	2.43	3	0	3	0	1
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	3.08	5	3	8	5	5	3.47	1	3	4	5	4	2.33	4	0	4	0	1
SUN DR	SALMONID STREAM	2.90	16	20	24	15	14	2.86	10	14	22	15	5	3.00	6	6	2	0	9
	SALMONID LAKE	3.01	26	24	44	23	28	2.97	25	23	43	20	25	3.67	1	1	1	3	3
	NONSALMONID STREAM	1.40	2	0	0	0	0	1.40	2	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	1.99	17	4	8	3	1	1.99	17	4	8	3	1	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.83	62	48	77	41	43	2.79	55	41	74	38	31	3.19	7	7	3	3	12

Table 13. Angler satisfaction ratings by drainage by water type for the 2005 "summer" angling season of May 2005 through September 2005 (continued).

Drain- age Water type		TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's
LOWER YELLOWSTONE DR																			
SALMONID STREAM		2.71	2	2	4	1	1	2.88	1	2	3	1	1	2.00	1	0	1	0	0
SALMONID LAKE		2.55	6	3	3	0	4	2.21	6	3	3	0	2	5.00	0	0	0	0	2
NONSALMONID STREAM		3.26	32	37	67	42	60	3.18	28	36	63	34	48	3.79	4	1	4	8	12
NONSALMONID LAKE		2.83	39	45	68	42	22	2.83	33	39	56	36	19	2.82	6	6	12	6	3
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		2.00	0	1	0	0	0	2.00	0	1	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction Ratings:		3.02	79	89	143	85	87	2.98	68	82	126	71	70	3.29	11	7	17	14	17
UPPER YELLOWSTONE DR																			
SALMONID STREAM		3.06	306	341	643	459	314	2.95	207	232	431	254	163	3.26	99	109	211	205	151
SALMONID LAKE		2.99	98	48	89	72	84	2.86	82	41	71	61	51	3.46	15	7	18	11	33
NONSALMONID STREAM		2.49	32	22	40	12	8	2.48	29	21	39	10	7	2.60	3	1	0	2	1
NONSALMONID LAKE		2.09	83	29	33	17	10	2.06	79	28	28	16	9	2.57	3	1	5	1	1
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction Ratings:		2.97	520	440	806	562	416	2.83	399	322	571	343	230	3.26	121	118	235	219	186
Total																			
SALMONID STREAM		2.96	1632	1690	2922	1892	1340	2.89	1016	1085	1839	1061	707	3.07	616	605	1083	831	632
SALMONID LAKE		2.72	1272	703	1094	682	668	2.68	1044	577	878	529	502	2.89	227	126	216	153	166
NONSALMONID STREAM		2.74	206	167	267	123	114	2.69	187	159	244	104	93	3.15	19	8	23	19	20
NONSALMONID LAKE		2.43	641	384	526	260	147	2.43	599	350	479	243	139	2.43	41	34	47	17	8
UNDESIG STRM MGMT		3.50	0	1	0	0	1	2.00	0	1	0	0	0	5.00	0	0	0	0	1
UNDESIG LAKE MGMT		2.25	3	3	0	1	1	2.00	3	2	0	0	1	3.00	0	1	0	1	0
Statewide Satisfaction Ratings:		2.82	3754	2950	4811	2959	2271	2.74	2850	2175	3442	1938	1443	3.02	904	775	1369	1021	828

Angler Crowding Ratings - Summer

The ratings were summarized for the seven Fish, Wildlife & Parks regions for the "summer" season and are listed in table 14. The ratings were also summarized by the 22 major drainages in the state for this same period and are listed in table 15.

Table 14. Crowding ratings summarized by region by residency by water type for the 2005 "summer" season of May 2005 through September 2005.

		Crowding Ratings					Average Number of People Seen						
Region	Type	Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----	crowded								
1	SALMONID STREAM												
	Total	1.63	652	158	117	36	31	6.12	3.39	7.57	10.07	20.20	24.81
	Resddident	1.72	382	102	81	31	21	5.97	2.97	7.12	10.10	21.50	16.06
	Nonresident	1.49	270	56	36	5	10	6.36	3.98	8.39	10.03	12.20	43.20
	SALMONID LAKE												
	Total	1.73	793	238	160	66	48	13.60	8.39	15.25	21.55	28.03	45.25
	Resddident	1.79	588	190	135	56	42	13.92	8.08	14.33	21.71	30.65	46.44
	Nonresident	1.52	205	48	25	10	6	12.50	9.26	18.87	20.60	13.40	37.00
	NONSALMONID STREAM												
	Total	1.67	80	22	17	4	4	6.63	4.03	9.23	8.93	12.00	28.75
	Resddident	1.73	66	19	16	4	4	6.40	3.78	9.51	6.46	12.00	28.75
	Nonresident	1.28	14	3	1	0	0	8.02	5.17	7.33	50.00	.00	.00
	NONSALMONID LAKE												
	Total	1.90	225	95	71	25	20	11.71	7.64	12.23	17.80	18.88	24.39
	Resddident	1.91	199	91	65	23	18	11.28	7.05	12.38	16.20	19.22	24.61
	Nonresident	1.75	26	4	6	2	2	15.89	12.14	8.75	35.00	15.00	22.50
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resddident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resddident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.72	1750	515	366	131	103	10.41	6.23	12.06	16.53	23.65	34.41
Resident		1.79	1235	404	298	114	85	10.74	6.11	11.83	16.49	25.20	33.48
Nonresident		1.51	515	111	68	17	18	9.40	6.53	12.91	16.71	13.24	38.83
2	SALMONID STREAM												
	Total	2.01	1049	439	329	182	129	8.92	3.45	9.46	12.71	15.98	31.94
	Resddident	2.13	629	280	235	138	101	8.84	2.82	7.52	12.05	14.07	35.33
	Nonresident	1.79	420	159	94	44	28	9.08	4.42	12.84	14.41	21.87	19.64
	SALMONID LAKE												
	Total	2.08	267	137	119	48	33	16.73	8.08	21.45	27.20	22.81	20.42
	Resddident	2.16	207	122	104	45	31	17.09	8.01	21.28	26.50	23.65	19.97
	Nonresident	1.65	60	15	15	3	2	14.90	8.36	22.93	32.33	10.00	27.50
	NONSALMONID STREAM												
	Total	2.22	16	6	5	3	4	8.35	2.76	7.00	7.09	40.00	10.75
	Resddident	2.19	13	6	4	1	4	5.41	3.08	7.00	6.44	.00	10.75
	Nonresident	2.33	3	0	1	2	0	22.33	1.33	.00	10.00	60.00	.00
	NONSALMONID LAKE												
	Total	2.23	62	25	19	15	14	14.74	5.52	15.61	30.27	23.38	23.04
	Resddident	2.36	50	21	18	15	14	15.13	4.94	13.78	31.57	23.38	23.04
	Nonresident	1.35	12	4	1	0	0	12.00	7.92	25.50	7.00	.00	.00
	UNDESIG STRM MGMT												
	Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resddident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resddident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.04	1396	608	473	249	181	10.81	4.42	12.40	17.00	18.06	28.62
Resident		2.15	900	430	362	200	151	11.22	4.13	11.74	17.10	16.90	30.29
Nonresident		1.77	496	178	111	49	30	9.86	4.95	13.97	16.73	22.70	20.17

Table 14. Crowding ratings summarized by region by residency by water type for the 2005 "summer" season of May 2005 through September 2005 (continued).

		Crowding Ratings						Average Number of People Seen					
Region	Type	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
3	SALMONID STREAM												
	Total	2.17	1557	702	676	385	234	12.83	4.43	11.54	17.43	25.04	39.32
	Resdident	2.23	759	324	340	204	141	11.55	3.14	8.82	14.92	23.35	37.92
	Nonresident	2.10	798	378	336	181	93	14.11	5.66	13.89	19.94	26.95	41.46
	SALMONID LAKE												
	Total	1.84	455	175	135	43	33	12.54	7.26	13.40	18.69	30.71	31.97
	Resdident	1.93	288	121	107	34	24	11.99	5.66	13.01	17.21	26.57	38.92
	Nonresident	1.65	166	54	28	9	9	13.74	10.07	14.18	24.36	46.36	13.42
	NONSALMONID STREAM												
	Total	2.13	5	1	3	2	0	24.78	9.09	40.00	16.67	72.50	.00
	Resdident	2.50	3	0	3	2	0	26.25	5.00	.00	16.67	72.50	.00
	Nonresident	1.29	2	1	0	0	0	21.43	14.00	40.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.54	9	3	11	2	3	21.58	8.16	9.00	25.96	13.00	63.33
	Resdident	2.63	7	3	11	2	3	21.98	6.92	9.00	25.96	13.00	63.33
	Nonresident	1.00	1	0	0	0	0	14.33	14.33	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.11	2027	881	826	432	270	12.86	5.09	11.93	17.75	25.77	38.69
Resident		2.16	1058	448	462	242	168	11.83	3.86	9.95	15.74	24.12	38.52
Nonresident		2.04	969	433	364	190	102	14.07	6.45	13.98	20.28	27.87	38.99
4	SALMONID STREAM												
	Total	2.18	596	213	213	155	101	15.70	5.44	14.43	24.04	29.00	40.82
	Resdident	2.22	433	135	145	112	87	13.93	3.95	12.09	21.89	25.32	38.43
	Nonresident	2.09	163	78	68	43	14	20.16	9.40	18.58	28.75	38.75	55.49
	SALMONID LAKE												
	Total	2.05	449	226	182	72	59	22.38	10.23	21.60	26.30	39.49	84.89
	Resdident	2.09	394	210	173	65	56	22.45	9.47	21.28	26.16	38.14	88.44
	Nonresident	1.74	55	16	9	7	3	21.77	15.70	25.83	28.99	52.29	18.67
	NONSALMONID STREAM												
	Total	2.07	81	17	16	13	16	9.03	2.79	12.94	12.14	31.18	14.56
	Resdident	2.06	77	17	14	11	16	8.04	2.75	12.94	4.84	31.22	14.56
	Nonresident	2.25	4	0	2	2	0	25.75	3.50	.00	65.00	31.00	.00
	NONSALMONID LAKE												
	Total	2.37	210	123	125	55	63	35.10	16.78	32.62	39.55	67.79	63.69
	Resdident	2.39	201	121	122	55	63	35.12	16.52	31.49	39.89	67.79	63.69
	Nonresident	1.57	9	2	3	0	0	34.21	22.56	100.00	25.33	.00	.00
	UNDESIG STRM MGMT												
	Total	3.00	0	0	1	0	0	.00	.00	.00	.00	.00	.00
	Resdident	3.00	0	0	1	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	3.00	1	0	1	0	1	9.33	18.00	.00	.00	.00	10.00
	Resdident	3.00	1	0	1	0	1	9.33	18.00	.00	.00	.00	10.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.17	1337	580	539	296	240	21.31	8.68	21.06	27.95	38.86	55.78
Resident		2.20	1106	484	457	244	223	21.39	8.13	20.99	27.68	38.58	56.28
Nonresident		2.01	231	96	82	52	17	20.97	11.31	21.48	29.54	40.28	48.99

Table 14. Crowding ratings summarized by region by residency by water type for the 2005 "summer" season of May 2005 through September 2005 (continued).

		Crowding Ratings						Average Number of People Seen					
Region	Type	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
5	SALMONID STREAM												
	Total	2.23	603	239	247	172	108	16.79	3.84	12.26	24.56	34.78	52.68
	Resdident	2.11	436	170	136	96	68	11.70	3.21	9.13	15.26	22.10	50.70
	Nonresident	2.46	167	69	111	76	40	26.76	5.53	20.02	36.02	50.77	56.03
	SALMONID LAKE												
	Total	1.91	227	66	47	35	24	11.24	5.88	12.43	16.94	25.94	25.71
	Resdident	1.94	177	59	43	28	19	11.16	6.15	12.58	16.89	21.89	24.06
	Nonresident	1.75	50	7	4	6	5	11.60	4.94	11.29	17.50	43.69	32.20
	NONSALMONID STREAM												
	Total	1.63	79	28	11	0	7	5.51	2.99	5.87	10.70	.00	24.14
	Resdident	1.63	76	27	10	0	7	4.95	2.82	5.16	6.96	.00	24.14
	Nonresident	1.55	3	1	1	0	0	17.45	6.00	25.00	50.00	.00	.00
	NONSALMONID LAKE												
	Total	2.45	72	28	28	22	26	27.75	9.20	29.34	39.28	39.49	54.55
	Resdident	2.49	64	28	26	19	26	28.04	9.53	29.34	34.35	42.50	54.55
	Nonresident	1.92	8	0	2	2	0	24.00	6.63	.00	103.50	16.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.15	982	361	334	229	166	15.96	4.64	13.12	24.25	33.88	47.79
Resident		2.08	753	284	216	144	121	12.81	4.40	11.46	17.48	24.82	45.71
Nonresident		2.35	229	77	118	85	45	24.62	5.45	19.29	36.65	49.20	53.39
6	SALMONID STREAM												
	Total	1.86	29	5	5	4	3	11.35	4.19	6.62	29.07	33.25	26.67
	Resdident	1.78	25	5	4	3	2	9.13	4.66	6.62	32.89	11.00	15.00
	Nonresident	2.29	4	0	1	1	1	23.86	1.25	.00	12.00	100.00	50.00
	SALMONID LAKE												
	Total	1.98	62	27	22	7	8	11.98	5.97	9.36	20.30	14.43	42.99
	Resdident	2.02	57	27	22	7	8	12.21	5.88	9.36	20.30	14.43	42.99
	Nonresident	1.00	5	0	0	0	0	6.93	6.93	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	2.16	92	24	26	19	19	17.88	4.29	21.65	21.44	37.66	54.18
	Resdident	2.09	88	22	19	16	17	15.38	4.03	22.04	21.76	32.88	41.68
	Nonresident	2.83	4	2	7	3	2	40.66	10.25	17.50	20.70	63.30	160.50
	NONSALMONID LAKE												
	Total	1.70	233	67	54	15	12	19.29	14.80	23.32	28.27	28.96	31.58
	Resdident	1.71	217	59	53	13	12	18.80	14.31	23.30	28.33	22.62	31.58
	Nonresident	1.58	16	8	1	2	0	25.81	21.61	23.40	26.00	70.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.87	417	124	108	45	42	17.18	10.42	19.22	25.01	30.76	43.63
Resident		1.86	387	114	99	39	39	16.24	10.10	18.96	25.46	24.46	37.47
Nonresident		2.00	30	10	9	6	3	28.39	14.69	22.22	20.32	71.65	123.67

Table 14. Crowding ratings summarized by region by residency by water type for the 2005 "summer" season of May 2005 through September 2005 (continued).

		Crowding Ratings						Average Number of People Seen					
Region	Type	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
7	SALMONID STREAM												
	Total	2.00	6	2	0	0	2	7.91	3.02	13.50	.00	.00	17.00
	Resdident	2.25	4	2	0	0	2	8.63	2.00	13.50	.00	.00	17.00
	Nonresident	1.00	2	0	0	0	0	5.00	5.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.36	17	3	2	0	0	4.69	4.24	4.33	8.20	.00	.00
	Resdident	1.41	14	3	2	0	0	4.33	3.64	4.33	8.20	.00	.00
	Nonresident	1.00	3	0	0	0	0	7.00	7.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.91	139	34	33	20	15	17.94	4.50	23.88	36.07	40.14	59.42
	Resdident	1.88	125	28	30	17	12	15.87	4.06	23.21	37.26	32.18	45.13
	Nonresident	2.14	14	6	3	3	3	33.02	8.44	27.03	24.00	85.00	116.70
	NONSALMONID LAKE												
	Total	2.61	61	45	52	40	21	51.53	11.90	18.17	91.76	61.48	118.59
	Resdident	2.59	53	42	39	32	20	53.28	11.47	18.04	110.63	65.99	104.51
	Nonresident	2.73	8	3	13	8	1	41.58	14.78	20.00	34.43	43.30	400.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resdident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Regional Crowding Ratings:													
Total		2.20	224	84	88	60	38	32.02	6.44	19.88	68.50	54.36	89.89
Resident		2.18	197	75	72	49	34	31.51	5.96	19.30	76.50	54.26	78.40
Nonresident		2.34	27	9	16	11	4	35.23	9.90	24.69	32.47	54.67	187.52
Total	SALMONID STREAM												
	Total	2.08	4493	1758	1589	934	608	12.19	4.10	11.10	17.95	25.57	39.50
	Resdident	2.13	2668	1018	943	584	422	10.66	3.20	8.77	15.00	21.17	38.17
	Nonresident	2.02	1825	740	646	350	186	14.50	5.44	14.31	22.26	32.93	42.51
	SALMONID LAKE												
	Total	1.90	2322	894	680	277	210	15.35	8.02	16.82	22.67	29.63	47.56
	Resdident	1.96	1746	740	591	237	183	15.80	7.61	16.82	22.48	29.18	51.00
	Nonresident	1.63	576	154	89	40	27	13.57	9.29	16.80	23.94	32.30	24.25
	NONSALMONID STREAM												
	Total	1.93	493	132	113	61	65	12.67	3.86	15.14	20.50	36.62	38.16
	Resdident	1.91	448	119	98	51	60	11.09	3.56	14.41	18.99	31.56	30.17
	Nonresident	2.06	45	13	15	10	5	26.64	6.79	21.86	30.46	62.69	134.22
	NONSALMONID LAKE												
	Total	2.16	874	388	361	174	160	26.33	12.02	22.77	40.23	47.86	58.37
	Resdident	2.18	792	367	335	160	157	26.41	11.79	22.47	40.45	48.71	56.65
	Nonresident	1.88	82	21	26	14	3	25.45	14.25	27.82	37.45	38.37	148.33
	UNDESIG STRM MGMT												
	Total	2.00	1	0	1	0	0	.00	.00	.00	.00	.00	.00
	Resdident	3.00	0	0	1	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	2.33	3	0	2	0	1	6.67	6.00	.00	6.00	.00	10.00	
Resdident	2.20	3	0	1	0	1	5.60	6.00	.00	.00	.00	10.00	
Nonresident	3.00	0	0	1	0	0	12.00	.00	.00	12.00	.00	.00	
Statewide Crowding Ratings:													
Total		2.04	8187	3173	2747	1448	1044	14.71	6.04	14.30	22.14	29.51	43.90
Resident		2.07	5658	2245	1970	1033	823	14.65	5.79	13.96	21.76	27.79	43.93
Nonresident		1.95	2529	928	777	415	221	14.88	6.62	15.14	23.11	33.78	43.79

Table 15. Crowding ratings summarized by drainage by residency by water type for the 2005 "summer" season of May 2005 through September 2005.

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----	-----	crowded		sparse	-----	-----	-----	-----	crowded
BEAVERHEAD DR	SALMONID STREAM												
	Total	1.87	197	58	37	31	18	9.65	2.31	5.84	14.54	17.83	78.08
	Resident	1.82	86	26	16	10	8	5.32	2.32	4.48	8.40	16.70	19.99
	Nonresident	1.91	111	32	21	21	10	12.92	2.36	6.95	19.16	18.39	124.62
	SALMONID LAKE												
	Total	1.51	65	18	13	2	0	8.60	6.46	7.29	11.00	75.00	.00
	Resident	1.62	45	14	13	2	0	9.25	6.76	6.23	11.00	75.00	.00
	Nonresident	1.16	20	4	0	0	0	6.71	5.87	11.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.80	1	0	1	0	0	11.80	14.33	.00	8.00	.00	.00
	Resident	3.00	0	0	1	0	0	8.00	.00	.00	8.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	14.33	14.33	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.79	264	76	51	33	18	9.43	3.41	6.18	13.51	21.29	78.08
Resident		1.76	131	40	30	12	8	6.65	3.84	5.09	9.51	26.42	19.99
Nonresident		1.82	133	36	21	21	10	12.24	3.04	7.40	19.16	18.39	124.62
BIG HOLE DR	SALMONID STREAM												
	Total	2.01	295	114	101	48	34	10.95	4.29	10.28	17.56	24.50	32.27
	Resident	2.22	137	61	66	28	28	11.34	3.34	10.36	14.45	24.07	32.57
	Nonresident	1.76	158	53	35	20	6	10.50	5.09	10.24	23.45	25.16	31.00
	SALMONID LAKE												
	Total	1.59	54	14	10	2	2	4.60	2.26	9.51	7.69	17.50	5.00
	Resident	1.62	44	11	10	1	2	4.35	1.98	9.71	7.69	15.00	5.00
	Nonresident	1.43	10	3	0	1	0	5.79	3.51	8.67	.00	20.00	.00
	NONSALMONID STREAM												
	Total	1.67	0	1	0	0	0	26.67	.00	40.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	1.67	0	1	0	0	0	26.67	.00	40.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	3.00	0	0	1	0	0	10.00	.00	.00	10.00	.00	.00
	Resident	3.00	0	0	1	0	0	10.00	.00	.00	10.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.96	350	129	112	50	36	10.21	3.97	10.43	16.61	24.22	30.76
Resident		2.11	181	72	77	29	30	10.11	3.01	10.26	13.51	23.76	30.73
Nonresident		1.74	169	57	35	21	6	10.35	4.99	10.68	23.45	24.91	31.00

Table 15. Crowding ratings summarized by drainage by residency by water type for the 2005 "summer" season of May 2005 through September 2005 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
BITTERROOT DR												
SALMONID STREAM												
Total	2.08	372	165	134	73	52	7.56	3.67	7.74	10.73	14.33	17.18
Resident	2.22	210	113	99	51	41	7.18	2.92	6.57	10.26	11.96	17.32
Nonresident	1.82	162	52	35	22	11	8.25	4.67	10.29	12.03	19.68	16.45
SALMONID LAKE												
Total	1.84	44	15	15	2	4	13.98	6.16	12.88	38.63	11.00	13.25
Resident	1.96	34	14	15	2	4	15.30	6.87	12.00	38.63	11.00	13.25
Nonresident	1.09	10	1	0	0	0	5.82	3.90	25.00	.00	.00	.00
NONSALMONID STREAM												
Total	3.60	1	0	1	1	2	4.80	5.00	.00	11.00	.00	4.00
Resident	3.60	1	0	1	1	2	4.80	5.00	.00	11.00	.00	4.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.17	5	1	0	0	0	6.50	2.80	25.00	.00	.00	.00
Resident	1.00	5	0	0	0	0	2.80	2.80	.00	.00	.00	.00
Nonresident	2.00	0	1	0	0	0	25.00	.00	25.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.06	422	181	150	76	58	8.12	3.92	8.26	13.52	14.06	16.45
Resident	2.19	250	127	115	54	47	8.07	3.46	7.17	13.97	11.70	16.41
Nonresident	1.80	172	54	35	22	11	8.21	4.62	10.83	12.03	19.68	16.45
BLACKFOOT DR												
SALMONID STREAM												
Total	2.05	189	56	52	36	28	12.27	3.23	9.17	18.37	22.14	55.45
Resident	2.16	128	41	38	31	23	13.26	2.86	8.24	16.77	20.19	64.93
Nonresident	1.78	61	15	14	5	5	9.73	4.05	11.67	22.84	34.20	11.98
SALMONID LAKE												
Total	2.27	72	42	39	15	17	17.14	7.24	20.55	26.24	22.26	25.13
Resident	2.31	60	40	36	14	15	16.71	7.27	20.87	22.04	22.77	24.82
Nonresident	1.95	12	2	3	1	2	20.61	7.10	13.50	76.67	15.00	27.50
NONSALMONID STREAM												
Total	1.67	4	1	0	1	0	6.67	2.00	12.00	.00	20.00	.00
Resident	1.20	4	1	0	0	0	4.00	2.00	12.00	.00	.00	.00
Nonresident	4.00	0	0	0	1	0	20.00	.00	.00	.00	20.00	.00
NONSALMONID LAKE												
Total	2.34	45	21	16	14	12	15.03	4.82	16.33	32.95	23.61	17.13
Resident	2.50	34	18	15	14	12	15.65	3.95	14.79	34.69	23.61	17.13
Nonresident	1.33	11	3	1	0	0	11.13	7.55	25.67	7.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.16	311	120	107	67	58	14.05	4.38	14.43	23.42	22.46	38.04
Resident	2.26	227	100	89	60	51	14.69	4.19	14.51	21.92	21.64	41.03
Nonresident	1.77	84	20	18	7	7	11.56	4.94	13.95	30.93	29.43	16.41

Table 15. Crowding ratings summarized by drainage by residency by water type for the 2005 "summer" season of May 2005 through September 2005 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
LOWER CLARK FORK DR SALMONID STREAM												
Total	1.86	346	157	100	32	29	8.45	3.77	10.62	13.11	15.41	28.69
Resident	1.98	195	87	63	26	24	8.10	3.28	7.59	13.27	14.45	28.61
Nonresident	1.68	151	70	37	6	5	8.98	4.46	14.32	12.92	19.37	29.00
SALMONID LAKE												
Total	1.52	113	26	5	10	4	10.33	5.18	8.81	13.40	19.79	138.50
Resident	1.57	85	20	5	8	4	11.80	5.51	8.80	13.40	21.74	138.50
Nonresident	1.33	28	6	0	2	0	5.35	4.13	8.83	.00	12.00	.00
NONSALMONID STREAM												
Total	1.81	46	14	11	4	4	9.43	4.98	10.69	11.80	31.75	27.50
Resident	1.89	34	13	9	3	4	8.27	4.94	11.19	7.80	9.00	27.50
Nonresident	1.50	12	1	2	1	0	14.09	5.12	4.00	30.00	100.00	.00
NONSALMONID LAKE												
Total	1.88	81	33	24	10	6	13.05	8.35	13.92	22.68	15.80	28.67
Resident	1.96	67	31	23	10	6	12.91	7.04	13.92	23.29	15.80	28.67
Nonresident	1.24	14	2	1	0	0	14.11	14.56	14.00	8.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.80	587	230	140	56	43	9.47	4.76	10.89	14.66	17.43	38.79
Resident	1.90	382	151	100	47	38	9.65	4.58	9.36	15.09	15.63	40.07
Nonresident	1.61	205	79	40	9	5	9.09	5.14	13.76	13.65	26.69	29.00
UPPER CLARK FORK DR SALMONID STREAM												
Total	1.97	252	95	62	44	29	7.91	2.49	9.48	10.58	13.95	35.03
Resident	2.05	159	60	43	32	22	7.63	1.98	7.86	9.80	10.98	38.71
Nonresident	1.83	93	35	19	12	7	8.44	3.35	12.25	12.32	21.92	23.44
SALMONID LAKE												
Total	2.10	129	77	65	31	11	18.38	10.25	24.19	25.15	23.85	17.40
Resident	2.17	100	66	53	29	11	18.71	9.64	23.94	26.09	24.97	17.40
Nonresident	1.76	29	11	12	2	0	16.96	12.40	26.00	21.24	7.50	.00
NONSALMONID STREAM												
Total	1.64	7	3	2	0	0	3.70	2.61	7.33	2.40	.00	.00
Resident	1.76	5	3	2	0	0	4.01	2.82	7.33	2.40	.00	.00
Nonresident	1.00	2	0	0	0	0	2.00	2.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.69	3	2	1	0	0	8.46	5.00	10.00	15.00	.00	.00
Resident	1.69	3	2	1	0	0	8.46	5.00	10.00	15.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.01	392	178	131	75	40	11.86	5.06	15.85	17.69	18.04	30.18
Resident	2.09	267	132	100	61	33	12.42	4.90	15.99	18.31	17.63	31.61
Nonresident	1.80	125	46	31	14	7	10.41	5.40	15.54	15.77	19.86	23.44

Table 15. Crowding ratings summarized by drainage by residency by water type for the 2005 "summer" season of May 2005 through September 2005 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
LOWER FLATHEAD DR SALMONID STREAM												
Total	1.77	182	54	35	20	12	6.72	3.45	9.23	9.96	16.37	19.33
Resident	1.86	109	33	27	18	6	6.46	2.80	9.18	9.22	16.52	15.20
Nonresident	1.61	73	21	8	2	6	7.15	4.39	9.30	12.50	15.00	23.50
SALMONID LAKE												
Total	1.83	376	135	104	43	24	16.60	9.89	18.90	24.96	34.00	41.00
Resident	1.91	281	115	89	37	23	16.93	9.87	17.68	23.93	37.90	38.44
Nonresident	1.53	95	20	15	6	1	15.28	10.01	25.95	30.93	10.00	100.00
NONSALMONID STREAM												
Total	1.67	35	10	8	1	2	4.49	2.32	6.29	5.69	21.00	20.00
Resident	1.70	32	8	8	1	2	4.35	2.18	5.65	5.69	21.00	20.00
Nonresident	1.40	3	2	0	0	0	5.80	3.67	9.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.91	115	49	34	12	12	12.62	8.68	12.21	18.04	22.26	26.73
Resident	1.92	105	48	32	11	11	12.01	8.55	12.36	13.76	23.36	26.91
Nonresident	1.80	10	1	2	1	1	21.06	10.09	5.00	87.50	10.00	25.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.82	709	250	183	76	50	12.98	7.66	14.94	19.85	27.34	31.54
Resident	1.89	528	206	158	67	42	13.21	7.67	14.55	18.30	29.52	31.22
Nonresident	1.57	181	44	25	9	8	12.08	7.64	16.76	29.56	11.11	33.25
UPPER FLATHEAD DR SALMONID STREAM												
Total	1.69	150	40	37	10	6	7.78	3.94	7.01	10.85	31.30	50.67
Resident	1.77	86	26	27	9	2	7.43	3.50	7.82	10.75	34.11	6.50
Nonresident	1.57	64	14	10	1	4	8.38	4.58	5.50	11.21	6.00	72.75
SALMONID LAKE												
Total	1.90	97	36	30	7	12	10.28	6.20	7.53	15.26	18.73	34.25
Resident	1.93	78	27	26	6	10	11.08	6.94	7.62	17.39	20.18	31.10
Nonresident	1.80	19	9	4	1	2	6.85	3.09	7.22	1.50	10.00	50.00
NONSALMONID STREAM												
Total	1.00	2	0	0	0	0	8.00	8.00	.00	.00	.00	.00
Resident	1.00	2	0	0	0	0	8.00	8.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	3.18	0	2	1	0	2	20.45	11.00	5.50	25.00	.00	35.50
Resident	3.18	0	2	1	0	2	20.45	11.00	5.50	25.00	.00	35.50
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.80	250	78	68	17	20	8.99	4.87	7.21	13.00	26.12	39.30
Resident	1.87	167	55	54	15	14	9.43	5.19	7.64	14.21	28.54	28.21
Nonresident	1.63	83	23	14	2	6	7.96	4.24	6.17	8.44	8.00	65.17

Table 15. Crowding ratings summarized by drainage by residency by water type for the 2005 "summer" season of May 2005 through September 2005 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
GALLATIN DR												
SALMONID STREAM												
Total	1.92	304	130	88	51	23	6.29	2.30	7.48	9.99	13.61	21.84
Resident	1.97	175	80	50	32	17	5.50	1.88	6.63	9.50	9.23	18.52
Nonresident	1.86	129	50	38	19	6	7.47	2.89	8.86	10.65	20.98	31.17
SALMONID LAKE												
Total	2.07	77	42	35	15	8	12.15	4.22	13.83	19.11	24.57	25.88
Resident	2.20	58	37	34	15	8	13.05	3.65	14.36	19.56	24.57	25.88
Nonresident	1.28	19	5	1	0	0	6.73	6.05	9.84	4.00	.00	.00
NONSALMONID STREAM												
Total	1.67	2	0	1	0	0	15.00	17.50	.00	10.00	.00	.00
Resident	3.00	0	0	1	0	0	10.00	.00	.00	10.00	.00	.00
Nonresident	1.00	2	0	0	0	0	17.50	17.50	.00	.00	.00	.00
NONSALMONID LAKE												
Total	3.00	2	0	1	2	1	11.33	6.00	.00	10.00	13.00	20.00
Resident	3.00	2	0	1	2	1	11.33	6.00	.00	10.00	13.00	20.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.96	385	172	125	68	32	7.69	2.78	9.03	12.54	16.01	22.79
Resident	2.05	235	117	86	49	26	7.81	2.35	9.08	13.49	14.08	20.84
Nonresident	1.80	150	55	39	19	6	7.47	3.49	8.95	10.48	20.98	31.17
JEFFERSON DR												
SALMONID STREAM												
Total	1.30	101	12	7	1	2	4.17	1.97	5.40	6.73	100.00	51.00
Resident	1.33	81	10	6	1	2	4.65	1.99	5.40	7.87	100.00	51.00
Nonresident	1.17	20	2	1	0	0	2.21	2.00	5.50	.00	.00	.00
SALMONID LAKE												
Total	2.19	26	10	8	2	8	14.72	4.68	7.42	15.00	7.50	58.00
Resident	2.14	26	8	8	2	7	15.25	4.68	8.11	15.00	7.50	65.17
Nonresident	3.00	0	2	0	0	1	5.67	.00	4.50	.00	.00	8.00
NONSALMONID STREAM												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.57	128	22	15	3	10	7.35	2.51	6.32	11.14	38.33	56.60
Resident	1.60	108	18	14	3	9	8.17	2.62	6.61	11.94	38.33	62.02
Nonresident	1.38	20	4	1	0	1	2.61	2.00	5.00	.00	.00	8.00

Table 15. Crowding ratings summarized by drainage by residency by water type for the 2005 "summer" season of May 2005 through September 2005 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
KOOTENAI DR	SALMONID STREAM												
	Total	1.39	209	30	26	3	4	4.65	3.36	6.97	9.69	14.67	14.75
	Resident	1.48	123	22	19	2	4	4.58	2.99	5.08	10.61	20.00	14.75
	Nonresident	1.25	86	8	7	1	0	4.73	3.84	12.16	7.27	4.00	.00
	SALMONID LAKE												
	Total	1.45	226	44	19	6	9	9.74	7.86	13.50	16.05	9.83	24.78
	Resident	1.46	156	30	13	5	6	8.52	6.33	10.59	19.84	3.78	33.53
	Nonresident	1.44	70	14	6	1	3	12.41	11.22	19.64	7.48	40.00	7.33
	NONSALMONID STREAM												
	Total	1.00	0	0	0	0	0	15.00	15.00	.00	.00	.00	.00
	Resident	1.00	0	0	0	0	0	15.00	15.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.84	37	12	12	4	2	6.34	3.61	8.17	6.82	16.75	22.00
	Resident	1.76	34	11	10	3	1	5.97	3.25	8.73	7.43	15.67	24.00
	Nonresident	2.50	3	1	2	1	1	9.00	7.67	2.00	3.50	20.00	20.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	1.47	473	86	58	13	15	7.24	5.54	10.48	11.21	13.08	21.73
	Resident	1.51	314	63	43	10	11	6.66	4.70	8.34	12.73	10.59	25.84
	Nonresident	1.38	159	23	15	3	4	8.44	7.16	16.27	6.85	21.33	10.50
LITTLE MISSOURI DR	SALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.00	2	0	0	0	0	3.00	3.00	.00	.00	.00	.00
	Resident	1.00	2	0	0	0	0	3.00	3.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.00	3	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Resident	1.00	3	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.00	2	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	Resident	1.00	2	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	1.00	7	0	0	0	0	1.86	1.86	.00	.00	.00	.00
	Resident	1.00	7	0	0	0	0	1.86	1.86	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00

Table 15. Crowding ratings summarized by drainage by residency by water type for the 2005 "summer" season of May 2005 through September 2005 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
MADISON DR												
SALMONID STREAM												
Total	2.65	305	219	298	195	118	18.82	8.04	15.48	19.62	27.68	36.20
Resident	2.92	87	57	110	89	56	17.85	5.71	11.31	16.18	22.83	38.70
Nonresident	2.50	218	162	188	106	62	19.34	8.99	16.97	21.58	31.76	33.94
SALMONID LAKE												
Total	1.85	199	82	63	18	15	15.98	10.98	16.41	23.27	36.34	24.94
Resident	1.90	97	44	36	10	7	14.84	8.80	16.34	21.90	25.70	37.29
Nonresident	1.81	102	38	27	8	8	17.19	13.10	16.38	25.11	49.65	14.10
NONSALMONID STREAM												
Total	1.00	1	0	0	0	0	9.00	9.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	9.00	9.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.71	1	1	3	0	1	8.93	.00	7.00	10.14	.00	20.00
Resident	2.71	1	1	3	0	1	8.93	.00	7.00	10.14	.00	20.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.45	507	302	365	213	134	18.06	9.17	15.71	20.16	28.41	34.82
Resident	2.59	187	102	150	99	64	16.76	7.30	13.44	17.43	23.12	38.26
Nonresident	2.36	320	200	215	114	70	18.92	10.30	16.86	22.02	33.02	31.67
MARIAS DR												
SALMONID STREAM												
Total	1.15	22	4	0	0	0	1.40	1.20	2.50	.00	.00	.00
Resident	1.15	17	3	0	0	0	1.51	1.48	1.67	.00	.00	.00
Nonresident	1.17	5	1	0	0	0	1.00	.20	5.00	.00	.00	.00
SALMONID LAKE												
Total	1.72	32	14	8	1	2	8.19	3.65	9.64	13.63	.00	53.00
Resident	1.74	30	13	8	1	2	8.14	3.66	8.84	13.63	.00	53.00
Nonresident	1.33	2	1	0	0	0	9.00	3.50	20.00	.00	.00	.00
NONSALMONID STREAM												
Total	2.21	10	2	3	1	3	4.84	1.70	5.50	7.70	10.00	10.30
Resident	2.21	10	2	3	1	3	4.84	1.70	5.50	7.70	10.00	10.30
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.02	75	36	36	9	8	24.47	11.85	31.18	30.75	63.76	40.09
Resident	2.03	73	36	36	9	8	24.72	12.05	31.18	30.75	63.76	40.09
Nonresident	1.00	2	0	0	0	0	5.00	5.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	1.00	1	0	0	0	0	18.00	18.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	18.00	18.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.88	140	56	47	11	13	17.33	7.62	22.83	26.36	53.07	35.20
Resident	1.91	131	54	47	11	13	17.91	8.02	23.21	26.36	53.07	35.20
Nonresident	1.18	9	2	0	0	0	3.91	2.00	12.50	.00	.00	.00

Table 15. Crowding ratings summarized by drainage by residency by water type for the 2005 "summer" season of May 2005 through September 2005 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
MILK DR													
SALMONID STREAM													
Total		1.66	21	3	3	2	1	6.08	2.83	7.70	11.40	16.50	30.00
Resident		1.68	18	3	2	2	1	6.35	3.01	7.70	11.20	16.50	30.00
Nonresident		1.50	3	0	1	0	0	4.25	1.67	.00	12.00	.00	.00
SALMONID LAKE													
Total		2.18	39	25	20	7	8	12.49	5.39	8.06	19.27	14.43	42.99
Resident		2.21	37	25	20	7	8	12.65	5.44	8.06	19.27	14.43	42.99
Nonresident		1.00	2	0	0	0	0	4.00	4.00	.00	.00	.00	.00
NONSALMONID STREAM													
Total		1.50	36	9	4	0	2	3.53	2.02	6.56	10.42	.00	1.50
Resident		1.50	36	9	4	0	2	3.53	2.02	6.56	10.42	.00	1.50
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		1.85	81	27	28	8	5	16.87	10.42	14.15	29.55	20.26	60.38
Resident		1.85	80	26	28	8	5	16.76	10.56	12.77	29.55	20.26	60.38
Nonresident		1.50	1	1	0	0	0	25.00	.00	50.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.88	178	65	56	17	16	12.49	6.71	10.41	23.21	17.42	42.43
Resident		1.89	172	64	55	17	16	12.56	6.87	9.78	23.42	17.42	42.43
Nonresident		1.38	6	1	1	0	0	9.38	2.17	50.00	12.00	.00	.00
LOWER MISSOURI DR													
SALMONID STREAM													
Total		1.59	81	16	9	5	5	9.53	2.61	23.19	25.33	25.58	33.40
Resident		1.53	63	12	7	3	3	9.66	2.47	29.67	29.29	6.00	38.33
Nonresident		1.79	18	4	2	2	2	9.11	3.06	3.75	11.50	55.00	26.00
SALMONID LAKE													
Total		1.63	71	8	16	3	4	12.46	5.53	19.01	37.46	22.00	15.97
Resident		1.66	62	8	16	3	3	13.11	5.58	19.01	37.46	22.00	14.33
Nonresident		1.38	9	0	0	0	1	6.86	5.37	.00	.00	.00	21.00
NONSALMONID STREAM													
Total		2.26	81	17	26	20	19	19.81	5.42	27.56	20.59	36.33	55.76
Resident		2.20	74	15	19	16	17	17.49	5.09	28.92	20.60	32.88	43.44
Nonresident		2.64	7	2	7	4	2	34.76	9.00	17.50	20.70	50.22	160.50
NONSALMONID LAKE													
Total		1.61	159	41	27	8	7	20.42	16.64	29.26	25.89	40.29	11.00
Resident		1.61	144	34	26	6	7	19.81	16.00	31.26	25.92	30.33	11.00
Nonresident		1.59	15	7	1	2	0	25.87	23.00	19.60	26.00	70.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.78	393	82	78	36	35	16.93	9.42	26.72	26.43	34.52	39.07
Resident		1.76	343	69	68	28	30	16.40	9.28	29.06	27.50	28.29	32.45
Nonresident		1.90	50	13	10	8	5	20.37	10.51	14.40	19.39	56.36	78.80

Table 15. Crowding ratings summarized by drainage by residency by water type for the 2005 "summer" season of May 2005 through September 2005 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1	2	3	4	5	Avg	1	2	3	4	5
		sparse				crowded		sparse				crowded
UPPER MISSOURI DR												
SALMONID STREAM												
Total	2.30	473	192	207	152	98	17.03	6.15	13.94	24.25	29.45	40.96
Resident	2.34	343	120	141	110	85	14.92	4.40	10.47	21.96	25.61	38.09
Nonresident	2.18	130	72	66	42	13	22.29	10.77	19.82	29.27	39.67	59.60
SALMONID LAKE												
Total	2.24	254	155	144	61	49	28.18	13.60	25.67	27.03	42.33	97.52
Resident	2.29	216	145	136	55	48	28.29	12.50	25.17	26.75	40.77	98.83
Nonresident	1.76	38	10	8	6	1	27.30	19.94	33.12	31.86	56.83	35.00
NONSALMONID STREAM												
Total	2.22	47	13	10	12	11	12.70	2.68	15.46	19.35	39.99	15.36
Resident	2.21	45	13	8	11	11	11.25	2.52	15.46	8.60	39.04	15.36
Nonresident	2.40	2	0	2	1	0	38.80	6.50	.00	65.00	51.00	.00
NONSALMONID LAKE												
Total	2.67	95	78	83	43	54	44.03	24.65	35.65	44.99	69.79	68.34
Resident	2.70	88	76	80	43	54	44.20	24.41	33.94	45.72	69.79	68.34
Nonresident	1.67	7	2	3	0	0	39.08	27.57	100.00	25.33	.00	.00
UNDESIG STRM MGMT												
Total	3.00	0	0	1	0	0	.00	.00	.00	.00	.00	.00
Resident	3.00	0	0	1	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	4.00	0	0	1	0	1	5.00	.00	.00	.00	.00	10.00
Resident	4.00	0	0	1	0	1	5.00	.00	.00	.00	.00	10.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.34	870	439	447	269	213	24.40	10.16	22.02	28.77	39.31	59.45
Resident	2.39	693	355	368	220	199	24.55	9.35	21.74	28.47	38.74	59.55
Nonresident	2.10	177	84	79	49	14	23.78	13.36	23.31	30.29	42.01	57.84
MUSSELSHELL DR												
SALMONID STREAM												
Total	1.26	24	1	1	0	1	1.72	1.48	2.00	3.00	.00	6.00
Resident	1.25	22	0	1	0	1	1.61	1.35	.00	3.00	.00	6.00
Nonresident	1.33	2	1	0	0	0	2.33	2.50	2.00	.00	.00	.00
SALMONID LAKE												
Total	1.58	57	17	10	2	2	11.26	7.64	19.69	12.52	45.00	3.50
Resident	1.58	54	14	10	2	2	11.35	7.92	20.21	12.52	45.00	3.50
Nonresident	1.50	3	3	0	0	0	10.17	3.00	17.33	.00	.00	.00
NONSALMONID STREAM												
Total	1.14	13	0	1	0	0	2.47	2.12	.00	7.00	.00	.00
Resident	1.14	13	0	1	0	0	2.47	2.12	.00	7.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.75	18	6	3	1	2	12.39	9.68	17.67	29.33	4.00	.50
Resident	1.78	17	6	3	1	2	12.47	9.65	17.67	29.33	4.00	.50
Nonresident	1.00	1	0	0	0	0	10.00	10.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.52	113	24	15	3	5	9.10	6.03	18.45	14.88	31.33	2.80
Resident	1.53	107	20	15	3	5	9.19	6.15	19.45	14.88	31.33	2.80
Nonresident	1.40	6	4	0	0	0	7.80	4.00	13.50	.00	.00	.00

Table 15. Crowding ratings summarized by drainage by residency by water type for the 2005 "summer" season of May 2005 through September 2005 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen									
		Avg	1	2	3	4	5	Avg	1	2	3	4	5			
			sparse						sparse						crowded	
ST MARY DR	SALMONID STREAM															
	Total	1.00	3	0	0	0	0	2.33	2.33	.00	.00	.00	.00	.00		
	Resident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00	.00		
	Nonresident	1.00	2	0	0	0	0	3.00	3.00	.00	.00	.00	.00	.00		
	SALMONID LAKE															
	Total	2.00	10	7	2	4	0	11.83	9.70	16.17	13.00	9.00			.00	
	Resident	2.13	6	5	2	3	0	10.26	7.67	16.20	13.00	3.70			.00	
	Nonresident	1.71	4	2	0	1	0	15.43	12.75	16.00	.00	25.00			.00	
	NONSALMONID STREAM															
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	NONSALMONID LAKE															
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	UNDESIG STRM MGMT															
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	UNDESIG LAKE MGMT															
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	Drainage Crowding Ratings:															
		Total	1.88	13	7	2	4	0	10.74	8.00	16.17	13.00	9.00			.00
		Resident	2.06	7	5	2	3	0	9.71	6.71	16.20	13.00	3.70			.00
		Nonresident	1.56	6	2	0	1	0	12.67	9.50	16.00	.00	25.00			.00
SUN DR	SALMONID STREAM															
	Total	1.24	75	8	3	1	1	3.16	2.82	6.13	5.33	2.00			.00	
	Resident	1.27	53	8	3	0	1	2.73	2.13	6.13	5.33	.00			.00	
	Nonresident	1.13	22	0	0	1	0	4.31	4.42	.00	.00	2.00			.00	
	SALMONID LAKE															
	Total	1.60	87	38	12	4	3	9.75	6.37	11.77	17.20	34.30	20.00			
	Resident	1.58	82	36	11	4	2	9.99	6.41	11.88	18.17	34.30	30.00			
	Nonresident	1.89	5	2	1	0	1	5.89	5.40	10.00	6.00	.00			.00	
	NONSALMONID STREAM															
	Total	1.00	2	0	0	0	0	.80	.80	.00	.00	.00	.00	.00		
	Resident	1.00	2	0	0	0	0	.80	.80	.00	.00	.00	.00	.00		
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	NONSALMONID LAKE															
	Total	1.39	25	4	3	1	0	10.68	6.77	6.50	19.70	100.00			.00	
	Resident	1.39	25	4	3	1	0	10.68	6.77	6.50	19.70	100.00			.00	
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00			.00	
	UNDESIG STRM MGMT															
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	UNDESIG LAKE MGMT															
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00		
	Drainage Crowding Ratings:															
		Total	1.45	191	50	18	6	4	7.61	4.95	10.45	15.64	39.87	15.00		
		Resident	1.46	164	48	17	5	3	7.99	4.99	10.47	16.18	47.44	20.00		
		Nonresident	1.34	27	2	1	1	1	4.76	4.60	10.00	6.00	2.00			.00

Table 15. Crowding ratings summarized by drainage by residency by water type for the 2005 "summer" season of May 2005 through September 2005 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
LOWER YELLOWSTONE DR	SALMONID STREAM												
	Total	2.00	6	2	0	0	2	7.91	3.02	13.50	.00	.00	17.00
	Resident	2.25	4	2	0	0	2	8.63	2.00	13.50	.00	.00	17.00
	Nonresident	1.00	2	0	0	0	0	5.00	5.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.36	12	3	1	0	0	5.42	5.08	4.33	10.33	.00	.00
	Resident	1.41	10	3	1	0	0	5.07	4.50	4.33	10.33	.00	.00
	Nonresident	1.00	2	0	0	0	0	8.00	8.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.93	134	34	33	20	15	18.17	4.42	23.88	36.07	40.14	59.42
	Resident	1.90	121	28	30	17	12	16.11	4.08	23.21	37.26	32.18	45.13
	Nonresident	2.18	13	6	3	3	3	33.45	7.48	27.03	24.00	85.00	116.70
	NONSALMONID LAKE												
	Total	2.64	57	45	52	40	21	52.46	12.63	18.17	91.76	61.48	118.59
	Resident	2.63	49	42	39	32	20	54.42	12.29	18.04	110.63	65.99	104.51
	Nonresident	2.73	8	3	13	8	1	41.58	14.78	20.00	34.43	43.30	400.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	2.23	210	84	87	60	38	32.91	6.63	19.88	69.23	54.36	89.89
	Resident	2.21	185	75	71	49	34	32.43	6.21	19.30	77.51	54.26	78.40
	Nonresident	2.38	25	9	16	11	4	35.92	9.66	24.69	32.47	54.67	187.52
UPPER YELLOWSTONE DR	SALMONID STREAM												
	Total	2.19	883	402	387	230	145	16.13	4.57	12.60	22.58	33.43	51.70
	Resident	2.17	569	254	223	140	96	13.22	3.64	9.47	16.74	25.84	53.37
	Nonresident	2.23	314	148	164	90	49	21.02	6.27	17.99	30.57	45.21	48.46
	SALMONID LAKE												
	Total	1.92	221	64	46	36	23	10.52	5.18	10.47	16.03	26.05	26.51
	Resident	1.99	158	57	42	29	18	10.60	5.28	10.85	15.88	22.17	24.98
	Nonresident	1.64	63	7	4	6	5	10.27	4.94	7.43	17.50	43.69	32.20
	NONSALMONID STREAM												
	Total	1.72	66	28	11	1	7	6.18	3.17	5.87	10.10	45.00	24.14
	Resident	1.73	63	27	10	1	7	5.59	2.97	5.16	6.30	45.00	24.14
	Nonresident	1.55	3	1	1	0	0	17.45	6.00	25.00	50.00	.00	.00
	NONSALMONID LAKE												
	Total	2.52	65	28	32	22	26	29.60	9.09	28.63	40.30	39.49	60.21
	Resident	2.55	58	28	30	19	26	29.92	9.45	28.63	36.10	42.50	60.21
	Nonresident	2.00	7	0	2	2	0	25.22	6.14	.00	103.50	16.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	2.16	1237	522	477	289	202	15.77	4.84	12.84	22.84	33.01	48.93
	Resident	2.15	849	366	306	190	148	13.81	4.30	10.83	18.16	27.08	49.67
	Nonresident	2.16	388	156	171	99	54	19.99	6.05	17.56	31.23	44.38	46.95

Table 15. Crowding ratings summarized by drainage by residency by water type for the 2005 "summer" season of May 2005 through September 2005 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
Total													
	SALMONID STREAM												
	Total	2.08	4493	1758	1589	934	608	12.19	4.10	11.10	17.95	25.57	39.50
	Resident	2.13	2668	1018	943	584	422	10.66	3.20	8.77	15.00	21.17	38.17
	Nonresident	2.02	1825	740	646	350	186	14.50	5.44	14.31	22.26	32.93	42.51
	SALMONID LAKE												
	Total	1.90	2322	894	680	277	210	15.35	8.02	16.82	22.67	29.63	47.56
	Resident	1.96	1746	740	591	237	183	15.80	7.61	16.82	22.48	29.18	51.00
	Nonresident	1.63	576	154	89	40	27	13.57	9.29	16.80	23.94	32.30	24.25
	NONSALMONID STREAM												
	Total	1.93	493	132	113	61	65	12.67	3.86	15.14	20.50	36.62	38.16
	Resident	1.91	448	119	98	51	60	11.09	3.56	14.41	18.99	31.56	30.17
	Nonresident	2.06	45	13	15	10	5	26.64	6.79	21.86	30.46	62.69	134.22
	NONSALMONID LAKE												
	Total	2.16	874	388	361	174	160	26.33	12.02	22.77	40.23	47.86	58.37
	Resident	2.18	792	367	335	160	157	26.41	11.79	22.47	40.45	48.71	56.65
	Nonresident	1.88	82	21	26	14	3	25.45	14.25	27.82	37.45	38.37	148.33
	UNDESIG STRM MGMT												
	Total	2.00	1	0	1	0	0	.00	.00	.00	.00	.00	.00
	Resident	3.00	0	0	1	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	2.33	3	0	2	0	1	6.67	6.00	.00	6.00	.00	10.00
	Resident	2.20	3	0	1	0	1	5.60	6.00	.00	.00	.00	10.00
	Nonresident	3.00	0	0	1	0	0	12.00	.00	.00	12.00	.00	.00
Statewide Crowding Ratings:													
	Total	2.04	8187	3173	2747	1448	1044	14.71	6.04	14.30	22.14	29.51	43.90
	Resident	2.07	5658	2245	1970	1033	823	14.65	5.79	13.96	21.76	27.79	43.93
	Nonresident	1.95	2529	928	777	415	221	14.88	6.62	15.14	23.11	33.78	43.79

2005 WINTER

The "winter" season for angling is from March through April and October through February of the following year. In 2005, 674,454 angler days (24.2%) of the annual fishing pressure occurred during this period (Table 16). Residents accounted for 81.5% of the total angling pressure for the "winter" season. Angling pressure was directed towards salmonid streams with 52.8% and salmonid lakes accounted for 27.7% of the use during this period.

The pressure in the regions ranged from a high of 164,548 angler days for Region 3 to a low of 16,851 angler days for Region 7. Angling pressure by residents for this period for each FWP region ranged from a low of 72.9% for region 5 to a high of 93.0% for region 6.

Winter angling pressure (Table 17) by drainage ranged from 117,570 angler days for the Upper Missouri River drainage to 0 angler days for the Little Missouri River drainage in Eastern Montana. Residents accounted for as low as 53.5% of the pressure in the Big Hole River drainage to a high of 100% of the pressure in the St. Mary drainages.

Table 16. Angling pressure in angler days by region by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006.

REG	WATER TYPE	-----TOTALS-----		----RESIDENTS----		---NON-RESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
1	SALMONID STREAM	25449.	222.	21110.	182.	4339.	40.
	SALMONID LAKE	41070.	400.	36862.	358.	4208.	42.
	NONSALMONID STREAM	5354.	57.	4200.	44.	1154.	13.
	NONSALMONID LAKE	30375.	217.	28977.	207.	1398.	10.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	102248.	895.	91149.	790.	11099.	105.
2	SALMONID STREAM	87135.	1004.	59910.	650.	27225.	354.
	SALMONID LAKE	28287.	218.	25676.	204.	2611.	14.
	NONSALMONID STREAM	3797.	35.	3487.	31.	310.	4.
	NONSALMONID LAKE	4883.	52.	4883.	52.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	124101.	1309.	93955.	937.	30146.	372.
3	SALMONID STREAM	127051.	1221.	87990.	796.	39061.	425.
	SALMONID LAKE	34754.	260.	29960.	216.	4794.	44.
	NONSALMONID STREAM	553.	10.	553.	10.	0.	0.
	NONSALMONID LAKE	2191.	16.	2113.	15.	78.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	164548.	1506.	120615.	1036.	43933.	470.
4	SALMONID STREAM	53646.	538.	47735.	468.	5911.	70.
	SALMONID LAKE	65648.	654.	60433.	601.	5215.	53.
	NONSALMONID STREAM	7082.	58.	7082.	58.	0.	0.
	NONSALMONID LAKE	18646.	176.	18009.	171.	637.	5.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	145020.	1424.	133257.	1296.	11763.	128.
5	SALMONID STREAM	61008.	733.	38316.	443.	22692.	290.
	SALMONID LAKE	6152.	60.	5832.	57.	320.	3.
	NONSALMONID STREAM	15088.	98.	15088.	98.	0.	0.
	NONSALMONID LAKE	3192.	36.	3031.	34.	161.	2.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	85440.	927.	62267.	632.	23173.	295.

Table 16. Angling pressure in angler days by region by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006 (continued).

REG	WATER TYPE	-----TOTALS-----		----RESIDENTS----		--NON-RESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
6	SALMONID STREAM	1731.	12.	1731.	12.	0.	0.
	SALMONID LAKE	8341.	80.	6477.	65.	1864.	15.
	NONSALMONID STREAM	10975.	135.	10925.	134.	50.	1.
	NONSALMONID LAKE	14084.	127.	13467.	119.	617.	8.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
REGIONAL PRESSURE ESTIMATES:		35131.	354.	32600.	330.	2531.	24.
7	SALMONID STREAM	689.	8.	374.	6.	315.	2.
	SALMONID LAKE	610.	6.	610.	6.	0.	0.
	NONSALMONID STREAM	11201.	111.	10756.	107.	445.	4.
	NONSALMONID LAKE	4351.	40.	3841.	36.	510.	4.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
REGIONAL PRESSURE ESTIMATES:		16851.	165.	15581.	155.	1270.	10.
TOTAL							
	SALMONID STREAM	356708.	3737.	257165.	2556.	99543.	1181.
	SALMONID LAKE	186895.	1704.	166573.	1519.	20322.	185.
	NONSALMONID STREAM	54049.	503.	52090.	481.	1959.	22.
	NONSALMONID LAKE	77721.	663.	74320.	633.	3401.	30.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	81.	2.	81.	2.	0.	0.
STATEWIDE PRESSURE ESTIMATES:		675454.	6609.	550229.	5191.	125225.	1418.

Table 17. Angling pressure in angler days by drainage by water type for the 2005 "winter" angling season March 2005 through April 2005 and October 2005 through February 2006.

DRAIN	WATER TYPE	-----TOTALS-----		----RESIDENTS----		--NONRESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
BEAVERHEAD DR							
	SALMONID STREAM	6987.	91.	3867.	56.	3120.	35.
	SALMONID LAKE	22140.	131.	21629.	127.	511.	4.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	677.	5.	599.	4.	78.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		29803.	226.	26094.	186.	3709.	40.

Table 17. Angling pressure in angler days by drainage by water type for the 2005 "winter" angling season March 2005 through April 2005 and October 2005 through February 2006 (continued).

BIG HOLE DR						
SALMONID STREAM	11619.	114.	7534.	70.	4085.	44.
SALMONID LAKE	262.	3.	212.	2.	50.	1.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	11881.	117.	7746.	72.	4135.	45.
BITTERROOT DR						
SALMONID STREAM	40760.	476.	28528.	306.	12232.	170.
SALMONID LAKE	1726.	24.	1726.	24.	0.	0.
NONSALMONID STREAM	1596.	15.	1441.	13.	155.	2.
NONSALMONID LAKE	647.	5.	647.	5.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	44729.	520.	32342.	348.	12387.	172.
BLACKFOOT DR						
SALMONID STREAM	8205.	79.	6842.	66.	1363.	13.
SALMONID LAKE	7121.	73.	6929.	72.	192.	1.
NONSALMONID STREAM	913.	8.	913.	8.	0.	0.
NONSALMONID LAKE	4195.	46.	4195.	46.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	20433.	206.	18878.	192.	1555.	14.
LOWER CLARK FORK DR						
SALMONID STREAM	18450.	225.	9875.	117.	8575.	108.
SALMONID LAKE	2903.	28.	1754.	22.	1149.	6.
NONSALMONID STREAM	5049.	54.	3895.	41.	1154.	13.
NONSALMONID LAKE	10331.	77.	9681.	72.	650.	5.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	36733.	383.	25205.	251.	11528.	132.
UPPER CLARK FORK DR						
SALMONID STREAM	22877.	258.	16344.	182.	6533.	76.
SALMONID LAKE	19440.	121.	17021.	108.	2419.	13.
NONSALMONID STREAM	1288.	12.	1133.	10.	155.	2.
NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	43605.	391.	34498.	300.	9107.	91.
LOWER FLATHEAD DR						
SALMONID STREAM	12290.	87.	11116.	76.	1174.	11.
SALMONID LAKE	24932.	245.	23480.	231.	1452.	14.
NONSALMONID STREAM	305.	3.	305.	3.	0.	0.
NONSALMONID LAKE	15308.	112.	15147.	111.	161.	1.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	52835.	447.	50048.	421.	2787.	26.

Table 17. Angling pressure in angler days by drainage by water type for the 2005 "winter" angling season March 2005 through April 2005 and October 2005 through February 2006 (continued).

UPPER FLATHEAD DR						
SALMONID STREAM	3381.	33.	2887.	28.	494.	5.
SALMONID LAKE	1811.	15.	1662.	12.	149.	3.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	290.	2.	290.	2.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	5482.	50.	4839.	42.	643.	8.
GALLATIN DR						
SALMONID STREAM	28280.	270.	25054.	230.	3226.	40.
SALMONID LAKE	3291.	37.	3192.	35.	99.	2.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	187.	3.	187.	3.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	31758.	310.	28433.	268.	3325.	42.
JEFFERSON DR						
SALMONID STREAM	4604.	47.	3488.	35.	1116.	12.
SALMONID LAKE	3631.	43.	3470.	42.	161.	1.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	8235.	90.	6958.	77.	1277.	13.
KOOTENAI DR						
SALMONID STREAM	6621.	68.	5428.	57.	1193.	11.
SALMONID LAKE	11424.	112.	9966.	93.	1458.	19.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	4487.	27.	3900.	23.	587.	4.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	22532.	207.	19294.	173.	3238.	34.
LITTLE MISSOURI DR						
SALMONID STREAM	0.	0.	0.	0.	0.	0.
SALMONID LAKE	0.	0.	0.	0.	0.	0.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	0.	0.	0.	0.	0.	0.
MADISON DR						
SALMONID STREAM	41038.	345.	22969.	163.	18069.	182.
SALMONID LAKE	5238.	43.	1376.	8.	3862.	35.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	919.	5.	919.	5.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	47195.	393.	25264.	176.	21931.	217.

Table 17. Angling pressure in angler days by drainage by water type for the 2005 "winter" angling season March 2005 through April 2005 and October 2005 through February 2006 (continued).

MARIAS DR						
SALMONID STREAM	671.	6.	449.	4.	222.	2.
SALMONID LAKE	4021.	35.	4021.	35.	0.	0.
NONSALMONID STREAM	81.	2.	81.	2.	0.	0.
NONSALMONID LAKE	7770.	56.	7770.	56.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	12543.	99.	12321.	97.	222.	2.
MILK DR						
SALMONID STREAM	1609.	9.	1609.	9.	0.	0.
SALMONID LAKE	6274.	60.	6274.	60.	0.	0.
NONSALMONID STREAM	3573.	39.	3573.	39.	0.	0.
NONSALMONID LAKE	6664.	60.	6453.	58.	211.	2.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	18120.	168.	17909.	166.	211.	2.
LOWER MISSOURI DR						
SALMONID STREAM	1826.	33.	1826.	33.	0.	0.
SALMONID LAKE	4631.	59.	2767.	44.	1864.	15.
NONSALMONID STREAM	8755.	105.	8705.	104.	50.	1.
NONSALMONID LAKE	7542.	70.	7136.	64.	406.	6.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	22754.	267.	20434.	245.	2320.	22.
UPPER MISSOURI DR						
SALMONID STREAM	52305.	506.	46136.	433.	6169.	73.
SALMONID LAKE	48536.	475.	44340.	432.	4196.	43.
NONSALMONID STREAM	6058.	53.	6058.	53.	0.	0.
NONSALMONID LAKE	10672.	115.	10035.	110.	637.	5.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	117570.	1148.	106568.	1027.	11002.	121.
MUSSELSHELL DR						
SALMONID STREAM	263.	3.	41.	1.	222.	2.
SALMONID LAKE	4008.	37.	3897.	36.	111.	1.
NONSALMONID STREAM	41.	1.	41.	1.	0.	0.
NONSALMONID LAKE	147.	2.	147.	2.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	4459.	43.	4126.	40.	333.	3.
ST MARY DR						
SALMONID STREAM	0.	0.	0.	0.	0.	0.
SALMONID LAKE	2833.	35.	2833.	35.	0.	0.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	2833.	35.	2833.	35.	0.	0.

Table 17. Angling pressure in angler days by drainage by water type for the 2005 "winter" angling season March 2005 through April 2005 and October 2005 through February 2006 (continued).

SUN DR						
SALMONID STREAM	2118.	35.	2118.	35.	0.	0.
SALMONID LAKE	5727.	55.	4819.	46.	908.	9.
NONSALMONID STREAM	143.	4.	143.	4.	0.	0.
NONSALMONID LAKE	41.	1.	41.	1.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	8028.	94.	7120.	85.	908.	9.
LOWER YELLOWSTONE DR						
SALMONID STREAM	689.	8.	374.	6.	315.	2.
SALMONID LAKE	610.	6.	610.	6.	0.	0.
NONSALMONID STREAM	11201.	111.	10756.	107.	445.	4.
NONSALMONID LAKE	4351.	40.	3841.	36.	510.	4.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	16851.	165.	15581.	155.	1270.	10.
UPPER YELLOWSTONE DR						
SALMONID STREAM	92116.	1045.	60681.	650.	31435.	395.
SALMONID LAKE	4303.	41.	3872.	37.	431.	4.
NONSALMONID STREAM	15047.	97.	15047.	97.	0.	0.
NONSALMONID LAKE	3494.	38.	3333.	36.	161.	2.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:						
	114960.	1221.	82933.	820.	32027.	401.
TOTAL						
SALMONID STREAM	356708.	3737.	257165.	2556.	99543.	1181.
SALMONID LAKE	186895.	1704.	166573.	1519.	20322.	185.
NONSALMONID STREAM	54049.	503.	52090.	481.	1959.	22.
NONSALMONID LAKE	77721.	663.	74320.	633.	3401.	30.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	81.	2.	81.	2.	0.	0.
STATEWIDE PRESSURE ESTIMATES:						
	675454.	6609.	550229.	5191.	125225.	1418.

Angler Satisfaction Ratings - Winter

The average rating overall for winter was 2.86 with residents and nonresidents rating their angling experience at 2.75 and 3.19 respectively (Table 18). Individual water satisfaction ratings for the "winter" season are given in a separate report "Montana Angler Satisfaction Ratings 2005".

Region 5 had the highest overall satisfaction rating of 3.09 while regions 6 and 7 had the lowest satisfaction rating of 2.51. Nonresidents were always higher in their satisfaction ratings than residents for all regions except region 7.

Table 18. Angler satisfaction ratings by region by water type for the 2005 "winter" angling season March 2005 through April 2005 and October 2005 through February 2006

Reg	Water Type	TOTAL					RESIDENT					NONRESIDENT				
		Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's
1	SALMONID STREAM	2.65	17	7	24	8 5	2.85	11	1	19	7 4	2.21	6	6	5	1 1
	SALMONID LAKE	2.78	53	24	31	38 27	2.73	48	22	26	35 21	3.14	5	2	5	3 6
	NONSALMONID STREAM	2.50	8	0	6	3 1	2.30	7	0	5	2 0	3.25	1	0	1	1 1
	NONSALMONID LAKE	2.21	36	17	24	8 5	2.22	32	17	22	8 4	2.14	4	0	2	0 1
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Regional Satisfaction Ratings:	2.59	114	48	85	58 39	2.58	98	40	72	53 30	2.67	16	8	13	5 9
2	SALMONID STREAM	3.09	70	67	128	111 67	3.01	44	38	79	59 35	3.19	26	29	49	52 32
	SALMONID LAKE	2.61	32	24	28	14 15	2.60	30	23	25	13 14	2.75	2	1	3	1 1
	NONSALMONID STREAM	2.50	4	2	3	3 0	2.32	4	2	2	2 0	3.50	0	0	1	1 0
	NONSALMONID LAKE	2.06	6	6	3	2 0	2.06	6	6	3	2 0	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Regional Satisfaction Ratings:	2.95	112	100	162	130 83	2.84	84	70	109	76 50	3.17	28	30	53	54 33
3	SALMONID STREAM	3.01	95	92	191	138 74	2.94	59	53	125	77 37	3.10	36	39	66	61 37
	SALMONID LAKE	2.56	35	17	22	11 16	2.43	30	12	17	7 11	2.96	5	5	5	4 5
	NONSALMONID STREAM	2.00	1	0	1	0 0	2.00	1	0	1	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	2.88	3	0	1	2 2	2.73	3	0	1	1 2	4.00	0	0	0	1 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Regional Satisfaction Ratings:	2.94	135	109	215	151 92	2.84	94	65	144	85 50	3.09	41	44	71	66 42
4	SALMONID STREAM	2.88	38	44	72	40 27	2.85	32	36	63	31 21	3.03	6	8	9	9 6
	SALMONID LAKE	2.91	51	46	70	43 42	2.87	47	44	63	39 35	3.33	4	2	7	4 7
	NONSALMONID STREAM	2.71	5	3	7	5 1	2.71	5	3	7	5 1	.00	0	0	0	0 0
	NONSALMONID LAKE	1.97	31	15	10	5 3	1.94	31	14	10	4 3	3.00	0	1	0	1 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Regional Satisfaction Ratings:	2.78	126	108	160	93 73	2.74	116	97	144	79 60	3.14	10	11	16	14 13
5	SALMONID STREAM	3.37	49	29	81	88 81	3.08	40	24	50	45 38	3.81	9	5	31	43 43
	SALMONID LAKE	2.25	15	4	4	8 1	2.24	13	4	4	8 0	2.33	2	0	0	0 1
	NONSALMONID STREAM	1.97	14	7	4	3 1	1.97	14	7	4	3 1	.00	0	0	0	0 0
	NONSALMONID LAKE	1.88	17	1	2	3 2	2.00	14	1	2	3 2	1.00	3	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Regional Satisfaction Ratings:	3.09	96	41	92	102 85	2.79	82	36	61	59 41	3.72	14	5	31	43 44
6	SALMONID STREAM	3.00	0	1	0	2 0	3.00	0	1	0	2 0	.00	0	0	0	0 0
	SALMONID LAKE	3.03	4	6	12	7 4	2.96	4	5	10	6 3	3.40	0	1	2	1 1
	NONSALMONID STREAM	2.48	10	15	7	6 4	2.52	9	15	7	6 4	1.00	1	0	0	0 0
	NONSALMONID LAKE	2.21	25	10	12	8 3	2.19	22	10	11	6 3	2.33	3	0	1	2 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Regional Satisfaction Ratings:	2.51	40	32	31	23 11	2.50	36	31	28	20 10	2.67	4	1	3	3 1

Table 18. Angler satisfaction ratings by region by water type for the 2005 "winter" angling season March 2005 through April 2005 and October 2005 through February 2006 (continued).

Reg Water Type		TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	----- 2's	excellent 3's	4's	5's	Avg Rate	poor 1's	----- 2's	excellent 3's	4's	5's	Avg Rate	poor 1's	----- 2's	excellent 3's	4's	5's
7	SALMONID STREAM	3.50	0	0	3	0	1	3.00	0	0	3	0	0	5.00	0	0	0	0	1
	SALMONID LAKE	2.25	2	1	0	0	1	2.25	2	1	0	0	1	.00	0	0	0	0	0
	NONSALMONID STREAM	2.59	12	5	8	3	6	2.59	12	5	8	3	6	.00	0	0	0	0	0
	NONSALMONID LAKE	2.31	12	3	5	3	3	2.39	10	3	4	3	3	1.67	2	0	1	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:	2.51	26	9	16	6	11	2.52	24	9	15	6	10	2.50	2	0	1	0	1
Total	SALMONID STREAM	3.07	270	240	499	387	256	2.97	187	153	339	221	136	3.25	83	87	160	166	120
	SALMONID LAKE	2.76	194	124	171	123	109	2.72	175	112	145	109	87	3.09	19	12	26	14	22
	NONSALMONID STREAM	2.44	55	32	36	23	14	2.41	53	32	34	21	13	3.00	2	0	2	2	1
	NONSALMONID LAKE	2.15	131	52	57	31	18	2.15	119	51	53	27	17	2.14	12	1	4	4	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Statewide Satisfaction Ratings:	2.86	650	449	765	565	397	2.75	534	349	573	379	253	3.19	116	100	192	186	144

Angler satisfaction ratings were summarized by the twenty-two major drainages like those reported under the angling pressure section (Table 19). The St. Mary Drainage had the highest rating of a 4.09, while the Marias River drainage had the lowest rating of 2.24.

Table 19. Angler satisfaction ratings by drainage by water type for the 2005 "winter" angling season March 2005 through April 2005 and October 2005 through February 2006.

Drain- age Water type		TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	2's	3's	4's	5's	Avg Rate	poor 1's	2's	3's	4's	5's	Avg Rate	poor 1's	2's	3's	4's	5's
BEAVERHEAD DR																			
SALMONID STREAM		3.04	8	4	16	12	5	3.04	5	1	9	6	3	3.05	3	3	7	6	2
SALMONID LAKE		2.27	17	9	8	3	5	2.14	17	7	8	3	3	3.50	0	2	0	0	2
NONSALMONID STREAM		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
NONSALMONID LAKE		3.40	0	0	0	2	0	3.00	0	0	0	1	0	4.00	0	0	0	1	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction		Ratings: 2.69	26	13	24	17	10	2.50	23	8	17	10	6	3.15	3	5	7	7	4
BIG HOLE DR																			
SALMONID STREAM		3.02	6	12	21	9	8	3.00	4	7	14	5	5	3.05	2	5	7	4	3
SALMONID LAKE		3.33	0	0	2	1	0	3.50	0	0	1	1	0	3.00	0	0	1	0	0
NONSALMONID STREAM		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
NONSALMONID LAKE		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction		Ratings: 3.03	6	12	23	10	8	3.03	4	7	15	6	5	3.05	2	5	8	4	3

Table 19. Angler satisfaction ratings by drainage by water type for the 2005 "winter" angling season March 2005 through April 2005 and October 2005 through February 2006 (continued).

Drain- age	Water type	TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's
BITTERROOT DR	SALMONID STREAM	3.23	24	26	55	55	31	3.11	17	16	32	28	17	3.38	7	10	23	27	14
	SALMONID LAKE	2.69	5	1	3	1	3	2.69	5	1	3	1	3	.00	0	0	0	0	0
	NONSALMONID STREAM	2.60	2	0	1	2	0	2.25	2	0	1	1	0	4.00	0	0	0	1	0
	NONSALMONID LAKE	3.00	0	1	0	1	0	3.00	0	1	0	1	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 3.18	31	28	59	59	34	3.04	24	18	36	31	20	3.39	7	10	23	28	14
BLACKFOOT DR	SALMONID STREAM	2.89	9	7	7	13	4	2.79	8	5	6	9	3	3.22	1	2	1	4	1
	SALMONID LAKE	2.19	15	10	6	2	4	2.22	14	10	6	2	4	1.00	1	0	0	0	0
	NONSALMONID STREAM	1.71	2	0	1	0	0	1.71	2	0	1	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.00	5	5	3	1	0	2.00	5	5	3	1	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 2.44	31	23	17	16	8	2.38	29	21	16	12	7	3.00	2	2	1	4	1
LOWER CLARK FORK DR	SALMONID STREAM	2.82	22	22	33	21	12	2.87	8	10	19	8	5	2.78	14	12	14	13	7
	SALMONID LAKE	2.20	5	0	3	2	0	2.11	5	0	2	2	0	3.00	0	0	1	0	0
	NONSALMONID STREAM	2.47	7	0	5	2	1	2.21	6	0	4	1	0	3.25	1	0	1	1	1
	NONSALMONID LAKE	2.50	8	4	9	3	2	2.50	6	4	8	3	1	2.50	2	0	1	0	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 2.70	42	26	50	29	16	2.63	25	14	33	15	7	2.80	17	12	17	14	9
UPPER CLARK FORK DR	SALMONID STREAM	3.16	17	14	38	25	20	3.09	12	7	25	16	10	3.27	5	7	13	9	10
	SALMONID LAKE	2.84	12	13	19	11	8	2.82	11	12	16	10	7	3.00	1	1	3	1	1
	NONSALMONID STREAM	3.00	0	2	1	1	0	3.00	0	2	0	1	0	3.00	0	0	1	0	0
	NONSALMONID LAKE	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 3.04	29	29	58	37	29	2.97	23	21	41	27	18	3.23	6	8	17	10	11
LOWER FLATHEAD DR	SALMONID STREAM	2.65	5	2	12	4	0	3.06	1	1	11	4	0	1.50	4	1	1	0	0
	SALMONID LAKE	2.92	27	14	18	28	16	2.85	26	14	17	26	13	3.86	1	0	1	2	3
	NONSALMONID STREAM	2.67	1	0	1	1	0	2.67	1	0	1	1	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.09	23	12	11	4	3	2.12	22	12	11	4	3	1.00	1	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 2.64	56	28	42	37	19	2.64	50	27	40	35	16	2.64	6	1	2	2	3
UPPER FLATHEAD DR	SALMONID STREAM	2.70	3	2	2	1	2	3.14	2	0	2	1	2	1.67	1	2	0	0	0
	SALMONID LAKE	2.14	2	2	3	0	0	2.00	2	2	2	0	0	3.00	0	0	1	0	0
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.00	1	0	1	0	0	2.00	1	0	1	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 2.42	6	4	6	1	2	2.53	5	2	5	1	2	2.00	1	2	1	0	0

Table 19. Angler satisfaction ratings by drainage by water type for the 2005 "winter" angling season March 2005 through April 2005 and October 2005 through February 2006 (continued).

Drain- age Water type		TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor		-----		excellent	Avg Rate	poor		-----		excellent	Avg Rate	poor		-----		excellent
			1's	2's	3's	4's	5's		1's	2's	3's	4's	5's		1's	2's	3's	4's	5's
GALLATIN DR	SALMONID STREAM	3.17	13	10	44	29	13	3.06	10	9	35	18	8	3.48	3	1	9	11	5
	SALMONID LAKE	3.33	3	1	3	4	4	3.31	3	1	2	3	4	3.50	0	0	1	1	0
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	5.00	0	0	0	0	2	5.00	0	0	0	0	2	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 3.22	16	11	47	33	19	3.14	13	10	37	21	14	3.48	3	1	10	12	5
JEFFERSON DR	SALMONID STREAM	2.64	8	4	9	4	3	2.50	6	2	9	2	1	3.00	2	2	0	2	2
	SALMONID LAKE	2.12	7	3	6	0	1	2.13	7	2	6	0	1	2.00	0	1	0	0	0
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 2.44	15	7	15	4	4	2.33	13	4	15	2	2	2.89	2	3	0	2	2
KOOTENAI DR	SALMONID STREAM	2.44	7	1	5	0	3	2.17	7	0	3	0	2	3.25	0	1	2	0	1
	SALMONID LAKE	2.70	19	8	7	8	11	2.68	15	6	5	7	8	2.75	4	2	2	1	3
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.00	5	1	3	1	0	2.00	4	1	2	1	0	2.00	1	0	1	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 2.56	31	10	15	9	14	2.49	26	7	10	8	10	2.78	5	3	5	1	4
LITTLE MISSOURI DR	SALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	SALMONID LAKE	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: .00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
MADISON DR	SALMONID STREAM	2.86	31	24	57	34	15	2.75	17	12	26	15	6	2.96	14	12	31	19	9
	SALMONID LAKE	2.95	6	4	3	3	6	3.00	2	2	0	0	3	2.93	4	2	3	3	3
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	1.00	1	0	0	0	0	1.00	1	0	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 2.86	38	28	60	37	21	2.75	20	14	26	15	9	2.96	18	14	34	22	12
MARIAS DR	SALMONID STREAM	1.50	3	0	1	0	0	1.67	2	0	1	0	0	1.00	1	0	0	0	0
	SALMONID LAKE	2.93	2	5	1	6	1	2.93	2	5	1	6	1	.00	0	0	0	0	0
	NONSALMONID STREAM	1.00	1	0	0	0	0	1.00	1	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.00	12	5	4	4	0	2.00	12	5	4	4	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 2.24	18	10	6	10	1	2.27	17	10	6	10	1	1.00	1	0	0	0	0

Table 19. Angler satisfaction ratings by drainage by water type for the 2005 "winter" angling season March 2005 through April 2005 and October 2005 through February 2006 (continued).

Drain- age Water type		TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's
MILK DR	SALMONID STREAM	4.00	0	0	0	2	0	4.00	0	0	0	2	0	.00	0	0	0	0	0
	SALMONID LAKE	3.08	2	4	10	6	2	3.08	2	4	10	6	2	.00	0	0	0	0	0
	NONSALMONID STREAM	2.36	4	4	3	3	0	2.36	4	4	3	3	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.07	11	8	8	1	1	2.07	10	8	7	1	1	2.00	1	0	1	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 2.54	17	16	21	12	3	2.55	16	16	20	12	3	2.00	1	0	1	0	0
LOWER MISSOURI DR	SALMONID STREAM	3.19	0	3	3	2	2	3.19	0	3	3	2	2	.00	0	0	0	0	0
	SALMONID LAKE	2.95	3	4	6	3	3	2.79	3	3	4	2	2	3.40	0	1	2	1	1
	NONSALMONID STREAM	2.60	7	12	4	4	5	2.65	6	12	4	4	5	1.00	1	0	0	0	0
	NONSALMONID LAKE	2.29	15	3	4	7	2	2.26	13	3	4	5	2	2.50	2	0	0	2	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 2.63	26	22	17	16	12	2.61	23	21	15	13	11	2.80	3	1	2	3	1
UPPER MISSOURI DR	SALMONID STREAM	2.84	43	43	68	41	26	2.77	37	35	59	31	18	3.15	6	8	9	10	8
	SALMONID LAKE	2.81	41	31	52	24	28	2.74	39	29	47	21	23	3.41	2	2	5	3	5
	NONSALMONID STREAM	2.55	4	2	8	2	0	2.55	4	2	8	2	0	.00	0	0	0	0	0
	NONSALMONID LAKE	1.92	17	9	6	1	2	1.85	17	8	6	0	2	3.00	0	1	0	1	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 2.74	106	85	135	69	56	2.67	98	74	121	55	43	3.22	8	11	14	14	13
MUSSELSHELL DR	SALMONID STREAM	3.00	1	0	0	0	1	1.00	1	0	0	0	0	5.00	0	0	0	0	1
	SALMONID LAKE	2.80	3	3	4	4	1	2.93	2	3	4	4	1	1.00	1	0	0	0	0
	NONSALMONID STREAM	1.00	1	0	0	0	0	1.00	1	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	1.00	2	0	0	0	0	1.00	2	0	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 2.55	7	3	4	4	2	2.50	6	3	4	4	1	3.00	1	0	0	0	1
ST MARY DR	SALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	SALMONID LAKE	4.09	0	1	2	3	5	4.09	0	1	2	3	5	.00	0	0	0	0	0
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 4.09	0	1	2	3	5	4.09	0	1	2	3	5	.00	0	0	0	0	0
SUN DR	SALMONID STREAM	2.77	1	2	2	0	1	2.77	1	2	2	0	1	.00	0	0	0	0	0
	SALMONID LAKE	3.03	6	6	10	7	6	2.93	5	6	8	6	4	3.50	1	0	2	1	2
	NONSALMONID STREAM	4.00	0	0	0	1	0	4.00	0	0	0	1	0	.00	0	0	0	0	0
	NONSALMONID LAKE	5.00	0	0	0	0	1	5.00	0	0	0	0	1	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 3.07	7	8	12	9	8	3.00	6	8	10	8	6	3.50	1	0	2	1	2

Table 19. Angler satisfaction ratings by drainage by water type for the 2005 "winter" angling season March 2005 through April 2005 and October 2005 through February 2006 (continued).

Drain- age Water type		TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's
LOWER YELLOWSTONE DR	SALMONID STREAM	3.50	0	0	3	0	1	3.00	0	0	3	0	0	5.00	0	0	0	0	1
	SALMONID LAKE	2.25	2	1	0	0	1	2.25	2	1	0	0	1	.00	0	0	0	0	0
	NONSALMONID STREAM	2.59	12	5	8	3	6	2.59	12	5	8	3	6	.00	0	0	0	0	0
	NONSALMONID LAKE	2.31	12	3	5	3	3	2.39	10	3	4	3	3	1.67	2	0	1	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 2.51	26	9	16	6	11	2.52	24	9	15	6	10	2.50	2	0	1	0	1
UPPER YELLOWSTONE DR	SALMONID STREAM	3.30	68	64	123	134	108	3.12	48	43	80	73	52	3.56	20	21	43	61	56
	SALMONID LAKE	1.96	15	2	1	5	1	1.95	12	2	1	5	0	2.00	3	0	0	0	1
	NONSALMONID STREAM	2.00	13	7	4	3	1	2.00	13	7	4	3	1	.00	0	0	0	0	0
	NONSALMONID LAKE	1.89	18	1	3	3	2	2.00	15	1	3	3	2	1.00	3	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction	Ratings: 3.11	115	74	132	145	112	2.90	89	53	89	84	55	3.49	26	21	43	61	57
Total	SALMONID STREAM	3.07	270	240	499	387	256	2.97	187	153	339	221	136	3.25	83	87	160	166	120
	SALMONID LAKE	2.76	194	124	171	123	109	2.72	175	112	145	109	87	3.09	19	12	26	14	22
	NONSALMONID STREAM	2.44	55	32	36	23	14	2.41	53	32	34	21	13	3.00	2	0	2	2	1
	NONSALMONID LAKE	2.15	131	52	57	31	18	2.15	119	51	53	27	17	2.14	12	1	4	4	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Statewide Satisfaction	Ratings: 2.86	650	449	765	565	397	2.75	534	349	573	379	253	3.19	116	100	192	186	144

Angler Crowding Ratings - Winter

The ratings were summarized for the seven Fish, Wildlife & Parks regions for the "winter" season and are listed in table 20. The ratings were also summarized by the 22 major drainages in the state for this same period and are listed in table 21.

Table 20. Crowding ratings summarized by region by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006.

		Crowding Ratings					Average Number of People Seen							
Region	Type	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded	
1	SALMONID STREAM													
	Total	1.50	45	8	8	1	1	3.78	2.05	6.63	7.71	18.00	12.00	
	Resident	1.64	28	6	7	1	1	3.85	1.65	6.17	7.40	18.00	12.00	
	Nonresident	1.20	17	2	1	0	0	3.62	2.72	8.00	10.00	.00	.00	
	SALMONID LAKE													
	Total	1.51	124	20	18	5	4	8.14	5.96	13.84	14.50	10.00	16.25	
	Resident	1.51	109	18	18	4	3	7.98	5.92	11.94	14.50	7.50	20.67	
	Nonresident	1.47	15	2	0	1	1	9.42	6.27	31.00	.00	20.00	3.00	
	NONSALMONID STREAM													
	Total	1.44	12	3	2	0	0	4.83	3.40	5.00	11.80	.00	.00	
	Resident	1.50	9	2	2	0	0	4.48	2.44	5.00	11.80	.00	.00	
	Nonresident	1.25	3	1	0	0	0	5.98	6.30	5.00	.00	.00	.00	
	NONSALMONID LAKE													
	Total	1.57	63	12	9	3	3	11.99	5.87	19.58	10.44	80.00	46.67	
	Resident	1.57	59	10	8	3	3	12.36	5.61	23.09	10.50	80.00	46.67	
	Nonresident	1.57	4	2	1	0	0	7.57	9.75	2.00	10.00	.00	.00	
	UNDESIG STRM MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:														
Total		1.52	245	43	38	9	8	8.16	5.08	13.48	11.84	34.22	27.13	
Resident		1.55	206	36	36	8	7	8.43	5.08	13.69	11.94	36.00	30.57	
Nonresident		1.36	39	7	2	1	1	6.56	5.08	12.43	10.00	20.00	3.00	
2	SALMONID STREAM													
	Total	1.85	237	97	65	21	21	5.51	2.92	7.19	9.73	9.54	9.96	
	Resident	2.04	122	54	42	16	19	4.90	1.93	5.96	7.73	10.33	10.16	
	Nonresident	1.60	115	43	23	5	2	6.35	3.98	8.75	13.39	7.00	8.00	
	SALMONID LAKE													
	Total	1.88	59	26	19	7	4	17.11	8.96	21.45	25.86	40.31	27.00	
	Resident	1.89	57	20	19	7	4	17.02	9.16	20.87	25.86	40.31	27.00	
	Nonresident	1.75	2	6	0	0	0	18.63	4.00	23.50	.00	.00	.00	
	NONSALMONID STREAM													
	Total	1.77	6	4	3	0	0	6.46	3.67	6.50	12.00	.00	.00	
	Resident	1.55	6	4	1	0	0	6.27	3.67	6.50	21.00	.00	.00	
	Nonresident	3.00	0	0	2	0	0	7.50	.00	.00	7.50	.00	.00	
	NONSALMONID LAKE													
	Total	1.35	14	0	3	0	0	6.06	5.50	.00	8.67	.00	.00	
	Resident	1.35	14	0	3	0	0	6.06	5.50	.00	8.67	.00	.00	
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
	UNDESIG STRM MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:														
Total		1.84	316	127	90	28	25	7.82	4.17	10.09	13.17	17.24	12.69	
Resident		1.95	199	78	65	23	23	8.33	4.31	9.81	13.28	19.46	13.09	
Nonresident		1.62	117	49	25	5	2	6.85	3.98	10.56	12.92	7.00	8.00	

Table 20. Crowding ratings summarized by region by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006 (continued).

Region Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 crowded	4 -----	5 crowded	Avg	1 sparse	2 -----	3 crowded	4 -----	5 crowded
3	SALMONID STREAM												
	Total	1.64	373	93	78	19	17	5.38	3.09	8.66	8.88	11.22	15.25
	Resident	1.68	219	53	47	12	13	4.23	2.35	6.38	7.08	6.93	14.25
	Nonresident	1.59	154	40	31	7	4	7.08	4.15	11.66	11.62	18.56	18.50
	SALMONID LAKE												
	Total	1.65	70	6	15	3	5	7.53	6.06	5.83	11.21	1.00	23.20
	Resident	1.66	51	5	14	3	2	8.31	6.26	6.40	11.72	1.00	53.00
	Nonresident	1.63	19	1	1	0	3	5.09	5.54	3.00	4.00	.00	3.33
	NONSALMONID STREAM												
	Total	3.00	0	1	0	1	0	34.00	.00	55.00	.00	13.00	.00
	Resident	3.00	0	1	0	1	0	34.00	.00	55.00	.00	13.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.59	5	2	0	1	0	7.75	4.53	13.00	.00	15.00	.00
	Resident	1.67	4	2	0	1	0	8.79	5.53	13.00	.00	15.00	.00
	Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.65	449	102	93	24	22	5.81	3.57	9.03	9.25	10.17	17.05
Resident		1.69	275	61	61	17	15	5.16	3.13	7.40	8.14	6.72	19.41
Nonresident		1.59	174	41	32	7	7	6.87	4.28	11.45	11.38	18.56	12.00
4	SALMONID STREAM												
	Total	2.04	117	37	30	19	19	8.82	3.38	9.91	15.21	23.27	15.62
	Resident	2.05	96	32	24	14	18	7.90	2.88	9.44	14.25	16.82	16.48
	Nonresident	1.95	21	5	6	5	1	13.29	5.67	12.78	19.17	41.40	.00
	SALMONID LAKE												
	Total	1.90	141	40	38	18	14	12.35	7.49	14.63	17.54	16.61	34.59
	Resident	1.96	122	37	37	17	14	13.01	7.80	15.08	17.70	17.41	34.59
	Nonresident	1.33	19	3	1	1	0	5.96	5.32	9.00	12.00	3.00	.00
	NONSALMONID STREAM												
	Total	1.48	15	2	2	1	0	4.71	1.94	3.00	15.20	25.00	.00
	Resident	1.48	15	2	2	1	0	4.71	1.94	3.00	15.20	25.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.77	42	11	3	4	5	15.03	9.93	21.00	54.33	16.25	20.09
	Resident	1.70	42	11	2	4	4	12.84	9.93	21.00	6.50	16.25	20.11
	Nonresident	4.00	0	0	1	0	1	85.00	.00	.00	150.00	.00	20.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.93	317	90	74	42	39	10.98	6.02	13.21	17.99	19.79	23.30
Resident		1.94	277	82	66	36	37	10.74	6.08	13.38	15.98	17.26	24.02
Nonresident		1.78	40	8	8	6	2	12.78	5.50	11.36	34.63	35.00	10.00

Table 20. Crowding ratings summarized by region by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006 (continued).

		Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
5	SALMONID STREAM												
	Total	2.06	164	50	67	29	20	13.76	3.47	15.77	24.95	27.68	35.52
	Resdident	2.06	102	31	34	16	16	9.23	2.35	11.60	14.18	22.88	24.35
	Nonresident	2.07	62	19	33	13	4	20.64	5.33	22.61	36.01	33.54	80.00
	SALMONID LAKE												
	Total	1.84	20	2	5	2	2	9.01	4.66	2.00	20.82	22.50	16.50
	Resdident	1.93	17	2	5	2	2	9.35	4.46	2.00	20.82	22.50	16.50
	Nonresident	1.00	3	0	0	0	0	5.67	5.67	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.55	21	5	4	0	1	4.68	2.05	11.40	8.50	.00	11.00
	Resdident	1.55	21	5	4	0	1	4.68	2.05	11.40	8.50	.00	11.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.04	16	0	4	2	3	7.90	4.66	.00	19.75	9.50	8.30
	Resdident	2.09	14	0	3	2	3	7.86	4.50	.00	22.00	9.50	8.30
	Nonresident	1.67	2	0	1	0	0	8.33	6.00	.00	13.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.01	221	57	80	33	26	12.38	3.53	14.90	23.61	26.26	29.97
Resident		1.99	154	38	46	20	22	8.63	2.73	11.07	14.92	21.50	20.84
Nonresident		2.04	67	19	34	13	4	20.05	5.37	22.61	35.33	33.54	80.00
6	SALMONID STREAM												
	Total	1.00	3	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Resdident	1.00	3	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.49	24	6	4	1	0	6.69	4.34	13.67	11.25	3.00	.00
	Resdident	1.59	18	6	4	1	0	6.90	3.89	13.67	11.25	3.00	.00
	Nonresident	1.00	6	0	0	0	0	5.67	5.67	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.27	34	3	4	0	0	3.81	2.23	5.00	16.50	.00	.00
	Resdident	1.27	33	3	4	0	0	3.90	2.30	5.00	16.50	.00	.00
	Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.50	38	15	3	0	2	9.95	7.67	13.27	24.00	.00	7.50
	Resdident	1.46	34	14	3	0	1	10.29	7.73	13.59	24.00	.00	10.00
	Nonresident	1.83	4	1	0	0	1	7.20	7.30	9.00	.00	.00	5.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.41	100	24	11	1	2	7.05	4.76	12.33	16.64	3.00	7.50
Resident		1.42	89	23	11	1	1	7.17	4.65	12.49	16.64	3.00	10.00
Nonresident		1.38	11	1	0	0	1	5.94	5.75	9.00	.00	.00	5.00

Table 20. Crowding ratings summarized by region by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006 (continued).

		Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
7	SALMONID STREAM												
	Total	1.75	2	1	1	0	0	1.00	.50	1.00	2.00	.00	.00
	Resdident	1.33	2	1	0	0	0	.67	.50	1.00	.00	.00	.00
	Nonresident	3.00	0	0	1	0	0	2.00	.00	.00	2.00	.00	.00
	SALMONID LAKE												
	Total	1.50	3	0	1	0	0	2.00	2.67	.00	.00	.00	.00
	Resdident	1.50	3	0	1	0	0	2.00	2.67	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.48	23	6	3	0	1	6.27	1.60	6.37	10.70	.00	100.00
	Resdident	1.48	23	6	3	0	1	6.27	1.60	6.37	10.70	.00	100.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.69	17	3	4	1	1	6.55	5.31	6.67	14.25	3.00	.00
	Resdident	1.78	14	3	4	1	1	7.05	5.86	6.67	14.25	3.00	.00
	Nonresident	1.00	3	0	0	0	0	2.70	2.70	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Regional Crowding Ratings:													
Total		1.58	45	10	9	1	2	5.81	3.02	5.92	10.12	3.00	50.00
Resident		1.59	42	10	8	1	2	6.02	3.04	5.92	11.14	3.00	50.00
Nonresident		1.50	3	0	1	0	0	2.53	2.70	.00	2.00	.00	.00
Total	SALMONID STREAM												
	Total	1.83	942	286	250	89	78	7.48	3.09	9.48	14.11	18.84	19.07
	Resdident	1.90	573	177	155	59	67	5.98	2.30	7.68	9.96	14.71	16.07
	Nonresident	1.71	369	109	95	30	11	10.01	4.32	12.41	20.88	26.93	37.27
	SALMONID LAKE												
	Total	1.74	447	105	101	37	29	10.88	6.66	15.08	17.39	18.63	27.92
	Resdident	1.78	380	89	98	35	25	11.35	6.84	14.87	17.56	19.03	31.79
	Nonresident	1.48	67	16	3	2	4	7.72	5.63	16.31	12.00	11.50	3.25
	NONSALMONID STREAM												
	Total	1.48	112	24	19	2	2	5.32	2.23	8.84	12.40	19.00	55.50
	Resdident	1.47	108	23	17	2	2	5.30	2.14	9.01	12.98	19.00	55.50
	Nonresident	1.71	4	1	2	0	0	5.56	4.73	5.00	7.50	.00	.00
	NONSALMONID LAKE												
	Total	1.64	196	43	26	11	14	10.96	6.89	16.53	18.88	31.09	20.03
	Resdident	1.63	182	40	23	11	12	10.75	6.94	17.45	13.83	31.09	21.23
	Nonresident	1.77	14	3	3	0	2	13.60	6.31	4.33	57.67	.00	12.50
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Statewide Crowding Ratings:													
Total		1.77	1698	458	396	139	124	8.59	4.41	11.39	15.18	19.75	21.88
Resident		1.80	1244	329	293	107	107	8.16	4.35	10.91	12.98	17.89	21.16
Nonresident		1.68	454	129	103	32	17	9.79	4.58	12.64	21.43	25.97	26.35

Table 21. Crowding ratings summarized by drainage by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006.

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
BEAVERHEAD DR													
SALMONID STREAM													
Total		1.22	37	6	2	0	0	2.41	1.92	3.87	7.00	.00	.00
Resident		1.25	19	4	1	0	0	1.63	1.16	3.00	5.00	.00	.00
Nonresident		1.19	18	2	1	0	0	3.29	2.72	5.50	9.00	.00	.00
SALMONID LAKE													
Total		1.75	27	4	7	2	2	13.04	11.21	6.50	16.30	.00	53.00
Resident		1.83	23	4	7	2	2	12.98	10.80	6.50	16.30	.00	53.00
Nonresident		1.00	4	0	0	0	0	13.50	13.50	.00	.00	.00	.00
NONSALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		1.40	1	1	0	0	0	9.20	3.33	18.00	.00	.00	.00
Resident		1.67	0	1	0	0	0	15.33	10.00	18.00	.00	.00	.00
Nonresident		1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.48	66	11	9	2	2	7.62	5.82	6.11	14.23	.00	53.00
Resident		1.61	43	9	8	2	2	8.78	6.53	6.22	14.89	.00	53.00
Nonresident		1.15	23	2	1	0	0	4.73	4.48	5.50	9.00	.00	.00
BIG HOLE DR													
SALMONID STREAM													
Total		1.38	41	9	4	0	1	3.73	2.90	5.90	7.00	.00	5.00
Resident		1.46	24	8	2	0	1	3.06	2.33	4.76	4.00	.00	5.00
Nonresident		1.25	17	1	2	0	0	4.91	3.72	15.00	10.00	.00	.00
SALMONID LAKE													
Total		1.00	3	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		1.00	2	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.36	44	9	4	0	1	3.53	2.70	5.90	7.00	.00	5.00
Resident		1.43	26	8	2	0	1	2.89	2.15	4.76	4.00	.00	5.00
Nonresident		1.24	18	1	2	0	0	4.68	3.51	15.00	10.00	.00	.00

Table 21. Crowding ratings summarized by drainage by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006 (continued).

		Crowding Ratings					Average Number of People Seen						
Drainage	Type	Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----	crowded				sparse	-----	crowded		
BITTERROOT DR SALMONID STREAM	Total	2.10	78	49	40	14	10	6.00	3.74	6.27	8.26	9.60	8.20
	Resident	2.42	34	26	29	12	9	5.76	2.22	5.72	7.47	9.94	8.22
	Nonresident	1.68	44	23	11	2	1	6.32	4.90	6.91	10.39	7.50	8.00
	SALMONID LAKE												
	Total	1.69	9	1	1	2	0	8.16	5.12	20.00	15.00	12.50	.00
	Resident	1.69	9	1	1	2	0	8.16	5.12	20.00	15.00	12.50	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.80	2	2	1	0	0	6.80	2.00	10.00	10.00	.00	.00
	Resident	1.50	2	2	0	0	0	6.00	2.00	10.00	.00	.00	.00
	Nonresident	3.00	0	0	1	0	0	10.00	.00	.00	10.00	.00	.00
	NONSALMONID LAKE												
	Total	1.00	2	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	1.00	2	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total	2.06	91	52	42	16	10	6.10	3.76	6.68	8.46	9.96	8.20	
Resident	2.29	47	29	30	14	9	5.92	2.67	6.51	7.72	10.31	8.22	
Nonresident	1.70	44	23	12	2	1	6.37	4.90	6.91	10.36	7.50	8.00	
BLACKFOOT DR SALMONID STREAM	Total	1.39	31	4	1	0	2	2.52	1.82	3.25	5.00	.00	10.00
	Resident	1.44	24	2	1	0	2	2.79	1.90	4.50	5.00	.00	10.00
	Nonresident	1.22	7	2	0	0	0	1.67	1.57	2.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.82	21	8	6	1	2	11.93	5.59	18.13	19.67	20.00	26.50
	Resident	1.81	21	7	6	1	2	11.71	5.59	17.86	19.67	20.00	26.50
	Nonresident	2.00	0	1	0	0	0	20.00	.00	20.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.57	2	1	0	0	0	4.43	4.50	3.00	7.00	.00	.00
	Resident	1.57	2	1	0	0	0	4.43	4.50	3.00	7.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.43	11	0	3	0	0	7.07	6.64	.00	8.67	.00	.00
	Resident	1.43	11	0	3	0	0	7.07	6.64	.00	8.67	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total	1.57	65	13	11	1	4	7.07	3.94	12.38	14.09	20.00	18.25	
Resident	1.61	58	10	11	1	4	7.50	4.22	13.70	14.09	20.00	18.25	
Nonresident	1.30	7	3	0	0	0	3.50	1.57	8.00	.00	.00	.00	

Table 21. Crowding ratings summarized by drainage by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
LOWER CLARK FORK DR SALMONID STREAM	Total	1.71	64	25	15	1	5	6.79	3.46	9.05	13.70	15.00	15.44
	Resident	1.94	25	14	5	1	5	5.93	2.55	7.06	8.45	15.00	15.44
	Nonresident	1.52	39	11	10	0	0	7.57	4.14	11.55	16.57	.00	.00
	SALMONID LAKE												
	Total	1.33	7	1	1	0	0	3.33	1.14	10.00	12.00	.00	.00
	Resident	1.33	7	1	1	0	0	3.33	1.14	10.00	12.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.33	11	2	1	0	0	4.67	3.43	5.50	13.00	.00	.00
	Resident	1.36	8	1	1	0	0	4.15	2.38	6.00	13.00	.00	.00
	Nonresident	1.25	3	1	0	0	0	5.98	6.30	5.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.73	15	6	3	1	1	6.43	3.27	9.35	15.00	15.00	2.00
	Resident	1.68	14	4	2	1	1	6.96	3.51	13.00	17.50	15.00	2.00
	Nonresident	2.00	1	2	1	0	0	3.50	.00	2.00	10.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Drainage Crowding Ratings:													
Total	1.66	98	34	21	2	6	6.34	3.27	8.92	13.75	15.00	13.20	
Resident	1.75	55	20	10	2	6	5.71	2.59	8.34	11.30	15.00	13.20	
Nonresident	1.53	43	14	11	0	0	7.23	4.19	9.71	15.97	.00	.00	
UPPER CLARK FORK DR SALMONID STREAM	Total	1.69	72	21	9	6	5	4.39	1.87	7.67	11.53	8.50	8.40
	Resident	1.73	43	13	6	3	4	3.69	1.20	5.31	11.00	10.33	8.48
	Nonresident	1.61	29	8	3	3	1	5.48	2.86	11.52	12.67	6.67	8.00
	SALMONID LAKE												
	Total	1.95	29	17	12	4	2	22.00	12.59	23.10	29.86	59.30	27.50
	Resident	1.98	27	12	12	4	2	22.49	13.29	22.70	29.86	59.30	27.50
	Nonresident	1.71	2	5	0	0	0	18.43	4.00	24.20	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.89	2	1	1	0	0	7.67	4.50	3.00	15.00	.00	.00
	Resident	1.57	2	1	0	0	0	8.43	4.50	3.00	35.00	.00	.00
	Nonresident	3.00	0	0	1	0	0	5.00	.00	.00	5.00	.00	.00
	NONSALMONID LAKE												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Drainage Crowding Ratings:													
Total	1.79	103	39	23	10	7	10.66	4.94	14.28	21.32	28.82	13.86	
Resident	1.84	72	26	19	7	6	12.06	5.82	13.25	23.54	38.31	14.82	
Nonresident	1.65	31	13	4	3	1	7.22	2.94	16.40	10.75	6.67	8.00	

Table 21. Crowding ratings summarized by drainage by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2	3	4	5 crowded	Avg	1	2	3	4	5
LOWER	FLATHEAD DR												
	SALMONID STREAM												
	Total	1.74	14	2	6	1	0	4.13	2.43	5.50	5.33	18.00	.00
	Resident	2.00	8	2	6	1	0	4.81	2.60	5.50	5.33	18.00	.00
	Nonresident	1.00	6	0	0	0	0	2.17	2.17	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.62	69	13	15	3	3	9.47	6.80	14.68	14.20	13.33	20.67
	Resident	1.61	65	11	15	2	3	9.14	6.98	11.73	14.20	10.00	20.67
	Nonresident	1.71	4	2	0	1	0	13.86	3.75	31.00	.00	20.00	.00
	NONSALMONID STREAM												
	Total	2.00	1	1	1	0	0	5.67	3.00	4.00	10.00	.00	.00
	Resident	2.00	1	1	1	0	0	5.67	3.00	4.00	10.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.55	39	5	5	2	2	16.21	6.92	35.38	9.80	112.50	69.00
	Resident	1.56	38	5	5	2	2	16.44	7.00	35.38	9.80	112.50	69.00
	Nonresident	1.00	1	0	0	0	0	4.00	4.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.62	123	21	27	6	5	10.69	6.31	18.22	11.26	47.17	40.00
Resident		1.64	112	19	27	5	5	10.90	6.64	16.89	11.26	52.60	40.00
Nonresident		1.36	11	2	0	1	0	8.14	2.91	31.00	.00	20.00	.00
UPPER	FLATHEAD DR												
	SALMONID STREAM												
	Total	1.40	7	2	1	0	0	3.89	2.27	8.50	6.00	.00	.00
	Resident	1.57	4	2	1	0	0	4.29	1.75	8.50	6.00	.00	.00
	Nonresident	1.00	3	0	0	0	0	3.00	3.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.14	6	1	0	0	0	6.00	2.00	30.00	.00	.00	.00
	Resident	1.17	5	1	0	0	0	6.50	1.80	30.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	3.00	3.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.00	2	0	0	0	0	2.50	2.50	.00	.00	.00	.00
	Resident	1.00	2	0	0	0	0	2.50	2.50	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.26	15	3	1	0	0	4.52	2.19	15.67	6.00	.00	.00
Resident		1.33	11	3	1	0	0	4.93	1.91	15.67	6.00	.00	.00
Nonresident		1.00	4	0	0	0	0	3.00	3.00	.00	.00	.00	.00

Table 21. Crowding ratings summarized by drainage by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006 (continued).

Drainage Type		Crowding Ratings						Average Number of People Seen					
		Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----crowded					sparse	-----crowded			
GALLATIN DR													
SALMONID STREAM													
Total		1.74	67	13	18	6	3	3.47	2.09	5.69	4.57	7.67	9.67
Resident		1.89	45	9	17	5	3	3.31	1.51	6.78	4.55	5.20	9.67
Nonresident		1.32	22	4	1	1	0	3.87	3.20	3.25	5.00	20.00	.00
SALMONID LAKE													
Total		1.60	10	1	4	0	0	3.41	2.01	3.00	7.00	.00	.00
Resident		1.62	9	0	4	0	0	2.92	1.10	.00	7.00	.00	.00
Nonresident		1.50	1	1	0	0	0	6.50	10.00	3.00	.00	.00	.00
NONSALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		3.00	0	1	0	1	0	11.50	.00	8.00	.00	15.00	.00
Resident		3.00	0	1	0	1	0	11.50	.00	8.00	.00	15.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.74	77	15	22	7	3	3.59	2.08	5.67	5.01	8.71	9.67
Resident		1.87	54	10	21	6	3	3.43	1.44	6.90	5.02	6.83	9.67
Nonresident		1.33	23	5	1	1	0	4.05	3.50	3.20	5.00	20.00	.00
JEFFERSON DR													
SALMONID STREAM													
Total		1.07	25	2	0	0	0	1.55	1.55	1.50	.00	.00	.00
Resident		1.11	17	2	0	0	0	1.60	1.61	1.50	.00	.00	.00
Nonresident		1.00	8	0	0	0	0	1.25	1.25	.00	.00	.00	.00
SALMONID LAKE													
Total		1.44	13	0	2	1	0	4.29	4.12	.00	6.00	3.00	.00
Resident		1.47	12	0	2	1	0	4.05	3.81	.00	6.00	3.00	.00
Nonresident		1.00	1	0	0	0	0	8.00	8.00	.00	.00	.00	.00
NONSALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.21	38	2	2	1	0	2.57	2.43	1.50	6.00	3.00	.00
Resident		1.26	29	2	2	1	0	2.68	2.52	1.50	6.00	3.00	.00
Nonresident		1.00	9	0	0	0	0	2.00	2.00	.00	.00	.00	.00

Table 21. Crowding ratings summarized by drainage by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006 (continued).

Drainage Type		Crowding Ratings						Average Number of People Seen					
		Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----	crowded				sparse	-----	crowded		
KOOTENAI DR													
SALMONID STREAM													
Total		1.11	16	2	0	0	0	2.41	1.77	7.50	.00	.00	.00
Resident		1.08	12	1	0	0	0	1.71	1.43	5.00	.00	.00	.00
Nonresident		1.20	4	1	0	0	0	4.24	2.80	10.00	.00	.00	.00
SALMONID LAKE													
Total		1.37	42	5	2	2	1	6.62	5.93	9.20	18.00	5.00	3.00
Resident		1.37	32	5	2	2	0	6.50	5.46	9.20	18.00	5.00	.00
Nonresident		1.36	10	0	0	0	1	7.18	7.60	.00	.00	.00	3.00
NONSALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		1.30	8	1	1	0	0	5.20	6.25	2.00	.00	.00	.00
Resident		1.38	6	1	1	0	0	2.13	2.50	2.00	.00	.00	.00
Nonresident		1.00	2	0	0	0	0	17.50	17.50	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.30	66	8	3	2	1	5.49	4.96	7.88	12.00	5.00	3.00
Resident		1.31	50	7	3	2	0	4.93	4.14	7.57	12.00	5.00	.00
Nonresident		1.28	16	1	0	0	1	7.51	7.64	10.00	.00	.00	3.00
LITTLE MISSOURI DR													
SALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
SALMONID LAKE													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00

Table 21. Crowding ratings summarized by drainage by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006 (continued).

Drainage Type		Crowding Ratings						Average Number of People Seen					
		Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----crowded					sparse-----crowded				
MADISON DR													
SALMONID STREAM													
Total		2.07	75	32	31	11	11	9.00	4.76	12.20	11.03	14.10	17.75
Resident		2.04	39	13	11	5	7	6.67	4.34	7.98	5.54	9.04	17.31
Nonresident		2.09	36	19	20	6	4	11.07	5.25	15.09	14.06	18.32	18.50
SALMONID LAKE													
Total		1.81	15	1	2	0	3	3.46	2.84	6.00	7.00	.00	3.33
Resident		1.50	4	1	1	0	0	4.82	3.22	6.00	10.00	.00	.00
Nonresident		1.93	11	0	1	0	3	2.95	2.75	.00	4.00	.00	3.33
NONSALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		1.00	1	0	0	0	0	10.00	10.00	.00	.00	.00	.00
Resident		1.00	1	0	0	0	0	10.00	10.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		2.03	91	33	33	11	14	8.36	4.50	12.01	10.79	14.10	14.66
Resident		1.99	44	14	12	5	7	6.58	4.37	7.84	5.91	9.04	17.31
Nonresident		2.07	47	19	21	6	7	9.85	4.66	15.09	13.58	18.32	12.00
MARIAS DR													
SALMONID STREAM													
Total		1.00	4	0	0	0	0	1.28	1.28	.00	.00	.00	.00
Resident		1.00	3	0	0	0	0	1.70	1.70	.00	.00	.00	.00
Nonresident		1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
SALMONID LAKE													
Total		1.36	10	3	1	0	0	3.72	3.31	5.67	2.00	.00	.00
Resident		1.36	10	3	1	0	0	3.72	3.31	5.67	2.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID STREAM													
Total		1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Resident		1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		1.36	20	3	1	0	1	8.18	6.58	11.00	.00	.00	40.00
Resident		1.36	20	3	1	0	1	8.18	6.58	11.00	.00	.00	40.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.32	35	6	2	0	1	5.97	4.88	8.33	1.00	.00	40.00
Resident		1.33	34	6	2	0	1	6.11	5.02	8.33	1.00	.00	40.00
Nonresident		1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00

Table 21. Crowding ratings summarized by drainage by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006 (continued).

		Crowding Ratings					Average Number of People Seen						
Drainage	Type	Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----	crowded				sparse	-----	crowded		
MILK DR													
	SALMONID STREAM												
	Total	1.00	2	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	1.00	2	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.68	14	6	4	1	0	6.96	3.14	13.67	11.25	3.00	.00
	Resident	1.68	14	6	4	1	0	6.96	3.14	13.67	11.25	3.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.00	13	0	0	0	0	.29	.29	.00	.00	.00	.00
	Resident	1.00	13	0	0	0	0	.29	.29	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.72	16	9	2	0	2	12.69	9.69	15.31	30.00	.00	7.50
	Resident	1.59	16	8	2	0	1	13.11	9.69	16.13	30.00	.00	10.00
	Nonresident	3.50	0	1	0	0	1	7.00	.00	9.00	.00	.00	5.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	1.55	45	15	6	1	2	7.91	4.51	14.65	17.50	3.00	7.50
	Resident	1.49	45	14	6	1	1	7.94	4.51	15.07	17.50	3.00	10.00
	Nonresident	3.50	0	1	0	0	1	7.00	.00	9.00	.00	.00	5.00
LOWER MISSOURI DR													
	SALMONID STREAM												
	Total	1.86	6	2	0	1	1	1.96	1.78	4.00	.00	1.00	.00
	Resident	1.86	6	2	0	1	1	1.96	1.78	4.00	.00	1.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.35	17	1	1	0	1	5.26	5.13	2.00	10.00	.00	6.00
	Resident	1.50	11	1	1	0	1	5.08	4.83	2.00	10.00	.00	6.00
	Nonresident	1.00	6	0	0	0	0	5.67	5.67	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.40	24	3	5	0	0	5.21	3.48	5.00	13.80	.00	.00
	Resident	1.41	23	3	5	0	0	5.37	3.63	5.00	13.80	.00	.00
	Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.27	23	6	1	0	0	7.08	6.05	10.20	12.00	.00	.00
	Resident	1.31	19	6	1	0	0	7.08	5.83	10.20	12.00	.00	.00
	Nonresident	1.00	4	0	0	0	0	7.30	7.30	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	1.40	71	12	7	1	2	5.46	4.55	7.18	13.00	1.00	3.00
	Resident	1.45	60	12	7	1	2	5.43	4.34	7.18	13.00	1.00	3.00
	Nonresident	1.00	11	0	0	0	0	5.75	5.75	.00	.00	.00	.00

Table 21. Crowding ratings summarized by drainage by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 crowded	4	5	Avg	1 sparse	2 -----	3 crowded	4	5
UPPER MISSOURI DR SALMONID STREAM	Total	2.02	119	34	32	18	18	8.95	3.39	10.52	14.86	24.51	16.48
	Resident	2.04	96	29	25	13	17	8.13	2.91	10.11	14.24	18.04	17.45
	Nonresident	1.93	23	5	7	5	1	12.53	5.35	12.78	17.14	41.40	.00
	SALMONID LAKE												
	Total	2.01	91	32	27	14	12	14.30	8.36	16.10	19.05	18.29	38.45
	Resident	2.08	77	31	26	13	12	15.08	8.62	16.38	19.34	19.46	38.45
	Nonresident	1.35	14	1	1	1	0	6.82	6.71	7.00	12.00	3.00	.00
	NONSALMONID STREAM												
	Total	1.73	10	3	1	2	0	9.03	1.50	20.33	23.33	19.00	.00
	Resident	1.73	10	3	1	2	0	9.03	1.50	20.33	23.33	19.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.08	20	7	2	4	4	20.16	13.74	26.57	81.50	16.25	15.67
	Resident	1.97	20	7	1	4	3	16.56	13.74	26.57	13.00	16.25	14.43
	Nonresident	4.00	0	0	1	0	1	85.00	.00	.00	150.00	.00	20.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		2.01	241	76	63	38	35	11.98	6.08	14.74	18.97	21.06	24.22
Resident		2.03	204	70	54	32	33	11.77	6.10	14.97	16.92	18.45	25.08
Nonresident		1.83	37	6	9	6	2	13.33	5.86	11.82	31.33	35.00	10.00
MUSSELSHELL DR SALMONID STREAM	Total	1.00	2	0	0	0	0	.50	.50	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	2.00	8	1	4	2	0	10.94	3.25	14.00	18.53	25.00	.00
	Resident	2.00	8	0	4	2	0	10.72	3.25	.00	18.53	25.00	.00
	Nonresident	2.00	0	1	0	0	0	14.00	.00	14.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.50	0	1	1	0	0	21.00	.00	12.00	30.00	.00	.00
	Resident	2.50	0	1	1	0	0	21.00	.00	12.00	30.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.90	11	2	5	2	0	10.41	2.55	13.00	20.82	25.00	.00
Resident		1.94	10	1	5	2	0	10.78	2.80	12.00	20.82	25.00	.00
Nonresident		1.50	1	1	0	0	0	7.00	.00	14.00	.00	.00	.00

Table 21. Crowding ratings summarized by drainage by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006 (continued).

March 2003 through April 2003 and October 2003 through February 2006 (continued).													
Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
ST MARY DR													
SALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
SALMONID LAKE													
Total		2.18	6	0	3	1	1	18.03	14.20	.00	26.70	18.00	15.00
Resident		2.18	6	0	3	1	1	18.03	14.20	.00	26.70	18.00	15.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		2.18	6	0	3	1	1	18.03	14.20	.00	26.70	18.00	15.00
Resident		2.18	6	0	3	1	1	18.03	14.20	.00	26.70	18.00	15.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
SUN DR													
SALMONID STREAM													
Total		1.46	4	1	1	0	0	3.08	1.11	1.00	14.00	.00	.00
Resident		1.46	4	1	1	0	0	3.08	1.11	1.00	14.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
SALMONID LAKE													
Total		1.54	25	3	5	2	0	7.07	5.81	12.33	12.00	2.50	.00
Resident		1.62	20	2	5	2	0	8.06	6.89	15.50	12.00	2.50	.00
Nonresident		1.17	5	1	0	0	0	2.17	1.40	6.00	.00	.00	.00
NONSALMONID STREAM													
Total		1.00	1	0	0	0	0	1.33	1.33	.00	.00	.00	.00
Resident		1.00	1	0	0	0	0	1.33	1.33	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		1.00	1	0	0	0	0	6.00	6.00	.00	.00	.00	.00
Resident		1.00	1	0	0	0	0	6.00	6.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.50	32	4	6	2	0	6.26	4.95	9.50	12.33	2.50	.00
Resident		1.55	27	3	6	2	0	6.89	5.59	10.67	12.33	2.50	.00
Nonresident		1.17	5	1	0	0	0	2.17	1.40	6.00	.00	.00	.00

Table 21. Crowding ratings summarized by drainage by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
LOWER YELLOWSTONE DR SALMONID STREAM	Total	1.75	2	1	1	0	0	1.00	.50	1.00	2.00	.00	.00
	Resident	1.33	2	1	0	0	0	.67	.50	1.00	.00	.00	.00
	Nonresident	3.00	0	0	1	0	0	2.00	.00	.00	2.00	.00	.00
	SALMONID LAKE												
	Total	1.50	3	0	1	0	0	2.00	2.67	.00	.00	.00	.00
	Resident	1.50	3	0	1	0	0	2.00	2.67	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.48	23	6	3	0	1	6.27	1.60	6.37	10.70	.00	100.00
	Resident	1.48	23	6	3	0	1	6.27	1.60	6.37	10.70	.00	100.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.69	17	3	4	1	1	6.55	5.31	6.67	14.25	3.00	.00
	Resident	1.78	14	3	4	1	1	7.05	5.86	6.67	14.25	3.00	.00
	Nonresident	1.00	3	0	0	0	0	2.70	2.70	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Drainage Crowding Ratings:													
Total	1.58	45	10	9	1	2	5.81	3.02	5.92	10.12	3.00	50.00	
Resident	1.59	42	10	8	1	2	6.02	3.04	5.92	11.14	3.00	50.00	
Nonresident	1.50	3	0	1	0	0	2.53	2.70	.00	2.00	.00	.00	
UPPER YELLOWSTONE DR SALMONID STREAM	Total	1.88	275	81	87	31	22	10.97	3.53	12.96	21.43	26.28	33.65
	Resident	1.91	164	48	48	18	18	7.78	2.38	10.00	13.24	21.00	23.31
	Nonresident	1.83	111	33	39	13	4	15.70	5.26	17.28	31.49	33.54	80.00
	SALMONID LAKE												
	Total	1.74	16	2	2	1	2	6.80	4.64	2.00	15.00	15.00	16.50
	Resident	1.89	12	2	2	1	2	7.15	4.48	2.00	15.00	15.00	16.50
	Nonresident	1.00	4	0	0	0	0	5.00	5.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.57	20	5	4	0	1	4.80	2.10	11.40	8.50	.00	11.00
	Resident	1.57	20	5	4	0	1	4.80	2.10	11.40	8.50	.00	11.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.89	19	0	3	2	3	6.57	4.45	.00	16.33	9.50	8.30
	Resident	1.92	17	0	2	2	3	6.37	4.29	.00	18.00	9.50	8.30
	Nonresident	1.67	2	0	1	0	0	8.33	6.00	.00	13.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Drainage Crowding Ratings:													
Total	1.86	330	88	96	34	28	10.27	3.55	12.62	20.60	24.96	28.90	
Resident	1.88	213	55	56	21	24	7.41	2.62	9.83	13.14	19.62	20.35	
Nonresident	1.81	117	33	40	13	4	15.38	5.27	17.28	31.03	33.54	80.00	

Table 21. Crowding ratings summarized by drainage by residency by water type for the 2005 "winter" season of March 2005 through April 2005 and October 2005 through February 2006 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
Total													
SALMONID STREAM													
Total		1.83	942	286	250	89	78	7.48	3.09	9.48	14.11	18.84	19.07
Resident		1.90	573	177	155	59	67	5.98	2.30	7.68	9.96	14.71	16.07
Nonresident		1.71	369	109	95	30	11	10.01	4.32	12.41	20.88	26.93	37.27
SALMONID LAKE													
Total		1.74	447	105	101	37	29	10.88	6.66	15.08	17.39	18.63	27.92
Resident		1.78	380	89	98	35	25	11.35	6.84	14.87	17.56	19.03	31.79
Nonresident		1.48	67	16	3	2	4	7.72	5.63	16.31	12.00	11.50	3.25
NONSALMONID STREAM													
Total		1.48	112	24	19	2	2	5.32	2.23	8.84	12.40	19.00	55.50
Resident		1.47	108	23	17	2	2	5.30	2.14	9.01	12.98	19.00	55.50
Nonresident		1.71	4	1	2	0	0	5.56	4.73	5.00	7.50	.00	.00
NONSALMONID LAKE													
Total		1.64	196	43	26	11	14	10.96	6.89	16.53	18.88	31.09	20.03
Resident		1.63	182	40	23	11	12	10.75	6.94	17.45	13.83	31.09	21.23
Nonresident		1.77	14	3	3	0	2	13.60	6.31	4.33	57.67	.00	12.50
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Statewide Crowding Ratings:													
Total		1.77	1698	458	396	139	124	8.59	4.41	11.39	15.18	19.75	21.88
Resident		1.80	1244	329	293	107	107	8.16	4.35	10.91	12.98	17.89	21.16
Nonresident		1.68	454	129	103	32	17	9.79	4.58	12.64	21.43	25.97	26.35

DISCUSSION

SCOPE OF ANGLING PRESSURE

The statewide angling pressure survey was conducted from March, 2005 through February, 2006. Estimates of pressure by residents and nonresidents were for licensed anglers only. This would encompass anglers 12 years of age and older. Spence (1971) found that the unlicensed angler (ages 2- 14) comprised 9% of the pressure on Rock Creek near Missoula. Peterson (1970) found that the unlicensed angler accounted for 21% and 19% of the total number of anglers on Big Spring Creek near Lewistown during 1968 and 1969 respectively. On the Bighorn River near Hardin, Stevenson (1975) found that the unlicensed angler accounted for 14.2% and 15.8% of the total number of anglers during 1972 and 1973 respectively. Fredenberg (1984) found that 10% of the anglers on Bighorn Lake and 13% of the anglers on the Yellowtail Afterbay were unlicensed. The 1975 National Fishing and Hunting Survey showed that 23.8% of the anglers nationwide were between the ages of 9 and 17. It appears that the unlicensed angler makes up between 9% to 21% of the fishing pressure depending on the type of water being fished.

Some angling pressure was obtained on Indian reservations and National Parks within Montana. This pressure was incidental to other fishing trips and only included those anglers that had purchased a Montana fishing license. Since national parks and reservations require different licensing, a complete pressure estimate of waters within those regions was not obtained.

ACCURACY

SAMPLING

Samples were drawn and questionnaires sent to the selected anglers as soon as possible. This was usually 1-2 days after the wave being sampled had ended (see discussion under Methods for details). With the use of ALS and being able to draw a sample right after the month has ended reduces memory bias and provides complete coverage of the state.

PRESSURE

No significant difference was found between the survey results and on-site creel census for rivers for the statewide angling mail surveys conducted from 1982 through 1985 (McFarland, 1989). When both surveys were conducted simultaneously on lakes and reservoirs, the results again agreed (McFarland, 1989). The same methodology was used in this survey as was used in those conducted from 1982 through 1985 and in 1989 (McFarland, 1991). At the time this report was written, no published results were available for creel census conducted during the same time frame so no direct comparisons could be made.

RETURN RATES

Return rates (# of respondents / [# of surveys sent - nondeliverables] * 100) were calculated for every wave by residency. The weighted average total return rates for residents and nonresidents were 50.3% and 52.8% respectively (Table 22).

Table 22. Return rates for the 2005 state-wide angling survey year by wave by resident and nonresident.		
WAVE	Total Return Rates	
	Resident	Nonresident
1	66.4	57.8
2	54.7	52.6
3	51.3	52.5
4	49.0	51.8
5	48.7	53.4
6	48.1	51.2
7	48.2	53.2
8	51.5	54.8
9	53.0	53.5
10	51.8	57.1
11	53.6	50.0
12	51.8	53.1

NON-RESPONSE BIAS

Due to budgetary constraints and personnel problems telephone calls were not made and a statistical comparison was not done.

NUMBER OF LICENSED ANGLERS VS PRESSURE

The number of resident anglers has increased for the period 1982 to 1985 and then decreased until 1989 and then continued to steadily increase until 1997 when it dropped slightly for two years. In 1999 the number of resident anglers was up again and then continued to drop for the last two years (Table 23). The number of nonresident anglers during this same period decreased initially and then increased so that overall, the total number of anglers remained fairly static until 1993. In 1994 there was a one-year bump of a 5.4% increase from the previous year in the total number of licensed anglers in Montana. From 1995 to 1997 the number of nonresident anglers remained fairly constant. In 1998 the number increased and remained at nearly the same level for 1999. The numbers dropped for 2000 but was at near record level for 2001.

Table 23. Number of licensed anglers from 1982 through 2005 by residency.

Year	Resident Anglers	Nonresident Anglers
1982	216,689	119,293
1983	217,483	116,875
1984	232,485	102,843
1985	236,455	106,304
1986	235,403	100,456
1987	233,111	103,936
1988	219,299	108,471
1989	216,412	114,254
1990	217,370	119,611
1991	221,723	138,243
1992	222,186	134,212
1993	226,992	151,192
1994	233,630	164,841
1995	227,849	153,887
1996	227,282	150,881
1997	222,442	151,244
1998	222,329	162,067
1999	228,419	162,572
2000	219,282	152,158
2001	216,858	164,470
2002	222,510	220,946
2003	227,562	200,647
2004	223,560	200,562
2005	233,295	185,689

Comparing statewide angling use from the mail survey versus number of anglers shows some correlation for residents in the recent years (1989-1999), while nonresidents seem to have some association between number of anglers and the amount of use exerted (Charts 5 & 6) with the exception of 1991. In 1991 the number of nonresident anglers increased while the pressure exerted by nonresidents decreased. In 1997 the pressure exerted by nonresident anglers increased while the number of nonresident anglers remained fairly static. Starting in 2002, numbers were obtained using the automated licensing system. There was an increase in both resident and nonresident numbers. It is uncertain at this time if those are actual increase or a discrepancy based on the way the data was collected.

Resident Anglers vs Use




Chart 5. Angling pressure versus number of anglers for residents from 1961 to 2005.

Nonresident Anglers vs Use




Chart 6. Angling pressure versus number of anglers for nonresidents from 1961 to 2005.

FISH CONSUMPTION

Two questions were added to the survey. One question was designed to ascertain the relative knowledge of anglers about their awareness of the Department's "Fish Consumption Guidelines". The other question was developed to determine whether anglers were consuming fish from waters listed in the guidelines (see Appendix A for the questions).

The percent of anglers that were aware of the consumption guidelines for Montana varied from 54.9% for the month of January to 68.9% for the month of March (table 24).

Table 24. Number and percent of anglers by month (wave) and their awareness of the fish consumption guidelines for Montana for the 2005 fishing license year.

Month	Number of anglers aware of guidelines	Number of anglers NOT aware of guidelines	Percent anglers aware of guidelines
March 2005	151	68	68.9
April	1,352	1,060	56.1
May	2,678	1,860	59.0
June	2,207	1,435	60.6
July	2,425	1,518	61.5
August	3,090	1,893	62.0
September	2,707	1,714	61.2
October	1,518	957	61.3
November	813	547	59.8
December	750	597	55.7
January 2006	715	587	54.9
February 2006	736	569	56.4
Totals	19,142	12,805	59.9

The percent of anglers consuming fish by individual water by season is listed in Appendix C.

CONCLUSIONS AND RECOMMENDATIONS

The statewide angling pressure mail survey continues to provide valuable data on individual bodies of water as well as statewide estimates.

The survey also provides a basis for angler satisfaction on individual water bodies. With time, this data can be a valuable tool to aid fisheries managers in assessing the public perception on how well they are doing managing individual waters.

The survey provides a trend basis for crowding on the more popular waters in the state.

The survey also provides an implement to survey anglers on an year long basis about a topic of interest for that year.

It is recommended that the survey continue to be conducted every other year. This will provide long-term trend data.

A phone survey should be conducted periodically to ascertain the non-response bias if any.

LITERATURE CITED

- Bishop, Clinton G. 1959. Statewide creel census, census of fisherman's creel. Job completion Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-8, Job III. 9 pp.
- _____. 1960. Statewide creel census, census of fisherman's creel. Job completion Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-9, Job III. 9 pp.
- _____. 1961. Statewide creel census, census of fisherman's creel. Job completion Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-10, Job III. 11 pp.
- Fredenberg, Wade. 1984. South Central Montana fisheries investigations, Bighorn Lake and Bighorn River post-impoundment study. Job completion Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-20-R-27, Job IV-a. 46 pp.
- Gaffney, John J. 1975. Unpublished data. Montana Department of Fish, Wildlife and Parks. Bozeman, Mt.
- _____. 1982. Fishery management support services, inventory of resource status and fishing opportunity. Job Prog. rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-31, Job I-c, 8 pp.
- Holton, George D. 1970. Statewide creel census and statistical services, statewide creel census. Job Prog. Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-18, Job I. 16 pp.
- _____. 1971. Statewide creel census and statistical services, statewide creel census. Job Prog. Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-19, Job I-a. 3 pp.
- _____. 1974. Statewide creel census and statistical services, statewide creel census. Job Prog. Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-22, Job I-a. 2 pp.

- Holton, George D. 1974. Statewide creel census and statistical services, statewide creel census. Job Prog. Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-23, Job I-a. 3 pp.
- McFarland, Robert C. 1989. Montana Statewide Angling Pressure Mail Survey 1982-1985. Montana Department of Fish, Wildlife and Parks. Bozeman, Mt. 205 pp.
- _____. 1991. Montana Statewide Angling Pressure Mail Survey 1989. Montana Department of Fish, Wildlife and Parks. Bozeman, Mt. 43 pp.
- McFarland, Robert C. and Janet E. Hughes. 1994. Montana Statewide Angling Mail Survey 1991. Montana Fish, Wildlife and Parks. Bozeman, MT. 55 pp.
- _____. 1995. Montana Statewide Angling Mail Survey 1993. Montana Fish, Wildlife and Parks. Bozeman, MT. 58pp.
- _____. 1997. Montana Statewide Angling Mail Survey 1995. Montana Fish, Wildlife and Parks. Bozeman, MT. 58pp.
- McFarland, Robert C. and Deanna Meredith. 1999. Montana Statewide Angling Mail Survey 1997. Montana Fish, Wildlife & Parks. Bozeman, MT. 90pp.
- . 2000. Montana Statewide Angling Mail Survey 1999. Montana Fish, Wildlife & Parks. Bozeman, MT. 89 pp.
- . 2002. Montana Statewide Angling Mail Survey 2001. Montana Fish, Wildlife & Parks. Bozeman, MT. 155 pp.
- . 2005. Montana Statewide Angling Mail Survey 2003. Montana Fish, Wildlife & Parks. Bozeman, MT. 117 pp.
- Peterson, Norman W. 1970. The yield of wild and hatchery trout from Big Spring Creek, Montana. M.S. thesis, Mont. State Univ., 35 pp.
- Spence, Liter. 1971. Rock Creek creel census, summer census Final report. Job Prog. Rept. Fed. Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-27-R, Job I, 64 pp.
- Stevenson, H. R. 1975. The trout fishery of the Bighorn River below Yellowtail Dam, Montana. M.S. thesis, Mont. State Univ., 67 pp.
- U. S. Fish and Wildlife Service. 1977. 1975 national survey of hunting, fishing and wildlife-associated recreation. U. S. Dept. of Interior, Washington D. C., 99 pp.

APPENDIX A

Examples of questionnaires

Montana Fish, Wildlife & Parks

Dear Angler,

please cut along dotted line and return bottom portion

We are conducting a monthly survey sent to a random sample of fishing license holders. This survey provides important data to help determine fishing pressure on the lakes and streams of Montana. By providing us with this vital information, you will be assisting us in managing Montana's fish population.

This survey requests only YOUR fishing activities. Include ALL waters fished during the month of OCTOBER, 2005. If you fished one of the streams on the back of this form, please include the section number to aid us in identifying the portion of the stream. We appreciate your cooperation in returning this survey.

****EVEN IF YOU DID NOT FISH OR CATCH ANY FISH, PLEASE FILL OUT AND RETURN THIS QUESTIONNAIRE****

Are you aware of Montana's fish consumption guidelines? ☐ Yes ☐ No Did you fish in Montana during the month of <u>OCTOBER, 2005?</u> ☐ Yes - If yes, total number of days fished _____. Please continue below. ☐ No Thank you - please return the survey

****PLEASE ENTER EACH WATER YOU FISHED. (YOUR fishing only)****


Name of Lake or Stream Fished	Section # if it applies (See back)	Nearest Town or County	# of Days FISHED in <u>OCTOBER only</u>	Rate your FISHING on this water: 5 = excellent to 1 = poor	How many other people PER DAY did you see recreating on this water?	Rate the CROWDING on this water: 5 = very crowded to 1 =not at all crowded	What ONE fish species did you primarily fish for?	Did you EAT any fish from this water? (y or n)

Thank you for your time.


SPECIFIC SECTIONS OF MONTANA WATERS THAT ARE DIFFICULT TO IDENTIFY

We need information on all waters fished in Montana, not just the waters included on this page. If you fished one of the rivers indicated on a map, please enter the specific section number in the appropriate space on the questionnaire form. For waters other than those indicated on a map, (this includes the Flathead, Milk River, eastern sections of the Missouri and Yellowstone Rivers, etc.) please be very specific as to the name of the lake, stream, or reservoir and the nearest town, point of access, or landmark to facilitate identification.


Missouri River




Clark Fork River




Blackfoot River




Bighorn River




Madison River




Yellowstone River




Bitterroot River



Smith River



Big Hole River



Montana Fish, Wildlife & Parks

Dear Angler,

please cut along dotted line and return bottom portion

We recently mailed you a request for information on your fishing in Montana. As you may recall, we are conducting a monthly survey sent to a random sample of fishing license holders. This survey provides important data to help determine fishing pressure on the lakes and streams of Montana. By providing us with this vital information, you will be assisting us in managing Montana's fish population.

This survey requests only YOUR fishing activities. Include ALL waters fished during the month of OCTOBER, 2005. If you fished one of the streams on the back of this form, please include the section number to aid us in identifying the portion of the stream. We appreciate your cooperation in returning this survey.

****EVEN IF YOU DID NOT FISH OR CATCH ANY FISH, PLEASE FILL OUT AND RETURN THIS QUESTIONNAIRE****

Are you aware of Montana's fish consumption guidelines? ☐ Yes ☐ No Did you fish in Montana during the month of <u>OCTOBER, 2005?</u> ☐ Yes - If yes, total number of days fished _____. Please continue below. ☐ No Thank you - please return the survey
--

****PLEASE ENTER EACH WATER YOU FISHED. (YOUR fishing only)****


Name of Lake or Stream Fished	Section # if it applies (See back)	Nearest Town or County	# of Days FISHED in <u>OCTOBER only</u>	Rate your FISHING on this water: 5 = excellent to 1 = poor	How many other people PER DAY did you see recreating on this water?	Rate the CROWDING on this water: 5 = very crowded to 1 =not at all crowded	What ONE fish species did you primarily fish for?	Did you EAT any fish from this water? (y or n)

Thank you for your time.


SPECIFIC SECTIONS OF MONTANA WATERS THAT ARE DIFFICULT TO IDENTIFY

We need information on all waters fished in Montana, not just the waters included on this page. If you fished one of the rivers indicated on a map, please enter the specific section number in the appropriate space on the questionnaire form. For waters other than those indicated on a map, (this includes the Flathead, Milk River, eastern sections of the Missouri and Yellowstone Rivers, etc.) please be very specific as to the name of the lake, stream, or reservoir and the nearest town, point of access, or landmark to facilitate identification.


Missouri River




Clark Fork River




Blackfoot River




Bighorn River




Madison River




Yellowstone River




Bitterroot River



Smith River



Big Hole River



APPENDIX B

Boundaries of waters broken into sections

STREAM NAME		WATER CODE	DOWNSTREAM POINT	UPSTREAM POINT
BEAVER CREEK	SEC 01	15-0280	MOUTH	BEAVER CREEK RES.
	SEC 02	15-0320	BEAVER CREEK RES	BEAR PAW LAKE
	SEC 03	15-0340	BEAR PAW LAKE	ROCKY BOY INDIAN R
	SEC 04	15-0360	ROCKY BOY INDIAN RES	HEADWATERS
BIG HOLE R.	SEC 01	02-0425	MOUTH	DIVIDE CREEK
	SEC 02	02-0450	DIVIDE CREEK	PINTLAR CREEK
	SEC 03	02-0475	PINTLAR CREEK	HEADWATERS
BIG SPRING CR.	SEC 01	16-0301	JUDITH RIVER (MOUTH)	COTTONWOOD CREEK
	SEC 02	16-0310	COTTONWOOD CREEK	HEADWATERS
BIGHORN RIVER	SEC 01	22-0490	MOUTH	LITTLE BIGHORN RIVER
	SEC 02	22-0495	L.BIGHORN R	BIG HORN FAS (ACCESS CR)
	SEC 03	22-0496	(ACCESS CR.) BH-FAS	AFTERBAY
BITTERROOT R.	SEC 01	03-0475	MOUTH	BIG CREEK
	SEC 02	03-0500	BIG CREEK	HEADWATERS
BLACKFOOT R.	SEC 01	04-0600	MOUTH	CLEARWATER RIVER
	SEC 02	04-0630	CLEARWATER RIVER	N FK BLACKFOOT RIVER
	SEC 03	04-0645	N FK BLACKFOOT RIVER	ARRASTRA CREEK
	SEC 04	04-0660	ARRASTRA CREEK	HEADWATERS
BOULDER RIVER	SEC 01	22-0742	MOUTH	BOULDER FALLS (NAT BRDG)
	SEC 02	22-0756	BOULDER FALLS (NAT BRDG)	BRIDGE CREEK
	SEC 03	22-0770	BRIDGE CREEK	HEADWATERS
CLARK FORK R.	SEC 01	05-1440	IDAHO BORDER	FLATHEAD RIVER
	SEC 02	05-1456	FLATHEAD RIVER	BITTERROOT RIVER
	SEC 03	06-1121	BITTERROOT R	LITTLE BLACKFOOT R
	SEC 04	06-1140	LITTLE BLACKFOOT R	HEADWATERS

STREAM NAME		WATER CODE	DOWNSTREAM POINT	UPSTREAM POINT
CLARKS FK YELLOWSTONE				
	SEC 01	22-1162	MOUTH	BRIDGER
	SEC 02	22-1176	BRIDGER	WYOMING BORDER
	SEC 03	22-1190	WYOMING BORDER	HEADWATERS
CROW CREEK	SEC 01	07-1000	MOUTH	LOWER CROW RESERVOIR
	SEC 02	07-1020	LOWER CROW RESERVOIR	HEADWATERS
CUT BANK CREEK	SEC 01	14-1080	MOUTH	CUT BANK
	SEC 02	14-1120	CUT BANK	GLACIER PARK
FLATHEAD RIVER	SEC 01	07-1540	MOUTH	FLATHEAD LAKE
	SEC 02	07-1560	FLATHEAD LAKE	S FK FLATHEAD R
GALLATIN RIVER	SEC 01	09-2090	MOUTH	E GALLATIN RIVER
	SEC 02	09-6878	E GALLATIN RIVER	SPANISH CREEK
	SEC 03	09-6916	SPANISH CREEK	HEADWATERS
HYALITE CREEK	SEC 01	09-2546	MOUTH	HYALITE RESERVOIR
	SEC 02	09-6802	HYALITE RESERVOIR	HYALITE LAKE
JUDITH RIVER	SEC 01	16-1800	MOUTH	PLUM CREEK
	SEC 02	16-1820	PLUM CREEK	HEADWATERS
LITTLE BIGHORN RIVER				
	SEC 01	22-3654	MOUTH	LODGE GRASS CREEK
	SEC 02	22-3668	LODGE GRASS CREEK	HEADWATERS
LITTLE BLACKFOOT R				
	SEC 01	06-3772	MOUTH	ELLISTON
	SEC 02	06-3591	ELLISTON	HEADWATERS

STREAM NAME		WATER CODE	DOWNSTREAM POINT	UPSTREAM POINT
MADISON RIVER	SEC 01	13-3400	MOUTH	ENNIS LAKE
	SEC 02	13-3440	ENNIS LAKE	HEBGEN DAM
	SEC 03	13-3520	HEBGEN LAKE	YELLOWSTONE PARK
MARIAS RIVER	SEC 01	14-3240	MOUTH	TIBER DAM
	SEC 02	14-3280	LAKE ELWELL	CUT BANK CREEK
MILK RIVER	SEC 01	15-2680	MOUTH	HINSDALE
	SEC 02	15-2720	HINSDALE	MALTA
	SEC 03	15-2760	MALTA	HAVRE
	SEC 04	15-2800	HAVRE	FRESNO DAM
	SEC 05	15-2840	FRESNO RESERVOIR	CANADA
	SEC 06	15-2880	CANADA	MIDDLE & SOUTH FORKS
MISSOURI RIVER	SEC 01	16-2420	N DAKOTA BORDER	MILK RIVER
	SEC 05	16-2500	MILK RIVER	FORT PECK DAM
	SEC 06A	16-2521	FT PECK RES	BLAIN/CHOUT CO LINE
	SEC 06B	16-2522	BLAIN/CHOUT CO LINE	MARIAS RIVER
	SEC 07	17-4864	MARIAS RIVER	MORONY DAM
	SEC 08	17-4880	MORONY DAM	CASCADE BRIDGE
	SEC 09	17-4896	CASCADE BRIDGE	HOLTER DAM
	SEC 10A	17-4913	HOLTER LAKE	HAUSER DAM
	SEC 10B	17-4914	HAUSER LAKE	CANYON FERRY
			(This is considered the same as Hauser Lake)	
	SEC 11	17-4928	CANYON FERRY RES	TOSTON DAM
	SEC 12	17-4944	TOSTON DAM	HEADWATERS
MUSSELSHELL RIVER	SEC 01	18-4320	MOUTH	RT 3 BRIDGE NEAR LAVINA
	SEC 02	18-4350	RT 3 BRIDGE NEAR LAVINA	HEADWATERS
POPLAR RIVER	SEC 01	16-2820	MOUTH	E FK POPLAR RIVER
	SEC 02	16-2375	E FK POPLAR RIVER	CANADA

STREAM NAME		WATER CODE	DOWNSTREAM POINT	UPSTREAM POINT
PRYOR CREEK	SEC 01	22-4802	MOUTH	PRYOR
	SEC 02	22-4816	PRYOR	HEADWATERS
RED ROCK RIVER	SEC 01	01-6140	MOUTH	LIMA DAM
	SEC 02	01-6160	LIMA RESERVOIR	UPPER RED ROCK LK
ROCK CREEK	SEC 01	06-5263	MOUTH	HOGBACK CREEK
	SEC 02	06-5282	HOGBACK CREEK	HEADWATERS
ROCK CREEK	SEC 01	22-4928	MOUTH	W FK (CHROME CAMP)
	SEC 02	22-4956	W FK (CHROME CAMP)	HEADWATERS
RUBY RIVER	SEC 01	01-6360	MOUTH	RUBY RESERVOIR
	SEC 02	01-6380	RUBY RESERVOIR	HEADWATERS
SHIELDS RIVER	SEC 01	22-5334	MOUTH	CLYDE PARK
	SEC 02	22-5348	CLYDE PARK	WILSALL
	SEC 03	22-5362	WILSALL	HEADWATERS
SMITH RIVER	SEC 01	17-6816	MOUTH	HOUND CREEK
	SEC 02	17-6832	HOUND CREEK	CAMP BAKER
	SEC 03	17-6833	CAMP BAKER	HEADWATERS
STILLWATER R.	SEC 01	22-6104	MOUTH	WEST FORK (NYE)
	SEC 02	22-6118	WEST FORK (NYE)	HEADWATERS
SUN RIVER	SEC 01	20-6050	MOUTH	MUDDY CREEK
	SEC 02	20-6100	MUDDY CREEK	GIBSON DAM
SWAN RIVER	SEC 01	07-4560	MOUTH	SWAN LAKE
	SEC 02	07-4580	SWAN LAKE	HEADWATERS
TETON RIVER	SEC 01	14-6000	MOUTH	CHOTEAU
	SEC 02	14-6040	CHOTEAU	HEADWATERS

STREAM NAME		WATER CODE	DOWNSTREAM POINT	UPSTREAM POINT
THOMPSON RIVER	SEC 01	05-7248	MOUTH	BEND RANGER STATION
	SEC 02	05-7264	BEND RANGER STATION	HEADWATERS
TONGUE RIVER	SEC 01	21-1150	MOUTH	BEAVER CREEK
	SEC 02	21-1200	BEAVER CREEK	TONGUE RIVER DAM
	SEC 03	21-1250	TONGUE RIVER RES	WYOMING BORDER
W FK STILLWATER R				
	SEC 01	22-6664	MOUTH	IRON CREEK
	SEC 02	22-6678	IRON CREEK	HEADWATERS
YAAK RIVER	SEC 01	11-7740	MOUTH	FALLS
	SEC 02	11-7760	FALLS	HEADWATERS
YELLOWSTONE R.	SEC 01	21-1350	N DAKOTA BORDER	POWDER RIVER
	SEC 02	21-1400	POWDER RIVER	BIGHORN RIVER
	SEC 03	22-7001	BIGHORN RIVER	HUNTLEY DIVERSION
	SEC 04	22-7015	HUNTLEY DIVERSION	CLARKS FORK R
	SEC 05	22-7028	CLARKS FORK R	STILLWATER R
	SEC 06	22-7043	STILLWATER R	BOULDER R
	SEC 07A	22-7057	BOULDER R	SPRINGDALE
	SEC 07B	22-7058	SPRINGDALE	SHIELDS R
	SEC 08	22-7071	SHIELDS R	PINE CREEK
	SEC 09	22-7072	PINE CREEK	TOM MINER CREEK
	SEC 10	22-7084	TOM MINER CREEK	GARDINER

Appendix C
Percent of Anglers Consuming Fish By Individual Waters By Season
Sorted Alphabetically By Region

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
0					1		summer	4	50.0
	Nelsons Spg Ck Ranch Hatche						Total	4	50.0
		summer	1	0.0		Biglow Creek			
	Total		1	0.0			winter	1	0.0
	Undesignated Waters						Total	1	0.0
		summer	96	10.4		Birch Creek			
		winter	13	7.7			summer	1	0.0
	Total		109	10.1			Total	1	0.0
1						Birch Lake			
	Abbot Lake					Birch Lake			
		summer	5	20.0			summer	4	25.0
	Total		5	20.0			Total	4	25.0
	Alvord Lake					Black Lake			
		summer	8	25.0			summer	3	66.7
		winter	3	33.3			Total	3	66.7
	Total		11	27.3		Blackfoot Lake			
	Arbo Creek						summer	2	50.0
		summer	1	0.0			Total	2	50.0
	Total		1	0.0		Blanchard Lake			
	Ashley Creek						summer	10	60.0
		summer	3	33.3			winter	6	50.0
	Total		3	33.3			Total	16	56.3
	Ashley Lake					Blossom Lake			
		summer	39	82.1			summer	1	0.0
		winter	8	75.0			Total	1	0.0
	Total		47	80.9		Blue Creek			
	Avalanche Lake						summer	1	100.0
		summer	4	25.0			Total	1	100.0
	Total		4	25.0		Blue Lake			
	Baldy Lake						summer	2	0.0
		summer	1	0.0			Total	2	0.0
	Total		1	0.0		Blue Lakes			
	Baree Lake						summer	1	100.0
		summer	1	100.0			Total	1	100.0
	Total		1	100.0		Boot Jack Lake			
	Basin Creek						summer	9	22.2
		summer	2	50.0			Total	9	22.2
	Total		2	50.0		Boulder Lake #2			
	Bass Pond						summer	1	0.0
		summer	1	0.0			Total	1	0.0
	Total		1	0.0		Bowman Lake			
	Bear Creek						summer	7	42.9
		summer	2	50.0			Total	7	42.9
	Total		2	50.0		Buffalo Bill Creek			
	Beaver Creek						summer	1	0.0
		summer	1	0.0			Total	1	0.0
	Total		1	0.0		Bull Lake			
	Beaver Lake						summer	34	35.3
		summer	12	16.7			winter	3	33.3
		winter	1	100.0			Total	37	35.1
	Total		13	23.1		Bull River			
	Big Creek						summer	22	18.2
		summer	5	40.0			Total	22	18.2
	Total		5	40.0		Bunker Creek			
	Big Spruce Creek						summer	1	0.0
		summer	1	0.0			Total	1	0.0
	Total		1	0.0					
	Big Therriault Lake								

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
1	Burnt Lake				1		Total	1	0.0
		summer	1	0.0		Cliff Lake			
	Total		1	0.0			summer	1	100.0
	Cabin Lake					Total		1	100.0
		summer	3	66.7		Cold Lake			
	Total		3	66.7			summer	6	33.3
	Cabinet Gorge Reservoir					Total		6	33.3
		summer	6	83.3		Cooney Creek			
		winter	3	0.0			summer	1	100.0
	Total		9	55.6		Total		1	100.0
	Cad Lake					Cooper Gulch			
		summer	1	0.0			summer	1	0.0
	Total		1	0.0		Total		1	0.0
	Callahan Creek					Cow Creek			
		summer	1	0.0			summer	2	0.0
	Total		1	0.0		Total		2	0.0
	Camas Creek					Crater Lake			
		summer	1	0.0			summer	1	0.0
	Total		1	0.0		Total		1	0.0
	Camp Creek					Crescent Lake			
		winter	1	100.0			summer	4	25.0
	Total		1	100.0		Total		4	25.0
	Canyon Creek					Crimson Lake			
		summer	1	0.0			summer	2	50.0
	Total		1	0.0		Total		2	50.0
	Castle Lake					Crow Creek			
		summer	1	0.0			summer	1	100.0
	Total		1	0.0		Total		1	100.0
	Cayuse Creek					Crow Creek Sec 01			
		summer	1	0.0			summer	5	20.0
	Total		1	0.0		Total		5	20.0
	Cedar Lake					Crystal Lake			
		summer	2	0.0			summer	11	63.6
	Total		2	0.0			winter	6	33.3
	Cherry Creek					Total		17	52.9
		summer	3	100.0		Cyclone Lake			
	Total		3	100.0			summer	2	50.0
	Church Slough					Total		2	50.0
		summer	2	50.0		Danaher Creek			
		winter	1	100.0			summer	2	50.0
	Total		3	66.7		Total		2	50.0
	Cibid Lake					Dickey Lake			
		summer	3	33.3			summer	2	0.0
		winter	1	0.0			winter	1	0.0
	Total		4	25.0		Total		3	0.0
	Clack Creek					Dodge Creek			
		winter	1	0.0			summer	2	100.0
	Total		1	0.0		Total		2	100.0
	Clark Fork River Drainage					Dog Lake			
		summer	2	0.0			summer	3	33.3
	Total		2	0.0		Total		3	33.3
	Clark Fork River Sec 01					Dollar Lake			
		summer	129	28.7			summer	2	0.0
		winter	25	52.0		Total		2	0.0
	Total		154	32.5		Doris Lake #1			
	Clayton Lake						summer	1	0.0
		summer	1	0.0		Total		1	0.0

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
1	Dry Fork Reservoir				1	Flathead River Drainage			
		summer	2	50.0			summer	11	18.2
		Total	2	50.0			Total	11	18.2
	Duck Lake					Flathead River Sec 01			
		summer	2	50.0			summer	37	32.4
		Total	2	50.0			winter	3	0.0
	E Fk Bull River						Total	40	30.0
		summer	3	66.7		Flathead River Sec 02			
		Total	3	66.7			summer	165	16.4
	Echo Lake						winter	20	35.0
		summer	42	33.3			Total	185	18.4
		winter	2	0.0		Fortine Creek			
		Total	44	31.8			summer	3	33.3
	Egan Slough						winter	1	100.0
		summer	3	66.7			Total	4	50.0
		Total	3	66.7		Foy Lake			
	Elk Lake						summer	26	50.0
		summer	2	50.0			winter	8	12.5
		Total	2	50.0			Total	34	41.2
	Emery Creek					Frank Lake			
		summer	1	0.0			summer	11	45.5
		Total	1	0.0			winter	4	50.0
	Estes Lake						Total	15	46.7
		summer	3	66.7		Frozen Lake			
		Total	3	66.7			summer	1	0.0
	Fatty Lake						Total	1	0.0
		summer	4	75.0		George Lake			
		Total	4	75.0			summer	2	100.0
	Fennon Slough						Total	2	100.0
		summer	3	33.3		Glacier Lake			
		Total	3	33.3			summer	5	20.0
	Fire Lakes						Total	5	20.0
		summer	2	50.0		Glen Lake			
		Total	2	50.0			summer	0	
	First Lake						Total	0	
		summer	2	0.0		Good Creek			
		Total	2	0.0			summer	4	0.0
	Fish Lake						Total	4	0.0
		summer	4	100.0		Gorge Creek			
		Total	4	100.0			summer	1	0.0
	Fish Lakes						Total	1	0.0
		summer	3	33.3		Granite Creek			
		Total	3	33.3			summer	2	50.0
	Fisher River						Total	2	50.0
		summer	21	38.1		Grave Creek			
		winter	1	100.0			summer	7	71.4
		Total	22	40.9			Total	7	71.4
	Fishtrap Creek					Graves Creek			
		summer	2	50.0			summer	2	100.0
		Total	2	50.0			Total	2	100.0
	Fishtrap Lake					Grouse Lake			
		summer	10	50.0			summer	1	100.0
		Total	10	50.0			Total	1	100.0
	Flathead Lake					Gunsight Lakes			
		summer	279	59.5			summer	1	0.0
		winter	50	62.0			Total	1	0.0
		Total	329	59.9					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
1	Half Moon Lake				1		summer	1	0.0
		summer	1	100.0			Total	1	0.0
		winter	1	0.0		Hungry Horse Reservoir	summer	66	31.8
	Total		2	50.0			winter	3	33.3
	Half Moon Slough						Total	69	31.9
		summer	1	0.0		Island Lake	summer	1	100.0
	Total		1	0.0			Total	1	100.0
	Handkerchief Creek					Jessup Mill Pond	summer	1	0.0
		summer	1	100.0			Total	1	0.0
	Total		1	100.0		Jewel Basin Lakes	summer	1	0.0
	Handkerchief Lake						Total	1	0.0
		summer	4	25.0		Jim Lake #2	summer	2	100.0
	Total		4	25.0			Total	2	100.0
	Hanging Valley Lake, Lower					Jocko River	summer	3	33.3
		summer	1	0.0			winter	1	100.0
	Total		1	0.0			Total	4	50.0
	Hart Lake					Kicking Horse Reservoir	summer	8	87.5
		summer	1	100.0			winter	1	0.0
	Total		1	100.0			Total	9	77.8
	Haskill Creek					Kintla Lake	summer	5	40.0
		summer	1	100.0			Total	5	40.0
	Total		1	100.0		Koessler Lake	summer	1	0.0
	Heart Lake						Total	1	0.0
		summer	1	100.0		Kootenai River	summer	123	17.9
	Total		1	100.0			winter	15	20.0
	Hellroaring Creek						Total	138	18.1
		summer	1	100.0		Kootenai River Drainage	summer	7	57.1
	Total		1	100.0			winter	3	33.3
	Hemlock Lake						Total	10	50.0
		summer	2	50.0		Lake Blaine	summer	11	18.2
	Total		2	50.0			winter	2	0.0
	Hidden Lake						Total	13	15.4
		summer	1	0.0		Lake Creek	summer	7	28.6
	Total		1	0.0			winter	1	0.0
	Holland Creek						Total	8	25.0
		summer	1	100.0		Lake Five	summer	1	100.0
	Total		1	100.0			winter	1	100.0
	Holland Lake						Total	2	100.0
		summer	3	33.3		Lake Koocanusa	summer	156	60.3
	Total		7	28.6			winter	24	45.8
	Horseshoe Lake						Total	180	58.3
		summer	4	25.0					
	Total		4	25.0					
	Hoskin Lake								
		summer	1	100.0					
	Total		2	50.0					
	Howard Lake								
		summer	13	69.2					
	Total		14	71.4					
	Hubbart Reservoir								
		summer	2	50.0					
	Total		2	50.0					
	Hungry Horse Creek								

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
1	Lake Mary Ronan	summer	90	76.7	1	Little Spar Lake	summer	2	50.0
		winter	11	81.8			Total	2	50.0
		Total	101	77.2		Little Therriault Lake	summer	2	100.0
	Lake McDonald	summer	22	36.4			Total	2	100.0
		winter	1	100.0		Little Thompson River	summer	4	25.0
		Total	23	39.1			Total	4	25.0
	Lavon Lake	summer	1	100.0		Logan Creek	summer	8	50.0
		Total	1	100.0			Total	8	50.0
	Lazy Creek	summer	1	0.0		Lolo Creek	summer	1	0.0
		Total	1	0.0			Total	1	0.0
	Lebeau Creek	summer	1	0.0		Loon Lake	summer	26	38.5
		Total	1	0.0			winter	7	0.0
	Leigh Lake	summer	2	100.0			Total	33	30.3
		Total	2	100.0		Lore Lake	summer	1	100.0
	Lena Lake	summer	1	100.0			Total	1	100.0
		Total	1	100.0		Lost Lake	summer	1	0.0
	Leon Lake	summer	2	50.0			winter	1	0.0
		Total	2	50.0			Total	2	0.0
	Libby Creek	summer	9	44.4		Louis Lake	summer	2	0.0
		Total	9	44.4			Total	2	0.0
	Libby Lakes	summer	1	0.0		Lower Big Hawk Lake	summer	1	100.0
		Total	1	0.0			Total	1	100.0
	Lindbergh Lake	summer	5	20.0		Lower Crow Reservoir	summer	8	50.0
		winter	1	0.0			winter	2	100.0
		Total	6	16.7			Total	10	60.0
	Lion Lake	summer	24	29.2		Lower Hawkins Lake	summer	2	100.0
		winter	2	0.0			Total	2	100.0
		Total	26	26.9		Lower Quartz Lake	summer	2	50.0
	Little Bear Lake	summer	1	0.0			Total	2	50.0
		Total	1	0.0		Lower Stillwater Lake	summer	11	72.7
	Little Beaver Lake	summer	1	0.0			winter	3	100.0
		Total	1	0.0			Total	14	78.6
	Little Bitterroot Lake	summer	37	62.2		Lupine Lake	summer	3	33.3
		winter	15	73.3			Total	3	33.3
		Total	52	65.4		Lynch Creek	summer	1	100.0
	Little McGregor Lake	summer	7	57.1			Total	1	100.0
		winter	1	100.0		Lyon Creek	summer	1	0.0
		Total	8	62.5			Total	1	0.0
	Little Salmon River	winter	1	100.0					
		Total	1	100.0					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
1	M Fk Flathead River				1		summer	1	0.0
		summer	59	6.8			Total	1	0.0
		winter	2	0.0		Mission Creek			
	Total		61	6.6			summer	1	100.0
	Marion Lake						Total	1	100.0
		summer	1	100.0		Mocassin Creek			
	Total		1	100.0			summer	1	100.0
	Marl Lake						Total	1	100.0
		summer	1	100.0		Moose Lake			
	Total		1	100.0			summer	5	20.0
	Martin Creek						Total	5	20.0
		summer	1	100.0		Moran Lake			
	Total		1	100.0			winter	1	100.0
	Martin Lake						Total	1	100.0
		summer	1	0.0		Mud Lake			
	Total		1	0.0			summer	7	57.1
	Martin Lake, Lower						Total	7	57.1
		summer	2	0.0		Murphy Lake			
		winter	1	0.0			summer	6	66.7
	Total		3	0.0			Total	6	66.7
	McCaffery Lake					Murray Lake			
		summer	1	0.0			summer	8	62.5
		winter	1	100.0			winter	3	33.3
	Total		2	50.0			Total	11	54.5
	McDonald Creek					Myron Lake			
		summer	2	0.0			summer	1	100.0
	Total		2	0.0			Total	1	100.0
	McGregor Lake					N Fk Bull River			
		summer	31	61.3			summer	2	100.0
		winter	2	50.0			Total	2	100.0
	Total		33	60.6		N Fk Flathead River			
	McWanneger Slough						summer	68	8.8
		winter	1	100.0			winter	2	0.0
	Total		1	100.0			Total	70	8.6
	Meadow Creek					N Fk Meadow Creek			
		summer	2	50.0			summer	1	100.0
	Total		2	50.0			Total	1	100.0
	Middle Fork Creek					Ninepipe Reservoir			
		summer	1	0.0			summer	3	66.7
	Total		1	0.0			winter	1	0.0
	Middle Foy Lake						Total	4	50.0
		summer	1	100.0		Ninepipes Pond			
	Total		1	100.0			winter	1	0.0
	Middle Thompson Lake						Total	1	0.0
		summer	40	50.0		No Name Lake			
		winter	6	33.3			summer	1	100.0
	Total		46	47.8			Total	1	100.0
	Mill Creek					Noxon Rapids Reservoir			
		summer	1	0.0			summer	91	36.3
	Total		1	0.0			winter	14	57.1
	Miller Lake						Total	105	39.0
		summer	1	0.0		Outlaw Lake			
	Total		1	0.0			summer	2	50.0
	Milnor Lake						Total	2	50.0
		summer	1	100.0		Pablo Reservoir			
	Total		1	100.0			summer	2	50.0
	Minor Lake						Total	2	50.0

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
1	Paola Creek				1		Total	6	33.3
		summer	1	100.0		Rene Lake	summer	1	100.0
		Total	1	100.0			winter	1	100.0
	Pete Creek						Total	2	100.0
		summer	1	100.0		Rock Creek	summer	1	0.0
		Total	1	100.0			Total	1	0.0
	Peterson Lake					Rock Lake	summer	2	0.0
		summer	5	60.0			Total	2	0.0
		Total	5	60.0		Rogers Lake	summer	22	18.2
	Pilgrim Creek						winter	4	0.0
		summer	1	100.0			Total	26	15.4
		Total	1	100.0		Ross Creek	summer	1	100.0
	Pine Creek						Total	1	100.0
		summer	4	100.0		Russ Lake	winter	1	0.0
		Total	4	100.0			Total	1	0.0
	Pinkham Creek					S Fk Flathead River	summer	73	30.1
		summer	1	100.0			winter	3	0.0
		Total	1	100.0			Total	76	28.9
	Pipe Creek					S Fk Meadow Creek	summer	1	100.0
		summer	5	40.0			Total	1	100.0
		Total	5	40.0		S Fk Yaak River	summer	1	0.0
	Pleasant Valley						Total	1	0.0
		summer	1	100.0		Savage Lake	summer	13	69.2
		Total	1	100.0			winter	1	0.0
	Pleasant Valley Fisher R						Total	14	64.3
		summer	1	0.0		Shady Lane Pond	summer	3	33.3
		Total	1	0.0			Total	3	33.3
	Pond #03					Skyles Lake	winter	1	0.0
		summer	1	0.0			Total	1	0.0
		Total	1	0.0		Smith Lake	summer	16	37.5
	Pony Lake						winter	11	9.1
		summer	1	100.0			Total	27	25.9
		Total	1	100.0		Smokey Lake	summer	1	0.0
	Poorman Creek						Total	1	0.0
		summer	1	0.0		Sophie Lake	summer	12	50.0
		Total	1	0.0			winter	2	50.0
	Pot Hole Lakes						Total	14	50.0
		summer	2	100.0		Soup Creek	summer	1	100.0
		Total	2	100.0			Total	1	100.0
	Prospect Creek								
		summer	2	0.0					
		Total	2	0.0					
	Quartz Creek								
		summer	1	0.0					
		Total	1	0.0					
	Quartz Lake								
		summer	6	16.7					
		Total	6	16.7					
	Rainbow Lake								
		summer	5	80.0					
		winter	2	100.0					
		Total	7	85.7					
	Rambler Creek								
		summer	1	0.0					
		Total	1	0.0					
	Red Meadow Lake								
		summer	6	33.3					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
1	South Crow Creek Lake #1				1	Swan River Drainage			
		summer	1	100.0			summer	1	0.0
		Total	1	100.0			Total	1	0.0
	Spar Lake					Swan River Sec 01			
		summer	12	25.0			summer	64	10.9
		winter	1	100.0			winter	2	0.0
		Total	13	30.8			Total	66	10.6
	Spencer Lake					Swan River Sec 02			
		winter	1	0.0			summer	18	22.2
		Total	1	0.0			Total	18	22.2
	Spoon Lake					Swift Creek			
		summer	1	100.0			summer	2	50.0
		winter	1	0.0			Total	2	50.0
		Total	2	50.0		Swisher Lake			
	Spotted Bear Lake						summer	1	0.0
		summer	1	0.0			Total	1	0.0
		Total	1	0.0		Sylvan Lake			
	Spotted Bear River						summer	2	100.0
		summer	6	33.3			Total	2	100.0
		Total	6	33.3		Sylvia Lake			
	Spread Creek						summer	15	33.3
		summer	2	50.0			Total	15	33.3
		Total	2	50.0		Tally Lake			
	Spring Creek						summer	14	7.1
		summer	1	0.0			Total	14	7.1
		Total	1	0.0		Terrace Lake			
	Spruce Lake						summer	1	0.0
		summer	1	0.0			Total	1	0.0
		Total	1	0.0		Tetrault Lake			
	Squeezer Creek Lake						summer	14	50.0
		summer	1	0.0			winter	3	33.3
		Total	1	0.0			Total	17	47.1
	St Mary Lake					Thompson Falls Reservoir			
		summer	1	0.0			summer	4	75.0
		Total	1	0.0			Total	4	75.0
	Stanton Lake					Thompson Lake, Lower			
		summer	2	50.0			summer	21	23.8
		Total	2	50.0			winter	2	0.0
	Stillwater River						Total	23	21.7
		summer	35	54.3		Thompson River Sec 01			
		Total	35	54.3			summer	59	11.9
	Sullivan Creek						winter	4	0.0
		summer	1	100.0			Total	63	11.1
		Total	1	100.0		Thompson River Sec 02			
	Sunburst Lake						summer	8	12.5
		summer	2	50.0			Total	8	12.5
		Total	2	50.0		Timber Lake			
	Sunday Creek						summer	1	0.0
		summer	1	0.0			Total	1	0.0
		Total	1	0.0		Tobacco River			
	Sunday Lake						summer	26	65.4
		summer	1	100.0			Total	26	65.4
		Total	1	100.0		Tom Poole Lake			
	Swan Lake						summer	2	0.0
		summer	59	42.4			Total	2	0.0
		winter	2	0.0					
		Total	61	41.0					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
1	Topless Lake				1		winter	1	100.0
		summer	2	50.0			Total	4	50.0
		Total	2	50.0		Vinal Lake			
	Track Lake						summer	7	71.4
		summer	1	0.0			winter	1	100.0
		winter	1	0.0			Total	8	75.0
		Total	2	0.0		W Fk Thompson River			
	Triangle Pond						summer	1	0.0
		summer	16	31.3			Total	1	0.0
		winter	1	100.0		Wanless Lake			
		Total	17	35.3			summer	1	100.0
	Trinkus Lake						Total	1	100.0
		summer	1	0.0		Weasel Lake			
		Total	1	0.0			summer	1	100.0
	Troops Lake						Total	1	100.0
		summer	3	0.0		West Fisher Creek			
		Total	3	0.0			summer	2	0.0
	Trout Creek						Total	2	0.0
		summer	1	100.0		West Lake			
		Total	1	100.0			summer	1	0.0
	Troy Kids Pond						Total	1	0.0
		summer	0			Wheeler Creek			
		Total	0				summer	1	100.0
	Trumbull Creek						Total	1	100.0
		summer	1	100.0		White River			
		Total	1	100.0			summer	5	40.0
	Tuchuck Creek						Total	5	40.0
		summer	1	0.0		Whitefish Lake			
		Total	1	0.0			summer	34	32.4
	Tunnel Creek						winter	6	66.7
		summer	1	100.0			Total	40	37.5
		Total	1	100.0		Whitefish River			
	Twin Creek						summer	9	22.2
		summer	2	0.0			Total	9	22.2
		Total	2	0.0		Whitetail Creek			
	Undesignated Waters R1						summer	1	100.0
		summer	3	33.3			Total	1	100.0
		Total	3	33.3		Wildcat Lake			
	Upper Hawkins Lake						summer	3	66.7
		summer	3	66.7			Total	3	66.7
		Total	3	66.7		Wolf Creek			
	Upper Stillwater Lake						summer	1	100.0
		summer	7	71.4			Total	1	100.0
		Total	7	71.4		Woodland Park Fish Tank			
	Upper Thompson Lake						summer	1	0.0
		summer	32	56.3			Total	1	0.0
		winter	6	50.0		Woods Lake			
		Total	38	55.3			summer	5	40.0
	Upper Whitefish Lake						Total	5	40.0
		summer	5	60.0		Woods Ranch Pond			
		Total	5	60.0			summer	1	100.0
	Van Lake						Total	1	100.0
		summer	9	77.8		Yaak River Sec 01			
		winter	3	100.0			summer	26	46.2
		Total	12	83.3			winter	1	100.0
	Vermilion River						Total	27	48.1
		summer	3	33.3					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish	
1	Yaak River Sec 02				2		summer	10	40.0	
		summer	10	20.0			winter	2	50.0	
		Total	10	20.0			Total	12	41.7	
	Young Creek					Bitterroot River Sec 01				
		summer	5	80.0			summer	214	6.1	
		Total	5	80.0			winter	71	5.6	
	Youngs Creek					Bitterroot River Sec 02				
		summer	5	60.0			Total	285	6.0	
		Total	5	60.0			summer	353	9.9	
	2	Alice Creek					Blackfoot River Sec 01			
summer			5	0.0	summer	131		6.9		
Total			5	0.0	winter	18		5.6		
AMC Settling Pond #3					Blackfoot River Sec 02					
		summer	2	0.0		Total	149	6.7		
		Total	2	0.0		summer	81	7.4		
AMC Wildlife Pond										
		summer	2	0.0		winter	6	0.0		
		Total	2	0.0		Total	87	6.9		
Anderson Gulch					Blackfoot River Sec 03					
		summer	1	100.0		summer	27	0.0		
		Total	1	100.0		winter	4	25.0		
Baker Creek					Blackfoot River Sec 04					
		summer	0			Total	31	3.2		
		Total	0			summer	43	14.0		
Baker Lake										
		summer	3	33.3		winter	4	50.0		
		Total	3	33.3		Total	47	17.0		
Bass Lake					Blanchard Lake					
		summer	2	100.0		summer	2	0.0		
		Total	2	100.0		Total	2	0.0		
Bear Creek					Blodgett Creek					
		summer	5	60.0		summer	3	66.7		
		Total	5	60.0		Total	3	66.7		
Beaver Creek					Blue Joint Creek					
		summer	1	100.0		summer	3	33.3		
		Total	1	100.0		Total	3	33.3		
Beavertail Hill Pond					Boulder Creek					
		summer	6	83.3		summer	4	0.0		
		winter	1	0.0	Total	4	0.0			
		Total	7	71.4	Boulder Lake					
Bert Creek										
	summer	1	0.0	summer	3	66.7				
	Total	1	0.0	Total	3	66.7				
Big Creek				Browns Lake						
	summer	4	25.0		summer	61	59.0			
	Total	4	25.0		winter	17	47.1			
Big Lake				Burdette Creek						
	summer	1	0.0		Total	78	56.4			
	Total	1	0.0		summer	1	0.0			
Big Sky Lake				Burn Lake						
	summer	3	33.3		Total	1	0.0			
	winter	2	50.0		summer	1	0.0			
Bighorn Lake				Burnt Fork Bitterroot River						
	summer	2	0.0		summer	4	0.0			
	Total	2	0.0		Total	4	0.0			
Bitterroot River Drainage										

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
2	Burnt Fork Lake				2	Cliff Lake			
		summer	1	0.0			summer	2	50.0
		Total	1	0.0			Total	2	50.0
	Cable Creek					Connor Creek			
		summer	1	0.0			winter	1	0.0
		Total	1	0.0			Total	1	0.0
	Cadotte Creek					Coopers Lake			
		summer	1	100.0			summer	1	0.0
		Total	1	100.0			Total	1	0.0
	Camas Creek					Copper Creek			
		summer	1	100.0			summer	3	33.3
		Total	1	100.0			Total	3	33.3
	Camp Lake					Cottonwood Creek			
		summer	1	100.0			summer	3	33.3
		Total	1	100.0			Total	3	33.3
	Canyon Creek					Cottonwood Lake			
		summer	1	100.0			summer	3	0.0
		Total	1	100.0			Total	3	0.0
	Canyon Lakes					Crater Lake			
		summer	1	0.0			summer	1	100.0
		Total	1	0.0			Total	1	100.0
	Carlton Lakes					Crazy Creek			
		summer	1	0.0			summer	0	
		Total	1	0.0			Total	0	
	Cedar Creek					Crystal Lake			
		summer	3	33.3			summer	1	0.0
		Total	3	33.3			Total	1	0.0
	Chaffin Creek					Daly Creek			
		summer	1	0.0			summer	1	0.0
		Total	1	0.0			Total	1	0.0
	Clark Fork River Drainage					Deep Creek			
		summer	8	62.5			summer	1	0.0
		winter	1	0.0			Total	1	0.0
		Total	9	55.6		Devils Creek			
	Clark Fork River Sec 02						summer	1	100.0
		summer	381	8.1			Total	1	100.0
		winter	96	2.1		Diamond Lake			
		Total	477	6.9			summer	3	100.0
	Clark Fork River Sec 03						Total	3	100.0
		summer	51	7.8		Dog Creek			
		winter	41	12.2			summer	5	40.0
		Total	92	9.8			Total	5	40.0
	Clark Fork River Sec 04					Dry Creek			
		summer	77	16.9			winter	1	0.0
		winter	11	0.0			Total	1	0.0
		Total	88	14.8		Dry Fork N Fk Blackfoot R			
	Clark Fork River Sec 05						summer	1	100.0
		summer	43	11.6			Total	1	100.0
		winter	7	0.0		E Fk Bitterroot River			
		Total	50	10.0			summer	37	5.4
	Clearwater Lake						winter	2	0.0
		summer	3	33.3			Total	39	5.1
		Total	3	33.3		East Fork Reservoir			
	Clearwater River						summer	6	16.7
		summer	11	27.3			winter	1	0.0
		winter	5	100.0			Total	7	14.3
		Total	16	50.0					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
2	Echo Lake				2	Total		5	20.0
		summer	4	75.0		Gold Creek Lake			
	Total		4	75.0		summer	2	0.0	
	Edith Lake					Total	2	0.0	
		summer	2	50.0		Gold Creek Lakes			
	Total		2	50.0		summer	2	50.0	
	Elbow Lake					Total	2	50.0	
		summer	1	0.0		Goldberg Reservoir			
	Total		1	0.0		summer	3	100.0	
	Elk Creek					Total	3	100.0	
		summer	1	100.0		Granite Creek			
	Total		1	100.0		summer	4	25.0	
	Elsina Lake					Total	4	25.0	
		summer	1	0.0		Grant Creek			
	Total		1	0.0		summer	1	0.0	
	Falls Creek					Total	1	0.0	
		summer	1	100.0		Harpers Lake			
	Total		1	100.0		summer	13	38.5	
	Fawn Creek					winter	5	40.0	
		summer	1	100.0		Total	18	38.9	
	Total		1	100.0		Harvey Creek			
	Fish Creek					summer	1	0.0	
		summer	26	23.1		Total	1	0.0	
		winter	1	0.0		Heart Lake			
	Total		27	22.2		summer	1	100.0	
	Flint Creek Sec 01					Total	1	100.0	
		summer	24	45.8		Henderson Creek			
		winter	3	0.0		summer	1	100.0	
	Total		27	40.7		Total	1	100.0	
	Fly Lake					Hidden Lake			
		summer	1	0.0		summer	2	50.0	
	Total		1	0.0		Total	2	50.0	
	Fourmile Basin Lake #3					Hoodoo Lake			
		summer	1	100.0		summer	1	0.0	
	Total		1	100.0		Total	1	0.0	
	Fred Burr Creek					Hope Lake			
		summer	2	50.0		summer	1	100.0	
	Total		2	50.0		Total	1	100.0	
	Frenchtown Pond					Hughes Creek			
		summer	12	16.7		summer	2	50.0	
		winter	1	0.0		Total	2	50.0	
	Total		13	15.4		Inez Creek			
	Fuse Lake					summer	1	100.0	
		summer	4	50.0		Total	1	100.0	
	Total		4	50.0		Irrigation Ditches			
	Gem Lake					summer	5	40.0	
		summer	1	0.0		Total	5	40.0	
	Total		1	0.0		Ivanhoe Lake			
	Georgetown Lake					summer	1	0.0	
		summer	234	46.6		Total	1	0.0	
		winter	56	57.1		Job Corps Pond			
	Total		290	48.6		summer	4	0.0	
	Gird Creek					Total	4	0.0	
		summer	1	100.0		Job Corps Pond #4			
	Total		1	100.0		summer	1	0.0	
	Gold Creek					Total	1	0.0	
		summer	5	20.0					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
2	Johnson Gulch				2		Total	3	66.7
		summer	1	0.0		Lost Horse Creek			
		Total	1	0.0			summer	7	42.9
	Keep Cool Creek						Total	7	42.9
		summer	1	0.0		Lower Elliott Lake			
		Total	1	0.0			summer	1	0.0
	Kerlee Lake						Total	1	0.0
		summer	1	100.0		McClellan Creek			
		Total	1	100.0			summer	1	100.0
	Kreises Lake						Total	1	100.0
		summer	2	0.0		McCoy Creek			
		Total	2	0.0			summer	1	0.0
	Lake Alva						winter	1	0.0
		summer	26	34.6			Total	2	0.0
		winter	3	33.3		Meadow Creek			
		Total	29	34.5			summer	3	100.0
	Lake Como						Total	3	100.0
		summer	47	48.9		Medicine Lake			
		winter	11	36.4			summer	2	50.0
		Total	58	46.6			Total	2	50.0
	Lake Inez					Middle Bowman Lake			
		summer	12	33.3			summer	1	0.0
		winter	3	33.3			Total	1	0.0
		Total	15	33.3		Mill Creek			
	Lake Lomo						summer	10	20.0
		summer	1	0.0			Total	10	20.0
		Total	1	0.0		Miller Creek			
	Lake Marshall						summer	1	0.0
		summer	1	0.0			Total	1	0.0
		Total	1	0.0		Milltown Reservoir			
	Landers Fork Blackfoot R						summer	4	0.0
		summer	2	0.0			Total	4	0.0
		Total	2	0.0		Missoula Lake			
	Little Blackfoot R Sec 01						summer	1	0.0
		summer	31	32.3			Total	1	0.0
		winter	7	28.6		Mitchel Slough			
		Total	38	31.6			summer	1	100.0
	Little Blackfoot R Sec 02						Total	1	100.0
		summer	12	25.0		Moncure Creek			
		winter	1	0.0			summer	1	0.0
		Total	13	23.1			Total	1	0.0
	Little Joe Creek					Monture Creek			
		summer	3	100.0			summer	10	0.0
		Total	3	100.0			Total	10	0.0
	Little Rock Creek Lake					Moore Lake			
		summer	1	0.0			summer	3	100.0
		Total	1	0.0			Total	3	100.0
	Little Sleeping Child Creek					Moose Creek			
		winter	1	0.0			summer	1	100.0
		Total	1	0.0			winter	1	100.0
	Lolo Creek						Total	2	100.0
		summer	25	8.0		Moose Lake			
		winter	2	0.0			summer	0	
		Total	27	7.4			Total	0	
	Lost Creek					Morrell Creek			
		summer	2	50.0			summer	1	0.0
		winter	1	100.0			Total	1	0.0

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
2	Morrell Lake				2		Total	2	100.0
		summer	1	0.0		Placid Lake			
		Total	1	0.0			summer	17	35.3
	Mt Ben Lake						winter	3	33.3
		winter	1	0.0			Total	20	35.0
		Total	1	0.0		Racetrack Creek			
	Mud Lake						summer	3	33.3
		summer	1	0.0			Total	3	33.3
		Total	1	0.0		Racetrack Lake			
	N Fk Blackfoot River						summer	6	33.3
		summer	22	4.5			winter	1	0.0
		winter	1	0.0			Total	7	28.6
		Total	23	4.3		Rainbow Lake			
	N Fk Flint Creek						summer	2	0.0
		summer	8	12.5			Total	2	0.0
		Total	8	12.5		Rainy Lake			
	Nelson Lake						summer	13	30.8
		summer	2	100.0			winter	1	0.0
		Total	2	100.0			Total	14	28.6
	Nevada Creek					Rattlesnake Creek			
		summer	4	75.0			summer	5	40.0
		winter	1	100.0			winter	2	0.0
		Total	5	80.0			Total	7	28.6
	Nevada Lake					Roaring Lion Creek			
		summer	10	60.0			summer	2	50.0
		winter	3	66.7			Total	2	50.0
		Total	13	61.5		Rock Creek			
	Nez Perce Fork Bitterroot R						summer	75	8.0
		summer	4	0.0			winter	1	100.0
		Total	4	0.0			Total	76	9.2
	Ninemile Creek					Rock Creek Lake			
		summer	9	22.2			summer	2	50.0
		Total	9	22.2			Total	2	50.0
	Ontario Creek					Rock Creek Sec 01			
		summer	3	66.7			summer	121	4.1
		Total	3	66.7			winter	34	0.0
	Ophir Creek						Total	155	3.2
		summer	1	100.0		Rock Creek Sec 02			
		Total	1	100.0			summer	76	6.6
	Oregon Lake						winter	8	0.0
		summer	5	60.0			Total	84	6.0
		Total	5	60.0		Roman Creek			
	Overwhich Creek						summer	1	100.0
		summer	2	50.0			Total	1	100.0
		Total	2	50.0		Ross Fork Rock Creek			
	Owl Creek						summer	1	100.0
		summer	2	0.0			Total	1	100.0
		Total	2	0.0		S Fk Fish Creek			
	Painted Rocks Lake						summer	1	100.0
		summer	10	20.0			Total	1	100.0
		winter	2	0.0		Salmon Lake			
		Total	12	16.7			summer	52	34.6
	Pebble Creek						winter	7	57.1
		summer	1	0.0			Total	59	37.3
		Total	1	0.0		Sand Basin Creek			
	Petty Creek						summer	2	0.0
		summer	2	100.0			Total	2	0.0

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
2	Seeley Lake				2		summer	2	50.0
		summer	52	25.0			Total	2	50.0
		winter	10	20.0		Swartz Creek			
	Total		62	24.2			summer	1	0.0
	Sheafman Creek						Total	1	0.0
		summer	1	100.0		Sweathouse Creek			
	Total		1	100.0			summer	1	100.0
	Sidney Lake						Total	1	100.0
		summer	1	0.0		Sweeney Creek			
	Total		1	0.0			summer	1	100.0
	Silver Lake						Total	1	100.0
		summer	1	100.0		Tamarack Lake			
		winter	1	0.0			summer	4	25.0
	Total		2	50.0			Total	4	25.0
	Skalkaho Creek					Tenmile Lakes			
		summer	19	10.5			summer	1	0.0
	Total		19	10.5			Total	1	0.0
	Sleeping Child Creek					Thompson Lakes			
		summer	4	0.0			summer	1	0.0
	Total		4	0.0			Total	1	0.0
	Snowbank Lake					Threemile Creek			
		summer	1	0.0			summer	2	0.0
	Total		1	0.0			Total	2	0.0
	Snowshoe Creek					Tincup Creek			
		summer	1	100.0			summer	3	33.3
	Total		1	100.0			Total	3	33.3
	South Fork Lake					Tincup Lake			
		summer	1	100.0			summer	1	100.0
	Total		1	100.0			Total	1	100.0
	Spook Lake					Trail Creek			
		summer	1	100.0			summer	1	100.0
	Total		1	100.0			Total	1	100.0
	Spotted Dog Creek					Trapper Creek			
		summer	1	0.0			summer	3	0.0
	Total		1	0.0			Total	3	0.0
	Spring Gulch					Trask Lake #6			
		summer	1	0.0			summer	1	0.0
	Total		1	0.0			Total	1	0.0
	Spud Lake					Trout Creek			
		summer	1	100.0			summer	3	33.3
	Total		1	100.0			Total	3	33.3
	St Regis River					Twin Lakes			
		summer	19	10.5			summer	3	0.0
	Total		19	10.5			Total	3	0.0
	St. Regis Community Park					Upper Cottonwood Lake			
		summer	1	0.0			summer	1	100.0
	Total		1	0.0			Total	1	100.0
	Stewart Lake					Upper Willow Creek			
		summer	1	0.0			summer	1	0.0
	Total		1	0.0			Total	1	0.0
	Stony Creek					Upsata Lake			
		summer	1	100.0			summer	14	21.4
	Total		1	100.0			Total	14	21.4
	Storm Lake					W Fk Bitterroot River			
		summer	6	16.7			summer	68	11.8
	Total		6	16.7			winter	9	11.1
	Surveyor Lake						Total	77	11.7

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
2	W Fk Bitterroot River Trib				3		Total	1	0.0
		summer	1	100.0		Axolotl Lake #4	summer	1	100.0
		Total	1	100.0			Total	1	100.0
	W Fk Rock Creek					Bacon Rind Creek	summer	1	0.0
		summer	1	100.0			Total	1	0.0
		Total	1	100.0		Baker Creek	summer	4	0.0
	Warm Springs Creek						Total	4	0.0
		summer	13	7.7		Barrett Creek	summer	1	100.0
		winter	3	33.3			Total	1	100.0
		Total	16	12.5		Basin Creek	summer	2	50.0
	Warm Springs Kids Pond						Total	2	50.0
		summer	6	0.0		Battle Creek	summer	1	100.0
		Total	6	0.0			Total	1	100.0
	Watchtower Creek					Bear Creek	summer	3	0.0
		summer	1	100.0			Total	3	0.0
		Total	1	100.0		Bear Lake	summer	1	0.0
	Whetstone Lake						Total	1	0.0
		summer	2	0.0		Beartrap Canyon Creek	winter	1	0.0
		Total	2	0.0			Total	1	0.0
	Willow Creek					Beaver Creek	summer	4	50.0
		summer	2	100.0			winter	1	0.0
		winter	1	0.0			Total	5	40.0
		Total	3	66.7		Beaverhead River	summer	157	19.1
	Willow Creek Res, Lower						winter	22	27.3
		summer	5	80.0			Total	179	20.1
		winter	1	0.0		Beaverhead River Drainage	summer	6	16.7
		Total	6	66.7			winter	2	0.0
3							Total	8	12.5
	Ajax Lake					Beef Straight Creek	summer	1	0.0
		summer	2	0.0			Total	1	0.0
		Total	2	0.0		Bell Lake	summer	1	100.0
	Albino Lake						Total	1	100.0
		summer	1	0.0		Ben Hart Creek	summer	2	0.0
		Total	1	0.0			Total	2	0.0
	Albro Lake					Berry Creek	summer	1	0.0
		summer	1	0.0			Total	1	0.0
		Total	1	0.0		Big Creek	summer	8	25.0
	Alder Creek						Total	8	25.0
		summer	3	66.7					
		Total	3	66.7					
	Alder Gulch Creek								
		summer	3	33.3					
		Total	3	33.3					
	Alkali Creek								
		summer	1	0.0					
		Total	1	0.0					
	Anderson Creek								
		summer	1	100.0					
		Total	1	100.0					
	Armstrong Spring Creek								
		summer	38	0.0					
		winter	15	0.0					
		Total	53	0.0					
	Avalanche Lake								
		summer	1	0.0					
		Total	1	0.0					
	Axolotl Lake #1								
		summer	1	0.0					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
3	Big Hole River Drainage				3		summer	41	26.8
		summer	5	20.0			winter	6	16.7
		Total	5	20.0			Total	47	25.5
	Big Hole River Sec 01					Bozeman Creek			
		summer	273	11.7			summer	7	14.3
		winter	34	20.6			winter	1	100.0
		Total	307	12.7			Total	8	25.0
	Big Hole River Sec 02					Brackett Creek			
		summer	197	9.6			summer	8	25.0
		winter	13	0.0			Total	8	25.0
		Total	210	9.0		Branham Lakes			
	Big Hole River Sec 03						summer	6	66.7
		summer	43	20.9			Total	6	66.7
		winter	5	20.0		Bridger Creek			
		Total	48	20.8			summer	6	16.7
	Big Sheep Creek						Total	6	16.7
		summer	9	33.3		Brownes Lake			
		Total	9	33.3			summer	7	42.9
	Big Swamp Creek						winter	1	0.0
		summer	1	100.0			Total	8	37.5
		Total	1	100.0		Buffalo Horn Creek			
	Billy Creek						summer	2	0.0
		summer	2	0.0			Total	2	0.0
		Total	2	0.0		Bull Creek			
	Bison Creek						summer	1	100.0
		summer	1	0.0			winter	1	100.0
		Total	1	0.0			Total	2	100.0
	Black Lion Lake					Cache Creek			
		summer	1	0.0			summer	2	0.0
		Total	1	0.0			Total	2	0.0
	Blacktail Deer Creek					Camp Creek			
		summer	9	88.9			summer	3	33.3
		winter	2	50.0			Total	3	33.3
		Total	11	81.8		Canyon Creek			
	Blacktail Meadows Kids Pond						summer	1	0.0
		summer	0				Total	1	0.0
		winter	3	33.3		Canyon Lake			
		Total	3	33.3			summer	1	0.0
	Bloody Dick Creek						Total	1	0.0
		summer	8	50.0		Cataract Lake			
		Total	8	50.0			summer	2	50.0
	Blue Lake						Total	2	50.0
		summer	1	0.0		Cedar Lake			
		Total	1	0.0			summer	1	0.0
	Bobcat Lake						Total	1	0.0
		summer	1	100.0		Charlie White Lake			
		Total	1	100.0			summer	2	50.0
	Bobs Lake						Total	2	50.0
		summer	1	0.0		Cherry Creek			
		Total	1	0.0			summer	1	0.0
	Bond Lake						Total	1	0.0
		summer	1	0.0		Cherry Creek Pond			
		Total	1	0.0			winter	1	0.0
	Boulder Creek						Total	1	0.0
		winter	1	0.0		Chiquita Lake			
		Total	1	0.0			summer	1	0.0
	Boulder River						Total	1	0.0

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
3	Clark Canyon	summer	4	25.0	3	Delano Creek	winter	1	0.0
		Total	4	25.0			Total	1	0.0
	Clark Canyon Reservoir	summer	34	47.1		Delmo Lake	summer	15	33.3
		winter	16	31.3			winter	5	60.0
		Total	50	42.0			Total	20	40.0
	Clear Creek	summer	1	0.0		Diamond Lake	summer	3	33.3
		Total	1	0.0			Total	3	33.3
	Cliff Lake	summer	25	36.0		Divide Creek	summer	2	0.0
		winter	1	0.0			Total	2	0.0
		Total	26	34.6		Dry Creek	summer	5	40.0
	Coffin Lakes	summer	3	33.3			Total	5	40.0
		Total	3	33.3		Duck Creek	summer	9	33.3
	Corral Creek	winter	1	0.0			Total	9	33.3
		Total	1	0.0		Dutchman Lake, Lower	summer	0	
	Cottonwood Creek	summer	1	0.0			Total	0	
		Total	1	0.0		E Fk Blacktail Deer Creek	summer	1	0.0
	Cottonwood Lake	summer	1	0.0			Total	1	0.0
		Total	1	0.0		E Fk Mill Creek	summer	2	0.0
	Cougar Creek	summer	1	0.0			Total	2	0.0
		Total	1	0.0		Earthquake Lake	summer	29	24.1
	Cow Bone Lake	summer	2	50.0			winter	1	0.0
		Total	2	50.0			Total	30	23.3
	Crazy Mountain Ranch Pond	summer	5	0.0		East Gallatin River	summer	47	19.1
		winter	3	0.0			winter	20	10.0
		Total	8	0.0			Total	67	16.4
	Crescent Lake	summer	1	100.0		Elbow Lake	summer	1	100.0
		Total	1	100.0			Total	1	100.0
	Crow Creek	summer	6	16.7		Elk Lake	summer	6	16.7
		winter	1	100.0			winter	1	0.0
		Total	7	28.6			Total	7	14.3
	Crow Creek Lakes	summer	1	100.0		Elkhorn Creek	summer	1	0.0
		Total	1	100.0			Total	1	0.0
	Dailey Lake	summer	15	53.3		Emerald Lake	summer	5	0.0
		winter	4	25.0			Total	5	0.0
		Total	19	47.4		Ennis Lake	summer	40	30.0
	Deep Creek	summer	13	69.2			winter	2	0.0
		winter	2	0.0			Total	42	28.6
		Total	15	60.0		Estler Lake	summer	2	50.0
	Deep Lake	summer	1	0.0			Total	2	50.0
		Total	1	0.0					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
3	Fairy Lake				3		Total	1	0.0
		summer	9	22.2		Gorge Lake	summer	3	33.3
		Total	9	22.2			Total	3	33.3
	Fawn Lake					Granite Lake	summer	1	0.0
		summer	1	0.0			Total	1	0.0
		Total	1	0.0		Grasshopper Creek	summer	11	45.5
	Ferguson Lake						Total	11	45.5
		summer	1	0.0		Grayling Creek	summer	3	0.0
		Total	1	0.0			Total	3	0.0
	Fire Lake					Grayling Lake	summer	0	
		summer	1	0.0			Total	0	
		Total	1	0.0		Hamby Creek	summer	1	0.0
	Fish & Game Hdq Pond #1						Total	1	0.0
		summer	16	18.8		Harkness Lake	summer	3	33.3
		winter	5	40.0			Total	3	33.3
		Total	21	23.8		Haypress Lake	summer	6	33.3
	Fish Creek						Total	6	33.3
		summer	2	0.0		Hebgen Lake	summer	216	43.1
		Total	2	0.0			winter	15	60.0
	Fishtrap Creek						Total	231	44.2
		summer	3	100.0		Hell Roaring Creek	summer	1	100.0
		Total	3	100.0			Total	1	100.0
	Gallatin River Drainage					Hellroaring Creek	summer	2	50.0
		summer	5	20.0			Total	2	50.0
		Total	5	20.0		Hellroaring Lakes	summer	3	66.7
	Gallatin River Sec 01						Total	3	66.7
		summer	117	17.9		Hells Canyon Creek	summer	1	0.0
		winter	24	8.3			Total	1	0.0
		Total	141	16.3		Hidden Lake	summer	4	75.0
	Gallatin River Sec 02						Total	4	75.0
		summer	171	19.3		Hidden Lake #1	summer	2	0.0
		winter	38	10.5			Total	2	0.0
		Total	209	17.7		Hidden Lake #2	summer	2	0.0
	Gallatin River Sec 03						Total	2	0.0
		summer	170	9.4		Hidden Lake #3	summer	1	0.0
		winter	20	10.0			Total	1	0.0
		Total	190	9.5		Hidden Lake #4	summer	1	0.0
	Gardner River						Total	1	0.0
		summer	4	0.0					
		winter	1	0.0					
		Total	5	0.0					
	Gibbon River								
		summer	3	0.0					
		winter	1	0.0					
		Total	4	0.0					
	Glen Lake								
		summer	13	46.2					
		winter	3	0.0					
		Total	16	37.5					
	Golden Trout Lake #1								
		summer	1	0.0					
		Total	1	0.0					
	Golden Trout Lake #2								
		summer	3	0.0					
		Total	3	0.0					
	Golden Trout Lake #3								
		summer	1	0.0					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
3	Hidden Lake #5				3	Total		2	100.0
	summer	1	0.0		Jackson Lake	summer	1	100.0	
	Total	1	0.0		Total	1	100.0		
	Hidden Lake #6				Jefferson River	summer	57	14.0	
	summer	2	0.0		winter	21	28.6		
	Total	2	0.0		Total	78	17.9		
	Hidden Lake #7				Jefferson River Drainage	summer	3	33.3	
	summer	1	0.0		Total	3	33.3		
	Total	1	0.0		Jerome Rock Lake	summer	2	0.0	
	Higgins Reservoir				Total	2	0.0		
	winter	1	100.0		Jerry Creek	summer	2	50.0	
	Total	1	100.0		Total	2	50.0		
	High Lake				Kelley Reservoir	summer	3	33.3	
	summer	0			Total	3	33.3		
	Total	0			Kelly Creek	summer	0		
	Homestake Lake				Total	0			
	summer	3	33.3		Knox Lake	summer	2	0.0	
	winter	2	50.0		Total	2	0.0		
	Total	5	40.0		Lake Agnes	summer	5	20.0	
	Hopkins Lake				Total	5	20.0		
	summer	1	0.0		Lake Cameron	summer	6	83.3	
	Total	1	0.0		winter	1	0.0		
	Horse Prairie Creek				Total	7	71.4		
	summer	3	66.7		Lake Levinsky	summer	3	33.3	
	Total	3	66.7		Total	3	33.3		
	Hunter Creek				Lake Solitude	summer	1	0.0	
	summer	1	100.0		Total	1	0.0		
	Total	1	100.0		Lamarche Creek	summer	1	100.0	
	Hyalite Creek				Total	1	100.0		
	summer	1	0.0		Lava Lake	summer	8	12.5	
	Total	1	0.0		Total	8	12.5		
	Hyalite Creek Sec 01				Ledford Creek	summer	1	100.0	
	summer	31	19.4		Total	1	100.0		
	winter	3	33.3		Lena Lake	summer	2	0.0	
	Total	34	20.6		Total	2	0.0		
	Hyalite Creek Sec 02				Lewis Creek	summer	1	0.0	
	summer	2	50.0		Total	1	0.0		
	winter	1	0.0		Lily Lake	summer	1	100.0	
	Total	3	33.3		Total	1	100.0		
	Hyalite Lake								
	summer	11	45.5						
	Total	11	45.5						
	Hyalite Reservoir								
	summer	89	36.0						
	winter	9	22.2						
	Total	98	34.7						
	Indian Creek								
	summer	4	0.0						
	Total	4	0.0						
	Indian Road Pond								
	summer	1	100.0						
	Total	1	100.0						
	Jack Creek								
	summer	1	0.0						
	Total	1	0.0						
	Jackson Creek								
	summer	2	100.0						

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
3	Lion Lake				3		Total	1	100.0
		summer	1	0.0		Mile Creek			
		Total	1	0.0			summer	1	0.0
	Little Beaver Creek						Total	1	0.0
		summer	1	0.0		Mill Creek			
		Total	1	0.0			summer	17	11.8
	Little Boulder River						winter	1	0.0
		summer	2	100.0			Total	18	11.1
		Total	2	100.0		Miner Creek			
	Little Lake Creek						summer	3	66.7
		summer	1	0.0			Total	3	66.7
		Total	1	0.0		Miner Lake			
	Little Lake, Lower						summer	12	25.0
		summer	1	0.0			Total	12	25.0
		Total	1	0.0		Minneopa Lake			
	Livingston Pond						summer	1	0.0
		summer	1	0.0			Total	1	0.0
		Total	1	0.0		Mission Creek			
	Long Creek						summer	5	0.0
		summer	1	0.0			Total	5	0.0
		Total	1	0.0		Missouri River Drainage			
	Louise Lake						summer	1	0.0
		summer	2	0.0			Total	1	0.0
		Total	2	0.0		Missouri River Sec 11			
	Lump Gulch						summer	12	25.0
		summer	1	100.0			winter	10	20.0
		winter	1	100.0			Total	22	22.7
		Total	2	100.0		Missouri River Sec 12			
	M Fk Fishtrap Creek						summer	10	10.0
		summer	1	0.0			winter	5	0.0
		Total	1	0.0			Total	15	6.7
	M Fk W Fk Gallatin River					Moose Creek			
		summer	1	0.0			summer	3	33.3
		Total	1	0.0			Total	3	33.3
	Madison River Drainage					Mulherin Creek			
		summer	3	0.0			summer	1	0.0
		Total	3	0.0			Total	1	0.0
	Madison River Sec 01					Mussigbrod Creek			
		summer	335	7.8			summer	4	75.0
		winter	73	9.6			Total	4	75.0
		Total	408	8.1		Mussigbrod Lake			
	Madison River Sec 02						summer	7	28.6
		summer	660	3.8			Total	7	28.6
		winter	65	3.1		Mystic Lake			
		Total	725	3.7			summer	6	83.3
	Madison River Sec 03						Total	6	83.3
		summer	96	6.3		N Fk Big Hole River			
		winter	16	6.3			summer	3	33.3
		Total	112	6.3			Total	3	33.3
	Maney Lake					N Fk W Fk Gallatin River			
		summer	1	0.0			summer	2	0.0
		Total	1	0.0			Total	2	0.0
	Margo Lake					Nelson Spring Creek			
		summer	1	0.0			summer	8	0.0
		Total	1	0.0			winter	2	0.0
	McClellan Creek						Total	10	0.0
		summer	1	100.0					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
3	Nez Perce Creek				3		Total	15	46.7
		summer	1	0.0		Rat Lake			
	Total		1	0.0			summer	4	0.0
	North Meadow Creek					Total		4	0.0
		summer	2	100.0		Rattlesnake Creek			
	Total		2	100.0			summer	1	100.0
	Odell Creek					Total		1	100.0
		summer	1	0.0		Red Rock Creek			
	Total		1	0.0			summer	6	50.0
	O'Dell Creek					Total		6	50.0
		summer	3	0.0		Red Rock River Sec 01			
	Total		3	0.0			summer	7	57.1
	O'Dell Lake					Total		7	57.1
		summer	1	100.0		Red Rock River Sec 02			
	Total		1	100.0			summer	1	0.0
	Oreamnos Lake					Total		1	0.0
		summer	1	0.0		Reese Creek			
	Total		1	0.0			summer	1	0.0
	Park Lake					Total		1	0.0
		summer	2	50.0		Reservoir Lake			
	Total		2	50.0			summer	5	60.0
	Pear Lake					Total		5	60.0
		summer	3	66.7		Ridge Lake			
	Total		3	66.7			summer	1	0.0
	Peterson Lake					Total		1	0.0
		summer	1	0.0		Rock Creek			
	Total		1	0.0			summer	9	22.2
	Pettengill Creek					Total		9	22.2
		summer	1	100.0		Rock Lake			
	Total		1	100.0			summer	1	100.0
	Pigeon Creek					Total		1	100.0
		summer	1	0.0		Rocky Creek			
	Total		1	0.0			summer	4	0.0
	Pine Creek					Total		4	0.0
		summer	3	0.0		Romy Lake			
	Total		3	0.0			summer	1	0.0
	Pine Creek Lake					Total		1	0.0
		summer	2	50.0		Ruby Creek			
	Total		2	50.0			summer	1	0.0
	Pintlar Creek						winter	1	100.0
		summer	2	0.0		Total		2	50.0
	Total		2	0.0		Ruby River Reservoir			
	Pintlar Lake						summer	30	70.0
		summer	4	0.0			winter	20	55.0
	Total		4	0.0		Total		50	64.0
	Poindexter Slough					Ruby River Sec 01			
		summer	10	20.0			summer	74	13.5
	Total		10	20.0			winter	17	5.9
	Poison Creek					Total		91	12.1
		summer	1	0.0		Ruby River Sec 02			
	Total		1	0.0			summer	13	7.7
	Potosi Spring Ck						winter	1	0.0
		summer	2	50.0		Total		14	7.1
	Total		2	50.0		S Fk Madison River			
	Prickly Pear Creek						summer	5	0.0
		summer	14	50.0			winter	4	75.0
		winter	1	0.0		Total		9	33.3

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
3	S Fk W Fk Gallatin River	summer	1	0.0	3	South Cottonwood Creek	summer	4	75.0
		Total	1	0.0			Total	4	75.0
	Sailor Lakes	summer	1	0.0		South Meadow Creek	summer	1	100.0
		Total	1	0.0			Total	1	100.0
	Sand Lake	summer	1	100.0		South Meadow Creek Lake	summer	2	50.0
		winter	1	0.0			Total	2	50.0
		Total	2	50.0		South Willow Creek	summer	3	0.0
	Sawtooth Lake	summer	3	66.7			Total	3	0.0
		Total	3	66.7		Spanish Creek	summer	2	50.0
	Schultz Lake	winter	1	100.0			Total	2	50.0
		Total	1	100.0		Spanish Lakes	summer	4	25.0
	Second Lower Falls Crk Lake	summer	1	0.0			Total	4	25.0
		Total	1	0.0		Spring Creek	summer	3	0.0
	Selway Creek	summer	2	100.0			winter	2	0.0
		Total	2	100.0			Total	5	0.0
	Seymour Creek	summer	2	0.0		Squaw Creek	summer	7	28.6
		Total	2	0.0			Total	7	28.6
	Seymour Lake	summer	3	0.0		Steel Creek	summer	1	0.0
		Total	3	0.0			Total	1	0.0
	Sheep Creek	summer	1	0.0		Sureshot Lakes	summer	5	40.0
		Total	1	0.0			Total	5	40.0
	Shields River Sec 01	summer	9	22.2		Swamp Creek	summer	2	50.0
		winter	3	0.0			Total	2	50.0
		Total	12	16.7		Swan Creek	summer	1	0.0
	Shields River Sec 02	summer	7	28.6			Total	1	0.0
		winter	3	33.3		Sweetwater Creek	winter	1	100.0
		Total	10	30.0			Total	1	100.0
	Shields River Sec 03	summer	3	33.3		Tallus Lake	summer	1	100.0
		Total	3	33.3			Total	1	100.0
	Sixteenmile Creek	summer	12	33.3		Taylor Fork Gallatin River	summer	10	20.0
		Total	12	33.3			Total	10	20.0
	Smeller Lake	summer	1	100.0		Teddy Creek	summer	1	100.0
		Total	1	100.0			Total	1	100.0
	Smith Creek	summer	2	0.0		Tendoy Creek	summer	1	100.0
		Total	2	0.0			Total	1	100.0
	Sourdough Creek	summer	1	100.0		Tendoy Lake	summer	1	100.0
		Total	1	100.0			Total	1	100.0
	South Boulder River	summer	4	50.0					
		Total	4	50.0					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
3	Thayer Creek				3	W Fk Madison River			
		summer	4	100.0			summer	5	20.0
		Total	4	100.0			winter	1	0.0
	Thompson Lake						Total	6	16.7
		summer	3	66.7		W Fk Mill Creek			
		Total	3	66.7			winter	1	0.0
	Three Forks Pond						Total	1	0.0
		summer	11	9.1		W Fk Ruby River			
		Total	11	9.1			summer	2	0.0
	Tizer Lake, Lower						Total	2	0.0
		summer	1	0.0		Wade Lake			
		Total	1	0.0			summer	21	38.1
	Tom Miner Creek						winter	2	50.0
		summer	3	0.0			Total	23	39.1
		Total	3	0.0		Wapiti Creek			
	Toomey Creek						summer	1	100.0
		winter	1	0.0			Total	1	100.0
		Total	1	0.0		Warm Springs Creek			
	Toston Reservoir						summer	2	50.0
		summer	1	0.0			Total	2	50.0
		Total	1	0.0		Washington Creek			
	Trail Creek						summer	1	0.0
		summer	7	14.3			Total	1	0.0
		Total	7	14.3		Waukena Lake			
	Twelvemile Creek						summer	0	
		summer	1	0.0			Total	0	
		Total	1	0.0		Whitehall Community Pond			
	Twin Lake						summer	2	50.0
		winter	1	0.0			Total	2	50.0
		Total	1	0.0		Whitetail Creek			
	Twin Lakes						summer	2	100.0
		summer	12	25.0			Total	2	100.0
		Total	12	25.0		Whitetail Reservoir			
	Ulerys Lake						summer	1	100.0
		summer	1	0.0			Total	1	100.0
		Total	1	0.0		Willow Creek			
	Undesignated Waters R3						summer	5	20.0
		summer	1	0.0			winter	1	0.0
		Total	1	0.0			Total	6	16.7
	Upper S Fk Crow Creek Lake					Willow Creek Reservoir			
		summer	3	66.7			summer	26	15.4
		Total	3	66.7			winter	10	30.0
	Upper Seymour Lake						Total	36	19.4
		summer	1	100.0		Wise River			
		Total	1	100.0			summer	33	18.2
	Vigilante Pond						Total	33	18.2
		summer	1	100.0		Wyman Creek			
		Total	1	100.0			summer	2	50.0
	Virginia Lake						Total	2	50.0
		summer	2	50.0		Yellowstone River Dr			
		Total	2	50.0			summer	11	9.1
	W Fk Blacktail Deer Creek						Total	11	9.1
		summer	1	100.0		Yellowstone River Drainage			
		Total	1	100.0			summer	1	0.0
	W Fk Gallatin River						Total	1	0.0
		winter	1	0.0					
		Total	1	0.0					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
3	Yellowstone River Sec 07b				4		Total	1	100.0
		summer	67	22.4		Bynum Reservoir			
		winter	19	0.0			summer	1	100.0
		Total	86	17.4			Total	1	100.0
	Yellowstone River Sec 08					Camas Creek			
		summer	246	11.8			summer	1	0.0
		winter	63	11.1			Total	1	0.0
		Total	309	11.7		Cameron Reservoir			
	Yellowstone River Sec 09						summer	5	80.0
		summer	193	7.8			winter	1	100.0
		winter	41	22.0			Total	6	83.3
		Total	234	10.3		Canyon Ferry Reservoir			
	Yellowstone River Sec 10						summer	366	48.4
		summer	71	9.9			winter	72	36.1
		winter	18	33.3			Total	438	46.3
		Total	89	14.6		Carter Pond - Lower			
4							summer	5	80.0
	Ackley Lake						Total	5	80.0
		summer	35	51.4		Carter Pond - Upper			
		winter	5	80.0			summer	4	75.0
		Total	40	55.0			Total	4	75.0
	Badger Creek					Casino Creek Reservoir			
		summer	3	0.0			summer	5	0.0
		Total	3	0.0			winter	2	0.0
	Bair Reservoir						Total	7	0.0
		summer	6	50.0		Chamberlain Creek			
		winter	2	0.0			summer	2	0.0
		Total	8	37.5			Total	2	0.0
	Bean Lake					Checkerboard Creek			
		summer	2	0.0			summer	1	0.0
		winter	1	100.0			Total	1	0.0
		Total	3	33.3		Checkerboard Gulch			
	Beaver Creek						summer	1	0.0
		summer	4	25.0			Total	1	0.0
		Total	4	25.0		Cooper Lake			
	Belt Creek						summer	1	0.0
		summer	43	30.2			Total	1	0.0
		winter	2	50.0		Cottonwood Creek			
		Total	45	31.1			summer	1	0.0
	Benchmark Creek						Total	1	0.0
		summer	1	0.0		Cripps Pond			
		Total	1	0.0			winter	1	100.0
	Big Casino Creek						Total	1	100.0
		summer	1	0.0		Crystal Lake			
		Total	1	0.0			summer	2	0.0
	Big George Gulch						Total	2	0.0
		summer	1	100.0		Cut Bank Creek Sec 01			
		Total	1	100.0			summer	2	50.0
	Big Spring Creek Sec 01						Total	2	50.0
		summer	17	5.9		Cut Bank Creek Sec 02			
		winter	1	0.0			summer	3	33.3
		Total	18	5.6			Total	3	33.3
	Big Spring Creek Sec 02					Cut Rock Creek			
		summer	39	15.4			summer	1	100.0
		winter	6	16.7			Total	1	100.0
		Total	45	15.6					
	Birch Creek								
		summer	1	100.0					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
4	Dearborn River				4		summer	2	100.0
		summer	24	33.3			Total	2	100.0
		winter	4	0.0		Fourmile Creek	summer	1	0.0
		Total	28	28.6			Total	1	0.0
	Dog Creek					Giant Springs Fishing Pond	summer	2	0.0
		summer	2	0.0			Total	2	0.0
		Total	2	0.0		Gibson Reservoir	summer	7	71.4
	Drag Creek Reservoir						winter	1	100.0
		summer	1	100.0			Total	8	75.0
		Total	1	100.0		Gipsy Lake	summer	3	33.3
	Dry Fork Belt Creek						Total	3	33.3
		summer	2	50.0		Gold Creek	summer	1	100.0
		Total	2	50.0			Total	1	100.0
	Dry Wolf Creek					Goose Lake	summer	1	0.0
		summer	1	0.0			winter	1	100.0
		Total	1	0.0			Total	2	50.0
	Duck Lake					Gordon Lake	summer	1	100.0
		summer	20	55.0			Total	1	100.0
		winter	10	40.0		Graveyard Gulch	summer	1	0.0
		Total	30	50.0			Total	1	0.0
	Dupuyer Creek					Hanson Creek Reservoir	summer	14	42.9
		summer	1	100.0			winter	1	100.0
		Total	1	100.0			Total	15	46.7
	E Fk Big Spring Creek					Hardy Creek	summer	2	50.0
		summer	1	0.0			Total	2	50.0
		Total	1	0.0		Harley Creek	summer	1	0.0
	E Fk Spring Creek						Total	1	0.0
		summer	1	100.0		Hauser Lake	summer	199	46.2
		Total	1	100.0			winter	44	47.7
	E Fk Spring Creek Reservoir						Total	243	46.5
		summer	5	40.0		Helena Valley Reg Reservoir	summer	9	44.4
		winter	1	0.0			Total	9	44.4
		Total	6	33.3		Hidden Lake	summer	3	0.0
	Edith Lake						winter	1	0.0
		summer	1	0.0			Total	4	0.0
		Total	1	0.0		Highwood Creek	summer	15	73.3
	Elk Creek						Total	15	73.3
		summer	2	0.0		Holter Lake	summer	298	55.7
		Total	2	0.0			winter	60	66.7
	Eureka Reservoir						Total	358	57.5
		summer	15	60.0					
		winter	1	100.0					
		Total	16	62.5					
	Eyraud Lake								
		summer	2	50.0					
		winter	1	0.0					
		Total	3	33.3					
	Flat Creek								
		summer	4	50.0					
		Total	4	50.0					
	Flatwillow Creek								
		summer	1	100.0					
		Total	1	100.0					
	Ford Creek								
		summer	1	100.0					
		Total	1	100.0					
	Forest Lake								

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
4	Hoover Creek				4	Total		29	27.6
		summer	1	0.0		Logging Creek			
	Total		1	0.0		summer	2	50.0	
	Hope Lake					Total	2	50.0	
		summer	4	25.0		Lost Fork M Fk Judith River			
		winter	3	66.7		summer	1	100.0	
	Total		7	42.9		Total	1	100.0	
	Hound Creek					Lower Mission Lake			
		summer	5	20.0		summer	3	33.3	
		winter	1	0.0		winter	1	100.0	
	Total		6	16.7		Total	4	50.0	
	Hungry Man Creek					Lower St Mary Lake			
		summer	1	100.0		summer	2	0.0	
	Total		1	100.0		Total	2	0.0	
	Jefferson Creek					M Fk Judith River			
		summer	5	20.0		summer	3	33.3	
	Total		5	20.0		Total	3	33.3	
	Judith River Sec 02					M Fk Milk River			
		summer	13	46.2		summer	1	0.0	
		winter	1	100.0		Total	1	0.0	
	Total		14	50.0		Marias River Drainage			
	Jumping Creek					summer	3	33.3	
		summer	2	50.0		winter	1	0.0	
	Total		2	50.0		Total	4	25.0	
	Keep Cool Reservoir					Marias River Sec 01			
		winter	1	0.0		summer	17	47.1	
	Total		1	0.0		winter	3	33.3	
	Kennedy Creek					Total	20	45.0	
		summer	1	100.0		Marias River Sec 02			
	Total		1	100.0		summer	7	28.6	
	Kipp Lake					winter	2	50.0	
		summer	3	0.0		Total	9	33.3	
		winter	2	100.0		Martinsdale Reservoir			
	Total		5	40.0		summer	27	51.9	
	Kolar Reservoir #1					winter	4	75.0	
		summer	1	0.0		Total	31	54.8	
	Total		1	0.0		McGee Lake			
	Kolar Reservoir #7					winter	2	0.0	
		winter	2	0.0		Total	2	0.0	
	Total		2	0.0		Middle Creek Reservoir			
	Lake Elwell					summer	1	100.0	
		summer	90	57.8		Total	1	100.0	
		winter	17	58.8		Mill Coulee			
	Total		107	57.9		summer	3	66.7	
	Lake Frances					Total	3	66.7	
		summer	74	70.3		Missouri River Drainage			
		winter	9	55.6		summer	12	41.7	
	Total		83	68.7		winter	2	50.0	
	Lake Helena					Total	14	42.9	
		summer	22	45.5		Missouri River Sec 06b			
		winter	12	33.3		summer	41	36.6	
	Total		34	41.2		winter	3	66.7	
	Lamb Creek					Total	44	38.6	
		summer	1	100.0		Missouri River Sec 07			
	Total		1	100.0		summer	60	31.7	
	Little Prickly Pear Creek					winter	13	46.2	
		summer	25	28.0		Total	73	34.2	
		winter	4	25.0					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
4	Missouri River Sec 08				4		winter	17	58.8
		summer	110	20.9			Total	73	68.5
		winter	22	36.4		O'Brien Creek			
	Total		132	23.5			summer	2	0.0
	Missouri River Sec 09						Total	2	0.0
		summer	490	12.7		O'Haire Reservoir			
		winter	102	15.7			summer	2	50.0
	Total		592	13.2			Total	2	50.0
	Missouri River Sec 10					Otter Creek			
		summer	11	36.4			summer	8	62.5
		winter	1	100.0			Total	8	62.5
	Total		12	41.7		Our Lake			
	Missouri River Sec 10a						summer	1	0.0
		summer	93	22.6			Total	1	0.0
		winter	44	34.1		Parsell Pond			
	Total		137	26.3			summer	1	100.0
	Missouri River Sec 10b						Total	1	100.0
		summer	38	18.4		Pegar Reservoir			
		winter	2	50.0			summer	1	100.0
	Total		40	20.0			Total	1	100.0
	Mitten Lake					Pelican Point Gravel Pits			
		summer	7	42.9			summer	3	0.0
		winter	2	50.0			Total	3	0.0
	Total		9	44.4		Petroleum Dam			
	Moose Creek						summer	1	0.0
		summer	4	25.0			Total	1	0.0
	Total		4	25.0		Petrolia Reservoir			
	Morony Dam Lake						summer	19	26.3
		summer	2	0.0			winter	1	0.0
	Total		2	0.0			Total	20	25.0
	Mule Creek					Phantom Coulee Reservoir			
		summer	1	0.0			summer	1	0.0
	Total		1	0.0			Total	1	0.0
	N Fk Milk River					Pishkun Reservoir			
		summer	1	0.0			summer	32	50.0
	Total		1	0.0			winter	4	75.0
	N Fk Musselshell River						Total	36	52.8
		summer	2	50.0		Pow Wow Pond			
	Total		2	50.0			winter	1	100.0
	N Fk Sheep Creek						Total	1	100.0
		summer	1	100.0		Red Poacher Creek			
	Total		1	100.0			summer	1	100.0
	N Fk Smith River						Total	1	100.0
		summer	1	100.0		Rinkers Creek			
	Total		1	100.0			summer	1	100.0
	N Fk Sun River						Total	1	100.0
		summer	3	33.3		Rock Creek			
	Total		3	33.3			summer	1	0.0
	Newlan Creek						Total	1	0.0
		summer	2	50.0		Running Wolf Creek			
		winter	1	100.0			summer	1	100.0
	Total		3	66.7			Total	1	100.0
	Newlan Creek Reservoir					S Fk Birch Creek			
		summer	55	45.5			summer	1	0.0
		winter	8	75.0			Total	1	0.0
	Total		63	49.2					
	Nilan Reservoir								
		summer	56	71.4					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
4	S Fk Flatwillow Creek				4		Total	7	85.7
		summer	1	100.0		Spring Creek			
	Total		1	100.0			summer	4	25.0
	S Fk Judith River					Total		4	25.0
		summer	6	66.7		Spring Meadow Lake			
	Total		6	66.7			summer	14	7.1
	S Fk Kennedy Creek						winter	4	25.0
		summer	1	0.0		Total		18	11.1
	Total		1	0.0		St Mary River			
	S Fk Milk River						summer	1	0.0
		summer	1	100.0		Total		1	0.0
	Total		1	100.0		Straight Creek			
	S Fk Musselshell River						summer	1	100.0
		summer	1	0.0		Total		1	100.0
	Total		1	0.0		Sun River Drainage			
	S Fk Smith River						summer	4	50.0
		summer	1	100.0			winter	1	0.0
	Total		1	100.0		Total		5	40.0
	S Fk Sun River					Sun River Sec 01			
		summer	7	14.3			summer	10	30.0
	Total		7	14.3			winter	5	0.0
	Scott Reservoir					Total		15	20.0
		summer	1	100.0		Sun River Sec 02			
	Total		1	100.0			summer	55	21.8
	Sevenmile Creek						winter	3	0.0
		summer	2	0.0		Total		58	20.7
	Total		2	0.0		Surprise Creek Reservoir			
	Sheep Creek						summer	1	100.0
		summer	13	15.4		Total		1	100.0
	Total		13	15.4		Swift Dam			
	Shel-Oole Reservoir						summer	1	0.0
		summer	2	0.0		Total		1	0.0
	Total		2	0.0		Tenderfoot Creek			
	Shonkin Creek						summer	6	50.0
		summer	2	100.0		Total		6	50.0
	Total		2	100.0		Tenmile Creek			
	Smith Creek						summer	3	0.0
		summer	1	0.0		Total		3	0.0
	Total		1	0.0		Teton River Sec 01			
	Smith River Reservoir						summer	3	33.3
		summer	17	35.3		Total		3	33.3
		winter	4	50.0		Thain Creek			
	Total		21	38.1			summer	6	83.3
	Smith River Sec 01					Total		6	83.3
		summer	22	31.8		Trout Creek			
		winter	3	0.0			summer	1	0.0
	Total		25	28.0			winter	1	0.0
	Smith River Sec 02					Total		2	0.0
		summer	79	13.9		Tunnel Lake			
		winter	7	0.0			summer	3	33.3
	Total		86	12.8		Total		3	33.3
	Smith River Sec 03					Two Medicine Lake, Lower			
		summer	48	16.7			summer	7	42.9
		winter	10	30.0		Total		7	42.9
	Total		58	19.0		Two Medicine River			
	Split Rock Lake						summer	6	16.7
		summer	7	85.7		Total		6	16.7

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
4	Urs Pond				5		winter	12	33.3
		summer	1	0.0			Total	70	20.0
	Total		1	0.0		Bighorn River Sec 02			
	Wadsworth Reservoir						summer	63	17.5
		summer	3	0.0			winter	27	14.8
	Total		3	0.0		Total		90	16.7
	Warm Springs Creek					Bighorn River Sec 03			
		summer	3	33.3			summer	334	10.5
		winter	2	0.0			winter	127	16.5
	Total		5	20.0		Total		461	12.1
	Whitetail Deer Creek					Black Canyon Lake			
		summer	1	100.0			summer	1	0.0
	Total		1	100.0		Total		1	0.0
	Willow Creek					Blacktail Lake			
		summer	2	50.0			summer	1	100.0
	Total		2	50.0		Total		1	100.0
	Willow Creek Reservoir					Blue Creek			
		summer	67	53.7			summer	1	0.0
		winter	15	60.0		Total		1	0.0
	Total		82	54.9		Blue Lake			
	Wood Lake						summer	3	0.0
		summer	12	16.7		Total		3	0.0
		winter	3	0.0		Bluewater Creek			
	Total		15	13.3			summer	3	33.3
	York Gulch						winter	2	50.0
		summer	2	0.0		Total		5	40.0
	Total		2	0.0		Boulder River Sec 01			
5							summer	92	23.9
	American Fork Creek						winter	13	7.7
		summer	1	100.0		Total		105	21.9
	Total		1	100.0		Boulder River Sec 02			
	Anita Reservoir						summer	11	18.2
		summer	3	33.3		Total		11	18.2
	Total		3	33.3		Bridge Lake			
	Antelope Creek						summer	1	0.0
		summer	1	100.0		Total		1	0.0
	Total		1	100.0		Broadwater Lake			
	Aquarius Lake						summer	1	0.0
		summer	1	100.0		Total		1	0.0
	Total		1	100.0		Browns Lake			
	Arch Lake						summer	1	100.0
		summer	3	66.7		Total		1	100.0
	Total		3	66.7		Cairn Lake			
	Basin Creek Lake						summer	1	100.0
		summer	1	0.0		Total		1	100.0
	Total		1	0.0		Campfire Lake			
	Big Moose Lake						summer	2	100.0
		summer	1	0.0		Total		2	100.0
	Total		1	0.0		Carters Coulee			
	Big Timber Creek						summer	1	100.0
		summer	4	100.0		Total		1	100.0
	Total		4	100.0		Cave Lake			
	Bighorn Lake						summer	2	50.0
		summer	51	29.4		Total		2	50.0
		winter	7	42.9		Chief Joseph Pond			
	Total		58	31.0			summer	1	100.0
	Bighorn River Sec 01					Total		1	100.0
		summer	58	17.2					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
5	Clarks Fk Yellowstone Sec 1				5	East Rosebud Creek			
		summer	6	33.3			summer	28	35.7
		winter	2	0.0			Total	28	35.7
		Total	8	25.0		East Rosebud Lake			
	Clarks Fk Yellowstone Sec 2						summer	2	0.0
		summer	14	14.3			Total	2	0.0
		winter	1	0.0		Echo Lake			
		Total	15	13.3			summer	1	0.0
	Clarks Fk Yellowstone Sec 3						Total	1	0.0
		summer	1	0.0		Elk Creek Reservoir			
		Total	1	0.0			summer	1	100.0
	Clear Creek						Total	1	100.0
		summer	2	0.0		Elk Lake			
		Total	2	0.0			summer	3	33.3
	Cliff Lake						Total	3	33.3
		summer	2	50.0		Emerald Lake			
		Total	2	50.0			summer	11	63.6
	Cooney Reservoir						Total	11	63.6
		summer	114	25.4		Faun Creek			
		winter	21	23.8			summer	1	0.0
		Total	135	25.2			Total	1	0.0
	Copeland Lake					Fiddler Creek			
		summer	1	100.0			summer	1	0.0
		Total	1	100.0			Total	1	0.0
	Crescent Lake					First Rock Creek Lake			
		summer	3	100.0			summer	1	0.0
		Total	3	100.0			Total	1	0.0
	Crooked Creek					Fishtail Creek			
		summer	1	100.0			summer	2	100.0
		Total	1	100.0			Total	2	100.0
	Curl Lake					Flatrock Lake			
		summer	1	100.0			summer	1	100.0
		Total	1	100.0			Total	1	100.0
	Deadman Creek					Fly Creek			
		summer	1	0.0			summer	1	0.0
		Total	1	0.0			Total	1	0.0
	Deadmans Basin Reservoir					Fourmile Creek			
		summer	56	39.3			summer	1	0.0
		winter	10	50.0			Total	1	0.0
		Total	66	40.9		Froze-To-Death Lake			
	Desolation Lakes						summer	2	50.0
		summer	1	0.0			Total	2	50.0
		Total	1	0.0		Glacier Lake			
	Druckmiller Lake						summer	3	0.0
		summer	3	33.3			Total	3	0.0
		Total	3	33.3		Goose Creek			
	Dry Creek						summer	1	0.0
		summer	1	100.0			Total	1	0.0
		winter	1	0.0		Goose Lake			
		Total	2	50.0			summer	4	50.0
	Duck Creek						Total	4	50.0
		summer	1	0.0		Granite Lake			
		winter	1	100.0			summer	1	0.0
		Total	2	50.0			Total	1	0.0
	East Boulder River					Green Lake			
		summer	3	33.3			summer	3	0.0
		Total	3	33.3			Total	3	0.0

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
5	Greenough Lake				5	Little Timber Creek			
		summer	18	50.0			summer	2	100.0
		Total	18	50.0			Total	2	100.0
	Hellroaring Lakes					Lodge Grass Storage Res			
		summer	7	57.1			summer	1	0.0
		Total	7	57.1			Total	1	0.0
	Island Lake					Lone Elk Lake			
		summer	4	75.0			summer	2	100.0
		Total	4	75.0			Total	2	100.0
	Jasper Lake					Lonesome Lake			
		summer	1	0.0			summer	1	100.0
		Total	1	0.0			Total	1	100.0
	Kersey Lake					Long Lake			
		summer	1	0.0			summer	1	0.0
		Total	1	0.0			Total	1	0.0
	Keyser Brown Lake					Lost Lake			
		summer	4	100.0			summer	2	0.0
		Total	4	100.0			Total	2	0.0
	Lady Of The Lake					Lower Aero Lake			
		summer	2	100.0			summer	3	66.7
		Total	2	100.0			Total	3	66.7
	Lake Abundance					Lower Arch Creek Lake			
		summer	4	25.0			summer	2	100.0
		winter	1	100.0			Total	2	100.0
		Total	5	40.0		Marker Lake			
	Lake Elmo						summer	1	0.0
		summer	32	21.9			Total	1	0.0
		winter	4	75.0		Martin Lake			
		Total	36	27.8			summer	1	0.0
	Lake Fork Rock Creek						Total	1	0.0
		summer	3	33.3		Mary Lake			
		Total	3	33.3			summer	1	100.0
	Lake Josephine						Total	1	100.0
		summer	22	0.0		Meatrack Creek			
		winter	2	0.0			summer	1	0.0
		Total	24	0.0			Total	1	0.0
	Lake Mary Creek					Moon Lake			
		summer	2	50.0			summer	1	100.0
		Total	2	50.0			Total	1	100.0
	Lake Surrender					Moose Lake			
		summer	1	0.0			summer	1	0.0
		Total	1	0.0			Total	1	0.0
	Laurel Pond					Musselshell River Drainage			
		summer	6	33.3			summer	5	40.0
		Total	6	33.3			Total	5	40.0
	Leo Lake					Musselshell River Sec 01			
		summer	1	100.0			summer	15	53.3
		Total	1	100.0			winter	1	100.0
	Lightning Lake						Total	16	56.3
		summer	3	0.0		Musselshell River Sec 02			
		Total	3	0.0			summer	14	50.0
	Little Bighorn River Sec 01						winter	2	50.0
		summer	2	0.0			Total	16	50.0
		Total	2	0.0		Mystic Lake			
	Little Bighorn River Sec 02						summer	12	75.0
		summer	3	33.3			Total	12	75.0
		Total	3	33.3					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
5	Otie Lake	winter	1	100.0	5	Shelf Lake	summer	1	100.0
	Total		1	100.0		Total		1	100.0
	Phantom Lakes	summer	1	0.0		Ship Lake	summer	1	0.0
	Total		1	0.0		Total		1	0.0
	Picasso Lake**	summer	1	100.0		Silver Lake	summer	1	100.0
	Total		1	100.0		Total		1	100.0
	Pinchot Lake	summer	2	0.0		Silver Run Creek	summer	1	0.0
	Total		2	0.0		Total		1	0.0
	Placid Lake	summer	1	0.0		Sioux Charley Lake	summer	2	50.0
	Total		1	0.0		Total		2	50.0
	Rainbow Creek	summer	2	100.0		Skytop Creek	summer	1	100.0
	Total		2	100.0		Total		1	100.0
	Rainbow Lake	summer	1	0.0		Sliderock Lake	summer	4	75.0
	Total		1	0.0		Total		4	75.0
	Rainbow Lakes	summer	2	50.0		Slough Creek	summer	9	11.1
	Total		2	50.0		Total		9	11.1
	Raven Lake	summer	1	100.0		Soda Butte Creek	summer	6	0.0
	Total		1	100.0		Total		6	0.0
	Red Lodge Creek	summer	3	33.3		Stash Lake	summer	1	100.0
	Total		3	33.3		Total		1	100.0
	Rock Creek Sec 01	summer	81	24.7		Stillwater River Sec 01	summer	183	22.4
	winter	12	16.7		winter	46	13.0		
	Total		93	23.7		Total		229	20.5
	Rock Creek Sec 02	summer	12	16.7		Stillwater River Sec 02	summer	38	13.2
	winter	1	0.0		winter	2	50.0		
	Total		13	15.4		Total		40	15.0
	Rock Island Lake	summer	4	25.0		Stillwater River Sec 03	summer	1	0.0
	Total		4	25.0		Total		1	0.0
	Rock Tree Lake	summer	2	100.0		Storm Lake, Lower	summer	1	0.0
	Total		2	100.0		Total		1	0.0
	Rosebud Creek	summer	7	42.9		Surprise Lake	summer	1	100.0
	winter	1	0.0		Total		1	100.0	
	Total		8	37.5		Swamp Lake	summer	1	0.0
	Rosebud Lake	summer	1	100.0		Total		1	0.0
	Total		1	100.0		Sweet Grass Creek	summer	2	0.0
	Rough Lake	summer	2	100.0		winter	1	0.0	
	Total		2	100.0		Total		3	0.0
	Round Lake	summer	1	0.0		Swimming Woman Creek	summer	1	100.0
	Total		1	0.0		Total		1	100.0

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
5	Sylvan Lake				5		summer	1	0.0
		summer	6	33.3			Total	1	0.0
	Total		6	33.3		Wyoming Creek			
	Thunder Lake						summer	1	0.0
		summer	1	0.0			Total	1	0.0
	Total		1	0.0		Yellowstone River Drainage			
	Timberline Creek						summer	13	30.8
		summer	1	0.0			winter	6	16.7
	Total		1	0.0			Total	19	26.3
	Timberline Lake					Yellowstone River Sec 03			
		summer	1	100.0			summer	90	37.8
	Total		1	100.0			winter	20	20.0
	Trout Lake						Total	110	34.5
		summer	1	100.0		Yellowstone River Sec 04			
	Total		1	100.0			summer	67	11.9
	Turgulse Lake						winter	18	27.8
		summer	2	0.0			Total	85	15.3
	Total		2	0.0		Yellowstone River Sec 05			
	Twin Lakes						summer	86	31.4
		summer	1	100.0			winter	16	25.0
	Total		1	100.0			Total	102	30.4
	Upper Aero Lake					Yellowstone River Sec 06			
		summer	1	100.0			summer	119	15.1
	Total		1	100.0			winter	37	24.3
	Upper Arch Creek Lake						Total	156	17.3
		summer	2	50.0		Yellowstone River Sec 07			
	Total		2	50.0			summer	2	0.0
	Vernon Lake						winter	1	0.0
		summer	2	100.0			Total	3	0.0
	Total		2	100.0		Yellowstone River Sec 07a			
	W Fk Rock Creek						summer	70	15.7
		summer	4	50.0			winter	15	13.3
	Total		4	50.0			Total	85	15.3
	W Fk Stillwater R Sec 01					Yellowtail Afterbay			
		winter	1	0.0			summer	48	52.1
	Total		1	0.0			winter	5	20.0
	Weasel Lake						Total	53	49.1
		summer	1	0.0	6	Anderson Reservoir			
	Total		1	0.0			summer	1	100.0
	West Boulder River						Total	1	100.0
		summer	18	33.3		Bailey Reservoir			
	Total		18	33.3			summer	3	0.0
	West Rosebud Creek						Total	3	0.0
		summer	18	33.3		Battle Creek			
		winter	1	100.0			summer	1	100.0
	Total		19	36.8			Total	1	100.0
	West Rosebud Lake					Bean Creek			
		summer	10	40.0			summer	1	0.0
		winter	1	0.0			Total	1	0.0
	Total		11	36.4		Bearpaw Lake			
	Wild Bill Lake						summer	49	49.0
		summer	25	28.0			winter	5	60.0
	Total		25	28.0			Total	54	50.0
	Willow Creek					Beaver Creek			
		summer	2	100.0			summer	2	50.0
	Total		2	100.0			Total	2	50.0
	Wounded Man Lake								

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
6	Beaver Creek Reservoir				6		Total	1	0.0
		summer	39	43.6		Fort Peck Lake	summer	225	57.3
		winter	7	57.1			winter	32	46.9
		Total	46	45.7			Total	257	56.0
	Beaver Creek Sec 01					Fort Peck Rearing Ponds	summer	1	100.0
		summer	22	54.5			Total	1	100.0
		winter	1	100.0		Frenchman Dam	summer	1	0.0
		Total	23	56.5			Total	1	0.0
	Beaver Creek Sec 02						summer	1	0.0
		summer	2	50.0			Total	1	0.0
		Total	2	50.0		Fresno Reservoir	summer	57	43.9
	Beaver Creek Sec 04						winter	4	100.0
		summer	1	100.0			Total	61	47.5
		Total	1	100.0		Glasgow Air Force Base Pond	summer	4	50.0
	Big Muddy Creek						Total	4	50.0
		summer	2	100.0		Grasshopper Reservoir	summer	4	50.0
		Total	2	100.0			winter	2	100.0
	Bolster Dam						Total	6	66.7
		summer	3	0.0		Home Run Pond	summer	1	0.0
		Total	3	0.0			winter	1	0.0
	Clear Creek						Total	2	0.0
		summer	1	0.0			summer	1	0.0
		Total	1	0.0			winter	1	0.0
	Cole Pond						Total	2	0.0
		summer	3	0.0		Janke Dam	summer	1	0.0
		winter	1	0.0			Total	1	0.0
		Total	4	0.0		Kuhr Reservoir	summer	5	20.0
	Cow Creek Reservoir						winter	5	80.0
		summer	2	50.0			Total	10	50.0
		Total	2	50.0		Little Box Elder Creek	summer	4	50.0
	Dredge Cut Trout Pond						winter	1	100.0
		summer	3	0.0			Total	5	60.0
		winter	1	0.0		Little Warm Reservoir	summer	1	100.0
		Total	4	0.0			Total	1	100.0
	Dry Fork Reservoir					Long Dam	summer	1	0.0
		summer	8	50.0			Total	1	0.0
		winter	1	100.0		Lyons Reservoir	winter	1	0.0
		Total	9	55.6			Total	1	0.0
	Duck Creek					McCall Lake	summer	1	100.0
		summer	1	100.0			Total	1	100.0
		Total	1	100.0		McChesney Reservoir	winter	1	100.0
	East Fork Reservoir						Total	1	100.0
		summer	1	100.0		Medicine Lake	summer	7	85.7
		winter	2	0.0			winter	1	100.0
		Total	3	33.3			Total	8	87.5
	Ester Lake								
		summer	1	100.0					
		Total	1	100.0					
	Faber Reservoir								
		summer	9	33.3					
		winter	7	71.4					
		Total	16	50.0					
	Flat Reservoir								
		summer	1	100.0					
		Total	1	100.0					
	Fort Peck Indian Reservaton								
		summer	1	0.0					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
6	Milk River Drainage	summer	3	66.7	6	Pr 018 Reservoir	summer	1	100.0
		Total	3	66.7			Total	1	100.0
	Milk River Sec 01	summer	13	61.5		Ramberg Reservoir	summer	1	0.0
		winter	7	57.1			Total	1	0.0
		Total	20	60.0		Redwater River	summer	4	75.0
	Milk River Sec 02	summer	10	0.0			Total	4	75.0
		winter	2	50.0		Rock Creek	summer	2	50.0
		Total	12	8.3			Total	2	50.0
	Milk River Sec 03	summer	15	40.0		Ross Reservoir	summer	1	0.0
		winter	2	50.0			Total	1	0.0
		Total	17	41.2		Salmo Reservoir	summer	1	100.0
	Milk River Sec 04	summer	5	40.0			Total	1	100.0
		winter	3	33.3		Schwartz Coulee	summer	2	50.0
		Total	8	37.5			Total	2	50.0
	Missouri River Drainage	summer	6	33.3		Sentinel Reservoir	summer	4	100.0
		winter	2	100.0			winter	1	100.0
		Total	8	50.0			Total	5	100.0
	Missouri River Sec 01	summer	9	55.6		Shallow Reservoir	summer	1	0.0
		winter	6	50.0			Total	1	0.0
		Total	15	53.3		Snake Butte Spring Res	summer	1	0.0
	Missouri River Sec 05	summer	22	13.6			Total	1	0.0
		winter	7	85.7		Strike Reservoir	summer	1	100.0
		Total	29	31.0			Total	1	100.0
	Missouri River Sec 06	summer	6	16.7		Taint Reservoir	summer	1	0.0
		Total	6	16.7			Total	1	0.0
	Missouri River Sec 06a	summer	93	54.8		Undesignated Waters R6	summer	1	0.0
		winter	16	62.5			Total	1	0.0
		Total	109	56.0			summer	1	0.0
	Nelson Creek	summer	1	0.0			Total	1	0.0
		Total	1	0.0		W Fk Poplar River	summer	1	0.0
	Nelson Reservoir	summer	56	87.5			Total	1	0.0
		winter	17	70.6		Whitetail Reservoir	summer	2	100.0
		Total	73	83.6			Total	2	100.0
	O'Juel Reservoir	summer	1	100.0		Winter Harbor Pond	summer	1	0.0
		Total	1	100.0			winter	1	100.0
	Poplar River Sec 01	summer	6	66.7			Total	2	50.0
		winter	1	0.0		Wold Dam	summer	1	0.0
		Total	7	57.1			Total	1	0.0
	Poplar River Sec 02	summer	1	0.0	7	Baker Lake	summer	5	0.0
		Total	1	0.0			Total	5	0.0
	Porcupine Creek	summer	1	100.0					
		Total	1	100.0					

Reg	Water Name	Season	Sample Size	Percent that Ate Fish	Reg	Water Name	Season	Sample Size	Percent that Ate Fish
7	Beardsley Lake				7	Hell Creek			
		summer	1	0.0			summer	2	0.0
		Total	1	0.0			Total	2	0.0
	Beaver Creek					Hollecker Lake			
		summer	3	0.0			summer	3	0.0
		Total	3	0.0			Total	3	0.0
	Blacks Sawmill Pond					Jason Phipps Reservoir			
		summer	1	100.0			summer	1	0.0
		Total	1	100.0			Total	1	0.0
	Blm Sec 22 Reservoir					Lee, A. G. #2 Reservoir			
		summer	1	100.0			summer	1	0.0
		Total	1	100.0			Total	1	0.0
	Boulware Reservoir					Lindsay Dam			
		summer	2	100.0			summer	1	0.0
		winter	1	100.0			Total	1	0.0
		Total	3	100.0		Missouri River Drainage			
	Castle Rock Lake						summer	1	0.0
		summer	18	55.6			Total	1	0.0
		winter	6	33.3		Mizpah Creek			
		Total	24	50.0			summer	1	0.0
	Clark Reservoir						Total	1	0.0
		summer	2	50.0		O'Fallon Creek			
		Total	2	50.0			summer	1	0.0
	Clarks Reservoir						Total	1	0.0
		summer	1	0.0		Powder River			
		Total	1	0.0			summer	7	28.6
	Clearwater Reservoir						winter	1	100.0
		summer	1	0.0			Total	8	37.5
		Total	1	0.0		Rattlesnake Reservoir			
	Colstrip Pond #2						summer	1	0.0
		summer	1	100.0			Total	1	0.0
		Total	1	100.0		Sandstone Creek			
	Colstrip Pond #3						summer	3	0.0
		summer	1	0.0			Total	3	0.0
		Total	1	0.0		Silvertip Reservoir			
	Crawford Pond						summer	2	0.0
		summer	1	0.0			Total	2	0.0
		Total	1	0.0		South Sandstone Reservoir			
	Crazy Head Springs Ponds						summer	9	55.6
		summer	1	0.0			winter	3	66.7
		Total	1	0.0			Total	12	58.3
	Donnley Reservoir					Spotted Eagle Reservoir			
		summer	1	0.0			summer	16	25.0
		Total	1	0.0			winter	5	40.0
	Gardner Reservoir						Total	21	28.6
		summer	2	50.0		Tongue River Reservoir			
		Total	2	50.0			summer	153	67.3
	Gartside Lake						winter	9	55.6
		summer	10	10.0			Total	162	66.7
		winter	6	33.3		Tongue River Sec 01			
		Total	16	18.8			summer	17	58.8
	Haughian Reservoir						winter	1	100.0
		summer	1	0.0			Total	18	61.1
		Total	1	0.0		Tongue River Sec 02			
	Haughian Reservoir #1						summer	9	44.4
		summer	1	0.0			winter	1	100.0
		Total	1	0.0			Total	10	50.0

<i>Reg</i>	<i>Water Name</i>	<i>Season</i>	<i>Sample Size</i>	<i>Percent that Ate Fish</i>	<i>Reg</i>	<i>Water Name</i>	<i>Season</i>	<i>Sample Size</i>	<i>Percent that Ate Fish</i>
7	<i>Tongue River Sec 03</i>								
		summer	20	65.0					
		winter	3	33.3					
		Total	23	60.9					
	<i>Whiteside Reservoir #1</i>								
		summer	1	100.0					
		Total	1	100.0					
	<i>Wibaux Fish Pond</i>								
		summer	1	0.0					
		Total	1	0.0					
	<i>Yellowstone River Drainage</i>								
		summer	2	50.0					
		Total	2	50.0					
	<i>Yellowstone River Sec 01</i>								
		summer	109	56.0					
		winter	16	68.8					
		Total	125	57.6					
	<i>Yellowstone River Sec 02</i>								
		summer	83	60.2					
		winter	17	17.6					
		Total	100	53.0					