

Montana Statewide Angling Pressure 2007



Montana
Fish, Wildlife & Parks

Montana

Statewide Angling Pressure

Mail Survey

2007

Prepared by:

Robert C. McFarland
Jennifer Dykstra

Montana Department of Fish, Wildlife and Parks

October 2008

INTRODUCTION

The Montana Department of Fish, Wildlife and Parks have conducted statewide angling mail surveys in the past. Bishop (1959, 1960 & 1961) conducted the first recorded mail survey of fishing pressure on a statewide basis for Montana. He found that residents fished 1,323,129 angler days, nonresident season license holders fished 60,632 angler days, and nonresident 6-day permit holders fished 40,933 angler days for the 1958 season. In 1959 residents fished 1,345,000 angler days, nonresident season license holders fished 54,000 angler days, and nonresident 6-day permit holders fished 121,000 angler days. In 1960 the third annual survey was conducted and residents fished 1,356,000 angler days, nonresident season license holders fished 53,000 angler days, and nonresident 7-day permit holders fished 112,000 angler days.

In 1968 Holton (1970) again initiated the statewide angling pressure mail survey. He found residents had fished 1,519,126 angler days, nonresident season license holders fished 69,653 angler days, and nonresident 6-day permit holders fished 161,772 angler days. Holton (1971) conducted another statewide survey for the 1969 license year. No results were reported because it was felt they were too high due to sampling problems.

In 1975, Gaffney (unpublished data) conducted a statewide survey of angling pressure by mail. He found residents fished a total of 2,314,030 angler days and nonresidents 508,034 angler days for a statewide total of 2,822,093 angler days. An attempt was made to continue that statewide survey in 1976 using the 1975 mailing lists. This did not provide adequate samples for nonresidents, so only resident pressure was obtained.

Holton (1974) stated,

"The lack of up-to-date fishing pressure information on individual waters has been a handicap in fisheries management. It is recommended that (the) evaluation of (a) mail survey to fill this need be accomplished as soon as feasible."

The surveys were started again in 1982 and run for four consecutive years (McFarland, 1989). The statewide angling pressure ranged from 2,197,402 to 2,723,713 angler days. In 1986 the surveys were again canceled for lack of funding.

In 1989, the Montana Legislature approved funding for an "Enhanced Survey of Angling Pressure". The funding was such that the survey was to be conducted every other year. In March 1989, the statewide angling use mail survey was again re-initiated. The statewide angling pressure was estimated at 2,336,085 angler days (McFarland, 1991). From 1991 through 2005 the statewide angling use varied from 2.2 million to 3.18 million angler days (McFarland & Hughes, 1993, 1995; McFarland & Meredith 1997, 1999, 2001, 2003, McFarland & Tarum 2005, McFarland & Dykstra 2007). In 2007 the statewide angling use was estimated at 2,375,858 angling days. This was the second lowest statewide angling use total of all known surveys conducted within the state.

METHODS

The 2007 statewide angling mail pressure survey began in March of 2007 and was conducted for the license year ending in February 2008.

Samples were drawn from the Department's Automated Licensing System (ALS). There are seven types of fishing licenses available to residents: a season license, a combo license, a sportsman's license, a "senior" license, a "youth" license, a 2-day license and a disabled license. A season license is required for those resident anglers between the ages of 15 and 61 inclusive (a conservation license is required as a prerequisite to purchasing any fishing license). Residents between the ages of 12 and 14 inclusive are required to purchase a conservation license to fish. These were determined by using the date of birth on the Conservation license and were classified as "youth" license holders. The combo license combines a season fishing license and a conservation license. A sportsman's license provides a deer "A" tag, elk tag, optional bear tag, conservation license, a game bird stamp and a fishing license. Residents 62 years of age and older are entitled to fish by purchasing a conservation license. These were determined by using the date of birth on the Conservation license and were classified as "senior" license holders. New this survey year was the ability of residents to purchase a license valid for 2 consecutive days at a reduced cost. A conservation license was still required. Residents who are certified as permanently and substantially disabled may purchase a "Disabled Persons Conservation License". All licenses were combined to form the resident pool for sampling.

Nonresidents 15 years of age and older must have a valid Montana fishing license to fish. Those nonresidents under the age of 15 may fish by buying a nonresident license or by being in the company of an adult with a valid Montana fishing license. If the latter, the combined limit may not exceed the limit for one adult. Nonresidents have six types of licenses available for fishing in Montana; a combo license, a seasonal license, a two-day permit, a 10-day permit, a deer combo license, and the big game combo. A nonresident conservation license is required as a prerequisite to purchasing any nonresident-fishing license. The combo license combines a nonresident conservation license and seasonal fishing license. The deer combo license includes a deer tag and a fishing license. The big game license includes a conservation license, an elk tag, a deer "A" tag, a black bear tag, a fishing license and an upland game bird license. A two-day permit enables the nonresident angler to fish for two consecutive days of their choice while the ten-day permits 10 consecutive days of fishing. Anglers may purchase as many two-day or ten-day permits as they want.

A computer program was written in ORACLE to create five populations of anglers from which to draw samples. A resident season population, a resident 2-day population, a nonresident season population, a nonresident 2-day population and a nonresident 10-day population were created each month. The resident population comprised the following license types: combo, season, "seniors", "youth", disabled and sportsman. The nonresident population comprised the following license types: nonresident combo, deer combo, big game combo and nonresident season.

An ACCESS table was used to pull a random sample from each population. The amount pulled from each population was proportionally allocated to the angling pressure each population exerted from previous surveys. This proportion remained constant throughout all sampling periods.

Sampling was done on a monthly-stratified basis (Table 1.). The sample from each population was copied into an ACCESS format structure and wave information and sequential serial numbers added.

An ACCESS report was written to affix names and address as well as bar codes directly to each questionnaire. The questionnaire and a return envelope were stuffed into window envelopes and mailed (see appendix for examples).

Authorized private dealers sell fishing licenses throughout the state. In addition, the seven regional headquarters, three area resource offices and the Helena office sell licenses through an on-line automated licensing system. This system enables the sample to be drawn for a month on the first day of the following month.

Table 1. - Period of time covered for waves for the 2007-08 statewide angling survey.	
Wave	Time Period covered
1	March '07
2	April
3	May
4	June
5	July
6	August
7	September
8	October
9	November
10	December
11	January '08
12	February

The 2005 Statewide Angling Use Survey (McFarland, 2007) indicated that residents provide approximately 75% of the pressure, therefore sampling was done on a 75/25 split between residents and

nonresidents (i.e. proportional allocation). Actual numbers sent varied slightly from wave to wave (Table 2). For the "summer" waves 11,200 residents and nonresidents were sampled early in the survey.

In the "winter" the rate dropped to 5,600 residents and nonresidents. Since waves 1 and 2 had fewer license holders from which to sample, these two waves were sampled at a less intense level.

A single questionnaire was used for all groups. The questionnaire (see appendix A for an example), included questions on: what water was fished; nearest landmark, town, or county; section of stream or river fished (taken from map on back of questionnaire); date fishing occurred; number of days fished; rate the level of crowding on a scale of 1 = not at all crowded to 5 = very crowded; number of other people they saw recreating on this water; and to rate their fishing experience on a scale of 1 = poor to 5 = excellent; and the one fish species for which they were primarily fishing.

To ease the sorting process different colored forms were used for each wave and also for initial and remail mailings.

Table 2. - Number of questionnaires sent for each wave by residency for 2007.								
Wave	Mailed		Useable		Returns		Return Rate	
	Res	Nonres	Res	Nonres	Res	Nonres	Res	Nonres
1	300	100	289	94	162	46	56.1	48.9
2	4200	1391	3935	1335	2075	630	52.7	47.2
3	8400	2765	7741	2417	3852	1289	49.8	53.3
4	8400	2761	7637	2382	3723	1167	48.7	49.0
5	8400	2754	7576	2417	3617	1201	47.7	49.7
6	8399	2761	7528	2403	3696	1217	49.1	50.6
7	8397	2748	7473	2403	3821	1255	51.1	52.2
8	4200	1383	3750	1196	1922	624	51.3	52.2
9	4199	1365	3723	1149	1934	597	51.9	52.0
10	4200	1379	3678	1200	2021	614	54.9	51.2
11	4200	1374	3708	1199	1938	608	52.3	50.7
12	4199	1376	3670	1190	1960	611	53.4	51.3

Surveys were mailed first class pre-sort for all the waves. This saved monetarily over regular first class postage.

Remail questionnaires were mailed to those individuals who had not yet responded, from three to four weeks after the initial mailing. Returns for each wave were monitored and when they slowed down to a few each day the remail was sent. Included in the remail were an explanation, (see appendix A for examples), a duplicate questionnaire and a return envelope. Returns were grouped and counted according to type of license, wave and mailing (initial or remail).

Phone surveys were not done for this year because of time and budgetary constraints. Thus no comparison of non-response bias could be made. Using the exact same methodology in 1995, no nonresponse bias was detected.

The formula used was:

$$A_{ij} = R_{ij} + \frac{P_{ij}}{M_{ij}} [1 - R_{ij}]$$

where A_{ij} = Adjustment factor for non-response for the i^{th} wave and j^{th} residency

R_{ij} = Response rate for mail survey for i^{th} wave and j^{th} residency (response rate is the total number of returns divided by the total number of surveys mailed out minus the number of undeliverable surveys)

P_{ij} = Phone rate of days fished per respondent for i^{th} wave and j^{th} residency

M_{ij} = Mail rate of days fished per respondent for i^{th} wave and j^{th} residency

Adjustment factors were set to 1.0 since the phoning was not done. After all questionnaires were received those that had fished in Montana during the period in question were separated from those who said "no". The "yes" respondents were then hand coded and assigned a numeric code for each water fished. They were visually edited for accuracy and completeness.

All data were then keypunched with each body of water fished for each questionnaire recorded as a single record. Edits were run to correct invalid water codes and data out of normal ranges. FORTRAN computer programs were written to analyze the data, calculate fishing pressure and standard errors, and to calculate the angler satisfaction levels.

Estimates were made for individual waters based upon the formula:

$$P_j = \sum_{i=1}^n \left[\frac{E_{ij} * D_{ij}}{R_{ij}} \right] * A_{ij}$$

where P_j = Pressure for an individual water by the j^{th} residency

E_{ij} = Number of eligible anglers for the i^{th} wave and j^{th} residency

D_{ij} = Days fished that particular water for the i^{th} wave and j^{th} wave

R_{ij} = Number of respondents from the survey for the i^{th} wave and j^{th} residency
 A_{ij} = Adjustment factor for non-response for the i^{th} wave and j^{th} residency
 n = number of waves in the estimate year or season
 j = number of residency types (resident, nonresident, or total)

The variance was then calculated using:

$$VAR(P_j) = \sum_{i=1}^n \left[\frac{E_{ij}^2 * VAR(D_{ij})}{R_{ij}} \right] * A_{ij}^2$$

Where P_j , E_{ij} , R_{ij} , D_{ij} , and A_{ij} are the same as above.

Pressure estimates between waves and residency were assumed to be independent so variances were summed to obtain total variances. The square root of the variance was taken and this number was reported as the error for fishing pressure.

RESULTS

2007 ANNUAL

Licensed anglers fishing on Montana waters exerted 2,375,858 angler days of pressure for the 2007 license year. Residents accounted for 1,663,771 angler days (70.0%) and nonresidents made up the remaining 712,087 angler days (30.0%). Individual water estimates sorted alphabetically are given in a separate report titled "Montana Statewide Angling Pressure 2007".

The pressure distributed between Fish, Wildlife and Parks regions (Figure 1) emphasizes the cold-water fishery (Chart 1). Region 3 received the most angling pressure with 614,448 angler days (26.0%). Region 4 was next in order with 444,533 angler days (18.8%). Regions 1 and 2 were close with 436,411 (18.4%) angler days and 365,002 (15.4%) angler days respectively. Region 5 had 309,600 (13.1%) angler days. The warm-water regions of 6 and 7 were the lowest in pressure with 121,295 (5.1%) and 74,573 (3.2%) angler days respectively.

Angling in Montana in 2007 was directed toward trout. Waters were classified according to the fish species the angler sought. The questionnaire asked the angler to report one fish species but up to two species were captured in entering the data. Species were classified into salmonid/nonsalmonid categories. The angling use was assigned proportionally. If only one species was listed the entire use was assigned to either salmonid or nonsalmonid depending on what species was listed. If two species were listed, the use

was assigned to salmonid if both species were salmonid. If both species listed were nonsalmonid, the use was entirely assigned to nonsalmonid. If one species of each (salmonid and nonsalmonid) was listed, the use was split 50/50 between the two. If no species was listed the use was assigned according to the type of water assigned by the department in its water code for that water.

Salmonid waters accounted for 79.9% (1,898,656 angler days) of the statewide pressure while nonsalmonid waters accounted for 20.0% (476,082 angler days) of the pressure and undesignated waters accounted for less than 0.1% (1,122 angler days) of the pressure (Chart 2). An undesignated water is one that the angler did not specify a fish species being sought and the water fished was classified as undesignated and therefore could not be assigned a water type.

Within salmonid waters, the streams received more pressure than the lakes, 65.9% versus 34.1%. The nonsalmonid lakes received more pressure than the nonsalmonid streams, 69.7% versus 30.3% respectively.

Salmonid angling dominated the pressure in regions 1, 2, 3, 4, and 5. Regions 6 and 7 were predominately nonsalmonid angling (Chart 3, Table 3).

Region 3 had the largest angling pressure for salmonid streams (448,741 angler days) and while region 1 had the largest pressure for salmonid lakes (206,357 angler days). Nonsalmonid stream fishing pressure was largest in region 7 (40,022 angler days), while the nonsalmonid lake angling pressure was largest in region 6 (77,870 angling days).

Table 3. - Angling pressure in angler days by region by water type for the 2007 angling year.

REG	WATER TYPE	-----TOTALS-----		----RESIDENTS----		---NON-RESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
1	SALMONID STREAM	127465.	1914.	84917.	1367.	42548.	547.
	SALMONID LAKE	206357.	3193.	166836.	2651.	39521.	542.
	NONSALMONID STREAM	29912.	480.	27085.	441.	2827.	39.
	NONSALMONID LAKE	72679.	1123.	62736.	991.	9943.	132.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	436411.	6709.	341572.	5449.	94839.	1260.
2	SALMONID STREAM	242189.	3627.	152032.	2437.	90158.	1190.
	SALMONID LAKE	101384.	1446.	86748.	1252.	14636.	194.
	NONSALMONID STREAM	10045.	138.	9612.	131.	434.	7.
	NONSALMONID LAKE	11384.	166.	9846.	142.	1538.	24.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	365002.	5377.	258237.	3962.	106765.	1415.
3	SALMONID STREAM	488741.	7074.	233288.	3784.	255453.	3290.
	SALMONID LAKE	115299.	1675.	78807.	1148.	36492.	527.
	NONSALMONID STREAM	2362.	43.	2324.	42.	38.	1.
	NONSALMONID LAKE	8047.	90.	7144.	81.	903.	9.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	614448.	8880.	321562.	5054.	292886.	3826.
4	SALMONID STREAM	164967.	2495.	119131.	1828.	45836.	667.
	SALMONID LAKE	146383.	2152.	129488.	1907.	16895.	245.
	NONSALMONID STREAM	19984.	313.	17993.	284.	1991.	29.
	NONSALMONID LAKE	113086.	1714.	109758.	1677.	3328.	37.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	114.	3.	0.	0.	114.	3.
	REGIONAL PRESSURE ESTIMATES:	444533.	6676.	376369.	5695.	68164.	981.

Table 3. - Angling pressure in angler days by region by water type for the 2007 angling year (continued).

REG	WATER TYPE	-----TOTALS-----		----RESIDENTS----		--NON-RESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
5	SALMONID STREAM	222226.	3314.	111585.	1695.	110641.	1619.
	SALMONID LAKE	41288.	672.	32717.	558.	8571.	114.
	NONSALMONID STREAM	25237.	423.	24758.	415.	479.	8.
	NONSALMONID LAKE	20850.	360.	19051.	328.	1799.	32.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	309600.	4767.	188110.	2994.	121490.	1773.
6	SALMONID STREAM	3794.	69.	3732.	68.	62.	1.
	SALMONID LAKE	22172.	320.	19704.	291.	2468.	29.
	NONSALMONID STREAM	16590.	287.	14922.	251.	1668.	36.
	NONSALMONID LAKE	77870.	1147.	70934.	1057.	6936.	90.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	870.	21.	870.	21.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	121295.	1843.	110161.	1687.	11134.	156.
7	SALMONID STREAM	1378.	17.	776.	10.	602.	7.
	SALMONID LAKE	5758.	100.	5127.	90.	631.	10.
	NONSALMONID STREAM	40022.	567.	36629.	494.	3393.	73.
	NONSALMONID LAKE	27415.	452.	20235.	360.	7180.	92.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	74573.	1136.	62767.	954.	11806.	182.
TOTAL	SALMONID STREAM	1250759.	18509.	705459.	11188.	545300.	7321.
	SALMONID LAKE	647897.	9692.	523768.	7972.	124129.	1721.
	NONSALMONID STREAM	144151.	2250.	133321.	2057.	10830.	193.
	NONSALMONID LAKE	331931.	5061.	300304.	4646.	31627.	416.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	1122.	26.	920.	22.	202.	4.
	STATEWIDE PRESSURE ESTIMATES:	2375858.	35537.	1663771.	25883.	712087.	9654.

Residents (Chart 4) exerted the majority of angling pressure in 2007 in all regions. The percent of angling pressure by residents for each region was: region 1 - 78.3%, region 2 - 70.7%, region 3 - 52.3%, region 4 - 84.7%, region 5 - 60.8%, region 6 - 90.8%, and region 7 - 84.2%.

July (wave 5) was, overall, the peak fishing period, while December (wave 10) was the least fished period during the year

(Table 4). Both residents and nonresidents preferred to fish during July (wave 5). Residents fished least in November (wave 9), while nonresidents fished the least in December (wave 10). This year the 2-day and 10-day nonresident use was included in the wave that the fishing occurred. In the past the 2-day and 10-day nonresident anglers were sampled at the end of the season and their use estimates could not be assigned to any one wave.

Table 4. - Pressure in angler days by wave for the 2007 survey year.				
<u>WAVE</u>	<u>MONTH</u>	<u>TOTAL</u>	<u>RESIDENT</u>	<u>NONRESIDENT</u>
1	March	83,213	70,618	12,595
2	April	123,421	90,149	33,092
3	May	115,269	50,208	65,061
4	June	316,724	228,941	87,783
5	July	563,414	364,063	199,351
6	August	432,425	271,359	161,066
7	September	262,927	180,398	82,529
8	October	140,062	100,753	39,309
9	November	78,604	63,660	14,944
10	December	74,782	71,717	3,065
11	January	87,399	81,663	5,736
12	February	98,352	90,671	7,681

Statewide Angling Pressure Regional Estimates 2007




Chart 1. - Percent of total statewide angling pressure by FWP region for 2007.




Figure 1. Map of the State of Montana showing the Department of Fish, Wildlife & Parks Regional boundaries.




Chart 2. - Angling Pressure and percentages by type of water for 2007.




Chart 3. - Angling pressure by region by water type for 2007.

Statewide Angling Pressure Comparing Region and Residency 2007




Chart 4. - Angling pressure by region by residency for 2007.

Angling pressure was summarized by the 22 major drainages within the state (Table 5). The lower Clark Fork River drainage contains the angling pressure from all the streams and lakes below the Bitterroot River, excluding the pressure from those waters contained in other drainages listed (Flathead, Kootenai, and Bitterroot). The upper Clark Fork River drainage, likewise, contains all the angling pressure for waters above the Bitterroot River drainage excluding the pressure for those drainages listed. The upper Flathead River drainage contains the South Fork Flathead River drainage and all waters above the confluence of the South Fork Flathead River. The lower Flathead River drainage includes those waters below the confluence of the South Fork Flathead River including Flathead Lake and those waters (where pressure was obtainable) on the Kootenai-Salish Indian reservation. The lower Missouri River drainage covers all waters below the confluence of the Marias River, while the upper Missouri River drainage incorporates the area above the Marias River, again excluding those drainages listed separately. The lower Yellowstone River drainage represents the area below the mouth of the Bighorn River while the upper Yellowstone River drainage covers the Bighorn River drainage and all waters above the confluence of the Bighorn River.

The pressure by drainage ranged from 390,439 angler days for the Upper Yellowstone River drainage to 1,240 angler days for the Little Missouri River drainage.

Table 5. - Angling pressure in angler days by drainage by water type for the 2007 angling year
March 2007 through February 2008.

	-----TOTALS-----		-----RESIDENTS-----		---NONRESIDENTS---	
	Pressure	Trips	Pressure	Trips	Pressure	Trips
BEAVERHEAD DR						
SALMONID STREAM	51920.	818.	24003.	434.	27917.	384.
SALMONID LAKE	37097.	455.	31415.	370.	5682.	85.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	2874.	27.	2374.	22.	500.	5.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	91891.	1299.	57792.	826.	34099.	473.
BIG HOLE DR						
SALMONID STREAM	58344.	955.	37239.	646.	21105.	309.
SALMONID LAKE	5674.	95.	4633.	81.	1041.	14.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	113.	2.	113.	2.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	64131.	1052.	41985.	729.	22146.	323.
BITTERROOT DR						
SALMONID STREAM	93914.	1406.	59990.	953.	33924.	453.
SALMONID LAKE	9926.	152.	8467.	131.	1459.	21.
NONSALMONID STREAM	1734.	29.	1549.	26.	185.	3.
NONSALMONID LAKE	38.	1.	0.	0.	38.	1.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	105612.	1588.	70006.	1110.	35606.	478.
BLACKFOOT DR						
SALMONID STREAM	38788.	597.	24755.	416.	14033.	181.
SALMONID LAKE	18709.	300.	16392.	266.	2317.	34.
NONSALMONID STREAM	468.	8.	468.	8.	0.	0.
NONSALMONID LAKE	9564.	137.	8064.	114.	1500.	23.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	67528.	1042.	49678.	804.	17850.	238.
LOWER CLARK FORK DR						
SALMONID STREAM	55273.	835.	30823.	507.	24451.	328.
SALMONID LAKE	22352.	302.	20858.	281.	1494.	21.
NONSALMONID STREAM	21442.	326.	18989.	292.	2454.	34.
NONSALMONID LAKE	29781.	473.	26396.	422.	3385.	51.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	128847.	1936.	97064.	1502.	31783.	434.

Table 5. - Angling pressure in angler days by drainage by water type for the 2007 angling year March 2007 through February 2008 (continued).

	-----TOTALS-----		----RESIDENTS----		---NONRESIDENTS---	
	Pressure	Trips	Pressure	Trips	Pressure	Trips
UPPER CLARK FORK DR						
SALMONID STREAM	69286.	1026.	44322.	691.	24964.	335.
SALMONID LAKE	70943.	967.	60315.	831.	10628.	136.
NONSALMONID STREAM	2320.	24.	2320.	24.	0.	0.
NONSALMONID LAKE	700.	8.	700.	8.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	143249.	2025.	107657.	1554.	35592.	471.
LOWER FLATHEAD DR						
SALMONID STREAM	43118.	614.	30978.	461.	12140.	153.
SALMONID LAKE	113324.	1777.	92029.	1492.	21295.	285.
NONSALMONID STREAM	13594.	224.	12972.	215.	622.	9.
NONSALMONID LAKE	36004.	552.	30520.	484.	5484.	68.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	206040.	3166.	166499.	2651.	39541.	515.
UPPER FLATHEAD DR						
SALMONID STREAM	29646.	467.	20313.	357.	9333.	110.
SALMONID LAKE	14437.	245.	12450.	220.	1987.	25.
NONSALMONID STREAM	56.	1.	56.	1.	0.	0.
NONSALMONID LAKE	1546.	24.	1141.	20.	405.	4.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	45685.	737.	33960.	598.	11725.	139.
GALLATIN DR						
SALMONID STREAM	96966.	1352.	53775.	824.	43191.	528.
SALMONID LAKE	12757.	207.	11013.	186.	1744.	21.
NONSALMONID STREAM	975.	18.	975.	18.	0.	0.
NONSALMONID LAKE	521.	8.	433.	7.	88.	1.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	111219.	1585.	66196.	1035.	45023.	550.
JEFFERSON DR						
SALMONID STREAM	16450.	269.	12305.	208.	4145.	61.
SALMONID LAKE	9964.	126.	8934.	111.	1030.	15.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	26414.	395.	21239.	319.	5175.	76.
KOOTENAI DR						
SALMONID STREAM	39686.	597.	25825.	420.	13861.	177.
SALMONID LAKE	57993.	895.	43016.	681.	14977.	214.
NONSALMONID STREAM	343.	6.	343.	6.	0.	0.
NONSALMONID LAKE	6430.	94.	5761.	85.	669.	9.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	104452.	1592.	74945.	1192.	29507.	400.

Table 5. - Angling pressure in angler days by drainage by water type for the 2007 angling year March 2007 through February 2008 (continued).

	-----TOTALS-----		-----RESIDENTS-----		-----NONRESIDENTS-----	
	Pressure	Trips	Pressure	Trips	Pressure	Trips
LITTLE MISSOURI DR						
SALMONID STREAM	0.	0.	0.	0.	0.	0.
SALMONID LAKE	228.	4.	228.	4.	0.	0.
NONSALMONID STREAM	375.	7.	375.	7.	0.	0.
NONSALMONID LAKE	637.	6.	637.	6.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	1240.	17.	1240.	17.	0.	0.
MADISON DR						
SALMONID STREAM	173329.	2391.	58992.	930.	114337.	1461.
SALMONID LAKE	44523.	697.	19184.	331.	25339.	366.
NONSALMONID STREAM	56.	1.	56.	1.	0.	0.
NONSALMONID LAKE	506.	9.	447.	8.	59.	1.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	218414.	3098.	78679.	1270.	139735.	1828.
MARIAS DR						
SALMONID STREAM	2875.	46.	2043.	34.	832.	12.
SALMONID LAKE	4149.	67.	3309.	56.	840.	11.
NONSALMONID STREAM	2905.	52.	2905.	52.	0.	0.
NONSALMONID LAKE	28547.	418.	27173.	406.	1374.	12.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	38475.	583.	35429.	548.	3046.	35.
MILK DR						
SALMONID STREAM	2392.	41.	2330.	40.	62.	1.
SALMONID LAKE	13495.	188.	12347.	172.	1148.	16.
NONSALMONID STREAM	4173.	79.	4073.	77.	100.	2.
NONSALMONID LAKE	31406.	439.	29865.	421.	1541.	18.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	51466.	747.	48615.	710.	2851.	37.
LOWER MISSOURI DR						
SALMONID STREAM	18818.	274.	15318.	223.	3500.	51.
SALMONID LAKE	17371.	263.	14787.	229.	2584.	34.
NONSALMONID STREAM	16668.	283.	14199.	236.	2469.	47.
NONSALMONID LAKE	48939.	735.	43375.	661.	5564.	74.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	870.	21.	870.	21.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	102665.	1575.	88548.	1369.	14117.	206.
UPPER MISSOURI DR						
SALMONID STREAM	147038.	2226.	106419.	1634.	40619.	592.
SALMONID LAKE	123178.	1808.	109428.	1607.	13750.	201.
NONSALMONID STREAM	13919.	206.	12791.	189.	1128.	17.
NONSALMONID LAKE	77747.	1214.	76000.	1192.	1747.	22.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	114.	3.	0.	0.	114.	3.
DRAINAGE PRESSURE ESTIMATES:	361994.	5456.	304636.	4621.	57358.	835.

Table 5. - Angling pressure in angler days by drainage by water type for the 2007 angling year March 2007 through February 2008 (continued).

	-----TOTALS-----		----RESIDENTS----		---NONRESIDENTS---	
	Pressure	Trips	Pressure	Trips	Pressure	Trips
MUSSELSHELL DR						
SALMONID STREAM	1331.	23.	999.	18.	332.	5.
SALMONID LAKE	6414.	104.	5747.	96.	667.	8.
NONSALMONID STREAM	2403.	26.	2403.	26.	0.	0.
NONSALMONID LAKE	2635.	45.	2597.	44.	38.	1.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	12782.	197.	11745.	183.	1037.	14.
ST MARY DR						
SALMONID STREAM	50.	1.	50.	1.	0.	0.
SALMONID LAKE	1076.	20.	1076.	20.	0.	0.
NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	1126.	21.	1126.	21.	0.	0.
SUN DR						
SALMONID STREAM	6184.	94.	4472.	70.	1712.	24.
SALMONID LAKE	10531.	160.	9415.	147.	1116.	13.
NONSALMONID STREAM	230.	4.	230.	4.	0.	0.
NONSALMONID LAKE	2460.	24.	2460.	24.	0.	0.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	19405.	282.	16577.	245.	2828.	37.
LOWER YELLOWSTONE DR						
SALMONID STREAM	1378.	17.	776.	10.	602.	7.
SALMONID LAKE	5088.	88.	4457.	78.	631.	10.
NONSALMONID STREAM	39600.	559.	36207.	486.	3393.	73.
NONSALMONID LAKE	26684.	444.	19504.	352.	7180.	92.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	72750.	1108.	60944.	926.	11806.	182.
UPPER YELLOWSTONE DR						
SALMONID STREAM	303974.	4461.	149734.	2312.	154240.	2149.
SALMONID LAKE	39375.	637.	29928.	507.	9447.	130.
NONSALMONID STREAM	22891.	398.	22412.	390.	479.	8.
NONSALMONID LAKE	24200.	392.	22145.	358.	2055.	34.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:	390439.	5886.	224218.	3565.	166221.	2321.
TOTAL						
SALMONID STREAM	1250759.	18509.	705459.	11188.	545300.	7321.
SALMONID LAKE	647897.	9692.	523768.	7972.	124129.	1721.
NONSALMONID STREAM	144151.	2250.	133321.	2057.	10830.	193.
NONSALMONID LAKE	331931.	5061.	300304.	4646.	31627.	416.
UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
UNDESIG LAKE MGMT	1122.	26.	920.	22.	202.	4.
STATEWIDE PRESSURE ESTIMATES:	2375858.	35537.	1663771.	25883.	712087.	9654.

Angler Satisfaction Ratings

Licensed anglers fishing on Montana waters rated their fishing their fishing experience on a scale of 1 = poor to 5 = excellent for the 2007 license year. The average rating overall was 2.95 with residents and nonresidents rating their angling experience at 2.89 and 3.09 respectively (Table 6). Individual water satisfaction ratings are given in a separate report "Montana Angler Satisfaction Ratings 2007". Region 5 had the highest overall satisfaction rating of 3.24 while region 4 had the lowest satisfaction rating of 2.72. Nonresidents were always higher in their satisfaction ratings than residents for all regions except regions 2 and 3.

Table 6. - Angler satisfaction ratings by region by water type for the 2007 angling year.																			
Reg	Water Type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	----- 2's	3's	4's	5's	Avg Rate	poor 1's	2's	3's	4's	5's	Avg Rate	poor 1's	2's	3's	4's	5's
1	SALMONID STREAM	2.86	161	139	216	133	110	2.82	97	92	155	76	62	2.92	64	47	61	57	48
	SALMONID LAKE	2.91	261	174	291	207	193	2.94	199	141	219	160	165	2.78	62	33	72	47	28
	NONSALMONID STREAM	2.73	33	31	48	27	14	2.68	30	29	41	25	10	3.11	3	2	7	2	4
	NONSALMONID LAKE	2.75	92	82	125	61	51	2.72	83	77	110	51	45	2.98	9	5	15	10	6
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:	2.86	548	427	681	429	370	2.85	410	340	526	313	284	2.87	138	87	155	116	86
2	SALMONID STREAM	2.91	269	291	487	315	191	2.95	151	184	310	195	121	2.86	118	107	177	119	70
	SALMONID LAKE	2.88	125	100	173	105	86	2.88	103	84	152	88	72	2.83	22	16	21	17	14
	NONSALMONID STREAM	2.69	8	11	13	8	3	2.64	7	10	13	6	2	3.11	1	1	0	1	1
	NONSALMONID LAKE	2.26	32	13	13	10	6	2.30	28	10	11	9	6	2.00	4	3	2	1	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:	2.88	434	416	687	438	286	2.89	289	289	487	299	201	2.84	145	127	200	139	85
3	SALMONID STREAM	3.11	413	462	995	676	471	3.15	178	212	494	335	221	3.08	235	250	501	341	250
	SALMONID LAKE	2.95	155	123	185	138	131	2.96	93	94	131	90	86	2.94	62	29	54	48	45
	NONSALMONID STREAM	2.93	2	4	4	3	2	2.93	2	4	3	3	2	3.00	0	0	1	0	0
	NONSALMONID LAKE	2.70	7	9	16	5	3	2.71	7	7	13	5	3	2.64	0	2	3	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:	3.07	578	598	1201	823	607	3.09	281	317	641	434	312	3.06	297	281	560	389	295
4	SALMONID STREAM	2.98	171	160	286	185	148	2.97	126	113	217	139	101	3.01	45	47	69	46	47
	SALMONID LAKE	2.67	240	161	211	136	110	2.66	205	144	187	124	89	2.70	35	17	24	12	21
	NONSALMONID STREAM	2.61	31	21	37	8	15	2.62	26	20	32	8	13	2.46	5	1	5	0	2
	NONSALMONID LAKE	2.39	173	130	180	70	26	2.40	166	127	175	69	26	2.03	7	3	5	1	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	4.00	0	0	0	1	0	.00	0	0	0	0	0	4.00	0	0	0	1	0
	Regional Satisfaction Ratings:	2.72	617	474	715	402	300	2.69	525	405	611	342	230	2.87	92	69	104	60	70

Table 6. - Angler satisfaction ratings by region by water type for the 2007 angling year (continued).

Reg	Water Type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	2's	3's	4's	5's	Avg Rate	poor 1's	2's	3's	4's	5's	Avg Rate	poor 1's	2's	3's	4's	5's
5	SALMONID STREAM	3.40	160	177	325	307	362	3.05	115	127	195	141	124	3.80	45	50	130	166	238
	SALMONID LAKE	3.19	70	50	88	74	94	3.18	55	40	76	59	72	3.26	15	10	12	15	22
	NONSALMONID STREAM	2.81	30	34	43	32	16	2.80	29	33	42	29	16	3.00	1	1	1	3	0
	NONSALMONID LAKE	2.46	46	40	34	21	13	2.44	44	34	30	20	11	2.67	2	6	4	1	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Regional Satisfaction Ratings:		3.24	306	301	491	435	486	2.98	243	234	344	250	224	3.71	63	67	147	185	262
6	SALMONID STREAM	2.64	6	4	9	3	2	2.58	6	4	9	2	2	4.00	0	0	0	1	0
	SALMONID LAKE	2.85	28	15	28	26	14	2.85	26	14	25	24	13	2.89	2	1	3	2	1
	NONSALMONID STREAM	2.76	24	17	29	15	13	2.73	21	14	28	11	11	2.92	3	3	1	4	2
	NONSALMONID LAKE	2.70	80	63	99	64	29	2.65	73	60	93	56	21	3.22	7	3	6	8	8
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Regional Satisfaction Ratings:		2.74	140	99	165	109	60	2.70	128	92	155	94	49	3.11	12	7	10	15	11
7	SALMONID STREAM	2.27	3	3	4	1	0	2.33	1	3	1	1	0	2.20	2	0	3	0	0
	SALMONID LAKE	2.97	6	10	8	3	9	3.00	6	9	6	3	9	2.67	0	1	2	0	0
	NONSALMONID STREAM	2.95	37	37	51	30	36	2.82	31	34	41	25	22	3.47	6	3	10	5	14
	NONSALMONID LAKE	3.05	20	26	51	34	20	3.06	17	19	41	26	17	3.03	3	7	10	8	3
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Regional Satisfaction Ratings:		2.97	66	76	114	68	65	2.92	55	65	89	55	48	3.18	11	11	25	13	17
Total																			
	SALMONID STREAM	3.08	1184	1237	2322	1620	1285	3.02	675	736	1381	890	632	3.16	509	501	941	730	653
	SALMONID LAKE	2.89	893	637	998	699	652	2.89	692	527	801	553	514	2.89	201	109	197	146	138
	NONSALMONID STREAM	2.79	166	156	225	123	100	2.74	147	145	200	108	77	3.13	19	11	25	15	23
	NONSALMONID LAKE	2.60	452	365	521	268	149	2.58	420	335	475	239	130	2.83	32	29	46	29	19
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	4.00	0	0	0	1	0	.00	0	0	0	0	0	4.00	0	0	0	1	0
Statewide Satisfaction Ratings:		2.95	2695	2395	4067	2713	2188	2.89	1934	1744	2858	1791	1355	3.09	761	651	1209	922	833

Angler satisfaction ratings were summarized by the twenty-two major drainages like those reported under the angling pressure section (Table 7). The ratings ranged from a high of 3.62 for the St Mary drainage to a low of 2.44 for the Little Missouri River drainage.

Table 7. - Angler satisfaction ratings by drainage by water type for the 2007 angling year March 2007 through February 2008.

Drain- age	Water type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's
BEAVERHEAD DR																			
	SALMONID STREAM	3.36	35	34	101	79	70	3.38	15	13	36	33	29	3.35	20	21	65	46	41
	SALMONID LAKE	3.44	22	19	40	44	47	3.38	16	16	31	33	32	3.60	6	3	8	11	15
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.92	0	3	8	2	0	2.90	0	3	5	2	0	3.00	0	0	2	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	3.38	57	56	149	125	117	3.36	31	32	73	68	61	3.39	26	24	76	57	56
BIG HOLE DR																			
	SALMONID STREAM	3.20	48	60	143	86	77	3.24	22	31	92	48	41	3.16	26	29	51	38	36
	SALMONID LAKE	3.32	8	9	15	10	17	3.36	6	8	13	8	15	3.11	2	1	2	2	2
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	5.00	0	0	0	0	1	5.00	0	0	0	0	1	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	3.22	56	69	158	96	95	3.26	28	39	105	56	57	3.16	28	30	53	40	38
BITTERROOT DR																			
	SALMONID STREAM	2.96	86	111	177	132	64	2.94	50	76	106	82	37	2.99	36	35	71	50	27
	SALMONID LAKE	2.72	21	7	17	7	12	2.73	16	6	14	6	9	2.69	5	1	3	1	3
	NONSALMONID STREAM	2.89	2	2	1	3	1	2.43	2	2	1	2	0	4.50	0	0	0	1	1
	NONSALMONID LAKE	2.00	0	1	0	0	0	.00	0	0	0	0	0	2.00	0	1	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.93	109	121	195	142	77	2.91	68	84	121	90	46	2.98	41	37	74	52	31
BLACKFOOT DR																			
	SALMONID STREAM	2.90	51	44	104	50	33	2.89	38	26	66	29	26	2.91	13	18	38	21	7
	SALMONID LAKE	2.37	49	31	33	16	12	2.39	42	27	29	12	12	2.26	7	4	4	4	0
	NONSALMONID STREAM	2.89	0	1	3	0	0	2.89	0	1	3	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.15	27	11	9	7	4	2.17	23	9	7	6	4	2.00	4	2	2	1	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.65	127	87	150	74	49	2.62	103	63	106	48	42	2.74	24	24	44	26	7
LOWER CLARK FORK DR																			
	SALMONID STREAM	2.60	101	71	108	59	32	2.66	46	41	58	29	19	2.53	55	30	50	30	13
	SALMONID LAKE	2.58	31	28	34	12	14	2.64	26	24	31	12	13	2.08	5	4	3	0	1
	NONSALMONID STREAM	2.68	20	20	38	16	5	2.64	16	17	34	14	2	2.85	4	3	4	2	3
	NONSALMONID LAKE	2.92	22	30	58	19	22	2.90	19	28	52	15	19	3.11	3	2	6	4	3
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.67	175	149	239	108	74	2.72	108	110	176	71	54	2.58	67	39	63	37	20
UPPER CLARK FORK DR																			
	SALMONID STREAM	3.06	67	79	128	91	74	3.12	33	49	95	61	44	2.95	34	30	33	30	30
	SALMONID LAKE	3.11	50	60	114	79	61	3.11	41	50	101	67	50	3.11	9	10	13	12	11
	NONSALMONID STREAM	2.31	2	2	0	2	0	2.31	2	2	0	2	0	.00	0	0	0	0	0
	NONSALMONID LAKE	1.40	4	0	1	0	0	1.40	4	0	1	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	3.07	123	142	243	172	135	3.09	80	102	197	130	94	2.99	43	40	46	42	41

Table 7. - Angler satisfaction ratings by drainage by water type for the 2007 angling year March 2007 through February 2008 (continued).

Drain- age	Water type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's
LOWER FLATHEAD DR	SALMONID STREAM	2.60	51	59	75	32	18	2.56	33	41	52	21	9	2.68	18	18	23	11	9
	SALMONID LAKE	3.00	132	92	146	131	113	3.09	92	75	118	103	99	2.68	40	17	28	28	14
	NONSALMONID STREAM	2.84	15	16	19	12	11	2.80	15	16	16	12	10	3.50	0	0	3	0	1
	NONSALMONID LAKE	2.64	60	43	52	39	23	2.62	55	41	45	34	21	2.86	5	2	7	5	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.84	258	211	292	214	166	2.87	195	174	231	170	140	2.71	63	37	61	44	26
UPPER FLATHEAD DR	SALMONID STREAM	3.24	30	29	51	35	50	3.32	16	19	40	23	35	3.06	14	10	11	12	15
	SALMONID LAKE	2.99	24	22	19	23	23	3.12	17	19	14	20	22	2.37	7	3	5	3	1
	NONSALMONID STREAM	4.00	0	0	0	1	0	4.00	0	0	0	1	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.00	2	2	2	0	0	1.75	2	1	1	0	0	2.50	0	1	1	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	3.13	56	53	72	59	73	3.21	35	39	55	44	57	2.89	21	14	17	15	16
GALLATIN DR	SALMONID STREAM	3.14	67	78	169	143	71	3.27	27	42	92	82	45	2.99	40	36	77	61	26
	SALMONID LAKE	2.85	24	13	23	14	17	2.97	16	12	23	12	15	2.15	8	1	0	2	2
	NONSALMONID STREAM	2.80	1	0	0	1	0	2.80	1	0	0	1	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.73	1	0	2	1	0	2.67	1	0	1	1	0	3.00	0	0	1	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	3.09	94	91	195	161	88	3.19	46	54	117	98	60	2.94	48	37	78	63	28
JEFFERSON DR	SALMONID STREAM	2.98	26	16	25	20	23	2.97	17	13	19	13	16	3.00	9	3	6	7	7
	SALMONID LAKE	2.37	20	13	25	2	5	2.39	18	13	23	2	5	2.00	2	0	2	0	0
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.75	46	29	50	22	28	2.72	35	26	42	15	21	2.89	11	3	8	7	7
KOOTENAI DR	SALMONID STREAM	2.93	44	37	60	48	31	2.76	32	24	48	26	14	3.25	12	13	12	22	17
	SALMONID LAKE	2.81	78	34	101	44	44	2.69	67	24	64	28	32	3.09	11	10	37	16	12
	NONSALMONID STREAM	1.33	2	1	0	0	0	1.33	2	1	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.91	9	8	16	6	8	2.88	8	8	15	5	7	3.25	1	0	1	1	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.86	133	80	177	98	83	2.73	109	57	127	59	53	3.17	24	23	50	39	30
LITTLE MISSOURI DR	SALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	SALMONID LAKE	3.50	0	1	0	0	1	3.50	0	1	0	0	1	.00	0	0	0	0	0
	NONSALMONID STREAM	1.33	2	1	0	0	0	1.33	2	1	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.75	2	0	0	1	1	2.75	2	0	0	1	1	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.44	4	2	0	1	2	2.44	4	2	0	1	2	.00	0	0	0	0	0

Table 7. - Angler satisfaction ratings by drainage by water type for the 2007 angling year March 2007 through February 2008 (continued).

Drain- age	Water type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	2's	3's	4's	5's	Avg Rate	poor 1's	2's	3's	4's	5's	Avg Rate	poor 1's	2's	3's	4's	5's
MADISON DR																			
	SALMONID STREAM	3.02	138	184	327	224	127	3.02	54	58	115	92	41	3.02	84	126	212	132	86
	SALMONID LAKE	2.78	69	57	74	61	34	2.71	29	35	33	29	12	2.83	40	22	41	32	22
	NONSALMONID STREAM	5.00	0	0	0	0	1	5.00	0	0	0	0	1	.00	0	0	0	0	0
	NONSALMONID LAKE	3.29	0	3	1	1	2	3.50	0	2	1	1	2	2.00	0	1	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.97	207	244	402	286	164	2.95	83	95	149	122	56	2.98	124	149	253	164	108
MARIAS DR																			
	SALMONID STREAM	2.69	8	3	8	3	4	2.80	6	1	7	3	3	2.33	2	2	1	0	1
	SALMONID LAKE	2.59	10	5	7	3	5	2.45	10	4	6	2	4	3.50	0	1	1	1	1
	NONSALMONID STREAM	2.36	5	2	5	1	1	2.36	5	2	5	1	1	.00	0	0	0	0	0
	NONSALMONID LAKE	2.42	46	27	42	17	10	2.42	44	27	40	16	10	2.40	2	0	2	1	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.47	69	38	62	24	20	2.46	65	35	58	22	18	2.67	4	3	4	2	2
MILK DR																			
	SALMONID STREAM	2.73	5	3	5	3	2	2.66	5	3	5	2	2	4.00	0	0	0	1	0
	SALMONID LAKE	2.92	15	11	15	16	9	2.96	13	11	13	15	9	2.40	2	0	2	1	0
	NONSALMONID STREAM	3.00	6	2	6	3	5	3.00	5	2	6	3	4	3.00	1	0	0	0	1
	NONSALMONID LAKE	2.95	25	23	39	37	14	2.91	25	23	37	36	12	4.00	0	0	2	1	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.93	51	39	65	60	32	2.91	48	39	61	57	29	3.23	3	0	4	3	3
LOWER MISSOURI DR																			
	SALMONID STREAM	3.28	12	10	21	22	18	3.27	9	8	15	16	14	3.29	3	2	6	6	4
	SALMONID LAKE	2.91	24	20	24	21	19	2.87	22	17	21	20	15	3.15	2	3	3	1	4
	NONSALMONID STREAM	2.55	30	20	27	15	10	2.47	27	16	26	11	7	3.00	3	4	1	4	3
	NONSALMONID LAKE	2.52	59	41	64	30	15	2.44	52	38	59	23	9	3.07	7	3	5	7	6
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.74	127	91	136	88	62	2.67	112	79	121	70	45	3.13	15	12	15	18	17
UPPER MISSOURI DR																			
	SALMONID STREAM	2.94	161	140	266	165	125	2.94	118	99	208	125	85	2.97	43	41	58	40	40
	SALMONID LAKE	2.63	202	133	168	109	84	2.62	170	122	148	98	67	2.67	32	11	20	11	17
	NONSALMONID STREAM	2.82	15	17	32	6	13	2.90	11	17	26	6	13	2.20	4	0	6	0	0
	NONSALMONID LAKE	2.36	114	99	130	44	13	2.37	110	96	128	44	13	1.85	4	3	2	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	4.00	0	0	0	1	0	.00	0	0	0	0	0	4.00	0	0	0	1	0
	Drainage Satisfaction Ratings:	2.72	494	391	597	326	236	2.69	411	335	510	274	179	2.83	83	56	87	52	57
MUSSELSHELL DR																			
	SALMONID STREAM	2.57	5	4	1	0	4	2.42	5	3	1	0	3	3.50	0	1	0	0	1
	SALMONID LAKE	2.92	11	8	20	8	9	2.93	10	6	20	7	8	2.80	1	2	0	1	1
	NONSALMONID STREAM	2.35	6	3	5	2	1	2.35	6	3	5	2	1	.00	0	0	0	0	0
	NONSALMONID LAKE	2.65	5	3	5	3	2	2.74	4	3	5	3	2	1.00	1	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.74	27	19	31	13	16	2.73	25	16	31	12	14	2.75	2	3	0	1	2

Table 7. - Angler satisfaction ratings by drainage by water type for the 2007 angling year March 2007 through February 2008 (continued).

Drain- age	Water type	TOTAL					RESIDENT					NONRESIDENT				
		Avg Rate	poor 1's	----- 2's	3's	excellent 4's 5's	Avg Rate	poor 1's	----- 2's	3's	4's 5's	Avg Rate	poor 1's	----- 2's	3's	excellent 4's 5's
ST MARY DR	SALMONID STREAM	5.00	0	0	0	0 1	5.00	0	0	0	0 1	.00	0	0	0	0 0
	SALMONID LAKE	3.50	0	2	4	4 2	3.50	0	2	4	4 2	.00	0	0	0	0 0
	NONSALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	3.62	0	2	4	4 3	3.62	0	2	4	4 3	.00	0	0	0	0 0
SUN DR	SALMONID STREAM	2.86	9	12	9	4 10	2.75	7	10	5	4 6	3.17	2	2	4	0 4
	SALMONID LAKE	2.68	18	13	23	10 8	2.71	17	10	22	9 8	2.33	1	3	1	1 0
	NONSALMONID STREAM	2.00	0	1	0	0 0	2.00	0	1	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	2.20	8	1	2	3 1	2.20	8	1	2	3 1	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	2.68	35	27	34	17 19	2.65	32	22	29	16 15	2.89	3	5	5	1 4
LOWER YELLOWSTONE DR	SALMONID STREAM	2.27	3	3	4	1 0	2.33	1	3	1	1 0	2.20	2	0	3	0 0
	SALMONID LAKE	2.94	6	8	8	2 8	2.97	6	7	6	2 8	2.67	0	1	2	0 0
	NONSALMONID STREAM	2.99	34	36	51	30 36	2.87	28	33	41	25 22	3.47	6	3	10	5 14
	NONSALMONID LAKE	3.09	16	26	51	33 19	3.11	13	19	41	25 16	3.03	3	7	10	8 3
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	3.00	59	73	114	66 63	2.96	48	62	89	53 46	3.18	11	11	25	13 17
UPPER YELLOWSTONE DR	SALMONID STREAM	3.31	236	259	540	422 450	3.07	140	175	320	199 161	3.58	96	84	220	223 289
	SALMONID LAKE	3.20	71	46	74	73 92	3.20	53	36	61	59 68	3.20	18	10	13	14 24
	NONSALMONID STREAM	2.85	25	31	38	30 15	2.84	24	30	37	27 15	3.00	1	1	1	3 0
	NONSALMONID LAKE	2.44	50	41	36	22 13	2.42	48	34	32	21 11	2.63	2	7	4	1 2
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	3.21	382	377	689	548 571	3.01	265	275	451	307 256	3.53	117	102	238	241 315
Total	SALMONID STREAM	3.08	1184	1237	2322	1620 1285	3.02	675	736	1381	890 632	3.16	509	501	941	730 653
	SALMONID LAKE	2.89	893	637	998	699 652	2.89	692	527	801	553 514	2.89	201	109	197	146 138
	NONSALMONID STREAM	2.79	166	156	225	123 100	2.74	147	145	200	108 77	3.13	19	11	25	15 23
	NONSALMONID LAKE	2.60	452	365	521	268 149	2.58	420	335	475	239 130	2.83	32	29	46	29 19
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	4.00	0	0	0	1 0	.00	0	0	0	0 0	4.00	0	0	0	1 0
	Statewide Satisfaction Ratings:	2.95	2695	2395	4067	2713 2188	2.89	1934	1744	2858	1791 1355	3.09	761	651	1209	922 833

Angler Crowding Ratings

Questions were included to ask the angler to rate the crowding from one (sparse) to five (crowded) and also to ascertain how many other recreationalists they encountered for each rating category. A separate report on the crowding ratings for individual waters was published entitled "Montana Angler Crowding Ratings 2007". The ratings were summarized for the seven Fish, Wildlife & Parks regions and are listed in table 8. The ratings were also summarized by the 22 major drainages in the state and are listed in table 9. The "crowding ratings" column lists the number of responses under each rating while the "average number of people seen" column list contains exactly what the title says.

Table 8. - Crowding ratings summarized by region by residency by water type for the 2007 - 2008 angling license year.													
Region	Type	Crowding Ratings					Average Number of People Seen					Avg	Type
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
1	SALMONID STREAM												
	Total	1.63	497	121	66	36	27	8.20	4.07	10.35	15.72	26.36	31.83
	Resident	1.71	301	79	47	28	19	8.57	3.74	9.32	14.20	30.39	35.49
	Nonresident	1.50	196	42	19	8	8	7.57	4.60	12.24	19.49	12.25	23.00
	SALMONID LAKE												
	Total	1.67	682	227	143	36	33	16.78	9.09	19.56	25.42	79.42	50.70
	Resident	1.73	513	185	120	33	29	17.56	9.07	19.68	24.45	81.48	53.03
	Nonresident	1.47	169	42	23	3	4	13.90	9.12	19.08	30.52	56.67	33.75
	NONSALMONID STREAM												
	Total	1.65	88	40	18	3	3	7.92	4.18	8.47	20.71	13.67	25.57
	Resident	1.66	78	35	16	3	3	7.80	3.81	8.99	19.76	13.67	25.57
	Nonresident	1.53	10	5	2	0	0	8.96	7.04	5.00	28.50	.00	.00
	NONSALMONID LAKE												
	Total	1.74	237	80	61	17	12	13.67	7.91	13.18	18.31	25.49	90.51
	Resident	1.75	212	70	56	14	12	13.78	7.83	13.30	17.43	25.96	90.51
	Nonresident	1.67	25	10	5	3	0	12.87	8.69	12.41	28.40	23.33	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Regional Crowding Ratings:												
	Total	1.67	1506	468	289	92	76	13.06	6.96	15.14	21.40	46.55	49.00
	Resident	1.72	1106	369	240	78	64	13.80	7.00	15.24	20.48	50.57	53.21
	Nonresident	1.50	400	99	49	14	12	10.67	6.83	14.79	25.94	24.14	26.58

Table 8. - Crowding ratings summarized by region by residency by water type for the 2007 - 2008 angling license year (continued).

Region Type		Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
2	SALMONID STREAM												
	Total	1.82	892	276	214	95	70	6.70	3.14	8.16	11.17	16.43	19.40
	Resdident	1.93	524	165	132	73	61	6.44	2.36	7.30	9.68	17.66	18.73
	Nonresident	1.64	368	111	82	22	9	7.12	4.25	9.42	13.65	12.34	23.87
	SALMONID LAKE												
	Total	1.99	286	124	95	43	33	15.17	9.24	16.95	19.84	27.96	29.75
	Resdident	2.03	230	115	81	35	32	15.57	9.39	17.29	19.70	27.78	30.05
	Nonresident	1.74	56	9	14	8	1	12.95	8.68	12.33	20.87	28.78	20.00
	NONSALMONID STREAM												
	Total	1.79	25	8	7	3	1	10.98	3.62	4.81	42.43	19.33	3.00
	Resdident	1.85	22	7	7	3	1	11.15	2.94	3.36	42.43	19.33	3.00
	Nonresident	1.22	3	1	0	0	0	9.44	7.86	15.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.04	39	7	16	7	4	16.84	9.09	4.00	18.39	63.71	27.50
	Resdident	2.14	32	6	15	7	4	16.57	7.38	4.67	16.35	63.71	27.50
	Nonresident	1.33	7	1	1	0	0	18.78	17.00	.00	50.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
UNDESIG LAKE MGMT													
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Regional Crowding Ratings:													
	Total	1.87	1244	415	333	148	108	9.31	4.74	10.65	14.67	22.08	22.71
	Resident	1.97	809	293	236	118	98	9.89	4.58	11.07	14.55	23.44	22.62
	Nonresident	1.64	435	122	97	30	10	8.02	5.06	9.60	15.06	16.72	23.48
3	SALMONID STREAM												
	Total	2.10	1382	610	543	294	181	11.86	4.22	10.78	16.54	24.22	39.70
	Resdident	2.19	630	274	270	164	100	11.24	3.63	8.28	13.37	23.20	41.97
	Nonresident	2.02	752	336	273	130	81	12.42	4.72	12.81	19.65	25.54	36.83
	SALMONID LAKE												
	Total	1.73	440	149	88	30	30	11.50	6.26	13.64	20.30	35.27	28.11
	Resdident	1.78	286	102	63	23	23	11.13	6.06	12.84	18.90	38.68	17.92
	Nonresident	1.61	154	47	25	7	7	12.24	6.64	15.32	23.84	24.00	61.57
	NONSALMONID STREAM												
	Total	1.93	6	5	1	2	0	19.38	1.92	30.64	12.67	53.00	.00
	Resdident	1.93	6	4	1	2	0	13.61	1.92	13.25	12.67	53.00	.00
	Nonresident	2.00	0	1	0	0	0	100.00	.00	100.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.65	22	12	5	0	1	9.71	5.24	18.58	7.62	.00	10.00
	Resdident	1.65	19	11	4	0	1	10.43	5.28	20.03	8.02	.00	10.00
	Nonresident	1.60	3	1	1	0	0	4.60	5.00	2.00	6.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
UNDESIG LAKE MGMT													
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Regional Crowding Ratings:													
	Total	2.02	1852	777	638	326	212	11.79	4.71	11.59	16.98	25.42	37.92
	Resident	2.07	943	392	339	189	124	11.22	4.39	9.86	14.33	25.40	37.25
	Nonresident	1.96	909	385	299	137	88	12.42	5.05	13.32	19.96	25.46	38.80

Table 8. - Crowding ratings summarized by region by residency by water type for the 2007 - 2008 angling license year (continued).

		Crowding Ratings						Average Number of People Seen					
Region	Type	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
4	SALMONID STREAM												
	Total	2.17	421	175	177	92	73	13.17	3.88	13.18	20.84	24.20	34.06
	Resdident	2.18	321	108	126	70	60	11.32	2.89	11.06	17.38	22.54	30.95
	Nonresident	2.13	100	67	51	22	13	18.17	7.08	16.62	29.28	29.63	48.45
	SALMONID LAKE												
	Total	2.11	391	172	152	76	59	19.40	10.03	20.88	24.69	33.94	44.89
	Resdident	2.16	328	149	141	68	55	20.32	10.47	20.92	25.92	34.45	45.44
	Nonresident	1.77	63	23	11	7	4	13.18	7.74	20.57	9.27	29.33	37.50
	NONSALMONID STREAM												
	Total	1.59	76	17	13	3	3	7.37	3.68	17.73	12.31	13.00	13.33
	Resdident	1.60	69	12	12	3	3	6.58	3.62	14.68	11.70	13.00	13.33
	Nonresident	1.54	7	5	1	0	0	13.54	4.44	24.98	20.00	.00	.00
	NONSALMONID LAKE												
	Total	2.40	193	134	125	75	50	35.00	13.14	29.65	41.73	43.92	103.67
	Resdident	2.42	183	134	119	74	50	35.27	13.07	29.65	41.49	44.08	103.67
	Nonresident	1.79	10	0	6	0	0	25.51	14.14	.00	45.85	20.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00
Regional Crowding Ratings:													
Total		2.18	1082	498	468	247	186	20.12	7.75	20.43	27.42	33.03	55.80
Resident		2.21	901	403	399	217	168	20.72	7.77	21.00	27.41	33.54	57.02
Nonresident		2.01	181	95	69	30	18	16.95	7.62	18.02	27.40	29.39	44.44
5	SALMONID STREAM												
	Total	2.34	539	223	261	193	116	24.80	4.92	20.60	35.86	47.62	62.43
	Resdident	2.01	373	112	98	72	46	13.16	3.67	12.34	24.31	24.76	50.10
	Nonresident	2.71	166	111	163	121	70	37.71	7.68	28.90	42.78	61.17	70.54
	SALMONID LAKE												
	Total	1.79	239	48	38	27	22	8.30	4.00	10.34	13.22	26.46	19.42
	Resdident	1.85	190	36	32	24	21	8.46	4.25	11.48	12.91	21.66	19.15
	Nonresident	1.52	49	12	6	3	1	7.62	3.00	6.92	14.83	65.67	25.00
	NONSALMONID STREAM												
	Total	1.56	103	25	19	4	3	5.54	2.62	6.81	19.27	2.75	12.00
	Resdident	1.57	98	25	19	3	3	5.65	2.61	6.81	19.27	2.67	12.00
	Nonresident	1.50	5	0	0	1	0	3.00	3.00	.00	.00	3.00	.00
	NONSALMONID LAKE												
	Total	2.13	69	31	24	23	6	19.09	10.79	19.40	26.37	37.63	11.17
	Resdident	2.18	61	25	24	23	5	19.30	10.32	18.86	26.37	37.63	11.00
	Nonresident	1.67	8	6	0	0	1	17.27	14.60	21.70	.00	.00	12.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.16	951	327	343	248	147	19.82	4.87	17.93	31.73	43.60	52.87
Resident		1.94	723	198	174	123	75	11.85	4.25	12.31	21.92	26.06	37.30
Nonresident		2.56	228	129	169	125	72	34.04	6.81	26.52	41.79	60.82	69.09

Table 8. - Crowding ratings summarized by region by residency by water type for the 2007 - 2008 angling license year (continued).

		Crowding Ratings						Average Number of People Seen					
Region	Type	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
6	SALMONID STREAM												
	Total	1.48	19	2	2	2	0	7.42	6.76	11.00	9.50	8.00	.00
	Resdident	1.50	18	2	2	2	0	7.71	7.11	11.00	9.50	8.00	.00
	Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.66	65	18	20	4	0	7.88	6.32	9.41	9.84	15.56	.00
	Resdident	1.66	60	16	18	4	0	8.03	6.59	9.45	9.69	15.56	.00
	Nonresident	1.67	5	2	2	0	0	6.22	3.00	9.00	11.50	.00	.00
	NONSALMONID STREAM												
	Total	1.53	64	20	9	3	1	6.62	4.14	10.41	9.93	23.30	10.00
	Resdident	1.51	58	14	8	3	1	5.71	3.79	7.64	9.04	23.30	10.00
	Nonresident	1.62	6	6	1	0	0	12.49	7.37	16.87	17.00	.00	.00
	NONSALMONID LAKE												
	Total	1.74	178	85	56	11	4	19.55	14.46	21.27	20.47	70.63	50.02
	Resdident	1.78	156	77	54	11	4	19.82	14.12	21.64	20.63	70.63	50.02
	Nonresident	1.38	22	8	2	0	0	16.98	16.95	17.41	15.50	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.68	327	126	87	21	5	14.56	10.36	17.64	16.68	46.10	42.02
Resident		1.70	293	110	82	21	5	14.63	10.09	17.84	16.83	46.10	42.02
Nonresident		1.47	34	16	5	0	0	13.85	12.71	16.16	14.20	.00	.00
7	SALMONID STREAM												
	Total	1.64	8	1	1	0	1	9.90	1.24	85.00	10.00	.00	4.00
	Resdident	1.50	4	1	1	0	0	16.83	1.50	85.00	10.00	.00	.00
	Nonresident	1.80	4	0	0	0	1	1.60	1.00	.00	.00	.00	4.00
	SALMONID LAKE												
	Total	1.50	27	2	5	2	0	4.89	1.63	9.00	18.60	10.50	.00
	Resdident	1.55	24	2	5	2	0	4.91	1.25	9.00	18.60	10.50	.00
	Nonresident	1.00	3	0	0	0	0	4.67	4.67	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	2.06	95	39	27	17	15	24.13	3.43	14.76	29.83	103.53	79.35
	Resdident	1.79	90	29	19	10	6	17.42	2.91	9.12	18.78	142.99	61.67
	Nonresident	3.13	5	10	8	7	9	50.58	12.78	31.08	56.00	47.10	91.13
	NONSALMONID LAKE												
	Total	2.18	62	32	33	18	7	29.89	9.09	25.05	42.66	47.01	132.10
	Resdident	2.12	53	24	27	11	6	27.08	8.68	18.74	37.92	56.18	120.80
	Nonresident	2.45	9	8	6	7	1	40.90	11.42	44.10	64.00	32.60	200.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.04	192	74	66	37	23	24.20	4.91	20.00	35.09	71.01	92.13
Resident		1.88	171	56	52	23	12	19.82	4.43	14.59	28.53	89.95	91.23
Nonresident		2.69	21	18	14	14	11	41.83	8.80	36.87	59.43	39.85	93.11

Table 8. - Crowding ratings summarized by region by residency by water type for the 2007 - 2008 angling license year(continued).

Region Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
Total													
	SALMONID STREAM												
	Total	2.04	3759	1408	1265	712	468	12.86	4.01	12.14	20.16	29.58	40.88
	Resident	2.04	2172	741	677	409	286	10.19	3.26	9.30	15.02	22.79	35.58
	Nonresident	2.05	1587	667	588	303	182	16.29	5.04	15.27	26.06	38.76	49.20
	SALMONID LAKE												
	Total	1.84	2158	746	549	222	178	14.80	7.92	17.26	21.75	38.46	37.04
	Resident	1.90	1644	607	465	190	160	15.46	8.09	17.54	21.75	39.54	36.33
	Nonresident	1.60	513	139	84	31	18	12.23	7.34	16.00	21.83	31.94	43.39
	NONSALMONID STREAM												
	Total	1.72	458	154	95	35	26	11.67	3.52	11.60	22.27	58.91	51.65
	Resident	1.66	422	126	83	27	17	9.40	3.23	8.80	18.96	63.94	31.34
	Nonresident	2.20	36	28	12	8	9	28.06	6.91	24.17	45.17	41.59	91.13
	NONSALMONID LAKE												
	Total	2.04	804	383	322	152	84	23.77	10.94	22.22	30.65	44.19	90.25
	Resident	2.07	719	349	301	141	82	24.00	10.71	22.24	29.83	45.29	89.87
	Nonresident	1.76	84	34	21	10	2	21.38	12.93	22.01	42.29	29.35	106.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00
Statewide Crowding Ratings:													
	Total	1.97	7180	2691	2232	1122	758	14.69	5.93	14.96	22.16	34.25	45.80
	Resident	1.97	4958	1823	1527	769	546	14.10	5.94	14.49	20.21	32.55	43.82
	Nonresident	1.96	2222	868	705	353	212	15.99	5.90	15.94	26.36	37.93	50.88

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2007 - 2008 angling license year.

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
BEAVERHEAD DR SALMONID STREAM												
Total	1.89	173	54	49	26	12	8.45	3.00	6.82	16.95	23.26	27.67
Resident	1.97	63	26	18	10	7	6.26	2.51	4.35	10.37	14.73	24.43
Nonresident	1.83	110	28	31	16	5	9.91	3.31	9.09	20.83	28.60	32.20
SALMONID LAKE												
Total	1.79	95	37	22	10	6	16.53	8.52	20.28	29.11	29.82	52.70
Resident	1.78	68	30	19	8	2	15.95	10.11	18.75	25.31	32.22	20.00
Nonresident	1.81	27	7	3	2	4	18.23	4.50	26.69	53.30	20.00	69.00
NONSALMONID STREAM												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.56	6	5	1	0	0	11.04	7.38	18.00	.00	.00	.00
Resident	1.57	5	4	1	0	0	12.01	6.91	22.02	.00	.00	.00
Nonresident	1.50	1	1	0	0	0	6.00	10.00	2.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.85	275	96	72	36	18	11.29	5.02	12.59	20.43	25.08	36.01
Resident	1.86	137	60	38	18	9	11.21	6.49	12.73	17.57	22.51	23.44
Nonresident	1.83	138	36	34	18	9	11.40	3.59	12.31	23.70	27.64	48.56
BIG HOLE DR SALMONID STREAM												
Total	1.94	208	89	72	25	21	11.18	3.92	11.44	20.26	22.85	36.95
Resident	2.15	102	45	57	16	16	11.60	3.30	8.54	20.43	20.71	32.54
Nonresident	1.68	106	44	15	9	5	10.64	4.55	14.36	19.69	26.66	51.02
SALMONID LAKE												
Total	1.29	48	8	1	1	1	2.63	2.14	5.28	5.00	5.00	.00
Resident	1.26	41	7	1	0	1	2.42	1.93	5.27	5.00	.00	.00
Nonresident	1.44	7	1	0	1	0	3.67	3.29	5.00	.00	5.00	.00
NONSALMONID STREAM												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.86	257	97	73	26	22	10.10	3.58	10.93	20.05	22.17	35.27
Resident	1.99	144	52	58	16	17	9.97	2.90	8.10	20.16	20.71	30.63
Nonresident	1.66	113	45	15	10	5	10.31	4.48	14.15	19.69	24.49	51.02

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2007 - 2008 angling license year (continued).

Drainage	Type	Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
BITTERROOT DR	SALMONID STREAM												
	Total	1.93	287	126	93	34	29	7.12	3.70	8.41	11.02	14.20	14.51
	Resident	2.08	163	75	61	23	28	6.90	2.82	7.79	9.91	15.16	15.01
	Nonresident	1.69	124	51	32	11	1	7.50	4.92	9.29	13.24	12.20	.00
	SALMONID LAKE												
	Total	1.87	36	11	7	6	3	11.29	6.56	6.73	17.29	40.33	12.70
	Resident	1.92	28	8	6	6	2	12.83	7.08	8.51	19.17	40.33	9.00
	Nonresident	1.69	8	3	1	0	1	5.38	4.75	2.00	6.00	.00	20.00
	NONSALMONID STREAM												
	Total	2.44	4	1	1	2	1	12.68	5.28	15.00	25.00	25.00	3.00
	Resident	2.71	3	0	1	2	1	12.73	3.70	.00	25.00	25.00	3.00
	Nonresident	1.50	1	1	0	0	0	12.50	10.00	15.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.93	328	138	101	42	33	7.60	4.03	8.33	11.59	18.45	13.99
Resident		2.07	194	83	68	31	31	7.73	3.44	7.86	10.95	20.67	14.24
Nonresident		1.69	134	55	33	11	2	7.40	4.92	9.00	13.02	12.20	10.00
BLACKFOOT DR	SALMONID STREAM												
	Total	2.03	152	40	35	31	21	8.64	3.05	8.05	14.89	16.81	27.73
	Resident	2.15	96	24	20	25	18	8.38	2.05	6.58	12.69	18.47	25.78
	Nonresident	1.79	56	16	15	6	3	9.12	4.72	10.36	17.87	9.83	39.30
	SALMONID LAKE												
	Total	2.04	61	32	28	7	8	12.35	7.99	11.21	17.22	19.43	26.88
	Resident	2.08	50	30	24	6	8	12.44	7.97	11.15	17.63	16.03	26.88
	Nonresident	1.72	11	2	4	1	0	11.83	8.09	12.50	14.75	40.00	.00
	NONSALMONID STREAM												
	Total	2.00	2	1	2	0	0	2.64	1.00	1.67	5.00	.00	.00
	Resident	2.00	2	1	2	0	0	2.64	1.00	1.67	5.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.05	32	4	11	6	4	17.26	9.75	2.25	19.08	57.67	27.50
	Resident	2.16	26	3	10	6	4	16.68	7.54	3.00	16.14	57.67	27.50
	Nonresident	1.38	6	1	1	0	0	20.88	19.50	.00	50.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		2.03	248	78	77	44	33	10.67	5.14	8.93	16.12	22.80	27.49
Resident		2.13	175	59	57	37	30	10.80	4.58	8.59	15.18	24.43	26.30
Nonresident		1.75	73	19	20	7	3	10.29	6.44	10.04	18.85	14.14	39.30

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2007 - 2008 angling license year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
LOWER CLARK FORK DR SALMONID STREAM												
Total	1.53	259	57	37	10	9	6.21	3.90	9.36	10.32	28.90	10.29
Resident	1.63	125	32	21	8	5	6.20	3.20	8.73	8.52	32.63	12.45
Nonresident	1.44	133	25	16	2	4	6.20	4.54	10.08	12.74	14.00	7.25
SALMONID LAKE												
Total	1.59	81	21	5	6	5	23.44	5.66	13.35	10.78	296.02	14.02
Resident	1.66	69	20	5	6	5	25.33	5.42	13.01	10.78	296.02	14.02
Nonresident	1.08	12	1	0	0	0	8.02	7.02	20.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.67	57	27	12	2	2	10.32	4.87	10.11	31.98	16.50	27.80
Resident	1.71	45	24	10	2	2	10.53	4.38	10.65	32.71	16.50	27.80
Nonresident	1.42	11	3	2	0	0	9.27	6.77	6.00	28.50	.00	.00
NONSALMONID LAKE												
Total	1.72	84	34	24	4	3	13.10	7.51	12.06	16.57	47.31	103.33
Resident	1.73	73	31	22	3	3	13.61	7.56	11.74	16.73	60.86	103.33
Nonresident	1.59	11	3	2	1	0	9.32	7.39	15.70	15.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.60	482	139	78	23	20	10.92	4.94	10.77	15.61	106.91	27.37
Resident	1.67	314	107	58	20	16	12.76	4.88	10.83	16.00	121.56	32.38
Nonresident	1.43	168	32	20	3	4	6.76	5.06	10.54	14.54	9.33	7.25
UPPER CLARK FORK DR SALMONID STREAM												
Total	1.69	277	67	55	23	14	5.04	2.11	7.70	9.34	13.14	19.93
Resident	1.74	177	40	34	18	11	4.31	1.48	6.38	7.99	12.44	17.64
Nonresident	1.62	100	27	21	5	3	6.35	3.25	9.64	11.54	15.64	28.30
SALMONID LAKE												
Total	2.03	173	79	59	30	22	17.44	10.74	20.84	21.58	27.47	33.11
Resident	2.07	139	75	50	23	22	17.76	10.88	20.84	20.98	27.57	33.11
Nonresident	1.80	34	4	9	7	0	15.68	10.27	20.00	25.24	27.17	.00
NONSALMONID STREAM												
Total	1.38	5	0	1	0	0	3.08	2.40	2.00	7.00	.00	.00
Resident	1.38	5	0	1	0	0	3.08	2.40	2.00	7.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.20	1	2	2	0	0	6.80	.00	5.00	12.00	.00	.00
Resident	2.20	1	2	2	0	0	6.80	.00	5.00	12.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.85	456	149	117	53	36	10.58	5.38	14.61	15.54	21.25	27.99
Resident	1.91	322	118	87	41	33	11.23	5.55	15.53	15.54	20.93	27.95
Nonresident	1.66	134	31	30	12	3	8.75	5.03	10.98	15.65	22.37	28.30

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2007 - 2008 angling license year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
LOWER FLATHEAD DR SALMONID STREAM												
Total	1.70	143	47	20	13	9	9.93	4.46	9.81	20.82	21.60	56.44
Resident	1.81	89	31	16	11	7	11.32	4.42	8.65	22.03	23.26	67.60
Nonresident	1.49	54	16	4	2	2	7.16	4.48	12.05	15.97	12.50	17.50
SALMONID LAKE												
Total	1.75	338	137	95	21	16	19.14	11.36	23.69	26.69	38.93	73.06
Resident	1.83	248	114	84	20	14	20.41	11.89	24.62	26.85	33.51	78.99
Nonresident	1.44	90	23	11	1	2	14.35	9.86	19.17	25.55	150.00	31.50
NONSALMONID STREAM												
Total	1.61	43	18	8	2	1	5.66	3.29	4.76	18.00	8.00	20.00
Resident	1.61	42	16	8	2	1	5.66	3.13	4.94	18.00	8.00	20.00
Nonresident	1.67	1	2	0	0	0	5.67	10.00	3.50	.00	.00	.00
NONSALMONID LAKE												
Total	1.83	122	37	34	13	8	16.46	9.09	16.46	21.44	23.74	95.14
Resident	1.83	112	32	31	11	8	16.29	8.96	16.69	19.93	21.78	95.14
Nonresident	1.85	10	5	3	2	0	18.10	10.50	15.00	37.33	35.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.75	646	239	158	50	34	15.87	8.87	18.42	24.36	29.08	72.29
Resident	1.81	491	193	140	45	30	16.83	9.12	19.11	24.24	26.87	78.67
Nonresident	1.50	155	46	18	5	4	12.11	8.03	15.56	25.38	49.00	24.50
UPPER FLATHEAD DR SALMONID STREAM												
Total	1.91	105	38	21	14	13	11.01	4.56	10.27	18.18	38.23	24.29
Resident	2.02	64	30	16	12	9	11.35	5.13	10.92	9.51	41.24	20.48
Nonresident	1.67	41	8	5	2	4	10.27	3.71	7.75	46.02	20.00	33.00
SALMONID LAKE												
Total	1.43	81	17	10	1	2	8.36	5.62	8.71	17.43	20.00	65.00
Resident	1.43	68	13	8	1	2	8.82	5.90	8.62	18.47	20.00	65.00
Nonresident	1.42	13	4	2	0	0	6.00	4.00	9.00	13.00	.00	.00
NONSALMONID STREAM												
Total	3.00	0	0	1	0	0	100.00	.00	.00	100.00	.00	.00
Resident	3.00	0	0	1	0	0	100.00	.00	.00	100.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.83	4	1	0	0	1	6.17	5.00	2.00	.00	.00	15.00
Resident	2.00	3	0	0	0	1	6.25	3.33	.00	.00	.00	15.00
Nonresident	1.50	1	1	0	0	0	6.00	10.00	2.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.74	190	56	32	15	16	10.25	5.02	9.65	20.50	37.01	28.80
Resident	1.79	135	43	25	13	12	10.63	5.48	10.23	16.00	39.61	27.44
Nonresident	1.60	55	13	7	2	4	9.16	3.89	7.69	36.59	20.00	33.00

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2005 - 2006 angling license year (continued).

Drainage	Type	Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
GALLATIN DR	SALMONID STREAM												
	Total	1.93	266	115	82	45	20	7.42	2.75	6.74	11.02	20.93	28.38
	Resident	2.04	134	64	46	32	12	6.98	2.45	4.77	9.51	19.17	27.17
	Nonresident	1.81	132	51	36	13	8	7.94	3.02	9.21	12.97	25.22	30.21
	SALMONID LAKE												
	Total	2.01	46	22	11	9	6	11.74	4.68	12.08	15.64	46.10	6.00
	Resident	2.05	38	20	8	8	6	11.03	4.73	12.85	10.53	40.60	6.00
	Nonresident	1.79	8	2	3	1	0	15.93	4.63	4.00	29.33	90.00	.00
	NONSALMONID STREAM												
	Total	3.40	0	0	0	2	0	42.60	1.00	.00	.00	53.00	.00
	Resident	3.40	0	0	0	2	0	42.60	1.00	.00	.00	53.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.64	3	1	1	0	0	17.45	3.67	52.67	6.00	.00	.00
	Resident	1.33	3	1	0	0	0	20.00	3.67	52.67	.00	.00	.00
	Nonresident	3.00	0	0	1	0	0	6.00	.00	.00	6.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Drainage Crowding Ratings:												
	Total	1.95	316	139	94	56	26	8.29	3.04	8.10	11.50	26.12	23.22
	Resident	2.04	176	86	54	42	18	8.24	2.96	7.53	9.66	24.86	20.11
	Nonresident	1.81	140	53	40	14	8	8.37	3.12	9.01	14.02	29.84	30.21
JEFFERSON DR	SALMONID STREAM												
	Total	1.42	85	11	9	3	2	5.22	2.15	9.76	11.80	24.00	53.00
	Resident	1.48	59	8	8	2	2	5.14	2.05	8.98	9.48	16.00	53.00
	Nonresident	1.26	26	3	1	1	0	5.30	2.28	11.67	30.00	40.00	.00
	SALMONID LAKE												
	Total	1.65	51	2	3	2	7	8.79	4.67	7.50	12.33	21.00	34.16
	Resident	1.69	47	2	3	2	7	9.23	4.89	7.50	12.33	21.00	34.16
	Nonresident	1.00	4	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Drainage Crowding Ratings:												
	Total	1.50	136	13	12	5	9	6.54	3.09	9.42	11.93	22.80	38.34
	Resident	1.57	106	10	11	4	9	6.93	3.31	8.68	10.25	18.50	38.34
	Nonresident	1.23	30	3	1	1	0	4.92	2.24	11.67	30.00	40.00	.00

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2007 - 2008 angling license year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
KOOTENAI DR												
SALMONID STREAM												
Total	1.39	168	21	19	6	2	5.17	3.49	10.23	9.91	16.50	15.00
Resident	1.38	112	11	11	4	2	4.57	2.89	5.64	11.90	23.50	15.00
Nonresident	1.42	56	10	8	2	0	6.35	4.79	15.20	7.16	2.50	.00
SALMONID LAKE												
Total	1.61	197	54	34	7	10	11.79	7.66	14.62	25.89	11.14	30.41
Resident	1.62	140	40	24	5	8	10.32	6.99	12.12	20.23	11.60	29.00
Nonresident	1.56	57	14	10	2	2	15.51	9.25	21.74	39.49	10.00	36.00
NONSALMONID STREAM												
Total	1.00	3	0	0	0	0	2.67	2.67	.00	.00	.00	.00
Resident	1.00	3	0	0	0	0	2.67	2.67	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.45	32	9	6	0	0	5.23	4.84	4.67	8.17	.00	.00
Resident	1.47	29	8	6	0	0	5.23	4.62	5.25	8.17	.00	.00
Nonresident	1.25	3	1	0	0	0	5.25	7.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.51	400	84	59	13	12	8.68	5.64	12.45	18.94	13.62	27.84
Resident	1.52	284	59	41	9	10	7.72	5.09	9.98	16.23	16.89	26.20
Nonresident	1.49	116	25	18	4	2	11.04	7.04	18.25	25.12	6.25	36.00
LITTLE MISSOURI DR												
SALMONID STREAM												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
SALMONID LAKE												
Total	2.00	1	0	1	0	0	4.50	1.00	.00	8.00	.00	.00
Resident	2.00	1	0	1	0	0	4.50	1.00	.00	8.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.33	2	1	0	0	0	.00	.00	.00	.00	.00	.00
Resident	1.33	2	1	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.00	4	0	0	0	0	1.72	1.72	.00	.00	.00	.00
Resident	1.00	4	0	0	0	0	1.72	1.72	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.33	7	1	1	0	0	1.77	1.13	.00	8.00	.00	.00
Resident	1.33	7	1	1	0	0	1.77	1.13	.00	8.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2007 - 2008 angling license year (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
MADISON DR	SALMONID STREAM												
	Total	2.53	315	208	229	141	111	16.73	6.24	12.76	17.61	25.63	40.83
	Resident	2.74	101	59	85	66	51	17.30	4.77	11.32	12.95	26.00	45.04
	Nonresident	2.40	214	149	144	75	60	16.40	6.98	13.31	20.29	25.35	37.18
	SALMONID LAKE												
	Total	1.70	171	68	43	8	8	11.39	7.29	12.43	18.50	37.25	26.25
	Resident	1.85	71	34	25	5	5	11.45	6.23	10.86	18.88	53.00	11.00
	Nonresident	1.58	100	34	18	3	3	11.32	8.02	13.98	17.94	11.00	51.67
	NONSALMONID STREAM												
	Total	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.86	4	2	0	0	1	3.86	2.25	4.00	.00	.00	10.00
	Resident	2.00	3	2	0	0	1	4.33	2.67	4.00	.00	.00	10.00
	Nonresident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Drainage Crowding Ratings:													
Total		2.34	491	278	272	149	120	15.44	6.56	12.62	17.75	26.25	39.60
Resident		2.49	176	95	110	71	57	15.51	5.30	11.00	14.30	27.90	41.44
Nonresident		2.24	315	183	162	78	63	15.38	7.29	13.44	20.03	24.79	37.87
MARIAS DR	SALMONID STREAM												
	Total	1.65	16	5	3	2	0	3.34	1.11	8.22	1.67	11.50	.00
	Resident	1.70	13	2	3	2	0	3.24	1.37	9.50	1.67	11.50	.00
	Nonresident	1.50	3	3	0	0	0	3.67	.00	7.33	.00	.00	.00
	SALMONID LAKE												
	Total	1.37	25	2	1	1	1	4.44	4.09	6.50	10.00	8.00	.00
	Resident	1.42	21	2	1	1	1	4.74	4.40	6.50	10.00	8.00	.00
	Nonresident	1.00	4	0	0	0	0	2.50	2.50	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.14	13	0	1	0	0	3.73	2.48	.00	20.00	.00	.00
	Resident	1.14	13	0	1	0	0	3.73	2.48	.00	20.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.84	66	43	20	9	2	23.87	13.02	31.62	36.47	20.87	102.50
	Resident	1.86	62	43	19	9	2	23.95	12.21	31.62	38.09	20.87	102.50
	Nonresident	1.40	4	0	1	0	0	21.78	25.97	.00	5.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Drainage Crowding Ratings:													
Total		1.70	120	50	25	12	3	17.21	8.43	28.27	30.58	18.23	68.33
Resident		1.73	109	47	24	12	3	17.81	8.25	29.61	31.62	18.23	68.33
Nonresident		1.33	11	3	1	0	0	9.39	10.35	7.33	5.00	.00	.00

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2007 - 2008 angling license year (continued) .

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
MILK DR												
SALMONID STREAM												
Total	1.59	13	1	2	2	0	3.69	2.32	2.00	9.50	8.00	.00
Resident	1.63	12	1	2	2	0	3.87	2.46	2.00	9.50	8.00	.00
Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
SALMONID LAKE												
Total	1.73	37	12	12	3	0	7.33	4.72	8.75	11.74	14.29	.00
Resident	1.76	33	12	11	3	0	7.45	4.90	8.75	11.34	14.29	.00
Nonresident	1.40	4	0	1	0	0	6.00	3.25	.00	17.00	.00	.00
NONSALMONID STREAM												
Total	1.05	20	1	0	0	0	1.54	1.32	6.00	.00	.00	.00
Resident	1.00	19	0	0	0	0	1.39	1.39	.00	.00	.00	.00
Nonresident	1.50	1	1	0	0	0	3.00	.00	6.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.04	57	35	35	7	4	17.96	9.77	21.87	21.03	30.27	50.02
Resident	2.06	54	34	34	7	4	17.66	8.95	21.47	21.03	30.27	50.02
Nonresident	1.60	3	1	1	0	0	25.40	24.00	35.00	20.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.84	128	49	50	13	4	12.60	6.17	17.93	18.25	22.54	50.02
Resident	1.86	119	47	48	13	4	12.59	5.91	17.81	18.23	22.54	50.02
Nonresident	1.46	9	2	2	0	0	12.54	9.44	20.50	18.50	.00	.00
LOWER MISSOURI DR												
SALMONID STREAM												
Total	1.55	59	9	6	4	3	7.12	2.88	15.00	13.17	27.75	28.00
Resident	1.41	47	6	3	3	1	5.76	3.48	5.15	13.67	35.67	4.00
Nonresident	1.95	12	3	3	1	2	11.09	.57	34.67	12.67	4.00	40.00
SALMONID LAKE												
Total	1.69	63	19	19	1	3	9.58	7.34	13.59	11.63	20.00	14.30
Resident	1.66	58	15	15	1	3	10.01	7.71	13.46	13.74	20.00	14.30
Nonresident	1.92	5	4	4	0	0	6.54	3.00	14.00	3.50	.00	.00
NONSALMONID STREAM												
Total	1.61	64	21	10	3	3	7.26	5.26	9.91	8.94	23.30	10.00
Resident	1.64	55	16	9	3	3	6.51	5.00	7.06	8.03	23.30	10.00
Nonresident	1.47	9	5	1	0	0	11.63	6.92	19.04	17.00	.00	.00
NONSALMONID LAKE												
Total	1.53	129	51	23	4	0	19.84	15.92	20.61	18.25	146.30	.00
Resident	1.56	109	44	22	4	0	20.59	16.06	21.47	18.56	146.30	.00
Nonresident	1.32	20	7	1	0	0	15.04	15.30	14.90	11.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.58	317	101	59	12	9	13.00	9.58	16.53	13.97	65.51	17.43
Resident	1.58	271	82	50	11	7	13.22	9.79	15.95	14.88	71.10	10.99
Nonresident	1.62	46	19	9	1	2	11.86	8.48	18.92	8.89	4.00	40.00

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2007 - 2008 angling license year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
UPPER MISSOURI DR SALMONID STREAM												
Total	2.23	362	161	172	87	70	13.91	4.31	13.29	21.08	24.33	34.32
Resident	2.24	281	101	124	66	59	11.92	3.06	11.53	17.45	22.32	31.40
Nonresident	2.19	81	60	48	21	11	19.60	8.64	16.29	30.32	30.85	49.99
SALMONID LAKE												
Total	2.24	283	141	139	73	54	22.20	11.93	22.89	25.81	34.61	48.12
Resident	2.30	231	120	132	65	50	23.28	12.58	23.14	26.52	35.22	48.98
Nonresident	1.81	51	21	7	7	4	15.06	8.94	21.43	12.86	29.33	37.50
NONSALMONID STREAM												
Total	1.72	46	20	13	3	1	9.97	3.33	22.43	12.71	13.00	20.00
Resident	1.71	43	14	12	3	1	7.81	3.26	15.94	12.11	13.00	20.00
Nonresident	1.80	3	6	1	0	0	25.79	4.33	37.48	20.00	.00	.00
NONSALMONID LAKE												
Total	2.63	110	84	99	64	45	41.33	14.46	30.40	44.82	48.19	109.97
Resident	2.64	105	84	94	63	45	41.56	14.72	30.40	44.30	48.41	109.97
Nonresident	2.15	4	0	5	0	0	31.37	7.47	.00	54.02	20.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00
Drainage Crowding Ratings:												
Total	2.29	801	406	423	228	171	22.00	8.34	20.61	27.94	34.15	58.42
Resident	2.33	661	319	362	199	155	22.61	8.27	21.06	27.55	34.73	59.81
Nonresident	2.08	140	87	61	29	16	18.90	8.62	18.99	30.09	30.27	44.99
MUSSELSHELL DR SALMONID STREAM												
Total	1.14	13	0	1	0	0	1.06	.60	.00	7.00	.00	.00
Resident	1.17	11	0	1	0	0	1.08	.54	.00	7.00	.00	.00
Nonresident	1.00	2	0	0	0	0	1.00	1.00	.00	.00	.00	.00
SALMONID LAKE												
Total	1.53	41	6	6	0	3	7.74	6.03	18.00	8.17	.00	10.00
Resident	1.58	36	6	6	0	3	8.16	6.39	18.00	8.17	.00	10.00
Nonresident	1.00	5	0	0	0	0	3.40	3.40	.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.00	17	0	0	0	0	.80	.80	.00	.00	.00	.00
Resident	1.00	17	0	0	0	0	.80	.80	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.24	6	7	0	4	1	14.76	11.08	12.73	.00	24.25	15.00
Resident	2.31	5	7	0	4	1	15.26	12.00	12.73	.00	24.25	15.00
Nonresident	1.00	1	0	0	0	0	6.00	6.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.52	78	13	7	4	4	6.97	4.41	15.16	8.00	24.25	11.25
Resident	1.56	70	13	7	4	4	7.28	4.55	15.16	8.00	24.25	11.25
Nonresident	1.00	8	0	0	0	0	3.13	3.13	.00	.00	.00	.00

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2007 - 2008 angling license year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
ST MARY DR												
SALMONID STREAM												
Total	2.00	0	1	0	0	0	5.00	.00	5.00	.00	.00	.00
Resident	2.00	0	1	0	0	0	5.00	.00	5.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
SALMONID LAKE												
Total	1.50	6	6	0	0	0	7.74	5.98	9.50	.00	.00	.00
Resident	1.50	6	6	0	0	0	7.74	5.98	9.50	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID STREAM												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.54	6	7	0	0	0	7.53	5.98	8.86	.00	.00	.00
Resident	1.54	6	7	0	0	0	7.53	5.98	8.86	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
SUN DR												
SALMONID STREAM												
Total	1.13	35	3	1	0	0	2.24	1.78	6.00	7.00	.00	.00
Resident	1.11	25	1	1	0	0	2.13	1.94	2.00	7.00	.00	.00
Nonresident	1.17	10	2	0	0	0	2.50	1.40	8.00	.00	.00	.00
SALMONID LAKE												
Total	1.61	45	15	7	2	2	7.17	5.20	9.61	11.00	22.50	4.50
Resident	1.62	41	14	6	2	2	7.61	5.45	10.29	12.17	22.50	4.50
Nonresident	1.50	4	1	1	0	0	2.33	2.50	.00	4.00	.00	.00
NONSALMONID STREAM												
Total	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.14	7	2	3	0	2	4.57	2.57	5.00	7.00	.00	7.50
Resident	2.14	7	2	3	0	2	4.57	2.57	5.00	7.00	.00	7.50
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.51	88	20	11	2	4	5.29	3.58	8.60	9.55	22.50	6.00
Resident	1.55	74	17	10	2	4	5.77	3.94	9.18	10.10	22.50	6.00
Nonresident	1.28	14	3	1	0	0	2.44	1.71	5.33	4.00	.00	.00

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2007 - 2008 angling license year (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
LOWER YELLOWSTONE DR SALMONID STREAM												
Total	1.64	8	1	1	0	1	9.90	1.24	85.00	10.00	.00	4.00
Resident	1.50	4	1	1	0	0	16.83	1.50	85.00	10.00	.00	.00
Nonresident	1.80	4	0	0	0	1	1.60	1.00	.00	.00	.00	4.00
SALMONID LAKE												
Total	1.44	25	2	3	2	0	4.91	1.72	9.00	25.00	10.50	.00
Resident	1.48	22	2	3	2	0	4.93	1.32	9.00	25.00	10.50	.00
Nonresident	1.00	3	0	0	0	0	4.67	4.67	.00	.00	.00	.00
NONSALMONID STREAM												
Total	2.07	92	38	27	17	15	24.64	3.54	15.15	29.83	103.53	79.35
Resident	1.80	87	28	19	10	6	17.89	3.01	9.45	18.78	142.99	61.67
Nonresident	3.13	5	10	8	7	9	50.58	12.78	31.08	56.00	47.10	91.13
NONSALMONID LAKE												
Total	2.23	56	32	33	18	7	31.04	9.86	25.05	42.66	47.01	132.10
Resident	2.17	47	24	27	11	6	28.40	9.56	18.74	37.92	56.18	120.80
Nonresident	2.45	9	8	6	7	1	40.90	11.42	44.10	64.00	32.60	200.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.07	181	73	64	37	23	25.01	5.14	20.28	35.91	71.01	92.13
Resident	1.91	160	55	50	23	12	20.64	4.66	14.86	29.32	89.95	91.23
Nonresident	2.69	21	18	14	14	11	41.83	8.80	36.87	59.43	39.85	93.11
UPPER YELLOWSTONE DR SALMONID STREAM												
Total	2.23	814	353	358	246	131	21.03	5.13	17.67	30.70	42.62	61.94
Resident	2.05	492	182	149	109	58	13.20	4.39	11.54	20.19	24.97	53.12
Nonresident	2.42	322	171	209	137	73	29.51	6.24	24.16	38.18	56.61	68.94
SALMONID LAKE												
Total	1.79	225	49	34	27	20	8.23	3.57	9.31	14.72	26.46	21.86
Resident	1.85	174	35	27	24	19	8.29	3.70	9.80	14.31	21.66	21.69
Nonresident	1.54	51	14	7	3	1	8.00	3.12	8.07	16.29	65.67	25.00
NONSALMONID STREAM												
Total	1.63	87	25	19	4	3	6.11	2.98	6.81	19.27	2.75	12.00
Resident	1.64	82	25	19	3	3	6.26	2.99	6.81	19.27	2.67	12.00
Nonresident	1.50	5	0	0	1	0	3.00	3.00	.00	.00	3.00	.00
NONSALMONID LAKE												
Total	2.08	75	32	27	21	6	18.04	10.17	19.05	24.66	37.65	11.17
Resident	2.13	66	26	27	21	5	18.23	9.76	18.45	24.66	37.65	11.00
Nonresident	1.63	9	6	0	0	1	16.44	13.42	21.70	.00	.00	12.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.12	1202	459	439	299	160	18.25	5.00	16.28	28.57	40.24	54.09
Resident	1.99	815	268	223	158	85	12.20	4.54	11.54	19.94	25.76	42.17
Nonresident	2.33	387	191	216	141	75	27.52	5.95	22.91	37.47	56.43	67.59

Table 9. - Crowding ratings summarized by drainage by residency by water type for the 2007 - 2008 angling license year (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----	crowded				sparse	-----	crowded		
Total	SALMONID STREAM												
	Total	2.04	3759	1408	1265	712	468	12.86	4.01	12.14	20.16	29.58	40.88
	Resident	2.04	2172	741	677	409	286	10.19	3.26	9.30	15.02	22.79	35.58
	Nonresident	2.05	1587	667	588	303	182	16.29	5.04	15.27	26.06	38.76	49.20
	SALMONID LAKE												
	Total	1.84	2158	746	549	222	178	14.80	7.92	17.26	21.75	38.46	37.04
	Resident	1.90	1644	607	465	190	160	15.46	8.09	17.54	21.75	39.54	36.33
	Nonresident	1.60	513	139	84	31	18	12.23	7.34	16.00	21.83	31.94	43.39
	NONSALMONID STREAM												
	Total	1.72	458	154	95	35	26	11.67	3.52	11.60	22.27	58.91	51.65
	Resident	1.66	422	126	83	27	17	9.40	3.23	8.80	18.96	63.94	31.34
	Nonresident	2.20	36	28	12	8	9	28.06	6.91	24.17	45.17	41.59	91.13
	NONSALMONID LAKE												
	Total	2.04	804	383	322	152	84	23.77	10.94	22.22	30.65	44.19	90.25
	Resident	2.07	719	349	301	141	82	24.00	10.71	22.24	29.83	45.29	89.87
	Nonresident	1.76	84	34	21	10	2	21.38	12.93	22.01	42.29	29.35	106.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00	
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00	
Statewide Crowding Ratings:													
Total		1.97	7180	2691	2232	1122	758	14.69	5.93	14.96	22.16	34.25	45.80
Resident		1.97	4958	1823	1527	769	546	14.10	5.94	14.49	20.21	32.55	43.82
Nonresident		1.96	2222	868	705	353	212	15.99	5.90	15.94	26.36	37.93	50.88

2007 SUMMER

The "summer" season for angling in Montana is considered that period of the year from the first of May through the end of September. In 2007, 1,690,433 (71.1%) days of angling pressure occurred during this period (Table 10). Percentages of angling pressure within the regions for the summer period ranged from 77.5% for region 1 to 61.2% for region 6.

Residents accounted for 64.8% of the "summer" angling pressure (1,094,652 angling days). Within the regions the residents comprised anywhere from as high as 89.4% of the "summer" angling pressure in region 6 to as low as 45.8% of the pressure in region 3.

Table 10. - Angling pressure in angler days by region by water type for the "summer" season of May 2007 through September 2007.

REG	WATER TYPE	-----TOTALS-----		----RESIDENTS----		--NON-RESIDENTS--	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
1	SALMONID STREAM	104350.	1703.	65774.	1195.	38576.	508.
	SALMONID LAKE	156242.	2717.	120859.	2220.	35383.	497.
	NONSALMONID STREAM	24093.	423.	21266.	384.	2827.	39.
	NONSALMONID LAKE	53444.	945.	44854.	824.	8590.	121.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	338127.	5787.	252751.	4622.	85376.	1165.
2	SALMONID STREAM	170381.	2827.	99921.	1853.	70461.	974.
	SALMONID LAKE	64492.	1127.	52114.	954.	12378.	173.
	NONSALMONID STREAM	4644.	85.	4211.	78.	434.	7.
	NONSALMONID LAKE	6906.	126.	5515.	103.	1391.	23.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	246423.	4165.	161760.	2988.	84663.	1177.
3	SALMONID STREAM	386083.	6019.	165455.	3073.	220628.	2946.
	SALMONID LAKE	76432.	1287.	44321.	813.	32111.	474.
	NONSALMONID STREAM	2303.	42.	2265.	41.	38.	1.
	NONSALMONID LAKE	1905.	34.	1798.	32.	107.	2.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	466723.	7381.	213839.	3959.	252884.	3422.
4	SALMONID STREAM	111457.	1944.	72063.	1353.	39394.	591.
	SALMONID LAKE	77696.	1424.	65163.	1227.	12533.	197.
	NONSALMONID STREAM	14627.	262.	12742.	234.	1885.	28.
	NONSALMONID LAKE	75497.	1378.	73608.	1352.	1889.	26.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	114.	3.	0.	0.	114.	3.
	REGIONAL PRESSURE ESTIMATES:	279390.	5010.	223575.	4165.	55815.	845.
5	SALMONID STREAM	154035.	2581.	68266.	1264.	85769.	1317.
	SALMONID LAKE	34151.	585.	26346.	478.	7805.	107.
	NONSALMONID STREAM	19564.	365.	19085.	357.	479.	8.
	NONSALMONID LAKE	18007.	330.	16208.	298.	1799.	32.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	225756.	3860.	129904.	2396.	95852.	1464.

Table 10. - Angling pressure in angler days by region by water type for the "summer" season of May 2007 through September 2007 (continued).

REG	WATER TYPE	-----TOTALS-----		----RESIDENTS----		--NON-RESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
6	SALMONID STREAM	3303.	63.	3241.	62.	62.	1.
	SALMONID LAKE	12322.	224.	11229.	209.	1093.	15.
	NONSALMONID STREAM	10211.	202.	8660.	168.	1551.	34.
	NONSALMONID LAKE	47488.	863.	42329.	791.	5159.	72.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	870.	21.	870.	21.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	74193.	1372.	66328.	1250.	7865.	122.
7	SALMONID STREAM	403.	8.	327.	6.	76.	2.
	SALMONID LAKE	4663.	82.	4208.	75.	455.	7.
	NONSALMONID STREAM	23556.	443.	20441.	373.	3115.	70.
	NONSALMONID LAKE	21462.	388.	16526.	312.	4936.	76.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	50084.	921.	41502.	766.	8582.	155.
TOTAL	SALMONID STREAM	930011.	15144.	475046.	8805.	454966.	6339.
	SALMONID LAKE	434995.	7579.	328581.	6052.	106414.	1528.
	NONSALMONID STREAM	98997.	1821.	88669.	1634.	10329.	187.
	NONSALMONID LAKE	225309.	4074.	201438.	3723.	23871.	352.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	1122.	26.	920.	22.	202.	4.
	STATEWIDE PRESSURE ESTIMATES:	1690433.	28643.	1094652.	20234.	595781.	8409.

"Summer" angling pressure by drainage (Table 11) ranged from 286,576 angler days for the upper Yellowstone River drainage to 515 angler days for the St. Mary's drainage.

Angling pressure for residents by drainage ranged from a low of 30.0% for the Madison River drainage to a high of 100% for the Little Missouri and St. Mary's drainages.

Table 11. - Angling pressure in angler days by drainage by water type for the 2007 "summer" angling season May 2007 through September 2007.

DRAIN	WATER TYPE	-----TOTALS-----		-----RESIDENTS-----		-----NONRESIDENTS-----	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
BEAVERHEAD DR							
	SALMONID STREAM	45890.	737.	21022.	387.	24868.	350.
	SALMONID LAKE	13863.	242.	9842.	177.	4021.	65.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	184.	4.	165.	3.	19.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		59937.	982.	31029.	567.	28908.	415.
BIG HOLE DR							
	SALMONID STREAM	48025.	835.	29761.	559.	18264.	276.
	SALMONID LAKE	5311.	92.	4400.	79.	911.	13.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	113.	2.	113.	2.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		53449.	929.	34274.	640.	19175.	289.
BITTERROOT DR							
	SALMONID STREAM	61029.	1022.	36574.	677.	24455.	345.
	SALMONID LAKE	6615.	119.	5543.	101.	1072.	18.
	NONSALMONID STREAM	910.	16.	725.	13.	185.	3.
	NONSALMONID LAKE	38.	1.	0.	0.	38.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		68592.	1158.	42842.	791.	25750.	367.
BLACKFOOT DR							
	SALMONID STREAM	31014.	513.	18615.	349.	12399.	164.
	SALMONID LAKE	12498.	234.	11027.	209.	1471.	25.
	NONSALMONID STREAM	304.	6.	304.	6.	0.	0.
	NONSALMONID LAKE	5453.	99.	4100.	77.	1353.	22.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		49268.	852.	34045.	641.	15223.	211.
LOWER CLARK FORK DR							
	SALMONID STREAM	43826.	713.	22808.	421.	21019.	292.
	SALMONID LAKE	12160.	223.	10837.	204.	1323.	19.
	NONSALMONID STREAM	16314.	284.	13861.	250.	2454.	34.
	NONSALMONID LAKE	23063.	411.	19678.	360.	3385.	51.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		95362.	1631.	67182.	1235.	28180.	396.
UPPER CLARK FORK DR							
	SALMONID STREAM	47287.	795.	27921.	520.	19366.	275.
	SALMONID LAKE	44098.	752.	34436.	624.	9662.	128.
	NONSALMONID STREAM	194.	4.	194.	4.	0.	0.
	NONSALMONID LAKE	333.	6.	333.	6.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		91912.	1557.	62884.	1154.	29028.	403.

Table 11. - Angling pressure in angler days by drainage by water type for the 2007 "summer" angling season May 2007 through September 2007 (continued).

DRAIN	WATER TYPE	PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
		-----TOTALS-----		-----RESIDENTS-----		-----NONRESIDENTS----	
LOWER FLATHEAD DR							
	SALMONID STREAM	31641.	512.	19959.	364.	11682.	148.
	SALMONID LAKE	88607.	1530.	69522.	1270.	19085.	260.
	NONSALMONID STREAM	10616.	191.	9994.	182.	622.	9.
	NONSALMONID LAKE	25934.	459.	21567.	400.	4367.	59.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	DRAINAGE PRESSURE ESTIMATES:	156798.	2691.	121042.	2215.	35756.	476.
UPPER FLATHEAD DR							
	SALMONID STREAM	28037.	454.	19613.	351.	8424.	103.
	SALMONID LAKE	12608.	226.	10880.	203.	1728.	23.
	NONSALMONID STREAM	56.	1.	56.	1.	0.	0.
	NONSALMONID LAKE	1310.	22.	1141.	20.	169.	2.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	DRAINAGE PRESSURE ESTIMATES:	42011.	703.	31690.	575.	10321.	128.
GALLATIN DR							
	SALMONID STREAM	73184.	1134.	36484.	674.	36700.	460.
	SALMONID LAKE	9999.	175.	8383.	155.	1616.	20.
	NONSALMONID STREAM	975.	18.	975.	18.	0.	0.
	NONSALMONID LAKE	357.	6.	269.	5.	88.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	DRAINAGE PRESSURE ESTIMATES:	84515.	1333.	46111.	852.	38404.	481.
JEFFERSON DR							
	SALMONID STREAM	12711.	226.	9014.	169.	3697.	57.
	SALMONID LAKE	5395.	93.	4424.	79.	971.	14.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	DRAINAGE PRESSURE ESTIMATES:	18106.	319.	13438.	248.	4668.	71.
KOOTENAI DR							
	SALMONID STREAM	31954.	522.	20262.	367.	11692.	155.
	SALMONID LAKE	44091.	759.	30671.	562.	13420.	197.
	NONSALMONID STREAM	343.	6.	343.	6.	0.	0.
	NONSALMONID LAKE	4219.	73.	3550.	64.	669.	9.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	DRAINAGE PRESSURE ESTIMATES:	80607.	1360.	54826.	999.	25781.	361.
LITTLE MISSOURI DR							
	SALMONID STREAM	0.	0.	0.	0.	0.	0.
	SALMONID LAKE	228.	4.	228.	4.	0.	0.
	NONSALMONID STREAM	375.	7.	375.	7.	0.	0.
	NONSALMONID LAKE	56.	1.	56.	1.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	DRAINAGE PRESSURE ESTIMATES:	659.	12.	659.	12.	0.	0.

Table 11. - Angling pressure in angler days by drainage by water type for the 2007 "summer" angling season May 2007 through September 2007 (continued).

DRAIN	WATER TYPE	-----TOTALS-----		-----RESIDENTS-----		-----NONRESIDENTS-----	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
MADISON DR							
	SALMONID STREAM	138421.	2039.	38321.	708.	100100.	1331.
	SALMONID LAKE	37167.	599.	14113.	261.	23054.	338.
	NONSALMONID STREAM	56.	1.	56.	1.	0.	0.
	NONSALMONID LAKE	400.	7.	400.	7.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		176044.	2646.	52890.	977.	123154.	1669.
MARIAS DR							
	SALMONID STREAM	2244.	40.	1540.	29.	704.	11.
	SALMONID LAKE	2212.	42.	2136.	40.	76.	2.
	NONSALMONID STREAM	2577.	48.	2577.	48.	0.	0.
	NONSALMONID LAKE	17641.	317.	17111.	311.	530.	6.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		24673.	447.	23363.	428.	1310.	19.
MILK DR							
	SALMONID STREAM	1901.	35.	1839.	34.	62.	1.
	SALMONID LAKE	7551.	134.	6520.	120.	1031.	14.
	NONSALMONID STREAM	2309.	44.	2209.	42.	100.	2.
	NONSALMONID LAKE	16391.	300.	15109.	284.	1282.	16.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		28152.	513.	25677.	480.	2475.	33.
LOWER MISSOURI DR							
	SALMONID STREAM	11864.	210.	8845.	166.	3019.	44.
	SALMONID LAKE	9609.	178.	8400.	158.	1209.	20.
	NONSALMONID STREAM	11799.	227.	9447.	182.	2352.	45.
	NONSALMONID LAKE	31723.	573.	27677.	515.	4046.	58.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	870.	21.	870.	21.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		65864.	1208.	55238.	1041.	10626.	167.
UPPER MISSOURI DR							
	SALMONID STREAM	98360.	1719.	63514.	1194.	34846.	525.
	SALMONID LAKE	66393.	1213.	55346.	1043.	11047.	170.
	NONSALMONID STREAM	9138.	163.	8116.	147.	1022.	16.
	NONSALMONID LAKE	55199.	1013.	54047.	996.	1152.	17.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	114.	3.	0.	0.	114.	3.
DRAINAGE PRESSURE ESTIMATES:							
		229204.	4110.	181023.	3379.	48181.	731.
MUSSELSHELL DR							
	SALMONID STREAM	1214.	21.	999.	18.	215.	3.
	SALMONID LAKE	3631.	69.	3470.	66.	161.	3.
	NONSALMONID STREAM	1096.	20.	1096.	20.	0.	0.
	NONSALMONID LAKE	2152.	40.	2114.	39.	38.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		8093.	150.	7679.	143.	414.	7.

Table 11. - Angling pressure in angler days by drainage by water type for the 2007 "summer" angling season May 2007 through September 2007 (continued).

DRAIN	WATER TYPE	-----TOTALS-----		----RESIDENTS----		---NONRESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
ST MARY DR							
	SALMONID STREAM	50.	1.	50.	1.	0.	0.
	SALMONID LAKE	465.	10.	465.	10.	0.	0.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	DRAINAGE PRESSURE ESTIMATES:	515.	11.	515.	11.	0.	0.
SUN DR							
	SALMONID STREAM	4484.	76.	2890.	54.	1594.	22.
	SALMONID LAKE	6015.	115.	5677.	108.	338.	7.
	NONSALMONID STREAM	230.	4.	230.	4.	0.	0.
	NONSALMONID LAKE	562.	10.	562.	10.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	DRAINAGE PRESSURE ESTIMATES:	11291.	205.	9359.	176.	1932.	29.
LOWER YELLOWSTONE DR							
	SALMONID STREAM	403.	8.	327.	6.	76.	2.
	SALMONID LAKE	4040.	71.	3585.	64.	455.	7.
	NONSALMONID STREAM	23181.	436.	20066.	366.	3115.	70.
	NONSALMONID LAKE	21406.	387.	16470.	311.	4936.	76.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	DRAINAGE PRESSURE ESTIMATES:	49030.	902.	40448.	747.	8582.	155.
UPPER YELLOWSTONE DR							
	SALMONID STREAM	216473.	3533.	94689.	1758.	121784.	1775.
	SALMONID LAKE	33404.	565.	24335.	439.	9069.	126.
	NONSALMONID STREAM	18525.	346.	18046.	338.	479.	8.
	NONSALMONID LAKE	18175.	333.	16376.	301.	1799.	32.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	DRAINAGE PRESSURE ESTIMATES:	286576.	4776.	153445.	2835.	133131.	1941.
TOTAL							
	SALMONID STREAM	930011.	15144.	475046.	8805.	454966.	6339.
	SALMONID LAKE	434995.	7579.	328581.	6052.	106414.	1528.
	NONSALMONID STREAM	98997.	1821.	88669.	1634.	10329.	187.
	NONSALMONID LAKE	225309.	4074.	201438.	3723.	23871.	352.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	1122.	26.	920.	22.	202.	4.
	STATEWIDE PRESSURE ESTIMATES:	1690433.	28643.	1094652.	20234.	595781.	8409.

Angler Satisfaction Ratings - Summer

The average rating overall for summer was 2.97 with residents and nonresidents rating their angling experience at 2.92 and 3.09 respectively (Table 12). Individual water satisfaction ratings for the "summer" season are given in a separate report "Montana Angler Satisfaction Ratings 2007".

Region 5 had the highest overall satisfaction rating of 3.24 while region 4 had the lowest satisfaction rating of 2.71. Nonresidents were higher or equal in their satisfaction ratings than residents in regions 4,5,6 and 7.

Table 12. - Angler satisfaction ratings by region by water type for the 2007 "summer" angling season of May 2007 through September 2007.

			TOTAL					RESIDENT					NONRESIDENT							
			Avg Rate	poor 1's	2's	3's	excellent 4's	5's	Avg Rate	poor 1's	2's	3's	excellent 4's	5's	Avg Rate	poor 1's	2's	3's	excellent 4's	5's
Reg	Water	Type																		
1	SALMONID STREAM		2.88	139	121	193	118	101	2.86	82	76	136	66	57	2.93	57	45	57	52	44
	SALMONID LAKE		2.98	199	140	248	183	169	3.03	148	108	185	138	144	2.82	51	32	63	45	25
	NONSALMONID STREAM		2.83	25	26	42	25	14	2.79	22	24	35	23	10	3.11	3	2	7	2	4
	NONSALMONID LAKE		2.85	63	62	100	53	44	2.83	55	59	86	43	39	3.03	8	3	14	10	5
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:		2.92	427	350	584	380	330	2.93	308	268	443	271	252	2.90	119	82	141	109	78
2	SALMONID STREAM		2.91	211	216	369	248	143	2.96	112	139	232	150	93	2.83	99	77	137	97	50
	SALMONID LAKE		2.90	91	74	133	78	67	2.91	74	59	115	65	54	2.87	17	15	18	13	13
	NONSALMONID STREAM		2.74	6	6	8	5	3	2.67	5	5	8	3	2	3.11	1	1	0	1	1
	NONSALMONID LAKE		2.26	22	11	11	8	3	2.29	19	8	9	7	3	2.11	3	3	2	1	0
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:		2.89	330	308	522	339	216	2.91	210	212	365	226	152	2.83	120	96	157	113	64
3	SALMONID STREAM		3.12	339	375	820	562	393	3.19	129	151	384	278	169	3.06	210	224	436	284	224
	SALMONID LAKE		2.96	119	94	143	108	101	2.98	66	68	96	66	64	2.92	53	26	47	42	37
	NONSALMONID STREAM		2.90	2	4	4	2	2	2.89	2	4	3	2	2	3.00	0	0	1	0	0
	NONSALMONID LAKE		2.71	5	3	6	1	3	2.69	5	3	5	1	3	3.00	0	0	1	0	0
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:		3.09	465	476	974	675	499	3.13	202	226	488	349	238	3.05	263	250	486	326	261
4	SALMONID STREAM		2.94	135	130	225	145	106	2.91	98	90	164	105	67	3.02	37	40	61	40	39
	SALMONID LAKE		2.63	153	102	146	79	64	2.63	124	90	127	70	50	2.60	29	12	19	9	14
	NONSALMONID STREAM		2.65	24	16	27	7	13	2.66	20	15	22	7	11	2.58	4	1	5	0	2
	NONSALMONID LAKE		2.42	123	104	148	53	20	2.43	118	102	144	52	20	2.12	5	2	4	1	0
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		4.00	0	0	0	1	0	.00	0	0	0	0	0	4.00	0	0	0	1	0
	Regional Satisfaction Ratings:		2.71	436	354	547	285	204	2.67	361	299	457	234	149	2.87	75	55	90	51	55
5	SALMONID STREAM		3.39	127	146	239	225	286	3.02	88	101	138	101	93	3.77	39	45	101	124	193
	SALMONID LAKE		3.24	59	40	83	61	88	3.23	45	30	71	47	67	3.25	14	10	12	14	21
	NONSALMONID STREAM		2.91	18	33	33	29	14	2.90	17	32	32	26	14	3.00	1	1	1	3	0
	NONSALMONID LAKE		2.46	40	38	30	20	11	2.43	38	32	26	19	9	2.67	2	6	4	1	2
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:		3.24	245	257	386	335	400	2.99	189	195	268	193	184	3.67	56	62	118	142	216
6	SALMONID STREAM		2.44	5	4	9	3	0	2.37	5	4	9	2	0	4.00	0	0	0	1	0
	SALMONID LAKE		2.92	18	9	22	17	11	2.88	18	9	20	16	10	3.75	0	0	2	1	1
	NONSALMONID STREAM		2.77	15	15	22	11	9	2.75	12	12	21	8	7	2.83	3	3	1	3	2
	NONSALMONID LAKE		2.73	54	50	69	52	20	2.65	50	47	66	44	13	3.44	4	3	3	8	7
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:		2.76	94	78	122	83	41	2.70	87	72	116	70	31	3.31	7	6	6	13	10

Table 12. - Angler satisfaction ratings by region by water type for the 2007 "summer" angling season of May 2007 through September 2007 (continued).

Reg	Water Type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's
7																			
	SALMONID STREAM	2.17	2	2	1	1	0	2.75	0	2	1	1	0	1.00	2	0	0	0	0
	SALMONID LAKE	2.92	4	7	6	3	5	2.96	4	6	5	3	5	2.50	0	1	1	0	0
	NONSALMONID STREAM	3.02	26	30	45	23	31	2.86	22	27	35	18	18	3.57	4	3	10	5	13
	NONSALMONID LAKE	3.17	11	22	45	30	18	3.20	9	15	37	23	15	3.07	2	7	8	7	3
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:	3.06	43	61	97	57	54	3.00	35	50	78	45	38	3.26	8	11	19	12	16
Total																			
	SALMONID STREAM	3.07	958	995	1856	1302	1030	3.02	514	564	1064	704	480	3.13	444	431	792	598	550
	SALMONID LAKE	2.93	651	470	795	537	520	2.95	484	372	624	409	402	2.90	167	98	171	128	118
	NONSALMONID STREAM	2.86	116	131	181	102	87	2.81	100	120	156	88	65	3.18	16	11	25	14	22
	NONSALMONID LAKE	2.65	320	292	412	219	120	2.63	296	268	375	191	103	2.92	24	24	37	28	17
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	4.00	0	0	0	1	0	.00	0	0	0	0	0	4.00	0	0	0	1	0
	Statewide Satisfaction Ratings:	2.97	2046	1888	3245	2162	1758	2.92	1395	1324	2220	1392	1051	3.09	651	564	1025	770	707

Angler satisfaction ratings were summarized by the twenty-two major drainages like those reported under the angling pressure section (Table 13). The ratings ranged from a high of 3.63 for the St. Mary drainage to a low of 2.00 for the Little Missouri River drainage.

Table 13. - Angler satisfaction ratings by drainage by water type for the 2007 "summer" angling season of May 2007 through September 2007.

Drain- age	Water type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's
BEAVERHEAD DR																			
	SALMONID STREAM	3.35	33	27	87	69	60	3.43	13	8	28	30	24	3.30	20	19	59	39	36
	SALMONID LAKE	3.41	14	12	22	26	28	3.33	9	10	15	19	16	3.57	5	2	7	7	12
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.60	0	1	1	0	0	2.50	0	1	1	0	0	3.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	3.36	47	40	111	95	88	3.38	22	19	44	49	40	3.34	25	21	67	46	48
BIG HOLE DR																			
	SALMONID STREAM	3.17	40	53	127	72	61	3.17	19	26	81	40	29	3.17	21	27	46	32	32
	SALMONID LAKE	3.34	8	7	15	10	16	3.42	6	6	13	8	15	2.88	2	1	2	2	1
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	5.00	0	0	0	0	1	5.00	0	0	0	0	1	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	3.20	48	60	142	82	78	3.23	25	32	94	48	45	3.16	23	28	48	34	33

Table 13. - Angler satisfaction ratings by drainage by water type for the 2007 "summer" angling season of May 2007 through September 2007 (continued).

Drain- age Water type		TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	2's	3's	4's	5's	Avg Rate	poor 1's	2's	3's	4's	5's	Avg Rate	poor 1's	2's	3's	4's	5's
BITTERROOT DR	SALMONID STREAM	2.99	64	74	124	104	47	2.98	37	51	73	65	28	3.00	27	23	51	39	19
	SALMONID LAKE	2.84	14	5	17	5	10	2.90	10	4	14	4	8	2.64	4	1	3	1	2
	NONSALMONID STREAM	3.00	2	0	0	2	1	2.00	2	0	0	1	0	4.50	0	0	0	1	1
	NONSALMONID LAKE	2.00	0	1	0	0	0	.00	0	0	0	0	0	2.00	0	1	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.97	80	80	141	111	58	2.96	49	55	87	70	36	2.99	31	25	54	41	22
BLACKFOOT DR	SALMONID STREAM	2.88	42	38	91	45	24	2.90	30	23	58	26	20	2.86	12	15	33	19	4
	SALMONID LAKE	2.37	36	23	23	10	10	2.41	31	19	21	8	10	2.08	5	4	2	2	0
	NONSALMONID STREAM	2.86	0	1	2	0	0	2.86	0	1	2	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.04	19	9	7	5	1	2.01	16	7	5	4	1	2.13	3	2	2	1	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.65	97	71	124	61	35	2.64	77	50	87	39	31	2.70	20	21	37	22	4
LOWER CLARK FORK DR	SALMONID STREAM	2.57	89	56	82	47	27	2.65	38	33	40	23	16	2.48	51	23	42	24	11
	SALMONID LAKE	2.64	23	21	25	10	12	2.71	19	17	23	10	11	2.09	4	4	2	0	1
	NONSALMONID STREAM	2.77	15	16	31	15	5	2.75	11	13	27	13	2	2.85	4	3	4	2	3
	NONSALMONID LAKE	2.95	16	28	47	16	19	2.92	13	26	41	12	16	3.11	3	2	6	4	3
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.68	144	121	186	90	64	2.75	82	89	132	59	46	2.55	62	32	54	31	18
UPPER CLARK FORK DR	SALMONID STREAM	3.04	50	61	98	67	54	3.11	22	39	73	41	33	2.92	28	22	25	26	21
	SALMONID LAKE	3.12	37	44	86	60	46	3.12	29	35	74	50	35	3.14	8	9	12	10	11
	NONSALMONID STREAM	1.60	1	1	0	0	0	1.60	1	1	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	1.67	2	0	1	0	0	1.67	2	0	1	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	3.07	90	107	185	127	100	3.10	54	76	148	91	68	2.98	36	31	37	36	32
LOWER FLATHEAD DR	SALMONID STREAM	2.65	42	46	64	28	17	2.59	27	29	42	17	8	2.76	15	17	22	11	9
	SALMONID LAKE	3.06	103	73	128	116	98	3.15	71	56	105	89	85	2.75	32	17	23	27	13
	NONSALMONID STREAM	2.97	11	13	17	11	11	2.93	11	13	14	11	10	3.50	0	0	3	0	1
	NONSALMONID LAKE	2.80	39	30	41	35	20	2.80	35	29	35	30	19	2.88	4	1	6	5	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.93	195	163	250	190	147	2.97	144	128	196	147	123	2.78	51	35	54	43	24
UPPER FLATHEAD DR	SALMONID STREAM	3.24	28	29	50	32	49	3.32	15	19	39	22	34	3.07	13	10	11	10	15
	SALMONID LAKE	3.00	21	22	16	20	22	3.14	14	19	12	17	21	2.33	7	3	4	3	1
	NONSALMONID STREAM	4.00	0	0	0	1	0	4.00	0	0	0	1	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.00	2	1	2	0	0	1.75	2	1	1	0	0	3.00	0	0	1	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	3.14	51	52	68	53	71	3.23	31	39	52	40	55	2.90	20	13	16	13	16

Table 13. - Angler satisfaction ratings by drainage by water type for the 2007 "summer" angling season of May 2007 through September 2007 (continued).

Drain- age	Water type	TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	----- 2's	3's	excellent 4's	5's	Avg Rate	poor 1's	----- 2's	3's	4's	5's	Avg Rate	poor 1's	----- 2's	3's	4's	5's
GALLATIN DR	SALMONID STREAM	3.15	55	61	135	114	61	3.36	17	29	72	66	38	2.93	38	32	63	48	23
	SALMONID LAKE	2.83	21	10	19	9	15	2.94	14	9	19	7	13	2.25	7	1	0	2	2
	NONSALMONID STREAM	2.80	1	0	0	1	0	2.80	1	0	0	1	0	.00	0	0	0	0	0
	NONSALMONID LAKE	2.57	1	0	2	0	0	2.40	1	0	1	0	0	3.00	0	0	1	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings	3.10	78	71	156	126	76	3.26	33	38	92	76	51	2.89	45	33	64	50	25
JEFFERSON DR	SALMONID STREAM	3.06	20	11	20	16	20	3.03	13	9	14	9	14	3.11	7	2	6	7	6
	SALMONID LAKE	2.67	11	5	23	2	5	2.70	10	5	21	2	5	2.33	1	0	2	0	0
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings	2.92	31	16	43	18	25	2.89	23	14	35	11	19	3.03	8	2	8	7	6
KOOTENAI DR	SALMONID STREAM	2.96	35	33	53	42	27	2.80	25	21	43	22	12	3.27	10	12	10	20	15
	SALMONID LAKE	2.92	55	26	86	40	38	2.82	47	17	51	25	28	3.13	8	9	35	15	10
	NONSALMONID STREAM	1.33	2	1	0	0	0	1.33	2	1	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	3.03	7	4	13	5	7	3.00	6	4	12	4	6	3.25	1	0	1	1	1
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings	2.93	99	64	152	87	72	2.82	80	43	106	51	46	3.20	19	21	46	36	26
LITTLE MISSOURI DR	SALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	SALMONID LAKE	3.50	0	1	0	0	1	3.50	0	1	0	0	1	.00	0	0	0	0	0
	NONSALMONID STREAM	1.33	2	1	0	0	0	1.33	2	1	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	1.00	1	0	0	0	0	1.00	1	0	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings	2.00	3	2	0	0	1	2.00	3	2	0	0	1	.00	0	0	0	0	0
MADISON DR	SALMONID STREAM	3.04	111	154	269	190	108	3.08	37	39	80	78	28	3.02	74	115	189	112	80
	SALMONID LAKE	2.79	56	50	57	54	28	2.75	21	29	22	24	10	2.82	35	21	35	30	18
	NONSALMONID STREAM	5.00	0	0	0	0	1	5.00	0	0	0	0	1	.00	0	0	0	0	0
	NONSALMONID LAKE	3.80	0	1	1	1	2	3.80	0	1	1	1	2	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings	2.99	167	205	327	245	139	3.00	58	69	103	103	41	2.98	109	136	224	142	98
MARIAS DR	SALMONID STREAM	2.76	7	2	5	3	4	2.81	6	0	4	3	3	2.60	1	2	1	0	1
	SALMONID LAKE	2.26	8	4	3	2	2	2.27	8	3	3	2	2	2.00	0	1	0	0	0
	NONSALMONID STREAM	2.33	5	1	4	1	1	2.33	5	1	4	1	1	.00	0	0	0	0	0
	NONSALMONID LAKE	2.47	30	20	34	12	7	2.47	29	20	33	11	7	2.67	1	0	1	1	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings	2.47	50	28	46	18	14	2.47	48	25	44	17	13	2.56	2	3	2	1	1

Table 13. - Angler satisfaction ratings by drainage by water type for the 2007 "summer" angling season of May 2007 through September 2007 (continued).

Drain- age Water type		TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	----- 2's	3's	excellent 4's	5's	Avg Rate	poor 1's	----- 2's	3's	4's	5's	Avg Rate	poor 1's	----- 2's	3's	4's	5's
MILK DR																			
SALMONID STREAM		2.47	4	3	5	3	0	2.36	4	3	5	2	0	4.00	0	0	0	1	0
SALMONID LAKE		3.02	10	6	12	10	8	3.00	10	6	10	9	8	3.33	0	0	2	1	0
NONSALMONID STREAM		3.13	3	1	6	3	3	3.14	2	1	6	3	2	3.00	1	0	0	0	1
NONSALMONID LAKE		3.03	17	13	23	29	10	2.98	17	13	22	28	8	4.25	0	0	1	1	2
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction Ratings:		2.99	34	23	46	45	22	2.94	33	23	43	42	19	3.70	1	0	3	3	3
LOWER MISSOURI DR																			
SALMONID STREAM		3.20	8	9	18	17	11	3.22	5	8	13	11	9	3.18	3	1	5	6	2
SALMONID LAKE		2.80	13	13	21	11	8	2.74	12	11	19	11	5	3.25	1	2	2	0	3
NONSALMONID STREAM		2.54	21	19	19	10	8	2.45	18	15	18	7	5	2.93	3	4	1	3	3
NONSALMONID LAKE		2.55	38	38	48	24	10	2.44	34	35	45	17	5	3.27	4	3	3	7	5
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction Ratings:		2.71	82	79	106	62	37	2.62	71	69	95	46	24	3.16	11	10	11	16	13
UPPER MISSOURI DR																			
SALMONID STREAM		2.92	123	114	209	128	89	2.90	87	78	158	94	55	2.97	36	36	51	34	34
SALMONID LAKE		2.61	131	90	114	67	54	2.61	104	82	98	58	42	2.60	27	8	16	9	12
NONSALMONID STREAM		2.91	10	13	24	5	11	3.01	7	13	18	5	11	2.33	3	0	6	0	0
NONSALMONID LAKE		2.39	86	82	109	36	11	2.40	83	80	107	36	11	1.93	3	2	2	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		4.00	0	0	0	1	0	.00	0	0	0	0	0	4.00	0	0	0	1	0
Drainage Satisfaction Ratings:		2.71	351	300	457	237	166	2.69	282	254	381	193	120	2.83	69	46	76	44	46
MUSSELSHELL DR																			
SALMONID STREAM		2.38	5	4	1	0	3	2.42	5	3	1	0	3	2.00	0	1	0	0	0
SALMONID LAKE		2.95	7	5	15	3	7	3.06	6	3	15	3	7	1.67	1	2	0	0	0
NONSALMONID STREAM		2.73	2	3	3	2	1	2.73	2	3	3	2	1	.00	0	0	0	0	0
NONSALMONID LAKE		2.56	5	2	5	3	1	2.67	4	2	5	3	1	1.00	1	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction Ratings:		2.74	19	14	24	8	12	2.82	17	11	24	8	12	1.60	2	3	0	0	0
ST MARY DR																			
SALMONID STREAM		5.00	0	0	0	0	1	5.00	0	0	0	0	1	.00	0	0	0	0	0
SALMONID LAKE		3.43	0	1	3	2	1	3.43	0	1	3	2	1	.00	0	0	0	0	0
NONSALMONID STREAM		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
NONSALMONID LAKE		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction Ratings:		3.63	0	1	3	2	2	3.63	0	1	3	2	2	.00	0	0	0	0	0
SUN DR																			
SALMONID STREAM		2.97	6	8	9	3	8	2.75	5	7	5	3	4	3.50	1	1	4	0	4
SALMONID LAKE		2.74	11	6	18	8	4	2.77	10	5	17	7	4	2.50	1	1	1	1	0
NONSALMONID STREAM		2.00	0	1	0	0	0	2.00	0	1	0	0	0	.00	0	0	0	0	0
NONSALMONID LAKE		2.43	3	1	1	1	1	2.43	3	1	1	1	1	.00	0	0	0	0	0
UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction Ratings:		2.80	20	16	28	12	13	2.72	18	14	23	11	9	3.21	2	2	5	1	4

Table 13. - Angler satisfaction ratings by drainage by water type for the 2007 "summer" angling season of May 2007 through September 2007 (continued).

Drain-age Water type		TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	2's	3's	4's	5's	Avg Rate	poor 1's	2's	3's	4's	5's	Avg Rate	poor 1's	2's	3's	4's	5's
LOWER YELLOWSTONE DR	SALMONID STREAM	2.17	2	2	1	1	0	2.75	0	2	1	1	0	1.00	2	0	0	0	0
	SALMONID LAKE	2.82	4	6	6	2	4	2.85	4	5	5	2	4	2.50	0	1	1	0	0
	NONSALMONID STREAM	3.05	24	29	45	23	31	2.90	20	26	35	18	18	3.57	4	3	10	5	13
	NONSALMONID LAKE	3.19	10	22	45	30	18	3.22	8	15	37	23	15	3.07	2	7	8	7	3
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	3.08	40	59	97	56	53	3.03	32	48	78	44	37	3.26	8	11	19	12	16
UPPER YELLOWSTONE DR	SALMONID STREAM	3.29	194	209	408	320	358	3.05	109	136	234	150	120	3.54	85	73	174	170	238
	SALMONID LAKE	3.25	60	36	72	62	87	3.24	44	27	59	48	63	3.28	16	9	13	14	24
	NONSALMONID STREAM	2.91	17	30	30	27	13	2.90	16	29	29	24	13	3.00	1	1	1	3	0
	NONSALMONID LAKE	2.44	42	37	29	20	11	2.41	40	31	25	19	9	2.67	2	6	4	1	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	3.21	314	312	540	429	470	3.01	210	223	348	241	206	3.50	104	89	192	188	264
Total	SALMONID STREAM	3.07	958	995	1856	1302	1030	3.02	514	564	1064	704	480	3.13	444	431	792	598	550
	SALMONID LAKE	2.93	651	470	795	537	520	2.95	484	372	624	409	402	2.90	167	98	171	128	118
	NONSALMONID STREAM	2.86	116	131	181	102	87	2.81	100	120	156	88	65	3.18	16	11	25	14	22
	NONSALMONID LAKE	2.65	320	292	412	219	120	2.63	296	268	375	191	103	2.92	24	24	37	28	17
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	4.00	0	0	0	1	0	.00	0	0	0	0	0	4.00	0	0	0	1	0
	Statewide Satisfaction Ratings:	2.97	2046	1888	3245	2162	1758	2.92	1395	1324	2220	1392	1051	3.09	651	564	1025	770	707

Angler Crowding Ratings - Summer

The ratings were summarized for the seven Fish, Wildlife & Parks regions for the "summer" season and are listed in table 14. The ratings were also summarized by the 22 major drainages in the state for this same period and are listed in table 15.

Table 14. - Crowding ratings summarized by region by residency by water type for the 2007 "summer" season of May 2007 through September 2007.

Region Type		Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
1	SALMONID STREAM												
	Total	1.67	432	108	60	36	26	8.65	4.17	10.58	16.36	26.36	32.46
	Resident	1.77	251	69	44	28	19	9.20	3.87	9.34	14.37	30.39	35.49
	Nonresident	1.49	181	39	16	8	7	7.74	4.58	12.74	21.81	12.25	24.14
	SALMONID LAKE												
	Total	1.71	545	201	131	31	26	16.08	9.03	20.74	26.18	30.97	59.15
	Resident	1.77	398	161	109	28	23	16.78	9.32	21.07	25.19	28.21	61.95
	Nonresident	1.49	147	40	22	3	3	13.73	8.21	19.53	31.00	56.67	37.67
	NONSALMONID STREAM												
	Total	1.69	71	38	17	3	2	8.48	4.37	8.78	21.35	13.67	27.80
	Resident	1.71	61	33	15	3	2	8.41	3.92	9.35	20.42	13.67	27.80
	Nonresident	1.53	10	5	2	0	0	8.96	7.04	5.00	28.50	.00	.00
	NONSALMONID LAKE												
	Total	1.82	169	71	54	16	8	12.36	7.31	13.30	19.82	25.21	34.53
	Resident	1.83	147	63	49	13	8	12.26	7.29	13.06	18.96	25.65	34.53
	Nonresident	1.71	22	8	5	3	0	13.12	7.47	15.26	28.40	23.33	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.71	1219	418	263	86	63	12.61	6.79	15.76	22.31	27.37	43.55
Resident		1.78	859	326	218	72	53	13.27	6.99	15.85	21.26	27.99	46.46
Nonresident		1.51	360	92	45	14	10	10.64	6.31	15.49	27.33	24.14	28.20
2	SALMONID STREAM												
	Total	1.80	691	213	156	72	52	6.88	3.22	8.11	11.14	18.86	21.06
	Resident	1.92	400	125	98	55	44	6.76	2.47	7.55	9.36	20.92	20.00
	Nonresident	1.62	291	88	58	17	8	7.06	4.26	8.90	14.12	12.12	26.85
	SALMONID LAKE												
	Total	2.03	210	93	71	36	27	14.59	8.55	15.27	18.55	27.85	31.16
	Resident	2.09	163	87	58	29	26	15.16	8.83	15.21	18.08	30.09	31.59
	Nonresident	1.77	47	6	13	7	1	11.73	7.55	16.00	20.55	18.57	20.00
	NONSALMONID STREAM												
	Total	1.98	13	6	6	2	1	13.85	4.14	5.95	45.33	14.00	3.00
	Resident	2.13	10	5	6	2	1	14.65	2.79	4.14	45.33	14.00	3.00
	Nonresident	1.22	3	1	0	0	0	9.44	7.86	15.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.30	23	5	15	6	4	18.37	5.14	4.20	19.38	73.33	27.50
	Resident	2.46	17	4	14	6	4	20.07	5.82	5.25	17.28	73.33	27.50
	Nonresident	1.38	6	1	1	0	0	8.61	3.15	.00	50.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.88	939	317	249	116	84	9.34	4.48	10.11	14.60	24.38	24.40
Resident		2.00	591	221	177	92	75	10.10	4.33	10.45	14.11	27.08	24.19
Nonresident		1.63	348	96	72	24	9	7.73	4.72	9.32	15.78	14.00	26.09

Table 14. - Crowding ratings summarized by region by residency by water type for the 2005 "summer" season of May 2007 through September 2007 (continued).

Region Type		Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
3	SALMONID STREAM												
	Total	2.17	1065	520	484	256	164	13.01	4.53	11.23	17.20	25.79	41.43
	Resdident	2.28	452	210	230	137	85	12.66	3.96	8.39	14.20	25.34	44.95
	Nonresident	2.08	613	310	254	119	79	13.29	4.96	13.12	19.90	26.36	37.68
	SALMONID LAKE												
	Total	1.75	331	121	69	24	24	11.49	5.85	13.21	22.48	38.91	21.55
	Resdident	1.84	198	80	46	19	19	11.18	5.35	11.89	21.27	40.35	15.37
	Nonresident	1.59	133	41	23	5	5	12.04	6.60	15.83	24.92	33.40	45.00
	NONSALMONID STREAM												
	Total	1.90	6	5	1	2	0	19.77	1.92	30.64	15.00	53.00	.00
	Resdident	1.89	6	4	1	2	0	13.81	1.92	13.25	15.00	53.00	.00
	Nonresident	2.00	0	1	0	0	0	100.00	.00	100.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.00	7	6	4	0	1	12.44	3.86	23.85	9.52	.00	10.00
	Resdident	1.94	7	6	3	0	1	12.81	3.86	23.85	10.70	.00	10.00
	Nonresident	3.00	0	0	1	0	0	6.00	.00	.00	6.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.09	1410	653	558	282	189	12.76	4.82	11.87	17.79	27.10	38.74
Resident		2.16	664	301	280	158	105	12.32	4.35	9.72	15.33	27.50	39.26
Nonresident		2.02	746	352	278	124	84	13.18	5.25	13.68	20.26	26.64	38.11
4	SALMONID STREAM												
	Total	2.24	312	135	137	80	64	14.08	3.82	13.26	21.99	25.17	35.04
	Resdident	2.27	231	79	90	59	53	12.03	2.55	11.04	18.19	23.24	31.94
	Nonresident	2.19	81	56	47	21	11	18.93	7.50	16.36	29.20	30.64	49.99
	SALMONID LAKE												
	Total	2.20	237	98	108	50	45	19.90	8.93	22.27	27.41	25.15	48.78
	Resdident	2.27	193	77	99	43	43	20.82	9.06	22.24	29.14	24.12	48.72
	Nonresident	1.81	44	21	9	6	2	14.70	8.27	22.33	8.00	32.00	50.00
	NONSALMONID STREAM												
	Total	1.61	58	14	10	2	3	8.24	4.26	20.51	12.50	9.40	13.33
	Resdident	1.61	52	9	9	2	3	7.26	4.21	18.00	11.68	9.40	13.33
	Nonresident	1.58	6	5	1	0	0	14.50	4.85	24.98	20.00	.00	.00
	NONSALMONID LAKE												
	Total	2.49	134	105	100	64	42	39.50	15.27	30.91	48.95	46.50	105.46
	Resdident	2.50	128	105	94	63	42	39.69	15.04	30.91	49.13	46.70	105.46
	Nonresident	2.08	6	0	6	0	0	32.97	21.17	.00	45.85	20.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00
Regional Crowding Ratings:													
Total		2.26	743	353	355	197	155	21.83	7.56	21.33	30.97	31.89	57.59
Resident		2.30	606	271	292	169	141	22.61	7.42	22.21	31.66	32.08	58.56
Nonresident		2.07	137	82	63	28	14	18.24	8.23	18.41	27.61	30.77	47.85

Table 14. - Crowding ratings summarized by region by residency by water type for the 2005 "summer" season of May 2007 through September 2007 (continued).

Region	Type	Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
5	SALMONID STREAM												
	Total	2.37	405	175	205	149	93	24.22	4.46	21.69	37.22	44.35	54.12
	Resident	2.04	277	80	73	56	37	12.04	3.58	12.02	25.22	23.32	32.41
	Nonresident	2.71	128	95	132	93	56	36.86	6.37	29.79	43.91	57.02	68.42
	SALMONID LAKE												
	Total	1.78	211	41	33	24	19	8.64	4.02	10.31	14.27	28.18	21.23
	Resident	1.85	165	29	27	21	18	8.83	4.26	11.71	14.13	22.95	21.02
	Nonresident	1.54	46	12	6	3	1	7.91	3.13	6.92	14.83	65.67	25.00
	NONSALMONID STREAM												
	Total	1.58	82	23	15	4	2	6.07	2.75	7.11	22.29	2.75	15.50
	Resident	1.58	77	23	15	3	2	6.21	2.71	7.11	22.29	2.67	15.50
	Nonresident	1.50	5	0	0	1	0	3.00	3.00	.00	.00	3.00	.00
	NONSALMONID LAKE												
	Total	2.23	56	29	24	22	6	19.92	12.06	19.54	26.37	35.32	11.17
	Resident	2.30	48	23	24	22	5	20.25	11.65	18.99	26.37	35.32	11.00
	Nonresident	1.67	8	6	0	0	1	17.27	14.60	21.70	.00	.00	12.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		2.18	754	269	278	200	120	19.28	4.71	18.45	32.70	40.52	46.12
Resident		1.97	567	156	140	103	62	11.53	4.34	12.29	22.93	25.26	26.83
Nonresident		2.54	187	113	138	97	58	32.70	5.84	26.93	42.64	56.74	66.70
6	SALMONID STREAM												
	Total	1.56	15	2	2	2	0	8.09	7.55	11.00	9.50	8.00	.00
	Resident	1.59	14	2	2	2	0	8.50	8.08	11.00	9.50	8.00	.00
	Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.63	46	13	13	2	0	8.42	7.25	7.85	11.26	18.00	.00
	Resident	1.64	43	13	12	2	0	8.44	7.39	7.85	10.80	18.00	.00
	Nonresident	1.50	3	0	1	0	0	8.00	5.00	.00	17.00	.00	.00
	NONSALMONID STREAM												
	Total	1.60	44	15	7	3	1	7.42	4.46	11.21	10.90	23.30	10.00
	Resident	1.60	38	10	6	3	1	6.30	4.03	7.47	9.80	23.30	10.00
	Nonresident	1.58	6	5	1	0	0	12.84	7.37	18.58	17.00	.00	.00
	NONSALMONID LAKE												
	Total	1.75	126	65	43	6	3	20.65	15.21	20.40	21.69	108.62	50.00
	Resident	1.78	111	57	41	6	3	20.73	14.30	20.82	21.99	108.62	50.00
	Nonresident	1.48	15	8	2	0	0	20.16	22.24	17.41	15.50	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.69	233	96	66	14	4	15.49	11.06	17.00	18.04	59.78	40.00
Resident		1.71	208	83	62	14	4	15.39	10.52	16.87	18.15	59.78	40.00
Nonresident		1.50	25	13	4	0	0	16.43	15.71	17.86	16.25	.00	.00

Table 14. - Crowding ratings summarized by region by residency by water type for the 2007 "summer" season of May 2007 through September 2007 (continued).

		Crowding Ratings					Average Number of People Seen						
Region	Type	Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----	crowded								
7	SALMONID STREAM												
	Total	1.50	4	1	1	0	0	16.67	1.25	85.00	10.00	.00	.00
	Resdident	1.75	2	1	1	0	0	24.75	2.00	85.00	10.00	.00	.00
	Nonresident	1.00	2	0	0	0	0	.50	.50	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.72	16	2	5	2	0	6.44	1.81	9.00	18.60	10.50	.00
	Resdident	1.78	14	2	5	2	0	6.48	1.21	9.00	18.60	10.50	.00
	Nonresident	1.00	2	0	0	0	0	6.00	6.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	2.21	69	33	23	17	15	28.47	3.74	16.27	31.52	103.53	79.35
	Resdident	1.89	66	24	15	10	6	20.73	3.07	9.52	18.48	142.99	61.67
	Nonresident	3.28	3	9	8	7	9	54.60	19.67	34.31	56.00	47.10	91.13
	NONSALMONID LAKE												
	Total	2.35	43	28	31	18	7	34.61	11.26	27.15	44.54	47.01	132.10
	Resdident	2.28	37	21	25	11	6	31.68	10.73	20.55	39.88	56.18	120.80
	Nonresident	2.63	6	7	6	7	1	45.53	14.50	47.14	64.00	32.60	200.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Regional Crowding Ratings													
Total		2.22	132	64	60	37	22	28.98	5.88	21.88	36.81	71.01	96.14
Resident		2.04	119	48	46	23	12	23.89	5.21	15.90	29.94	89.95	91.23
Nonresident		2.88	13	16	14	14	10	47.88	12.23	39.92	59.43	39.85	102.02
Total	SALMONID STREAM												
	Total	2.08	2926	1154	1045	595	399	13.34	4.09	12.48	20.78	29.49	40.12
	Resdident	2.09	1629	566	538	337	238	10.74	3.35	9.35	15.47	24.23	34.74
	Nonresident	2.07	1297	588	507	258	161	16.42	5.04	15.47	26.41	36.38	48.09
	SALMONID LAKE												
	Total	1.86	1623	575	439	173	142	14.43	7.47	17.31	22.94	28.51	38.84
	Resdident	1.94	1187	452	362	145	129	15.09	7.66	17.40	23.03	27.75	38.85
	Nonresident	1.61	436	123	77	27	13	12.18	6.94	17.00	22.47	32.47	38.69
	NONSALMONID STREAM												
	Total	1.80	345	134	79	33	24	13.44	3.80	12.52	24.18	60.88	54.85
	Resdident	1.72	312	108	67	25	15	10.75	3.43	9.36	20.43	66.91	33.77
	Nonresident	2.24	33	26	12	8	9	29.45	7.32	25.64	45.17	41.59	91.13
	NONSALMONID LAKE												
	Total	2.14	561	312	274	133	71	25.90	11.63	22.61	33.88	46.36	84.05
	Resdident	2.17	498	282	253	122	69	26.16	11.42	22.47	33.18	47.82	83.41
	Nonresident	1.88	63	30	21	10	2	23.54	13.45	24.05	42.29	29.35	106.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00	
Statewide Crowding Ratings:													
Total		2.01	5456	2175	1837	935	638	15.18	5.85	15.21	23.40	32.83	45.25
Resident		2.03	3626	1408	1220	631	452	14.66	5.87	14.56	21.66	31.35	43.31
Nonresident		1.99	1830	767	617	304	186	16.20	5.82	16.39	26.82	35.92	49.98

Table 15. - Crowding ratings summarized by drainage by residency by water type for the 2007 "summer" season of May

	61			

2007 through September 2007.

Drainage	Type	Avg	Crowding Ratings					Avg	Average Number of People Seen				
			1 sparse	2 -----	3 -----	4 -----	5 crowded		1 sparse	2 -----	3 -----	4 -----	5 crowded
BEAVERHEAD DR													
	SALMONID STREAM												
	Total	1.96	141	49	46	24	12	9.26	2.95	7.26	17.90	24.64	27.67
	Resident	2.05	48	22	16	8	7	6.99	2.53	4.65	11.09	16.77	24.43
	Nonresident	1.91	93	27	30	16	5	10.60	3.18	9.36	21.56	28.60	32.20
	SALMONID LAKE												
	Total	1.82	56	21	14	6	4	15.89	6.77	21.05	35.50	29.50	27.50
	Resident	1.90	34	16	11	5	2	16.04	8.43	18.12	30.65	27.38	20.00
	Nonresident	1.67	22	5	3	1	2	15.57	4.17	30.40	53.30	40.00	35.00
	NONSALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.50	1	1	0	0	0	28.50	7.00	50.00	.00	.00	.00
	Resident	1.50	1	1	0	0	0	28.50	7.00	50.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	1.92	198	71	60	30	16	11.15	4.05	11.94	22.01	25.61	27.63
	Resident	1.98	83	39	27	13	9	10.84	5.00	11.34	19.06	20.85	23.44
	Nonresident	1.87	115	32	33	17	7	11.41	3.37	12.64	24.45	29.27	33.00
BIG HOLE DR													
	SALMONID STREAM												
	Total	2.00	167	78	68	24	17	12.23	4.18	12.25	20.51	23.16	42.76
	Resident	2.23	78	37	54	15	13	12.85	3.49	9.25	20.91	21.07	36.29
	Nonresident	1.71	89	41	14	9	4	11.44	4.80	14.84	18.93	26.66	63.77
	SALMONID LAKE												
	Total	1.30	45	8	1	1	1	2.71	2.22	5.28	5.00	5.00	.00
	Resident	1.27	39	7	1	0	1	2.50	2.01	5.27	5.00	.00	.00
	Nonresident	1.50	6	1	0	1	0	3.88	3.50	5.00	.00	5.00	.00
	NONSALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	1.90	213	86	69	25	18	10.91	3.76	11.60	20.28	22.43	40.38
	Resident	2.04	118	44	55	15	14	10.79	2.99	8.62	20.62	21.07	33.70
	Nonresident	1.70	95	42	14	10	4	11.07	4.72	14.61	18.93	24.49	63.77

Table 15. - Crowding ratings summarized by drainage by residency by water type for the 2007 "summer" season of May 2007 through September 2007 (continued)

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
BITTERROOT DR												
SALMONID STREAM												
Total	1.89	213	93	63	29	15	6.67	3.82	7.68	9.57	15.03	12.52
Resident	2.01	122	57	41	19	15	6.46	2.84	7.72	8.44	16.89	12.52
Nonresident	1.69	91	36	22	10	0	7.01	5.17	7.63	11.63	11.40	.00
SALMONID LAKE												
Total	1.96	27	9	6	5	3	11.46	5.78	7.32	16.83	42.40	12.70
Resident	2.03	20	7	5	5	2	12.95	5.99	8.57	19.00	42.40	9.00
Nonresident	1.73	7	2	1	0	1	6.18	5.14	3.00	6.00	.00	20.00
NONSALMONID STREAM												
Total	2.60	2	1	0	1	1	9.60	5.00	15.00	.00	20.00	3.00
Resident	3.33	1	0	0	1	1	7.67	.00	.00	.00	20.00	3.00
Nonresident	1.50	1	1	0	0	0	12.50	10.00	15.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.90	243	103	69	35	19	7.20	4.04	7.72	10.20	19.09	12.05
Resident	2.02	143	64	46	25	18	7.33	3.26	7.81	9.59	22.12	11.60
Nonresident	1.69	100	39	23	10	1	7.00	5.19	7.58	11.38	11.40	20.00
BLACKFOOT DR												
SALMONID STREAM												
Total	2.10	122	35	35	24	21	9.52	3.23	8.48	14.89	19.24	27.73
Resident	2.24	76	21	20	20	18	9.34	2.15	7.01	12.69	21.04	25.78
Nonresident	1.83	46	14	15	4	3	9.85	5.00	10.79	17.87	10.25	39.30
SALMONID LAKE												
Total	2.09	39	28	20	5	6	11.59	7.43	8.83	16.11	22.40	27.50
Resident	2.13	32	27	17	4	6	11.85	8.16	8.61	16.93	18.00	27.50
Nonresident	1.83	7	1	3	1	0	9.75	4.00	15.00	11.33	40.00	.00
NONSALMONID STREAM												
Total	2.29	1	0	2	0	0	4.14	2.00	5.00	5.00	.00	.00
Resident	2.29	1	0	2	0	0	4.14	2.00	5.00	5.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.38	17	3	10	5	4	18.83	4.50	2.67	20.61	68.00	27.50
Resident	2.58	12	2	9	5	4	20.80	4.95	4.00	17.53	68.00	27.50
Nonresident	1.43	5	1	1	0	0	9.56	3.38	.00	50.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.13	180	67	68	34	31	10.99	4.27	8.34	15.85	26.88	27.65
Resident	2.25	122	51	49	29	28	11.42	4.04	7.72	14.83	28.72	26.39
Nonresident	1.80	58	16	19	5	3	9.82	4.74	10.38	18.53	16.20	39.30

Table 15. - Crowding ratings summarized by drainage by residency by water type for the 2007 "summer" season of May 2007 through September 2007 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
LOWER CLARK FORK DR												
SALMONID STREAM												
Total	1.54	214	45	25	10	9	6.48	3.96	10.39	10.52	28.90	10.29
Resident	1.67	98	22	16	8	5	6.93	3.45	10.25	9.06	32.63	12.45
Nonresident	1.41	115	23	9	2	4	6.03	4.39	10.53	13.16	14.00	7.25
SALMONID LAKE												
Total	1.55	61	19	5	4	2	8.08	6.06	11.96	10.78	15.36	10.00
Resident	1.61	51	18	5	4	2	8.11	5.96	11.51	10.78	15.36	10.00
Nonresident	1.09	10	1	0	0	0	7.75	6.52	20.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.77	43	24	12	2	2	11.68	5.21	11.05	31.98	16.50	27.80
Resident	1.85	31	21	10	2	2	12.26	4.60	11.75	32.71	16.50	27.80
Nonresident	1.42	11	3	2	0	0	9.27	6.77	6.00	28.50	.00	.00
NONSALMONID LAKE												
Total	1.71	66	33	21	4	0	12.17	8.00	11.82	18.41	47.31	.00
Resident	1.73	55	30	19	3	0	12.63	8.10	11.47	18.79	60.86	.00
Nonresident	1.59	11	3	2	1	0	9.32	7.39	15.70	15.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.61	385	121	63	21	14	8.62	5.14	11.16	17.26	28.76	13.38
Resident	1.70	237	91	50	18	10	9.56	5.24	11.25	17.66	32.01	15.80
Nonresident	1.41	148	30	13	3	4	6.68	4.95	10.91	15.80	9.33	7.25
UPPER CLARK FORK DR												
SALMONID STREAM												
Total	1.62	216	52	38	12	10	5.24	2.14	7.98	10.16	17.09	24.90
Resident	1.66	135	30	25	9	7	4.50	1.51	6.62	8.18	17.12	23.46
Nonresident	1.57	81	22	13	3	3	6.47	3.17	9.84	13.90	17.00	28.30
SALMONID LAKE												
Total	2.07	130	54	44	26	18	16.83	9.95	20.07	20.11	26.10	35.46
Resident	2.13	99	51	35	20	18	17.49	10.18	19.77	18.75	29.43	35.46
Nonresident	1.80	31	3	9	6	0	13.82	9.19	25.00	25.24	15.00	.00
NONSALMONID STREAM												
Total	2.00	1	0	1	0	0	3.20	.00	2.00	7.00	.00	.00
Resident	2.00	1	0	1	0	0	3.20	.00	2.00	7.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.67	0	1	2	0	0	9.33	.00	4.00	12.00	.00	.00
Resident	2.67	0	1	2	0	0	9.33	.00	4.00	12.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.83	347	108	85	38	28	10.46	5.06	13.96	15.32	23.26	31.69
Resident	1.91	235	83	63	29	25	11.18	5.16	14.64	14.16	25.61	32.10
Nonresident	1.63	112	25	22	9	3	8.58	4.84	11.66	18.54	15.67	28.30

Table 15. - Crowding ratings summarized by drainage by residency by water type for the 2007 "summer" season of May 2007 through September 2007 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
LOWER FLATHEAD DR SALMONID STREAM												
Total	1.75	117	40	18	13	8	10.69	4.71	9.56	21.51	21.60	61.59
Resident	1.92	67	24	14	11	7	12.68	4.75	7.88	23.06	23.26	67.60
Nonresident	1.47	50	16	4	2	1	7.30	4.63	12.05	15.97	12.50	20.00
SALMONID LAKE												
Total	1.80	269	122	89	18	13	20.14	10.73	25.38	27.14	42.86	85.06
Resident	1.89	192	101	78	17	11	21.94	11.79	26.53	27.34	36.74	94.80
Nonresident	1.48	77	21	11	1	2	13.70	8.05	20.04	25.55	150.00	31.50
NONSALMONID STREAM												
Total	1.61	35	18	7	2	0	5.81	3.55	4.76	19.17	8.00	.00
Resident	1.61	34	16	7	2	0	5.82	3.36	4.94	19.17	8.00	.00
Nonresident	1.67	1	2	0	0	0	5.67	10.00	3.50	.00	.00	.00
NONSALMONID LAKE												
Total	1.97	81	32	30	12	7	14.77	7.71	16.48	23.10	23.24	37.31
Resident	1.97	74	28	27	10	7	14.28	7.74	16.14	21.55	21.00	37.31
Nonresident	2.00	7	4	3	2	0	19.31	7.43	18.75	37.33	35.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.81	502	212	145	46	28	16.26	8.34	19.30	25.21	30.00	66.42
Resident	1.89	367	169	127	41	25	17.53	8.91	20.12	25.16	27.69	71.09
Nonresident	1.52	135	43	18	5	3	11.73	6.76	16.18	25.38	49.00	27.67
UPPER FLATHEAD DR SALMONID STREAM												
Total	1.93	101	35	21	14	13	11.31	4.70	10.68	18.18	38.23	24.29
Resident	2.05	61	29	16	12	9	11.60	5.24	11.09	9.51	41.24	20.48
Nonresident	1.67	40	6	5	2	4	10.60	3.78	8.50	46.02	20.00	33.00
SALMONID LAKE												
Total	1.45	73	16	9	1	2	8.34	5.34	9.26	17.09	20.00	65.00
Resident	1.47	60	12	8	1	2	9.01	5.63	9.34	18.47	20.00	65.00
Nonresident	1.33	13	4	1	0	0	5.22	4.00	9.00	6.00	.00	.00
NONSALMONID STREAM												
Total	3.00	0	0	1	0	0	100.00	.00	.00	100.00	.00	.00
Resident	3.00	0	0	1	0	0	100.00	.00	.00	100.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.80	4	0	0	0	1	7.00	5.00	.00	.00	.00	15.00
Resident	2.00	3	0	0	0	1	6.25	3.33	.00	.00	.00	15.00
Nonresident	1.00	1	0	0	0	0	10.00	10.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.76	178	51	31	15	16	10.51	4.97	10.23	20.50	37.01	28.80
Resident	1.83	124	41	25	13	12	10.91	5.38	10.58	16.00	39.61	27.44
Nonresident	1.58	54	10	6	2	4	9.32	3.95	8.70	39.35	20.00	33.00

Table 15. - Crowding ratings summarized by drainage by residency by water type for the 2007 "summer" season of May 2007 through September 2007 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
GALLATIN DR												
SALMONID STREAM												
Total	1.97	207	95	73	34	18	8.04	2.77	7.33	11.18	23.81	29.87
Resident	2.08	100	48	41	24	10	7.86	2.43	5.06	10.08	23.38	29.61
Nonresident	1.85	107	47	32	10	8	8.26	3.11	9.71	12.66	24.78	30.21
SALMONID LAKE												
Total	2.13	32	21	9	9	5	13.72	5.55	12.45	17.58	46.10	6.20
Resident	2.19	25	19	6	8	5	13.01	5.64	13.31	11.67	40.60	6.20
Nonresident	1.85	7	2	3	1	0	17.15	5.29	4.00	29.33	90.00	.00
NONSALMONID STREAM												
Total	3.40	0	0	0	2	0	42.60	1.00	.00	.00	53.00	.00
Resident	3.40	0	0	0	2	0	42.60	1.00	.00	.00	53.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.00	1	1	1	0	0	26.57	8.00	52.67	6.00	.00	.00
Resident	1.60	1	1	0	0	0	34.80	8.00	52.67	.00	.00	.00
Nonresident	3.00	0	0	1	0	0	6.00	.00	.00	6.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.00	241	118	83	45	23	9.18	3.16	8.84	11.81	29.56	24.72
Resident	2.11	127	69	47	34	15	9.51	3.10	8.42	10.28	29.17	21.81
Nonresident	1.85	114	49	36	11	8	8.78	3.25	9.48	13.86	30.71	30.21
JEFFERSON DR												
SALMONID STREAM												
Total	1.44	65	11	7	3	1	5.90	2.16	9.76	13.43	24.00	100.00
Resident	1.50	43	8	6	2	1	6.04	2.20	8.98	10.70	16.00	100.00
Nonresident	1.30	22	3	1	1	0	5.69	2.21	11.67	30.00	40.00	.00
SALMONID LAKE												
Total	1.61	37	1	2	1	5	7.04	3.26	5.00	12.00	40.00	26.82
Resident	1.65	34	1	2	1	5	7.46	3.46	5.00	12.00	40.00	26.82
Nonresident	1.00	3	0	0	0	0	1.00	1.00	.00	.00	.00	.00
NONSALMONID STREAM												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.50	102	12	9	4	6	6.30	2.56	9.37	13.11	28.00	39.02
Resident	1.56	77	9	8	3	6	6.64	2.76	8.53	11.02	24.00	39.02
Nonresident	1.27	25	3	1	1	0	5.22	2.07	11.67	30.00	40.00	.00

Table 15. - Crowding ratings summarized by drainage by residency by water type for the 2007 "summer" season of May 2007 through September 2007 (continued).

Drainage	Type	Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
KOOTENAI DR													
	SALMONID STREAM												
	Total	1.42	142	20	16	6	2	5.40	3.44	10.59	11.02	16.50	15.00
	Resident	1.42	93	10	10	4	2	4.84	2.87	5.99	12.52	23.50	15.00
	Nonresident	1.42	49	10	6	2	0	6.44	4.56	15.20	8.50	2.50	.00
	SALMONID LAKE												
	Total	1.65	155	46	29	7	9	13.12	8.59	15.65	28.13	11.14	31.36
	Resident	1.69	106	32	19	5	8	11.66	8.07	13.00	22.15	11.60	29.00
	Nonresident	1.58	49	14	10	2	1	16.38	9.71	21.74	39.49	10.00	50.00
	NONSALMONID STREAM												
	Total	1.00	3	0	0	0	0	2.67	2.67	.00	.00	.00	.00
	Resident	1.00	3	0	0	0	0	2.67	2.67	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.53	23	7	6	0	0	5.22	4.48	5.14	8.17	.00	.00
	Resident	1.56	20	6	6	0	0	5.22	4.11	6.00	8.17	.00	.00
	Nonresident	1.25	3	1	0	0	0	5.25	7.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Drainage Crowding Ratings:												
	Total	1.55	323	73	51	13	11	9.40	5.98	13.25	20.42	13.62	28.38
	Resident	1.57	222	48	35	9	10	8.44	5.46	10.66	17.00	16.89	26.20
	Nonresident	1.50	101	25	16	4	1	11.55	7.13	18.25	27.87	6.25	50.00
LITTLE MISSOURI DR													
	SALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	2.00	1	0	1	0	0	4.50	1.00	.00	8.00	.00	.00
	Resident	2.00	1	0	1	0	0	4.50	1.00	.00	8.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.33	2	1	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	1.33	2	1	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.00	1	0	0	0	0	3.00	3.00	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	3.00	3.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Drainage Crowding Ratings:												
	Total	1.50	4	1	1	0	0	2.00	1.00	.00	8.00	.00	.00
	Resident	1.50	4	1	1	0	0	2.00	1.00	.00	8.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00

Table 15. - Crowding ratings summarized by drainage by residency by water type for the 2007 "summer" season of May 2007 through September 2007 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
MADISON DR												
SALMONID STREAM												
Total	2.61	239	171	204	121	101	18.06	6.85	13.02	18.16	27.26	41.85
Resident	2.91	61	38	71	52	42	19.66	5.16	10.93	13.61	28.63	47.74
Nonresident	2.47	178	133	133	69	59	17.32	7.44	13.60	20.54	26.30	37.69
SALMONID LAKE												
Total	1.72	140	58	35	7	7	12.24	7.60	12.65	20.86	42.43	28.57
Resident	1.91	51	28	19	5	4	13.11	7.17	10.60	22.66	53.00	11.25
Nonresident	1.57	89	30	16	2	3	11.60	7.84	14.63	18.76	16.00	51.67
NONSALMONID STREAM												
Total	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.20	2	2	0	0	1	4.40	2.00	4.00	.00	.00	10.00
Resident	2.20	2	2	0	0	1	4.40	2.00	4.00	.00	.00	10.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.40	382	231	239	128	109	16.66	7.08	12.85	18.56	28.09	40.70
Resident	2.61	115	68	90	57	47	17.55	5.96	10.59	15.52	30.77	43.83
Nonresident	2.29	267	163	149	71	62	16.19	7.58	13.79	20.35	26.01	38.37
MARIAS DR												
SALMONID STREAM												
Total	1.48	14	5	1	1	0	3.52	1.27	8.22	3.00	12.00	.00
Resident	1.44	12	2	1	1	0	3.25	1.50	9.50	3.00	12.00	.00
Nonresident	1.60	2	3	0	0	0	4.40	.00	7.33	.00	.00	.00
SALMONID LAKE												
Total	1.37	16	1	1	0	1	4.69	4.76	3.00	10.00	.00	.00
Resident	1.39	15	1	1	0	1	4.78	4.87	3.00	10.00	.00	.00
Nonresident	1.00	1	0	0	0	0	3.00	3.00	.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.17	11	0	1	0	0	4.32	2.89	.00	20.00	.00	.00
Resident	1.17	11	0	1	0	0	4.32	2.89	.00	20.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	1.75	51	32	12	7	0	25.25	14.95	31.64	54.37	21.14	.00
Resident	1.76	49	32	11	7	0	24.95	13.51	31.64	58.85	21.14	.00
Nonresident	1.67	2	0	1	0	0	35.67	51.00	.00	5.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.62	92	38	15	8	1	18.12	9.65	27.80	45.69	20.00	.00
Resident	1.63	87	35	14	8	1	18.34	9.02	29.55	48.60	20.00	.00
Nonresident	1.56	5	3	1	0	0	14.67	21.00	7.33	5.00	.00	.00

Table 15. - Crowding ratings summarized by drainage by residency by water type for the 2007 "summer" season of May 2007 through September 2007 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
MILK DR												
SALMONID STREAM												
Total	1.73	10	1	2	2	0	3.79	1.98	2.00	9.50	8.00	.00
Resident	1.79	9	1	2	2	0	4.07	2.22	2.00	9.50	8.00	.00
Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
SALMONID LAKE												
Total	1.76	24	11	8	2	0	8.78	5.98	8.45	14.75	18.00	.00
Resident	1.76	22	11	7	2	0	8.68	5.91	8.45	14.43	18.00	.00
Nonresident	1.67	2	0	1	0	0	10.00	6.50	.00	17.00	.00	.00
NONSALMONID STREAM												
Total	1.07	14	1	0	0	0	1.87	1.58	6.00	.00	.00	.00
Resident	1.00	13	0	0	0	0	1.70	1.70	.00	.00	.00	.00
Nonresident	1.50	1	1	0	0	0	3.00	.00	6.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.03	38	23	25	3	3	17.61	8.93	19.28	22.98	34.57	50.00
Resident	2.05	36	22	24	3	3	17.19	7.97	18.59	23.11	34.57	50.00
Nonresident	1.75	2	1	1	0	0	26.75	26.00	35.00	20.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.85	86	36	35	8	3	12.58	6.10	15.13	20.33	22.75	50.00
Resident	1.86	80	34	33	8	3	12.47	5.74	14.82	20.45	22.75	50.00
Nonresident	1.60	6	2	2	0	0	14.30	10.83	20.50	18.50	.00	.00
LOWER MISSOURI DR												
SALMONID STREAM												
Total	1.57	42	9	5	4	1	7.84	3.70	15.00	15.00	27.75	4.00
Resident	1.56	31	6	3	3	1	7.51	4.81	5.15	13.67	35.67	4.00
Nonresident	1.59	11	3	2	1	0	8.72	.56	34.67	17.00	4.00	.00
SALMONID LAKE												
Total	1.74	39	10	13	0	3	8.73	7.75	12.88	7.11	.00	14.30
Resident	1.71	36	8	10	0	3	8.91	8.03	11.41	8.38	.00	14.30
Nonresident	2.00	3	2	3	0	0	7.38	4.33	19.00	2.67	.00	.00
NONSALMONID STREAM												
Total	1.69	46	16	8	3	3	8.00	5.75	10.51	9.54	23.30	10.00
Resident	1.75	37	12	7	3	3	7.12	5.49	6.72	8.40	23.30	10.00
Nonresident	1.43	9	4	1	0	0	11.87	6.92	21.72	17.00	.00	.00
NONSALMONID LAKE												
Total	1.56	93	42	18	3	0	21.99	17.30	21.00	19.94	195.00	.00
Resident	1.59	79	35	17	3	0	22.63	16.79	22.20	20.45	195.00	.00
Nonresident	1.41	14	7	1	0	0	18.27	20.47	14.90	11.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.62	222	78	45	10	7	14.19	10.58	17.06	13.69	76.59	10.99
Resident	1.64	185	62	38	9	7	14.51	10.73	16.08	14.36	84.66	10.99
Nonresident	1.54	37	16	7	1	0	12.71	9.95	20.82	10.00	4.00	.00

Table 15. - Crowding ratings summarized by drainage by residency by water type for the 2007 "summer" season of May 2007 through September 2007 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
UPPER MISSOURI DR SALMONID STREAM												
Total	2.32	265	121	131	76	63	14.99	4.23	13.42	22.40	25.21	35.53
Resident	2.33	200	72	86	56	52	12.73	2.67	11.69	18.52	22.81	32.47
Nonresident	2.28	65	49	45	20	11	20.52	9.08	15.92	29.74	31.98	49.99
SALMONID LAKE												
Total	2.33	173	85	102	49	41	22.54	10.27	23.72	29.05	25.36	52.44
Resident	2.43	134	66	97	42	39	23.70	10.61	23.78	29.89	24.34	52.56
Nonresident	1.79	39	19	5	6	2	16.28	8.97	23.47	12.00	32.00	50.00
NONSALMONID STREAM												
Total	1.73	34	17	9	2	1	11.43	3.86	25.55	13.33	9.40	20.00
Resident	1.70	32	11	8	2	1	8.65	3.80	19.00	12.51	9.40	20.00
Nonresident	1.89	2	6	1	0	0	28.43	5.50	37.48	20.00	.00	.00
NONSALMONID LAKE												
Total	2.75	72	69	86	55	40	46.08	16.97	31.83	49.17	51.01	110.18
Resident	2.76	70	69	81	54	40	46.25	17.31	31.83	48.85	51.30	110.18
Nonresident	2.53	2	0	5	0	0	39.21	7.00	.00	54.02	20.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00
Drainage Crowding Ratings:												
Total	2.39	546	293	328	183	146	23.83	7.82	21.50	31.24	32.79	60.52
Resident	2.45	438	219	272	156	132	24.66	7.55	22.12	31.43	32.96	61.86
Nonresident	2.16	108	74	56	27	14	20.19	8.94	19.61	30.15	31.76	47.85
MUSSELSHELL DR SALMONID STREAM												
Total	1.15	12	0	1	0	0	1.15	.66	.00	7.00	.00	.00
Resident	1.17	11	0	1	0	0	1.08	.54	.00	7.00	.00	.00
Nonresident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
SALMONID LAKE												
Total	1.54	28	4	2	0	3	9.26	7.52	23.00	5.00	.00	10.00
Resident	1.59	25	4	2	0	3	9.60	7.78	23.00	5.00	.00	10.00
Nonresident	1.00	3	0	0	0	0	5.00	5.00	.00	.00	.00	.00
NONSALMONID STREAM												
Total	1.00	11	0	0	0	0	.70	.70	.00	.00	.00	.00
Resident	1.00	11	0	0	0	0	.70	.70	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.38	5	6	0	4	1	15.07	10.40	12.85	.00	24.25	15.00
Resident	2.47	4	6	0	4	1	15.67	11.50	12.85	.00	24.25	15.00
Nonresident	1.00	1	0	0	0	0	6.00	6.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.57	56	10	3	4	4	7.87	4.97	16.91	5.67	24.25	11.25
Resident	1.61	51	10	3	4	4	8.09	4.98	16.91	5.67	24.25	11.25
Nonresident	1.00	5	0	0	0	0	4.60	4.60	.00	.00	.00	.00

Table 15. - Crowding ratings summarized by drainage by residency by water type for the 2007 "summer" season of May 2007 through September 2007 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
ST MARY DR												
SALMONID STREAM												
Total	2.00	0	1	0	0	0	5.00	.00	5.00	.00	.00	.00
Resident	2.00	0	1	0	0	0	5.00	.00	5.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
SALMONID LAKE												
Total	1.14	6	1	0	0	0	6.27	5.98	8.00	.00	.00	.00
Resident	1.14	6	1	0	0	0	6.27	5.98	8.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID STREAM												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.25	6	2	0	0	0	6.11	5.98	6.50	.00	.00	.00
Resident	1.25	6	2	0	0	0	6.11	5.98	6.50	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
SUN DR												
SALMONID STREAM												
Total	1.17	26	3	1	0	0	2.18	1.56	6.00	7.00	.00	.00
Resident	1.15	18	1	1	0	0	1.75	1.44	2.00	7.00	.00	.00
Nonresident	1.20	8	2	0	0	0	3.00	1.75	8.00	.00	.00	.00
SALMONID LAKE												
Total	1.59	29	10	5	1	1	7.00	5.57	9.42	9.40	15.00	4.00
Resident	1.57	27	9	4	1	1	7.52	5.91	10.47	10.75	15.00	4.00
Nonresident	1.75	2	1	1	0	0	1.50	1.00	.00	4.00	.00	.00
NONSALMONID STREAM												
Total	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Resident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE												
Total	2.29	3	1	2	0	1	4.84	2.30	6.00	7.00	.00	7.00
Resident	2.29	3	1	2	0	1	4.84	2.30	6.00	7.00	.00	7.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	1.49	59	14	8	1	2	5.03	3.56	8.44	8.50	15.00	5.50
Resident	1.51	49	11	7	1	2	5.51	3.95	9.29	9.14	15.00	5.50
Nonresident	1.36	10	3	1	0	0	2.57	1.60	5.33	4.00	.00	.00

Table 15. - Crowding ratings summarized by drainage by residency by water type for the 2007 "summer" season of May 2007 through September 2007 (continued).

Drainage Type	Crowding Ratings						Average Number of People Seen					
	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
LOWER YELLOWSTONE DR SALMONID STREAM												
Total	1.50	4	1	1	0	0	16.67	1.25	85.00	10.00	.00	.00
Resident	1.75	2	1	1	0	0	24.75	2.00	85.00	10.00	.00	.00
Nonresident	1.00	2	0	0	0	0	.50	.50	.00	.00	.00	.00
SALMONID LAKE												
Total	1.64	15	2	3	2	0	6.45	1.87	9.00	25.00	10.50	.00
Resident	1.70	13	2	3	2	0	6.50	1.23	9.00	25.00	10.50	.00
Nonresident	1.00	2	0	0	0	0	6.00	6.00	.00	.00	.00	.00
NONSALMONID STREAM												
Total	2.23	67	32	23	17	15	29.03	3.86	16.78	31.52	103.53	79.35
Resident	1.91	64	23	15	10	6	21.26	3.16	9.93	18.48	142.99	61.67
Nonresident	3.28	3	9	8	7	9	54.60	19.67	34.31	56.00	47.10	91.13
NONSALMONID LAKE												
Total	2.37	42	28	31	18	7	34.87	11.45	27.15	44.54	47.01	132.10
Resident	2.29	36	21	25	11	6	31.97	10.94	20.55	39.88	56.18	120.80
Nonresident	2.63	6	7	6	7	1	45.53	14.50	47.14	64.00	32.60	200.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.23	128	63	58	37	22	29.56	6.03	22.23	37.77	71.01	96.14
Resident	2.05	115	47	44	23	12	24.49	5.36	16.23	30.89	89.95	91.23
Nonresident	2.88	13	16	14	14	10	47.88	12.23	39.92	59.43	39.85	102.02
UPPER YELLOWSTONE DR SALMONID STREAM												
Total	2.27	608	288	289	198	108	20.96	5.11	18.33	31.51	39.68	54.68
Resident	2.11	362	135	113	91	49	13.02	4.65	11.42	20.73	24.40	40.32
Nonresident	2.43	246	153	176	107	59	29.00	5.79	24.38	38.47	52.70	66.55
SALMONID LAKE												
Total	1.79	200	42	32	24	17	8.44	3.44	9.13	15.17	28.18	24.32
Resident	1.85	152	28	25	21	16	8.50	3.51	9.66	14.85	22.95	24.27
Nonresident	1.56	48	14	7	3	1	8.26	3.21	8.07	16.29	65.67	25.00
NONSALMONID STREAM												
Total	1.63	72	23	15	4	2	6.55	3.06	7.11	22.29	2.75	15.50
Resident	1.64	67	23	15	3	2	6.73	3.04	7.11	22.29	2.67	15.50
Nonresident	1.50	5	0	0	1	0	3.00	3.00	.00	.00	3.00	.00
NONSALMONID LAKE												
Total	2.22	56	28	27	20	6	19.23	11.63	19.20	24.66	35.10	11.17
Resident	2.29	48	22	27	20	5	19.47	11.15	18.54	24.66	35.10	11.00
Nonresident	1.67	8	6	0	0	1	17.27	14.60	21.70	.00	.00	12.00
UNDESIG STRM MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:												
Total	2.16	936	382	364	247	133	18.11	4.98	16.69	29.15	37.57	48.25
Resident	2.03	629	209	181	136	72	12.21	4.70	11.47	20.63	25.31	34.03
Nonresident	2.34	307	173	183	111	61	26.79	5.57	22.97	37.62	52.61	64.97

Table 15. - Crowding ratings summarized by drainage by residency by water type for the 2007 "summer" season of May 2007 through September 2007 (continued).

Drainage Type		Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
Total	SALMONID STREAM												
	Total	2.08	2926	1154	1045	595	399	13.34	4.09	12.48	20.78	29.49	40.12
	Resident	2.09	1629	566	538	337	238	10.74	3.35	9.35	15.47	24.23	34.74
	Nonresident	2.07	1297	588	507	258	161	16.42	5.04	15.47	26.41	36.38	48.09
	SALMONID LAKE												
	Total	1.86	1623	575	439	173	142	14.43	7.47	17.31	22.94	28.51	38.84
	Resident	1.94	1187	452	362	145	129	15.09	7.66	17.40	23.03	27.75	38.85
	Nonresident	1.61	436	123	77	27	13	12.18	6.94	17.00	22.47	32.47	38.69
	NONSALMONID STREAM												
	Total	1.80	345	134	79	33	24	13.44	3.80	12.52	24.18	60.88	54.85
	Resident	1.72	312	108	67	25	15	10.75	3.43	9.36	20.43	66.91	33.77
	Nonresident	2.24	33	26	12	8	9	29.45	7.32	25.64	45.17	41.59	91.13
	NONSALMONID LAKE												
	Total	2.14	561	312	274	133	71	25.90	11.63	22.61	33.88	46.36	84.05
	Resident	2.17	498	282	253	122	69	26.16	11.42	22.47	33.18	47.82	83.41
	Nonresident	1.88	63	30	21	10	2	23.54	13.45	24.05	42.29	29.35	106.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
Total	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00	
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	5.00	0	0	0	0	1	20.00	.00	.00	.00	.00	20.00	
Statewide Crowding Ratings:													
	Total	2.01	5456	2175	1837	935	638	15.18	5.85	15.21	23.40	32.83	45.25
	Resident	2.03	3626	1408	1220	631	452	14.66	5.87	14.56	21.66	31.35	43.31
	Nonresident	1.99	1830	767	617	304	186	16.20	5.82	16.39	26.82	35.92	49.98

2007 WINTER

The "winter" season for angling is from March through April and October through February of the following year. In 2007, 685,170 angler days (28.8%) of the annual fishing pressure occurred during this period (Table 16). Residents accounted for 83.0% of the total angling pressure for the "winter" season. Angling pressure was directed towards salmonid streams with 46.8% and salmonid lakes accounted for 31.1% of the use during this period.

The pressure in the regions ranged from a high of 165,142 angler days for Region 4 to a low of 24,485 angler days for Region 7. Angling pressure by residents for this period for each FWP region ranged from a low of 69.3% for region 5 to a high of 93.1% for region 6.

Winter angling pressure (Table 17) by drainage ranged from 132,788 angler days for the Upper Missouri River drainage to 580 angler days for the Little Missouri River drainage in Eastern Montana. Residents accounted for as low as 60.9% of the pressure in the Madison River drainage to a high of 100% of the pressure in the St. Mary's and Little Missouri River drainages.

Table 16. - Angling pressure in angler days by region by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008.

REG	WATER TYPE	-----TOTALS-----		----RESIDENTS----		--NON-RESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
1	SALMONID STREAM	23117.	211.	19145.	172.	3972.	39.
	SALMONID LAKE	50113.	476.	45977.	431.	4136.	45.
	NONSALMONID STREAM	5820.	57.	5820.	57.	0.	0.
	NONSALMONID LAKE	19234.	178.	17880.	167.	1354.	11.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	98284.	922.	88822.	827.	9462.	95.
2	SALMONID STREAM	71806.	800.	52113.	584.	19693.	216.
	SALMONID LAKE	36896.	319.	34639.	298.	2257.	21.
	NONSALMONID STREAM	5401.	53.	5401.	53.	0.	0.
	NONSALMONID LAKE	4476.	40.	4329.	39.	147.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	118579.	1212.	96482.	974.	22097.	238.
3	SALMONID STREAM	102653.	1055.	67827.	711.	34826.	344.
	SALMONID LAKE	38863.	388.	34478.	335.	4385.	53.
	NONSALMONID STREAM	59.	1.	59.	1.	0.	0.
	NONSALMONID LAKE	6143.	56.	5347.	49.	796.	7.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	147717.	1499.	107710.	1095.	40007.	404.
4	SALMONID STREAM	53511.	552.	47070.	476.	6441.	76.
	SALMONID LAKE	68685.	728.	64322.	680.	4363.	48.
	NONSALMONID STREAM	5356.	52.	5250.	51.	106.	1.
	NONSALMONID LAKE	37591.	336.	36152.	325.	1439.	11.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	165142.	1666.	152793.	1530.	12349.	136.
5	SALMONID STREAM	68192.	733.	43319.	431.	24873.	302.
	SALMONID LAKE	7017.	84.	6252.	77.	765.	7.
	NONSALMONID STREAM	5672.	58.	5672.	58.	0.	0.
	NONSALMONID LAKE	2724.	27.	2724.	27.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	83604.	902.	57966.	593.	25638.	309.

Table 16. - Angling pressure in angler days by region by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008 (continued).

REG	WATER TYPE	-----TOTALS-----		-----RESIDENTS-----		---NON-RESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
6							
	SALMONID STREAM	491.	6.	491.	6.	0.	0.
	SALMONID LAKE	9848.	96.	8472.	82.	1376.	14.
	NONSALMONID STREAM	6378.	85.	6261.	83.	117.	2.
	NONSALMONID LAKE	30383.	284.	28606.	266.	1777.	18.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	47100.	471.	43830.	437.	3270.	34.
7							
	SALMONID STREAM	974.	9.	448.	4.	526.	5.
	SALMONID LAKE	1094.	18.	918.	15.	176.	3.
	NONSALMONID STREAM	16466.	124.	16189.	121.	277.	3.
	NONSALMONID LAKE	5951.	64.	3707.	48.	2244.	16.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	REGIONAL PRESSURE ESTIMATES:	24485.	215.	21262.	188.	3223.	27.
TOTAL							
	SALMONID STREAM	320743.	3365.	230412.	2383.	90331.	982.
	SALMONID LAKE	212775.	2111.	195058.	1918.	17717.	193.
	NONSALMONID STREAM	45151.	429.	44651.	423.	500.	6.
	NONSALMONID LAKE	106502.	985.	98745.	921.	7757.	64.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	STATEWIDE PRESSURE ESTIMATES:	685170.	6889.	568865.	5644.	116305.	1245.

Table 17. - Angling pressure in angler days by drainage by water type for the 2007 "winter" angling season March 2007 through April 2007 and October 2007 through February 2008.

DRAIN	WATER TYPE	-----TOTALS-----		-----RESIDENTS-----		---NONRESIDENTS---	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
BEAVERHEAD DR							
	SALMONID STREAM	6030.	81.	2980.	47.	3050.	34.
	SALMONID LAKE	23236.	213.	21572.	193.	1664.	20.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	2690.	23.	2209.	19.	481.	4.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
	DRAINAGE PRESSURE ESTIMATES:	31956.	317.	26761.	259.	5195.	58.

Table 17. - Angling pressure in angler days by drainage by water type for the 2007 "winter" angling season March 2007 through April 2007 and October 2007 through February 2008 (continued).

		-----TOTALS-----		-----RESIDENTS-----		-----NONRESIDENTS-----	
DRAIN	WATER TYPE	PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
BIG HOLE DR							
	SALMONID STREAM	10317.	120.	7476.	87.	2841.	33.
	SALMONID LAKE	363.	3.	233.	2.	130.	1.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:		10680.	123.	7709.	89.	2971.	34.
BITTERROOT DR							
	SALMONID STREAM	32885.	384.	23416.	276.	9469.	108.
	SALMONID LAKE	3313.	33.	2927.	30.	386.	3.
	NONSALMONID STREAM	824.	13.	824.	13.	0.	0.
	NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:		37022.	430.	27167.	319.	9855.	111.
BLACKFOOT DR							
	SALMONID STREAM	7772.	84.	6138.	67.	1634.	17.
	SALMONID LAKE	6211.	66.	5365.	57.	846.	9.
	NONSALMONID STREAM	164.	2.	164.	2.	0.	0.
	NONSALMONID LAKE	4109.	38.	3962.	37.	147.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:		18256.	190.	15629.	163.	2627.	27.
LOWER CLARK FORK DR							
	SALMONID STREAM	11448.	122.	8017.	86.	3431.	36.
	SALMONID LAKE	10191.	79.	10020.	77.	171.	2.
	NONSALMONID STREAM	5128.	42.	5128.	42.	0.	0.
	NONSALMONID LAKE	6719.	62.	6719.	62.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:		33486.	305.	29884.	267.	3602.	38.
UPPER CLARK FORK DR							
	SALMONID STREAM	21999.	231.	16404.	171.	5595.	60.
	SALMONID LAKE	26847.	215.	25881.	207.	966.	8.
	NONSALMONID STREAM	2126.	20.	2126.	20.	0.	0.
	NONSALMONID LAKE	367.	2.	367.	2.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:		51339.	468.	44778.	400.	6561.	68.
LOWER FLATHEAD DR							
	SALMONID STREAM	11476.	102.	11017.	97.	459.	5.
	SALMONID LAKE	24717.	247.	22508.	222.	2209.	25.
	NONSALMONID STREAM	2979.	33.	2979.	33.	0.	0.
	NONSALMONID LAKE	10069.	93.	8951.	84.	1118.	9.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:		49241.	475.	45455.	436.	3786.	39.

Table 17. - Angling pressure in angler days by drainage by water type for the 2007 "winter" angling season March 2007 through April 2007 and October 2007 through February 2008 (continued).

		-----TOTALS-----		-----RESIDENTS-----		-----NONRESIDENTS-----	
DRAIN	WATER TYPE	PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
UPPER FLATHEAD DR							
	SALMONID STREAM	1609.	13.	701.	6.	908.	7.
	SALMONID LAKE	1828.	19.	1569.	17.	259.	2.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	236.	2.	0.	0.	236.	2.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		3673.	34.	2270.	23.	1403.	11.
GALLATIN DR							
	SALMONID STREAM	23782.	218.	17290.	150.	6492.	68.
	SALMONID LAKE	2758.	32.	2630.	31.	128.	1.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	164.	2.	164.	2.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		26704.	252.	20084.	183.	6620.	69.
JEFFERSON DR							
	SALMONID STREAM	3740.	43.	3292.	39.	448.	4.
	SALMONID LAKE	4568.	33.	4509.	32.	59.	1.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		8308.	76.	7801.	71.	507.	5.
KOOTENAI DR							
	SALMONID STREAM	7734.	75.	5565.	53.	2169.	22.
	SALMONID LAKE	13902.	136.	12346.	119.	1556.	17.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	2210.	21.	2210.	21.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		23846.	232.	20121.	193.	3725.	39.
LITTLE MISSOURI DR							
	SALMONID STREAM	0.	0.	0.	0.	0.	0.
	SALMONID LAKE	0.	0.	0.	0.	0.	0.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	580.	5.	580.	5.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							
		580.	5.	580.	5.	0.	0.
MADISON DR							
	SALMONID STREAM	34907.	352.	20670.	222.	14237.	130.
	SALMONID LAKE	7351.	98.	5065.	70.	2286.	28.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	106.	2.	47.	1.	59.	1.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:							

42364. 452. 25782. 293. 16582. 159.

Table 17. - Angling pressure in angler days by drainage by water type for the 2007 "winter" angling season March 2007 through April 2007 and October 2007 through February 2008 (continued).

		-----TOTALS-----		-----RESIDENTS-----		-----NONRESIDENTS-----	
DRAIN	WATER TYPE	PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
MARIAS DR							
	SALMONID STREAM	631.	6.	503.	5.	128.	1.
	SALMONID LAKE	1938.	25.	1174.	16.	764.	9.
	NONSALMONID STREAM	328.	4.	328.	4.	0.	0.
	NONSALMONID LAKE	10907.	101.	10063.	95.	844.	6.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:		13804.	136.	12068.	120.	1736.	16.
MILK DR							
	SALMONID STREAM	491.	6.	491.	6.	0.	0.
	SALMONID LAKE	5943.	54.	5825.	52.	118.	2.
	NONSALMONID STREAM	1864.	35.	1864.	35.	0.	0.
	NONSALMONID LAKE	15016.	139.	14757.	137.	259.	2.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:		23314.	234.	22937.	230.	377.	4.
LOWER MISSOURI DR							
	SALMONID STREAM	6955.	64.	6474.	57.	481.	7.
	SALMONID LAKE	7761.	85.	6385.	71.	1376.	14.
	NONSALMONID STREAM	4867.	56.	4750.	54.	117.	2.
	NONSALMONID LAKE	17216.	162.	15698.	146.	1518.	16.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:		36799.	367.	33307.	328.	3492.	39.
UPPER MISSOURI DR							
	SALMONID STREAM	48676.	507.	42902.	440.	5774.	67.
	SALMONID LAKE	56783.	595.	54080.	564.	2703.	31.
	NONSALMONID STREAM	4780.	43.	4674.	42.	106.	1.
	NONSALMONID LAKE	22550.	201.	21955.	196.	595.	5.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:		132788.	1346.	123610.	1242.	9178.	104.
MUSSELSHELL DR							
	SALMONID STREAM	117.	2.	0.	0.	117.	2.
	SALMONID LAKE	2782.	35.	2276.	30.	506.	5.
	NONSALMONID STREAM	1307.	6.	1307.	6.	0.	0.
	NONSALMONID LAKE	482.	5.	482.	5.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:		4687.	47.	4064.	40.	623.	7.
ST MARY DR							
	SALMONID STREAM	0.	0.	0.	0.	0.	0.
	SALMONID LAKE	611.	10.	611.	10.	0.	0.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	0.	0.	0.	0.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.

DRAINAGE PRESSURE ESTIMATES:

611. 10. 611. 10. 0. 0.

Table 17. - Angling pressure in angler days by drainage by water type for the 2007 "winter" angling season March 2007 through April 2007 and October 2007 through February 2008 (continued).

DRAIN	WATER TYPE	-----TOTALS-----		-----RESIDENTS-----		-----NONRESIDENTS-----	
		PRESSURE	TRIPS	PRESSURE	TRIPS	PRESSURE	TRIPS
SUN DR							
	SALMONID STREAM	1700.	18.	1583.	16.	117.	2.
	SALMONID LAKE	4516.	45.	3738.	39.	778.	6.
	NONSALMONID STREAM	0.	0.	0.	0.	0.	0.
	NONSALMONID LAKE	1898.	14.	1898.	14.	0.	0.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:		8114.	77.	7219.	69.	895.	8.
LOWER YELLOWSTONE DR							
	SALMONID STREAM	974.	9.	448.	4.	526.	5.
	SALMONID LAKE	1047.	17.	871.	14.	176.	3.
	NONSALMONID STREAM	16419.	123.	16142.	120.	277.	3.
	NONSALMONID LAKE	5277.	57.	3033.	41.	2244.	16.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:		23717.	206.	20494.	179.	3223.	27.
UPPER YELLOWSTONE DR							
	SALMONID STREAM	87500.	928.	55045.	554.	32455.	374.
	SALMONID LAKE	5851.	69.	5474.	65.	377.	4.
	NONSALMONID STREAM	4365.	52.	4365.	52.	0.	0.
	NONSALMONID LAKE	5907.	56.	5651.	54.	256.	2.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
DRAINAGE PRESSURE ESTIMATES:		103622.	1105.	70534.	725.	33088.	380.
TOTAL							
	SALMONID STREAM	320743.	3365.	230412.	2383.	90331.	982.
	SALMONID LAKE	212775.	2111.	195058.	1918.	17717.	193.
	NONSALMONID STREAM	45151.	429.	44651.	423.	500.	6.
	NONSALMONID LAKE	106502.	985.	98745.	921.	7757.	64.
	UNDESIG STRM MGMT	0.	0.	0.	0.	0.	0.
	UNDESIG LAKE MGMT	0.	0.	0.	0.	0.	0.
STATEWIDE PRESSURE ESTIMATES:		685170.	6889.	568865.	5644.	116305.	1245.

Angler Satisfaction Ratings - Winter

The average rating overall for winter was 2.87 with residents and nonresidents rating their angling experience at 2.79 and 3.15 respectively (Table 18). Individual water satisfaction ratings for the "winter" season are given in a separate report "Montana Angler Satisfaction Ratings 2007".

Region 5 had the highest overall satisfaction rating of 3.27 while region 1 had the lowest satisfaction rating of 2.51. Nonresidents were always

higher in their satisfaction ratings than residents for all regions except region 6.

Table 18. - Angler satisfaction ratings by region by water type for the 2007 "winter" angling season March 2007 through April 2007 and October 2007 through February 2008.

Reg Water Type			TOTAL					RESIDENT					NONRESIDENT							
			Avg Rate	poor 1's	----- 2's	----- 3's	excellent 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	excellent 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	excellent 4's	----- 5's
1	SALMONID STREAM		2.67	22	18	23	15	9	2.60	15	16	19	10	5	2.86	7	2	4	5	4
	SALMONID LAKE		2.54	62	34	43	24	24	2.56	51	33	34	22	21	2.42	11	1	9	2	3
	NONSALMONID STREAM		2.10	8	5	6	2	0	2.10	8	5	6	2	0	.00	0	0	0	0	0
	NONSALMONID LAKE		2.37	29	20	25	8	7	2.36	28	18	24	8	6	2.60	1	2	1	0	1
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:		2.51	121	77	97	49	40	2.49	102	72	83	42	32	2.62	19	5	14	7	8
2	SALMONID STREAM		2.92	58	75	118	67	48	2.91	39	45	78	45	28	2.95	19	30	40	22	20
	SALMONID LAKE		2.80	34	26	40	27	19	2.82	29	25	37	23	18	2.64	5	1	3	4	1
	NONSALMONID STREAM		2.60	2	5	5	3	0	2.60	2	5	5	3	0	.00	0	0	0	0	0
	NONSALMONID LAKE		2.26	10	2	2	2	3	2.33	9	2	2	2	3	1.00	1	0	0	0	0
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:		2.86	104	108	165	99	70	2.84	79	77	122	73	49	2.91	25	31	43	26	21
3	SALMONID STREAM		3.07	74	87	175	113	78	3.00	49	61	110	56	52	3.17	25	26	65	57	26
	SALMONID LAKE		2.93	36	29	42	30	30	2.90	27	26	35	24	22	3.03	9	3	7	6	8
	NONSALMONID STREAM		4.00	0	0	0	0	0	4.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE		2.69	2	6	10	4	0	2.73	2	4	8	4	0	2.50	0	2	2	0	0
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:		3.02	113	122	227	148	108	2.97	79	91	153	85	74	3.14	34	31	74	63	34
4	SALMONID STREAM		3.10	36	30	61	40	42	3.13	28	23	53	34	34	2.97	8	7	8	6	8
	SALMONID LAKE		2.73	87	59	65	57	46	2.71	81	53	60	54	39	2.98	6	5	5	3	7
	NONSALMONID STREAM		2.44	7	5	10	1	2	2.50	6	5	10	1	2	1.00	1	0	0	0	0
	NONSALMONID LAKE		2.27	50	26	32	17	6	2.28	48	24	31	17	6	1.78	2	1	1	0	0
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:		2.75	181	120	168	117	96	2.73	164	106	154	108	81	2.87	17	14	14	9	15
5	SALMONID STREAM		3.44	33	31	86	82	76	3.12	27	26	57	40	31	3.91	6	5	29	42	45
	SALMONID LAKE		2.88	10	10	5	13	6	2.85	9	10	5	12	5	3.33	1	0	0	1	1
	NONSALMONID STREAM		2.36	12	1	10	3	2	2.36	12	1	10	3	2	.00	0	0	0	0	0
	NONSALMONID LAKE		2.50	5	2	4	1	2	2.50	5	2	4	1	2	.00	0	0	0	0	0
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:		3.27	61	44	105	100	86	2.96	54	39	76	57	40	3.89	7	5	29	43	46
6	SALMONID STREAM		3.86	1	0	0	0	2	3.86	1	0	0	0	2	.00	0	0	0	0	0
	SALMONID LAKE		2.70	10	6	6	9	3	2.78	8	5	5	8	3	2.20	2	1	1	1	0
	NONSALMONID STREAM		2.74	9	2	7	4	4	2.69	9	2	7	3	4	4.00	0	0	0	1	0
	NONSALMONID LAKE		2.62	26	13	30	12	9	2.63	23	13	27	12	8	2.43	3	0	3	0	1
	UNDESIG STRM MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT		.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Regional Satisfaction Ratings:		2.68	46	21	43	26	19	2.70	41	20	39	24	18	2.46	5	1	4	2	1

Table 18. - Angler satisfaction ratings by region by water type for the 2007 "winter" angling season March 2007 through April 2007 and October 2007 through February 2008 (continued).

Reg	Water Type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's
7																			
	SALMONID STREAM	2.40	1	1	3	0	0	1.50	1	1	0	0	0	3.00	0	0	3	0	0
	SALMONID LAKE	3.09	2	3	2	0	4	3.10	2	3	1	0	4	3.00	0	0	1	0	0
	NONSALMONID STREAM	2.67	11	7	6	7	5	2.70	9	7	6	7	4	2.33	2	0	0	0	1
	NONSALMONID LAKE	2.44	9	4	6	4	2	2.38	8	4	4	3	2	2.75	1	0	2	1	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Regional Satisfaction Ratings:		2.64	23	15	17	11	11	2.62	20	15	11	10	10	2.73	3	0	6	1	1
Total																			
	SALMONID STREAM	3.09	225	242	466	318	255	3.00	160	172	317	186	152	3.27	65	70	149	132	103
	SALMONID LAKE	2.75	242	167	203	162	132	2.75	208	155	177	144	112	2.80	34	11	26	18	20
	NONSALMONID STREAM	2.50	49	25	44	21	13	2.51	46	25	44	20	12	2.40	3	0	0	1	1
	NONSALMONID LAKE	2.42	132	73	109	49	29	2.42	124	67	100	48	27	2.35	8	5	9	1	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Statewide Satisfaction Ratings:		2.87	649	507	822	551	430	2.79	539	420	638	399	304	3.15	110	87	184	152	126

Angler satisfaction ratings were summarized by the twenty-two major drainages like those reported under the angling pressure section (Table 19). The St. Mary's Drainage had the highest rating of a 3.60, while the lower Flathead River drainage had the lowest rating of 2.43.

Table 19. - Angler satisfaction ratings by drainage by water type for the 2007 "winter" angling season March 2007 through April 2007 and October 2007 through February 2008.

Drain-age	Water type	TOTAL						RESIDENT						NONRESIDENT					
		Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's	Avg Rate	poor 1's	2's	3's	4's	excellent 5's
BEAVERHEAD DR																			
	SALMONID STREAM	3.44	2	7	14	10	10	3.17	2	5	8	3	5	3.75	0	2	6	7	5
	SALMONID LAKE	3.47	8	7	17	18	19	3.44	7	6	16	14	16	3.70	1	1	1	4	3
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	3.00	0	2	6	2	0	3.00	0	2	4	2	0	3.00	0	0	2	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction Ratings:		3.42	10	16	38	30	29	3.33	9	13	29	19	21	3.69	1	3	9	11	8
BIG HOLE DR																			
	SALMONID STREAM	3.38	8	7	16	14	16	3.54	3	5	11	8	12	3.09	5	2	5	6	4
	SALMONID LAKE	3.00	0	2	0	0	1	2.00	0	2	0	0	0	5.00	0	0	0	0	1
	NONSALMONID STREAM	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	NONSALMONID LAKE	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
Drainage Satisfaction Ratings:		3.36	8	9	16	14	17	3.46	3	7	11	8	12	3.17	5	2	5	6	5

Table 19. - Angler satisfaction ratings by drainage by water type for the 2007 "winter" angling season March 2007 through April 2007 and October 2007 through February 2008 (continued).

Drainage	Water type	TOTAL					RESIDENT					NONRESIDENT				
		Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's
BITTERROOT DR																
	SALMONID STREAM	2.88	22	37	53	28 17	2.84	13	25	33	17 9	2.95	9	12	20	11 8
	SALMONID LAKE	2.23	7	2	0	2 2	2.09	6	2	0	2 1	3.00	1	0	0	0 1
	NONSALMONID STREAM	2.75	0	2	1	1 0	2.75	0	2	1	1 0	.00	0	0	0	0 0
	NONSALMONID LAKE	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	2.83	29	41	54	31 19	2.76	19	29	34	20 10	2.95	10	12	20	11 9
BLACKFOOT DR																
	SALMONID STREAM	2.98	9	6	13	5 9	2.86	8	3	8	3 6	3.21	1	3	5	2 3
	SALMONID LAKE	2.38	13	8	10	6 2	2.33	11	8	8	4 2	2.67	2	0	2	2 0
	NONSALMONID STREAM	3.00	0	0	1	0 0	3.00	0	0	1	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	2.41	8	2	2	2 3	2.50	7	2	2	2 3	1.00	1	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	2.65	30	16	26	13 14	2.56	26	13	19	9 11	2.95	4	3	7	4 3
LOWER CLARK FORK DR																
	SALMONID STREAM	2.76	12	15	26	12 5	2.72	8	8	18	6 3	2.81	4	7	8	6 2
	SALMONID LAKE	2.39	8	7	9	2 2	2.42	7	7	8	2 2	2.00	1	0	1	0 0
	NONSALMONID STREAM	2.24	5	4	7	1 0	2.24	5	4	7	1 0	.00	0	0	0	0 0
	NONSALMONID LAKE	2.80	6	2	11	3 3	2.80	6	2	11	3 3	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	2.63	31	28	53	18 10	2.59	26	21	44	12 8	2.76	5	7	9	6 2
UPPER CLARK FORK DR																
	SALMONID STREAM	3.11	17	18	30	24 20	3.14	11	10	22	20 11	3.06	6	8	8	4 9
	SALMONID LAKE	3.08	13	16	28	19 15	3.09	12	15	27	17 15	2.80	1	1	1	2 0
	NONSALMONID STREAM	2.75	1	1	0	2 0	2.75	1	1	0	2 0	.00	0	0	0	0 0
	NONSALMONID LAKE	1.00	2	0	0	0 0	1.00	2	0	0	0 0	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	3.07	33	35	58	45 35	3.08	26	26	49	39 26	3.03	7	9	9	6 9
LOWER FLATHEAD DR																
	SALMONID STREAM	2.34	9	13	11	4 1	2.45	6	12	10	4 1	1.60	3	1	1	0 0
	SALMONID LAKE	2.67	29	19	18	15 15	2.77	21	19	13	14 14	2.13	8	0	5	1 1
	NONSALMONID STREAM	2.00	4	3	2	1 0	2.00	4	3	2	1 0	.00	0	0	0	0 0
	NONSALMONID LAKE	2.13	21	13	11	4 3	2.08	20	12	10	4 2	2.75	1	1	1	0 1
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	2.43	63	48	42	24 19	2.47	51	46	35	23 17	2.13	12	2	7	1 2
UPPER FLATHEAD DR																
	SALMONID STREAM	3.14	2	0	1	3 1	3.25	1	0	1	1 1	3.00	1	0	0	2 0
	SALMONID LAKE	2.90	3	0	3	3 1	2.89	3	0	2	3 1	3.00	0	0	1	0 0
	NONSALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	2.00	0	1	0	0 0	.00	0	0	0	0 0	2.00	0	1	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	2.94	5	1	4	6 2	3.00	4	0	3	4 2	2.80	1	1	1	2 0

Table 19. - Angler satisfaction ratings by drainage by water type for the 2007 "winter" angling season March 2007 through April 2007 and October 2007 through February 2008 (continued).

Drainage	Water type	TOTAL					RESIDENT					NONRESIDENT				
		Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's
GALLATIN DR																
	SALMONID STREAM	3.08	12	17	34	29 10	2.95	10	13	20	16 7	3.31	2	4	14	13 3
	SALMONID LAKE	2.94	3	3	4	5 2	3.06	2	3	4	5 2	1.00	1	0	0	0 0
	NONSALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	3.00	0	0	0	1 0	3.00	0	0	0	1 0	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	3.06	16	20	39	35 12	2.98	13	16	25	22 9	3.24	3	4	14	13 3
JEFFERSON DR																
	SALMONID STREAM	2.70	6	5	5	4 3	2.79	4	4	5	4 2	2.25	2	1	0	0 1
	SALMONID LAKE	1.63	9	8	2	0 0	1.67	8	8	2	0 0	1.00	1	0	0	0 0
	NONSALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	2.21	15	13	7	4 3	2.24	12	12	7	4 2	2.00	3	1	0	0 1
KOOTENAI DR																
	SALMONID STREAM	2.73	9	4	7	6 4	2.57	7	3	5	4 2	3.11	2	1	2	2 2
	SALMONID LAKE	2.32	23	8	15	4 6	2.23	20	7	13	3 4	2.78	3	1	2	1 2
	NONSALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	2.55	2	4	3	1 1	2.55	2	4	3	1 1	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	2.47	34	16	25	11 11	2.37	29	14	21	8 7	2.94	5	2	4	3 4
LITTLE MISSOURI DR																
	SALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	SALMONID LAKE	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	3.33	1	0	0	1 1	3.33	1	0	0	1 1	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	3.33	1	0	0	1 1	3.33	1	0	0	1 1	.00	0	0	0	0 0
MADISON DR																
	SALMONID STREAM	2.93	27	30	58	34 19	2.87	17	19	35	14 13	3.01	10	11	23	20 6
	SALMONID LAKE	2.72	13	7	17	7 6	2.59	8	6	11	5 2	2.94	5	1	6	2 4
	NONSALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	2.00	0	2	0	0 0	2.00	0	1	0	0 0	2.00	0	1	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	2.87	40	39	75	41 25	2.79	25	26	46	19 15	2.99	15	13	29	22 10
MARIAS DR																
	SALMONID STREAM	2.40	1	1	3	0 0	2.75	0	1	3	0 0	1.00	1	0	0	0 0
	SALMONID LAKE	3.18	2	1	4	1 3	2.88	2	1	3	0 2	4.00	0	0	1	1 1
	NONSALMONID STREAM	2.50	0	1	1	0 0	2.50	0	1	1	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	2.28	16	7	8	5 3	2.30	15	7	7	5 3	2.00	1	0	1	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings:	2.47	19	10	16	6 6	2.43	17	10	14	5 5	2.83	2	0	2	1 1

Table 19. - Angler satisfaction ratings by drainage by water type for the 2007 "winter" angling season March 2007 through April 2007 and October 2007 through February 2008 (continued).

Drainage	Water type	TOTAL					RESIDENT					NONRESIDENT				
		Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's	Avg Rate	poor 1's	2's	3's	excellent 4's 5's
MILK DR																
	SALMONID STREAM	3.86	1	0	0	0 2	3.86	1	0	0	0 2	.00	0	0	0	0 0
	SALMONID LAKE	2.68	5	5	3	6 1	2.86	3	5	3	6 1	1.00	2	0	0	0 0
	NONSALMONID STREAM	2.69	3	1	0	0 2	2.69	3	1	0	0 2	.00	0	0	0	0 0
	NONSALMONID LAKE	2.80	8	10	16	8 4	2.79	8	10	15	8 4	3.00	0	0	1	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings	2.81	17	16	19	15 10	2.85	15	16	18	15 10	1.67	2	0	1	0 0
LOWER MISSOURI DR																
	SALMONID STREAM	3.50	4	1	3	5 7	3.44	4	0	2	5 5	3.75	0	1	1	0 2
	SALMONID LAKE	3.07	11	7	3	10 11	3.08	10	6	2	9 10	3.00	1	1	1	1 1
	NONSALMONID STREAM	2.60	9	1	8	5 2	2.54	9	1	8	4 2	4.00	0	0	0	1 0
	NONSALMONID LAKE	2.43	21	3	16	6 5	2.44	18	3	14	6 4	2.33	3	0	2	0 1
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings	2.81	45	12	30	26 25	2.79	41	10	26	24 21	3.00	4	2	4	2 4
UPPER MISSOURI DR																
	SALMONID STREAM	3.03	38	26	57	37 36	3.04	31	21	50	31 30	2.97	7	5	7	6 6
	SALMONID LAKE	2.66	71	43	54	42 30	2.63	66	40	50	40 25	2.92	5	3	4	2 5
	NONSALMONID STREAM	2.51	5	4	8	1 2	2.59	4	4	8	1 2	1.00	1	0	0	0 0
	NONSALMONID LAKE	2.21	28	17	21	8 2	2.23	27	16	21	8 2	1.60	1	1	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings	2.72	143	91	140	89 70	2.71	129	81	129	81 59	2.85	14	10	11	8 11
MUSSELSHELL DR																
	SALMONID STREAM	5.00	0	0	0	0 1	.00	0	0	0	0 0	5.00	0	0	0	0 1
	SALMONID LAKE	2.87	4	3	5	5 2	2.69	4	3	5	4 1	4.50	0	0	0	1 1
	NONSALMONID STREAM	1.67	4	0	2	0 0	1.67	4	0	2	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	3.20	0	1	0	0 1	3.20	0	1	0	0 1	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings	2.72	8	5	7	5 4	2.50	8	5	7	4 2	4.67	0	0	0	1 2
ST MARY DR																
	SALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	SALMONID LAKE	3.60	0	1	1	2 1	3.60	0	1	1	2 1	.00	0	0	0	0 0
	NONSALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings	3.60	0	1	1	2 1	3.60	0	1	1	2 1	.00	0	0	0	0 0
SUN DR																
	SALMONID STREAM	2.50	3	4	0	1 2	2.75	2	3	0	1 2	1.50	1	1	0	0 0
	SALMONID LAKE	2.56	7	7	5	2 4	2.61	7	5	5	2 4	2.00	0	2	0	0 0
	NONSALMONID STREAM	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	NONSALMONID LAKE	2.00	5	0	1	2 0	2.00	5	0	1	2 0	.00	0	0	0	0 0
	UNDESIG STRM MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	UNDESIG LAKE MGMT	.00	0	0	0	0 0	.00	0	0	0	0 0	.00	0	0	0	0 0
	Drainage Satisfaction Ratings	2.44	15	11	6	5 6	2.51	14	8	6	5 6	1.75	1	3	0	0 0

Table 19. - Angler satisfaction ratings by drainage by water type for the 2007 "winter" angling season March 2007 through April 2007 and October 2007 through February 2008 (continued).

Drain- age	Water type	TOTAL					RESIDENT					NONRESIDENT							
		Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's	Avg Rate	poor 1's	----- 2's	----- 3's	----- 4's	----- 5's
LOWER YELLOWSTONE DR	SALMONID STREAM	2.40	1	1	3	0	0	1.50	1	1	0	0	0	3.00	0	0	3	0	0
	SALMONID LAKE	3.20	2	2	2	0	4	3.22	2	2	1	0	4	3.00	0	0	1	0	0
	NONSALMONID STREAM	2.71	10	7	6	7	5	2.75	8	7	6	7	4	2.33	2	0	0	0	1
	NONSALMONID LAKE	2.45	6	4	6	3	1	2.38	5	4	4	2	1	2.75	1	0	2	1	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	2.69	19	14	17	10	10	2.68	16	14	11	9	9	2.73	3	0	6	1	1
UPPER YELLOWSTONE DR	SALMONID STREAM	3.36	42	50	132	102	92	3.12	31	39	86	49	41	3.71	11	11	46	53	51
	SALMONID LAKE	2.76	10	10	2	11	5	2.88	8	9	2	11	5	1.33	2	1	0	0	0
	NONSALMONID STREAM	2.55	8	1	8	3	2	2.55	8	1	8	3	2	.00	0	0	0	0	0
	NONSALMONID LAKE	2.46	7	4	7	2	2	2.48	7	3	7	2	2	2.00	0	1	0	0	0
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Drainage Satisfaction Ratings:	3.24	68	65	149	119	101	3.01	55	52	103	66	50	3.66	13	13	46	53	51
Total	SALMONID STREAM	3.09	225	242	466	318	255	3.00	160	172	317	186	152	3.27	65	70	149	132	103
	SALMONID LAKE	2.75	242	167	203	162	132	2.75	208	155	177	144	112	2.80	34	11	26	18	20
	NONSALMONID STREAM	2.50	49	25	44	21	13	2.51	46	25	44	20	12	2.40	3	0	0	1	1
	NONSALMONID LAKE	2.42	132	73	109	49	29	2.42	124	67	100	48	27	2.35	8	5	9	1	2
	UNDESIG STRM MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	UNDESIG LAKE MGMT	.00	0	0	0	0	0	.00	0	0	0	0	0	.00	0	0	0	0	0
	Statewide Satisfaction Ratings:	2.87	649	507	822	551	430	2.79	539	420	638	399	304	3.15	110	87	184	152	126

Angler Crowding Ratings - Winter

The ratings were summarized for the seven Fish, Wildlife & Parks regions for the "winter" season and are listed in table 20. The ratings were also summarized by the 22 major drainages in the state for this same period and are listed in table 21.

Table 20. - Crowding ratings summarized by region by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008.

Region Type		Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
1	SALMONID STREAM												
	Total	1.34	65	13	6	0	1	4.75	3.43	8.32	9.50	.00	15.00
	Resdident	1.25	50	10	3	0	0	4.43	3.04	9.12	12.00	.00	.00
	Nonresident	1.59	15	3	3	0	1	5.62	4.71	5.67	7.00	.00	15.00
	SALMONID LAKE												
	Total	1.50	137	26	12	5	7	20.21	9.25	10.47	17.17	379.80	19.30
	Resdident	1.53	115	24	11	5	6	21.01	8.10	10.50	16.91	379.80	18.85
	Nonresident	1.31	22	2	1	0	1	15.28	15.24	10.00	20.00	.00	22.00
	NONSALMONID STREAM												
	Total	1.38	17	2	1	0	1	4.50	3.44	3.00	10.00	.00	20.00
	Resdident	1.38	17	2	1	0	1	4.50	3.44	3.00	10.00	.00	20.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.47	68	9	7	1	4	18.39	9.42	12.22	6.57	30.00	202.50
	Resdident	1.48	65	7	7	1	4	18.83	9.04	15.43	6.57	30.00	202.50
	Nonresident	1.40	3	2	0	0	0	11.00	17.67	1.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.45	287	50	26	6	13	15.48	7.63	9.93	12.27	321.50	75.39
Resident		1.45	247	43	22	6	11	16.22	7.00	10.63	12.64	321.50	85.74
Nonresident		1.43	40	7	4	0	2	10.87	11.48	5.57	10.25	.00	18.50
2	SALMONID STREAM												
	Total	1.88	201	63	58	23	18	6.12	2.87	8.27	11.32	8.87	14.57
	Resdident	1.99	124	40	34	18	17	5.46	2.03	6.49	10.55	7.74	15.43
	Nonresident	1.69	77	23	24	5	1	7.29	4.19	11.36	12.46	13.00	.00
	SALMONID LAKE												
	Total	1.86	76	31	24	7	6	16.98	11.23	21.96	23.80	28.57	23.33
	Resdident	1.89	67	28	23	6	6	16.73	10.79	23.78	23.74	16.65	23.33
	Nonresident	1.57	9	3	1	1	0	19.35	14.54	5.00	25.00	100.00	.00
	NONSALMONID STREAM												
	Total	1.44	12	2	1	1	0	5.88	3.00	1.50	25.00	30.00	.00
	Resdident	1.44	12	2	1	1	0	5.88	3.00	1.50	25.00	30.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.35	16	2	1	1	0	12.71	14.89	3.50	3.00	6.00	.00
	Resdident	1.37	15	2	1	1	0	8.11	9.21	3.50	3.00	6.00	.00
	Nonresident	1.00	1	0	0	0	0	100.00	100.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.84	305	98	84	32	24	9.24	5.59	12.37	14.95	13.75	16.76
Resident		1.90	218	72	59	26	23	9.28	5.27	12.99	15.81	10.58	17.49
Nonresident		1.68	87	26	25	6	1	9.10	6.36	10.63	12.96	27.50	.00

Table 20. - Crowding ratings summarized by region by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008 (continued).

Region Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
3	SALMONID STREAM												
	Total	1.75	317	90	59	38	17	6.39	3.20	8.27	11.15	13.71	22.76
	Resident	1.88	178	64	40	27	15	6.41	2.84	7.95	8.69	12.44	25.21
	Nonresident	1.53	139	26	19	11	2	6.35	3.66	9.09	16.36	16.81	4.50
	SALMONID LAKE												
	Total	1.64	109	28	19	6	6	11.49	7.48	15.38	12.42	20.70	54.33
	Resident	1.62	88	22	17	4	4	11.00	7.64	16.29	12.52	30.72	30.00
	Nonresident	1.73	21	6	2	2	2	13.47	6.79	12.00	11.50	.50	103.00
	NONSALMONID STREAM												
	Total	3.00	0	0	0	0	0	8.00	.00	.00	8.00	.00	.00
	Resident	3.00	0	0	0	0	0	8.00	.00	.00	8.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.36	15	6	1	0	0	7.47	5.87	12.83	.00	.00	.00
	Resident	1.38	12	5	1	0	0	8.17	6.09	15.02	.00	.00	.00
	Nonresident	1.25	3	1	0	0	0	4.25	5.00	2.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.71	442	124	80	44	23	7.63	4.36	10.09	11.30	14.66	31.00
Resident		1.79	279	91	59	31	19	7.78	4.51	10.35	9.64	14.80	26.22
Nonresident		1.56	163	33	21	13	4	7.31	4.09	9.41	15.90	14.30	53.75
4	SALMONID STREAM												
	Total	1.92	108	40	40	12	9	10.01	4.03	12.97	16.96	17.93	27.00
	Resident	1.94	89	29	36	11	7	9.20	3.75	11.08	15.50	18.75	23.29
	Nonresident	1.81	19	11	4	1	2	13.72	5.33	17.94	30.00	9.00	40.00
	SALMONID LAKE												
	Total	1.95	154	73	44	26	14	18.54	11.73	19.04	18.03	50.86	32.34
	Resident	1.98	134	71	42	25	12	19.49	12.50	19.51	18.20	52.39	33.58
	Nonresident	1.64	19	2	2	1	2	8.43	6.54	2.00	15.00	12.00	25.00
	NONSALMONID STREAM												
	Total	1.52	17	3	3	1	0	4.29	1.73	4.70	11.69	22.00	.00
	Resident	1.54	16	3	3	1	0	4.38	1.70	4.70	11.69	22.00	.00
	Nonresident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.09	59	28	25	11	8	19.73	8.22	25.12	12.82	29.09	94.13
	Resident	2.13	54	28	25	11	8	20.26	8.50	25.12	12.82	29.09	94.13
	Nonresident	1.00	4	0	0	0	0	4.78	4.78	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:													
Total		1.95	339	145	113	50	31	15.60	8.14	18.26	16.30	37.59	46.74
Resident		1.98	295	132	107	48	27	16.13	8.50	18.54	15.81	38.71	48.85
Nonresident		1.68	44	13	6	2	4	10.93	5.73	15.48	25.00	10.50	32.50

Table 20. - Crowding ratings summarized by region by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008 (continued).

		Crowding Ratings						Average Number of People Seen						
Region	Type	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded	
5	SALMONID STREAM													
	Total	2.26	134	48	56	44	23	26.72	6.30	16.65	30.72	58.60	95.96	
	Resident	1.93	96	32	25	16	9	16.43	4.00	13.12	21.60	29.79	122.60	
	Nonresident	2.72	38	16	31	28	14	41.14	12.07	23.62	38.10	75.05	78.94	
	SALMONID LAKE													
	Total	1.82	28	6	5	3	3	5.84	3.81	10.46	6.20	12.33	8.00	
	Resident	1.87	25	6	5	3	3	6.19	4.16	10.46	6.20	12.33	8.00	
	Nonresident	1.00	3	0	0	0	0	1.00	1.00	.00	.00	.00	.00	
	NONSALMONID STREAM													
	Total	1.50	21	2	4	0	1	3.14	2.14	3.00	8.00	.00	5.00	
	Resident	1.50	21	2	4	0	1	3.14	2.14	3.00	8.00	.00	5.00	
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
	NONSALMONID LAKE													
	Total	1.28	13	1	0	1	0	11.86	5.54	16.67	.00	90.00	.00	
	Resident	1.28	13	1	0	1	0	11.86	5.54	16.67	.00	90.00	.00	
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
	UNDESIG STRM MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:														
Total		2.11	197	58	65	48	27	22.01	5.44	15.48	27.44	56.36	82.82	
Resident		1.84	156	42	34	20	13	13.09	3.91	12.35	17.74	30.18	87.11	
Nonresident		2.68	41	16	31	28	14	40.21	11.26	23.62	38.10	75.05	78.94	
6	SALMONID STREAM													
	Total	1.00	3	0	0	0	0	3.14	3.14	.00	.00	.00	.00	
	Resident	1.00	3	0	0	0	0	3.14	3.14	.00	.00	.00	.00	
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
	SALMONID LAKE													
	Total	1.74	19	5	6	2	0	6.62	4.06	13.62	6.92	12.50	.00	
	Resident	1.73	17	3	5	2	0	6.95	4.53	16.67	7.09	12.50	.00	
	Nonresident	1.80	2	2	1	0	0	4.80	.00	9.00	6.00	.00	.00	
	NONSALMONID STREAM													
	Total	1.34	19	5	2	0	0	4.46	3.34	8.00	6.50	.00	.00	
	Resident	1.31	19	4	2	0	0	4.32	3.34	8.00	6.50	.00	.00	
	Nonresident	2.00	0	1	0	0	0	8.00	.00	8.00	.00	.00	.00	
	NONSALMONID LAKE													
	Total	1.71	52	20	12	5	1	16.51	12.62	23.98	16.15	21.20	50.00	
	Resident	1.77	45	20	12	5	1	17.41	13.70	23.98	16.15	21.20	50.00	
	Nonresident	1.00	7	0	0	0	0	5.57	5.57	.00	.00	.00	.00	
	UNDESIG STRM MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	.00
Regional Crowding Ratings:														
Total		1.63	94	30	21	7	1	12.02	8.61	19.59	12.38	18.71	50.00	
Resident		1.66	85	27	20	7	1	12.62	9.05	20.80	12.69	18.71	50.00	
Nonresident		1.38	9	3	1	0	0	5.46	4.33	8.67	6.00	.00	.00	

Table 20. - Crowding ratings summarized by region by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008 (continued).

		Crowding Ratings					Average Number of People Seen						
Region	Type	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
7	SALMONID STREAM												
	Total	1.80	4	0	0	0	1	1.80	1.25	.00	.00	.00	4.00
	Resdident	1.00	2	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Nonresident	2.33	2	0	0	0	1	2.33	1.50	.00	.00	.00	4.00
	SALMONID LAKE												
	Total	1.00	11	0	0	0	0	1.36	1.36	.00	.00	.00	.00
	Resdident	1.00	10	0	0	0	0	1.30	1.30	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.39	26	6	4	0	0	5.10	2.48	6.50	20.00	.00	.00
	Resdident	1.39	24	5	4	0	0	5.35	2.49	7.40	20.00	.00	.00
	Nonresident	1.33	2	1	0	0	0	2.33	2.50	2.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.32	19	4	2	0	0	5.92	4.21	10.25	13.50	.00	.00
	Resdident	1.33	16	3	2	0	0	5.19	4.00	6.00	13.50	.00	.00
	Nonresident	1.25	3	1	0	0	0	9.73	5.30	23.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Regional Crowding Ratings:													
Total		1.34	60	10	6	0	1	4.62	2.74	8.00	17.83	.00	4.00
Resident		1.30	52	8	6	0	0	4.56	2.67	6.88	17.83	.00	.00
Nonresident		1.55	8	2	0	0	1	4.99	3.24	12.50	.00	.00	4.00
Total	SALMONID STREAM												
	Total	1.88	833	254	220	117	69	10.87	3.74	10.60	17.20	30.08	45.19
	Resdident	1.88	543	175	139	72	48	8.35	3.02	9.15	13.33	16.08	39.73
	Nonresident	1.89	290	79	81	45	21	15.62	5.05	13.80	23.85	52.45	57.77
	SALMONID LAKE												
	Total	1.76	535	171	110	49	36	16.02	9.25	17.10	17.04	73.62	29.94
	Resdident	1.78	457	155	103	45	31	16.50	9.20	18.00	17.19	77.64	25.81
	Nonresident	1.57	77	16	7	4	5	12.51	9.56	8.38	14.86	28.25	55.60
	NONSALMONID STREAM												
	Total	1.43	113	20	16	2	2	4.51	2.65	5.40	12.81	26.00	12.50
	Resdident	1.43	110	18	16	2	2	4.54	2.66	5.45	12.81	26.00	12.50
	Nonresident	1.40	3	2	0	0	0	3.40	2.33	5.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.70	243	71	48	19	13	16.44	9.32	20.50	12.34	29.05	124.08
	Resdident	1.74	221	67	48	19	13	16.84	9.12	21.33	12.34	29.05	124.08
	Nonresident	1.16	21	4	0	0	0	10.64	11.37	6.75	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resdident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Statewide Crowding Ratings:													
Total		1.80	1724	516	395	187	120	12.86	6.16	13.91	16.38	41.34	48.62
Resident		1.80	1332	415	307	138	94	12.30	6.13	14.26	14.45	38.08	46.22
Nonresident		1.80	392	101	88	49	26	14.82	6.27	12.48	23.13	50.48	57.35

Table 21. - Crowding ratings summarized by drainage by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008.

Drainage Type		Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
BEAVERHEAD DR													
SALMONID STREAM													
	Total	1.40	32	5	3	2	0	3.40	3.36	2.64	3.00	6.50	.00
	Resident	1.61	15	4	2	2	0	3.14	2.61	2.80	4.50	6.50	.00
	Nonresident	1.16	17	1	1	0	0	3.73	4.05	2.00	.00	.00	.00
SALMONID LAKE													
	Total	1.75	39	16	8	4	2	17.44	10.98	19.22	17.99	30.30	103.00
	Resident	1.66	34	14	8	3	0	15.82	11.72	19.45	17.99	40.30	.00
	Nonresident	2.30	5	2	0	1	2	27.02	5.84	17.50	.00	.00	103.00
NONSALMONID STREAM													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
	Total	1.57	5	4	1	0	0	7.71	7.45	10.00	.00	.00	.00
	Resident	1.59	4	3	1	0	0	8.13	6.89	12.70	.00	.00	.00
	Nonresident	1.50	1	1	0	0	0	6.00	10.00	2.00	.00	.00	.00
UNDESIG STRM MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	1.61	77	25	12	6	2	11.77	7.56	14.43	12.74	22.37	103.00
	Resident	1.64	54	21	11	5	0	11.90	8.79	15.31	13.90	26.78	.00
	Nonresident	1.55	23	4	1	1	2	11.39	4.70	9.75	.00	.00	103.00
BIG HOLE DR													
SALMONID STREAM													
	Total	1.62	41	11	4	1	4	5.07	2.88	5.75	16.00	15.00	12.25
	Resident	1.74	24	8	3	1	3	5.23	2.70	5.15	11.33	15.00	16.33
	Nonresident	1.41	17	3	1	0	1	4.76	3.10	7.33	30.00	.00	.00
SALMONID LAKE													
	Total	1.00	3	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Resident	1.00	2	0	0	0	0	.50	.50	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
NONSALMONID STREAM													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	1.59	44	11	4	1	4	4.88	2.75	5.75	16.00	15.00	12.25
	Resident	1.71	26	8	3	1	3	5.00	2.53	5.15	11.33	15.00	16.33
	Nonresident	1.39	18	3	1	0	1	4.64	3.04	7.33	30.00	.00	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008 (continued).

Drainage Type		Crowding Ratings						Average Number of People Seen					
		Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----	crowded				sparse	-----	crowded		
BITTERRROOT DR													
SALMONID STREAM													
	Total	2.05	74	33	30	5	14	8.36	3.46	10.44	14.13	9.62	16.59
	Resident	2.27	41	18	20	4	13	8.10	2.80	8.06	12.88	7.00	17.87
	Nonresident	1.70	33	15	10	1	1	8.75	4.20	13.28	16.72	20.00	.00
SALMONID LAKE													
	Total	1.54	9	2	1	1	0	10.63	8.91	4.00	20.00	30.00	.00
	Resident	1.55	8	1	1	1	0	12.38	9.77	8.00	20.00	30.00	.00
	Nonresident	1.50	1	1	0	0	0	1.00	2.00	.00	.00	.00	.00
NONSALMONID STREAM													
	Total	2.25	2	0	1	1	0	16.50	5.50	.00	25.00	30.00	.00
	Resident	2.25	2	0	1	1	0	16.50	5.50	.00	25.00	30.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	2.02	85	35	32	7	14	8.72	4.09	10.07	14.66	15.44	16.59
	Resident	2.20	51	19	22	6	13	8.83	4.00	8.05	13.75	14.67	17.87
	Nonresident	1.69	34	16	10	1	1	8.50	4.14	12.45	16.72	20.00	.00
BLACKFOOT DR													
SALMONID STREAM													
	Total	1.62	30	5	0	7	0	3.60	2.23	5.00	.00	8.43	.00
	Resident	1.64	20	3	0	5	0	3.05	1.71	3.33	.00	8.22	.00
	Nonresident	1.57	10	2	0	2	0	4.71	3.29	7.50	.00	9.00	.00
SALMONID LAKE													
	Total	1.89	22	4	8	2	2	14.33	9.00	28.00	20.04	12.00	25.00
	Resident	1.97	18	3	7	2	2	14.00	7.62	34.00	19.29	12.00	25.00
	Nonresident	1.50	4	1	1	0	0	16.00	15.25	10.00	25.00	.00	.00
NONSALMONID STREAM													
	Total	1.50	1	1	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	1.50	1	1	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
	Total	1.33	15	1	1	1	0	13.79	15.88	1.00	3.00	6.00	.00
	Resident	1.35	14	1	1	1	0	8.71	9.86	1.00	3.00	6.00	.00
	Nonresident	1.00	1	0	0	0	0	100.00	100.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	1.67	68	11	9	10	2	9.44	7.40	12.55	18.14	8.90	25.00
	Resident	1.71	53	8	8	8	2	8.63	5.84	14.13	17.25	8.89	25.00
	Nonresident	1.52	15	3	1	2	0	12.47	12.93	8.33	25.00	9.00	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008 (continued).

Drainage	Type	Crowding Ratings						Average Number of People Seen					
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
LOWER CLARK FORK DR SALMONID STREAM	Total	1.52	45	12	12	0	0	4.99	3.61	5.22	9.96	.00	.00
	Resident	1.48	27	10	5	0	0	3.57	2.34	5.28	6.80	.00	.00
	Nonresident	1.59	18	2	7	0	0	7.21	5.50	5.00	12.26	.00	.00
	SALMONID LAKE												
	Total	1.74	20	2	0	2	3	75.79	4.41	26.50	.00	927.50	16.70
	Resident	1.80	18	2	0	2	3	81.08	3.83	26.50	.00	927.50	16.70
	Nonresident	1.00	2	0	0	0	0	9.50	9.50	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.18	14	3	0	0	0	3.73	3.89	3.00	.00	.00	.00
	Resident	1.18	14	3	0	0	0	3.73	3.89	3.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.76	18	1	3	0	3	17.83	5.82	20.00	3.67	.00	103.33
	Resident	1.76	18	1	3	0	3	17.83	5.82	20.00	3.67	.00	103.33
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.57	97	18	15	2	6	21.01	4.22	8.03	8.70	927.50	60.02
Resident		1.57	77	16	8	2	6	24.64	3.78	8.43	5.63	927.50	60.02
Nonresident		1.55	20	2	7	0	0	7.37	5.90	5.00	12.26	.00	.00
UPPER CLARK FORK DR SALMONID STREAM	Total	1.91	61	15	17	11	4	4.41	2.00	6.61	7.52	8.82	7.50
	Resident	1.96	42	10	9	9	4	3.76	1.31	5.59	7.47	7.80	7.50
	Nonresident	1.79	19	5	8	2	0	5.83	3.54	8.62	7.63	13.50	.00
	SALMONID LAKE												
	Total	1.91	43	25	15	4	4	19.32	13.26	22.43	26.07	36.50	22.50
	Resident	1.92	40	24	15	3	4	18.48	12.67	23.16	26.07	15.30	22.50
	Nonresident	1.80	3	1	0	1	0	33.78	21.30	5.00	.00	100.00	.00
	NONSALMONID STREAM												
	Total	1.00	4	0	0	0	0	3.00	3.00	.00	.00	.00	.00
	Resident	1.00	4	0	0	0	0	3.00	3.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.50	1	1	0	0	0	3.00	.00	6.00	.00	.00	.00
	Resident	1.50	1	1	0	0	0	3.00	.00	6.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.89	109	41	32	15	8	10.99	6.46	16.24	16.21	16.20	15.00
Resident		1.91	87	35	24	12	8	11.36	6.60	17.65	19.09	9.68	15.00
Nonresident		1.79	22	6	8	3	0	9.42	5.96	8.02	7.63	42.33	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008 (continued).

		Crowding Ratings						Average Number of People Seen					
Drainage	Type	Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----	crowded				sparse	-----	crowded		
LOWER FLATHEAD DR SALMONID STREAM	Total	1.42	26	7	2	0	1	5.85	3.33	11.31	15.00	.00	15.00
	Resident	1.35	22	7	2	0	0	5.96	3.44	11.31	15.00	.00	.00
	Nonresident	1.80	4	0	0	0	1	5.18	2.72	.00	.00	.00	15.00
	SALMONID LAKE												
	Total	1.50	69	15	6	3	3	13.81	13.72	10.07	20.17	14.67	21.00
	Resident	1.57	56	13	6	3	3	12.78	12.07	10.08	20.17	14.67	21.00
	Nonresident	1.13	13	2	0	0	0	19.27	20.69	10.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.60	8	0	1	0	1	4.71	2.14	.00	10.00	.00	20.00
	Resident	1.60	8	0	1	0	1	4.71	2.14	.00	10.00	.00	20.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.38	41	5	4	1	1	21.74	11.80	16.40	8.75	30.00	500.00
	Resident	1.40	38	4	4	1	1	22.45	11.33	20.50	8.75	30.00	500.00
	Nonresident	1.25	3	1	0	0	0	13.25	17.67	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.46	144	27	13	4	6	13.99	10.65	11.56	15.08	18.50	99.67
Resident		1.48	124	24	13	4	5	13.79	9.67	12.18	15.08	18.50	116.60
Nonresident		1.29	20	3	0	0	1	15.33	16.65	6.67	.00	.00	15.00
UPPER FLATHEAD DR SALMONID STREAM	Total	1.43	4	3	0	0	0	3.57	2.00	5.67	.00	.00	.00
	Resident	1.25	3	1	0	0	0	3.25	2.33	6.00	.00	.00	.00
	Nonresident	1.67	1	2	0	0	0	4.00	1.00	5.50	.00	.00	.00
	SALMONID LAKE												
	Total	1.30	8	1	1	0	0	8.40	8.00	.00	20.00	.00	.00
	Resident	1.11	8	1	0	0	0	7.11	8.00	.00	.00	.00	.00
	Nonresident	3.00	0	0	1	0	0	20.00	.00	.00	20.00	.00	.00
	NONSALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.00	0	1	0	0	0	2.00	.00	2.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	2.00	0	1	0	0	0	2.00	.00	2.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.39	12	5	1	0	0	6.17	6.00	3.80	20.00	.00	.00
Resident		1.15	11	2	0	0	0	5.92	6.45	3.00	.00	.00	.00
Nonresident		2.00	1	3	1	0	0	6.80	1.00	4.33	20.00	.00	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008 (continued)

		Crowding Ratings						Average Number of People Seen					
Drainage	Type	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
GALLATIN DR													
	SALMONID STREAM												
	Total	1.78	59	20	9	11	2	4.76	2.65	3.77	9.67	12.02	15.00
	Resident	1.89	34	16	5	8	2	3.92	2.50	3.93	5.00	6.50	15.00
	Nonresident	1.58	25	4	4	3	0	6.24	2.78	3.22	15.53	26.67	.00
	SALMONID LAKE												
	Total	1.50	14	1	2	0	1	3.40	2.73	4.00	7.00	.00	5.00
	Resident	1.53	13	1	2	0	1	3.60	2.94	4.00	7.00	.00	5.00
	Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.00	2	0	0	0	0	1.50	1.50	.00	.00	.00	.00
	Resident	1.00	2	0	0	0	0	1.50	1.50	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	1.73	75	21	11	11	3	4.51	2.64	3.78	9.18	12.02	11.67
	Resident	1.80	49	17	7	8	3	3.80	2.57	3.94	5.57	6.50	11.67
	Nonresident	1.57	26	4	4	3	0	6.07	2.68	3.22	15.53	26.67	.00
JEFFERSON DR													
	SALMONID STREAM												
	Total	1.35	20	0	2	0	1	2.47	1.93	.00	6.00	.00	6.00
	Resident	1.42	16	0	2	0	1	2.36	1.68	.00	6.00	.00	6.00
	Nonresident	1.00	4	0	0	0	0	3.00	3.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.74	14	1	1	1	2	13.06	8.44	10.00	13.00	2.00	52.50
	Resident	1.78	13	1	1	1	2	13.52	8.72	10.00	13.00	2.00	52.50
	Nonresident	1.00	1	0	0	0	0	5.00	5.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	1.52	34	1	3	1	3	7.26	4.61	10.00	8.33	2.00	37.00
	Resident	1.59	29	1	3	1	3	7.79	4.83	10.00	8.33	2.00	37.00
	Nonresident	1.00	5	0	0	0	0	3.40	3.40	.00	.00	.00	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
KOOTENAI DR	SALMONID STREAM												
	Total	1.23	26	1	3	0	0	3.75	3.78	2.00	4.00	.00	.00
	Resident	1.14	19	1	1	0	0	2.98	2.87	2.00	6.00	.00	.00
	Nonresident	1.44	7	0	2	0	0	5.53	6.26	.00	3.00	.00	.00
	SALMONID LAKE												
	Total	1.39	42	8	5	0	1	5.88	4.15	8.51	13.00	.00	22.00
	Resident	1.38	34	8	5	0	0	5.47	3.65	8.51	13.00	.00	.00
	Nonresident	1.44	8	0	0	0	1	8.14	6.41	.00	.00	.00	22.00
	NONSALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.18	9	2	0	0	0	5.27	5.78	3.00	.00	.00	.00
	Resident	1.18	9	2	0	0	0	5.27	5.78	3.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Drainage Crowding Ratings:													
Total		1.32	77	11	8	0	1	5.15	4.22	6.92	9.63	.00	22.00
Resident		1.29	62	11	6	0	0	4.78	3.72	6.92	11.83	.00	.00
Nonresident		1.44	15	0	2	0	1	6.84	6.34	.00	3.00	.00	22.00
LITTLE MISSOURI DR	SALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.00	3	0	0	0	0	1.33	1.33	.00	.00	.00	.00
	Resident	1.00	3	0	0	0	0	1.33	1.33	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Drainage Crowding Ratings:													
Total		1.00	3	0	0	0	0	1.33	1.33	.00	.00	.00	.00
Resident		1.00	3	0	0	0	0	1.33	1.33	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008 (continued).

		Crowding Ratings						Average Number of People Seen					
Drainage	Type	Avg	1 sparse	2	3	4	5 crowded	Avg	1 sparse	2	3	4	5 crowded
MADISON DR													
	SALMONID STREAM												
	Total	2.11	76	37	25	20	10	10.15	4.39	11.57	13.02	15.84	30.20
	Resident	2.30	40	21	14	14	9	11.04	4.21	12.11	9.70	16.42	32.57
	Nonresident	1.86	36	16	11	6	1	8.95	4.65	10.91	17.15	14.48	9.00
	SALMONID LAKE												
	Total	1.65	31	10	8	1	1	7.13	5.77	10.90	8.13	1.00	10.00
	Resident	1.67	20	6	6	0	1	6.08	3.83	12.00	7.00	.00	10.00
	Nonresident	1.61	11	4	2	1	0	9.07	9.30	9.25	11.50	1.00	.00
	NONSALMONID STREAM												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.00	2	0	0	0	0	2.50	2.50	.00	.00	.00	.00
	Resident	1.00	1	0	0	0	0	4.00	4.00	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	2.00	109	47	33	21	11	9.39	4.75	11.43	11.83	15.13	28.36
	Resident	2.13	61	27	20	14	10	9.74	4.08	12.09	8.89	16.42	30.31
	Nonresident	1.80	48	20	13	7	1	8.88	5.64	10.57	16.28	12.56	9.00
MARIAS DR													
	SALMONID STREAM												
	Total	2.40	2	0	2	1	0	2.60	.00	.00	1.00	11.00	.00
	Resident	2.75	1	0	2	1	0	3.25	.00	.00	1.00	11.00	.00
	Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.36	9	1	0	1	0	4.00	2.89	10.00	.00	8.00	.00
	Resident	1.50	6	1	0	1	0	4.63	3.17	10.00	.00	8.00	.00
	Nonresident	1.00	3	0	0	0	0	2.33	2.33	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.00	2	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	1.00	2	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.08	15	11	8	2	2	20.19	6.47	31.66	9.64	20.00	102.50
	Resident	2.14	13	11	8	2	2	21.26	7.29	31.66	9.64	20.00	102.50
	Nonresident	1.00	2	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
	Total	1.93	28	12	10	4	2	14.72	4.39	29.86	7.91	14.75	102.50
	Resident	2.04	22	12	10	4	2	16.30	5.17	29.86	7.91	14.75	102.50
	Nonresident	1.00	6	0	0	0	0	1.50	1.50	.00	.00	.00	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008 (continued).

Drainage Type		Crowding Ratings						Average Number of People Seen					
		Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----	crowded				sparse	-----	crowded		
MILK DR	SALMONID STREAM												
	Total	1.00	3	0	0	0	0	3.14	3.14	.00	.00	.00	.00
	Resident	1.00	3	0	0	0	0	3.14	3.14	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.67	13	1	4	1	0	3.96	2.40	12.00	6.44	5.00	.00
	Resident	1.74	11	1	4	1	0	4.40	2.82	12.00	6.44	5.00	.00
	Nonresident	1.00	2	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.00	6	0	0	0	0	.77	.77	.00	.00	.00	.00
	Resident	1.00	6	0	0	0	0	.77	.77	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.05	19	12	10	4	1	18.63	11.47	26.70	16.37	26.50	50.00
	Resident	2.08	18	12	10	4	1	18.59	10.98	26.70	16.37	26.50	50.00
	Nonresident	1.00	1	0	0	0	0	20.00	20.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.82	42	13	15	5	1	12.63	6.31	25.57	13.39	22.20	50.00
Resident		1.85	39	13	15	5	1	12.86	6.27	25.57	13.39	22.20	50.00
Nonresident		1.00	3	0	0	0	0	6.67	6.67	.00	.00	.00	.00
LOWER MISSOURI DR	SALMONID STREAM												
	Total	1.50	17	0	1	0	2	4.97	.91	.00	4.00	.00	40.00
	Resident	1.00	16	0	0	0	0	.85	.85	.00	.00	.00	.00
	Nonresident	3.50	1	0	1	0	2	21.25	1.00	.00	4.00	.00	40.00
	SALMONID LAKE												
	Total	1.60	24	9	6	1	0	11.00	6.63	14.46	21.83	20.00	.00
	Resident	1.57	22	7	5	1	0	11.83	7.14	16.00	25.00	20.00	.00
	Nonresident	1.80	2	2	1	0	0	5.20	1.00	9.00	6.00	.00	.00
	NONSALMONID STREAM												
	Total	1.36	18	5	2	0	0	4.97	3.96	8.00	6.50	.00	.00
	Resident	1.33	18	4	2	0	0	4.84	3.96	8.00	6.50	.00	.00
	Nonresident	2.00	0	1	0	0	0	8.00	.00	8.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.43	36	9	5	1	0	13.11	12.29	18.59	11.80	.00	.00
	Resident	1.49	30	9	5	1	0	14.42	14.09	18.59	11.80	.00	.00
	Nonresident	1.00	6	0	0	0	0	3.17	3.17	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.48	95	23	14	2	2	9.80	7.24	14.67	14.79	10.00	40.00
Resident		1.42	86	20	12	2	0	9.94	7.73	15.56	16.42	10.00	.00
Nonresident		1.94	9	3	2	0	2	8.63	2.44	8.67	5.00	.00	40.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
UPPER MISSOURI DR SALMONID STREAM	Total	1.94	96	40	41	11	7	10.30	4.51	12.97	16.90	18.56	23.29
	Resident	1.99	80	29	38	10	7	9.61	4.04	11.08	15.15	19.52	23.29
	Nonresident	1.65	16	11	3	1	0	13.95	6.89	17.94	38.67	9.00	.00
	SALMONID LAKE												
	Total	2.06	109	55	37	24	13	21.56	14.56	21.63	16.90	53.51	34.45
	Resident	2.08	97	53	35	23	11	22.54	15.32	22.36	17.03	55.30	36.18
	Nonresident	1.87	12	2	2	1	2	10.59	8.84	2.00	15.00	12.00	25.00
	NONSALMONID STREAM												
	Total	1.72	11	3	4	1	0	5.13	1.66	4.70	11.23	22.00	.00
	Resident	1.76	10	3	4	1	0	5.30	1.62	4.70	11.23	22.00	.00
	Nonresident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	2.11	37	14	13	9	5	21.87	9.51	23.70	15.95	31.11	108.00
	Resident	2.14	35	14	13	9	5	22.34	9.65	23.70	15.95	31.11	108.00
	Nonresident	1.00	2	0	0	0	0	7.80	7.80	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		2.01	255	113	95	45	25	16.87	9.43	18.38	16.53	39.79	46.03
Resident		2.05	223	100	90	43	23	17.40	9.71	18.75	15.82	41.14	47.87
Nonresident		1.69	32	13	5	2	2	12.23	7.57	15.48	29.20	10.50	25.00
MUSSELSHELL DR SALMONID STREAM	Total	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	.00	.00	.00	.00	.00	.00
	SALMONID LAKE												
	Total	1.51	13	2	4	0	0	4.81	2.87	8.00	9.75	.00	.00
	Resident	1.57	11	2	4	0	0	5.26	3.22	8.00	9.75	.00	.00
	Nonresident	1.00	2	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.00	6	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Resident	1.00	6	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.40	1	1	0	0	0	12.80	13.33	12.00	.00	.00	.00
	Resident	1.40	1	1	0	0	0	12.80	13.33	12.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	UNDESIG LAKE MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.38	22	3	4	0	0	4.54	2.94	9.33	9.75	.00	.00
Resident		1.42	19	3	4	0	0	5.00	3.32	9.33	9.75	.00	.00
Nonresident		1.00	3	0	0	0	0	.67	.67	.00	.00	.00	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded	Avg	1 sparse	2 -----	3 -----	4 -----	5 crowded
ST MARY DR													
SALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
SALMONID LAKE													
Total		2.00	0	5	0	0	0	9.80	.00	9.80	.00	.00	.00
Resident		2.00	0	5	0	0	0	9.80	.00	9.80	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		2.00	0	5	0	0	0	9.80	.00	9.80	.00	.00	.00
Resident		2.00	0	5	0	0	0	9.80	.00	9.80	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
SUN DR													
SALMONID STREAM													
Total		1.00	9	0	0	0	0	2.44	2.44	.00	.00	.00	.00
Resident		1.00	7	0	0	0	0	3.11	3.11	.00	.00	.00	.00
Nonresident		1.00	2	0	0	0	0	.00	.00	.00	.00	.00	.00
SALMONID LAKE													
Total		1.64	16	5	2	1	1	7.53	4.57	10.00	15.00	30.00	5.00
Resident		1.70	14	5	2	1	1	7.83	4.64	10.00	15.00	30.00	5.00
Nonresident		1.00	2	0	0	0	0	4.00	4.00	.00	.00	.00	.00
NONSALMONID STREAM													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
NONSALMONID LAKE													
Total		2.00	4	1	1	0	1	4.30	2.78	4.00	7.00	.00	8.00
Resident		2.00	4	1	1	0	1	4.30	2.78	4.00	7.00	.00	8.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG STRM MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
Drainage Crowding Ratings:													
Total		1.56	29	6	3	1	2	5.86	3.67	9.00	12.33	30.00	6.50
Resident		1.62	25	6	3	1	2	6.27	3.92	9.00	12.33	30.00	6.50
Nonresident		1.00	4	0	0	0	0	2.00	2.00	.00	.00	.00	.00

Table 21. - Crowding ratings summarized by drainage by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008 (continued).

Drainage Type		Crowding Ratings					Average Number of People Seen						
		Avg	1	2	3	4	5	Avg	1	2	3	4	5
			sparse	-----crowded					sparse-----crowded				
LOWER YELLOWSTONE DR SALMONID STREAM	Total	1.80	4	0	0	0	1	1.80	1.25	.00	.00	.00	4.00
	Resident	1.00	2	0	0	0	0	1.00	1.00	.00	.00	.00	.00
	Nonresident	2.33	2	0	0	0	1	2.33	1.50	.00	.00	.00	4.00
	SALMONID LAKE												
	Total	1.00	10	0	0	0	0	1.50	1.50	.00	.00	.00	.00
	Resident	1.00	9	0	0	0	0	1.44	1.44	.00	.00	.00	.00
	Nonresident	1.00	1	0	0	0	0	2.00	2.00	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.40	25	6	4	0	0	5.24	2.58	6.50	20.00	.00	.00
	Resident	1.41	23	5	4	0	0	5.52	2.60	7.40	20.00	.00	.00
	Nonresident	1.33	2	1	0	0	0	2.33	2.50	2.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.40	14	4	2	0	0	7.00	5.14	10.25	13.50	.00	.00
	Resident	1.44	11	3	2	0	0	6.31	5.09	6.00	13.50	.00	.00
	Nonresident	1.25	3	1	0	0	0	9.73	5.30	23.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Drainage Crowding Ratings:													
Total	1.37	53	10	6	0	1	4.96	2.95	8.00	17.83	.00	4.00	
Resident	1.34	45	8	6	0	0	4.96	2.90	6.88	17.83	.00	.00	
Nonresident	1.55	8	2	0	0	1	4.99	3.24	12.50	.00	.00	4.00	
UPPER YELLOWSTONE DR SALMONID STREAM	Total	2.07	206	65	69	48	23	21.26	5.19	14.82	27.17	54.64	95.96
	Resident	1.87	130	47	36	18	9	13.79	3.69	11.89	18.44	27.92	122.60
	Nonresident	2.35	76	18	33	30	14	31.73	7.73	22.38	36.70	70.65	78.94
	SALMONID LAKE												
	Total	1.79	25	6	2	3	3	6.53	4.59	10.46	7.50	12.33	8.00
	Resident	1.85	22	6	2	3	3	6.92	4.98	10.46	7.50	12.33	8.00
	Nonresident	1.00	3	0	0	0	0	1.67	1.67	.00	.00	.00	.00
	NONSALMONID STREAM												
	Total	1.64	15	2	4	0	1	3.73	2.60	3.00	8.00	.00	5.00
	Resident	1.64	15	2	4	0	1	3.73	2.60	3.00	8.00	.00	5.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	NONSALMONID LAKE												
	Total	1.27	19	3	0	1	0	11.20	5.99	17.71	.00	90.00	.00
	Resident	1.28	18	3	0	1	0	11.52	6.10	17.71	.00	90.00	.00
	Nonresident	1.00	1	0	0	0	0	4.00	4.00	.00	.00	.00	.00
	UNDESIG STRM MGMT												
	Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
	Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00
UNDESIG LAKE MGMT													
Total	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident	.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Drainage Crowding Ratings:													
Total	1.99	266	77	75	52	27	18.81	5.05	14.28	25.62	52.88	82.82	
Resident	1.81	186	59	42	22	13	12.15	4.00	11.78	16.93	28.62	87.11	
Nonresident	2.31	80	18	33	30	14	31.06	7.46	22.38	36.70	70.65	78.94	

Table 21. - Crowding ratings summarized by drainage by residency by water type for the 2007 "winter" season of March 2007 through April 2007 and October 2007 through February 2008 (continued).

Drainage Type		Crowding Ratings						Average Number of People Seen						
		Avg	1	2	3	4	5	Avg	1	2	3	4	5	
			sparse	-----crowded					sparse-----crowded					
Total														
SALMONID STREAM														
Total		1.88	833	254	220	117	69	10.87	3.74	10.60	17.20	30.08	45.19	
Resident		1.88	543	175	139	72	48	8.35	3.02	9.15	13.33	16.08	39.73	
Nonresident		1.89	290	79	81	45	21	15.62	5.05	13.80	23.85	52.45	57.77	
SALMONID LAKE														
Total		1.76	535	171	110	49	36	16.02	9.25	17.10	17.04	73.62	29.94	
Resident		1.78	457	155	103	45	31	16.50	9.20	18.00	17.19	77.64	25.81	
Nonresident		1.57	77	16	7	4	5	12.51	9.56	8.38	14.86	28.25	55.60	
NONSALMONID STREAM														
Total		1.43	113	20	16	2	2	4.51	2.65	5.40	12.81	26.00	12.50	
Resident		1.43	110	18	16	2	2	4.54	2.66	5.45	12.81	26.00	12.50	
Nonresident		1.40	3	2	0	0	0	3.40	2.33	5.00	.00	.00	.00	
NONSALMONID LAKE														
Total		1.70	243	71	48	19	13	16.44	9.32	20.50	12.34	29.05	124.08	
Resident		1.74	221	67	48	19	13	16.84	9.12	21.33	12.34	29.05	124.08	
Nonresident		1.16	21	4	0	0	0	10.64	11.37	6.75	.00	.00	.00	
UNDESIG STRM MGMT														
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
UNDESIG LAKE MGMT														
Total		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Resident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Nonresident		.00	0	0	0	0	0	.00	.00	.00	.00	.00	.00	
Statewide Crowding Ratings														
Total		1.80	1724	516	395	187	120	12.86	6.16	13.91	16.38	41.34	48.62	
Resident		1.80	1332	415	307	138	94	12.30	6.13	14.26	14.45	38.08	46.22	
Nonresident		1.80	392	101	88	49	26	14.82	6.27	12.48	23.13	50.48	57.35	

DISCUSSION

SCOPE OF ANGLING PRESSURE

The statewide angling pressure survey was conducted from March, 2007 through February, 2008. Estimates of pressure by residents and nonresidents were for licensed anglers only. This would encompass anglers 12 years of age and older. Spence (1971) found that the unlicensed angler (ages 2- 14) comprised 9% of the pressure on Rock Creek near Missoula. Peterson (1970) found that the unlicensed angler accounted for 21% and 19% of the total number of anglers on Big Spring Creek near Lewistown during 1968 and 1969 respectively. On the Bighorn River near Hardin, Stevenson (1975) found that the unlicensed angler accounted for 14.2% and 15.8% of the total number of anglers during 1972 and 1973 respectively. Fredenberg (1984) found that 10% of the anglers on Bighorn Lake and 13% of the anglers on the Yellowtail Afterbay were unlicensed. The 1975 National Fishing and Hunting Survey showed that 23.8% of the anglers nationwide were between the ages of 9 and 17. It appears that the unlicensed angler makes up between 9% to 21% of the fishing pressure depending on the type of water being fished.

Some angling pressure was obtained on Indian reservations and National Parks within Montana. This pressure was incidental to other fishing trips and only included those anglers that had purchased a Montana fishing license. Since national parks and reservations require different licensing, a complete pressure estimate of waters within those regions was not obtained.

ACCURACY

SAMPLING

Samples were drawn and questionnaires sent to the selected anglers as soon as possible. This was usually 1-2 days after the wave being sampled had ended (see discussion under Methods for details). With the use of ALS and being able to draw a sample right after the month has ended reduces memory bias and provides complete coverage of the state.

PRESSURE

No significant difference was found between the survey results and on-site creel census for rivers for the statewide angling mail surveys conducted from 1982 through 1985 (McFarland, 1989). When both surveys were conducted simultaneously on lakes and reservoirs, the results again agreed (McFarland, 1989). The same methodology was used in this survey as was used in those conducted from 1982 through 1985 and in 1989 (McFarland, 1991). At the time this report was written, no published results were available for creel census conducted during the same time frame so no direct comparisons could be made.

RETURN RATES

Return rates (# of respondents / [# of surveys sent - nondeliverables] * 100) were calculated for every wave by residency. The weighted average total return rates for residents and nonresidents were 50.3% and 52.8% respectively (Table 22).

Table 22. - Return rates for the 2005 state-wide angling survey year by wave by resident and nonresident.		
WAVE	Total Return Rates	
	Resident	Nonresident
1	56.1	48.9
2	52.7	47.2
3	49.8	53.3
4	48.7	49.0
5	47.7	49.7
6	49.1	50.6
7	51.1	52.2
8	51.3	52.2
9	51.9	52.0
10	54.9	43.5
11	52.3	50.7
12	53.4	44.5

NON-RESPONSE BIAS

Due to budgetary constraints and personnel problems telephone calls were not made and a statistical comparison was not done.

NUMBER OF LICENSED ANGLERS VS PRESSURE

The number of resident anglers has increased for the period 1982 to 1985 and then decreased until 1989 and then continued to steadily increase until 1997 when it dropped slightly for two years. In 1999 the number of resident anglers was up again and then continued to drop for the next two years. From 2002 to 2007, resident anglers fluctuated with one year increasing and the next decreasing (Table 23). The number of nonresident anglers during this same period decreased initially and then increased so that overall, the total number of anglers remained fairly static until 1993. In 1994 there was a one-year bump of a 5.4% increase from the previous year in the total number of licensed anglers in Montana. From 1995 to 1997 the number of nonresident anglers remained fairly constant. In 1998 the number increased and remained at nearly the same level for 1999. The numbers dropped for 2000 but was at near record level for 2002 and have steadily dropped until 2006. In 2007, the number

of nonresident anglers began to increase again.

Table 23. - Number of licensed anglers from 1982 through 2007 by residency.

Year	Resident Anglers	Nonresident Anglers
1982	216,689	119,293
1983	217,483	116,875
1984	232,485	102,843
1985	236,455	106,304
1986	235,403	100,456
1987	233,111	103,936
1988	219,299	108,471
1989	216,412	114,254
1990	217,370	119,611
1991	221,723	138,243
1992	222,186	134,212
1993	226,992	151,192
1994	233,630	164,841
1995	227,849	153,887
1996	227,282	150,881
1997	222,442	151,244
1998	222,329	162,067
1999	228,419	162,572
2000	219,282	152,158
2001	216,858	164,470
2002	222,510	220,946
2003	227,562	200,647
2004	223,560	200,562
2005	233,295	185,689
2006	224,526	159,846
2007	228,415	163,088

Comparing statewide angling use from the mail survey versus number of anglers shows some correlation for residents in the recent years (1989-1999), while nonresidents seem to have some association between number of anglers and the amount of use exerted (Charts 5 & 6) with the exception of 1991. In 1991 the number of nonresident anglers increased while the pressure exerted by nonresidents decreased. In 1997 the pressure exerted by nonresident anglers increased while the number of nonresident anglers remained fairly static. Starting in 2002, numbers were obtained using the automated licensing system. There was an increase in both resident and nonresident numbers. It is uncertain at this time if those are actual increase or a discrepancy based on the way the data was collected.

Resident Anglers vs Use




Chart 5. - Angling pressure versus number of anglers for residents from 1961 to 2007.

Nonresident Anglers vs Use




Chart 6. - Angling pressure versus number of anglers for nonresidents from 1961 to 2007.

Angler Access

A question was added to the questionnaire to ascertain how an angler accessed the body of water he/she had fished. The angler was asked if they had used a bridge, fishing access site, or other means to gain access to the fishery. Overall, 5.1% of the access was from bridges, and 55.5% of the access was from fishing access sites.

Residents used bridges slightly more than nonresidents, 5.2% to 4.9% respectively. Nonresidents used fishing access sites slightly more than residents, 53.1% to 52.1% respectively.

See appendix C for access useage by region and drainage.

CONCLUSIONS AND RECOMMENDATIONS

The statewide angling pressure mail survey continues to provide valuable data on individual bodies of water as well as statewide estimates.

The survey also provides a basis for angler satisfaction on individual water bodies. With time, this data can be a valuable tool to aid fisheries managers in assessing the public perception on how well they are doing managing individual waters.

The survey provides a trend basis for crowding on the more popular waters in the state.

The survey also provides an implement to survey anglers on an year long basis about a topic of interest for that year.

It is recommended that the survey continue to be conducted every other year. This will provide long-term trend data.

A phone survey should be conducted periodically to ascertain the non-response bias if any.

LITERATURE CITED

- Bishop, Clinton G. 1959. Statewide creel census, census of fisherman's creel. Job completion Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-8, Job III. 9 pp.
- _____. 1960. Statewide creel census, census of fisherman's creel. Job completion Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-9, Job III. 9 pp.
- _____. 1961. Statewide creel census, census of fisherman's creel. Job completion Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-10, Job III. 11 pp.
- Fredenberg, Wade. 1984. South Central Montana fisheries investigations, Bighorn Lake and Bighorn River post-impoundment study. Job completion Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-20-R-27, Job IV-a. 46 pp.
- Gaffney, John J. 1975. Unpublished data. Montana Department of Fish, Wildlife and Parks. Bozeman, Mt.
- _____. 1982. Fishery management support services, inventory of resource status and fishing opportunity. Job Prog. rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-31, Job I-c, 8 pp.
- Holton, George D. 1970. Statewide creel census and statistical services, statewide creel census. Job Prog. Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-18, Job I. 16 pp.
- _____. 1971. Statewide creel census and statistical services, statewide creel census. Job Prog. Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-19, Job I-a. 3 pp.
- _____. 1974. Statewide creel census and statistical services, statewide creel census. Job Prog. Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-22, Job I-a. 2 pp.

- Holton, George D. 1974. Statewide creel census and statistical services, statewide creel census. Job Prog. Rept. Fed Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-4-R-23, Job I-a. 3 pp.
- McFarland, Robert C. 1989. Montana Statewide Angling Pressure Mail Survey 1982-1985. Montana Department of Fish, Wildlife and Parks. Bozeman, Mt. 205 pp.
- _____. 1991. Montana Statewide Angling Pressure Mail Survey 1989. Montana Department of Fish, Wildlife and Parks. Bozeman, Mt. 43 pp.
- McFarland, Robert C. and Janet E. Hughes. 1994. Montana Statewide Angling Mail Survey 1991. Montana Fish, Wildlife and Parks. Bozeman, MT. 55 pp.
- _____. 1995. Montana Statewide Angling Mail Survey 1993. Montana Fish, Wildlife and Parks. Bozeman, MT. 58pp.
- _____. 1997. Montana Statewide Angling Mail Survey 1995. Montana Fish, Wildlife and Parks. Bozeman, MT. 58pp.
- McFarland, Robert C. and Deanna Meredith. 1999. Montana Statewide Angling Mail Survey 1997. Montana Fish, Wildlife & Parks. Bozeman, MT. 90pp.
- . 2000. Montana Statewide Angling Mail Survey 1999. Montana Fish, Wildlife & Parks. Bozeman, MT. 89 pp.
- . 2002. Montana Statewide Angling Mail Survey 2001. Montana Fish, Wildlife & Parks. Bozeman, MT. 155 pp.
- . 2005. Montana Statewide Angling Mail Survey 2003. Montana Fish, Wildlife & Parks. Bozeman, MT. 117 pp.
- McFarland, Robert C. and Jennifer Dykstra. 2007. Montana Statewide Angling Mail Survey 2005. Montana Fish, Wildlife & Parks. Bozeman, MT. 158pp.
- Peterson, Norman W. 1970. The yield of wild and hatchery trout from Big Spring Creek, Montana. M.S. thesis, Mont. State Univ., 35 pp.
- Spence, Liter. 1971. Rock Creek creel census, summer census Final report. Job Prog. Rept. Fed. Aid in Fish and Wild. Rest. Acts. Prog. Rept. F-27-R, Job I, 64 pp.
- Stevenson, H. R. 1975. The trout fishery of the Bighorn River below Yellowtail Dam, Montana. M.S. thesis, Mont. State Univ., 67 pp.
- U. S. Fish and Wildlife Service. 1977. 1975 national survey of hunting, fishing and wildlife-associated recreation. U. S. Dept. of Interior, Washington D. C., 99 pp.

APPENDIX A

Examples of questionnaires

Montana Fish, Wildlife & Parks

Dear Angler,

please cut along dotted line and return bottom portion

We are conducting a monthly survey sent to a random sample of fishing license holders. This survey provides important data to help determine fishing pressure on the lakes and streams of Montana. By providing us with this vital information, you will be assisting us in managing Montana's fish population.

This survey requests only YOUR fishing activities. Include ALL waters fished during the month of JULY, 2007. If you fished one of the streams on the back of this form, please include the section number to aid us in identifying the portion of the stream. We appreciate your cooperation in returning this survey.

****EVEN IF YOU DID NOT FISH OR CATCH ANY FISH, PLEASE FILL OUT AND RETURN THIS QUESTIONNAIRE****

Did you fish in Montana during the month of **JULY, 2007?**

Yes - If yes, total number of days fished _____. Please continue below.

No - Thank you - Please return

the survey

****PLEASE ENTER EACH WATER YOU FISHED. (YOUR fishing only)****


Name of Lake or Stream Fished	Section # if it applies (See back)	Nearest Town or County	# of Days FISHED in <u>JULY</u> <u>only</u>	Rate your FISHING on this water: 5 = excellent to 1 = poor	How many other people PER DAY did you see recreating on this water?	Rate the CROWDING on this water: 5 = very crowded to 1 =not at all crowded	What ONE fish species did you primarily fish for?	How did you ACCESS this water? 1-Bridge; 2- Fishing access site 3 - other

Thank you for your time.


SPECIFIC SECTIONS OF MONTANA WATERS THAT ARE DIFFICULT TO IDENTIFY

We need information on all waters fished in Montana, not just the waters included on this page. If you fished one of the rivers indicated on a map, please enter the specific section number in the appropriate space on the questionnaire form. For waters other than those indicated on a map, (this includes the Flathead, Milk River, eastern sections of the Missouri and Yellowstone Rivers, etc.) please be very specific as to the name of the lake, stream, or reservoir and the nearest town, point of access, or landmark to facilitate identification.


Missouri River




Clark Fork River




Blackfoot River




Bighorn River




Madison River




Yellowstone River




Bitterroot River



Smith River



Big Hole River



Montana Fish, Wildlife & Parks

Dear Angler,

please cut along dotted line and return bottom portion

We recently mailed you a request for information on your fishing in Montana. As you may recall, we are conducting a monthly survey sent to a random sample of fishing license holders. This survey provides important data to help determine fishing pressure on the lakes and streams of Montana. By providing us with this vital information, you will be assisting us in managing Montana's fish population.

This survey requests only YOUR fishing activities. Include ALL waters fished during the month of NOVEMBER, 2007. If you fished one of the streams on the back of this form, please include the section number to aid us in identifying the portion of the stream. We appreciate your cooperation in returning this survey.

****EVEN IF YOU DID NOT FISH OR CATCH ANY FISH, PLEASE FILL OUT AND RETURN THIS QUESTIONNAIRE****

Did you fish in Montana during the month of **NOVEMBER, 2007**?

Yes - If yes, total number of days fished _____. Please continue below.

No - Thank you - Please return

the survey

****PLEASE ENTER EACH WATER YOU FISHED. (YOUR fishing only)****


Name of Lake or Stream Fished	Section # if it applies (See back)	Nearest Town or County	# of Days FISHED in NOVEMBER only	Rate your FISHING on this water: 5 = excellent to 1 = poor	How many other people PER DAY did you see recreating on this water?	Rate the CROWDING on this water: 5 = very crowded to 1 =not at all crowded	What ONE fish species did you primarily fish for?	How did you ACCESS this water? 1-Bridge; 2- Fishing access site 3 - other

Thank you for your time.


SPECIFIC SECTIONS OF MONTANA WATERS THAT ARE DIFFICULT TO IDENTIFY

We need information on all waters fished in Montana, not just the waters included on this page. If you fished one of the rivers indicated on a map, please enter the specific section number in the appropriate space on the questionnaire form. For waters other than those indicated on a map, (this includes the Flathead, Milk River, eastern sections of the Missouri and Yellowstone Rivers, etc.) please be very specific as to the name of the lake, stream, or reservoir and the nearest town, point of access, or landmark to facilitate identification.


Missouri River




Clark Fork River




Blackfoot River




Bighorn River




Madison River




Yellowstone River




Bitterroot River



Smith River



Big Hole River



APPENDIX B

Boundaries of waters broken into sections

STREAM NAME		WATER CODE	DOWNSTREAM POINT	UPSTREAM POINT
BEAVER CREEK	SEC 01	15-0280	MOUTH	BEAVER CREEK RES.
	SEC 02	15-0320	BEAVER CREEK RES	BEAR PAW LAKE
	SEC 03	15-0340	BEAR PAW LAKE	ROCKY BOY INDIAN R
	SEC 04	15-0360	ROCKY BOY INDIAN RES	HEADWATERS
BIG HOLE R.	SEC 01	02-0425	MOUTH	DIVIDE CREEK
	SEC 02	02-0450	DIVIDE CREEK	PINTLAR CREEK
	SEC 03	02-0475	PINTLAR CREEK	HEADWATERS
BIG SPRING CR.	SEC 01	16-0301	JUDITH RIVER (MOUTH)	COTTONWOOD CREEK
	SEC 02	16-0310	COTTONWOOD CREEK	HEADWATERS
BIGHORN RIVER	SEC 01	22-0490	MOUTH	LITTLE BIGHORN RIVER
	SEC 02	22-0495	L.BIGHORN R	BIG HORN FAS (ACCESS CR)
	SEC 03	22-0496	BIG HORN FAS (ACCESS CR)	AFTERBAY
BITTERROOT R.	SEC 01	03-0475	MOUTH	BIG CREEK
	SEC 02	03-0500	BIG CREEK	HEADWATERS
BLACKFOOT R.	SEC 01	04-0600	MOUTH	CLEARWATER RIVER
	SEC 02	04-0630	CLEARWATER RIVER	N FK BLACKFOOT RIVER
	SEC 03	04-0645	N FK BLACKFOOT RIVER	ARRASTRA CREEK
	SEC 04	04-0660	ARRASTRA CREEK	HEADWATERS
BOULDER RIVER	SEC 01	22-0742	MOUTH	BOULDER FALLS (NAT BRDG)
	SEC 02	22-0756	BOULDER FALLS (NAT BRDG)	BRIDGE CREEK
	SEC 03	22-0770	BRIDGE CREEK	HEADWATERS
CLARK FORK R.	SEC 01	05-1440	IDAHO BORDER	FLATHEAD RIVER
	SEC 02	05-1456	FLATHEAD RIVER	BITTERROOT RIVER
	SEC 03	06-1118	BITTERROOT RIVER	ROCK CREEK
	SEC 04	06-1121	ROCK CREEK	LITTLE BLACKFOOT R
	SEC 05	06-1140	LITTLE BLACKFOOT R	HEADWATERS

STREAM NAME		WATER CODE	DOWNSTREAM POINT	UPSTREAM POINT
CLARKS FK YELLOWSTONE				
	SEC 01	22-1162	MOUTH	BRIDGER
	SEC 02	22-1176	BRIDGER	WYOMING BORDER
	SEC 03	22-1190	WYOMING BORDER	HEADWATERS
CROW CREEK	SEC 01	07-1000	MOUTH	LOWER CROW RESERVOIR
	SEC 02	07-1020	LOWER CROW RESERVOIR	HEADWATERS
CUT BANK CREEK	SEC 01	14-1080	MOUTH	CUT BANK
	SEC 02	14-1120	CUT BANK	GLACIER PARK
FLATHEAD RIVER	SEC 01	07-1540	MOUTH	FLATHEAD LAKE
	SEC 02	07-1560	FLATHEAD LAKE	S FK FLATHEAD R
GALLATIN RIVER	SEC 01	09-2090	MOUTH	E GALLATIN RIVER
	SEC 02	09-6878	E GALLATIN RIVER	SPANISH CREEK
	SEC 03	09-6916	SPANISH CREEK	HEADWATERS
HYALITE CREEK	SEC 01	09-2546	MOUTH	HYALITE RESERVOIR
	SEC 02	09-6802	HYALITE RESERVOIR	HYALITE LAKE
JUDITH RIVER	SEC 01	16-1800	MOUTH	PLUM CREEK
	SEC 02	16-1820	PLUM CREEK	HEADWATERS
LITTLE BIGHORN RIVER				
	SEC 01	22-3654	MOUTH	LODGE GRASS CREEK
	SEC 02	22-3668	LODGE GRASS CREEK	HEADWATERS
LITTLE BLACKFOOT R				
	SEC 01	06-3772	MOUTH	ELLISTON
	SEC 02	06-3591	ELLISTON	HEADWATERS

STREAM NAME		WATER CODE	DOWNSTREAM POINT	UPSTREAM POINT
MADISON RIVER	SEC 01	13-3400	MOUTH	ENNIS DAM
	SEC 02	13-3440	ENNIS LAKE	HEBGEN DAM
	SEC 03	13-3520	HEBGEN LAKE	YELLOWSTONE PARK
MARIAS RIVER	SEC 01	14-3240	MOUTH	TIBER DAM
	SEC 02	14-3280	LAKE ELWELL	CUT BANK CREEK
MILK RIVER	SEC 01	15-2680	MOUTH	HINSDALE
	SEC 02	15-2720	HINSDALE	MALTA
	SEC 03	15-2760	MALTA	HAVRE
	SEC 04	15-2800	HAVRE	FRESNO DAM
	SEC 05	15-2840	FRESNO RESERVOIR	CANADA
	SEC 06	15-2880	CANADA	MIDDLE & SOUTH FORKS
MISSOURI RIVER	SEC 01	16-2420	N DAKOTA BORDER	MILK RIVER
	SEC 05	16-2500	MILK RIVER	FORT PECK DAM
	SEC 06A	16-2521	FT PECK RES	BLAIN/CHOUT CO LINE
	SEC 06B	16-2522	BLAIN/CHOUT CO LINE	MARIAS RIVER
	SEC 07	17-4864	MARIAS RIVER	MORONY DAM
	SEC 08	17-4880	MORONY DAM	CASCADE BRIDGE
	SEC 09	17-4896	CASCADE BRIDGE	HOLTER DAM
	SEC 10	17-4913	HOLTER LAKE	HAUSER DAM
	SEC 11	17-4928	CANYON FERRY RES	TOSTON DAM
	SEC 12	17-4944	TOSTON DAM	HEADWATERS
MUSSELSHELL RIVER				
	SEC 01	18-4320	MOUTH	RT 3 BRIDGE NEAR LAVINA
	SEC 02	18-4350	RT 3 BRIDGE NEAR LAVINA	HEADWATERS
POPLAR RIVER	SEC 01	16-2820	MOUTH	E FK POPLAR RIVER
	SEC 02	16-2375	E FK POPLAR RIVER	CANADA

STREAM NAME		WATER CODE	DOWNSTREAM POINT	UPSTREAM POINT
PRYOR CREEK	SEC 01	22-4802	MOUTH	PRYOR
	SEC 02	22-4816	PRYOR	HEADWATERS
RED ROCK RIVER	SEC 01	01-6140	MOUTH	LIMA DAM
	SEC 02	01-6160	LIMA RESERVOIR	UPPER RED ROCK LK
ROCK CREEK	SEC 01	06-5263	MOUTH	HOGBACK CREEK
	SEC 02	06-5282	HOGBACK CREEK	HEADWATERS
ROCK CREEK	SEC 01	22-4928	MOUTH	W FK (CHROME CAMP)
	SEC 02	22-4956	W FK (CHROME CAMP)	HEADWATERS
RUBY RIVER	SEC 01	01-6360	MOUTH	RUBY RESERVOIR
	SEC 02	01-6380	RUBY RESERVOIR	HEADWATERS
SHIELDS RIVER	SEC 01	22-5334	MOUTH	CLYDE PARK
	SEC 02	22-5348	CLYDE PARK	WILSALL
	SEC 03	22-5362	WILSALL	HEADWATERS
SMITH RIVER	SEC 01	17-6816	MOUTH	HOUND CREEK
	SEC 02	17-6832	HOUND CREEK	CAMP BAKER
	SEC 03	17-6833	CAMP BAKER	HEADWATERS
STILLWATER R.	SEC 01	22-6104	MOUTH	WEST FORK (NYE)
	SEC 02	22-6118	WEST FORK (NYE)	HEADWATERS
SUN RIVER	SEC 01	20-6050	MOUTH	MUDDY CREEK
	SEC 02	20-6100	MUDDY CREEK	GIBSON DAM
SWAN RIVER	SEC 01	07-4560	MOUTH	SWAN LAKE
	SEC 02	07-4580	SWAN LAKE	HEADWATERS
TETON RIVER	SEC 01	14-6000	MOUTH	CHOTEAU
	SEC 02	14-6040	CHOTEAU	HEADWATERS

STREAM NAME		WATER CODE	DOWNSTREAM POINT	UPSTREAM POINT
THOMPSON RIVER	SEC 01	05-7248	MOUTH	BEND RANGER STATION
	SEC 02	05-7264	BEND RANGER STATION	HEADWATERS
TONGUE RIVER	SEC 01	21-1150	MOUTH	BEAVER CREEK
	SEC 02	21-1200	BEAVER CREEK	TONGUE RIVER DAM
	SEC 03	21-1250	TONGUE RIVER RES	WYOMING BORDER
W FK STILLWATER R				
	SEC 01	22-6664	MOUTH	IRON CREEK
	SEC 02	22-6678	IRON CREEK	HEADWATERS
YAAK RIVER	SEC 01	11-7740	MOUTH	FALLS
	SEC 02	11-7760	FALLS	HEADWATERS
YELLOWSTONE R.	SEC 01	21-1350	N DAKOTA BORDER	POWDER RIVER
	SEC 02	21-1400	POWDER RIVER	BIGHORN RIVER
	SEC 03	22-7001	BIGHORN RIVER	HUNTLEY DIVERSION
	SEC 04	22-7015	HUNTLEY DIVERSION	CLARKS FORK RIVER
	SEC 05	22-7028	CLARKS FORK RIVER	STILLWATER RIVER
	SEC 06A	22-7043	STILLWATER RIVER	REED POINT BRIDGE
	SEC 06B	22-7044	REED POINT BRIDGE	BOULDER RIVER
	SEC 07A	22-7057	BOULDER RIVER	SPRINGDALE
	SEC 07B	22-7058	SPRINGDALE	SHIELDS RIVER
	SEC 08	22-7071	SHIELDS RIVER	PINE CREEK
	SEC 09A	22-7072	PINE CREEK	EMIGRANT BRIDGE
	SEC 09B	22-7073	EMIGRANT BRIDGE	TOM MINER CREEK
	SEC 10	22-7084	TOM MINER CREEK	GARDINER

APPENDIX C

River Access Analysis

Percentage of total, resident, and nonresident anglers that accessed waters by bridge, fishing access site or other listed by drainage.

Drainage	Total			Resident			Nonresident		
	% Bridge	% FAS	% Other	% Bridge	% FAS	% Other	% Bridge	% FAS	% Other
BEAVERHEAD DR	4.2	60.1	35.8	3.8	55.5	40.8	4.6	65.1	30.3
BIG HOLE DR	5.0	58.2	36.7	5.5	52.4	42.1	4.2	67.2	28.6
BITTERROOT DR	10.4	54.3	35.3	12.9	47.2	39.9	6.0	66.8	27.2
BLACKFOOT DR	4.3	60.6	35.1	4.1	58.4	37.5	4.8	67.2	28.0
LOWER CLARK FORK DR	3.2	52.8	44.0	3.4	50.1	46.5	2.6	59.0	38.4
UPPER CLARK FORK DR	8.0	43.3	48.7	8.2	41.0	50.8	7.5	49.8	42.7
LOWER FLATHEAD DR	3.1	55.8	41.0	3.2	57.3	39.5	3.0	50.0	7.0
UPPER FLATHEAD DR	5.4	40.4	54.1	6.5	39.4	54.1	2.4	43.4	54.2
GALLATIN DR	17.2	44.5	38.2	20.5	34.2	45.3	12.4	59.7	27.9
JEFFERSON DR	8.9	40.8	50.3	9.2	39.4	51.4	8.1	45.9	45.9
KOOTENAI DR	2.1	49.7	48.3	2.0	47.4	50.6	2.4	55.1	42.5
LITTLE MISSOURI DR	11.1	22.2	66.7	11.1	22.2	66.7	.0	.0	.0
MADISON DR	4.9	67.1	28.1	3.7	62.7	33.6	5.6	69.9	24.6
MARIAS DR	2.8	54.7	42.5	3.0	55.8	41.2	.0	40.0	60.0
MILK DR	.4	58.9	40.7	.0	60.0	40.0	7.7	38.5	53.8
LOWER MISSOURI DR	2.7	56.9	40.4	2.8	55.9	41.3	2.6	62.3	35.1
UPPER MISSOURI DR	3.0	57.4	39.7	2.7	55.8	41.5	4.2	65.5	30.4
MUSSELSHELL DR	4.7	49.5	45.8	5.1	48.0	46.9	.0	66.7	33.3
ST MARY DR	.0	46.2	53.8	.0	46.2	53.8	.0	.0	.0
SUN DR	3.8	46.6	49.6	2.6	45.2	52.2	11.1	55.6	33.3
LOWER YELLOWSTONE DR	1.1	52.9	46.1	1.3	50.7	48.0	.0	61.5	38.5
UPPER YELLOWSTONE DR	5.6	58.1	36.3	6.6	52.6	40.7	3.9	66.5	29.6
TOTAL	5.1	55.5	39.4	5.2	52.1	42.7	4.9	63.1	32.0

Percentage of total, resident, and nonresident anglers that accessed waters by bridge, fishing access site or other listed by region.

	Total			Resident			Nonresident		
Region	% Bridge	% FAS	% Other	% Bridge	% FAS	% Other	% Bridge	% FAS	% Other
1	3.2	51.6	45.2	3.2	51.9	44.9	3.1	50.7	46.3
2	7.2	51.8	41.0	8.1	47.5	44.4	5.3	61.4	33.3
3	7.6	58.8	33.6	8.7	52.0	39.2	6.5	66.1	27.4
4	3.1	56.3	40.6	2.9	55.1	42.1	4.0	63.1	32.8
5	4.6	56.2	39.2	5.6	50.2	44.2	2.8	67.1	30.1
6	1.2	61.1	37.7	.8	60.6	38.6	5.5	65.5	29.1
7	1.3	51.8	47.0	1.6	49.4	49.1	.0	61.5	38.5
Total	5.1	55.5	39.4	5.2	52.1	42.7	4.9	63.1	32.0