

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons					Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Abbot Lake	8				25%	25%	50%										
Ackley Lake	161	7%	19%	5%	5%	3%	13%	7%	2%		6%					29%	3%
Aero Lake, Lower	2	50%					50%										
Ajax Lake	2						50%							50%			
Albino Lake	1	100%															
Albro Lake	1	100%															
Alder Creek	4						50%									50%	
Alder Creek	2															100%	
Alkali Creek	1															100%	
Alpine Lake	6	33%					67%										
Alvord Lake	6				17%	33%					50%						
AMC Wildlife Pond	1	100%															
American Creek	6															100%	
Anderson Creek	2	100%															
Anita Reservoir	1															100%	
Aquarius Lake	2	100%															
Arapooish Pond	52		8%	10%	8%	19%	15%		8%							33%	
Armstrong Spring Creek	75	100%															
Arrow Creek	3															100%	
Ashley (Hidden) Lakes	7		29%	29%							43%						
Ashley Creek	2						100%										
Ashley Lake	106	4%	17%				30%	8%	5%		25%		1%		1%	8%	2%
Avalanche Creek	15						40%									60%	
Axolotl Lake or Axolotl Lake #1	13	31%					38%									31%	
Bacon Rind Creek	2	100%															
Badger Creek	21	48%				5%	48%										
Bailey Lake	2					100%											
Bailey Reservoir	32	6%				6%	16%		13%	6%	16%					28%	9%
Bair Reservoir	81	5%	22%	2%		1%	22%	1%			1%					44%	
Baker Lake	4	75%														25%	
Baker Lake	2															100%	
Barker Lake, Lower	1	100%															
Barker Lake, Upper	1	100%															
Basin Creek Lake	2	50%				50%											
Bass Creek	6	67%					33%										
Battle Creek	1															100%	
Battle Creek	6			50%						50%							
Bean Lake	6		33%				33%									33%	
Bear Creek	3	100%															
Bear Creek	1															100%	
Bear Creek	1	100%															
Bear Creek	1						100%										
Bear Creek	8	50%					50%										
Bear Gulch	1	100%															
Bear Lake	1	100%															
Beardsley Lake	5						100%										
Bearmouth Rest Area Pond	3	33%	33%				33%										
Bearpaw Lake	132	12%	18%		5%	11%	13%			1%	2%					36%	3%
Beauty Lake	1															100%	
Beaver Creek	2	100%															
Beaver Creek	2															100%	

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

[illegible]

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons						Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Birch Lake	6	17%	33%				50%											
Bison Creek	1															100%		
Bitterroot Canals or Irrigation Ditches	2															100%		
Bitterroot River Drainage	3	33%						33%								33%		
Bitterroot River Sec 01	384	70%	2%	1%		1%	20%				1%		1%			3%		
Bitterroot River Sec 02	690	77%	3%	0%		1%	13%			1%	1%					6%		
Black Canyon Lake	1	100%																
Blackfeet Indian Reservaton	1	100%																
Blackfeet Indian Reservaton	5						100%											
Blackfoot Lake	1						100%											
Blackfoot River Sec 01	368	70%	1%	4%	1%	3%	8%		1%		1%		0%		2%	8%		
Blackfoot River Sec 02	221	82%		2%	1%	2%	8%			1%						4%		
Blackfoot River Sec 03	133	74%	1%	3%	2%	3%	14%									2%		1%
Blackfoot River Sec 04	125	58%	1%	1%	2%	1%	20%									18%		
Blacks Sawmill Pond	4															100%		
Blacktail Creek	13	38%					31%									31%		
Blanchard Lake	24	67%								17%			17%					
Blanchard Lake	23	17%				30%	30%			9%						4%		9%
Blodgett Creek	3	33%														67%		
Blood Creek	9				33%	33%	33%											
Bloody Dick Creek	15	33%					33%									33%		
Blue Joint Creek	2	100%																
Blue Lake	10		20%			20%	30%	10%								20%		
Bluebird Lake	2	50%					50%											
Boatman Lake	2	50%					50%											
Bobcat Lake	1						100%											
Bonanza Creek	2	50%					50%											
Bonanza Lake	1	100%																
Bonanza Lake	1	100%																
Boot Jack Lake	3	33%	67%															
Boulder Creek	5	20%					40%									40%		
Boulder Creek	1	100%																
Boulder Lake	1	100%																
Boulder Lakes	1	100%																
Boulder River	90	89%					4%									7%		
Boulder River Sec 01	171	54%	1%	1%		1%	28%			1%					1%	15%		
Boulder River Sec 02	162	56%	4%	3%			19%	1%						1%		15%		
Boulware Reservoir	8						13%									88%		
Bowman Lake	1						100%											
Box Elder Creek	4								50%								50%	
Box Elder Creek	6														50%	50%		
Box Elder Creek Reservoir	2		50%													50%		
Box Elder Creek Reservoir or Bolster Dam	1	100%																
Bozeman Creek	2	100%																
Brackett Creek	12	100%																
Bramlet Lake, Lower	1	100%																
Branham Lakes	4	100%																
Brannon Lake	1						100%											
Brewington Pond North	1															100%		
Brewster Creek	2	100%																
Bridge Lake	4	75%					25%											

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons						Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Bridger Creek	3	67%					33%											
Broadview Reservoir	25		12%	12%	20%	12%	20%								24%			
Broadwater Lake	6	100%																
Broadwater Lake	6	33%					33%								33%			
Broadwater River	1	100%																
Brownes Lake	5	20%	20%				20%								40%			
Browns Gulch	2														100%			
Browns Lake	307	13%	21%	9%	4%	0%	17%	1%			7%				23%		6%	
Buckingham Reservoir or Spring Creek Reservoir	1						100%											
Buffalo Fork Creek	2	100%																
Bull Lake	17					24%	24%	24%							29%			
Bull Lake	125	16%	6%	4%	15%	10%	20%		2%		12%				13%		2%	
Bull River	36	47%	3%				39%				3%				8%			
Bunker Creek	1	100%																
Bunyan Lake	2						100%											
Burke Lake	1	100%																
Burleigh Pond	6						33%								33%	33%		
Burnt Fork Bitterroot River	22	45%					23%								9%	23%		
Butler Creek	1														100%			
Butte Creek Trib #5	1	100%																
Buttermilk Creek	2	100%																
Bynum Reservoir	109	7%	6%		7%	13%	17%		7%		1%		5%	7%		26%		4%
Cabin Creek	1						100%											
Cabinet Gorge Reservoir	47				9%	28%	47%								17%			
Cache Creek	1														100%			
Cache Creek	1	100%																
Cairn Lake	2						50%								50%			
California Creek	6														100%			
Camas Lake	1	100%																
Cameron Lake	1						100%											
Cameron Reservoir	14	50%					50%											
Camp Creek	1														100%			
Canyon Creek	2	100%																
Canyon Creek	5	100%																
Canyon Ferry Reservoir	2,237	4%	6%	4%	4%	5%	28%	1%	0%	0%	4%		1%	7%	0%	34%		1%
Canyon Lake	1	100%																
Carlton Lakes	3	100%																
Carter Pond - Lower	18	6%				6%	11%								78%			
Carter Pond - Upper	12	17%	8%			8%	33%	8%							17%		8%	
Caruthers Lake	1						100%											
Castle Lake	4	100%																
Castle Rock Lake	66	2%	2%	2%	3%	14%	23%						8%	21%		27%		
Cataract Creek	6											100%						
Cataract Lake	1	100%																
Cattail Lake	10		100%															
Causeway - Lake Helena or Holding Reservoir	162	3%	14%	6%	6%	15%	12%	8%	4%		1%			9%		22%		1%
Cedar Creek	4	100%																
Chain Lake #1	1						100%											
Chain Lake #2	1	100%																
Chain Lake #3	2						100%											

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons					Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Chamberlain Reservoir #1	4						50%								50%		
Cherry Creek	3	33%													67%		
Cherry Creek	1	100%															
Church Slough	67		7%		1%	1%	40%		4%	37%	3%		4%				
Cibid Lake	1	100%															
Clark Canyon	33	36%	21%			6%	15%		6%						15%		
Clark Canyon Reservoir	340	12%	13%	5%	2%	6%	19%	1%	4%	0%	2%		1%		27%		5%
Clark Canyon Reservoir Spri	5	20%	40%			20%			20%								
Clark Fork River Sec 01	495	12%	9%	1%	6%	7%	32%		3%	3%	1%		2%		22%		2%
Clark Fork River Sec 02	668	49%	4%	3%	1%	2%	23%		0%	1%	1%		0%	0%	15%		1%
Clark Fork River Sec 03	218	68%		8%	2%	1%	16%	0%	0%		0%			0%	3%		
Clark Fork River Sec 04	122	72%	2%	1%		2%	21%								1%		
Clark Fork River Sec 05	161	65%	6%	1%			27%								1%		
Clarks Fk Yellowstone Sec 1	31	13%	10%				39%								39%		
Clarks Fk Yellowstone Sec 2	46	22%		2%		7%	15%		2%		2%		15%	7%	26%		2%
Clarks Fk Yellowstone Sec 3	5	80%	20%														
Clarks Reservoir	2						100%										
Clayton Lake	4	25%	25%				50%										
Clear Creek	9														100%		
Clear Creek	4	50%												50%			
Clearwater Lake	12	50%	17%				17%								17%		
Clearwater River	86	44%	5%	1%	5%	5%	17%		5%	9%		2%			7%		
Cliff Lake	4	25%	25%				25%								25%		
Cliff Lake	35	66%	3%				26%								6%		
Cliff Lake	7	29%					57%								14%		
Cloverleaf Lakes- Southern	2						50%								50%		
Cold Lake	2	50%					50%										
Cold Lake	3	67%					33%										
Companion Lake	2	50%													50%		
Cooney Reservoir	424	4%	13%	2%	7%	8%	17%	0%	0%	0%	2%		0%	9%	33%	1%	2%
Coopers Lake	4	25%													75%		
Copper Creek	5	100%															
Copper Creek	4	100%															
Copper Creek	4	100%															
Corral Creek	41					49%											51%
Cottonwood Creek	1	100%															
Cottonwood Creek	2	50%					50%										
Cottonwood Creek	1														100%		
Cottonwood Creek	2														100%		
Cottonwood Creek	1														100%		
Cottonwood Creek	6													50%	50%		
Cottonwood Lake	2	50%					50%										
Cottonwood Lake	2	50%					50%										
Cougar Creek	6	33%	33%												33%		
Courthouse Lake	6						33%	33%							33%		
Cow Creek Reservoir	2					50%									50%		
Crazy Creek	1	100%															
Crazy Mountain Ranch Pond or Marlboro Ranch Pond	45	38%	9%	9%	2%	13%	27%	2%									
Crescent Lake	1	100%															
Crescent Lake	2	50%					50%										

Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons					Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms								
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Creston Lake	1						100%											
Crow Creek	6	33%					33%									33%		
Crystal Lake	3	100%																
Crystal Lake	4	100%																
Crystal Lake	23	4%	9%				39%				26%					22%		
Crystal Lake	1	100%																
Cut Bank Creek Sec 01	9	33%	33%				33%											
Dailey Lake	83	5%	1%		10%	6%	8%				2%			16%		52%		
Daly Creek	3	33%														67%		
Daly Lake	1	100%																
Danaher Creek	10	100%																
Danelson Reservoir	7						43%	29%								29%		
Davis Pond	2				50%	50%												
Dawson Lake	11	55%	18%								9%					9%		9%
Dead Man Lake	1						100%											
Dead Mans Lake	1						100%											
Deadmans Basin Reservoir	104	5%	14%	2%	5%	12%	25%	2%	1%					2%		33%		
Dearborn River	48	63%				2%	27%									8%		
Deep Creek	6															100%		
Deep Creek	2	100%																
Deep Lake	2						100%											
Deer Creek	3	100%																
Deer Lake	1	100%																
Delmo Lake	77	3%	16%	4%	5%	6%	10%				1%					55%		
Demijohn Creek	1															100%		
Diamond Lake	2	100%																
Diamond Lake	1	100%																
Dickey Lake	15					13%	40%									47%		
Dog Creek	10	20%	10%				60%									10%		
Dolus Lake #2	1	100%																
Doolittle Creek	1															100%		
Drag Creek Reservoir	3		33%				33%									33%		
Dredge Cut Trout Pond	32						25%			25%			25%			25%		
Druckmiller Lake	6	83%					17%											
Dry Blood Reservoir	2					100%												
Dry Bridge Slough	2						50%									50%		
Dry Creek	1															100%		
Dry Fork Milk River	2						50%									50%		
Dry Fork Reservoir	36	11%	19%			11%	22%		8%							25%		3%
Dry Fork Reservoir	1				100%													
Dry Fork Reservoir	30		3%							23%			23%			27%		23%
Dry Wolf Creek	15						47%									53%		
Duck Creek	10						50%									50%		
Duck Creek	4		50%													50%		
Duck Creek	11		18%				82%											
Duck Lake	1	100%																
Duck Lake	8	25%		13%			50%				13%							
Dude Lake	1						100%											
Dunham Creek	2	100%																
E Fk Big Spring Creek	1															100%		
E Fk Bitterroot River	146	66%	1%	1%			27%				1%				3%	1%		

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons						Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
1	100%																
4	75%					25%											
13		15%		15%	15%	8%				15%					31%		
75	45%	3%	1%		3%	25%									16%		7%
10	70%	20%													10%		
11	9%	18%			9%	27%				27%							9%
202	61%	2%	1%	1%	0%	19%									15%		
41	54%	2%				20%									24%		
25	32%	4%				44%									20%		
246	7%	7%	1%	7%	21%	33%				6%			1%		15%	2%	1%
10	60%						40%										
6									33%	33%					33%		
1															100%		
17				24%	24%	53%											
1		100%															
4	75%					25%											
2	100%																
5	40%					20%				20%					20%		
1	100%																
27	56%					44%											
6			50%			50%											
4	25%					50%									25%		
1	100%																
1	100%																
57	46%		2%	4%	4%	9%						7%			30%		
2							50%								50%		
125	38%	5%			4%	26%	2%	7%		6%			1%		12%		
1						100%											
6	17%	17%				17%									50%		
6	33%								17%	17%					17%		17%
20	35%	20%			10%	5%									25%		5%
1															100%		
3	33%					33%									33%		
1	100%																
1						100%											
22		9%		18%	14%	59%											
3	33%					33%				33%							
1	100%																
76	20%	13%		11%	14%	3%	4%	3%							30%		3%
2	50%	50%															
37	89%					11%											
3	100%																
2						100%											
4	25%					25%									50%		
11	9%					18%	36%								36%		
2	50%					50%											
21	57%					33%				5%					5%		
1						100%											
3	67%														33%		
1						100%											
6						50%									50%		

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons						Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Flathead Lake	745	4%	9%	3%	6%	5%	40%	2%	13%	3%	2%		3%	1%		6%		2%
Flathead River Sec 01	105	11%	2%	10%	10%	10%	43%		2%	8%						3%		
Flathead River Sec 02	433	35%	4%	3%		6%	23%	3%	8%	2%	1%		6%			9%		0%
Flint Creek Sec 01	49	41%	2%				55%									2%		
Forest Lake	2	50%														50%		
Fort Peck Indian Reservaton	3									100%								
Fort Peck Reservoir	2,969	1%	4%	4%	6%	9%	22%	0%	1%	1%		13%	11%			27%		0%
Fortine Creek	12	50%					8%									42%		
Fossil Lake	1	100%																
Four Horn Lake	5	100%																
Fourmile Basin Lake #3	1	100%																
Foy Lake	104	8%	34%	11%			12%				5%				1%	25%		6%
Frank Lake	8	50%					25%				13%					13%		
Freezeout Lake	2	100%																
Frenchtown Pond	65	14%	11%	3%		17%	25%				8%					23%		
Fresno Reservoir	518	0%	4%	6%	12%	9%	19%		3%	6%	3%	0%	6%			30%		3%
Frog Pond	5															100%		
Fuse Lake	1	100%																
Gallatin River Sec 01	199	41%	6%	1%	3%	10%	18%			2%		1%				17%		3%
Gallatin River Sec 02	703	60%	3%	1%		4%	16%	0%								16%		
Gallatin River Sec 03	653	80%	2%	1%		3%	6%							1%		7%		0%
Gardner River	1	100%																
Gartside Lake	6	67%	33%															
Geiger Lake	1	100%																
Geiger Lake, Lower	2						100%											
George Lake	1	100%																
Georgetown Lake	1,022	30%	11%	3%	1%	3%	20%	1%	1%		10%	0%				18%		1%
Giant Springs Fishing Pond	12		50%													50%		
Gibbon River	2	100%																
Gibson Reservoir	18	22%					50%									28%		
Glacier Creek	1						100%											
Glacier Lake	1						100%											
Glacier Lake	11	36%					18%									45%		
Glen Lake	47	2%	2%	6%	13%	2%	19%				32%				4%	19%		
Glenwood Lake	6	33%					33%								33%			
Gold Creek	5	100%																
Gold Creek	15						80%									20%		
Goldberg Reservoir	9	44%					33%									22%		
Golden Lake	2	50%					50%											
Golden Trout Lake #1	2					50%	50%											
Golden Trout Lake #4	2						50%									50%		
Good Creek	3						100%											
Goose Lake	1	100%																
Gordon Lake	2																	100%
Gould Creek	5	100%																
Governor Creek	1	100%																
Grace Lake	2						100%											
Granite Creek	4															100%		
Granite Lake	3	33%					67%											
Grasshopper Creek	10	60%				10%	20%									10%		
Grasshopper Reservoir	7	100%																



## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons					Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Grave Creek	4	25%		75%													
Graves Creek	6	67%		17%			17%										
Graves Creek	4							100%									
Gravey Creek	1	100%															
Gray Wolf Lake	1						100%										
Grayling Creek	12	50%	17%				17%								17%		
Green Lake	1						100%										
Green Lake	3	33%								33%						33%	
Greenough Lake	36	22%	22%				19%									36%	
Gypsy Creek	1	100%															
Hairpin Lake or Hellroaring Lakes	2	50%													50%		60%
Half Moon Lake	5				20%										20%		
Half Moon Slough	2		50%				50%										
Handkerchief Lake	2	100%															
Hanson Creek Reservoir	73	15%	29%	1%			14%			3%					36%		3%
Harkness Lake	1						100%										
Harpers Lake	70	16%	21%		4%		29%	6%		7%					17%		
Harrison Lake	1	100%															
Harvey Creek	2														100%		
Haughian Reservoir #1	1														100%		
Hauser Lake - Causeway	783	3%	6%	4%	7%	13%	23%	3%		0%	1%		0%	5%	32%		1%
Haypress Lake	1	100%															
Heart Lake	3	67%					33%										
Heart Lake	2	50%					50%										
Heather Lake	2						100%										
Hebgen Lake	620	39%	8%	2%	1%	5%	24%			2%			0%		14%		4%
Hedges Creek	64	8%	6%	3%		8%	38%			5%					25%		8%
Hedstrom Reservoir #2	4														100%		
Helena Valley Reg Reservoir or Regulating Res	122		22%	20%	11%	4%	11%		3%		25%				2%		1%
Hell Creek	55		2%		7%	2%	22%		7%	5%			11%	5%	33%		5%
Hell Creek Reservoir	4			50%											50%		
Hell Roaring Creek	3	100%															
Hellroaring Creek	5	100%															
Hellroaring Creek	3	100%															
Hellroaring Lakes	7	14%					57%								29%		
Hells Canyon Creek	6						50%								50%		
Hemlock Lake	1						100%										
Hicks Reservoir	1														100%		
Hidden Lake	30	10%	20%			10%	20%	10%			10%				10%		10%
Hidden Lake	9	33%					22%							11%	33%		
Hidden Lake	2	100%															
Hidden Lake	2	100%															
Hidden Lake	20	55%					35%								10%		
Highup Lakes	1	100%															
Highwood Creek	34	32%		3%	3%		26%									35%	
Hilgard Creek	6			50%										50%			
Hogum Creek	4			50%												50%	
Holland Lake	29	41%	10%				28%		3%							17%	
Hollecker Lake	5														100%		
Holter Lake	1,593	5%	12%	6%	4%	6%	20%	2%	1%		0%		0%	8%	35%	0%	1%
Homestake Lake	4					25%									75%		

Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons					Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Homestead Reservoir	3		33%				33%								33%		
Hope Lake	1						100%										
Hopkins Lake	1	100%															
Horseshoe Lake	11				9%		73%	9%							9%		
Horseshoe Lake	30	10%			23%	30%	37%										
Horseshoe Lake	2	50%	50%														
Hoskin Lake	5						20%								80%		
Hound Creek	2	100%															
Hound Creek Reservoir	3						100%										
Howard Lake	8	25%					50%								25%		
Hubbart Reservoir	16		50%								6%				44%		
Huckleberry Lake	1	100%															
Huckleberry Lake	5	60%					40%										
Hughes Creek	8	63%													38%		
Hungry Horse Reservoir	136	19%	12%			8%	37%	8%	4%		1%				11%		
Hyalite Creek Sec 01	42	67%	7%				5%								21%		
Hyalite Creek Sec 02	7	43%					29%								29%		
Hyalite Lake	9	44%					11%								44%		
Hyalite Reservoir	139	18%	5%	1%		1%	37%				2%				35%		
Indian Creek	8	100%															
Indian Road Pond	2						50%								50%		
Island Lake	49	4%	4%			8%	27%		12%	4%	12%				20%		8%
Island Lake	3	67%													33%		
Ivanhoe Lake	1	100%															
Jack Creek	1	100%															
Jackson Creek	3														100%		
Jakes Reservoir	2										50%		50%				
Jasper Lake	4	25%					50%								25%		
Jefferson Creek	5	60%	20%												20%		
Jefferson River	231	37%	4%			3%	28%	6%	3%						19%		
Jenny Lake	2		50%				50%										
Jensen Pond	3	100%															
Jerry Creek	2	100%															
Jessup Mill Pond	1						100%										
Jim Lake #16	2	50%					50%										
Job Corps Pond	2	100%															
Jocko River	22	82%	18%														
Johanna Lake	6	33%									33%				33%		
Judith River Sec 01	1														100%		
Judith River Sec 02	19	21%					21%	11%							47%		
Kalispell Kids Pond	3						100%										
Keeler Creek	1	100%															
Kelley Reservoir	7		14%				29%								57%		
Kelly Pond	1						100%										
Kersey Lake	7	14%	29%			29%	14%								14%		
Kicking Horse Reservoir	13	8%			38%	54%											
Kidney Lake	2		50%				50%										
Kilbrennan Lake	37	8%	16%	3%	5%		8%				19%				41%		
Killen Reservoir	2		50%	50%													
Killenbeck Reservoir	2						100%										
Kipp Lake	12	8%	25%				8%				33%						25%

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons					Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Kolar Reservoir #1	3		33%				33%								33%		
Kootenai River	274	36%	6%	8%	1%		15%	9%	4%		1%				19%		1%
Kreises Lake	16			19%		19%	31%								31%		
Kuhr Reservoir	4	75%					25%										
Lace Lake	1						100%										
Lagoni Lake	1	100%															
Lake Abundance	3	33%	33%				33%										
Lake Agnes	6	83%													17%		
Lake Alva	33	9%	3%				55%				6%				24%		3%
Lake Aries	3		33%								33%				33%		
Lake at Falls	5	60%					40%										
Lake Blaine	69		14%	3%	7%	14%	32%		3%						26%		
Lake Como	21	10%	14%			14%	33%								29%		
Lake Creek	38	79%					16%								5%		
Lake Dinah	1	100%															
Lake Eglise	1	100%															
Lake Elmo	215	7%	27%			3%	16%	1%				2%	6%		38%		1%
Lake Elsie	26		31%				31%								38%		
Lake Elwell	1,012	2%	6%	2%	9%	10%	19%	0%	0%	3%	0%	10%	12%		25%	0%	1%
Lake Five	10	30%					20%				40%				10%		
Lake Fork Rock Creek	2	100%															
Lake Frances	279		2%	1%	5%	5%	23%	4%	1%	2%	5%		13%		34%		5%
Lake Gertrude	4	50%					50%										
Lake Inez	30	3%					47%				13%				37%		
Lake Josephine	75	3%	4%	3%	4%	4%	32%				20%		3%		27%		1%
Lake Koocanusa	663	11%	15%	1%	2%	6%	32%	1%			24%				8%		0%
Lake Levinsky or Big Sky Pond	2	100%															
Lake Lomo	14		57%	7%		7%	21%								7%		
Lake Marshall	1						100%										
Lake Mary	1	100%															
Lake Mary Ronan	299	2%	17%	3%	1%	3%	11%		7%	1%	13%		3%	2%	18%	16%	1%
Lake McDonald	19	26%					58%								16%		
Lake Monroe	2						50%				50%						
Lake Of The Woods	1					100%											
Lake Of The Woods	2	50%	50%														
Lamarche Creek	3	100%															
Landers Fork Blackfoot R	4	75%					25%										
Lanning Reservoir	1	100%															
Lark Reservoir	2														100%		
Laurel Pond	17	41%		6%			6%								47%		
Lava Lake	2						100%										
Lebo Creek	1														100%		
Leigh Lake	2		50%					50%									
Lena Lake	4	25%					50%							25%			
Leon Lake	1		100%														
Libby Creek	18	39%			11%		28%				11%				11%		
Libby Lakes	6		33%				33%				33%						
Lightning Lake	2	50%					50%										
Limestone Creek	1														100%		
Lindbergh Lake	29	21%	21%				34%		7%						17%		
Line Lake	1	100%															

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

[illegible]

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons						Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms						
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Madison Creek	2	100%															
Madison River Sec 01	506	72%	1%	0%	1%	2%	11%	0%			1%				13%		
Madison River Sec 02	1,481	89%	2%	0%	0%	1%	5%	0%		0%	0%				2%		0%
Madison River Sec 03	271	82%	2%			2%	8%								4%		2%
Maney Lake	22	27%	27%												45%		
Marias River Sec 01	95	29%	3%		7%	16%	13%		4%				4%		22%		1%
Marias River Sec 02	1						100%										
Marker Lake	2	100%															
Marl Lake	10					20%	40%				20%				20%		
Marshal Creek Lake, Lower	1						100%										
Marten Creek	1														100%		
Martin Lake	2						100%										
Martin Lake, Lower	1						100%										
Martinsdale Reservoir	140	2%	14%		5%	11%	18%	4%	6%		1%		1%		39%		
Mary Ronan Creek	4		50%												50%		
May Creek	2														100%		
McCaffery Lake	2						100%										
McChesney Reservoir	3						100%										
McClellan Creek	2						50%								50%		
McCormick Creek	4			100%													
McCoy Creek	2	100%															
McDonald Creek	4	50%					50%										
McDonald Lake	2	50%					50%										
McGilvray Lake	10														100%		
McGregor Creek	15		40%		13%		7%								40%		
McGregor Lake	129	5%	1%		14%	13%	24%	2%	19%	3%	2%		6%		8%	3%	1%
McWenneger Slough	66	2%	2%	21%		14%	14%	2%	5%	2%	24%			3%	2%		12%
Meadow Creek	14	50%													50%		
Meadow Creek	1	100%															
Meadow Lake #3	1						100%										
Meadow Lake #6	4	50%					50%										
Meat Rock Basin	1	100%															
Medicine Lake	3	67%					33%										
Medicine Lake	53	40%	9%			9%	19%			21%		2%					
Middle Creek Reservoir	4	50%					50%										
Middle Fork Lake	2			50%		50%											
Middle Thompson Lake	177	10%	13%			5%	38%	2%		3%	12%				16%		2%
Milk River Sec 01 or Vandalia Dam	81		2%	4%	1%	4%	11%		10%		1%	2%	17%	1%	46%		
Milk River Sec 02	16		13%				13%		6%				25%		44%		
Milk River Sec 03 or Dodson Reservoir	31	3%	6%	3%	3%	29%							3%		52%		
Milk River Sec 04	76	5%	7%		8%	4%	16%						17%		39%		4%
Milk River Sec 05	15					13%	27%			20%					33%		7%
Milk River Sec 06	5	100%															
Mill Creek	5	40%													60%		
Mill Creek	4			100%													
Mill Creek	2														100%		
Mill Creek	13	38%	46%												15%		
Mill Creek	2	100%															
Mill Creek	8	25%			38%		38%										
Millers Creek Lake	2		50%			50%											
Mine Lake or Alpine Lake	4						50%								50%		

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons						Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms						
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Miner Creek	1														100%		
Miner Lake	11	73%					27%										
Mirror Lake	2	100%															
Mission Lake, Lower	39	23%	5%		3%	3%	38%				10%				10%		8%
Mission Reservoir	1	100%															
Missoula Lake	2						100%										
Missouri River Drainage	53	21%	17%		2%		9%				4%		17%		2%	25%	4%
Missouri River Sec 01A	42			5%			2%			24%			60%			10%	
Missouri River Sec 01B	32						50%						3%			47%	
Missouri River Sec 05	197		6%	7%	2%	11%	26%	1%	1%	3%	1%		15%	5%		22%	2%
Missouri River Sec 06a	400	3%	6%	14%	3%	3%	13%		9%	5%	1%		13%	1%		29%	1%
Missouri River Sec 06b	149	7%	6%	1%	5%	8%	21%	1%	4%				8%			38%	
Missouri River Sec 07	441	8%	10%	1%	3%	14%	23%	1%	1%				5%	2%		28%	5%
Missouri River Sec 08	974	18%	15%	1%	2%	7%	20%	3%	0%				3%	3%		26%	2%
Missouri River Sec 09	2,248	64%	4%	1%	1%	3%	14%	2%			0%			0%	0%	11%	0%
Missouri River Sec 10a	565	36%	2%	9%	2%	5%	16%			1%	3%		1%	1%		23%	
Missouri River Sec 10b	211	20%	5%	4%	8%	12%	21%	0%	1%	1%	2%		1%	2%		19%	1%
Missouri River Sec 11	77	38%	3%	1%		6%	29%							3%		21%	
Missouri River Sec 12	91	25%	5%			8%	32%				3%					26%	
Mitten Lake	3	100%															
Moccasin & Lit Moccasin Lks	3						67%	33%									
Monture Creek	13	85%					15%										
Monture Creek Lake #1	1	100%															
Moon Lake	3	33%					33%									33%	
Moore Lake	2		50%													50%	
Moose Creek	2			50%												50%	
Moose Creek	2	100%															
Moose Lake	2						50%				50%						
Moran Lake	14		14%				14%									57%	14%
Morrell Creek	4															100%	
Morris Creek	1						100%										
Mt Ben Lake	1	100%															
Mud Lake	9									33%	33%					33%	
Murphy Lake	26	4%	23%		12%	12%	12%			8%	4%					27%	
Murray Creek	2	100%															
Murray Lake	66	11%	6%	3%	3%		30%				2%					44%	2%
Musselshell River Sec 01	102		8%	3%	10%	8%	9%		16%	16%			10%			22%	
Musselshell River Sec 02	45	33%	4%			4%	29%									29%	
Mussigbrod Creek	3															100%	
Myhre Dam	1															100%	
Myron Lake	1						100%										
Mystic Lake	2	50%					50%										
Mystic Lake	34	47%	9%				32%									12%	
N Fk Big Hole River	7	14%					43%									43%	
N Fk Blackfoot River	63	94%				2%	3%									2%	
N Fk Flathead River	195	82%	2%				13%	1%								1%	1%
N Fk Highwood Creek	1	100%															
N Fk Little Boulder River	3															100%	
N Fk Musselshell River	3						33%									67%	
N Fk Ross Creek	1	100%															
N Fk Sun River	22	91%					9%										

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

[illegible]

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

[illegible]



Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons						Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms						
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Red Rock River Sec 02	13	54%					23%								23%		
Redwater River	6											17%	67%			17%	
Reese Creek	1						100%										
Reser Reservoir	3				33%		33%								33%		
Reservoir Lake	11	36%	27%				36%										
Rest Reservoir	1														100%		
Rey Creek	1	100%															
Ripple Lake	2	100%															
Roaring Creek	2	100%															
Roaring Lion Creek	3	67%													33%		
Rock Creek	17	71%													29%		
Rock Creek	3		33%												67%		
Rock Creek	2	100%															
Rock Creek	6	67%													33%		
Rock Creek	2						50%								50%		
Rock Creek	3														100%		
Rock Creek	42			2%			7%								33%		
Rock Creek reservoir or East Fork Reservoir	73	29%				4%	26%				4%				37%		
Rock Creek Sec 01	241	50%	2%		1%	1%	17%				1%			5%	22%		
Rock Creek Sec 01	469	87%	4%	0%		1%	7%				1%						
Rock Creek Sec 02	457	85%	4%	1%	3%	1%	7%										
Rock Creek Sec 02	2														100%		
Rock Creek Sec 02	3	100%															
Rock Island Lake	3	67%					33%										
Rock Island Lakes	2	50%					50%										
Rock Lake	1	100%															
Rock Tree Lake	1	100%															
Rocky Creek	16	31%													69%		
Rogers Lake	21	52%				14%	5%				5%				10%		14%
Rosebud Creek	3	100%															
Round Lake	3	33%					33%								33%		
Round Lake	7	14%					29%								57%		
Ruby Creek	4	75%													25%		
Ruby Creek	3	100%															
Ruby River Reservoir	181	7%	15%	4%	3%	2%	12%	9%			6%				27%		15%
Ruby River Sec 01	168	83%				2%	14%								2%		
Ruby River Sec 02	12	100%															
Running Wolf Creek	4														100%		
Russell Lake	2						50%								50%		
S Fk Big Creek	1																100%
S Fk Flathead River above reservoir	110	45%	1%	4%			25%	4%							22%		
S Fk Flathead River below reservoir	97	69%	4%	3%			8%	13%	2%								
S Fk Flatwillow Creek	2						100%										
S Fk Little Joe Creek	1														100%		
S Fk Lolo Creek	1	100%															
S Fk Madison River	28	46%					4%							39%	11%		
S Fk Musselshell River	6	33%	33%												33%		
S Fk Red Meadow Creek	1						100%										
S Fk Smith River	4	100%															
S Fk Spanish Creek	2	50%					50%										
S Fk Sun River	26	65%					12%							12%	12%		

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons						Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
3	100%																
2	100%																
2	100%																
1	100%																
2	50%					50%											
1															100%		
1	100%																
2	50%					50%											
102	3%	2%	7%	2%	9%	26%		6%	24%	6%					16%		
11				9%	55%	36%											
2						100%											
5	80%														20%		
1	100%																
10						20%			30%	30%					20%		
141	3%	6%	1%	3%	11%	40%		4%	5%	1%		2%	2%		18%	3%	
7	29%		43%			29%											
1	100%																
2															100%		
2															50%		
15	73%			7%		7%									13%		
1															100%		
1	100%																
33	85%														15%		
8	88%					13%											
2	50%					50%											
11	73%											27%					
3	33%					67%											
10						50%									50%		
6	50%					50%											
19	21%	11%				16%				21%					32%		
1						100%											
2						50%									50%		
4	25%					25%									50%		
36	47%					28%									25%		
2				50%											50%		
2	50%					50%											
9	89%														11%		
1						100%											
11	100%																
1	100%																
18					33%			33%							33%		
223	1%	7%	2%	4%	9%	26%		16%	5%	17%		3%	0%		4%		6%
2					50%												50%
76	14%	9%	1%	7%	7%	13%		7%		8%		4%			24%		7%
70	69%	9%		1%	1%	14%	3%	1%							1%		
242	80%		2%			18%											
52	90%	2%	2%			6%											
2															100%		
4		50%													50%		
1															100%		
6	83%														17%		

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons						Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Snyder Creek	2						100%											
Soda Butte Creek	5	80%				20%												
Sophie Lake	90	2%	9%	1%	6%	10%	22%	9%		9%	8%					18%	6%	1%
Sourdough Creek	2	50%					50%											
Sourdough Lake	3						33%	33%								33%		
South Cottonwood Creek	1																	100%
South Sandstone Reservoir or Sandstone Reservoir	85	1%	5%	1%	11%	16%	14%			2%			8%	4%		38%		
South Willow Creek	2										100%							
Spanish Creek	6	67%																33%
Spanish Lakes	1	100%																
Spar Lake	9	11%	22%		22%		11%									33%		
Spencer Lake	1															100%		
Split Rock Lake	9		22%		22%	33%												22%
Spook Lake	1	100%																
Spook Lake	8	50%	25%				25%											
Spoon Lake	13	8%				54%	31%				8%							
Spotted Bear Lake	5	80%	20%															
Spotted Bear River	13	92%						8%										
Spotted Eagle Reservoir	27		19%			7%	4%						7%			63%		
Spring Coulee	1	100%																
Spring Creek	1	100%																
Spring Creek	1	100%																
Spring Meadow Lake	81		16%	1%	6%	10%	28%				2%					35%		1%
Square Lake	1	100%																
Squaw Creek	2	100%																
St Mary Lake	2	50%														50%		
St Mary Lake, Lower	1		100%															
St Mary River	1	100%																
St Paul Lake	1	100%																
St Regis River	43	88%	5%				2%									5%		
Stanton Lake	2			50%							50%							
Star Lake	2	50%					50%											
Steel Creek	2				100%													
Stillwater Lake, Lower	27	7%		4%		7%	37%	7%		11%					4%	19%		4%
Stillwater River	90	2%	3%	4%	11%	10%	19%	7%	20%	1%						22%		
Stillwater River Sec 01	578	53%	5%			1%	24%			1%				0%	3%	12%		1%
Stillwater River Sec 02	179	58%	1%			2%	23%								3%	13%		
Stone Creek	1	100%																
Stoner Creek	2	100%																
Stony Creek	5						100%											
Storm Lake	10	40%	20%				20%				10%					10%		
Strawberry Lake	3	33%					33%									33%		
Sucker Creek	1	100%																
Summerville Lake	1	100%																
Sun River Sec 01	61	15%	8%	7%			18%									23%		30%
Sun River Sec 02	165	24%	13%		1%	1%	24%		1%				1%			34%		
Sun River Slope Canal	2						50%									50%		
Sunburst Lake	1						100%											
Sunday Creek	5															100%		
Sunlight Lake	2	50%					50%											

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons						Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms						
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Sureshot Lakes	14	14%					36%						21%		29%		
Swan Creek	4	100%															
Swan Lake	128	9%	12%		5%	15%	31%		8%	1%	7%		2%		10%		
Swan River Sec 01	73	40%	3%	11%		5%	21%			7%					14%		
Swan River Sec 02	28	50%					39%								11%		
Swazee Lake	1														100%		
Sweathouse Creek	1														100%		
Sweet Grass Creek	7	71%					29%										
Sylvan Lake	3														100%		
Sylvia Lake	5	20%					40%	20%							20%		
Sypes Canyon	1	100%															
Taint Reservoir	1														100%		
Talcott Pond	1											####					
Tally Lake	31	10%	16%			6%	26%		3%	13%					23%		
Tamarack Lake	6	50%					17%				17%				17%		
Taylor Creek	1														100%		
Taylor Fork Gallatin River	10	100%															
Teepee Lake	1							100%									
Tenderfoot Creek	8	75%					13%								13%		
Tendoy Lake	2	50%					50%										
Tenmile Creek	2														100%		
Tenmile Lakes	1	100%															
Tent Lake	2	50%					50%										
Teton River Sec 01	20	15%				10%	35%								40%		
Teton River Sec 02	32	59%		6%											34%		
Tetrault Lake	43		12%	2%		14%	28%	12%							26%		7%
Thain Creek	7			14%											86%		
Thayer Creek	1	100%															
Therriault Creek	4	50%					50%										
Thompson Creek	1	100%															
Thompson Falls Reservoir	49					12%	20%		2%	33%					29%		4%
Thompson Lake	3						67%								33%		
Thompson Lake, Lower	37	8%		5%		8%	38%			5%	5%				30%		
Thompson River Sec 01	89	65%	1%	2%			26%	2%							3%		
Thompson River Sec 02	39	74%					23%								3%		
Thornton Lake - Big	1						100%										
Three Forks Pond	17	24%	24%			6%	12%								35%		
Thunderbolt Creek	2			50%											50%		
Tillinghast Creek	3	33%					33%								33%		
Timber Lake	15		13%				13%								73%		
Timberline Lake	7	71%					29%										
Tincup Creek	9	100%															
Tobacco River	47	21%	4%	4%			34%		15%						21%		
Tom Miner Creek	1		100%														
Tongue River Reservoir	664	3%	4%	5%	11%	14%	19%	0%	1%	0%			9%	8%	24%	0%	2%
Tongue River Sec 01	156	1%	17%			6%	12%		10%		6%	6%	6%		28%		
Tongue River Sec 02	74	12%	1%	7%		5%	22%		5%	3%			7%	8%	30%		
Tongue River Sec 03	149	5%	7%		12%	15%	25%		1%	7%			3%		18%		7%
Tooley Lake	2						50%								50%		
Topless Lake	1	100%															
Torrey Lake	2	100%															

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons					Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Toston Reservoir	4	50%					50%										
Trail Creek	1	100%															
Trail Creek	2	50%									50%						
Trail Creek	2															100%	
Trail Lake	2						100%										
Triangle Lake	2	50%														50%	
Triangle Pond	21	33%	33%				10%									24%	
Trout Creek	7	14%					43%									43%	
Trout Lake	2	50%					50%										
Trout Lake	2		50%					50%									
Troy Kids Pond	5		20%						40%							40%	
Tunnel Lake	10	60%					20%									20%	
Turquoise Lake	2						100%										
Twin Creek	5	100%															
Twin Lake, Lower	1	100%															
Twin Lakes	10	40%					30%									30%	
Twin Lakes	4	100%															
Twin Lakes	7	29%					43%									29%	
Twin Lakes (upper) or Axolotl Lake #3	1	100%															
Twin Lakes Creek	6															100%	
Two Leggins Creek	21				5%		48%									48%	
Two Medicine Lake, Lower	1						100%										
Two Medicine River	3	67%														33%	
Undesignated Waters R1	27	44%	15%	15%		4%	22%										
Undesignated Waters R2	35	57%		9%			9%									14%	3%
Undesignated Waters R3	26	42%	4%		12%	4%	19%									19%	
Undesignated Waters R4	41	27%	10%		2%		12%		5%	5%		2%				34%	
Undesignated Waters R5	27	41%					19%									41%	
Undesignated Waters R6	8				25%				13%	13%					13%	38%	
Unnamed Lake	1	100%															
Upper Aero Lake	2	50%					50%										
Upper Baldy Lake	1						100%										
Upper Foy Lake	45	33%	33%						33%								
Upper Hawkins Lake	6	33%	33%				17%									17%	
Upper Miner Lakes	4						100%										
Upper S Fk Crow Creek Lake	1						100%										
Upper Stillwater Lake	18					22%	28%	22%		6%						22%	
Upper Thompson Lake	153	4%	7%		12%	16%	18%	4%	9%	1%	11%		3%			15%	1%
Upper Whitefish Lake	4						50%	50%									
Upper Willow Creek	3						67%				33%						
Upper Wolverine Lake	6	33%	33%				33%										
Upsata Lake	3					33%	33%			33%							
Upsidedown Creek	2		50%								50%						
Valley Center Creek	28			25%		25%	25%									25%	
Van Lake	27	7%	33%	7%		4%	33%	4%			4%					7%	
Vermilion River	1	100%															
Vernon Lake	5	80%					20%										
Vinal Lake	4	25%					25%	25%								25%	
Virginia Creek	5	100%															
Virginia Lake	1															100%	
Vogel Pond (William)	2					50%										50%	

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

	Total Days Fished	Artificial Bait 1= Artificial flies 2= Artificial or manmade bait 3= Other 4= Plastic scented bait 5= Plastic unscented bait 6= Plus, spinners, spoons						Dead Bait 7= Eggs 8= Fish pieces or parts 9= Whole fish			Live Bait 10= Maggots 11= Amphibians/reptiles 12= Bait fish 13= Leeches 14= Insects 15=Night crawlers or worms 16= Crayfish 17= Meal worms							
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Voldseth Reservoir	2	100%																
Vr 009 Reservoir	1		100%															
W Fk Bitterroot Reservoir	43	74%			5%	9%	9%				2%							
W Fk Bitterroot River	159	81%		1%		1%	14%								3%	1%		
W Fk Clearwater River	2															100%		
W Fk Gallatin River	15	60%														20%	20%	
W Fk Madison River	19	95%					5%											
W Fk Mill Creek	6		100%															
W Fk Poplar River	3						67%									33%		
W Fk Rock Creek	9	78%					22%											
W Fk Rock Creek	5												###					
W Fk Rock Creek	14	79%														21%		
W Fk S Fk Sun River	12	33%					17%								17%	33%		
W Fk Stillwater R Sec 01	5	100%																
W Fk Stillwater R Sec 02	1															100%		
W Fk Thompson River	1	100%																
W Fk Yaak River	1	100%																
Wade Lake	60	45%	12%	2%		7%	18%									8%		8%
Wadsworth Reservoir	39	5%	21%		5%	13%	15%	10%								31%		
Warm Springs Creek	3	33%					67%											
Warm Springs Creek	1	100%																
Warm Springs Creek	3	100%																
Warm Springs Creek	2	50%														50%		
Warm Springs Creek	3	67%														33%		
Warm Springs Creek	24	67%					33%											
Warm Springs Kids Pond	4	50%				25%	25%											
Weeluna Lake	2	50%					50%											
West Boulder River	27	59%					33%									4%		4%
West Bridger Creek	1	100%																
West Fisher Creek	1						100%											
West Line Creek	1				100%													
West Rosebud Creek	23	35%			9%	9%	30%				4%					13%		
West Rosebud Lake	62	37%	15%	2%		3%	11%		2%						2%	29%		
White River	5	100%																
Whitefish Lake	58	21%	2%		2%	3%	48%	3%		5%	2%		3%			10%		
Whitefish River	15	13%		7%			60%									20%		
Whitetail Creek	2		50%													50%		
Whitetail Reservoir	1						100%											
Whitetail Reservoir	3	100%																
Wild Bill Lake	52	15%	25%	10%		2%	4%						4%			40%		
Wild Horse Coulee Pond	1	100%																
Wildcat Lake	3		33%				67%											
Willow Creek	8	100%																
Willow Creek	4	25%	25%			25%	25%											
Willow Creek	5															100%		
Willow Creek Res, Lower	5	80%					20%											
Willow Creek Reservoir	57	11%	9%	2%	7%	9%	32%				5%					18%		9%
Willow Creek Reservoir	176	5%	21%	2%	2%	2%	17%	9%			8%			1%		28%		6%
Wise River	56	61%	5%		2%		11%								5%	11%		5%
Wolf Creek	2					100%												
Wolf Creek	2	100%																

## Appendix J. Percent of days fished by waterbody for each type of bait for License Year 2013.

[illegible]