



Canyon Ferry Reservoir

	2000-2009	2010-2019
Perch goal	3 year ave 20 fish/net sinking series winter catch 2 fish/hr	3 year ave 10 fish/net sinking series winter catch 2 fish/hr
Rainbow trout goal	3 year ave 10/net fall floating series 3 year summer ave 0.15 fish/hr	3 year average 5-6/net fall floating series 3 year summer ave 0.25 fish/hr
Walleye goal	3 year ave 5-10/net in netting series Dev criteria for density con w/objective	3 year ave 5/net in fall walleye series Eval criteria for density control based on forage
Trigger criteria	walleye - above 10/net Perch - below 15/net Rainbow - below 8/net	Walleye - above 7/net Perch - below 3/net Rainbow - below 3 per net
Brown trout goal	3 year ave increase 0.5 ot 2/sinking net	3 year ave increase 0.2 to 1/sinking net
Burbot goal	3 year ave 0.40/sinking net	3 year ave 0.40/sinking net
Forage goal	Maintain WSU 40/net, YP 20/net, Plankton 20/L	Increase WSU 15/net, YP 10/net, maint Plankton 20/L
Northern pike goal	NA	Suppress in river and reservoir
CFR Reservoir ops goal	Work with BOR to consider fisheries and angler access into CFR mgmt	Work with BOR to consider fisheries and angler access into CFR mgmt
Derby/tournament goal	Regional, district, state policies, restriction, regs supersede restrictions herein	Regional, district, state policies, restriction, regs supersede restrictions herein
Live bait goals	Prevent	Prevent
Habitat goals	Protect and enhance	Protect and enhance
Disease and AIS	Prevent	Prevent
Piscivorous bird goal	NA	Determine impacts by pelican/cormorant to fish pop consider action if impacts shown
Access goal	NA	Improve fishing, boating, camping opportunity, access for shore and youth angling
Flushing losses	NA	Evaluate
Angling regulations	Rainbow - District standard 5 daily 10 possession Walleye - 20 daily 40 possession 2000-2003	Rainbow - District standard 5 daily 10 possession Walleye - 20 daily 40 possession 1 over 28 inch 2004-2010
	Walleye - 20 daily 40 possession 2004-2010 1 over 28 inch	Walleye - 20 daily 40 possession 1 over 28 inch 2004-2010
		Walleye - 20 daily 40 possession 1 over 28 inch 2004-2010
		Walleye - 12 daily 1 over 25 inches possession twice daily 2014-2018
		Walleye - 20 daily 1 over 20 inches possession twice daily 2019
	Perch- 50 daily no possession 2000-2005	Perch – 15 daily and possession 2006-2013
	Perch – 15 daily and possession 2006	Perch – 10 daily and possession 2014-2019
	Brown trout - combined trout district standard 5/day and in possession	Northern Pike - no limit 2011-2019
		Brown – C&R except angler 14 YOA take 1 any size

Hauser Reservoir

	2000-2009	2010-2019
Rainbow trout goal	3 year ave 5/net fall floating series	3 year ave 3/net fall floating series
	3 year summer ave 0.15-0.20 fish/hr	3 year summer ave 0.15-0.20 fish/hr
Kokanee goal	3 year ave 20/net summer vertical series	Goals removed
	3 year summer ave 0.10 fish/hr	Goals removed
Walleye goal	3 year ave 2-3/net in fall sinking net series	3 year ave 2-3/net in fall sinking net series
Brown trout goal	1 per sinking gill net	0.5 per sinking gill net
Largemouth bass goal	None	Removed
Perch goal	3 year ave 7 fish/net sinking series	3 year ave 4 fish/net sinking series
	Angler catch rate 0.10-0.15/ hr summer, 0.30-0.40/hr winter	Goal removed
Burbot goal	3 year ave 0.5 to 1.0/fall sinking net	3 year ave 0.5 to 1.0/fall sinking net
Northern pike goal	NA	Monitor, suppress evaluate impacts
Dissolved Oxygen goal	Maintain at least 5mg/L DO from CFR release, monitor	Maintain at least 5mg/L DO from CFR release, monitor
Flushing fish loss goal	Determine fish flush rates, feasibility of screening	Determine fish flush rates, feasibility of screening
WE flushing from CFR goal	Determine fish flush rates, feasibility of eliminating	Determine fish flush rates, feasibility of eliminating
Habitat goal	Enhance wild fish spawning in res and tributaries	Enhance wild fish spawning in res and tributaries
Disease and AIS goal	Prevent	Prevent
Derby/tournament goal	Minimize conflict w/users, ensure consistency with mgmt goals	Minimize conflict w/users, ensure consistency with mgmt goals
Angling Regulations	Rainbow - District standard for trout and kokanee 5 daily 10 possession	Rainbow - District standard for trout and kokanee 5 daily 10 possession
	Walleye - 10 daily 1 over 28 inches 2000-2007	Walleye - 10 daily 1 over 28 inches, possession twice daily 2008-2010
	Walleye - 10 daily 1 over 28 inches, possession twice daily 2008-2010	Walleye - 20 daily 1 over 28 inches, possession twice daily 2011-2018
	Perch - 50 daily no possession 2000-2010	Perch - 25 daily no possession 2011-2013
	Northern pike - district standard 10 daily/possession	Perch - 10 daily/possession 2014-2019 April 1-June 30 1 daily/pos, 14 in min
	Brown - catch and release 2000-2003	Northern pike- no limit 2011-2018
	Brown - C&R anglers 14 YOA or less 1 brown daily/pos any size 2004-2018	Brown - C&R anglers 14 YOA or less 1 brown daily/pos any size 2004-2018

Missouri River Hauser Tailwater

	2000-2009	2010-2019
Rainbow trout goal	Rely on wild fish to sustain fishery	Fall abundance of 3,500/mi, manage angler conflict
Brown trout goal	Maintain at or above current levels	Fall abundance of 150/mi
Kokanee goal	Rely on fish flushed from Hauser and Holter natural reproduction	Rely on fish flushed from Hauser, Holter natural reproduction, stocking
Walleye goal	Rely on fish flushed from Hauser and Holter residents/migrants	Rely on fish flushed from Hauser and Holter residents/migrants
CFR walleye flush goal	Determine flush rates and survival	Determine flush rates, reduce/eliminate
Habitat goal	Enhance spawning in Holter tribs	Enhance spawning in Holter Reservoir and tribs
Disease and AIS	Monitor for whirling disease	Monitor for whirling disease, prevent wildlife and plants
Creel survey goal	Determine catch rate/satisfaction before 2009	Determine catch rate/satisfaction, adapt regulations
Motor use goal	NA	Manage conflict, safety
Regulations	Rainbow trout - District standard for river/stream	Rainbow trout - District standard for river/stream
	Brown trout - catch and release	Brown trout - catch and release
	Walleye - 5 under 20, 1 over 28 inches. None 20-28 inches 2000-2003	Walleye - 10 daily under 20, 1 over 28 inches. None 20-28 inches pos 2x daily 2004-2014
	Walleye - 5 under 20, 1 over 28 inches. None 20-28 inches pos 2x daily 2004-2014	Walleye - 10 daily 1 over 25 inches. Pos 2x daily 2014-present

Holter Reservoir

	2000-2009	2010-2019
Rainbow trout goal	3 year ave 8/net spring and fall floating series	3 year ave 6/net spring and fall floating series
	3 year summer ave 0.25 fish/hr	3 year summer ave 0.25 fish/hr
Kokanee goal	No goals due to Hauser flushing	Determine density to maintain fishery
Walleye goal	3 year ave 3.0/fall sinking net	3 year ave 4.0/fall sinking net
	3 year ave 30% of pop between 20 and 28 inches in fall sinking net	Goal removed
	Running summer ave catch rate of 0.10/hr for target WE	Running summer ave catch rate of 0.10/hr for target WE
Perch goal	3 year ave 10.0/fall sinking net	3 year ave 6.0/fall sinking net
	Running ave catch rate of 0.20-0.40/hr summer and 1.0-2.0/hr winter creel	Running ave catch rate of 0.20-0.40/hr summer and 1.0-2.0/hr winter creel
Burbot goal	NA	3 year ave 0.25/fall sinking net
Northern pike goal	NA	Monitor, suppress, evaluate impacts
Flushing loss goal	Determine fish flush rates, feasibility of screening	Determine fish flush rates, feasibility of screening
WE flushing from CFR goal	Determine fish flush rates, survival	Determine fish flush rates, survival
Habitat goal	Enhance spawning in Holter tribs	Enhance spawning in Holter reservoir and tribs
Disease and AIS	Monitor reservoir and tribs for whirling disease	Monitor for whirling disease, prevent wildlife and plants

Derby/tournament goal	Minimize conflict w/users, ensure consistency with mgmt goals	Minimize conflict w/users, safety, ensure consistency with mgmt goals
Access goal	NA	Improve access with focus on youth and handicap